



sa air force

Department:
Defence
REPUBLIC OF SOUTH AFRICA

Telephone: 012 351 2367
Email: Saafpu.Invitations@dod.mil.za
Enquiries: Flight Sergeant V.G Twala

SA Procurement Unit
Air Force Mobile Deployment Wing
Private Bag X05
Private Bag X05
Valhalla
0137

24 July 2025

BID: SPU/B/DSS/018/25: SUPPLY AND DELIVERY OF VARIOUS EMBOSSED RANK INSIGNIA

GOODS DELIVERY ADDRESS: 10 AIR DEPOT, STEPHANUS SCHOEMAN ROAD, THABA TSHWANE, PRETORIA

VALIDITY PERIOD: 90 DAYS

CLOSING DATE & TIME FOR BID: 11:00 AM ON 19 AUGUST 2025

1. You are hereby invited to furnish this Department with a Bid for the supply of the above-mentioned items as per attached documents. The documents you should be in possession of are; This Cover Letter, Road Map to South African Air Force Procurement Unit (SAAF PU), SBD 1; SBD 3; SBD 4; SBD 6.1; SWORN AFFIDAVIT and QUESTIONNAIRE.
2. The conditions contained in General Bid Conditions (GBC), General Conditions of Contract (GCC) and all the attached forms will apply to your Bid.
3. Kindly Bid by completing the relevant forms, directed to **SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT, PRIVATE BAG X04, VALHALLA, 0137** to reach the Bid Receipt Office not later than the closing date and time or deposit in the Bid Box in the Parking Area across from the Security Guard Room at the **Main Entrance of AIR FORCE MOBILE DEPLOYMENT WING, OLD JOHANNESBURG ROAD (across from Godiva Road), VALHALLA** before the **CLOSING DATE AND TIME**.
4. **Please note that the Bid Box will be closed daily between 18:00 and 06:00 am.** Bids can also be handed in at the South African Air Force Procurement Unit, Internal Services Section during Office Hours 07:00 am till 15:00. However, if the Bid is Late it will not be accepted for consideration.
5. The following members can be contacted regarding the following aspects of this Bid only during office hours:
 - a. Compilation of Bid Document: **Flight Sergeant V.G. Twala at (012) 351 2311.**
 - b. Technical Information: **Major D.G. Sebiloane at (012) 351 5182 / 5186/ 5179.**

BID: SPU/B/DSS/018/25: SUPPLY AND DELIVERY OF VARIOUS EMBOSSED RANK INSIGNIA

6. Authenticate this Document:

COMPANY NAME:	
PHYSICAL ADDRESS:
POSTAL ADDRESS:
TEL NO:	
FACSIMILE NO:	
MOBILE NO:	
BANKING DETAILS:
NAME (PRINT):	
CAPACITY:	
SIGNATURE:	
DATE:	

7. Kindly take note that according to Government Gazette No. 47452 NO. 2721 dated 04 November 2022, effective from 16 January 2023, Bidders are to submit a Sworn Affidavit to substantiate the preference points claimed. Sworn Affidavit must be signed by legally recognised Commissioner of Oath. The Department of Defence reserves the right to verify the truthfulness of the claims. Should the Proof (Affidavit) not be submitted, a Zero (0) point will be allocated.

Yours Sincerely



(CAPTAIN T.R. MANGANYI)

OFFICER COMMANDING SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT: COLONEL

APPENDIX A
MANDATORY EVALUATION
CRITERIA FOR THE SUPPLY
AND DELIVERY OF VARIOUS
EMBOSED RANKS INSIGNIA
DD 24 JULY 2025

MANDATORY CRITERIA

1. **PHASE 1:** Compliance to Mandatory Requirements. Bidder that does not fully comply with the criteria will be eliminated / excluded and will not go to the next phase.

SER NO	MANDATORY CRITERIA	SUBMITTED YES / NO
a.	<p>Central Supplier Database: From 1 April 2016 it is mandatory for the Department of Defence (DOD) to make use of Suppliers that are Registered on the National Treasury Central Supplier Database (CSD). Only Bidders that Submit Proof of Registration will be considered.</p> <p>It is Mandatory to Attach to this Price Quotation a CSD Registration Report (Not older than Fourteen (14) Days). Bidders must comply to the following Minimum Criteria on the CSD Report:</p> <ul style="list-style-type: none"> i. Supplier <u>must</u> be Tax Compliant. ii. Banking Details <u>must</u> be Verified Successfully. iii. Supplier <u>must</u> have a "Physical Address Type". iv. CSD Report <u>must</u> reflect the Category / Commodity or Service the Company is Bidding for: <ul style="list-style-type: none"> a) Segment Title: Apparel and Luggage and Personal Care Products b) Family Title: Clothing. c) Class Title: Clothing accessories. d) Commodity Title: Shoulder boards or Epaulettes. <p>Failure to Adhere to abovementioned Minimum Criteria, on CSD Report will invalidate the Price Quotation.</p>	
b.	<p>Signed SBD 1 and 4: Bidder to fully Complete and Sign the SBD Documents and submit a Copy of the Original by the Closing Date and Time. Original SBD Documents must be available on request.</p>	
c.	<p>Signed SBD 3: Bidder to Complete the Pricing Schedule and submit a Copy of the Original by the Closing Date and Time. Pricing, Signature (Consenting of Conditions) and Information (Block) at the Bottom of the Second Last page on the SBD 3. Failure to submit will invalidate the Bid.</p>	

d.	Signed SBD 6.1: Bidders to submit a Sworn Affidavit, signed by a Legally Recognised Commissioner of Oath to substantiate the Preference Point (Specific Goal) claimed as per Completed and Signed SBD 6.1, Table 1, by the Closing Date and Time. The Department of Defence reserves the right to verify the truthfulness of the claim. Should Affidavit not be submitted a Zero (0) Point will be allocated.	
e.	Special Conditions: Enclosure 3-1 to 3-3 (Embossed items) form Part of the Bid Document and must be completed and returned with Bid. The bidder to take note of the set out conditions.	
f.	Capability Report: Bidder to submit a valid SANAS Accredited Capability Report (Not older than 12 Months). The South African Air Force (SAAF) reserves the right to give preference to Bidders with a Capability of 80% or Higher. If the Bidder makes use of a Sub-Contractor, the Sub-contractor Capability Report must also be submitted. Failure to submit this Report may invalidate the Bid.	
	NOTES	CONFIRM YES/NO
g.	<p>Additional Documents: The following documents form part of the Bid Document:</p> <ul style="list-style-type: none"> i. Enclosure 4 (SALM 666 Version 02.0/September 2018); ii. Enclosure 5 (SALM 626 Version 04.0/June 2017); iii. Enclosure 6 (SALM 573 Version 08.0/February 2025); iv. Enclosure 7 (SALM 572 Version 07.0/July 2022); v. Enclosure 8 (SALM 570 Version 13.0/November 2023) vi. Enclosure 9 (SALM 416 Version 05.0/March 2015) vii. Enclosure 10 (SALM 108 Version 07.0/January 2023) <p>The successful Bidder must deliver items as prescribed in attached SALM Specifications.</p>	

2. **PHASE 2:** Price: (Will be according to prices submitted)

Criteria	Points
Price	80/

3. **PHASE 3:** Preferential Points (As per GOVERNMENT GAZETTE NO. 47452). Proof (Sworn Affidavit) to substantiate the Preference Point claimed for Specific Goal as per SBD 6.1, signed by a legally recognised Commissioner of Oath, must be submitted together with Bid.

Criteria	Points
Specific Goal	20/

4. Preference Points (Specific Goals). A Bid will not be disqualified from the bidding process if the Bidder does not claim a point as per Specific Goals and does not submit a Sworn Affidavit, to substantiate the Preference Point claimed. Such Bidder will score Zero (0) out of a maximum of Twenty (20) Points for Preference Point claimed.

5. The point scored for PRICE must be added to point scored for SPECIFIC GOAL contribution claimed to obtain the Bidders total score out of 100.

6. Calculation of SPECIFIC GOAL. Points must be awarded to a Bidder for attaining the Specific Goal Contributor Level in accordance with the Table below:

STATUS LEVEL	SPECIFIC GOAL CONTRIBUTOR	NUMBER OF POINTS (80/20 SYSTEM)
Level 1	51% Owned by Black Women Military Veterans	20
	or	
	51% Owned by Black Youth	
	or	
	51% Owned by Black People with Disability	
Level 2	51% Owned by Black Male Military Veterans	18
	or	
	51% Owned by People with Disability	
	or	
	51% Owned by Black Women EMEs	
Level 3	51% Owned by Women Military Veterans	16
	or	
	51% Owned by Black Male EMEs	
	or	
	51% Owned by Women EMEs	
	or	
	51% Owned by Black Women QSEs	
Level 4	51% Owned by Male Military Veterans	14
	or	
	51% Owned by Youth	
	or	
	51% Owned by any other EMEs	
	or	
	51% Owned by Black Male QSEs	
	or	
	51% Owned by Women QSEs	
Level 5	51% Owned by any other QSEs	12
Level 8	Non-Compliant Contributor	0

IMPORTANT NOTES

PLEASE TAKE NOTE THAT YOU MAY ONLY MAKE USE OF **ONE** **OPTION** TO RESPOND TO THE BID.

THE BID DOCUMENTATION, MUST BE PRINTED, COMPLETED AND RETURNED BY MEANS OF,

OPTION 1: **ONLY HAND DELIVERED** (IN SEALED ENVELOPE) OR SUBMITTED IN THE BID BOX OF THE SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT.

ADDRESS: MAIN ENTRANCE OF AIR FORCE MOBILE DEPLOMENT WING (SAAF MUSEUM), OLD JOHANNESBURG ROAD (CROSSING GODIVA ROAD), VALHALLA.

BID BOX: SAME ADDRESS AS ABOVE.

ROAD MAP ATTACHED FOR EASY REFERENCE



SECURITY

GROUND

SECURITY BOOMS

ROBOT

GODIVA ROAD

**Parking
Area**

**AIR FORCE BASE
SWARTKOP
(MUSEUM)**

**R
1
0
1
O
L
D
J
O
H
A
N
N
E
S
B
U
R
G
R
O
A
D**

**AIR FORCE
BASE
SWARTKOP
WEST**

**V
I
D
E
O
C
A
M
E
R
A**



NORTH

**SAAF
PROCUREMENT
UNIT
TENDER
BOX**

PART A INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT							
BID NUMBER:		SPU/B/DSS/018/25		CLOSING DATE:		19 AUGUST 2025	
CLOSING TIME:		11:00					
DESCRIPTION		SUPPLY AND DELIVERY OF VARIOUS EMBOSSED RANK INSIGNIA					
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT							
MAIN ENTRANCE OF SOUTH AFRICAN MOBILE DEPLOYMENT WING (MUSEUM SIDE)							
OLD JOHANNESBURG ROAD (ACROSS FROM GODIVA ROAD)							
VALHALLA							
0137 (SEE ATTACHED MAP)							
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO				TECHNICAL ENQUIRIES MAY BE DIRECTED TO:			
CONTACT PERSON		FLIGHT SERGEANT V.G. TWALA		CONTACT PERSON		MAJOR D.G. SEBILOANE	
TELEPHONE NUMBER		(012) 351 2311		TELEPHONE NUMBER		(012) 351 5182	
FACSIMILE NUMBER		N/A		FACSIMILE NUMBER		(012) 351 5181	
E-MAIL ADDRESS		Saafpu.Invitations@dod.mil.za		E-MAIL ADDRESS		N/A	
SUPPLIER INFORMATION							
NAME OF BIDDER							
POSTAL ADDRESS							
STREET ADDRESS							
TELEPHONE NUMBER		CODE		NUMBER			
CELLPHONE NUMBER							
FACSIMILE NUMBER		CODE		NUMBER			
E-MAIL ADDRESS							
VAT REGISTRATION NUMBER							
SUPPLIER COMPLIANCE STATUS		TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE NO:	MAAA _____	
[A CSD REGISTRATION REPORT NOT OLDER THAN FOURTEEN (14) DAYS MUST BE SUBMITTED WITH BID. SWORN AFFIDAVIT ALSO TO BE SUBMITTED WITH BID TO SUBSTANTIATE SPECIFIC GOAL POINTS CLAIMED]							
CSD REGISTRATION REPORT ATTACHED NOT OLDER THAN FOURTEEN (14) DAYS:		TICK APPLICABLE BOX] <input type="checkbox"/> Yes <input type="checkbox"/> No		SWORN AFFIDAVIT SUBMITTED FOR SPECIFIC GOAL POINTS CLAIMED AS PER SBD 6.1		[TICK APPLICABLE BOX] <input type="checkbox"/> Yes <input type="checkbox"/> No	
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?		<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]		ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?		<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER THE QUESTIONNAIRE BELOW]	
QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS							

PART B**TERMS AND CONDITIONS FOR BIDDING****1. BID SUBMISSION:**

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.**
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, GENERAL BID CONDITIONS (GBC), THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:

.....

CAPACITY UNDER WHICH THIS BID IS SIGNED:

(Proof of authority must be submitted e.g. company resolution)

.....

DATE:

.....

PRICING SCHEDULE

SBD3

Reference No: SPU/B/DSS/018/25
Document Number: 584979
Validity Period: 90 Days
Closing Date: 19 AUGUST 2025 at 11H00

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
001	18-194-3334	Insignia rank SAAF Embossed Collar Lt Gen for Camouflage Field Dress- Black on thatch beige	10 Air Depot, Thaba Tshwane, Pretoria.		Set	
		Line Comment:	Lead Time	Quantity Required	Quantity Available	
		TAKE NOTE OF ATTACHED ENCLOSURES: ENCLOSURE 3 (SPECIAL CONDITIONS CRITERIA); ENCLOSURE 4 (SALM 666 VERSION 02.0/SEPTEMBER 2018). ENCLOSURE 5 (SALM 626 VERSION 04.0/JUNE 2017). ENCLOSURE 6 (SALM 573 VERSION 08.0/FEBRUARY 2025). ENCLOSURE 7 (SALM 572 VERSION 07.0/JULY 2022). ENCLOSURE 8 (SALM 570 VERSION 13.0/NOVEMBER 2023). ENCLOSURE 9 (SALM 416 VERSION 05.0/MARCH 2015). ENCLOSURE 10 (SALM 108 VERSION 07.0/JANUARY 2023 CORRUGATED BOARD BOXES SPECIFICATION)		10		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
002	18-194-3335	Insignia rank SAAF Embossed Collar Maj Gen for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				50		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
003	18-194-3341	Insignia rank SAAF Embossed Collar Brig Gen for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				200		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
004	18-194-4078	Insignia rank SAAF Embossed Collar Col for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				10		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
005	18-194-4104	Insignia rank SAAF Embossed Collar Col for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				150		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
006	18-194-4106	Insignia rank SAAF Embossed Collar Lt Col for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				150		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
007	18-194-3344	Insignia rank SAAF Embossed Collar Maj for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				350		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
008	18-194-3345	Insignia rank SAAF Embossed Collar Capt for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		250		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
009	18-194-3348	Insignia rank SAAF Embossed Collar 2nd Lt for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		50		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
010	18-194-3349	Insignia rank SAAF Embossed Collar F Sgt for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		150		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
011	18-194-3351	Insignia rank SAAF Embossed Collar Sgt for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				400		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
012	18-194-3390	Insignia rank SAAF Embossed Collar Cpl for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				100		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
013	18-194-3397	Insignia rank SAAF Embossed Collar Chaplain for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				50		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
014	18-194-3412	Insignia rank SAAF Embossed Collar WO1 for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				100		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
015	18-194-3410	Insignia rank SAAF Embossed Collar WO2 for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1..	Lead Time	Quantity Required	Quantity Available	
				200		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
016	18-194-3403	Insignia rank SAAF Embossed Collar CO for Camouflage Field Dress- Black on thatch beige	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				50		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
017	18-181-8545	Badge, Rank, Collar, SAAF LT General Field Dress Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				10		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
018	18-181-8547	Badge, Rank, Collar, SAAF Maj General Field Dress Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				60		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Cost				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
019	18-181-8548	Badge, Rank, Collar, SAAF Brig General Field Dress Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				150		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
020	18-191-8124	Insignia, Rank, Officer SAAF, Colonel Chaplain, Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				6		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Cost				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				
Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
021	18-181-8550	Badge, Rank, Collar, SAAF, Colonel, Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				150		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Cost				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				
Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date required
022	18-181-8552	Badge Rank, Collar, SAAF, LT Col, Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				150		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Cost.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
023	18-181-8553	Badge Rank, Collar, SAAF, Major, Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		150		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
024	18-181-8556	Badge Rank, Collar, SAAF, Captain, Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		150		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
025	18-181-8572	Badge Rank, Collar, SAAF, Flight Sergeant, Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Cost		150		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
026	18-181-8579	Badge Rank, Collar, SAAF, Sergeant, Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Cost		150		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
027	18-181-8582	Badge Rank, Collar, SAAF, Corporal, Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		150		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date required
028	18-181-8583	Badge Rank, Collar, SAAF, Lance Corporal, Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		100		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
029	18-181-8585	Badge Rank, Collar, SAAF, Chaplain, Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		50		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
030	18-181-8584	Badge Rank, Collar, SAAF, Candidate Officer, Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		100		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
031	18-181-8569	Badge Rank, Collar, SAAF, WO2, Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		450		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date required
032	18-181-8568	Badge Rank, Collar, SAAF, WO1 Field Dress, Embossed	10 Air Depot.		Set	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		150		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
033	18-097-6592	Insignia, Rank, Officer, for Lt Genl Ceremonial And Service Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		10		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
034	18-097-6591	Insignia, Rank, Officer, for Maj Genl Ceremonial And Service Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		150		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
035	18-097-6589	Insignia, Rank, Officer, for Brig Genl Ceremonial And Service Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				150		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
036	18-097-6587	Insignia, Rank, Officer, for Col Ceremonial And Service Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				300		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
037	18-097-6586	Insignia, Rank, Officer, for Lt Col Ceremonial And Service Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				300		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
038	18-189-3491	Insignia, Rank, Officer Rank, Insignia Embossed Shoulder Boards, Colonel Chaplain	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				10		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				
Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
039	18-097-6526	Insignia, Rank, Officer, for Chaplain Ceremonial And Service Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				20		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				
Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
040	18-097-6530	Insignia, Rank, Officer, for Maj Ceremonial And Service Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				250		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
041	18-097-6529	Insignia, Rank, Officer, for Capt Ceremonial And Service Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		350		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
042	18-097-6528	Insignia, Rank, Officer, for Lt Ceremonial And Service Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		300		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
043	18-097-6525	Insignia, Rank, Officer, for Candidate Officer Ceremonial Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		150		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure
044	18-097-6522	Insignia, Rank, Non-Commissioned Officer, for F-Sgt Service Dress SAAF Embossed	10 Air Depot.		Pair
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available
				300	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.			
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.			

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure
045	18-097-6519	Insignia, Rank, Non-Commissioned Officer, for L/Cpl Service Dress SAAF Embossed	10 Air Depot.		Pair
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available
				450	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.			
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.			

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
046	18-181-8591	Insignia, Rank, Non-Commissioned Officer, for WO1 Service Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				450		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
047	18-181-8588	Insignia, Rank, Non Commissioned Officer, for WO2 Service Dress Shoulder, Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		450		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
048	18-181-8603	Insignia, Rank, Non Commissioned Officer, for WO1 Level 2 Service Dress Shoulder Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		15		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
049	18-181-8601	Insignia, Rank, Non Commissioned Officer, for WO1 Level 3 Service Dress Shoulder Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		20		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
050	18-181-8598	Insignia, Rank, Non Commissioned Officer, for WO1 Level 4 Service Dress Shoulder Embossed	10 Air Depot.		Pair	
		Line Comment:	Lead Time	Quantity Required	Quantity Available	
		TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.		20		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
051	18-181-8595	Insignia, Rank, Non Commissioned Officer, for WO1 Level 4A Service Dress Shoulder Embossed	10 Air Depot.		Pair	
		Line Comment:	Lead Time	Quantity Required	Quantity Available	
		TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.		20		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
052	18-097-6792	Insignia, Rank, Non Commissioned Officer, for WO2 Mess Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment:	Lead Time	Quantity Required	Quantity Available	
		TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.		200		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
053	18-097-6793	Insignia, Rank, Non Commissioned Officer, for WO1 Mess Dress SAAF Embossed	10 Air Depot.		Pair	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1..	Lead Time	Quantity Required	Quantity Available	
				200		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
054	18-175-0278	Backing, Insignia, Badge Background, Flight Blue For Cap, General Officers	10 Air Depot.		Each	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				130		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date required
055	18-015-0281	Backing, Insignia, Badge Background; Black; For Cap Garrison	10 Air Depot.		Each	
		Line Comment: TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
				300		
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.				
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
056	18-015-0233	Backing, Insignia, Badge Background, Flight Blue; Iron On; For Cap Garrison	10 Air Depot.		Each	
		Line Comment:				
		TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1..	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		150		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				
Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
057	18-187-6376	Backing, Insignia, SAAF, For Cap Badge WO1 Level 2 (SCWO) And level 3 (CWO)	10 Air Depot.		Each	
		Line Comment:				
		TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		80		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				
Item No	Item Code	Item Description	Consumer	Delivery Point	Purchas Unit of Measure	Date Required
058	18-176-1256	Backing, Insignia, Violet, For Chaplain Badge, Cap Garrison	10 Air Depot.		Each	
		Line Comment:				
		TAKE NOTE OF ATTACHED ENCLOSURES MENTIONED ABOVE ON LINE 1.	Lead Time	Quantity Required	Quantity Available	
		Total Unit Cost in ZAR Currency, Including VAT and All Delivery Costs.		35		
		Total Cost in ZAR Currency, Including VAT and All Delivery Costs.				

Indicate Lead Time for all Items (Days)

The following conditions are hereby accepted:
"Standard Terms and Conditions" or "General Conditions of Contract" Available on Website or Attached
The Awarding of the Price Quotation as determined by the (Department of Defence).

The following is hereby certified:
This offer is correct and any mistake will be at my risk.
I accept responsibility for the execution of all obligations entrusted upon me.
I did not participate in any collusive practices with any other supplier or any other person regarding
this Price Quotation or any other Price Quotation.
I am duly authorized to sign the Price Quotation.
The offer is inclusive of Value Added Tax.

Name: Capacity:

Signature: Date:

Grand Total Including VAT		
Price Firm Y/N	Brand & Model	
Do You Accept Government Orders Y/N	Delivery Period Firm Y/N	
Comply with Specification Y/N	If Not, State Deviations	

Questionnaires

Questionnaires/Evaluation Criteria
80/20 Evaluation Criteria

Question/s		Options
Level 1: 51 51% owned by Black Women Military veterans / 51% owned by Black Youth / 51% owned by Black people with disability Level 2: 51% owned by Black Male Military veterans / 51% owned by people with disability / 51% owned by Black Women EME's Level 3: 51% owned by Women Military Veterans / 51% owned by Black Male EME's / 51% owned by Woman EME's / 51% owned by Black Woman QSE's Level 4: 51% owned by Male Military veterans / 51% owned by Youth / 51% owned by any other EME's / 51% owned by Black Male QSE's / 51% owned by Women QSE's Level 5: 51% owned by any other QSE's	<input type="checkbox"/>	LEVEL 1
	<input type="checkbox"/>	LEVEL 2
	<input type="checkbox"/>	LEVEL 3
	<input type="checkbox"/>	LEVEL 4
	<input type="checkbox"/>	LEVEL 5
	<input type="checkbox"/>	LEVEL 6
	<input type="checkbox"/>	LEVEL 7
	<input type="checkbox"/>	LEVEL 8
	<input type="checkbox"/>	NON-COMPLIANT



RESTRICTED



Enclosure 3-1

SPECIAL CONDITIONS FOR THE SUPPLY OF EMBOSSED ITEMS

GENERAL

1. **General Bid Conditions (GBCs) and General Conditions of Contract (GCC)**. The conditions contained in GBCs and the GCC's and all other conditions will apply.
2. **Special conditions on the Award Of Bid**. The South African Air Force (SAAF) reserves the right to award a bid as a whole to one bidder.
3. **Break-out procurement**. The SAAF reserves the right to, in support of government initiative to promote Small Business and in accordance with the National Small Business Act, 1996 (Act no 102 of 1996), consider the breakout of procurement into smaller segments. This implies that the bid can be allocated to more than one contractor, in manageable segments, and according to the predetermined capacity of smaller enterprises. The department will in all cases indicate the intention, elsewhere in the bid document, to apply the breakout procurement principles.

STANDARDS

4. **Capability Report**. It is a condition of this bid that all bidders submit a manufacturing capability report not older than twelve (12) months with the bid documents at the closing date and time of the bid. The full capability report must be issued by an organisation accredited or recognised by the South African National Accreditation System (SANAS) and must indicate whether the bidder/manufacture has the capability and capacity to manufacture the product(s)/items. The capability report has to address the following requirements.
 - a. Production capacity and capability.
 - b. List of items/products produced in the company.
 - c. Company organisation.
 - d. Facilities.
 - e. Quality control systems.
 - f. Incoming inspections.
 - g. In-process quality control.
 - h. Final inspection.
 - i. Packaging.
 - j. Non-conforming product.
 - k. Communication/documentation control and work movement.
5. **Capability Report Preferences**. The SAAF reserves the right to give preference to bidders with a capability of 80% or higher.



RESTRICTED

Enclosure 3-2



SPECIAL CONDITIONS FOR THE SUPPLY OF EMBOSSED ITEMS

6. **SANS and CKS specifications.** The SANS and CKS specifications, if requested in this bid are obtainable from the Director, SA Bureau of Standards, Pretoria, Cape Town, Durban and Port Elizabeth.

7. **Colour Standard (where applicable).** In the event of it being required that the material specified must match a specified colour standard, such colour is to be approved by the appointed test house/ SAAF Product system Manager prior to the purchasing or manufacturing of bulk quantities required for garment production.

PRE-PRODUCTION SAMPLES, TESTS, ANALYSIS AND INSPECTIONS

8. **Pre-production Samples (PPS).** It is expected from the successful bidder to submit three (3) PPS of different sizes and trim charts to the SAAF for submission to the appointed test house for testing and sealing.

9. Unless otherwise stipulated by the SAAF, the first PPS must be submitted within 30 calendar days from receipt of the official government order from the SAAF.

10. In the case of a failure or non-submission a second PPS is to be submitted to the SAAF Product System Manager within 14 calendar days after the successful bidder was informed of the findings regarding the first PPS.

IMPORTANT: It must be noted that a PPS not submitted on the correct date will be considered a failure.

11. If the second PPS either fails again or is not submitted, the successful bidder has 7 calendar days to re-submit a third PPS. Failure to deliver the samples within the specified time and according to the required specification(s) will lead to cancellation of the contract and the commencement of paragraph 21 of the General Conditions of the Contract (GCC).

IMPORTANT: It must be noted that the SAAF will only be responsible for the first attempt pass of the pre-production sample testing.

12. **Commencement with production.** Mass production shall only commence after the South African Air Force Product System Manager has informed the successful bidder that the PPS passed.

13. **In Process Inspections.** The SAAF may request In Process Inspections for certain items as determined from time to time. The cost of these inspections will in the case of local manufacturers be for the SAAF's account according to paragraph 8 of the GCC. If it does not comply with the specification(s), the cost will be for the account of the contractor. Should items be manufactured outside the borders of the RSA, all inspection costs will be for the account of the manufacturer.

14. **Consignment Inspections.** The acceptance of all goods/materials ordered on contract as a result of this bid will be subject to inspection/testing by the appointed test house for compliance with specification(s). The SAAF reserves the right to have these inspections at the delivery point stipulated in the bid documents. The cost of these inspections will in the case of local manufacturers be for the SAAF's account according to paragraph 8 of the GCC. If it does not comply with the specification(s), the cost will be for the account of the contractor including transport costs. Should items be manufactured outside the borders of the RSA, all inspection costs will be for the account of the manufacturer.



RESTRICTED



Enclosure 3-3

SPECIAL CONDITIONS FOR THE SUPPLY OF EMBOSSED IEMS

DELIVERY AND DOCUMENTS

15. **Delivery requirement of the containers (corrugated board boxes).** The supplier may contact the SAAF if they need a colour copy of Specification number SALM 108 Version 07.0/January 2023 for corrugated board boxes for clothing as each year of manufacture has a different colour code. The relevant section may be contacted via the following email address: systemmdss@gmail.com.

16. The contents of these special conditions have been noted and accepted.

Signature(s) of bidder of assignee(s)

Name:

Representing:

PRIVATE SPECIFICATION

Prepared for the

South African Air Force



EMBOSSSED COLLAR RANK INSIGNIA

for

CAMOUFLAGE UNIFORM (BLACK ON THATCH BEIGE)

of:

General Officers

Officers

Warrant Officers

Candidate Officers

Chaplains

Non-Commissioned Officers



SALM 666

Version 02.0/September 2018

1. Scope

This specification covers the materials, design and make of embossed collar rank insignia applicable to camouflage dress for personnel of the South African Air Force.

The ranks covered by this specification are as follows:

- a) General Officers
- b) Officers
- c) Warrant Officers
- d) Candidate Officers
- e) Chaplains
- f) Non-Commissioned Officers

NOTE: Various National and International patents may apply.

2. Definitions and Abbreviations

For the purposes of this specification, the following definitions apply:

Acceptable: Acceptable to the South African Air Force.

Nominal: Subject to the tolerances normal to good manufacturing practice.

NSN: National Stock Number as reflected as Item Number on a Government Order.

3. General

No materials will be supplied by the South African Air Force.

The materials as specified in paragraphs 4.1 to 4.6 shall be supplied and used by the manufacturer. Trim charts shall accompany the pre-production samples (see Annex B).

National Stock Numbers are given in table 5.

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 2 of 30

4. Component Materials

4.1 Base fabric

- ◆ an acceptable coated high bulk continuous filament knitted fabric
- ◆ to comply with the requirements as given in table 1
- ◆ permissible number of defects to comply with the requirements as given in table 2
- ◆ to comply with the requirements as given in 3.1 and 3.2 of table 3
- ◆ the colour shall be a match, in terms of SANS 10076-4 "The assessment of defects in textile piece-goods and made-up articles Part 4: Defects in knitted piece-goods", to Colour No. 04c-2004 "Thatch beige" of CKS 129 "Colours for textiles"

Table 1 – Base fabric requirements

1	2	3
Property	Requirement	SANS number (unless otherwise indicated)
Composition, %		AATCC 20
Nylon ^a	100	
Construction	Knitted interlock ^b and coated with a heat-resistant compound	Visual examination and physical analysis
Mass per area, g/m², min.	260 ^c	5385 ^d
Colour fastness to:		105-C10:2007 Test number C(3)
Washing, rating, min.		
Change in colour	4	
Staining of adjacent fabrics	4	
Dry-cleaning, rating, min.		105-D01
Change in colour	4-5	
Light, rating, min.	4	105-B02

^a High bulk continuous filament yarn.
^b Fine gauge.
^c The mass reflected in column 2 is the mass of the fabric before it has been coated with a heat-resistant compound. The coated fabric shall be of minimum mass 320 g/m² when tested in accordance with SANS 5385.
^d Tested after conditioning in accordance with SANS 70.

Table 2 – Permissible number of defects of base fabric

1	2	3
Limit of acceptable quality	Requirement	SANS Number
LAQ for a piece	10	10076-4
LAQ for a lot	12	10076-4

Table 3 – Pneumatic heat press requirements

1		2	3	4	5
Test area		Time	Pressure	Temperature, min.	Requirement
3.1	Coated surface	30 seconds	2 bar	280° C	To retain original shape and texture
3.2	Knitted surface	30 seconds	2 bar	230° C	To retain original shape
3.3	Indentation grooves of collar badge	30 seconds	2 bar	250° C	To retain original shape and depth
3.4	Embossing/flat embossed material	30 seconds	2 bar	280° C	To retain original shape and depth

4.2 Adhesive Compound Filler

- ◆ used as a filler between the two layers of outer material (fused together)
- ◆ a heat resistant compound
- ◆ an acceptable co-polymer (synthetic) rubber paint compound adhesive
- ◆ minimum quantity of 90 g/m²
- ◆ to be able to withstand the conditions as specified in 3.1 of table 3

4.3 Embossing material

- ◆ a synthetic rubber paint compound
- ◆ to be able to withstand the conditions as specified in 3.4 of table 3
- ◆ to have the same colour fastness properties as specified for the base fabric
- ◆ colour to be Pantone black

4.4 Non-PVC Polyester film

- ◆ an acceptable non-PVC Polyester film
- ◆ to be of minimum 200 µm

4.5 Pins/prongs

- ◆ be steel pins
- ◆ of dimensions (and tolerances) to be as given in figure 1
- ◆ have a flat base of diameter 12 mm (± 1 mm)
- ◆ sharp point shall be free from burrs
- ◆ shall have one or more grooves or serrations on the pointed end as to allow effective engagement of the clutch
- ◆ so positioned as to give a firm lay of the rank insignia on the uniform fabric
- ◆ number of pins to be as given in section 8

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 4 of 30




Figure 1 – Dimensions of pins

Figure No	A	B	C
1	8 mm (± 1.0 mm)	1.10 mm (± 0.1)	12 mm (± 1.0 mm)

4.6 Clutches

- ♦ acceptable rubber PVC clutches
- ♦ design to be as given in figure 2
- ♦ nominal diameter of base to be 11 mm
- ♦ colour to be black or white
- ♦ the diameter of the shaft (centre hole) shall be such as to permit full and secure engagement of the prong



Figure 2 - Clutches

5. Workmanship

Each collar badge shall be:

- ♦ cut, made and embossed with first-class workmanship throughout
- ♦ of uniform and acceptable make, colour and finish

Each collar badge shall be free from:

- ♦ defects, that affect the appearance or may affect their serviceability (or both)
- ♦ marks
- ♦ spots
- ♦ stains, incurred in the making-up

All collar badge edges shall be:

- ♦ neatly double sealed using a cure and press system
- ♦ free from fraying

Collar badges shall be:

- ♦ completely durable at all times
- ♦ such that no separation shall occur between the compound and the fabric of the badge

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 5 of 30

6. Design and make

6.1 General requirements (applicable to all ranks)

6.1.1 The collar badges shall:

- ♦ be made according to the dimensions given in sections 9 to 14
- ♦ be constructed from two layers of knitted outer fabric, laminated together with an adhesive compound filler to stabilise and support the collar badges
- ♦ in addition to the two knitted outer material layers, a non-PVC Polyester film (see 4.4) shall be laminated in-between the layers of the outer material
- ♦ have permanent indentation grooves along all edges (marked with a dotted line on the profiles in sections 9 to 14)
 - fully heat resistant to ironing
 - 3 mm from the edges
 - shall comply with the requirements as given in 3.3 of Table 3
- ♦ be embossed with a specific rank as per the attached profiles (see sections 9 to 14), on the face side
- ♦ be delivered in pairs together with an attachment leaflet as given in Annex A

6.1.2 Design and embossing:

- ♦ to have explicit detail
- ♦ be such that all ranking shall be 100% proportionate in size to the original
- ♦ be such that all ranks, where duplication occurs, will be identical
- ♦ corner sharpening and engraving will be used
- ♦ contour effect must be used as a definition
- ♦ comply with the requirements as given in table 4

6.1.3 Printing on back of each badge

- ♦ the back surface of each collar badge shall be clearly printed with either a capital "L" (identifying the left badge) or capital "R" (identifying the right badge) as given in section 8
- ♦ letter to be printed in white, or any other acceptable alternative contrast colour to the base fabric
- ♦ printed in such a way that the embossed Secretary Bird and SAAF eagle shall face inward on the respective badges when worn

6.1.4 The synthetic rubber paint compound used between the layers of the material and the curing and pressing system shall render an article which is:

- ♦ heat resistant to a temperature of a minimum of 280°C
- ♦ machine washable
- ♦ dry cleanable
- ♦ soft and pliable
- ♦ sealed at the edges

6.2 Requirements that pertain to all ranks, except Warrant Officers

6.2.1 Embossing of Coat of Arms and SAAF Eagle:

- ♦ shall be identical to the attached profiles
- ♦ being supplied in pairs, the Secretary bird (that forms part of the Coat of Arms) and SAAF Eagle shall face towards each other (when worn)
- ♦ where knobkierie-and-spear combinations are applicable, mirror images shall apply (per pair)
- ♦ shall be such that the lettering is legible
- ♦ shall be such that the multi-level SAAF Eagle is sculptured in 9 levels
- ♦ shall be such that the multi-level Coat of Arms is sculptured in 13 levels

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 6 of 30

6.2.2 Embossing of sword and baton:

- ♦ shall be identical to the attached profiles
- ♦ mirror images shall apply (per pair)
- ♦ shall be such that the multi-level swords are sculptured in 9 levels

6.2.3 Uni-fractional pattern (see section 7):

- ♦ shall be proportionally structured in all ranks to the following measurement:
 - **Officers** (see section 7.1)
 - 4 mm divided into 2 x 2 mm
 - 8 mm divided into 1 x 4 mm and 2 x 2 mm
 - **General Officers** (see section 7.1)
 - 3.35 divided into 2 x 1.675 mm
 - **Other ranks** (where uni-fractional patterns are relevant, see section 7.2)
 - 3.5 mm divided into 2 x 1.75 mm
 - the levels of the uni-fractional patterned braid shall be defined into the measurements as above
 - lowest level of uni-fractional pattern to be of height 0.5 mm
 - highest level of uni-fractional pattern to be of height 1.6 mm

6.2.4 Pin attachment:

- ♦ the underside of each badge shall be fitted with two fastening pins (see figure 5), laminated between the two layers of knitted material (see figure 3)

6.3 Requirements that pertain only to the ranks of Warrant Officers

6.3.1 Embossing of Coat of Arms and frame around outer edge

- ♦ shall be identical to the attached profiles
- ♦ shall have a mock embroidery appearance
- ♦ being supplied in pairs, the Secretary bird (that forms part of the Coat of Arms) shall face towards each other (when worn)
- ♦ knobkierie-and-spear combinations shall be mirror images (per pair)
- ♦ shall be such that the lettering is legible
- ♦ shall be such that the multi-level Coat of Arms is sculptured in 13 levels

6.3.2 Stars and swords

- ♦ shall be identical to the attached profiles
- ♦ shall have a mock embroidery appearance
- ♦ shall be such that the multi-level swords are sculptured in 9 levels

6.3.3 Pin attachment:

- ♦ the underside of each badge shall be fitted with either two fastening pins (see figure 4(a)) or three fastening pins (see figure 4(b)), laminated between the two layers of knitted material (see figure 3)

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 7 of 30

Table 4 – Embossing requirements

1	2	3	4	5
Applicable to the following ranks	Design item	Type of print material	Embossing effect	Colour reference
Officers & General Officers	SAAF Eagle, Coat of Arms, Sword, Crest	Embossed	3-D effect	Pantone Black
	Stripes		sculptured with a uni-fractional pattern	
Non-Commissioned Officers	SAAF Eagle		3-D effect	
	Chevron Stripes		sculptured with a uni-fractional pattern	
Warrant Officers	Borders		Mock wire	
	Coat of arms		3-D mock embroidered effect	
Chaplains	Stars		3-D effect	
	Crossed swords		3-D effect	
	Christian emblem and SAAF Eagle		3-D effect	
	Horizontal stripes and sides of triangle		sculptured using a mock embroidered braid effect	
Candidate officers	SAAF Eagle		3-D effect	
	Outline of stripe		3-D effect	

Table 5 – National Stock Numbers

1	2	3
National Stock Number	Item description	Profile
TBD	Insignia Rank Embossed Collar Gen for Camouflage Field Dress	9.4
18-194-3334	Insignia Rank Embossed Collar Lt Gen for Camouflage Field Dress – Black on Thatch beige	9.3
18-194-3335	Insignia Rank Embossed Collar Maj Gen for Camouflage Field Dress – Black on Thatch beige	9.2
18-194-3341	Insignia Rank Embossed Collar Brig Gen for Camouflage Field Dress – Black on Thatch beige	9.1
18-194-4078	Insignia Rank Embossed Collar Col Chaplain for Camouflage Field Dress – Black on Thatch beige	See note 10.6
18-194-4104	Insignia Rank Embossed Collar Col for Camouflage Field Dress – Black on Thatch beige	10.6
18-194-4106	Insignia Rank Embossed Collar Lt Col for Camouflage Field Dress – Black on Thatch beige	10.5
18-194-3344	Insignia Rank Embossed Collar Maj for Camouflage Field Dress – Black on Thatch beige	10.4
18-194-3345	Insignia Rank Embossed Collar Capt for Camouflage Field Dress – Black on Thatch beige	10.3
18-194-3347	Insignia Rank Embossed Collar Lt for Camouflage Field Dress – Black on Thatch beige	10.2
18-194-3348	Insignia Rank Embossed Collar 2 nd Lt for Camouflage Field Dress – Black on Thatch beige	10.1
18-194-3349	Insignia Rank Embossed Collar F Sgt for Camouflage Field Dress – Black on Thatch beige	14.4
18-194-3351	Insignia Rank Embossed Collar Sgt for Camouflage Field Dress – Black on Thatch beige	14.3
18-194-3390	Insignia Rank Embossed Collar Cpl for Camouflage Field Dress – Black on Thatch beige	14.2
18-194-3393	Insignia Rank Embossed Collar L Cpl for Camouflage Field Dress – Black on Thatch beige	14.1
18-194-3397	Insignia Rank Embossed Collar Chaplain for Camouflage Field Dress – Black on Thatch beige	13
18-194-3403	Insignia Rank Embossed Collar CO for Camouflage Field Dress – Black on Thatch beige	12
18-194-3410	Insignia Rank Embossed Collar WO2 for Camouflage Field Dress – Black on Thatch beige	11.1
18-194-3412	Insignia Rank Embossed Collar WO1 for Camouflage Field Dress – Black on Thatch beige	11.2
18-194-3416	Insignia Rank Embossed Collar WO1 Level 4 for Camouflage Field Dress – Black on Thatch beige	11.3
18-194-3427	Insignia Rank Embossed Collar WO1 Level 4 A for Camouflage Field Dress – Black on Thatch beige	11.4
18-194-3430	Insignia Rank Embossed Collar WO1 Level 3 for Camouflage Field Dress – Black on Thatch beige	11.5
18-194-3432	Insignia Rank Embossed Collar WO1 Level 2 for Camouflage Field Dress – Black on Thatch beige	11.6
TBD	Insignia Rank Embossed Collar WO1 Level 1 for Camouflage Field Dress – Black on Thatch beige	11.7


Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 9 of 30

107

7. Uni-fractional pattern

The uni-fractional pattern shall be produced in two different variations and shall be as follows:


7.1 Officers and General Officers



Maximum Height of all images - 1.6mm

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 10 of 30

7.2 All other ranks (where applicable)



Isometric view

Maximum Height of all images - 1.6mm

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 11 of 30

8. Pin positioning




Figure 3 - Positioning of pins (sandwiched between two fabric layers)




Figure 4(a) - Rear view of badge: WO2

Figure 4(b) - Rear view of badge: WO1, WO1 Level 4 (SWO) to Level 1 (MCWO)





Figure 5 – Rear view of all badges, except those of Warrant Officers


Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 12 of 30

9.PROFILES FOR GENERAL OFFICERS

9.1 Brigadier General




9.2 Major General




Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 13 of 30

9.3 Lieutenant General



9.4 General




Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 14 of 30


101

10.PROFILES FOR OFFICERS

10.1 2nd LIEUTENANT




10.2 LIEUTENANT




Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 15 of 30

10.3 CAPTAIN




10.4 MAJOR




Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 16 of 30

100

10.5 LIEUTENANT COLONEL



10.6 COLONEL



NOTE: When required, the embossed design for Colonel Chaplains collar rank insignia shall be as agreed upon between the SAAF and the successful bidder.

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 17 of 30

11. PROFILES FOR WARRANT OFFICERS

11.1 WO2

1.5mm
(mock wire
embroidered
borderline)

43mm




60mm



11.2 WO1

1.5mm
(mock wire
embroidered
borderline)

37mm



60mm




Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 18 of 30

59

11.3 WO1 LEVEL 4/SWO

1.5mm
(mock wire
embroidered
borderline)

37mm




60mm



11.4 WO1 LEVEL 4A/MWO

1.5mm
(mock wire
embroidered
borderline)

37mm



60mm




Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 19 of 30

11.5 WO1 LEVEL 3/CWO

1.5mm
(mock wire
embroidered
borderline)

37mm



60mm



11.6 WO1 LEVEL 2/SCWO

1.5mm
(mock wire
embroidered
borderline)

37mm



60mm




Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 20 of 30

11.7 WO1 LEVEL 1/MCWO

1.5mm
(mock wire
embroidered
borderline)

37mm



60mm




Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 21 of 30

12.PROFILES FOR CANDIDATE OFFICERS




13.PROFILES FOR CHAPLAINS




Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 22 of 30

14. PROFILES FOR NON-COMMISSIONED OFFICERS

14.1 Lance Corporal




14.2 Corporal



Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 23 of 30

14.3 Sergeant



14.4 Flight Sergeant



Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 24 of 30

15. Packing and marking

15.1 Packing

The collar rank insignia shall be:

- ♦ delivered in a commercially dry condition
- ♦ so packed that they will not be damaged in transit or in storage
- ♦ packed as given in table 6

15.2 Marking

15.2.1 Small plastics envelopes

Small plastics envelopes to have a label clearly showing the following information:

- ♦ the manufacturer's name or trade mark or both
- ♦ the year of manufacture
- ♦ the National Stock Number (NSN)

15.2.2 Bulk containers

Each bulk container to have a label securely attached to the outside visible when the containers are stacked and providing the following information in legible and indelible marking:

- ♦ the manufacturer's name or trade mark or both
- ♦ the designation
- ♦ the rank
- ♦ the quantity
- ♦ the number of the order or contract (or both)
- ♦ the year of manufacture
- ♦ order number(s)
- ♦ the inspection certificate number
- ♦ the National Stock Number (NSN)

Table 6 – Packaging requirements

1		2
PACKAGING MATERIAL ^a		CONTAINING ^b
A.	Small plastics envelope with a pull and press opening	1 pair (of the same rank). The pair to incorporate:
		Left and a right facing Eagle (WHERE APPLICABLE).
		Left and a right facing Secretary bird (where applicable).
		Mirror images of sword-and-baton combination and knobkierie-and-spear combination (where applicable).
		Four or six clutches, as appropriate.
		Leaflet with attachment instructions (see Annex A).
B.	Bulk container for transit	
	B.1	Large quantities: bulk containers to comply with the requirements of SALM 108
	B.2	Small quantities: bulk containers to have a maximum height of 288 ± 3 mm
^a Of suitable size and shape.		
^b Of the same designation and rank.		

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 25 of 30

15.3 Additional marking

When so required by the South African Air Force, embossed collar rank insignia, envelopes or containers (or any combination of these) to bear information additional to that specified above.

16. Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this specification. All standards are subject to revision and, since any reference to a standard is deemed to be a reference to the latest edition of a standard, parties to agreements based on this specification are encouraged to take steps to ensure the use of the most recent editions of the standards indicated below. Information on currently valid national and international standards may be obtained from SABS Standards Division¹.

AATCC method 20, *Fiber analysis: Qualitative*. Available from World Wide Web
<http://www.aatcc.org/Technical Test Methods/scopes/tm20.cfm>

CKS 129, *Colours for textiles*.

SALM 108, *Corrugated board boxes for clothing*.

SANS 70, *Conditioning of textiles and standard temperate atmosphere for determining their physical and mechanical properties*.

SANS 105-B02/ISO 105-B02, *Textiles - Tests for colour fastness Part B02: Colour fastness to artificial light: Xenon arc fading lamp test*.

SANS 105-C10/ISO 105-C10, *Textiles – Tests for colour fastness – Part C10: Colour fastness to washing with soap or soap and soda*.

SANS 105-D01, *Textiles – Tests for colour fastness – Part D01: Colour fastness to dry-cleaning*.

SANS 5385, *Mass per unit area of conditioned knitted textiles*.

SANS 10076-4, *The assessment of defects in textile piece-goods and made-up articles Part 4: Defects in knitted piece-goods*.

¹ **SABS: Tel. +27 (0) 12 4287911**
www.sabs.co.za

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 26 of 30


ANNEX A

(Normative)


INSTRUCTION LEAFLET:

Positioning of Camouflage Rank Insignia for Uniform Members

POSITIONING OF COLLAR RANK INSIGNIA



NOTE: Birds face inward towards each other



Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 27 of 30

ANNEX B

(Normative)

Special conditions of tender

B-1 GENERAL

- B-1.1** Unless otherwise stated, the South African Air Force or an appointed SANAS accredited inspection body shall be the inspecting authority.
- B-1.2** Three pre-production sample pairs of badges, shall have been inspected, tested and approved by the inspecting authority before bulk production is commenced. Each one of these samples shall be accompanied by a trim chart containing a sample of each component material (as given in 4) and the relevant certificates. It shall be the duty of the manufacturer to give adequate notice to the inspecting authority of the availability of these samples.
- B-1.3** The badges shall be subject to inspection during the course of manufacture. The inspector shall, during normal working hours, be given all reasonable facilities for carrying out his duties and shall have the right of entry into the contractor's factory and the factory or works of any subcontractor where work on badges supplied to this specification may be in progress
- B-1.4** The contractor shall inspect the finished badges for compliance with the specification before submitting them to the inspecting authority for final inspection.
- B-1.5** Before acceptance, the badges shall have been inspected and tested by the inspecting authority and found to comply with the requirements of the specification.

B-2 DOCUMENTATION

One container of each consignment shall be marked "DOCUMENTS" and in addition to the badges, shall contain the following:

- a) The packaging slip or delivery note;
- b) where applicable the inspection certificate(s);
- c) a copy of the invoice containing the following information:
 - the order number
 - the financial authority number
 - a full description of the consignment, i.e. National Stock Number, quantity, etc

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 28 of 30

ANNEX C

(Normative)

CKS 129 Colours

Due to the fact that colours can change over a period of time, any colour standard which has been registered for a period of SEVEN YEARS or more shall be considered obsolete. These standards shall then be allocated an archived status (as opposed to current status) and re-registration shall be required.

NOTE: *Before fabric is sent to the Inspection Authority for colour registration purposes, the successful bidder shall confirm with the Inspection Authority whether a submission is required or not.*

A. The following scenarios require a submission of three metres of fabric from the successful bidder:

1. A colour standard is archived.
2. First time registration is required (CKS 129 colour number does not exist).
3. The custodian of the CKS 129 library is out of stock.

B. Requirements for the submission of fabric as identified in A:

1. The colour shall be as agreed upon between the South African Air Force and the successful bidder.
2. The fabric shall be used to make new colour swatches which shall be the responsibility of the custodian of the CKS 129 library.
3. The cost of the three metres of fabric shall be incorporated in the relevant bid submission.

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 29 of 30

For office use only		
HISTORY SHEET		
VERSION	DATE	AMENDMENTS/HISTORY
00.1	April 2018	Combine SALM 626 and camouflage collar badges of SALM 570. Change colours; All embossing to be black Omit Colonel Chaplain rank (due to colour issues) First draft
00.2	August 2018	Add black on thatch beige on cover page.
00.3	August 2018	Add reference and NSN for rank of Colonel Chaplain
01.0	August 2018	First release
02.0	September 2018	Corrected reference to number of pins at the back

Ref. No	Date	Responsibility	Version	Page
SALM 666	September 2018	SAAF	02.0	Page 30 of 30

PRIVATE SPECIFICATION

Prepared for the

South African Air Force



EMBOSSSED COLLAR RANK INSIGNIA

for

CAMOUFLAGE UNIFORM

of:

General Officers

Officers

Candidate Officers

Chaplains

Non-Commissioned Officers

Pioneers



SALM 626

Version 04.0/June 2017

1. Scope

This specification covers the materials, design and make of embossed collar rank insignia for personnel of the South African Air Force.

The ranks covered by this specification are as follows:

- a) General Officers
- b) Officers
- c) Candidate Officers
- d) Chaplains
- e) Non-Commissioned Officers
- f) Pioneers

The applicable uniform type covered by this specification is as follows:

- a) Camouflage dress

NOTE: Various National and International patents may apply.

2. Definitions and Abbreviations

For the purposes of this specification, the following definitions apply:

Acceptable: Acceptable to the South African Air Force.

Nominal: Subject to the tolerances normal to good manufacturing practice.

NSN: National Stock Number as reflected as Item Number on a Government Order.

3. General

No materials will be supplied by the South African Air Force.

The materials as specified in paragraphs 4.1 to 4.6 shall be supplied and used by the manufacturer. Trim charts shall accompany the pre-production samples (see Annex A).

National Stock Numbers are given in table 5.

Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 2 of 29

4. Component Materials

4.1 Base fabric

- ◆ an acceptable coated high bulk continuous filament knitted fabric
- ◆ to comply with the requirements as given in table 1
- ◆ permissible number of defects to comply with the requirements as given in table 2
- ◆ to comply with the requirements as given in 3.1 and 3.2 of table 3
- ◆ the colour shall be a match, in terms of SANS 10076-4 "The assessment of defects in textile piece-goods and made-up articles Part 4: Defects in knitted piece-goods", to Colour No. 2119c-02 "SAAF Dark blue" of CKS 129 "Colours for textiles"

Table 1 – Base fabric requirements

1	2	3
Property	Requirement	SANS number (unless otherwise indicated)
Composition, % Nylon ^a	100	AATCC 20
Construction	Knitted interlock ^b and coated with a heat-resistant compound	Visual examination and physical analysis
Mass per area, g/m², min.	260 ^c	5385 ^d
Colour fastness to:		105-C10:2007 Test number C(3)
Washing, rating, min.		
Change in colour	4	
Staining of adjacent fabrics	4	
Dry-cleaning, rating, min.		105-D01
Change in colour	4-5	
Light, rating, min.	4	105-B02
^a High bulk continuous filament yarn. ^b Fine gauge. ^c The mass reflected in column 2 is the mass of the fabric before it has been coated with a heat-resistant compound. The coated fabric shall be of minimum mass 320 g/m ² when tested in accordance with SANS 5385. ^d Tested after conditioning in accordance with SANS 70.		

Table 2– Permissible number of defects of base fabric

1	2	3
Limit of acceptable quality	Requirement	SANS Number
LAQ for a piece	10	10076-4
LAQ for a lot	12	10076-4

Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 3 of 29

Table 3 – Pneumatic heat press requirements

1	2	3	4	5
Test area	Time	Pressure	Temperature, min.	Requirement
3.1 Coated surface	30 seconds	2 bar	280° C	To retain original shape and texture
3.2 Knitted surface	30 seconds	2 bar	230° C	To retain original shape
3.3 Indentation grooves of collar badge	30 seconds	2 bar	250° C	To retain original shape and depth
3.4 Embossing/flat embossed material	30 seconds	2 bar	280° C	To retain original shape and depth

4.2 Adhesive Compound Filler

- ♦ used as a filler between the two layers of outer material (fused together)
- ♦ a heat resistant compound
- ♦ an acceptable co-polymer (synthetic) rubber paint compound adhesive
- ♦ minimum quantity of 90 g/m²
- ♦ to be able to withstand the conditions as specified in 3.1 of table 3

4.3 Embossing material

- ♦ a synthetic rubber paint compound
- ♦ to be able to withstand the conditions as specified in 3.4 of table 3
- ♦ to have the same colour fastness properties as specified for the base fabric
- ♦ colours to be as given in table 4 and paragraphs 8 to 13

4.4 Non-PVC Polyester film

- ♦ an acceptable non-PVC Polyester film
- ♦ to be of minimum 200 µm

4.5 Pins/prongs

- ♦ be steel pins
- ♦ of dimensions (and tolerances) to be as given in figure 1
- ♦ have a flat base of diameter 12 mm (± 1 mm)
- ♦ sharp point shall be free from burrs
- ♦ shall have one or more grooves or serrations on the pointed end as to allow effective engagement of the clutch
- ♦ so positioned as to give a firm lay of the rank insignia on the uniform fabric
- ♦ fitted with two pins at the back of the badge

Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 4 of 29





Figure 1 – Dimensions of pins

Figure No	A	B	C
1	8 mm (± 1.0 mm)	1.10 mm (± 0.1)	12 mm (± 1.0 mm)

4.6 Clutches

- ♦ acceptable rubber PVC clutches
- ♦ design to be as given in figure below
- ♦ nominal diameter of base to be 11 mm
- ♦ colour to be black or white
- ♦ the diameter of the shaft (centre hole) shall be such as to permit full and secure engagement of the prong



Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 5 of 29

5. Workmanship

Each collar badge shall be:

- ♦ cut, made and embossed with first-class workmanship throughout
- ♦ of uniform and acceptable make, colour and finish

Each collar badge shall be free from:

- ♦ defects, that affect the appearance or may affect their serviceability (or both)
- ♦ marks
- ♦ spots
- ♦ stains, incurred in the making-up

All collar badge edges shall be:

- ♦ neatly double sealed using a cure and press system
- ♦ free from fraying

Collar badges shall be:

- ♦ completely durable at all times
- ♦ such that no separation shall occur between the compound and the fabric of the badge

6. Design and make

The collar badges shall:

- ♦ be made according to the dimensions given in sections 9 to 14
- ♦ be constructed from two layers of knitted outer fabric, laminated together with an adhesive compound filler to stabilise and support the collar badges
- ♦ in addition to the two knitted outer material layers, a non-PVC Polyester film (see 4.4) shall be laminated in-between the layers of the outer material
- ♦ the underside of each badge shall be fitted with fastening pins (see 4.5), laminated between the two layers of knitted material (see section 8)
- ♦ have permanent indentation grooves along all edges (marked with a dotted line on the profiles in sections 9 to 14)
 - fully heat resistant to ironing
 - 3 mm from the edges
 - shall comply with the requirements as given in 3.3 of Table 3
- ♦ be embossed with a specific rank as per the attached profiles (see sections 9 to 14), on the face side
- ♦ be delivered in pairs together with an attachment leaflet as given in Annex A

Design and embossing:

- ♦ to have explicit detail
- ♦ be such that all ranking shall be 100% proportionate in size to the original
- ♦ be such that all ranks, where duplication occurs, will be identical
- ♦ corner sharpening and engraving will be used
- ♦ contour effect must be used as a definition
- ♦ comply with the requirements as given in table 4

Embossing of Coat of Arms and SAAF Eagle:

- ♦ shall be identical to the attached profiles
- ♦ being supplied in pairs, the Secretary bird (that forms part of the Coat of Arms) and SAAF Eagle shall face towards each other (when worn)
- ♦ where knobkierie-and-spear combinations are applicable, mirror images shall apply (per pair)
- ♦ shall be such that the lettering is legible

Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 6 of 29



- ◆ shall be such that the multi-level SAAF Eagle is sculptured in 9 levels
- ◆ shall be such that the multi-level Coat of Arms is sculptured in 13 levels

Embossing of sword and baton:

- ◆ shall be identical to the attached profiles
- ◆ mirror images shall apply (per pair)
- ◆ shall be such that the multi-level swords are sculptured in 9 levels

Uni-fractional pattern (see section 7):

- ◆ shall be proportionally structured in all ranks to the following measurement:
 - **Officers** (see section 7.1)
 - 4 mm divided into 2 x 2 mm
 - 8 mm divided into 1 x 4 mm and 2 x 2 mm
 - **General Officers** (see section 7.1)
 - 3.35 divided into 2 x 1.675 mm
 - **Other ranks** (where uni-fractional patterns are relevant, see section 7.2)
 - 3.5 mm divided into 2 x 1.75 mm
 - the levels of the uni-fractional patterned braid shall be defined into the measurements as above
 - lowest level of uni-fractional pattern to be of height 0.5 mm
 - highest level of uni-fractional pattern to be of height 1.6 mm

The synthetic rubber paint compound used between the layers of the material and the curing and pressing system must render an article which is:

- ◆ heat resistant to a temperature of a minimum of 280°C
- ◆ machine washable
- ◆ dry cleanable
- ◆ soft and pliable
- ◆ sealed at the edges

Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 7 of 29

Table 4 – Embossing requirements

1	2	3	4	5	6	7
Applicable to the following ranks	Design item	Type of print	Embossing effect	Colour reference	Colour Number	Colour title
Non-Commissioned Officers	SAAF Eagle	Embossed	3-D effect	CKS 129	882c-08	SAAF Blue Mother of pearl
	Chevron Stripes		sculptured with a uni-fractional pattern			
Officers & General Officers	SAAF Eagle, Coat of Arms, Sword, Crest		3-D effect	CKS 129	868c-08	SAAF Gold Mother of pearl
	Stripes		sculptured with a uni-fractional pattern			
Chaplains	Christian emblem and SAAF Eagle		3-D effect			
	Horizontal stripes and sides of triangle		sculptured using a mock embroidered braid effect			
	Purple stripe		Smooth, semi-gloss appearance	Pantone	280c	Spectrum violet Dark blue
	Blue background of Christian emblem	Flat embossing				
Candidate officers	SAAF Eagle	Embossed	3-D effect	CKS 129	868c-08	SAAF Gold Mother of pearl
	White stripe	Flat embossing	Smooth, semi-gloss appearance		2200c-09	National Flag White
Pioneers	SAAF Eagle	Embossed	3-D effect	CKS 129	883c-08	SAAF Silver Mother of pearl
	Silver stripes		sculptured with a uni-fractional pattern			
Colonel Chaplains	SAAF Eagle	Embossed	3-D effect		868c-08	SAAF Gold Mother of pearl
	Gold stripes		sculptured with a uni-fractional pattern			
	Purple stripes	Flat embossing	Smooth semi-gloss appearance		545c-06	Spectrum violet

Table 5 – National Stock Numbers


1	2	3
National Stock Number	Item description	Profile
TBD	Insignia Rank Embossed Collar Gen for Camouflage Field Dress	9.4
18-181-8545	Insignia Rank Embossed Collar Lt Gen for Camouflage Field Dress	9.3
18-181-8547	Insignia Rank Embossed Collar Maj Gen for Camouflage Field Dress	9.2
18-181-8548	Insignia Rank Embossed Collar Brig Gen for Camouflage Field Dress	9.1
18-191-8124	Insignia Rank Embossed Collar Col Chaplain for Camouflage Field Dress	10.7
18-181-8550	Insignia Rank Embossed Collar Col for Camouflage Field Dress	10.6
18-181-8552	Insignia Rank Embossed Collar Lt Col for Camouflage Field Dress	10.5
18-181-8553	Insignia Rank Embossed Collar Maj for Camouflage Field Dress	10.4
18-181-8556	Insignia Rank Embossed Collar Capt for Camouflage Field Dress	10.3
18-181-8558	Insignia Rank Embossed Collar Lt for Camouflage Field Dress	10.2
18-181-8559	Insignia Rank Embossed Collar 2 nd Lt for Camouflage Field Dress	10.1
18-181-8572	Insignia Rank Embossed Collar F Sgt for Camouflage Field Dress	13.4
18-181-8579	Insignia Rank Embossed Collar Sgt for Camouflage Field Dress	13.3
18-181-8582	Insignia Rank Embossed Collar Cpl for Camouflage Field Dress	13.2
18-181-8583	Insignia Rank Embossed Collar L Cpl for Camouflage Field Dress	13.1
18-181-8585	Insignia Rank Embossed Collar Chaplain for Camouflage Field Dress	12
18-181-8584	Insignia Rank Embossed Collar CO for Camouflage Field Dress	11
18-182-5963	Insignia Rank Pioneer Silver SD Collar	14.1
18-182-5965	Insignia Rank Pioneer Senior Silver SD Collar	14.2
18-182-5967	Insignia Rank Pioneer 1 st Class Silver Embossed SD Collar	14.3

Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 9 of 29

7. Uni-fractional pattern

The uni-fractional pattern shall be produced in two different variations and shall be as follows:


7.1 Officers and General Officers



Maximum Height of all images - 1.6mm


Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 10 of 29

7.2 All other ranks (where applicable)



Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 11 of 29


8. Pin positioning




Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 12 of 29

9.PROFILES FOR GENREAL OFFICERS

9.1 Brigadier General



9.2 Major General




Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 13 of 29

9.3 Lieutenant General



9.4 General



Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 14 of 29



10.PROFILES FOR OFFICERS

10.1 2nd LIEUTENANT




10.2 LIEUTENANT




Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 15 of 29

10.3 CAPTAIN




10.4 MAJOR




Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 16 of 29



10.5 LIEUTENANT COLONEL



10.6 COLONEL



Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 17 of 29

10.7 COLONEL CHAPLAIN

RIGHT


LEFT



FABRIC


 SAAF Dark Blue
2119c-02 of CKS129

EMBOSSSED

 SAAF Gold
Mother of Pearl
No. 868c of CKS129


 Spectrum Violet
545c of CKS 129

COLOUR BREAKDOWN



Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 18 of 29

11.PROFILES FOR CANDIDATE OFFICERS



COLOUR BREAKDOWN




Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 19 of 29

12.PROFILES FOR CHAPLAINS




COLOUR BREAKDOWN




Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 20 of 29

13. PROFILES FOR NON-COMMISSIONED OFFICERS

13.1 Lance Corporal




13.2 Corporal



Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 21 of 29

13.3 Sergeant




13.4 Flight Sergeant




Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 22 of 29

14. PROFILES FOR PIONEERS

14.1 Pioneer




14.2 Senior Pioneer



Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 23 of 29

14.3 Senior first class (Chief)



15. Packing and marking

15.1 Packing

The collar rank insignia shall be:

- ♦ delivered in a commercially dry condition
- ♦ so packed that they will not be damaged in transit or in storage
- ♦ packed as given in table 6

15.2 Marking

15.2.1 Small plastics envelopes

Small plastics envelopes to have a label clearly showing the following information:

- ♦ the manufacturer's name or trade mark or both
- ♦ the year of manufacture
- ♦ the National Stock Number (NSN)

15.2.2 Bulk containers

Each bulk container to have a label securely attached to the outside visible when the containers are stacked and providing the following information in legible and indelible marking:

- ♦ the manufacturer's name or trade mark or both
- ♦ the designation
- ♦ the rank
- ♦ the quantity

Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 24 of 29

- ◆ the number of the order or contract (or both)
- ◆ the year of manufacture
- ◆ order number(s)
- ◆ the SABS inspection certificate number
- ◆ the National Stock Number (NSN)

Table 6 – Packaging requirements

1		2
PACKAGING MATERIAL ^a		CONTAINING ^b
A.	Small plastics envelope with a pull and press opening	1 pair (of the same rank). The pair to incorporate:
		Left and a right facing Eagle.
		Left and a right facing Secretary bird (applicable to General Officers' ranks and Flight Sergeant only).
		Mirror images of sword-and-baton combination and knobkierie-and-spear combination (applicable to General Officers' ranks).
		Four clutches.
		Leaflet with attachment instructions (see Annex A).
B.	Bulk container for transit	Envelopes of A
	B.1 Large quantities: bulk containers to comply with the requirements of SALM 108	
	B.2 Small quantities: bulk containers to have a maximum height of 288 ± 3 mm	
^a Of suitable size and shape.		
^b Of the same designation and rank.		

15.3 Additional marking

When so required by the South African Air Force, embossed collar rank insignia, envelopes or containers (or any combination of these) to bear information additional to that specified above.

Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 25 of 29

16. Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this specification. All standards are subject to revision and, since any reference to a standard is deemed to be a reference to the latest edition of a standard, parties to agreements based on this specification are encouraged to take steps to ensure the use of the most recent editions of the standards indicated below. Information on currently valid national and international standards may be obtained from SABS Standards Division¹.

AATCC method 20, Fiber analysis: Qualitative. Available from World Wide Web
<http://www.aatcc.org/Technical Test Methods/scopes/tm20.cfm>

CKS 129, Colours for textiles.

SALM 108, Corrugated board boxes for clothing.

SANS 105-B02/ISO 105-B02, Textiles - Tests for colour fastness Part B02: Colour fastness to artificial light: Xenon arc fading lamp test.

SANS 105-C10/ISO 105-C10, Textiles – Tests for colour fastness – Part C10: Colour fastness to washing with soap or soap and soda.

SANS 105-D01, Textiles – Tests for colour fastness – Part D01: Colour fastness to dry-cleaning.

SANS 5385, Mass per unit area of conditioned knitted textiles.

SANS 10076-4, The assessment of defects in textile piece-goods and made-up articles Part 4: Defects in knitted piece-goods.

¹ SABS: Tel. +27 (0) 12 4287911
www.sabs.co.za

Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 26 of 29


ANNEX A

(Normative)


INSTRUCTION LEAFLET:

Positioning of Camouflage Rank Insignia for Uniform Members

POSITIONING OF COLLAR RANK INSIGNIA



NOTE: Birds face inward
towards each other



Badge runs parallel
with side stitching

Front bottom corner of badge touches bottom stitching

Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 27 of 29

ANNEX B

(Normative)

Special conditions of tender

A-1 GENERAL

- A-1.1** Unless otherwise stated, the South Bureau of Standards, shall be the inspecting authority.
- A-1.2** Three pre-production sample pairs of collar badges, shall have been inspected, tested and approved by the inspecting authority before bulk production is commenced. Each one of these samples shall be accompanied by a trim chart containing a sample of each component material (as given in 4) and the relevant certificates. It shall be the duty of the manufacturer to give adequate notice to the inspecting authority of the availability of these samples.
- A-1.3** The collar badges shall be subject to inspection during the course of manufacture. The inspector shall, during normal working hours, be given all reasonable facilities for carrying out his duties and shall have the right of entry into the contractor's factory and the factory or works of any subcontractor where work on collar badges supplied to this specification may be in progress
- A-1.4** The contractor shall inspect the finished collar badges for compliance with the specification before submitting them to the inspecting authority for final inspection.
- A-1.5** Before acceptance, the collar badges shall have been inspected and tested by the inspecting authority and found to comply with the requirements of the specification.

A-2 DOCUMENTATION

One container of each consignment shall be marked "DOCUMENTS" and in addition to the collar badges, shall contain the following:

- a) The packaging slip or delivery note;
- b) where applicable the inspection certificate(s);
- c) a copy of the invoice containing the following information:
 - the order number
 - the financial authority number
 - a full description of the consignment, i.e. National Stock Number, quantity, etc

Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 28 of 29

(79)

ANNEX C

(Normative)

CKS 129 Colours

Due to the fact that colours can change over a period of time, any colour standard which has been registered for a period of SEVEN YEARS or more shall be considered obsolete. These standards shall then be allocated an archived status (as opposed to current status) and re-registration shall be required.

A. The following scenarios require a submission of three metres of fabric (or several embossed colour blocks for embossed colours) from the successful tenderer:

1. A colour standard is archived.
2. First time registration is required (CKS 129 colour number does not exist).
3. Colour swatch stock at the SABS is no longer available.

B. Requirements regarding the submission of fabric as identified in A:

1. The colour shall be as agreed upon between the South African Air Force and the successful tenderer.
2. The fabric shall be used to make new colour swatches which shall be the responsibility of the SABS.
3. The cost of the three metres of fabric (or embossed colour blocks) shall be incorporated in the relevant tender submission.

HISTORY SHEET				
VERSION	DATE	AMENDMENTS/HISTORY	CHECKED	
			NAME	INIT.
1	September 2008	First release		
2	July 2011	Add pins and clutches Deletes iron-on/sewn on references Add attachment instructions (Annex A)		
3	July 2014	Change type of clutches Add rank of Colonel Chaplain Add NSNs		
4	June 2017	Correct NSNs		

Ref. No	Date	Responsibility	Version	Page
SALM 626	June 2017	SAAF	04.0	Page 29 of 29

PRIVATE SPECIFICATION

Prepared for the

South African Air Force



**RANK INSIGNIA,
EMBOSSSED SHOULDER BOARDS
for
CEREMONIAL DRESS & SERVICE DRESS
of
General Officers
Chaplains (Christian and Hindu)
Officers
Candidate Officers**



SALM 573

Version 08.0/February 2025

1. Scope

This specification covers the materials, design and make of embossed shoulder boards for specific ranks of the South African Air Force.

The ranks covered by this specification are as follows:

- a) General Officers
- b) Chaplains (Christian and Hindu)
- c) Officers
- d) Candidate Officers

The applicable uniform applications covered by this specification are as follows:

- a) Ceremonial Dress
- b) Service dress

NOTE: Various National and International patents may apply.

2. Definitions and Abbreviations

For the purposes of this specification, the following definitions apply:

Acceptable: Acceptable to the South African Air Force.

Nominal: Subject to the tolerances normal to good manufacturing practice.

NSN: National Stock Number as reflected as Item Number on a Government Order.

3. General

No materials will be supplied by the South African Air Force.

The materials as specified in paragraphs 4.1 to 4.4 shall be supplied and used by the manufacturer. Trim charts shall accompany the pre-production samples (see Annex A).

4. COMPONENT MATERIALS

4.1 Base fabric

- ◆ an acceptable coated high bulk continuous filament knitted fabric
- ◆ to comply with the requirements as given in table 1
- ◆ permissible number of defects to comply with the requirements as given in table 2
- ◆ to comply with the requirements as given in 3.1 and 3.2 of table 3
- ◆ the colour shall be a match, in terms of SANS 10076-4 "The assessment of defects in textile piece-goods and made-up articles Part 4: Defects in knitted piece-goods", to Colour No. 2119c "SAAF Dark blue" of CKS 129 "Colours for textiles"

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 2 of 26

Table 1 – Base fabric requirements

1	2	3
Property	Requirement	SANS number (unless otherwise indicated)
Composition, % Nylon or Polyester ^a	100	AATCC 20
Construction	Knitted interlock ^b and coated with a heat-resistant compound ^{c & d}	Visual examination and physical analysis
Mass per area, g/m², min.	260 ^{c & d}	5385 ^e
Colour fastness to:		105-010:2007 Test number C(3)
Washing, rating, min.		
Change in colour	4	
Staining of adjacent fabrics	4	
Dry-cleaning, rating, min.		105-D01
Change in colour	4-5	
Light, rating, min.	4	105-B02

^a High bulk continuous filament yarn.
^b Fine gauge.
^c The mass reflected in column 2 is the mass of the fabric before it has been coated with a heat-resistant compound. The coated fabric shall be of minimum mass 320 g/m² when tested in accordance with SANS 5385.
^d If a locally manufactured alternative fabric of mass 220 g/m² without a heat-resistant compound is offered, and it can be proven that the end-product is of the same quality as the previously sealed sample, it may be considered by the SAAF.
^e Tested after conditioning in accordance with SANS 70.

Table 2– Permissible number of defects of base fabric

1	2	3
Limit of acceptable quality	Requirement	SANS Number
LAQ for a piece	10	10076-4
LAQ for a lot	12	10076-4

Table 3 – Pneumatic heat press requirements

1	2	3	4	5
Test area	Time	Pressure	Temperature, min.	Requirement
3.1 Coated surface	30 seconds	2 bar	280° C	To retain original shape and texture
3.2 Knitted surface	30 seconds	2 bar	230° C	To retain original shape
3.3 Indentation groove of shoulder board	30 seconds	2 bar	250° C	To retain original shape and depth
3.4 Embossing/Flat embossed material	30 seconds	2 bar	280° C	To retain original shape and depth

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 3 of 26

4.2 Adhesive Compound Filler

- ♦ used as a filler between the two layers of outer material (fused together)
- ♦ a heat resistant compound
- ♦ an acceptable co-polymer (synthetic) rubber paint compound adhesive
- ♦ minimum mass of 90 g/m²
- ♦ to be able to withstand the conditions as specified in 3.1 (columns 2 to 5) of table 3

4.3 Embossing material

- ♦ a synthetic rubber paint compound
- ♦ to be able to withstand the conditions as specified in 3.4 of table 3
- ♦ to have the same colour fastness properties as specified for the base fabric
- ♦ colours to be as given in table 4

4.4 Non-PVC polyester film

- ♦ minimum 200 microns
- ♦ an acceptable non-PVC polyester film

5. Workmanship

Each shoulder board shall be:

- ♦ cut, made and embossed with first-class workmanship throughout
- ♦ of uniform and acceptable make, colour and finish

Each shoulder board shall be free from:

- ♦ defects, that affect the appearance or may affect their serviceability (or both)
- ♦ marks, spots and stains, incurred in the making-up

Each shoulder board shall be:

- ♦ neatly double sealed using a cure and press system
- ♦ made with permanent indentation grooves
- ♦ free from fraying

Shoulder boards shall be:

- ♦ completely durable at all times
- ♦ such that no separation shall occur between the compound and the fabric of the shoulder board

6. Design and make

6.1 The shoulder boards shall:

- ♦ be made according to the dimensions given in paragraph 7
- ♦ be constructed from two layers of knitted outer fabric, laminated together with an adhesive compound filler to stabilise and support the shoulder boards
- ♦ a non-PVC Polyester film shall be laminated in-between the layers of the outer material

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 4 of 26

- ♦ have permanent double sealed edges
 - sealed with a cure and press system
- ♦ have a permanent indentation groove (marked with a dotted line on the profiles in paragraph 9)
 - fully heat resistant to ironing
 - 3 mm from the edge (short edges)
 - shall comply with the requirements as given in 3.3 of Table 3
- ♦ be embossed with a specific rank as per the attached profiles (see paragraph 9), on the face side

Design and embossing:

- ♦ to have explicit detail
- ♦ be such that all ranking shall be 100% proportionate in size to the original
- ♦ be such that all ranks, where duplication occurs, will be identical
- ♦ corner sharpening and engraving will be used
- ♦ contour effect must be used as a definition
- ♦ comply with the requirements as given in table 4

Table 4 – Design and colour requirements

1	2	3	4	5	6	7
Applicable to the following ranks	Design item	Type of print	Embossing/print effect	Colour reference	Colour Number	Colour title
General Officers	Crossed sword & baton	Embossed	3-D effect	CKS 129	868c	SAAF Gold Mother of pearl
	Coat of Arms					
All ranks (excluding General Officers)	SAAF Eagle					
All ranks (excluding Candidate Officers and Chaplains)	Braided stripes	Flat embossing	sculptured with a uni-fractional pattern		545c	Spectrum violet
Christian Chaplains	Christian emblem		3-D effect			
	Horizontal stripes and sides of triangle		sculptured using a mock embroidered braid effect			
	Purple stripe of depth 28 mm and background of Christian emblem	Flat embossing	Smooth, semi-gloss appearance		868c	SAAF Gold Mother of pearl
Hindu Chaplains	Hindu emblem		3-D effect			
	Horizontal stripes		sculptured using a mock embroidered braid effect			
	Purple stripe of depth 28 mm/ Background of Hindu emblem	Flat embossing	Smooth, semi-gloss appearance		545c	Spectrum violet
Candidate officers	White stripe of depth 21 mm					
Colonel Chaplain	Purple stripes					
	Braided stripes	Embossed	sculptured with a uni-fractional pattern		868c	SAAF Gold Mother of pearl

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 5 of 26

SAAF Eagle:

- ♦ shall be identical to the attached profiles
- ♦ being supplied in pairs, the SAAF Eagle shall face forward on both shoulder boards
- ♦ shall be such that the lettering is legible
- ♦ shall be such that the multi-level eagle figures are sculptured in 9 levels

A uni-fractional pattern (see paragraph 8):

- ♦ shall be proportionally structured in all ranks to the following measurement:
 - 7 mm divided into 2 x 3.5 mm
 - 14 mm divided into 1 x 7 mm and 2 x 3.5 mm
- ♦ lowest level of uni-fractional pattern to be of height 0.5 mm
- ♦ highest level of uni-fractional pattern to be of height 1.6 mm

The levels of the uni-fractional patterned braid:

- ♦ shall be defined into the measurements as above

Embossing of Coat of Arms and crossed sword and baton:

- ♦ shall be identical to the attached profiles
- ♦ where pairs are applicable, the Secretary bird (that forms part of the Coat of Arms) shall face forward
- ♦ where pairs are applicable, the knobkierie-and-spear combination as well as the crossed-sword-and-baton combination shall be mirror images
- ♦ shall be such that the lettering is legible
- ♦ shall be such that the multi-level figures are sculptured :
 - 13 levels for the Coat of Arms
 - 9 levels for the crossed sword and baton
- ♦ shall be such that corner sharpening is used as a finish
- ♦ shall be such that contours are used to shape levels

The synthetic rubber paint compound used between the layers of the material and the curing and pressing system must render an article which is:

- ♦ heat resistant to a temperature of a minimum of 280°C
- ♦ machine washable
- ♦ dry cleanable
- ♦ soft and pliable
- ♦ sealed at the edges

6.2 Printing on back of each shoulder board

- ♦ the back surface of each shoulder board shall be clearly printed with either a capital "L" (identifying the left shoulder board) or capital "R" (identifying the right shoulder board) as given in section 7
- ♦ letter to be printed in white, or any other acceptable alternative contrast colour to the base fabric
- ♦ printed in such a way that the embossed Secretary Bird and SAAF eagle shall face forward on the respective shoulder boards when worn


6.3 Delivery requirement

The shoulder boards shall be delivered:

- ♦ in pairs
- ♦ All ranks except General Officers: left and right-facing SAAF Eagle
- ♦ General officers: left and right facing secretary bird and mirror images of the knobkierie-and-spear


Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 6 of 26

7. Shoulder board dimensions



Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 7 of 26

8. Uni-fractional pattern



Maximum Height 1.6mm

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 8 of 26




9.PROFILES: CEREMONIAL & SERVICE DRESS

9.1 Chaplains: Christian

National Stock Number	Item description
18-097-6526	Insignia, Rank, Officer, for Chaplain, Ceremonial and Service Dress; SAAF Embossed



COLOUR BREAKDOWN




Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 9 of 26

9.2 Chaplains: Hindu

National Stock Number	Item description
18-198-0595	Insignia, Rank, Officer, for Hindu Chaplain, Ceremonial and Service Dress; SAAF Embossed



COLOUR BREAKDOWN



Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 10 of 26

9.3 Candidate Officer

National Stock Number	Item description
18-097-6525	Insignia, Rank, Officer for Officer Candidate, Ceremonial and Service Dress; SAAF Embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129


EMBOSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

FLAT EMBOSSED

White

COLOUR BREAKDOWN



Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 11 of 26

9.4 2nd Lieutenant

National Stock Number	Item description
18-097-6527	Insignia, Rank, Officer for 2 nd LT, Ceremonial and Service Dress; SAAF Embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS125

EMBOSSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS125

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 12 of 26

9.5 Lieutenant

National Stock Number	Item description
18-097-6528	Insignia, Rank, Officer for LT, Ceremonial and Service Dress; SAAF Embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129

EMBOSSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 13 of 26

9.6 Captain

National Stock Number	Item description
18-097-6529	Insignia, Rank, Officer for Capt, Ceremonial and Service Dress; SAAF Embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129

EMBOSS

SAAF Gold
Mother of Pearl
No. 868c of CKS129

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 14 of 26



9.7 Major

National Stock Number	Item description
18-097-6530	Insignia, Rank, Officer for Maj, Ceremonial and Service Dress; SAAF Embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129

EMBOSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 15 of 26

9.8 Lieutenant Colonel

National Stock Number	Item description
18-097-6586	Insignia, Rank, Officer for LT Col, Ceremonial and Service Dress; SAAF Embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129

EMBOSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 16 of 26

9.9 Colonel

National Stock Number	Item description
18-097-6587	Insignia, Rank, Officer for Col, Ceremonial and Service Dress; SAAF Embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129

EMBOSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 17 of 26

9.10 Colonel Chaplain

National Stock Number	Item description
18-189-3491	Insignia, Rank, Officer, Embossed shoulder boards, Colonel Chaplain



FABRIC

SAAF Dark Blue
2119c-02 of CKS129

EMBOSSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

FLAT EMBOSSSED

Spectrum Violet
545c of CKS 129

COLOUR BREAKDOWN



SAAF Dark Blue No. 2119c of CKS 129

SAAF Gold Mother of Pearl No. 868c of CKS 129

Spectrum violet No. 545c of CKS 129

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 18 of 26

9.11 Brigadier General

National Stock Number	Item description
18-097-6589	Insignia, Rank, Officer, for Brig Genl; Ceremonial and Service Dress; SAAF embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129

EMBOSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 19 of 26

9.12 Major General

National Stock Number	Item description
18-097-6591	Insignia, Rank, Officer, for Maj Genl; Ceremonial and Service Dress; SAAF embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129

EMBOSSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 20 of 26

9.13 Lieutenant General

National Stock Number	Item description
18-097-6592	Insignia, Rank, Officer, for Lt Genl; Ceremonial and Service Dress; SAAF embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129

EMBOSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 21 of 26

9.14 General



10. Packing and marking

10.1 Packing

The rank insignia shall be:

- delivered in a commercially dry condition
- so packed that they will not be damaged in transit or in storage
- packed as given in table 5

Table 5 – Packaging

1 PACKAGING MATERIAL ^a		2 CONTAINING ^b
A.	Small plastics envelope with a pull and press opening	1 pair in a plastics envelope.
	Officers, Chaplains (Christian and Hindu), Colonel Chaplains & Candidate Officers	The pair to incorporate a left and a right facing Eagle
	General Officers	The pair to incorporate a left and a right facing secretary bird, mirror images of the knobkierie and spear
B.	Bulk container for transit of dimensions 46 cm x 31 cm x 31 cm	Groupings of 5 pairs
^a Of suitable size and shape.		
^b Of the same designation and rank.		

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 22 of 26

10.2 Marking

10.2.1 Small plastics envelopes

Small plastics envelopes to have a label clearly showing the following information:

- ♦ the National Stock Number (NSN)
- ♦ the manufacturer's name or trade mark or both
- ♦ the year of manufacture

10.2.2 Bulk containers

Each bulk container shall be labelled as given in paragraph 11.2 of SALM 108 "Corrugated board boxes for clothing".

10.3 Additional marking

When so required by the South African Air Force, embossed shoulder boards, envelopes or containers (or any combination of these) to bear information additional to that specified above.

11. Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this specification. All standards are subject to revision and, since any reference to a standard is deemed to be a reference to the latest edition of a standard, parties to agreements based on this specification are encouraged to take steps to ensure the use of the most recent editions of the standards indicated below. Information on currently valid national and international standards may be obtained from the Bureau of Standards*.

AATCC method 20, *Fiber analysis: Qualitative*. Available from World Wide Web
<http://www.aatcc.org/Technical Test Methods/scopes/tm20.cfm>

CKS 129, *Colours for textiles*.

SALM 108, *Corrugated board boxes for clothing*.

SANS 70, *Conditioning of textiles and standard temperate atmosphere for determining their physical and mechanical properties*.

SANS 105-B02/ISO 105-B02, *Textiles - Tests for colour fastness Part B02: Colour fastness to artificial light: Xenon arc fading lamp test*.

SANS 105-C10/ISO 105-C10, *Textiles - Tests for colour fastness - Part C10: Colour fastness to washing with soap or soap and soda*.

SANS 105-D01, *Textiles - Tests for colour fastness - Part D01: Colour fastness to dry-cleaning*.

SANS 5385, *Mass per unit area of conditioned knitted textiles*.

SANS 10076-4, *The assessment of defects in textile piece-goods and made-up articles Part 4: Defects in knitted piece-goods*.

* Standards South Africa: Tel. +27 (0) 12 4287911

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 23 of 26

ANNEX A

(Normative)

Special conditions of bid

A-1 GENERAL

- A-1.1** Unless otherwise stated, the South African Air Force or an appointed SANAS accredited inspection body shall be the inspecting authority.
- A-1.2** Three pre-production sample pairs of shoulder boards (of each type ordered), shall have been inspected, tested and approved by the inspecting authority before bulk production is commenced. Each one of these samples shall be accompanied by a trim chart containing a sample of each component material (as given in 4) and the relevant certificates. It shall be the duty of the manufacturer to give adequate notice to the inspecting authority of the availability of these samples.
- A-1.3** The shoulder boards shall be subject to inspection during the course of manufacture. The inspector shall, during normal working hours, be given all reasonable facilities for carrying out his duties and shall have the right of entry into the contractor's factory and the factory or works of any subcontractor where work on shoulder boards supplied to this specification may be in progress
- A-1.4** The contractor shall inspect the finished shoulder boards for compliance with the specification before submitting them to the inspecting authority for final inspection.
- A-1.5** Before acceptance, the shoulder boards shall have been inspected and tested by the inspecting authority and found to comply with the requirements of the specification.

A-2 DOCUMENTATION

One container of each consignment shall be marked "DOCUMENTS" and in addition to the shoulder boards, shall contain the following:

- a) The packaging slip or delivery note;
- b) where applicable the inspection certificate(s);
- c) a copy of the invoice containing the following information:
 - the order number
 - the financial authority number
 - a full description of the consignment, i.e. National Stock Number quantity, etc

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 24 of 26

⑧

ANNEX B
(Normative)
CKS 129 Colours

Due to the fact that colours can change over a period of time, any colour standard which has been registered for a period of SEVEN YEARS or more shall be considered obsolete. These standards shall then be allocated an archived status (as opposed to current status) and re-registration shall be required.

A. The following scenarios require a submission of three metres of fabric from the successful bidder:

1. A colour standard is archived (meaning: older than seven years from date of registration).
2. First time registration is required.
3. Colour swatch stock at the custodian of the colour library is no longer available.

B. Requirements of the submission of fabric as identified in A:

1. The colour shall be as agreed upon between the South African Air Force and the successful bidder.
2. The fabric shall be used to make new colour swatches by the custodian of the relevant colour library as decided by SAAF.
3. The cost of the three metres of fabric shall be incorporated in the relevant bid submission.

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 25 of 26

For office use only		
HISTORY SHEET		
DOC ISSUE	DATE	AMENDMENTS/HISTORY
1		First release
2	May 2007	
3	February 2008	<ul style="list-style-type: none"> a) Updated format and layout of spec. b) Corrected reference to colours of chaplains; added blue colour on inside of triangles (text contradicted profiles) c) Add SANS test methods d) Add reference to SANS 10076-4 e) Deleted reference to SANS 985 in Normative References f) Deleted reference to SA Army Specification 05741-100-054 g) Add Annex B. h) Omit General Officers' ranks
4	August 2008	<ul style="list-style-type: none"> a) Add General Officers' ranks b) Change mass of knitted material according to SABS test report. c) Lowered LAQs requirement. d) Add reference to SALM 108 and markings on bulk containers. e) Add reference to SANS 70. f) Deleted reference to "hot melt" in 4.2 Adhesive compound filler. g) Add reference to "retain original texture" in row 3.1 of table 3. h) Add highest and lowest levels of uni-fractional pattern.
5	June 2014	Add Colonel Chaplain rank
6	February 2015	Add printing of L & R on back of shoulder board
6.1	April 2022	Add NSN Change outer material to be of minimum weight 220 g/m ² Specify outer material to be polyester or nylon
6.2	June 2022	Revert back to original fabric table, BUT include note "c" and "d" in table 1 regarding the locally manufactured 220 g/m ² fabric.
7.0	July 2022	Remove blue background in Chaplains Triangle 7 th Release
7.1	January 2025	Refer to SANAS accredited inspection body Add Hindu Chaplain
8.0	February 2025	8 th Release

Ref. No	Date	Responsibility	Version	No of pages
SALM 573	February 2025	SAAF	08.0	Page 26 of 26

PRIVATE SPECIFICATION

Prepared for the

South African Air Force



**RANK INSIGNIA,
EMBOSSSED SHOULDER BOARDS
for
CEREMONIAL DRESS & SERVICE DRESS
of
Non-Commissioned Officers:
Lance Corporal to Flight Sergeant**



**SALM 572
Version 07.0/July 2022**

1. Scope

This specification covers the materials, design and make of embossed shoulder boards for Non-Commissioned Officers of the South African Air Force.

The ranks covered by this specification are as follows:

- a) Lance Corporal
- b) Corporal
- c) Sergeant
- d) Flight Sergeant

The applicable uniform applications covered by this specification are as follows:

- a) Ceremonial Dress
- b) Service dress

NOTE: Various National and International patents may apply.

2. Definitions and Abbreviations

For the purposes of this specification, the following definitions apply:

Acceptable: Acceptable to the South African Air Force.

Nominal: Subject to the tolerances normal to good manufacturing practice.

NSN: National Stock Number as reflected as Item Number on a Government Order.

3. General

No materials will be supplied by the South African Air Force.

The materials as specified in paragraphs 4.1 to 4.4 shall be supplied and used by the manufacturer. Trim charts shall accompany the pre-production samples (see Annex A).

4. COMPONENT MATERIALS

4.1 Base fabric

- ♦ an acceptable coated high bulk continuous filament knitted fabric
- ♦ to comply with the requirements as given in table 1
- ♦ permissible number of defects to comply with the requirements as given in table 2
- ♦ to comply with the requirements as given in 3.1 and 3.2 of table 3

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	2	17

- ♦ the colour shall be a match, in terms of SANS 10076-4 "The assessment of defects in textile piece-goods and made-up articles Part 4: Defects in knitted piece-goods", to Colour No. 2119c-02 "SAAF Weft Knitted Dark blue" of CKS 129 "Colours for textiles"

Table 1 – Base fabric requirements

1	2	3
Property	Requirement	SANS number (unless otherwise indicated)
Composition, % Nylon or Polyester ^a	100	AATCC 20
Construction	Knitted interlock ^b and coated with a heat- resistant compound ^{c & d}	Visual examination and physical analysis
Mass per area, g/m², min.	260 ^{c & d}	5385 ^e
Colour fastness to:		105-C10:2007 Test number C(3)
Washing, rating, min.		
Change in colour	4	
Staining of adjacent fabrics	4	
Dry-cleaning, rating, min.		105-D01
Change in colour	4-5	
Light, rating, min.	4	105-B02

^a High bulk continuous filament yarn.
^b Fine gauge.
^c The mass reflected in column 2 is the mass of the fabric before it has been coated with a heat-resistant compound. The coated fabric shall be of minimum mass 320 g/m² when tested in accordance with SANS 5385.
^d If a locally manufactured alternative fabric of mass 220 g/m² without a heat-resistant compound is offered, and it can be proven that the end-product is of the same quality as the previously sealed sample, it may be considered by the SAAF.
^e Tested after conditioning in accordance with SANS 70.

Table 2 – Permissible number of defects of base fabric

1	2	3
Limit of acceptable quality	Requirement	SANS Number
LAQ for a piece	10	10076-4
LAQ for a lot	12	10076-4

Table 3 – Pneumatic heat press requirements

1	2	3	4	5
Test area	Time	Pressure	Temperature, min.	Requirement
3.1 Coated surface	30 seconds	2 bar	280° C	To retain original shape and texture
3.2 Knitted surface	30 seconds	2 bar	230° C	To retain original shape
3.3 Indentation groove of shoulder board (Service dress)	30 seconds	2 bar	250° C	To retain original shape and depth
3.4 Embossing material	30 seconds	2 bar	280° C	To retain original shape and depth

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	3	17

4.2 Adhesive Compound Filler

- ♦ used as a filler between the two layers of outer material (fused together)
- ♦ a heat resistant compound
- ♦ an acceptable co-polymer (synthetic) rubber paint compound adhesive
- ♦ minimum mass of 90 g/m²
- ♦ to be able to withstand the conditions as specified in 3.1 (columns 2 to 5) of table 3

4.3 Embossing material

- ♦ a synthetic rubber paint compound
- ♦ to be able to withstand the conditions as specified in 3.1 (columns 2 to 5) of table 3
- ♦ to have the same colour fastness properties as specified for the base fabric
- ♦ colour to be an acceptable match to colour No. 882c-2008 "SAAF Blue Mother of Pearl" of CKS 129 "Colours for textiles"

4.4 Non- PVC polyester film

- ♦ minimum 200 microns
- ♦ an acceptable non-PVC polyester film

5. Workmanship

Each shoulder board shall be:

- ♦ cut, made and embossed with first-class workmanship throughout
- ♦ of uniform and acceptable make, colour and finish

Each shoulder board shall be free from:

- ♦ defects, that affect the appearance or may affect their serviceability (or both)
- ♦ marks
- ♦ spots
- ♦ stains, incurred in the making-up

Each shoulder board shall be:

- ♦ neatly double sealed using a cure and press system
- ♦ made with permanent indentation grooves
- ♦ free from fraying

Shoulder boards shall be:

- ♦ completely durable at all times
- ♦ such that no separation shall occur between the compound and the fabric of the shoulder board

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	4	17

6. Design and make

6.1 Design and embossing:

The face side of each shoulder board shall be embossed with a specified design as specified in the order or contract (see paragraph 9)

The shoulder boards shall be:

- ♦ made according to the dimensions given in paragraph 7
- ♦ finished by means of a 3-D effect that has explicit detail

The shoulder boards shall have the following properties:

- ♦ all ranking shall be 100% proportionate in size to the original
- ♦ all ranks, where duplication occurs, will be identical
- ♦ all 3-D effects will be sculptured using a uni-fractional pattern (see paragraph 8)
- ♦ corner sharpening and engraving will be used throughout
- ♦ contour effect must be used as a definition

The shoulder boards shall:

- ♦ be constructed from two layers of knitted outer fabric, laminated together with an adhesive compound filler to stabilise and support the shoulder boards
- ♦ a non-PVC Polyester film shall be laminated in-between the layers of the outer material
- ♦ be embossed with a specific rank as per the attached profiles (see paragraph 9), on the face side
- ♦ have permanent double sealed edges
 - sealed with a cure and press system
- ♦ have a permanent indentation groove (marked with a dotted line on the profiles in paragraph 9)
 - fully heat resistant to ironing
 - 3 mm from the edge (short edges)
 - shall comply with the requirements as given in 3.3 of Table 3

Embossing of Coat of Arms and SAAF Eagle:

- ♦ shall be identical to the attached profiles
- ♦ being supplied in pairs, the Secretary bird (that forms part of the Coat of Arms) and Eagle shall face forward on both shoulder boards
- ♦ shall be such that the lettering is legible
- ♦ shall be such that the multi-level figures are sculptured in 13 levels for the Coat of Arms, 9 levels for the Eagle
- ♦ shall be such that corner sharpening is used as a finish
- ♦ shall be such that contours are used to shape levels

Embossing of Chevron stripes:

- ♦ shall be identical to the attached profiles
- ♦ shall have a 3-D mock-embroidered braid effect

A uni-fractional pattern (see paragraph 8):

- ♦ shall be used throughout
- ♦ shall be proportionally structured in all ranks to the following measurement: 6 mm divided into 2 x 3 mm
- ♦ lowest level of uni-fractional pattern to be of height 0.5 mm
- ♦ highest level of uni-fractional pattern to be of height 1.6 mm

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	5	17

The levels of the uni-fractional patterned braid:

- ◆ shall be defined into the measurements as above

The synthetic rubber paint compound used between the layers of the material and the curing and pressing system must render an article which is:

- ◆ heat resistant to a temperature of a minimum of 280°C
- ◆ machine washable
- ◆ dry cleanable
- ◆ soft and pliable
- ◆ sealed at the edges

6.2 Printing on back of each shoulder board

- ◆ the back surface of each shoulder board shall be clearly printed with either a capital "L" (identifying the left shoulder board) or capital "R" (identifying the right shoulder board) as given in section 7
- ◆ letter to be printed in white, or any other acceptable alternative contrast colour to the base fabric
- ◆ printed in such a way that the embossed Secretary Bird and SAAF eagle shall face forward on the respective shoulder boards when worn


6.3 Delivery requirement

The shoulder boards shall be delivered:

- ◆ in pairs
- ◆ with a left and right-facing Secretary bird and SAAF Eagle

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	6	17

7. Shoulder board dimensions



Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	7	17

8. Uni-fractional pattern



Maximum Height of all images - 1.6mm

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	8	17

9.PROFILES: CEREMONIAL & SERVICE DRESS

9.1 Lance Corporal

National Stock Number	Item description
18-097-6519	Insignia, Rank, Noncommissioned Officer, for L/CPL, Ceremonial and Service Dress; SAAF Embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129


EMBOSSSED

SAAF Blue
Mother of Pearl
No. 882c of CKS129

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	9	17

9.2 Corporal

National Stock Number	Item description
18-097-6520	Insignia, Rank, Noncommissioned Officer, for CPL, Ceremonial and Service Dress; SAAF Embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129

EMBOSSSED

SAAF Blue
Mother of Pearl
No. 882c of CKS129

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	10	17

10

9.3 Sergeant

National Stock Number	Item description
18-097-6521	Insignia, Rank, Noncommissioned Officer, for SGT, Ceremonial and Service Dress; SAAF Embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129


EMBOSSED

SAAF Blue
Mother of Pearl
No. 882c of CKS129

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	11	17

9.4 Flight Sergeant

National Stock Number	Item description
18-097-6522	Insignia, Rank, Noncommissioned Officer, for F/SGT, Ceremonial and Service Dress; SAAF Embossed



FABRIC

SAAF Dark Blue
2119c-02 of CKS129

EMBOSSED

SAAF Blue
Mother of Pearl
No. 882c of CKS129

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	12	17

10. Packing and marking

10.1 Packing

The rank insignia shall be:

- ♦ delivered in a commercially dry condition
- ♦ so packed that they will not be damaged in transit or in storage
- ♦ packed as given in table 4

Table 4 – Packaging

1		2
PACKAGING MATERIAL ^a		CONTAINING ^b
A.	Small plastics envelope with a pull and press opening	1 pair in each plastics envelope.
	All ranks	Each pair to incorporate a left and a right facing SAAF Eagle.
	Rank of flight Sergeant	Each pair to incorporate a left and a right facing Secretary bird.
B.	Bulk container for transit of dimensions 46 cm x 31 cm x 31 cm	Groupings of 5 pairs
^a Of suitable size and shape.		
^b Of the same designation and rank.		

10.2 Marking

10.2.1 Small plastics envelopes

Small plastics envelopes to have a label clearly showing the following information:

- ♦ the National Stock Number (NSN)
- ♦ the manufacturer's name or trade mark or both
- ♦ the year of manufacture

10.2.2 Bulk containers

Each bulk container shall be labelled as given in paragraph 11.2 of SALM 108 "Corrugated board boxes for clothing".

10.3 Additional marking

When so required by the South African Air Force, embossed shoulder boards, envelopes or containers (or any combination of these) to bear information additional to that specified above.

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	13	17

11. Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this specification. All standards are subject to revision and, since any reference to a standard is deemed to be a reference to the latest edition of a standard, parties to agreements based on this specification are encouraged to take steps to ensure the use of the most recent editions of the standards indicated below. Information on currently valid national and international standards may be obtained from Standards South Africa*.

AATCC method 20, Fiber analysis: Qualitative. Available from World Wide Web
http://www.aatcc.org/Technical_Test_Methods/scopes/tm20.cfm

CKS 129, Colours for textiles.

SALM 108, Corrugated board boxes for clothing.

SANS 70, Conditioning of textiles and standard temperate atmosphere for determining their physical and mechanical properties.

SANS 105-B02/ISO 105-B02, Textiles - Tests for colour fastness Part B02: Colour fastness to artificial light: Xenon arc fading lamp test.

SANS 105-C10/ISO 105-C10, Textiles – Tests for colour fastness – Part C10: Colour fastness to washing with soap or soap and soda.

SANS 105-D01, Textiles – Tests for colour fastness – Part D01: Colour fastness to dry-cleaning.

SANS 5385, Mass per unit area of conditioned knitted textiles.

SANS 10076-4, The assessment of defects in textile piece-goods and made-up articles Part 4: Defects in knitted piece-goods.

* Standards South Africa: Tel. +27 (0) 12 4287911

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	14	17

ANNEX A

(Normative)

Special conditions of bid

A-1 GENERAL

- A-1.1** Unless otherwise stated, the South African Air Force (or an organization appointed by it), shall be the inspecting authority.
- A-1.2** Three pre-production sample pairs of shoulder boards, shall have been inspected, tested and approved by the inspecting authority before bulk production is commenced. Each one of these samples shall be accompanied by a trim chart containing a sample of each component material (as given in 4) and the relevant certificates. It shall be the duty of the manufacturer to give adequate notice to the inspecting authority of the availability of these samples.
- A-1.3** The shoulder boards shall be subject to inspection during the course of manufacture. The inspector shall, during normal working hours, be given all reasonable facilities for carrying out his duties and shall have the right of entry into the contractor's factory and the factory or works of any subcontractor where work on shoulder boards supplied to this specification may be in progress
- A-1.4** The contractor shall inspect the finished shoulder boards for compliance with the specification before submitting them to the inspecting authority for final inspection.
- A-1.5** Before acceptance, the shoulder boards shall have been inspected and tested by the inspecting authority and found to comply with the requirements of the specification.

A-2 DOCUMENTATION

One container of each consignment shall be marked "DOCUMENTS" and in addition to the shoulder boards, shall contain the following:

- a) The packaging slip or delivery note;
- b) where applicable the inspection certificate(s);
- c) a copy of the invoice containing the following information:
 - the order number
 - the financial authority number
 - a full description of the consignment, i.e. National Stock Number quantity, etc

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	15	17

ANNEX B

(Normative)

Colour References

Due to the fact that colours can change over a period of time, any colour standard which has been registered for a period of SEVEN YEARS or more shall be considered obsolete. These standards shall then be allocated an archived status (as opposed to current status) and re-registration shall be required.

A. The following scenarios require a submission of three metres of fabric from the successful bidder:

1. A colour standard is archived (meaning: older than seven years from date of registration).
2. First time registration is required.
3. Colour swatch stock at the custodian of the colour library is no longer available.

B. Requirements of the submission of fabric as identified in A:

1. The colour shall be as agreed upon between the South African Air Force and the successful bidder.
2. The fabric shall be used to make new colour swatches by the custodian of the relevant colour library as decided by SAAF.
3. The cost of the three metres of fabric shall be incorporated in the relevant bid submission.

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	16	17

For office use only		
HISTORY SHEET		
DOC ISSUE	DATE	AMENDMENTS/HISTORY
1		First release
2	July 2002	a) Dimensions changed on profiles for backs of shoulder boards
3	May 2007	
4	February 2008	a) Updated format and layout of spec. b) Corrected reference to colours of base fabric and embossing material (text contradicted profiles) c) Add SANS test methods d) Add reference to SANS 10076-4 e) Deleted reference to SANS 985 in Normative References f) Deleted reference to SA Army Specification 05741-100-054 g) Add reference to Pantone colour no. 659c for the interim (add footnote regarding embossing compound colour). h) Add Annex B.
5	August 2008	a) Change mass of knitted material according to SABS test report. b) Lowered LAQs requirement. c) Add reference to SALM 108 and markings on bulk containers. d) Add reference to SANS 70. e) Deleted reference to "hot melt" in 4.2 Adhesive compound filler. f) Add reference to "retain original texture" in row 3.1 of table 3. Add highest and lowest levels of uni-fractional pattern.
6	February 2015	Update date of colour Add printing of L & R on back of shoulder board
6.1	April 2022	Add NSN Change outer material to be of minimum weight 220 g/m ² Specify outer material to be polyester or nylon
6.2	June 2022	Revert back to original fabric table, BUT include note "c" and "d" in table 1 regarding the locally manufactured 220 g/m ² fabric.
7.0	July 2022	7 th Release

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 572	July 2022	SAAF	07.0	17	17

PRIVATE SPECIFICATION

Prepared for the

South African Air Force



EMBOSSED RANK INSIGNIA

for

CEREMONIAL DRESS

SERVICE DRESS

MESS DRESS

PROTECTIVE DRESS

FLYING COVERALLS

of

Warrant Officers:

WO2 & WO1

WO1 Level 4/SWO

WO1 Level 4a/MWO

WO1 Level 3/CWO

WO1 Level 2/SCWO

WO1 Level 1/MCWO



SALM 570

Version 13.0/November 2023

1. Scope

This specification covers the material, design and make of embossed rank insignia for warrant officers of the South African Air Force.

The ranks covered by this specification are as follows:

- a) WO2
- b) WO1
- c) WO1 Level 4/Senior Warrant Officer (SWO)
- d) WO1 Level 4a/Master Warrant Officer (MWO)
- e) WO1 Level 3/Chief Warrant Officer (CWO)
- f) WO1 Level 2/Senior Chief Warrant Officer (SCWO)
- g) WO1 Level 1/Master Chief Warrant Officer (MCWO)

The applicable uniform type variations covered by this specification are as follows:

- a) Ceremonial Dress (Sleeve badge)
- b) Service dress (Shoulder board)
- c) Mess Dress (Sleeve badge)
- d) Protective Dress (Chest badge)
- e) Flying Coveralls (Chest badge)

NOTE: Various National and International patents may apply.

2. Definitions and Abbreviations

For the purposes of this specification, the following definitions apply:

Acceptable: Acceptable to the South African Air Force.

Nominal: Subject to the tolerances normal to good manufacturing practice.

NSN: National Stock Number as reflected as Item Number on a Government Order.

3. General

No materials will be supplied by the South African Air Force.

The materials as specified in paragraphs 4.1 to 4.7 shall be supplied and used by the manufacturer. Trim charts shall accompany the pre-production samples (see Annex A).

National Stock Numbers are given in tables 8 to 12.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	2 of 51

4. Component materials

4.1 Base fabric

- ◆ an acceptable coated high bulk continuous filament knitted fabric
- ◆ to be supplied in two colour variations as given in table 1
- ◆ to comply with the requirements as given in table 2
- ◆ permissible number of defects to comply with the requirements as given in table 3
- ◆ to comply with the requirements as given in 4.1 and 4.2 of table 4

Table 1 – Colour variations of the base fabric

1	2	3		4
Uniform type variation	Application	Colour reference		Colour title
		CKS 129	Pantone	
Ceremonial Dress	Sleeve badge	-	Black	Black
Mess Dress				
Protective Dress	Chest badge	2119c-02 ^a	-	SAAF Dark blue
Service Dress	Shoulder board			
Flying Coveralls	Chest badge			

^a A match in terms of SANS 10076-4, The assessment of defects in textile piece-goods and made-up articles Part 4: Defects in knitted piece-goods.

Table 2 – Knitted base fabric requirements

1	2	3
Property	Requirement	SANS number (unless otherwise indicated)
Composition, %		AATCC 20
Nylon ^a	100	
Construction	Knitted interlock ^b and coated with a heat-resistant compound	Visual examination and physical analysis
Mass per area, g/m², min.	260 ^c	5385 ^d
Colour fastness to:		
Washing, rating, min.		105-C10:2007 Test number C(3)
Change in colour	4	
Staining of adjacent fabrics	4	
Dry-cleaning, rating, min.		105-D01
Change in colour	4-5	
Light, rating, min.	4	105-B02

^a High bulk continuous filament yarn.

^b Fine gauge.

^c The mass reflected in column 2 is the mass of the fabric before it has been coated with a heat-resistant compound. The coated fabric shall be of minimum mass 320 g/m² when tested in accordance with SANS 5385.

^d Tested after conditioning in accordance with SANS 70.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	3 of 51

Table 3 – Permissible number of defects of base fabric

1	2	3
Limit of acceptable quality	Requirement	SANS Number
LAQ for a piece	10	10076-4
LAQ for a lot	12	10076-4

Table 4 – Pneumatic heat press requirements

1	2	3	4	5
Test area	Time	Pressure	Temperature, min.	Requirement
4.1 Coated surface	30 seconds	2 bar	280° C	To retain original shape and texture
4.2 Knitted surface	30 seconds	2 bar	230° C	To retain original shape
4.3 Indentation groove	30 seconds	2 bar	250° C	To retain original shape and depth
4.4 Embossing and flat print material	30 seconds	2 bar	280° C	To retain original shape

4.2 Adhesive Compound Filler

- ♦ used as a filler between the two layers of outer material (fused together)
- ♦ a heat resistant compound
- ♦ an acceptable co-polymer (synthetic) rubber paint compound adhesive
- ♦ minimum mass of 90 g/m²
- ♦ to be able to withstand the conditions as specified in 4.1 (columns 2 to 5) of table 4

4.3 Embossing and flat print material

- ♦ a rubber paint compound
- ♦ to be able to withstand the conditions as specified in 4.4 (columns 2 to 5) of table 4
- ♦ to have the same colour fastness properties as specified for the base fabric
- ♦ colours to be as given in 4.3.1, 4.3.2 and sections 11 to 14

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	4 of 51

4.3.1 Identification of embossing and flat print material of Ceremonial, Service and Mess Dress

Table 5 – Colours of embossed and flat print materials of Ceremonial, Service and Mess Dress

1		2	3	4	5
Type of print material		Component of design	Colour reference	Colour No.	Colour title
5.1	Embossing material	Elephant tusks Knobkierie & spear Ears of wheat Secretary bird Inner triangles of protea Rising sun Nine point stars Crossed swords Mock wire border line of badge Lettering of motto and border of motto scroll Human figures Outline of shield	CKS 129	868c-08	SAAF Gold Mother of Pearl
5.2	Flat print	Background of shield	Pantone	873c	Light gold
5.3		Top triangle of red in protea	CKS 129	2203c-96	National Flag Red (Printed)
5.4		Background of motto Bottom leaves of the protea Top outer triangles of protea	CKS 129	2205c-96	National Flag green (Printed)

4.3.1.1 Identification of embossed sections of Ceremonial, Service and Mess Dress

The following sections, as well as the mock wire embroidered borderline shall be of embossed material.



Colour No. 868c-08 SAAF Gold Mother of Pearl of CKS 129

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	5 of 51

4.3.1.2 Identification of flat print sections of Ceremonial, Service and Mess Dress



Pantone Colour No. 873c *Light gold*



Colour No 2203c-96 *National Flag Red of CKS 129*



Colour No 2205c-96 *National Flag Green of CKS 129*



4.3.2 Identification of embossing and flat print material of Protective Dress and Flying Coveralls


Table 6 – Colours of embossing and flat print material on Protective dress and Flying Coveralls

1		2	3	4	5.
Type of print material		Component of design	Colour reference	Colour No.	Colour title
6.1	Embossing material	Full Coat of Arms Stars Inner three triangles Crossed swords	CKS 129	882c-08	SAAF Blue Mother of Pearl
6.2	Flat print	Background of shield Background of full triangle of protea Background of motto	Pantone	652c	Light blue

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	6 of 51

4.3.2.1 Identification of embossed sections of Protective and Flying Coveralls

The following sections, as well as the mock wire embroidered borderline shall be of embossed material.



Colour No 882c-08 SAAF Blue Mother of Pearl of CKS 129

4.3.2.2 Identification of flat print sections of Protective and Flying Coveralls



Pantone Colour No. 652c Light blue

4.4 Non-PVC Polyester film

- ♦ an acceptable non-PVC Polyester film
- ♦ to be of minimum 200 µm

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	7 of 51

4.5 Adhesive backing film

4.5.1 General requirements of adhesive backing film:

- ♦ a hot melt compound
- ♦ an acceptable co-polymer adhesive
- ♦ of minimum mass 60 g/m²
- ♦ to be suitable to be applied to the back of the badge in order to fuse the badge to the relevant garment
- ♦ fused to a garment by means of a heat transfer press

4.5.2 Performance of adhesive backing film after being fused to the badge:

- ♦ to comply with the requirements as given in column 4 of table 7 when the heat transfer press is applied as specified in columns 1 to 3 of table 7

Table 7 – Heat transfer press application

1	2	3	4
Time	Pressure	Temperature	Requirement
15 - 40 seconds	1 - 4 bar	180° C - 190° C	Badge not to separate from garment when washed for 10 cycles at 60° C

4.6 Fastening Pins

Note: This component is not applicable to Service Dress boards and Flying Coverall chest badges.

- ♦ be steel pins and of dimensions (and tolerances) to be as given in figure 1
- ♦ sharp point shall be free from burrs
- ♦ shall have one or more grooves or serrations on the pointed end as to allow effective engagement of the clutch
- ♦ so positioned as to give a firm lay of the rank insignia on the uniform fabric
- ♦ WO2 to be fitted with two pins at the back of the badge (see section 9)
- ♦ WO1, WO1 Level 4(SWO) to WO1 Level 1(MCWO) to be fitted with three pins at the back (see sections 9)





Figure 1 – Dimensions of pins

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	8 of 51

4.7 Clutch

Note: This component is not applicable to Service Dress and Flying Coverall chest badges.

- ♦ acceptable rubber PVC clutches
- ♦ design to be as given in figure below
- ♦ nominal diameter of base to be 11 mm
- ♦ colour to be black or white
- ♦ the diameter of the shaft (centre hole) shall be such as to permit full and secure engagement of the prong



5. Workmanship

Each badge/shoulder board shall be:

- ♦ cut, made and embossed with first-class workmanship throughout
- ♦ of uniform and acceptable make, colour and finish

Each badge/shoulder board shall be free from:

- ♦ defects, that affect the appearance or may affect their serviceability (or both)
- ♦ marks
- ♦ spots
- ♦ stains, incurred in the making-up

All badge edges shall be:

- ♦ neatly double sealed using a cure and press system
- ♦ free from fraying

Badges/shoulder boards shall be:

- ♦ completely durable at all times
- ♦ such that no separation shall occur between the compound and the fabric of the badge/shoulder board

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	9 of 51

6. Design and make


6.1 General (applicable to all)

6.1.1 Embossing

- ♦ the face side of each badge/shoulder board shall be embossed with a specified design as specified in the order or contract
- ♦ shall be identical to the attached profiles (See sections 11 to 14)
- ♦ the embossing shall be finished by means of a 3-D effect that has explicit detail
- ♦ all 3-D effects will be sculptured using a mock-wire embroidered effect
- ♦ corner sharpening and engraving will be used throughout as a finish
- ♦ all ranking shall be 100% proportionate in size to the original
- ♦ all ranks, where duplication occurs, will be identical
- ♦ comply with the requirements as given in paragraph 4.3
- ♦ contour effect must be used as a definition and to shape levels
- ♦ shall be such that the multi-level figures are sculptured :
 - 13 levels for the Coat of Arms
 - 9 levels for the SAAF Eagle, star and sword

6.1.2 Construction

- ♦ be constructed from two layers of knitted outer fabric, laminated together with an adhesive compound filler (see 4.2) to stabilise and support the badges/shoulder boards
- ♦ in addition to the two knitted outer material layers, a non-PVC Polyester film (see 4.4) shall be laminated in-between the layers of the outer material
- ♦ have permanent double sealed edges, incorporating a permanent indentation groove
 - sealed with a cure and press system
 - fully heat resistant to ironing at a minimum temperature of 250 °C
 - 3 mm from the edge
 - comply with the requirements as given in 4.3 of Table 4
 - indentation groove on BADGES to comply with the illustration below



6.1.3 The adhesive compound filler (see 4.2) used between the layers of the material and the curing and pressing system must render an article which is:

- ♦ heat resistant to a temperature of a minimum of 280°C
- ♦ machine washable and dry cleanable
- ♦ soft and pliable
- ♦ sealed at the edges

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	10 of 51

6.2 Shoulder boards (Service dress)

6.2.1 Embossing

- ♦ embossed with a specific design as given in section 14
- ♦ embossing of the Coat of Arms shall be done on a domed surface
 - dome to be of finished height 4 mm (see paragraph 8.2)

6.2.2 Construction

- ♦ be made according to the dimensions given in sections 8 and 14
- ♦ double sealed edges are indicated with a dotted line on the profile as given in paragraph 8.1

6.2.3 Printing on back of each shoulder board

- ♦ the back surface of each shoulder board shall be clearly printed with either a capital "L" (identifying the left shoulder board) or capital "R" (identifying the right shoulder board) as given in section 8
- ♦ letter to be printed in white, or any other acceptable alternative contrast colour to the base fabric
- ♦ printed in such a way that the embossed Secretary Bird and SAAF eagle shall face forward on the respective shoulder boards when worn

6.2.4 Delivery requirement

- ♦ to be supplied in **pairs**
- ♦ design requirements for pairs:
 - the Secretary bird (that forms part of the Coat of Arms) and SAAF Eagle shall face forward when worn
 - the swords and knobkierie-and-spear combination shall be mirror images of each other
 - the words to be legible on each shoulder board

6.3 Badges (Ceremonial dress and Mess dress)

6.3.1 Embossing

- ♦ embossed with a specific design as given in sections 11 and 12

6.3.2 Construction

- ♦ be made according to the dimensions given in sections 11 and 12
- ♦ the underside of each badge shall be fitted with fastening pins, laminated between the two layers of knitted material (see section 9)

6.3.3 Printing on back of each badge

- ♦ the back surface of each badge shall be clearly printed with either a capital "L" (identifying the left badge) or capital "R" (identifying the right badge)
- ♦ letter to be printed in white, or any other acceptable alternative contrast colour to the base fabric

6.3.4 Delivery requirement

- ♦ to be supplied in **pairs**
- ♦ design requirements for pairs:
 - the Secretary bird (that forms part of the Coat of Arms) and SAAF Eagle shall face forward when worn
 - the swords and knobkierie-and-spear combination shall be mirror images of each other

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	11 of 51

- the words to be legible on each badge

6.4 Badges (Protective dress)

6.4.1 Embossing

- ♦ embossed with a specific design as given in section 13

6.4.2 Construction

- ♦ be made according to the dimensions given in section 13
- ♦ the underside of each badge shall be fitted with fastening pins, laminated between the two layers of knitted material (see section 9)

6.4.3 Delivery requirement

- ♦ to be supplied as **singles**
- ♦ design requirements for singles
 - the Secretary bird (that forms part of the Coat of Arms) and SAAF Eagle shall face to the right when badges are worn on the left
 - the words to be legible on each badge

6.5 Badges (Flying Coveralls)

6.5.1 Embossing

- ♦ embossed with a specific design as given in section 13

6.5.2 Construction

- ♦ fitted with an adhesive backing film (**see 4.5**) that is attached to the back of each badge to facilitate the iron-on process
- ♦ be made according to the dimensions given in section 13

6.5.3 Delivery requirement

- ♦ to be supplied as **singles**
- ♦ design requirements for singles
 - the Secretary bird (that forms part of the Coat of Arms) and SAAF Eagle shall face to the right when badges are worn on the left
 - the words to be legible on each badge

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	12 of 51

7. Rank insignia variations

Table 8 – Ceremonial dress variations

1	2	3	4	5	6
National Stock Number	Rank	Dimensions	Shape	Application	Attachment method
18-097-6523	WO2	See 11.1	Oval	Sleeve badge	Pins and clutches
18-097-6524	WO1	See 11.2 – 11.7	Teardrop		
18-097-6572	WO1 Level 4				
18-097-6570	WO1 Level 4 a				
18-097-6582	WO1 Level 3				
18-097-6583	WO1 Level 2				
TBD	WO1 Level 1				

Table 9 – Mess dress variations

1	2	3	4	5	6
National Stock Number	Rank	Dimensions	Shape	Application	Attachment method
18-097-6792	WO2	See 12.1	Oval	Sleeve badge	Pins and clutches
18-097-6793	WO1	See 12.2 – 12.7	Teardrop		
18-097-6802	WO1 Level 4				
18-097-6794	WO1 Level 4 a				
18-097-6796	WO1 Level 3				
18-097-6800	WO1 Level 2				
18-097-6798	WO1 Level 1				

Table 10 – Protective dress variations

1	2	3	4	5	6
National Stock Number	Rank	Dimensions	Shape	Application	Attachment method
18-097-6788	WO2	See 13.1	Oval	Chest badge	Pins and clutches
18-097-6801	WO1	See 13.2 – 13.7	Teardrop		
18-097-6789	WO1 Level 4				
18-097-6797	WO1 Level 4 a				
18-097-6790	WO1 Level 3				
18-097-6791	WO1 Level 2				
TBD	WO1 Level 1				

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	13 of 51

Table 11 – Service dress variations

1	2	3	4	5	6
National Stock Number	Rank	Dimensions of domed section	Shape of embossed design (excluding the SAAF eagle)	Application	Attachment method
18-181-8588	WO2	See 14.1	Oval on domed surface	Shoulder board	Sliding over shoulder strap
18-181-8591	WO1	See 14.2 – 14.7	Teardrop on domed surface		
18-181-8598	WO1 Level 4				
18-181-8595	WO1 Level 4 a				
18-181-8601	WO1 Level 3				
18-181-8603	WO1 Level 2				
TBD	WO1 Level 1				

Table 12 – Flying coverall variations

1	2	3	4	5	6
National Stock Number	Rank	Dimensions	Shape	Application	Attachment method
18-186-7228	WO2	See 13.1	Oval	Chest badge	Iron-on
18-186-7227	WO1	See 13.2 – 13.7	Teardrop		
18-186-7226	WO1 Level 4				
18-186-7225	WO1 Level 4 a				
18-186-7223	WO1 Level 3				
18-186-7221	WO1 Level 2				
TBD	WO1 Level 1				


Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	14 of 51



8. Shoulder board design


8.1 Shoulder board dimensions

These profiles are applicable to **SERVICE DRESS** only.




Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	15 of 51

8.2 Shoulder board construction & domed surface



9. Pin positioning

These profiles are applicable to badges for Ceremonial Dress, Mess Dress and Protective Dress.




Rear view of badge: WO2

Rear view of badge: WO1, WO1 Level 4 (SWO) to Level 1 (MCWO)


Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	16 of 51

08



10. Nine point star

Each nine point star that appears on the insignia shall have an embossed protea in the centre (as given in the illustration below)




NOTE: The above illustrations do not reflect the actual size of the design.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	17 of 51

11.RANK INSIGNIA FOR CEREMONIAL DRESS


11.1 Ceremonial dress - WO2



NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	Page 18 of 51

11.2 Ceremonial dress - WO1



FABRIC



Black

FLAT



Red

No. 2203c/96 of CKS129



Green

No. 2205c/96 of CKS129



Gold

Pantone 873c

EMBOSSED



SAAF Gold


Mother of Pearl

No. 868c of CKS129

NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	19 of 51


11.3 Ceremonial dress - WO1 LEVEL 4/SWO



NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	20 of 51

11.4 Ceremonial dress - WO1 LEVEL 4A/MWO



FABRIC

Black

FLAT

Red
No. 2203c/96 of CKS129

Green
No. 2205c/96 of CKS129

Gold
Pantone 873c

EMBOSSED


SAAF Gold
Mother of Pearl
No. 868c of CKS129

NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	21 of 51

88


11.5 Ceremonial dress - WO1 LEVEL 3/CWO



NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	22 of 51


11.6 Ceremonial dress – WO1 LEVEL 2/SCWO



NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	23 of 51

11.7 Ceremonial dress - WO1 LEVEL 1/MCWO




NOTE: The above illustrations do not reflect the actual size of the badges.

FABRIC



FLAT




EMBOSSED



Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	24 of 51

12.RANK INSIGNIA FOR MESS DRESS

12.1 Mess dress - WO2



FABRIC

Black

FLAT

Red
No. 2203c/96 of CKS129

Green
No. 2205c/96 of CKS129

Gold
Pantone 873c


EMBOSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	25 of 51

12.2 Mess dress – WO1



FABRIC

Black

FLAT

Red
No. 2203c/96 of CKS129

Green
No. 2205c/96 of CKS129

Gold
Pantone 873c


EMBOSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	26 of 51

12.3 Mess dress - WO1 LEVEL 4/SWO




NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	27 of 51

43

12.4 Mess dress - WO1 LEVEL 4A/MWO



- FABRIC

Black
- FLAT

Red

No. 2203c/96 of CKS129

Green

No. 2205c/96 of CKS129

Gold

Pantone 873c
- EMBOSSED

SAAF Gold


Mother of Pearl

No. 868c of CKS129

NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	28 of 51

12.5 Mess dress – WO1 LEVEL 3/CWO



FABRIC



FLAT




EMBOSSED



NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	29 of 51

12.6 Mess dress - WO1 LEVEL 2/SCWO



- FABRIC

Black
- FLAT

Red

No. 2203c/96 of CKS129

Green

No. 2205c/96 of CKS129

Gold

Pantone 873c
- EMBOSSED

SAAF Gold


Mother of Pearl

No. 868c of CKS129

NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	30 of 51

12.7 Mess dress – WO1 LEVEL 1/MCWO



- FABRIC

Black
- FLAT

Red

No. 2203c/96 of CKS129

Green

No. 2205c/96 of CKS129

Gold

Pantone 873c
- EMBOSSED

SAAF Gold

Mother of Pearl

No. 868c of CKS129


NOTE: The above illustrations do not reflect the actual size of the badges.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	31 of 51

47

13. RANK INSIGNIA FOR PROTECTIVE & FLYING COVERALLS

13.1 Protective dress and badges for Flying Coveralls - WO2




NOTE 1: The above illustrations do not reflect the actual size of the badges.

NOTE 2: The badges to be supplied as singles and worn on the wearer's left (bird to face right).

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	32 of 51

13.2 Protective dress and badges for Flying Coveralls - WO1




NOTE 1: The above illustrations do not reflect the actual size of the badges.

NOTE 2: The badges to be supplied as singles and worn on the wearer's left (bird to face right).

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	33 of 51

40


13.3 Protective dress and badges for Flying Coveralls - WO1 LEVEL 4/SWO



NOTE 1: The above illustrations do not reflect the actual size of the badges.
 NOTE 2: The badges to be supplied as singles and worn on the wearer's left (bird to face right).

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	34 of 51

13.4 Protective dress and badges for flying coveralls – WO1 LEVEL 4A/MWO



FABRIC



EMBOSSED



FLAT




NOTE 1: The above illustrations do not reflect the actual size of the badges.

NOTE 2: Badges to be supplied as singles and worn on the wearer's left (bird to face right).

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	35 of 51

13.5 Protective dress and badges for flying coveralls - WO1 LEVEL 3/CWO



FABRIC



EMBOSSED




FLAT



NOTE 1: The above illustrations do not reflect the actual size of the badges.
NOTE 2: Badges to be supplied as singles and worn on the wearer's left (bird to face right).

Ref. No	Date	Responsibility	Verslon	No. of pages
SALM 570	November 2023	SAAF	13.0	36 of 51

13.6 Protective dress and badges for Flying Coveralls – WO1 LEVEL 2/SCWO



FABRIC



EMBOSSED



FLAT




NOTE 1: The above illustrations do not reflect the actual size of the badges.
NOTE 2: Badges to be supplied as singles and worn on the wearer's left (bird to face right).

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	37 of 51

34

13.7 Protective dress and badges for Flying coveralls - WO1 LEVEL 1/MCWO




NOTE 1: The above illustrations do not reflect the actual size of the badges.

NOTE 2: Badges to be supplied as singles and worn on the wearer's left (bird to face right).

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	38 of 51

14.RANK INSIGNIA FOR SERVICE DRESS

14.1 Service dress - WO2



FABRIC



Black



SAAF Dark Blue
2119c-02 of CKS129

FLAT



Red
No. 2203c/96 of CKS129



Green
No. 2205c/96 of CKS129



Gold
Pantone 873c

EMBOSSED




SAAF Gold
Mother of Pearl
No. 868c of CKS129

NOTE: The above illustrations do not reflect the actual size of the shoulder boards.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	39 of 51

14.2 Service dress - WO1



FABRIC

Black

SAAF Dark Blue
2119c-02 of CKS129

FLAT

Red
No. 2203c/96 of CKS129

Green
No. 2205c/96 of CKS129

Gold
Pantone 873c


EMBOSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

NOTE: The above illustrations do not reflect the actual size of the shoulder boards.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	40 of 51

14.3 Service dress - WO1 LEVEL 4/SWO




NOTE: The above illustrations do not reflect the actual size of the shoulder boards.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	41 of 51

26


14.4 Service dress - WO1 LEVEL 4A/MWO



NOTE: The above illustrations do not reflect the actual size of the shoulder boards.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	42 of 51


14.5 Service dress - WO1 LEVEL 3/CWO



NOTE: The above illustrations do not reflect the actual size of the shoulder boards.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	43 of 51

14.6 Service dress - WO1 LEVEL 2/SCWO



FABRIC

Black

SAAF Dark Blue
2119c-02 of CKS129

FLAT

Red
No. 2203c/96 of CKS129

Green
No. 2205c/96 of CKS129

Gold
Pantone 873c


EMBOSSED

SAAF Gold
Mother of Pearl
No. 868c of CKS129

NOTE: The above illustrations do not reflect the actual size of the shoulder boards.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	44 of 51

14.7 Service dress - WO1 LEVEL 1/MCWO



- FABRIC**

Black

SAAF Dark Blue
2119c-02 of CKS129
- FLAT EMBOSSED**

Red
No. 2203c/96 of CKS129

Green
No. 2205c/96 of CKS129

Gold
Pantone 873c
- EMBOSSED**

SAAF Gold
Mother of Pearl
No. 868c of CKS129

NOTE: The above illustrations do not reflect the actual size of the shoulder boards.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	45 of 51

15. Packing and marking

15.1 Packing

The rank insignia shall be:

- ♦ delivered in a commercially dry condition
- ♦ so packed that they will not be damaged in transit or in storage
- ♦ packed as given in table 13

Table 13 – Packaging

1		2
PACKAGING MATERIAL ^a		CONTAINING ^b
A. 1	Small plastics envelope with a pull and press opening	Ceremonial and Mess Dress insignia: <ol style="list-style-type: none"> 1 pair (of the same rank) that consist of a left and a right facing Secretary bird; mirror images of swords, knobkierie-and-spear combination. Relevant amount of clutches
A.2	Small plastics envelope with a pull and press opening	Protective dress insignia: <ol style="list-style-type: none"> Single badge (with right facing Secretary bird when worn) Relevant amount of clutches.
A.3	Small plastics envelope with a pull and press opening	Service dress insignia: <p>1 pair (of the same rank) that consist of a left and a right facing Secretary bird and Eagle; mirror images of swords, knobkierie-and-spear combination; 5 pairs bundled together</p>
A.4	Small plastics envelope with a pull and press opening	Flying Coveralls: <p>A single iron-on badge (with right facing Secretary bird when worn)</p>
B.	Bulk container for transit (dimensions in cm) of dimensions 46 x 31 x 31	Envelopes as specified in A.1 to A.4
^a Of suitable size and shape.		
^b Of the same designation and rank.		

15.2 Marking

15.2.1 Small plastics envelopes

Small plastics envelopes to have a label clearly showing the following information:

- ♦ the National Stock Number (NSN)
- ♦ the manufacturer's name or trade mark or both
- ♦ the year of manufacture

15.2.2 Bulk containers

Each bulk container shall be labelled as given in paragraph 11.2 of SALM 108 "Corrugated board boxes for clothing".

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	Page 46 of 51

15.3 Additional marking

When so required by the South African Air Force, embossed rank insignia, envelopes or containers (or any combination of these) to bear information additional to that specified above.

16. Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this specification. All standards are subject to revision and, since any reference to a standard is deemed to be a reference to the latest edition of a standard, parties to agreements based on this specification are encouraged to take steps to ensure the use of the most recent editions of the standards indicated below. Information on currently valid national and international standards may be obtained from SABS Standards Division¹.

AATCC method 20, *Fiber analysis: Qualitative*. Available from World Wide Web
<http://www.aatcc.org/Technical Test Methods/scopes/tm20.cfm>

CKS 129, *Colours for textiles*.

SALM 108, *Corrugated board boxes for clothing*.

SANS 105-B02/ISO 105-B02, *Textiles - Tests for colour fastness Part B02: Colour fastness to artificial light: Xenon arc fading lamp test*.

SANS 105-C10/ISO 105-C10, *Textiles – Tests for colour fastness – Part C10: Colour fastness to washing with soap or soap and soda*.

SANS 105-D01, *Textiles – Tests for colour fastness – Part D01: Colour fastness to dry-cleaning*.

SANS 5385, *Mass per unit area of conditioned knitted textiles*.

SANS 10076-4, *The assessment of defects in textile piece-goods and made-up articles Part 4: Defects in knitted piece-goods*.

¹ **SABS: Tel. +27 (0) 12 4287911**
www.sabs.co.za

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	47 of 51

ANNEX A

(Normative)

Special conditions of tender

A-1 GENERAL

- A-1.1** Unless otherwise stated, the South African Air Force or an appointed SANAS accredited inspection body shall be the inspecting authority.
- A-1.2** Three pre-production sample pairs of shoulder boards/badges (where pairs are applicable), shall have been inspected, tested and approved by the inspecting authority before bulk production is commenced. Each one of these samples shall be accompanied by a trim chart containing a sample of each component material (as given in 4) and the relevant certificates. It shall be the duty of the manufacturer to give adequate notice to the inspecting authority of the availability of these samples.
- A-1.3** The shoulder boards/badges shall be subject to inspection during the course of manufacture. The inspector shall, during normal working hours, be given all reasonable facilities for carrying out his duties and shall have the right of entry into the contractor's factory and the factory or works of any subcontractor where work on shoulder boards/badges supplied to this specification may be in progress
- A-1.4** The contractor shall inspect the finished shoulder boards/badges for compliance with the specification before submitting them to the inspecting authority for final inspection.
- A-1.5** Before acceptance, the shoulder boards/badges shall have been inspected and tested by the inspecting authority and found to comply with the requirements of the specification.

A-2 DOCUMENTATION

One container of each consignment shall be marked "DOCUMENTS" and in addition to the shoulder boards/badges, shall contain the following:

- a) The packaging slip or delivery note;
- b) where applicable the inspection certificate(s);
- c) a copy of the invoice containing the following information:
 - the order number
 - the financial authority number
 - a full description of the consignment, i.e. National Stock Number, quantity, etc

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	48 of 51

ANNEX B

(Normative)

CKS 129 Colours

Due to the fact that colours can change over a period of time, any colour standard which has been registered for a period of SEVEN YEARS or more shall be considered obsolete. These standards shall then be allocated an archived status (as opposed to current status) and re-registration shall be required.

NOTE: *Before fabric is sent to the Inspection Authority for colour registration purposes, the successful bidder shall confirm with the Inspection Authority whether a submission is required or not.*

A. The following scenarios require a submission of three metres of fabric from the successful bidder:

1. A colour standard is archived.
2. First time registration is required (CKS 129 colour number does not exist).
3. The custodian of the CKS 129 library is out of stock.

B. Requirements for the submission of fabric as identified in A:

1. The colour shall be as agreed upon between the South African Air Force and the successful bidder.
2. The fabric shall be used to make new colour swatches which shall be the responsibility of the custodian of the CKS 129 library.
3. The cost of the three metres of fabric shall be incorporated in the relevant bid submission.

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	49 of 51

HISTORY SHEET				
DOC ISSUE	DATE	AMENDMENTS/HISTORY	CHECKED	
			NAME	INIT.
1		First release		
2	May 2002	a) Background colour of shield b) Serration of fastening pin c) Background colour of shield on Mess dress and Service dress profiles d) Nine point star for Ceremonial/Service dress to have protea in the centre		
3	June 2002	a) Flat printed colours added		
4	July 2002	Reference to indentation groove removed		
5	September 2006	a) Colour reference changed to No 652c b) Protective dress supplied as singles with right facing bird only		
6	September 2008	a) Changed layout and format of specification b) Change Service Dress badge to shoulder boards. c) Changed mass of base material (according to SABS test report) d) Update all colour references. e) Add footnote on pages 5 and 6. f) Add reference to sculptured levels of stars and sword. g) Change mass of adhesive film (according to info from manufacturer) h) Delete reference to "Coverall" in whole spec; Add camouflage collar badges i) Delete reference to "Field dress" in whole spec (moved to collar badge spec) j) Add reference to SANS 10076-4 k) Add design of stars for Protective and Mess dress l) Add left and right profiles m) Add Annex B n) Add reference and illustration of domed surface on shoulder boards o) Change rank titles p) Change camouflage dress be iron-on/sewn-on (remove reference to pin and clutch fastening) q) Change width of shoulder board to 60 mm at the bottom edge		
7	May 2009	a) Changed table 6 to reflect embossed and flat print areas to comply with profiles of section 13. b) Change 4.3.2.1 and 4.3.2.2 to comply with profiles of section 13 c) Inner three triangles to be embossed, all other triangles to be flat print.		
8	September 2010	a) Add reference to additional garment: flying coverall b) Add reference to year of registration of CKS 129 colours.		
9	July 2011	a) Add pin and clutches to Camouflage Dress and Flying coveralls b) Add positioning instructions for camouflage dress		
10	April 2014	a) Change type of clutch		
11	February 2015	a) Add NSNs of camouflage badges b) Add printing of L & R on back of shoulder board		

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	50 of 51

4

HISTORY SHEET				
DOC ISSUE	DATE	AMENDMENTS/HISTORY	CHECKED	
			NAME	INIT.
11.1	March 2018	Omit Camouflage insignia and insert in SALM 666. Correct NSN: 18-097-6894 to 18-097-6794 Amend: Flying coverall to be iron-on New NSNs for flying coverall		
12	April 2018	12 th Release		
13	November 2023	Correct NSN: 18-097-6892 to 18-097-6792 Correct NSN: 18-097-6893 to 18-097-6793		

Ref. No	Date	Responsibility	Version	No. of pages
SALM 570	November 2023	SAAF	13.0	51 of 51


PRIVATE SPECIFICATION

Prepared for the

South African Air Force



CAP BADGES BACKGROUND



1. Scope

This specification covers the materials, design and make of three shape variations (and four different colour variations) of backgrounds for cap badges for personnel of the South African Air Force.

NOTE: Various National and International patents may apply.

2. Definitions and Abbreviations

For the purposes of this specification, the following definitions apply:

Acceptable: Acceptable to the South African Air Force.

Nominal: Subject to the tolerances normal to good manufacturing practice.







NSN: National Stock Number as reflected as Item Number on a Government Order.

3. General

No materials will be supplied by the South African Air Force.

The materials as specified in paragraphs 4.1 and 4.2 shall be supplied and used by the manufacturer. Trim charts shall accompany the pre-production samples (see Annex A).

Table 1 – National Stock Number

1	2	3
National Stock Number	Colour	Shape
8455-18-015-0235	White	
8455-18-015-0281	Black	
8455-18-176-1256	Violet	
8455-18-015-0233	Blue	
8455-18-175-0278	Blue	
8455-18-187-6376	Blue	

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 416	March 2015	SAAF	05.0	2	Page 2 of 11

4. Component Materials

4.1 Base fabric

- ♦ an acceptable coated high bulk continuous filament knitted fabric
- ♦ to comply with the requirements as given in table 2
- ♦ permissible number of defects to comply with the requirements as given in table 3
- ♦ to comply with the requirements as given in table 4
- ♦ the colour of the fabric shall be in one of the four different shades, as required and shall be an acceptable match, in terms of SANS 10076-4, "The assessment of defects in textile piece-goods and made-up articles Part 4: Defects in knitted piece-goods", to the CKS 129 colour numbers specified in table 5

Table 2 – Base fabric requirements

1	2	3
Property	Requirement	SANS number (unless otherwise indicated)
Composition, %		AATCC 20
Nylon ^a	100	
Construction	Knitted interlock ^b and coated with a heat-resistant compound	Visual examination and physical analysis
Mass per area, g/m², min.	260 ^c	5385 ^d
Colour fastness to:		105-C10:2007 Test number C(3)
Washing, rating, min.		
Change in colour	4	
Staining of adjacent fabrics	4	
Dry-cleaning, rating, min.		105-D01
Change in colour	4-5	
Light, rating, min.	4	105-B02

^a High bulk continuous filament yarn.

^b Fine gauge.

^c The mass reflected in column 2 is the mass of the fabric before it has been coated with a heat-resistant compound. The coated fabric shall be of minimum mass 320 g/m² when tested in accordance with SANS 5385.

^d Tested after conditioning in accordance with SANS 70.

Table 3 – Permissible number of defects of base fabric

1	2	3
LAQ	Number	SANS number
For a piece	10	
For a lot	12	10076-4

4.2 Adhesive Compound Filler

- ♦ used as a filler between the two layers of outer material (fused together)
- ♦ a hot melt and heat resistant compound
- ♦ an acceptable co-polymer rubber paint compound adhesive
- ♦ minimum mass of 90 g/m²
- ♦ to be able to withstand the conditions as specified in table 4

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 416	March 2015	SAAF	05.0	3	Page 3 of 11

Table 4 – Pneumatic heat press requirements

1	2	3	4	5
Test area	Time	Pressure	Temperature, min.	Requirement
4.1 Coated surface	30 seconds	2 bar	280° C	To retain original shape
4.2 Knitted surface	30 seconds	2 bar	230° C	To retain original shape

Table 5 – Colours¹

1	2	3
Item	CKS 129 Colour number	Description
A	1c-05	White
B	340c-11	Jet black
C	545c-06	Spectrum violet
D	509c-96	Flight blue

5. Workmanship

Each badge background shall be:

- ◆ cut, made and embossed with first-class workmanship throughout
- ◆ of uniform and acceptable make, colour and finish

Each badge background shall be free from:

- ◆ defects, that affect the appearance or may affect their serviceability (or both)
- ◆ marks
- ◆ spots
- ◆ stains, incurred in the making-up

All badge background edges shall be:

- ◆ neatly sealed using a cure and press system
- ◆ free from fraying

All badge backgrounds shall be:

- ◆ completely durable at all times
- ◆ such that no separation shall occur between the compound and the fabric of the badge

¹ See Annex B.

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 416	March 2015	SAAF	05.0	4	Page 4 of 11

6. Design and make

The badge backgrounds shall:

- ♦ be made in three different shapes and dimensions as given in section 7 (as specified in the order or contract)
 - Chaplains, Candidate Officers and Senior Officers: See figure 1
 - Generals: See figure 2
 - Senior Chief Warrant Officers and Chief Warrant Officers: See figure 3
- ♦ be made in the colours as given in table 5 (as specified in the order or contract)
- ♦ be constructed from two layers of knitted outer fabric, laminated together with an adhesive compound filler to stabilise and support the badge background
- ♦ neatly sealed using a cure and press system
- ♦ domed to the front
- ♦ have a flat back
- ♦ of nominal thickness 2.5 mm (see figure 4)

7. Dimensions




Figure 1 – Dimensions of background for Chaplains, Candidate Officers and Senior Officers

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 416	March 2015	SAAF	05.0	5	Page 5 of 11




Figure 2 – Dimensions of background for Generals




Figure 3 – Dimensions of background for Senior Chief Warrant Officers and Chief Warrant Officers



Figure 4 – Domed cross-section

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 416	March 2015	SAAF	05.0	6	Page 6 of 11

8. Packing and marking

8.1 Packing

The background badges shall be:

- ♦ delivered in a commercially dry condition
- ♦ so packed that they will not be damaged in transit or in storage
- ♦ packed as given in table 6

Table 6 – Packaging

1		2
PACKAGING MATERIAL ^a		CONTAINING ^b
A.	Small plastics envelope with a pull and press opening	1 badge background
B.	Bulk container for transit (dimensions in cm) of dimensions 46 x 31 x 31	Envelopes as specified in A
^a Of suitable size and shape.		
^b Of the same shape and colour.		

8.2 Marking

8.2.1 Small plastics envelopes

Small plastics envelopes to have a label clearly showing the following information:

- ♦ the manufacturer's name or trade mark or both
- ♦ the year of manufacture
- ♦ the National Stock Number (NSN)

8.2.2 Bulk containers

Each bulk container shall be labelled as given in paragraph 11.2 of SALM 108 "Corrugated board boxes for clothing".

8.3 Additional marking

When so required by the South African Air Force, cap badge backgrounds, envelopes or containers (or any combination of these) to bear information additional to that specified above.

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 416	March 2015	SAAF	05.0	7	Page 7 of 11

9. Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this specification. All standards are subject to revision and, since any reference to a standard is deemed to be a reference to the latest edition of a standard, parties to agreements based on this specification are encouraged to take steps to ensure the use of the most recent editions of the standards indicated below. Information on currently valid national and international standards may be obtained from SABS Standard Sales Division*.

AATCC method 20, Fiber analysis: Qualitative. Available from World Wide Web
<http://www.aatcc.org/Technical Test Methods/scopes/tm20.cfm>

CKS 129, Colours for textiles.

SALM 108, Corrugated board boxes for clothing.

SANS 70, Conditioning of textiles and standard temperate atmosphere for determining their physical and mechanical properties.

SANS 105-B02/ISO 105-B02, Textiles - Tests for colour fastness Part B02: Colour fastness to artificial light: Xenon arc fading lamp test.

SANS 105-C10/ISO 105-C10, Textiles – Tests for colour fastness – Part C10: Colour fastness to washing with soap or soap and soda.

SANS 105-D01, Textiles – Tests for colour fastness – Part D01: Colour fastness to dry-cleaning.

SANS 5385, Mass per unit area of conditioned knitted textiles.

SANS 10076-4, The assessment of defects in textile piece-goods and made-up articles Part 4: Defects in knitted piece-goods.

* Standards South Africa: Tel. +27 (0) 12 4287911

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 416	March 2015	SAAF	05.0	8	Page 8 of 11

ANNEX A

(Normative)

Special conditions of tender

A-1 GENERAL

- A-1.1** Unless otherwise stated, the South Bureau of Standards, shall be the inspecting authority.
- A-1.2** Three pre-production sample backgrounds of each shape and colour ordered, shall have been inspected, tested and approved by the inspecting authority before bulk production is commenced. Each one of these samples shall be accompanied by a trim chart containing a sample of each component material (as given in 4) and the relevant certificates. It shall be the duty of the manufacturer to give adequate notice to the inspecting authority of the availability of these samples.
- A-1.3** The backgrounds shall be subject to inspection during the course of manufacture. The inspector shall, during normal working hours, be given all reasonable facilities for carrying out his duties and shall have the right of entry into the contractor's factory and the factory or works of any subcontractor where work on backgrounds supplied to this specification may be in progress
- A-1.4** The contractor shall inspect the finished backgrounds for compliance with the specification before submitting them to the inspecting authority for final inspection.
- A-1.5** Before acceptance, the backgrounds shall have been inspected and tested by the inspecting authority and found to comply with the requirements of the specification.

A-2 DOCUMENTATION

One container of each consignment shall be marked "DOCUMENTS" and in addition to the backgrounds, shall contain the following:

- a) The packaging slip or delivery note;
- b) where applicable the inspection certificate(s);
- c) a copy of the invoice containing the following information:
 - the order number
 - the financial authority number
 - a full description of the consignment, i.e. National Stock Number, quantity, etc

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 416	March 2015	SAAF	05.0	9	Page 9 of 11

ANNEX B
(Normative)
CKS 129 Colours

Due to the fact that colours can change over a period of time, any colour standard which has been registered for a period of SEVEN YEARS or more shall be considered obsolete. These standards shall then be allocated an archived status (as opposed to current status) and re-registration shall be required.

NOTE: *Before fabric is sent to SABS for colour registration purposes, the successful tenderer shall confirm with SABS whether the submission of fabric is required or not.*

A. The following scenarios require a submission of three metres of fabric from the successful tenderer:

1. A colour standard is archived.
2. First time registration is required (CKS 129 colour number does not exist).
3. Colour swatch stock at the SABS is no longer available.

B. Requirements regarding the submission of fabric as identified in A:

1. The colour shall be as agreed upon between the South African Air Force and the successful tenderer.
2. The fabric shall be used to make new colour swatches which shall be the responsibility of the SABS.
3. The cost of the three metres of fabric shall be incorporated in the relevant tender submission.

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 416	March 2015	SAAF	05.0	10	Page 10 of 11

HISTORY SHEET				
VERSION	DATE	AMENDMENTS/HISTORY	CHECKED	
			NAME	INIT.
1		First release		
2	May 2002			
3	August 2008	Update format; Update references Add test methods Change construction and weight of knitted material as per SABS test report/manufacture. Refer to CKS 129 colours that are to be re-registered. Replace one layer with a double layer of knitted material. Add reference to adhesive compound filler. Add reference to the height and that the badge is domed to the front. Add National Stock Numbers. Add Annex B		
4	April 2012	Add background for SCWA and CWA. Add note to Annex A Amend packaging		
5	March 2015	Correct NSN on violet badge Change 1x1 rib to interlock fabric (to align with other embossed specs)		

Ref. No	Date	Responsibility	Version	Page	No of pages
SALM 416	March 2015	SAAF	05.0	11	Page 11 of 11


PRIVATE SPECIFICATION

Prepared for the

SOUTH AFRICAN AIR FORCE



**Corrugated Board Boxes for Clothing
(Telescopic Type)**



SALM 108

Version 07.0/January 2023

1. Scope

This specification covers the requirements for the material, design, dimensions, and physical properties of corrugated board components (inner and outer) of telescopic type corrugated board boxes used for packing clothing and footwear for personnel of the South African Air Force.

2. Definitions and Abbreviations

For the purpose of this specification the following definitions shall apply:

where relevant: the definitions given in SANS 431 and SANS 456

acceptable: acceptable to the South African Air Force

FIFO: First in, First out

nominal: subject to the tolerances normal to good manufacturing practice

IFCC: International Fibreboard Case Code

inner component: a component that has sides, ends, and a bottom but no top

outer component: a component that has sides, ends and top but no bottom and that fits telescopically over the inner component

SANS: South African National Standard

3. Style


The style is as follows:

- ♦ IFCC style No. 0301
- ♦ telescopic type
- ♦ having an inner and an outer container


Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	2	19

4. Illustrations

Illustrations are not to scale and are for guidance only.




**Figure 1 – Base and lid components of telescopic cardboard box
(assembled and ready to serve as a container for storage of finished goods)**



**Figure 2 – Base component of telescopic cardboard box
(assembled and ready to serve as the base of a container for storage of finished goods)**

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	3	19



**Figure 3 – Lid component of telescopic cardboard box
(assembled and ready to serve as the lid of a container for storage of finished goods)**




Figure 4(a) – Design of telescopic cardboard box when unassembled (Base component)

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	4	19




Figure 4(b) – Design of telescopic cardboard box when unassembled (Lid components)

5. Client Furnished Materials

No materials will be supplied by the South African Air Force.

6. Physical and Performance Requirements

The corrugated board boxes shall comply with the following physical characteristics.

6.1 Paper

- ♦ paper shall be manufactured from processed cellulose fibre and shall be reasonably free from defects as listed in section 7
- ♦ the relevant surfaces of the paper shall be such as to accept the adhesives commonly used in the manufacture of corrugated board

6.1.1 Fluting and liners

- ♦ to comply with the requirements of SANS 431 "Liners and fluting for corrugated board" for the relevant types (grammage) as specified in table 1
- ♦ grammage of the fluting and liners of the inner and outer component parts to comply with the requirements as given in table 1
 - the nominal grammage values given in table 1 are subject to a tolerance of $\pm 5\%$

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	5	19

Table 1 – Grammage of fluting and liners

1	2	3
Property	Requirement	Test Method ^a
Grammage, g/m ² , min.	935 ^b	ISO 536
Damp-ply adhesion (B and C flute), N/m.	400 ^c	See 10.2
Water absorption of facing g/m ² after 30 min. max (outer and inner) .	120 ^b	See 10.3
Thickness, mm, min.	6,0 ^c	See 10.4
Bursting strength, kPa, min.	1700 ^c	ISO 2758
^a Condition all specimens and test pieces in accordance with ISO 187, using the conditioning atmosphere 23/50. See also 10.1. ^b The average of two determinations (one specimen from each of two components) to be reported . ^c The average of six determinations (two specimens from each of three components) to be reported.		

6.1.2 Corrugated board

- ♦ to be wet-strength double wall simplex corrugated board of C and B fluting construction
- ♦ to comply with the requirements as given in table 2
- ♦ the direction of the corrugations in the sides of the inner and outer components shall be parallel to the direction of the stacking load (refers to closed and assembled boxes)

Table 2 - Physical Properties of Corrugated Board

1	2	3	4	5	6
Component	Nominal grammage, g/m ²				Test Method
	Liners			Fluting B and C	
	Inner	Centre	Outer		
Inner	230	160	230	125	ISO 536 ^a
Outer	230	160	230	125	

^a Condition all specimens and test pieces in accordance with ISO 187, using the conditioning atmosphere 23/50.Determine the average actual grammage, but use 20 test pieces.

6.2 Adhesives

- ♦ the adhesives used in making corrugated board and in the construction of the box shall not have any deleterious effect on the intended contents of the container

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	6	19

6.3 Dimensions and design

- ♦ IFCC style No. 0301 as given in Annex B of SANS 456:2009 "Corrugated board containers"
- ♦ dimensions to comply with the requirements as given in section 8

6.4 Creasing

- ♦ the creasing of the board shall be such that when a box is tested in accordance with paragraph 10. 5, there is no splitting of any liner
- ♦ the creasing of the board shall be such that when a component is assembled, there shall be no splitting of any liner
- ♦ there shall be no overlap of the flaps when each component is assembled

6.5 Staples

- ♦ staples shall be of a steel wire
- ♦ the wire shall have a coating (such as zinc, tin, copper, or enamel) that is not readily removable by the stapling process
- ♦ the staples shall have a nominal crown length of 30 mm, and each leg shall be long enough to be clinched on the inside of the board for a length of at least 7 mm

6.6 Storage requirements

- ♦ dry storage for a period not exceeding 15 months under the following conditions:
 - Temperature range: - 10° to 50°
 - Humidity: Maximum 50% relative humidity; Minimum 25 % relative humidity
- ♦ the components shall, before delivery, be stored in such a manner that they are reasonably protected from adverse atmospheric conditions and from fungal and insect attack

6.7 Transport requirements

- ♦ suitable for rail, road and air transport

6.8 Durability requirements

- ♦ single journey use

6.9 Strapping

- ♦ acceptable polypropylene strapping of nominal width 10 – 12 mm
- ♦ manufactured in accordance with high grade commercial practice

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	7	19

7. Workmanship

The box component parts to be:

- ◆ cut and made with first-class workmanship throughout
- ◆ of uniform and acceptable make and finish

To be free from:

- ◆ defects, such as listed below or any other imperfection that affect their serviceability
 - fibre bundles, holes, splinters, specs and breaks

ORIGINAL

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	8	19

8. Dimensions




Figure 5 – Dimensions of the lid component of the telescopic board box (flat measurements)

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	9	19




Figure 6 – Dimensions of the base component of the telescopic board box (flat measurements)

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	10	19

9. Assembly/Securing of boxes

Unless inconsistent with the text, all measurements are nominal.

9.1 Stapling

- ♦ each joint shall be stapled (see 6.5) with a minimum of three staples if the crown length is 30 mm (min).
 - in instances where the crown lengths of the staples are less than 25 mm, a minimum of five staples shall be required to secure the joints
- ♦ staples shall not commence more than 25 mm away from each end of a joint, and shall be adequately clinched

9.2 Strapping of boxes

- ♦ once packed, each corrugated box (base and lid unit) shall be secured with at least three lengths of strapping, i.e. two in the width and one in the length
- ♦ secured by means of metal clasps or a fusing technique (as relevant) in such a way that it shall not come undone by itself (to withstand transportation, stacking, handling and storage)
- ♦ tensioning to be such that after it is permanently secured, the strapping shall not cause any damage to the contents of the container

10. Test methods

10.1 General

10.1.1 Test specimens

- ♦ unless otherwise stated, take test specimens from areas of the board that are uncreased and undamaged and, where possible, from different units in the sample

10.1.2 Conditioning

- ♦ unless otherwise stated, condition, inspect, and test all specimens in a controlled atmosphere that, has a relative humidity of 50 % \pm 2 % and a temperature of 23 °C \pm 2 °C
- ♦ during conditioning, position each specimen so that all surfaces are freely exposed to the conditioning atmosphere
- ♦ ensure that the air of the conditioning and testing laboratories is so circulated that the humidity and temperature are uniform throughout the laboratory
- ♦ allow sufficient conditioning time for the moisture content of the specimens to attain equilibrium with the conditioning atmosphere

NOTE - In cases of doubt determine the mass of each specimen at hourly intervals until the results of the last two determinations do not differ by more than 0,25 % of the final mass. For preference, approach equilibrium from the dryer condition.

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	11	19

10.2 Test method for damp-ply adhesion

- ♦ test in accordance with paragraph 6.13 of SANS 456:2009 "Corrugated board containers"

10.3 Test method for water absorption of outer facing of board

- ♦ determine the average water absorption of the top side of a liner in accordance with ISO 535, "Paper and board -- Determination of water absorption – Cobb method ", but use 6 test pieces, a testing time of 30 minutes and water at a temperature of $23^{\circ}\text{C} \pm 1^{\circ}\text{C}$
- ♦ omit the rejection of test pieces that have been saturated with water
- ♦ in cases where the test result exceeds 150 g/m^2 , report the result at $150 + \text{g/m}^2$

10.4 Test method for determining thickness (calliper) of corrugated board

- ♦ test in accordance with paragraph 6.8 of SANS 456:2009 "Corrugated board containers"

10.5 Accuracy and degree of creasing of corrugated board

- ♦ test in accordance with paragraph 6.14 of SANS 456:2009 "Corrugated board containers"

11. Packing, Labelling and Documentation of Goods

NOTE: This section covers the packaging, labelling and documentation of manufactured goods that are to be packed into containers as specified in this specification.

11.1 Packing

- ♦ items to be packed in containers made in accordance with this specification
- ♦ stapling and strapping to comply with the requirements as given in section 9
- ♦ containers to be sealed with 50 mm broad tape
- ♦ quantities as given in Annex A to serve as a guideline

11.2 Labelling

Each bulk container shall have a label securely attached to the outside of one of the short sides of the lid (upper component) and one label securely attached to one of the short sides of the base (lower component). The labels shall be visible when the containers are stacked and shall provide the following information in legible and indelible block letters:

- ♦ to be at least A5 paper size and markings to be in the following sequence (see fig 7):
 - the order number
 - the National Stock Number (NSN)
 - the item description
 - the size designation
 - the quantity
 - the colour (only if product is supplied in more than one colour)
 - the gross mass of the packed container
 - the year of manufacture
 - FIFO colour coded system as given in figure 8 (printed block)

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	12	19

- ♦ minimum letter height of 18 pt. ARIAL
- ♦ left column: all CAPITAL LETTERS
- ♦ right column: Capitalize first letter of each word

11.3 Documentation

One container per consignment marked "DOCUMENTS" is to accompany each consignment with the following:

- ♦ the packaging slip/delivery note
- ♦ the inspection certificate (where applicable)
- ♦ the copy of the invoice containing the following information:
 - order number
 - financial authority number
 - full description of consignment, i.e. National Stock Numbers, quantities, etc.

11.4 Additional marking

When so required by the South African Air Force, containers to bear information additional to that specified above.

12. Packing and Delivery of Containers

NOTE: This section covers the delivery requirements of the containers when delivered to the clothing and/or footwear supplier.

12.1 General

- ♦ the relevant requirements of SANS 456 to apply

12.2 Packing

The component parts of the box to be:


- ♦ packed flat in bundles of 25
- ♦ delivered in a commercially dry condition
- ♦ so packed that they will not be damaged in transit or in storage

12.3 Marking

- ♦ each component part to bear the date of manufacture (month and year); e.g. 08/2008












Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	13	19

Figure 7 – Example of bulk container labelling

ORDER NR	2D142199
NSN	18-180-1234
DESCRIPTION	Shoes, Service Dress
SIZE	9W
QUANTITY	100
COLOUR*	Black
GROSS MASS	22.6 Kg
YEAR	2023
	
<i>*Include only if product is supplied in more than one colour.</i>	

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	14	19

Figure 8 – FIFO Colour identification

1 YEAR	2 COLOUR CODE OF SPECIFIC YEAR	
2023	Yellow	
2024	Red	
2025	Green	
2026	Royal Blue	
2027	Black	
2028	Purple	
2029	Grey	
2030	Light Blue/Sky Blue	
2031	Pink	
2032	Orange	
2033	Brown	
2034 to 2044	Colour sequence to be repeated from the top	

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	15	19

13. Applicable Documents

The following documents contain provisions which, through reference in this text, constitute provisions of this specification. All documents are subject to revision and, since any reference to a document is deemed to be a reference to the latest edition of that document, parties to agreements based on this specification are encouraged to take steps to ensure the use of the most recent editions of the documents indicated below. Information on currently valid national, international and CKS documents may be obtained from the South African Bureau of Standards*.

IFCC, *International fibreboard case code.*

ISO 187, *Paper and board – Conditioning of samples.*

ISO 535, *Paper and board – Determination of water absorption – Cobb method.*

ISO 536, *Paper and board – Determination of grammage.*

ISO 2758, *Paper - Determination of bursting strength.*

SANS 431, *Liners and fluting for corrugated board.*

SANS 456:2009, *Corrugated board containers.*

* SABS: Tel. +27 (0) 12 4287911

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	16	19

ANNEX A**(Informative)****Guideline packing quantities**

Series No.	Item	Qty per carton
1	1. Towels bath blue	40
	2. Towels hand blue	60
	3. Face cloth blue	150

Series No.	Item	Qty per carton
2	1. Caps Garrison	200
	2. Cap service	18
	3. Drawers multi colour	400
	4. Hat service blue/grey	200
	5. Jackets F/D, x/small, small	50
	6. Jackets F/D, med, large, x/large	45
	7. Jackets SD Blue Grey	30
	8. Shirt L/S	60
	9. Shirt S/S	100
	10. Shirt F/D L/S	80
	11. Shirt F/D S/S	100
	12. Shirt mess dress	50
	13. Short Gym Blue	200
	14. T-shirt blue/grey	100
	15. Trousers F/D blue/grey	60
	16. Trousers Blue Grey	70
	17. Vest white	150

Series No.	Item	Qty per carton
3	1. Aprons foodhandlers bib blue/grey	200
	2. Apron foodhandlers bib type white	200
	3. Bags duffel blue/grey canvas	40
	4. Belts individual web 57mm	200
	5. Cap foodhandlers white	200
	6. Coats cold weather 3/4 duffel	15
	7. Coats foodhandlers white	50
	8. Coveralls two-piece	30
	9. Gloves black	100 prs
	10. Raincoats nylon blue/grey	50
	11. Shirts foodhandlers	60
	12. Sleeping bag nylon outers	7
	13. Tracksuits	30
	14. Trousers foodhandlers, blue check	80

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	17	19

Series No.	Item		Qty per carton
4	1.	Belts waist (all sizes)	400
	2.	Boots combat black size 5-9	15
	3.	Boots combat black size 10-12	12
	4.	Boots combat black size 13-15	10
	5.	Boots fireman size 6-12	10
	6.	Boots gum size 5-10	10
	7.	Boots safety black size 5-10	12
	8.	Boots safety black size 11-14	10
	9.	Shoes canvas blue/grey size 5-11	20
	10.	Shoes canvas blue/grey size 12-14	12
	11.	Shoes gunfloor black size 5-11	15
	12.	Shoes gunfloor black size 12-13	12
	13.	Shoes gym leather size 5-14	20
	14.	Shoes mens black evening wear size 6-10	15
	15.	Shoes mens black evening wear sizes 11-13	12
	16.	Shoes safety black size 5-10	12
	17.	Shoes safety black size 11-14	10
	18.	Shoes service black size 5-11	15
	19.	Shoes service black size 12-14	12
	20.	Socks mens cushion sole	200
	21.	Socks mens Black	200
	22.	Socks mens size 9-12	200
	23.	Ties, men	1 000
	24.	Pantihose	900
	25.	Uniform men's S/D	20
	26.	Uniform men's E/W	20
	27.	Skirts ladies	60
	28.	Slacks ladies	60
	29.	TRS men's	60
	30.	Jackets, ladies E/W	20
	31.	Skirts, ladies E/W	50
	32.	Waistcoat, ladies	100
	33.	Jersey, unisex	60

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	18	19

For office use only		
HISTORY SHEET		
DOC ISSUE	DATE	AMENDMENTS/HISTORY
1	September 1984	First release
2	January 1996	
3	June 2008	Updated format, references and layout of specification. Add annex B. Refer to two separate labels on the short sides of the containers: Label A & Label B
4	April 2011	Amended height of box
5	July 2014	Amend label requirements of bulk container. Add specific size of wording.
05.2	March 2018	Add illustrations Dimensions to reflect flat measurements of box Add information and layout of specification Add Normative references
05.3	April 2018	Delete Annex A Amend dimensions Change numbering to ensure paragraph 11.2 refers to the same information as in version 5
06.0	August 2018	6 th Release
06.1	December 2022	Delete 2 of the 4 labels on the short ends of container. One label on ONE short end (front) of the lid and one label on ONE short end (front) of the base of the same container. Add colours to year of manufacture (figure 8)
07.0	January 2023	7 th Release

Doc No	Date	Responsibility	Version	Page	No of pages
SALM 108	January 2023	SAAF	07.0	19	19

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an Offer or Offers in terms of this Invitation to Bid. In line with the principles of Transparency, Accountability, Impartiality and Ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of Legislation, it is required for the Bidder to make this Declaration in respect of the details required hereunder.

Where a person/s is listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be Disqualified from the Bid Process.

2. BIDDERS DECLARATION

- 2.1 Is the Bidder or any of its Directors / Trustees / Shareholders / Members / Partners or any Person having a Controlling Interest in the Enterprise, Employed by the State? **YES / NO**

- 2.1.1 If so, furnish particulars of the Names, Individual Identity Numbers and if applicable, State Employee Numbers of Sole Proprietor / Directors / Trustees / Shareholders / Members/ Partners or any Person having a Controlling Interest [1] in the Enterprise, in table below:

FULL NAME	IDENTITY NUMBER	NAME OF STATE INSTITUTION

[1] I the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

2.2 Do you, or any Person connected with the Bidder, have a relationship with any Person who is Employed by the Procuring Institution? **YES / NO**

2.2.1 If so, furnish particulars:

.....
.....

2.3 Does the Bidder or any of its Directors / Trustees / Shareholders / Members / Partners or any Person having a Controlling Interest in the Enterprise have any Interest in any other related Enterprise whether or not they are bidding for this contract? **YES / NO**

2.3.1 If so, furnish particulars:

.....
.....

3. DECLARATION

I, the undersigned, (Name)..... in submitting the accompanying Bid, do hereby make the following Statements, that I Certify to be True and Complete in every respect:

3.1 I have Read and I Understand the Contents of this Disclosure;

3.2 I understand that the accompanying Bid will be Disqualified if this Disclosure is found not to be True and Complete in every respect;

3.3 The Bidder has arrived at the accompanying Bid independently from, and without Consultation, Communication, Agreement or Arrangement with any Competitor. However, Communication between Partners in a Joint Venture or Consortium [2] will not be construed as Collusive Bidding.

3.4 In addition, there have been no Consultations, Communications, Agreements or Arrangements with any Competitor regarding the Quality, Quantity, Specifications, Prices, including Methods, Factors or Formulas used to Calculate Prices, Market Allocation, the Intention or Decision to Submit or Not to Submit the Bid, Bidding with the intention not to Win the Bid and Conditions or Delivery Particulars of the Products or Services to which this Bid Invitation relates.

[2] Joint Venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

- 3.5 The Terms of the accompanying Bid have not been, and will not be, Disclosed by the Bidder, Directly or Indirectly to any Competitor prior to the Date and Time of the Official Bid Opening or of the Awarding of the Contract.
- 3.6 There have been no Consultations, Communications, Agreements or Arrangements made by the Bidder with any Official of the Procuring Institution in relation to this Procurement Process prior to and during the Bidding process except to provide Clarification on the Bid submitted where so required by the Institution; and the Bidder was not Involved in the Drafting of the Specifications or Terms of Reference for this Bid.
- 3.7 I am aware that in Addition and without Prejudice to any other Remedy provided to Combat any Restrictive Practices related to Bids and Contracts, Bids that are Suspicious will be Reported to the Competition Commission for Investigation and Possible Imposition of Administrative Penalties in Terms of Section 59 of the Competition Act No 89 of 1998 and or may be Reported to the National Prosecuting Authority (NPA) for Criminal Investigation and or may be Restricted from Conducting Business with the Public Sector for a Period not exceeding Ten (10) Years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable Legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 AND 3 ABOVE IS CORRECT;

I ACCEPT THAT THE STATE MAY REJECT THE BID, OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF THE PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
SIGNATURE

.....
DATE

.....
POSITION

.....
NAME OF BIDDER

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included)); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **To be completed by the organ of state**

(delete whichever is not applicable for this tender).

- a. ~~The applicable preference point system for this tender is the **90/10** preference point system.~~
- b. The applicable preference point system for this tender is the **80/20** preference point system.
- c. Either the **90/10** or **80/20** preference point system will be applicable in the tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 **To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total Points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1 POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20	or	90/10
$Ps = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$	or	$Ps = 90 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$

Where

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmin = Price of lowest acceptable tender

3.2 FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1 POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20	or	90/10
$P_s = 80 \left(1 + \frac{P_t - P_{max}}{P_{max}} \right)$	or	$P_s = 90 \left(1 + \frac{P_t - P_{max}}{P_{max}} \right)$

Where

P_s = Points scored for price of tender under consideration

P_t = Price of tender under consideration

P_{max} = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

4.1 In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2 In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point systems applies, an organ of state must, in the Tender documents, stipulate in the case of—

- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
- (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

THE TENDERER IS TO PICK ONLY ONE SPECIFIC GOAL

Status Level	The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Level 1	51% owned by Black Women Military veterans or 51% owned by Black Youth or 51% owned by Black people with disability	10	20		
Level 2	51% owned by Black Male Military veterans or 51% owned by people with disability or 51% owned by Black Women EME's	8	18		

Level 3	51% owned by Women Military Veterans or 51% owned by Black Male EMEs or 51% owned by Woman EMEs or 51% owned by Black Woman QSEs	6	16		
Level 4	51% owned by Male Military veterans or 51% owned by Youth or 51% owned by any other EMEs or 51% owned by Black Male QSEs or 51% owned by Women QSEs	4	14		
Level 5	51% owned by any other QSEs	2	12		
Level 6	Not Applicable				
Level 7	Not Applicable				
Level 8	Non-compliant	0	0		

NOTE: Bidders are to submit Sworn Affidavit to substantiate the preference points claimed. Sworn Affidavit must be signed by legally recognised Commissioner of Oath.

5. DECLARATION WITH REGARD TO COMPANY/FIRM

5.1 Name of company/firm.....

5.2 Company registration number:

5.3 TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One-person business/sole propriety
- ☐ Close Corporation
- ☐ Public Company
- ☐ Personal Liability Company
- ☐ (Pty) Limited
- ☐ Non-Profit Company
- ☐ State Owned Company

[TICK APPLICABLE BOX]

5.4 I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) **If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –**
 - (a) disqualify the person from the tendering process;**
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;**
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;**
 - (d) recommend that the Tenderer or Contractor, its Shareholders and Directors, or only the Shareholders and Directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and**
 - (e) forward the matter for criminal prosecution, if deemed necessary.**

NOTE: The Department of Defence reserves the right to verify the truthfulness of the claims (Par 4.6 iii).

.....
SIGNATURE(S) OF TENDERER(S)

SURNAME AND NAME:

DATE:

ADDRESS:

.....

.....

.....

SWORN AFFIDAVIT – GENERAL

I, THE UNDERSIGNED,

Full Name & Surname	
Identity Number	

HEREBY DECLARE UNDER OATH AS FOLLOWS:

1. The content of this statement are to the best of my knowledge a true reflection of the facts.
2. I am a Member / Director / Owner (**Select One**) of the following enterprise and am duly authorised to act on its behalf:

Enterprise Name:	
Trading Name (If Applicable):	
Registration Number:	
Vat Number (If applicable)	
Enterprise Physical Address:
Type of Entity (CC; (Pty) Ltd; Sole Prop; etc):	
Nature of Business:	
Definition of "Black People":	<p>As per the Broad-Based Black Economic Empowerment Act 53 of 2003, as Amended by Act No 46 of 2013 "Black People" is a generic term which means Africans, Coloureds and Indians –</p> <ul style="list-style-type: none">(a) who are citizens of the Republic of South Africa by birth or descent; or(b) who became citizens of the Republic of South Africa by naturalisation-<ul style="list-style-type: none">i. before 27 April 1994; orii. on or after 27 April 1994 and who would have been entitled to acquire citizenship by naturalization prior to that date;"

SWORN AFFIDAVIT – GENERAL

Definition of “Black Designated Groups”	<p>“Black Designated Groups means:</p> <ul style="list-style-type: none">(a) unemployed black people not attending and not required by law to attend an educational institution and not awaiting admission to an educational institution;(b) Black people who are youth as defined in the National Youth Commission Act of 1996;(c) Black people who are persons with disabilities as defined in the Code of Good Practice on employment of people with disabilities issued under the Employment Equity Act;(d) Black people living in rural and under developed areas;(e) Black military veterans who qualifies to be called a military veteran in terms of the Military Veterans Act 18 of 2011;”
--	---

“I HEREBY DECLARE UNDER OATH THAT I CLAIM ONE OF THE FOLLOWING GOALS”:

NOTE: THE TENDERER TO PICK ONLY ONE SPECIFIC GOAL AND SUBSTANTIATE THE GOAL CLAIMED IN THE PRESENCE OF A COMMISSIONER OF OATH.

LEVEL 1 – 20 POINTS CLAIMED

- The Enterprise is _____% Owned by Black Woman Military Veterans as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.
- The Enterprise is _____% Owned by Black Youth as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.
- The Enterprise is _____% Owned by Black People with Disability as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.

LEVEL 2 - 18 POINTS CLAIMED

- The Enterprise is _____% Owned by Black Male Military Veterans as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.
- The Enterprise is _____% Owned by People with Disability as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.
- The Enterprise is _____% Owned by Black Woman EMEs as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.

SWORN AFFIDAVIT – GENERAL

LEVEL 3 - 16 POINTS CLAIMED

- The Enterprise is _____% Owned by Woman Military Veterans as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.
- The Enterprise is _____% Owned by Black Male EMEs as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.
- The Enterprise is _____% Owned by Woman EMEs as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.
- The Enterprise is _____% Owned by Black Woman QSEs as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.

LEVEL 4 - 14 POINTS CLAIMED

- The Enterprise is _____% Owned by Male Military Veterans as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.
- The Enterprise is _____% Owned by Youth as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.
- The Enterprise is _____% Owned by any other EMEs as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.
- The Enterprise is _____% Owned by Black Male QSEs as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.
- The Enterprise is _____% Owned by Woman QSEs as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.

LEVEL 5 - 12 POINTS CLAIMED

- The Enterprise is _____% Owned by any other QSEs as Stipulated in Standard Bid Document (SBD 6.1) Preference Points Claim Form in terms of the Preferential Procurement Regulations 2022.

SWORN AFFIDAVIT – GENERAL

LEVEL 8 - 0 POINTS CLAIMED

- Non – Compliant:


"I KNOW AND UNDERSTAND THE CONTENTS OF THIS AFFIDAVIT AND I HAVE NO OBJECTION TO TAKE THE PRESCRIBED OATH AND CONSIDER THE OATH BINDING ON MY CONSCIENCE AND ON THE OWNERS OF THE ENTERPRISE WHICH I REPRESENT IN THIS MATTER".

COMMISSIONER OF OATH SIGNATURE

DATE

DEPONENT SIGNATURE

DATE

A large, empty rectangular box intended for the official office stamp of the Commissioner of Oath.

[OFFICIAL OFFICE STAMP OF COMMISIONER OF OATH]

SOUTH AFRICAN AIR FORCE PROCUREMENT UNIT

CLOSING DATE OF BID: 19 AUGUST 2025

NUMBER: SPU/B/DSS/018/25

CLOSING TIME OF BID: 11:00 AM

NAME OF BIDDER:

VALIDITY PERIOD: 90 DAYS

**QUESTIONNAIRE PER ITEM
[TICK THE APPLICABLE BOXES]**

Period (in days) required for Completing of Delivery?

Please state Percentage Profit before Tax?

The Department of Defence Prefers Firm Prices.

Price Firm?

YES

☐

NO

☐

Delivery period Firm?

YES

☐

NO

☐

Comply with Description as requested?

YES

☐

NO

☐

If not, state Deviations?

Will a Government Order be Accepted?

YES

☐

NO

☐

Are you Registered in terms of Section 23 (1) or 23 (3) of the Value Added Tax
(Act No. 89 of 1999)?

YES

☐

NO

☐

VAT Registration Number:

Company Registration Number:

Confirm that in the event of a contract be concluded, it will be In terms of the Attached
General Bid Conditions (GBC) and General Conditions of Contract (GCC) content,
of which you are fully Acquainted with:

If Trade Discount is offered, is it included in the Price?

YES

☐

NO

☐

PREFERENCE MAY BE GIVEN TO EARLIEST FIRM DELIVERY, ITEM/S URGENTLY REQUIRED.

IMPORTANT!!!

Prices not reflected on the official Bid Documentation provided as part of this Bid will not be taken into consideration.

PLEASE NOTE THAT PRICES INDICATED IN THIS DOCUMENT WILL BE TAKEN AS VAT INCLUSIVE.

This requirement may be Awarded in Total to One (1) Bidder or per Individual Item (More than One (1) Bidder).

The obligation to Pay Sub-Contractor/s is my own Responsibility.

YES

☐

NO

☐

You are requested to make a Copy of the completed Bid for your own record
keeping. Is this Noted?

YES

☐

NO

☐

Has your Company's Sworn Affidavit been Attached? Failure to do so will result in
No Points being allocated for Goal claim. Is this Noted?

YES

☐

NO

☐

Has a valid CENTRAL SUPPLIER DATA BASE (CSD) REGISTRATION REPORT
(Not older than Fourteen (14) Days) been submitted? Failure to submit will
invalidate the Bid.

YES

☐

NO

☐

DEPARTMENT OF DEFENCE

GENERAL BID CONDITIONS

(GBCs)

TABLE OF CLAUSES

1. Definitions
2. Application
3. Availability
4. Approved list of bidders
5. Preparation of bids
6. Charge for bid documents
7. Samples
8. Alternative offers
9. Partial bids
10. Bid prices and delivery periods
11. Validity periods
12. Closing of bids
13. Lodging of bids
14. Open bids or unnumbered envelopes
15. Opening of bids
16. Late bids
17. Consideration of bids
18. Award of bids
19. Quantities other than specified
20. Bidder's incorrect information
21. Notification of awards
22. Furnishing of bid information
23. Amendment or withdrawal of bid

GENERAL BID CONDITIONS

1. **Definitions.** Unless inconsistent with or otherwise indicated by the contents, the following terms shall have the meanings assigned to them:

- a. **Acceptance of a Bid.** Means the award of a contract to a bidder in response to his bid or price quotation.
- b. **Bid.** Means a written offer on the official bidding documents forming part of firstly, an invitation to bid which invitation has been advertised in the Government Tender Bulletin, or secondly, an offer submitted in response to an invitation to submit a price quotation.
- c. **Bidder.** Means any natural or juristic person submitting a bid or a price quotation.
- d. **Closing Time.** Means the date and hour specified in the bidding documents for the receipt of bids or price quotations.
- e. **Department.** Means the Department of Defence and in specific any of its Procurement Entities.
- f. **Firm Prices.** Are deemed to be the prices which are only subject to adjustments in accordance with the actual increase or decrease resulting from the change, imposition, or abolition of customs or excise duty and any other duty, levy, or tax which, in terms of a law or regulation is binding upon the contractor and demonstrably have an influence on the prices of any supplies, or the rendering costs of any services, for the execution of the contract.
- g. **Price Quotation.** Means a written offer sounding in money and reflected on the documentation wherein the offer was invited, duly completed and where necessary signed by or on behalf of the bidder.
- h. **GBC.** Means the General Bid Conditions.
- i. **Written or In Writing.** Means handwritten in ink or any form of electronic or mechanical writing.

2. **Application.** The GBCs are applicable to all Departmental bids and written price quotations, unless otherwise indicated in the bidding documents. Where the conditions in the bidding documents are in conflict with the GBCs, the conditions in the bidding documents shall prevail.

3. **Availability.** Copies of these GBCs are available, on application, from the Secretary for Defence (Attention: Chief of Acquisition and Procurement), Private Bag X910, Pretoria, 0001 or from any of the Department's Procurement Entities.
4. **Approved List of Bidders.** In the event that an approved list of bidders has been compiled for specific goods or services, bids will only be invited from bidders on such a list.
5. **Preparation of Bids.** Concerning the preparation of bids, bidders are to note the following:
 - a. **Expenses.** Unless otherwise indicated in the bid documents, the Department shall not be liable for any expense incurred in the preparation and submission of a bid.
 - b. **Bidding Documents.** Bidders are required to make use of the prescribed bidding documents. No changes to the bid documents are to be made.
 - c. **Information.** All the information called for in the bidding documents is to be furnished in the appropriate spaces, eg the bid prices. If requested, other information required, pamphlets, samples, etc are to be supplied.
 - d. **Address.** A *domicilium citandi et executandi* shall be chosen in the Republic and stated in the bid.
 - e. **Completion of Bidding Documents.** Bidders are to complete the bid documents, forms, certificates, questionnaires and specification forms in all aspects and to submit bids signed in blue ink and to initial each page in blue ink.
 - f. **Bid Envelope.** The bid number must not appear on any envelope unless the envelope contains the bid itself. In particular, the bid number must not appear on an envelope containing a request for bid documents.
 - g. **Bidder's Own Conditions.** Bids should not be qualified by the bidder's own conditions of bid. Bids qualified by a bidder's own conditions may be rejected as being invalid and failure of the bidder to renounce such conditions when called upon to do so may invalidate the bid. This includes any alterations, erasures, omissions or additions by bidders to the bid documents.
 - h. **Submission of Documents.** The bid documents are to be submitted with due consideration to the following:
 - i. The bid documents are not to be retyped or redrafted. Photocopies may be prepared and used, but the original signed document must be submitted with the bid.
 - ii. Bidders must check the number of pages and satisfy themselves that none are missing or duplicated.
 - iii. Bidders must bid in accordance with the requirements stipulated in the bid documents.

- iv. Bids must be compiled in such a manner that it allows for easy cross-referencing between the bid document and the submitted bid.
 - i. **Documents.** Bidders are to ensure that all required or specified documents are included in their bids.
 - j. **Compliance to Conditions and Specifications.** Bidders are to clearly indicate in their bids that their offers are compliant to the conditions and specification pertaining to the bid. If not, it must be clearly stated where and in which manner their offers are non-compliant to the conditions and specifications.
6. **Charge for Documents.** Where applicable and as required in the bidding documents or advertisement, a non-refundable fee for documents may be charged.
7. **Samples**
- a. The Department shall not make samples available to prospective bidders, unless specifically mentioned in the bid documents;
 - b. When samples are called for in bid documents, samples shall be delivered at the cost of the bidder to the addressee mentioned in the bid documents before the closing time of the bid. Bids shall not be included in parcels containing samples.
8. **Alternative Offers.** In the event that bidders offer products alternative to that called for, bids for such alternative offers shall be submitted on separate copies of the bid documents, but only if bids are submitted for the specified requirement.
9. **Partial Bids.** In the event that bids for supplies and/or sales are called for, bids may be submitted for less than the number of specified items, or part of the specified quantity or requirement called for in the bid.
10. **Bid Prices and Delivery Periods**
- a. **Firm Bids.** Firm bid prices and delivery periods are preferred. However, bidders may submit firm or non-firm prices and delivery periods. Where a bidder has not indicated whether his prices or delivery periods are firm or not, bid prices and delivery periods are deemed to be firm and the contractor shall be bound thereby. Expressions such as "soonest" or "earliest" or delivery periods which are unspecified are not acceptable.
 - b. **Contract Periods.** Where different prices are bid for different periods of the contract, the bid price applicable in respect of a particular period of the contract shall be a firm price if, as regards such period, it conforms to the definition of firm prices.
 - c. **Proof.** The Department may, where non-firm prices are offered, require that proof of costs of labour, material or other factors which are specified by the bidder, be submitted and, should the cost in the opinion of the Department not be realistic, same may be brought into consideration in the comparison adjudication of the bids.

11. **Validity Periods.** The period for which bids are to remain open for acceptance, valid and binding is indicated in the bidding documents and is calculated from the closing time and such offers are to remain open for acceptance, valid and binding until close of business on the last day of the period so calculated. Should this last day fall on a Saturday, Sunday or Public Holiday, the bid will remain open for acceptance, valid and binding until close of business on the first business day following such Saturday, Sunday or Public Holiday.

12. **Closing of Bids.** Bids close at the time and date indicated in the bid documents. Extension of the closing date may be granted if circumstances justify this action. The closing date is normally extended only if there is sufficient time to publish an amending notification before the original closing date.

13. **Lodging of Bids.** Concerning the lodging of bids the following shall apply:

- a. **Receipt.** Bids shall be lodged to ensure their actual receipt at the address before the closing time specified and in accordance with the directives in the bidding documents.
- b. **Envelope.** Each bid shall be addressed according to the directives in the bidding documents and shall be lodged in a separate sealed envelope with the name and address of the bidder, the bid number and the closing date indicated on the envelope. The envelope shall not contain documents relating to any bid other than that shown on the envelope.
- c. **Copies.** Unless specifically provided for in the bid invitation, no bids forwarded by e-mail, telegram, telex, facsimile or similar apparatus will be considered. Photostat copies of bids or photostat copies of faxes, signed in ink after being photostatted, will be accepted as valid bids.
- d. **Samples.** Bids shall not be included in packages containing samples as such bids may be rejected as being invalid.

14. **Open Bids or Unnumbered Envelopes.** All bids received in sealed envelopes with the relevant bid numbers on the envelopes are kept unopened in safe custody until the closing time of the bids. However, if a bid is received in an unsealed envelope or without an envelope, it shall be sealed in an envelope after the bid number has been written on the envelope.

15. **Opening of Bids.** Bids are opened in public as soon as practicable after the closing time and the names only of the bidders are read out, if so requested, at the time of opening the bids.

16. **Late Bids.** Bids are late if they are received at the address indicated in the bid documents after closing time. A late bid shall be kept by the Department and only opened if no bid or no suitable bid was received by the closing time. If acceptable bids were received before the closing time, the late bid will not be opened or admitted for consideration and where practicable shall be returned unopened to the bidder accompanied by an explanation.

17. **Consideration of Bids.** During the consideration of bids the following applies:

- a. **Bids Considered.** All bids correctly lodged are taken into consideration.

- b. **Position of Bidder.** The financial standing of bidders and/or their ability to manufacture or to supply goods or to render a service may be examined before their bids are considered for acceptance.
 - c. **Comparative Prices.** In comparing bids, the prices are brought to a comparative level by deducting unconditional discounts, preferences and other benefits and adding delivery and other costs as applicable and bringing implied contract price adjustments into account. Non-firm bid prices are adjusted in accordance with the assessed contract price adjustments implicit in the non-firm prices. Where a range of delivery periods is quoted, the worst implied delivery period is used when calculating the comparative prices.
 - d. **Preferential Point System.** Where bidding documents include documents relating to a preferential point system, the required calculations will be made and comparison of bids done on the basis of points earned through the preferential point system.
 - e. **Adjustments to Prices.** The department reserves the right to rectify any incorrect calculations made by the bidder, but no adjustments may be made to the input figures.
 - f. **Compliance to Specification.** Bids will be evaluated to establish compliance to product or service specifications, with due consideration to alternative offers and/or deviations to specification.
 - g. **Evaluation Criteria.** Where bidding documents include evaluation criteria relating to functionality, for example bidder's capability, bidders profile, etc, the required calculations will be made and comparison of bids done on the basis of points earned.
 - h. **Negotiations.** Unless otherwise stated in the bid documents, no negotiations will be entered into.
 - i. **Communication with Bidders.** The Department may request clarification on information regarding any aspect included in the bid, which the bidder is to supply by the indicated date.
18. **Award of bids.** After prices have been brought to a comparative level and/or points calculated according to a preferential points system, the bid will be awarded considering the following order of priority:
- a. If the preferential point system is applicable, normally to the bidder with the highest points, unless reasonable and justifiable grounds exist for passing over the bidder with the highest points. In the event of equal bids, the award is according to the relevant regulation.
 - b. If the preferential point system is not applicable, normally to the bidder with the lowest bid in the case of purchases by or services to the Department, or highest bid in respect of sales, unless reasonable and justifiable grounds exist for passing over the bid with the lowest bid in the case of purchases by or services to the Department, or highest bid in respect of sales. In the event of equal bids, the award is according to the following order:
 - i. Bidders offering firm bid prices as well as firm delivery periods.

- ii. Supplies provided and services rendered from resources available within the Republic.
 - iii. Supplies and services from points nearest to the centres at which delivery is required.
 - iv. All things still being equal, the award shall be decided by the drawing of lots.
- c. The Department is not obliged to accept the lowest or any bid.
 - d. The Department may, where a bid relates to more than one item, accept such bid in respect of any specific item or items and also accept part of the specified quantity of any specific item or items.

19. **Quantities Other than Specified.** The Department may increase or decrease the quantities reflected in the bids, but will do so after consultation with the bidders that responded to the invitation to bid.

20. **Bidder's Incorrect Information.** Where a contract has been awarded on the strength of information furnished by the bidder which, after the conclusion of the relevant agreement, is proved to have been incorrect, the Department may, in addition to any other legal remedy it may have

- a. recover from the contractor all costs, losses or damages incurred or sustained by the Department as a result of the award of the contract; and/or
- b. cancel the contract and claim any damages which the Department may suffer as a result of having to make less favourable arrangements.

21. **Notification of Acceptance.** Successful bidders are notified by registered or certified mail of the acceptance of their bids, either through a contract form or by official departmental order forms.

22. **Furnishing of Bid Results**

- a. The following particulars of the successful bidders are normally published in the Government Tender Bulletin for general information:
 - i. Name.
 - ii. The price and delivery basis.
 - iii. The brand name of the product or the name of the manufacturer, if applicable.
 - iv. Where applicable, the preference percentages claimed.
- b. Bids are not available for perusal by the public, but, at the written request of a bidder or interested party, the names and addresses of all bidders may be furnished over and above the information published in the Government Tender Bulletin:
- c. Requests for any further information will be treated as provided for by law.

23. **Amendment or Withdrawal of Bid.** If a bidder amends or withdraws his bid after the closing time and within the validity period or extended validity period, he shall reimburse the Department any damages if a less favourable bid is accepted or less favourable arrangements are to be made.
24. **Failure to Comply.** Where bidders fail to comply with any of these conditions, the Department reserves the right to invalidate bids received.

aeb/work letters/proc policy/dod:dod gbc:25-Jul-04 10:27:01 AM]

Version 2 dd Aug 2005

GOVERNMENT PROCUREMENT

GENERAL CONDITIONS OF CONTRACT

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

TABLE OF CLAUSES

1. Definitions
2. Application
3. General
4. Standards
5. Use of contract documents and information; inspection
6. Patent rights
7. Performance security
8. Inspections, tests and analysis
9. Packing
10. Delivery and documents
11. Insurance
12. Transportation
13. Incidental services
14. Spare parts
15. Warranty
16. Payment
17. Prices
18. Contract amendments
19. Assignment
20. Subcontracts
21. Delays in the supplier's performance
22. Penalties
23. Termination for default
24. Anti-dumping and countervailing duties and rights
25. Force Majeure
26. Termination for insolvency
27. Settlement of disputes
28. Limitation of liability
29. Governing language
30. Applicable law
31. Notices
32. Taxes and duties

General Conditions of Contract

1. Definitions

1. The following terms shall be interpreted as indicated:
 - 1.1 “Closing time” means the date and hour specified in the bidding documents for the receipt of bids.
 - 1.2 “Contract” means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - 1.3 “Contract price” means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
 - 1.4 “Corrupt practice” means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
 - 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
 - 1.6 “Country of origin” means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
 - 1.7 “Day” means calendar day.
 - 1.8 “Delivery” means delivery in compliance of the conditions of the contract or order.
 - 1.9 “Delivery ex stock” means immediate delivery directly from stock actually on hand.
 - 1.10 “Delivery into consignees store or to his site” means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
 - 1.11 "Dumping" occurs when a private enterprise abroad markets its goods on own initiative in the RSA at lower prices than that of the country of origin and which has the potential to harm the local industries in the RSA.

- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.

- 1.24 “Services” means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25 “Written” or “in writing” means handwritten in ink or any form of electronic or mechanical writing.
- 2. Application**
- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.
- 3. General**
- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za
- 4. Standards**
- 4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.
- 5. Use of contract documents and information; inspection.**
- 5.1 The supplier shall not, without the purchaser’s prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The supplier shall not, without the purchaser’s prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier’s performance under the contract if so required by the purchaser.

- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.
- 6. Patent rights**
- 6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.
- 7. Performance security**
- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
- (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
 - (b) a cashier's or certified cheque
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.
- 8. Inspections, tests and analyses**
- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.

- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10. Delivery and documents

- 10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2 Documents to be submitted by the supplier are specified in SCC.

- 11. Insurance** 11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in SCC.
- 12. Transportation** 12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in SCC.
- 13. Incidental services** 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
- (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
 - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
 - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
 - (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.
- 14. Spare parts** 14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
 - (b) in the event of termination of production of the spare parts:
 - (i) advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.
- 15. Warranty** 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from

design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.

- 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16. Payment

- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.

17. Prices

- 17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

18. Contract amendments

- 18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.

19. Assignment

- 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

- 20. Subcontracts**
- 20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contract if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.
- 21. Delays in the supplier's performance**
- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.
- 21.5 Except as provided under Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to Clause 22, unless an extension of time is agreed upon pursuant to Clause 21.2 without the application of penalties.
- 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.
- 22. Penalties**
- 22.1 Subject to Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of

the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to Clause 23.

23. Termination for default

23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:

- (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to Clause 21.2;
- (b) if the Supplier fails to perform any other obligation(s) under the contract; or
- (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.

23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.

24. Anti-dumping and countervailing duties and rights

24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him

25. Force Majeure

25.1 Notwithstanding the provisions of Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.

25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is

reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

- | | |
|---------------------------------------|---|
| 26. Termination for insolvency | 26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser. |
| 27. Settlement of disputes | <p>27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.</p> <p>27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.</p> <p>27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.</p> <p>27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.</p> <p>27.5 Notwithstanding any reference to mediation and/or court proceedings herein,</p> <p style="padding-left: 40px;">(a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and</p> <p style="padding-left: 40px;">(b) the purchaser shall pay the supplier any monies due the supplier.</p> |
| 28. Limitation of liability | <p>28.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;</p> <p style="padding-left: 40px;">(a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and</p> <p style="padding-left: 40px;">(b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.</p> |
| 29. Governing language | 29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English. |

- 30. Applicable law** 30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.
- 31. Notices** 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.
- 32. Taxes and duties** 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.