

TENDER NUMBER: DRT 08/06/2022

SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

PROCUREMENT DOCUMENT

SEPTEMBER 2023

ISSUED BY:

HEAD OF DEPARTMENT DEPARTMENT OF ROADS AND TRANSPORT PRIVATE BAG X83 MARSHALLTOWN 2107

NAME OF TENDERING ENTITY:	
ADDRESS:	
TEL NO	
TOTAL OF PRICES INCLUSIVE OF VALUE ADDED TAX:	
BILL A – BENONI REGION :	R
BILL B – BRONKHORSTSPRUIT REGION	R
BILL C – KRUGERSDORP REGION	R
BILL D – PRETORIA REGION	R
BILL E – VEREENIGING REGION	R



CONTENTS

	•••••••	Coloui
THE	TENDER	
	T1 : TENDERING PROCEDURES	
T1.1 T1.2	TENDER NOTICE AND INVITATION TO TENDER TENDER DATA	White Pink
PART	T2 : RETURNABLE DOCUMENTS	
T2.1	LIST OF RETURNABLE DOCUMENTS	Yellow
THE	CONTRACT	
PART	C1 : AGREEMENTS AND CONTRACT DATA	
C1.1	FORMS OF OFFER AND ACCEPTANCE	White
C1.2	CONTRACT DATA	White
C1.3	OTHER CONTRACT FORMS	White
PART	C2 : PRICING DATA	
C2.1	PRICING INSTRUCTIONS	Yellow
C2.2	BILL OF QUANTITIES	Yellow
PART	C3 : SCOPE OF WORK	Blue
C3.1	SCOPE OF WORK	
PART	C4 : SITE INFORMATION	Green
C4.1	SITE INFORMATION	



PART T1: TENDERING PROCEDURES

Tender Notice and Invitation to Tender

TENDER NUMBER: DRT 08/06/2022 THE SUPPLY AND INSTALLATION OF FENCING RELATED MATERIALS FOR A PERIOD OF THREE (3) YEARS: ALL FIVE (5) REGIONS IN GAUTENG PROVINCE The Gauteng Province, Department of Roads and Transport requests interested tenderers to bid for the following tender:

TENDER	SERVICE	CIDB	COMPULSORY SITE	CLOSING DATE
NUMBER		GRADING	BRIEFING	
DRT 08/06/2022	Supply and Installation of Fencing Related Products for a Period of Three Years: All 5 Regions in the Gauteng Province	7SQ or Higher	Venue: Main Boardroom, Department of Roads and Transport 1215 Nico Smith Street, Koedoespoort, Pretoria Date: 15 November 2023 Time: 11H00 NB: Failure to attend site briefing will result in disqualification	Date: 06 December 2023 Time: 11H00 am Tender Box Gauteng Department of Roads and Transport, Ground floor, Life Centre Building, 45 Commissioner Street, Johannesburg. Tenderers are advised to timeously submit documents earlier than closing date to avoid crowding.

The Gauteng Department of Roads and Transport adhere to all relevant Acts including but not limited to, the Constitution of the Republic of South Africa of 1996, the Black Economic Empowerment Act No.53 of 2003, Preferential Procurement Policy Framework Act No.5 of 2000, Employment Equity Act No. 55 of 1998 and the Public Finance Management Act No 1 of 1999.

In terms of Preferential Procurement Regulation of 2022, the Department will be applying the 80/20 and 90/10 preference point system.

THE PRINCIPLE OF THE "WORK-SPREAD MODEL" WILL BE IMPLEMENTED AS FOLLOWS AT THE TENDER EVALUATION:

Bidders will be disqualified:

- If the bidder has three (3) or more contracts that are currently in progress or have not been certified as practically complete at the time of tender closure with the Department; or
- If the bidder has contract/s that amounts to more than R250 million which have a contractual remaining period of more than 12 months with the Department that are currently in progress or have not been certified as practically complete at the time of tender closure.

OBJECTIVE CRITERIA:

The Department will apply their work spread model as objective criteria to multiple tenderers, irrespective of highest total number of points scored, which comprises the following:

- A tenderer will not be awarded more than two (2) bills of quantity (contracts). The tenderer scoring the highest points for more than two (2) bills of quantity (contracts), will be limited to the two (2) highest Rand value bills of quantity (contracts), at the time of award.
- The remaining bills of quantity will be awarded to the qualifying tenderers scoring the highest points.
- In the event that there are insufficient qualifying bidders for the remaining bills of quantity, the Department reserves the right to award more than two (2) bills of quantity (contracts) to a qualifying tenderer, provided that the tenderer submitted a price proposal for the applicable bill of quantity (contract).

COMPULSORY/MANDATORY TENDER REQUIREMENTS:

Failure to submit the following required documents will render the bidders tender disqualified:

- Site Agent on a permanent basis with a minimum requirement of a Diploma in Civil Engineering.
- Construction Health and Safety Officer must be registered with SACPCMP as a Professional Construction Health and Safety Officer. Prospective bidders must submit proof of registration with the mentioned professional body or provide applicable registration number as part of the tender submission.
- Complete, sign and submit SBD forms, SBD 4, SBD 6.1 and SBD 6.2 which form part of the tender document.
- Bidders must attend the compulsory site briefing as indicated above:
- The attendance register must be completed and will be used as proof of attendance.
- Tenderers that do not attend the compulsory pre-bid meeting/ site meeting will be disqualified. The representative attending the compulsory pre-bid meeting / site briefing may only attend on behalf of one bidding enterprise and/or Joint Venture/Consortium/Trust.
- In the case of joint ventures and consortia, a detailed signed agreement must be attached as part of the submitted tender document. They must specify on the agreement want each party is entitled.

OTHER KEY RETURNABLES:

- Tax compliance status pin (A consortium or joint ventures (Including unincorporated consortia) must submit a consolidated Tax status pin of each partner in the consortium or joint ventures (Including unincorporated consortia).
- Registration Documents of the business with the Companies and Intellectual Property Commission (CIPC) OR Master of the High Court in South Africa
- ID copies of company members and shareholders.
- CSD summary report or CSD number

NB: The Department will spread work widely to as many bidders who have passed the tender assessment criteria. The principle of the "work-spread" will be implemented as follows at the tender evaluation:

- If the bidder has three (3) or more contracts with the Department that are currently in progress or have not been certified as practically complete at the time of tender closure; or
- If the bidder has contract/s that amounts to more than R250 million which have a contractual remaining period of more than 12 months with the Department that are currently in progress or have not been certified as practically complete at the time of tender closure; and
- A bidder who scores the highest on points for price and preference will not be awarded more than two (2) bills of quantity (contracts). The two (2) bills awarded will be the bills with the highest rand value in which the bidder was ranked first. The remaining bills will be awarded (maximum of two (2) per bidder) in terms of the bidder's ranking on points. The rand value of the bills awarded to all subsequent bidders, will be based on the same principle applied to the bidder that was ranked first.

FUNCTIONALITY EVALUATION:

Functionality will be scored out of 100 points and the minimum threshold to qualify is 70 points. Bidders who fail to meet the minimum threshold will not be considered for further evaluation. The evaluation criteria to score bidders on functionality is as follows:

EUNCTIONALITY ODITEDIA

	FUNCTIONALITY CRITERIA			
Key personnel (Max 40 points) Bidders MUST complete T2.3 (forms B1) attached in the bid documents for key personnel and MUST clearly indicate routine road maintenance and/or road construction experience, project description, duration and contactable references. (NB: Failure to complete T2.3 (forms B1) will result in the bidder scoring zero points). Key personnel must be unencumbered and unique to each tender bid.	Company experience (Max 30 points) Experience in supply and installation of fencing related products Projects. (Failure to submit required certificates will result in the bidder scoring zero points) NB: Completion or, Final or Taking Over Certificates must be signed by all relevant parties and as per applicable contract. (Other certificates or documents not listed above will not be considered).	Letter of intent from supplier (Max 15 points) (Failure to submit a letter of intent from the supplier(s) will result in the bidder scoring zero points)	Bank Rating (Max 15 points) (Failure to submit proof of bank rating from the relevant bank will result in the bidder scoring zero points) NB: the date of bank stamp must be less than 12 months from the date of the bid closure	
SITE AGENT: On a permanent basis with relevant experience in routine road maintenance and/or road construction, will be assessed as follows: (Max 10 points) Experience: • 3 years or more experience (10 points) • 2 to less than 3 years' experience (7 points)	(Submit certificates) Previously completed supply and installation of fencing related products, projects, will be assessed as follows: (Max 30 points) • 3 or more projects completed (30 points) • 2 projects completed (20 points) • 1 project completed	Submit a letter of intent from supplier(s) or Manufacturer. Letter of intent from suppliers should clearly indicate the supply and delivery of fencing related products, local content, and SABS	Bank rating (Max 15 points) Rating A & B: (15 points) Rating C: (10 points) Rating D : (5 points) Rating E to H: (0 points)	

	(40	Annaural on CANO	1
• 1 to less than 2 years' experience	(10 points)	Approved or SANS	
(5 points)	 0 projects completed (0 points) 	Standards.	
• 0 to less than 1 years' experience	(o points)	(Max 15 points)	
(0 points)		NB: (Failure to submit	
		a letter of intent from	
Construction health and safety		supplier(s) will result	
officer: a qualified / certified		in the bidder scoring	
construction health and safety		zero points)	
officer (SACPCMP registered), with		2010 pointo)	
routine roads maintenance and/or			
road construction experience, will			
be assessed as follows:		NB: Manufacturers	
(Max 20 points)		may also bid for this	
Experience:		tender, but also	
 3 years or more experience 		submit a letter of	
(20 points)		intent indicate the	
• 2 to less than 3 years' experience		supply and delivery	
(10 points)		of fencing related	
• 1 to less than 2 years' experience		products, projects,	
(5 points)		local content and	
• 0 to less than 1 years' experience		SABS Approved or	
(0 points)		SANS Standards	
		SANS Standards	
Foreman: with routine roads			
maintenance and/or road			
construction experience will be			
assessed as follows:			
(Max 10 points)			
Experience:			
3 years or more experience			
(10 points)			
• 2 to less than 3 years' experience			
(5 points)1 to less than 2 years' experience			
• To less than 2 years experience (2 points)			
• 0 to less than 1 years' experience			
(0 points)			
()			

PREFERENCE POINT SYSTEM EVALUATION:

The Department will apply the 90/10 preference point system in accordance with Regulation 5 of the Preferential Procurement Regulations, 2022 (as published in the Government Gazette No. 47452 on 04 November 2022), effective from 16 January 2023. **Applicable to Krugersdorp Region only** and

The Department will apply the 80/20 preference point system in accordance with Regulation 4 of the Preferential Procurement Regulations, 2022 (as published in the Government Gazette No. 47452 on 04 November 2022), effective from 16 January 2023. **Applicable to Benoni, Bronkhorstspruit, Pretoria, and Vereeniging Regions only.**

The points will be allocated as follows:

PREFERENCE POINT SYSTEM	POINTS	POINTS
Price	90	80
Specific Goals (refer to requirements below)	10	20
Total points for Price and Preference Points	100	100

Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest acceptable tender will be used to determine the accurate system once tenders are received.

Specific Goals Requirements:

To qualify for Specific Goal points, Bidders must provide evidence of ownership of 51% or more per the specified Historically Disadvantaged Individuals (HDI) categories. Bidders must submit verifiable documentation as proof to claim the Preference Points.

SPECIFIC GOALS	PROOF OF EVIDENCE	10 POINTS	20 POINTS
Race	The bidder must submit a valid B-BBEE Certificate or Sworn Affidavit with at least 51% black ownership to claim points.	1	1
Women	The bidder must submit a valid B-BBEE Certificate or Sworn Affidavit with at least 51% owned by women to claim points.	3	7
Youth	The bidder must submit a valid B-BBEE Certificate or Sworn Affidavit with at least 51% owned by youth and copies of Identity Documents for Directors to claim points.	2	5
Disability	The bidder must submit a valid B-BBE Certificate or Sworn Affidavit to claim points	1	3
Bidder must be located within Gauteng Province	The bidder must submit a copy of a municipal rates & taxes invoice or statement not older than 3 months in the name of the Bidder or proof of lease agreement in the name of the Lessee signed by both parties. In case the company operates at the director's property, bidder must submit a copy of a signed lease agreement in the name of a lease.	2	2
B-BBEE status level contributors from level 1 to 4 which are QSE or EME	The bidder must submit a valid B-BBE Certificate or Sworn Affidavit to claim points	1	2

Bidders who fail to submit valid B-BBEE	credentials will forfeit preference points.

Guidance on valid B-BBEE Certificates and/or valid Sworn Affidavits to substantiate preference points claims.

- Valid B-BBEE Certificate issued by a SANAS accredited agency.
- Bidders qualifying as EME/QSE can submit a valid Sworn Affidavit (DTIC) or B-BBEE Certificate issued by the Companies & Intellectual Property Commission (CIPC) on behalf of the DTIC, which serves as an Affidavit.
- Any Consortium or JV must submit a valid consolidated B-BBEE Certificate issued by a SANAS accredited agency. No sworn affidavit will be accepted for a Consortium or JV.
- The Department is requesting the B-BBEE credentials in order to validate and evaluate the points claimed by the Bidder based on the Specific Goals outlined in this tender document and the SBD 6.1.

NB: The submission of a fraudulent B-BBEE certificate will result in the bidder being disqualified and criminal proceedings being instituted against the bidder. The bidder, the shareholders and / or directors will further be restricted from doing business with any organ of the state for a maximum period of 10 years.

Bidders should note the following:

- Functionality will be scored out of 100 points.
- Where the proposed prices of critical materials to be supplied to the Department are considerably less than the expected market price or rates, the Department reserves the right to verify the proposed prices by requesting quotations from the supplier(s) cited in the compilation of the bid.
- Potential suppliers must note that in terms of Departmental policy, the Department reserves the right to cancel a contract and blacklist any supplier for a period of at least 12 months if the supplier fails to adequately perform in terms of the awarded contract.
- The bid validity period is ninety (90) days. However, the Department reserves the right to request all bidders to extent such validity period should the need arise.
- The successful bidder will be required to enter into formal contract with the Department. Such contract will be governed in terms of the General Conditions of Contract dated 2015.
- The Department will not compensate the bidder for any costs incurred in the preparation and submission of a bid offer, including the costs of any testing necessary to demonstrate that aspect of the offer complies with requirements.
- Tenderers who are listed in the National Treasury's register of defaulters and restricted suppliers will be disqualified.
- Appointed bidders will be required to submit 10% guarantees within 14 days from the day of appointment.
- The department will conduct a detailed risk assessment on the recommended bidder(s).

NB: Potential suppliers must note that in terms of departmental policy, the Department reserves the right to cancel and blacklist any supplier for a period of at least 12 months if the supplier fails to adequately perform in terms of the awarded contract.

Correspondence

- For the availability of the bid document and technical specification enquiries contact Supply Chain Management (SCM) on the following e-mail @ drtscmbidadmin@gauteng.gov.za
- Bidders to expect responses within 7 days prior to the closing date.
- Bidders are not allowed to initiate communication with the Department after the closing date.
- Bidders must regularly check, e-Portal and Departmental Websites for publication of responses and other communication.

Tender Documents

A non-refundable amount of R500 (Five hundred Rand) will be levied per tender document. This amount is payable in debit card between 09h00 and 15h00 at our Finance Section of the Gauteng Department of Roads and Transport, located at ground floor Life Centre Building, at 45 Commissioner Street, Johannesburg.

Tender documents will be available for collection by prospective bidders upon presentation of the appropriate proof of payment to the Department. These documents can be collected at ground floor Life Centre Building, at 45 Commissioner Street, Johannesburg between 09h00 and 15h00. Tender documents will be available from the: 03 November 2023.

OR Alternatively

Prospective bidders can download and print their own version of the tender document at no cost (free of charge) by accessing the e-Tender Publication Portal website (www.etenders.gov.za). Bidders are advised to ensure that all bid documents are properly bound upon submission on the closing date. Failure to submit all the required pages of the Bid Document may result in the bidder either being disqualified or forfeiting the available points on functionality, depending on the nature of the submission.

Bid Submission

Electronic submission of bids will **NOT** be accepted.

Telegraphic, CDs, USBs, telephone, telex, facsimile, emails of bids and late bids will **NOT** be accepted. Requirements for sealing, addressing, delivery, opening and assessment of bids are stated in the bid documents.

The Department reserves the right to cancel **OR** not to award this tender to any party.

Clearly numbered Bid Documents together with all applicable attachments must be deposited in the tender box at the foyer at ground floor Life Centre Building, at 45 Commissioner Street, Johannesburg, by no later than 11H00 on the closing date indicated above.



Part T1.2 Tender Data

The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the standard conditions of tender.

Each item of data given below is cross-referenced to the clause in the Standard Conditions of Tender to which it mainly applies.

Clause number	Tender Data
F1.1	The employer is the Department of Roads and Transport, Chief Directorate Maintenance of th Gauteng Provincial Government, Private Bag X83, Marshall Town.
F1.2	The Tender Documents issued by the employer comprise the following documents:
	THE TENDER
	Part T1: Tendering procedures T1.1 - Tender notice and invitation to tender
	T1.2 - Tender data
	Part T2: Returnable documents T2.1 - List of returnable documents
	THE CONTRACT
	Part C1: Agreements and Contract data
	C1.1 - Forms of offer and acceptance
	C1.2 - Contract data C1.3 - Other Contract Forms
	Part C2: Pricing data
	C2.1 - Pricing instructions
	C2.2 - Bill of Quantities
	Part C3: Scope of work
	C3 - Scope of work
	Part C4: Site information
	C4 - Site information
F2.7	The arrangements for a compulsory clarification meeting are as outlined in the published "Tende Notice and invitation to Tender"
F2.12	No alternative tenders will be considered.
F2.13.1	Tenderers are to submit one tender only, either as a single tendering entity or as a member of a Joir Venture.
F2.13.3	Each tender offer communicated on paper shall be submitted as an original.
F2.13.4	Submit only the signed original tender
F2.13.5	The employer's details and address for delivery of tender offers and identification details that are to b shown on each tender offer package are:
F2.15.1	Location of tender box: Foyer of Life Centre Building Physical address: 45 Commissioner Street, Johannesburg. Identification details: TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION O FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN TH GAUTENG PROVINCE and the closing date and time of the tender.

Clause number	Tender Data	
F2.15	The closing time for submission of tender offers is as stated in the published "Tender Notice and Invitation to Tender".	
F2.15	No telegraphic, telephonic, telex, facsimile or electronic tender offers will be accepted.	
F2.16	The tender offer validity period is 90 days.	
F2.20	The tenderer is required to submit with his tender a letter of intent from an approved insurer undertaking to provide the Form of Guarantee to the format included in Part T2.1 of this procurement document.	
F2.23	The tenderer is required to comply and submit the documents outlined in the published "Tender Notice and Invitation to Tender "	
F2.24	The tenderer must be cognisant of paragraph "Bidders should note the following" of the published "Tender Notice and Invitation to Tender."	
F3.11.3	The tenderer must be cognisant of the functionality criteria in respect of Fencing Related Materials as outlined in paragraph "FUNCTIONALTIY EVALUATION" of the published "Tender Notice and Invitation to Tender".	
F3.13.1	Tender offers will only be accepted if:	
	a) <u>The Proposed Guarantor</u> must complete the form of intent to provide a Guarantee to the tenderer on the format included in Part T2.1 of this procurement document.	
	b) The tenderer or any of its directors/shareholders is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector;	
	 c) The tenderer has not: i) abused the Employer's Supply Chain Management System; or ii) failed to perform on any previous contract and has been given a written notice to this effect; and 	
	 e) Has completed the Compulsory Enterprise Questionnaire and there are no conflicts of interest which may impact on the tenderer's ability to perform the contract in the best interests of the employer or potentially compromise the tender process and persons in the employ of the state are permitted to submit tenders or participate in the contract; 	
	 f) The tenderer is registered and in good standing with the compensation fund or with a licensed compensation insurer; 	



PART T2: RETURNABLE DOCUMENTS

Part T2.1 List of Returnable Documents

- 1 Documents required for tender administrative purposes
 - Compulsory Enterprise Questionnaire
 - Record of Addenda to Tender Documents
 - Certificate of Authority
 - Schedule of Proposed Subcontractors
 - Schedule of recently completed and current contracts
 - Schedule of plant and equipment
 - Occupational Health and Safety Act: Statement by Tendering Entity
 - Experience of Key Staff and Number of Staff Employed
 - Tenderer's Bank Details
 - Schedule of Tenderer's Litigation History
- 2 Returnable Schedules required for tender evaluation purposes
 - Tax Status Pin for Tenders
 - Form of Intent to Provide a Form of Guarantee
 - Certificate of Insurance Cover
 - SBD 4
 - SBD 6.1
 - SBD 6.2
- 3 Returnable Schedules that will be used for tender evaluation purposes and be incorporated into the contract
 - Tenderer's B-BBEE Verification Certificate / Sworn affidavit
 - SBD 6.1: Preference Points Claim Form in Terms of the Preferential Procurement Regulations 2022
- 4 C1.1 Forms of Offer and Acceptance
- 5 C1.2 Contract Data
- 6 C2.2 Bill of Quantities



1. DOCUMENTS REQUIRED FOR TENDER ADMINISTRATIVE PURPOSES

Compulsory Enterprise Questionnaire

The following particulars must be furnished. In the case of a joint venture, **separate** enterprise questionnaires in respect of each partner must be completed and submitted.

Section 1: Name of enterprise:

Section 2: VAT registration number, if any:

Section 3: CIDB registration number:

Section 4: Particulars of sole proprietors and partners in partnerships (attach certified ID Copies)

Name*	Identity number*	Personal income tax number*

* Complete only if sole proprietor or partnership and attach separate page if more than 3 partners

Section 5: Particulars of companies and close corporations

Company registration number

Close corporation number

Tax reference number

Section 6: Record in the service of the state

Indicate by marking the relevant boxes with a cross, if any sole proprietor, partner in a partnership or director, manager, principal shareholder or stakeholder in a company or close corporation is currently or has been within the last 12 months in the service of any of the following:

a member of any municipal council	an employee of any provincial department, national
a member of any provincial legislature	or provincial public entity or constitutional institution within the meaning of the Public Finance
a member of the National Assembly or the National	Management Act, 1999 (Act 1 of 1999)
Council of Province	a member of an accounting authority of any national
a member of the board of directors of any	or provincial public entity
municipal entity	an employee of Parliament or a provincial
an official of any municipality or municipal entity	legislature

If any of the above boxes are marked, disclose the following:

Name of sole proprietor, Partner, director, manager, principal shareholder or stakeholder	Name of institution, public office, board	Status of service (tick appropriate column)		
	or organ of state and position held	Current	Within last 12 months	

*insert separate page if necessary

Section 7: Record of spouses, children and parents in the service of the state

Indicate by marking the relevant boxes with a cross, if any spouse, child or parent of a sole proprietor, partner in a partnership or director, manager, principal shareholder or stakeholder in a company or close corporation is currently or has been within the last 12 months been in the service of any of the following:

a member of any municipal council	an employee of any provincial department, national
a member of any provincial legislature	or provincial public entity or constitutional institution within the meaning of the Public Finance
a member of the National Assembly or the National	Management Act, 1999 (Act 1 of 1999)
 Council of Province	a member of an accounting authority of any national
a member of the board of directors of any	 or provincial public entity
 municipal entity	an employee of Parliament or a provincial
an official of any municipality or municipal entity	 legislature

Name of spouse, child or	Name of institution, public office, board	Status of service (tick appropriate column)			
parent	or organ of state and position held	Current	Within last 12 months		

*insert separate page if necessary

The undersigned, who warrants that he / she is duly authorised to do so on behalf of the enterprise:

- authorizes the Employer to obtain a tax clearance certificate from the South African Revenue Services that my / our tax matters are in order;
- ii) confirms that neither the name of the enterprise or the name of any partner, manager, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears on the Register of Tender Defaulters established in terms of the Prevention and Combating of Corrupt Activities Act of 2004;
- iii) confirms that no partner, member, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears, has within the last five years been convicted of fraud or corruption;
- iv) confirms that I / we are not associated, linked or involved with any other tendering entities submitting tender offers and have no other relationship with any of the tenderers or those responsible for compiling the scope of work that could cause or be interpreted as a conflict of interest; and
- v) confirms that the contents of this questionnaire are within my personal knowledge and are to the best of my belief both true and correct.

Signed	Date	
Name	Positio	n
Enterprise		
name		



Record of Addenda to tender documents

	We confirm that the following communications received from the Employer before the submission of this tender offer, amending the tender documents, have been taken into account in this tender offer:			
	Date	Title or Details		
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
Attach	additional pages if more space i	s required.		
Signed		Date		
Name		Position		
Enterpi name	ise			



Certificate of Authority

This Returnable Schedule is to be completed by the tendering entity.

I/We, the undersigned, are submitting this tender offer and hereby authorise Mr/Ms
, acting in the capacity of
to sign all documents in connection with the tender offer and any contract resulting from it on our behalf.

NAME OF FIRM	ADDRESS	DULY AUTHORISED SIGNATORY
		Signature
		Name
		Designation
		Signature
		Name
		Designation
		Signature
		Name
		Designation



Schedule of Proposed Subcontractors

• Subcontracting is not applicable on this tender.



Schedule of recently completed and current contracts

List not more than seven contracts completed in the last five years

		Employer (name)	Reference pe	erson	Contract	Contract	Date of Completion*
	Contract title:	Contract title: Place (town)	Name	Tel	Amount Period (R million) (months)		
1							
2							
3							
4							
5							
6							
7							

*Completed means that a certificate has been issued in terms of a contract by the employer, signifying that the whole of the construction works have reached a state of readiness for occupation or use for the purposes intended, although some minor work may be outstanding.

List all current contracts not complete at the time

	Employer (name)	Reference	Reference person		Contract	Date of	Date of
Project: Pla	Place (town)	Name	Tel	Amount (R million)	Period (months)	commencement	ent expected Completion*
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							

*Date when defects liability period commenced

Signed	 Date	
Name	 Position	
Enterprise		
name		



Schedule of Plant and Equipment

The following are lists of major items of relevant equipment that I / we presently own or lease and will have available for this contract or will acquire or hire for this contract if my / our tender is accepted.

(a) Details of major equipment that is owned by and immediately available for this contract. (Attach vehicle Registration documents as proof of ownership)

Description, size, capacity, etc.	Quantity

acceptable. (Attach a letter of intent from Rental Compar	nies)
	Quantity

Signed	Date	
Name	 Position	
Tenderer	 	



Occupational Health and Safety Act: Statement by Tendering Entity

I, duly authorised

.....

I confirm that all employees who perform work on the site shall be properly trained to do this in a manner which is safe and without risk to health and safety to themselves and others in the vicinity and undertake to have our activities adequately supervised in the interest of health and safety.

Signed	 Date	
Name	 Position	
Tenderer	 	



Experience of Key Staff and Number of Staff Employed

- 1. Site Agent:
- 2. Construction Health and Safety Officer
- 3. Foreman



Schedule of Key Staff

B1 Site Agent

NAME	DATE OF BIRTH	QUALIFICATION

Note1:

List only the projects that the tenderer considers relevant as per functionality criteria

Technical/Managerial Experience

CLIENT & PROJECT	PROJECT TYPE	RELEVANT	Relevant	VALUE	POSITION HELD	CONTACT PERSON AND POSITION	CONTACT NO.
No.		EXPERIENCE	EXPERIENCE				
		STARTED	ENDED				



Schedule of Key Staff

B1 Construction Health and Safety Officer

NAME	Date of Birth	SACPCMP REGISTRATION NUMBER

Note1:

• List only the projects that the tenderer considers relevant as per functionality criteria.

Technical/Managerial Experience

CLIENT & PROJECT	PROJECT TYPE	Relevant	Relevant	VALUE	POSITION HELD	CONTACT PERSON AND POSITION	CONTACT NO.
No.		EXPERIENCE	EXPERIENCE				
		STARTED	ENDED				



Schedule of Key Staff

B1 Foreman

NAME	DATE OF BIRTH

Note1:

• List only the projects that the tenderer considers relevant as per functionality criteria.

Technical/Managerial Experience

CLIENT & PROJECT	PROJECT TYPE	RELEVANT	RELEVANT	VALUE	POSITION HELD	CONTACT PERSON AND POSITION	CONTACT NO.
No.		EXPERIENCE	EXPERIENCE				
		STARTED	ENDED				



Tenderer's Bank Details

Notes to tenderer:

- 1. The tenderer shall attach to this form a letter from the bank at which he declares he conducts his account. The contents of the <u>bank's letter must state the credit rating</u> that it, in addition to the information required below, accords to the tenderer for the business envisaged by this tender as well as the working capital at the disposal of the tenderer. Failure to provide the required letter with the tender submission may render the tenderer's offer unresponsive in terms of tender condition F.3.8.
- 2. The tenderer's banking details as they appear below shall be completed.
- 3. In the event that the tenderer is a joint venture enterprise, details of all the members of the joint venture shall be similarly provided and attached to this form.

The tenderer shall provide the following:

i)	Name of Account Holder:
ii)	Account Number:
iii)	Bank name:
iv)	Branch Number:
v)	Bank and branch contact details
vi)	Bank Credit Rating

Bank Stamp

SIGNED BY TENDERER:



Schedule of Tenderer's Litigation History

Note to tenderer:

The tenderer shall list below details of any litigation with which the tenderer (including its directors, shareholders or other senior members in previous companies) has been involved with any organ of state or state department within the last ten years. The details must include the year, the litigating parties, and the subject matter of the dispute, the value of any award or estimated award if the litigation is current and in whose favour the award, if any, was made.

Employer	Other litigating party	Dispute	Award value	Date resolved

SIGNED BY TENDERER:



2. RETURNABLE SCHEDULES REQUIRED FOR TENDER EVALUATION PURPOSES

Tax Status Pin for Tenders

The tenderer is to affix to this page:

Bidders must submit their SARS TCS PIN number and CSD Supplier number with their bid in order that the bidder's Tax Compliance Status can be verified. Should a bidder not be Tax Compliant at the time of verification, the bidder will be notified in writing of their non-compliant tax status and be requested to remediate their tax status within seven (7) working days.

Failure to provide written proof of tax status remediation, within seven (7) working days of notification, will result in the rejection of the bid submitted by the Bidder.

Note:

This certificate must still be valid on the closing date of this tender.



Form of Intent to Provide a Form of Guarantee

With reference to the tender of 1 (hereinafter referred to as the "TENDERER" for the project the "CONTRACT" for the DEPARTMENT OF ROADS AND TRANSPORT of the Gauteng Provincial Government, (hereinafter referred to as the "EMPLOYER" for the tender dated for the offered total of prices of (R.....) (in words) 2 I/We in my/our capacity as and hereby representing _____ (hereinafter referred to as the "GUARANTOR" advice that the "GUARANTOR" undertakes to provide a Form of Guarantee to the EMPLOYER to the Employer's format included in Part C1.3 of this document within five (5) working days of the written acceptance of the contractor's tender offer.

Name of signatory

.....

Capacity of authorised signatory

As witness

for and on behalf of the **Guarantor** who by signature hereof warrants authorisation hereto



Certificate of Insurance Cover

Note to tenderer:

In the event of the tenderer being a joint venture/consortium, the details of the individual members must also be provided.

The tenderer shall provide the following details of this insurance cover:

i)	Name of Tenderer:
ii)	Period of Validity:
iii)	Value of Insurance:
	Insurance for Works and Contractor's Equipment
	Company:
	Value:
	Insurance for Contractor's Personnel
	Company:
	Value:
	General public liability
	Company:
	Value:
	• SASRIA
	Company:
	Value:

SIGNED BY TENDERER:	
---------------------	--



SBD 4

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. BIDDER'S DECLARATION

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? **YES/NO**
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

Full Name	Identity Number	Name of State institution

- 2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**
- 2.2.1 If so, furnish particulars:
- 2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**
- 2.3.1 If so, furnish particulars:

3 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.

² Joint Venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date

Position Name of bidder



TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

SBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
 - 1.2 The applicable preference point systems for this tender are 80/20 and 90/10. Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest acceptable tender will be used to determine the accurate point system once tenders are received.
- 1.3 Points for this tender shall be awarded for:
 - (a) Price
 - (b) Specific Goals.

1.4 The maximum points for this tender are allocated as follows:

AREA POINTS	POINTS (80/20)	POINTS (90/10)
Price	80	90
Preference Point – Specific Goals	20	10
Total points for Price and Preference Points	100	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean

that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of incomegenerating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions: and
- (e) "specific goals" means specific goals as contemplated in section 2(1)(d) of the Act which may include contracting with persons, or categories of persons, historically disadvantaged by unfair discrimination on the basis of race, gender and disability including the implementation of programmes of the Reconstruction and Development Programme as published in Government Gazette No. 16085 dated 23 November 1994;
- (f) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

00/20

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$Ps = 80\left(1 - \frac{Pt - P\min}{P\min}\right)$$
 or $Ps = 90\left(1 - \frac{Pt - P\min}{P\min}\right)$
Where
 $Ps = Points$ scored for price of tender under consideration
 $Pt = Price$ of tender under consideration

00/10

Pmin = Price of lowest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
- (a) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Woman	5	
Youth	5	
Race	4	
Disability	3	
Bidder must be located within Gauteng Province	3	

Table 2: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)
Woman	3	
Youth	2	
Race	2	
Disability	2	
Bidder must be located within Gauteng Province	1	

DECLARATION WITH REGARD TO COMPANY/FIRM

- 4.3. Name of company/firm.....
- 4.4. Company registration number:
- 4.5. TYPE OF COMPANY/ FIRM
 - Υ Partnership/Joint Venture / Consortium
 - Υ One-person business/sole propriety
 - Υ Close corporation
 - Υ Public Company
 - Υ Personal Liability Company
 - Υ (Pty) Limited
 - Υ Non-Profit Company
 - Υ State Owned Company

[TICK APPLICABLE BOX]

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –

- (a) disqualify the bidder from the tendering process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	



SBD 6.2

DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2011, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Supporting Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2011 (Regulation 9) makes provision for the promotion of local production and content.
- 1.2. Regulation 9.(1) prescribes that in the case of designated sectors, where in the award of bids local production and content is of critical importance, such bids must be advertised with the specific bidding condition that only locally produced goods, services or works or locally manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for bids referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

LC = [1 - x / y] * 100

Where

- x is the imported content in Rand
- y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

- 1.6 A bid may be disqualified if -
 - (a) this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation; and
 - (b) the bidder fails to declare that the Local Content Declaration Templates (Annex C, D and E) have been audited and certified as correct.

2. Definitions


- 2.1. "bid" includes written price quotations, advertised competitive bids or proposals;
- 2.2. "bid price" price offered by the bidder, excluding value added tax (VAT);
- 2.3. "contract" means the agreement that results from the acceptance of a bid by an organ of state;
- 2.4. "designated sector" means a sector, sub-sector or industry that has been designated by the Department of Trade and Industry in line with national development and industrial policies for local production, where only locally produced services, works or goods or locally manufactured goods meet the stipulated minimum threshold for local production and content;
- 2.5. "duly sign" means a Declaration Certificate for Local Content that has been signed by the Chief Financial Officer or other legally responsible person nominated in writing by the Chief Executive, or senior member / person with management responsibility (close corporation, partnership or individual).
- 2.6. "**imported content**" means that portion of the bid price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or its subcontractors) and which costs are inclusive of the costs abroad (this includes labour or intellectual property costs), plus freight and other direct importation costs, such as landing costs, dock duties, import duty, sales duty or other similar tax or duty at the South African port of entry;
- 2.7. **"local content"** means that portion of the bid price which is not included in the imported content, provided that local manufacture does take place;

- 2.8. "**stipulated minimum threshold**" means that portion of local production and content as determined by the Department of Trade and Industry; and
- 2.9. "**sub-contract**" means the primary contractor's assigning, leasing, making out work to, or employing another person to support such primary contractor in the execution of part of a project in terms of the contract.
- 3. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

Description of services, works or goods	<u>Stipulated</u>	minimum
threshold.		
	%	
		%
		-%

Valves

 Does any portion of the services, works or goods offered have any imported content? (*Tick applicable box*)



4.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on <u>www.reservebank.co.za</u>.


Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

5. Were the Local Content Declaration Templates (Annex C, D and E) audited and certified as correct?

(Tick applicable box)



- 5.1. If yes, provide the following particulars:
 - (a) Full name of auditor:....

 - (c) Telephone and cell number:(d) Email address:

(Documentary proof regarding the declaration will, when required, be submitted to the satisfaction of the Accounting Officer / Accounting Authority)

6. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL) IN RESPECT OF BID NO. ISSUED BY: (Procurement Authority / Name of Institution): NB The obligation to complete, duly sign and submit this declaration cannot be transferred 1 to an external authorized representative, auditor or any other third party acting on behalf of the bidder. Guidance on the Calculation of Local Content together with Local Content Declaration 2 Templates (Annex C, D and E) is accessible on http://www.thdti.gov.za/industrial development/ip.jsp. Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously

I, the undersigned, (full names), do hereby declare, in my capacity as

update Declarations C, D and E with the actual values for the duration of the contract.

of(name of bidder entity), the following:

(a) The facts contained herein are within my own personal knowledge.

(b) I have satisfied myself that:

- the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
- (ii) the declaration templates have been audited and certified to be correct.

(c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

Bid price, excluding VAT (y)	R	
Imported content (x), as calculated in terms of SATS 1286:2011	R	
Stipulated minimum threshold for local content (paragraph 3 above)		
Local content %, as calculated in terms of SATS 1286:2011		

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above. The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

(d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.

(e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 13 of the Preferential Procurement Regulations, 2011 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE:	DATE:
WITNESS No. 1	DATE:
WITNESS No. 2	DATE:



TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

Part C1 Agreements and Contract Data

TABLE OF CONTENTS

C1.1	FORMS OF OFFER AND ACCEPTANCE	42
C1.1.1	FORM OF OFFER	42
C1.1.2	FORM OF ACCEPTANCE	44
C1.1.3	APPENDIX TO FORM OF ACCEPTANCE	46
C1.2	CONTRACT DATA	47
C1.2.1	CONDITIONS OF CONTRACT	49
C1.2.2	CONTRACT DATA – INFORMATION PROVIDED BY THE EMPLOYER	66
C1.2.3	CONTRACT DATA – INFORMATION PROVIDED BY THE TENDERER	69
C1.3	OTHER STANDARD FORMS	70
C1.3.1	FORM OF OCCUPATION HEALTH AND SAFETY ACT 1993	70
C1.3.2	FORM OF GUARANTEE	72
C1.3.4	FORM OF BANKING DETAILS	74

C1.1 FORMS OF OFFER AND ACCEPTANCE

C1.1.1 FORM OF OFFER

Head of Department Department Of Roads and Transport Private Bag X83 Marshalltown 2107

Sir,

TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

I/we, by signing this part of the forms of offer and acceptance, confirm that I/we practise the principles of corporate governance that abhors corruption and fraud and that I/we have examined the documents listed in the tender data and addenda thereto as listed in the returnable schedules and am/are duly authorised to represent and commit the tenderer to the contractual obligations contained therein.

I/we further confirm that by submitting this offer the tenderer accepts the conditions of tender and offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of tender and the conditions of contract identified in the contract data.

THE OFFERED TOTAL OF THE PRICES (INCLUSIVE OF VALUE ADDED TAX) IS;

BENONI BILL A	
	(in words)
(R	in figures)
BRONKHORSTSPRUIT BILL B	
	(in words)
(R	in figures)
KRUGERSDORP BILL C	
(R	in figures)
PRETORIA BILL D	
(R	
	0,
VEREENIGING BILL E	
(R	
(,,	

You may accept this offer by signing and returning to the tenderer one copy of the Form of acceptance before the end of the period of validity stated in the tender data, (or at the end of any agreed extension thereof), whereupon the tenderer becomes the party named as the contractor in the conditions of contract identified in the contract data.

Notwithstanding anything contained in a covering letter to this tender, I/we declare this offer is submitted entirely without variations or deviations other than those stipulated in the form for Proposed Amendments and Qualifications by the tenderer and that it is made free from any fraud, corruption and misrepresentation.

Yours faithfully

SIGNATURE:	DATE:
NAME (IN CAPITALS):	
CAPACITY:	
Date and minute reference of Board resolution Authority	if different from returnable document: Certificate of

Certificate of Authority for signature	
NAME AND ADDRESS OF ORGANISATION:	
NAME AND SIGNATURE OF WITNESS:	
SIGNATURE:	DATE:
NAME (IN CAPITALS):	

C1.1.2 FORM OF ACCEPTANCE

То_____

_____ (Name of successful tenderer)

Dear Sir,

TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

1. It is our pleasure to inform you that the Department of Roads and Transport (the Employer) accepts your offer for the Bill in the amount of (I.e. including VAT but excluding CPA, and any contingent sum not in the priced schedule).

BENONI BILL A	
	(in words)
(R	in figures)
BRONKHORSTSPRUIT BILL B	
	(in words)
(R	in figures)
KRUGERSDORP BILL C	
(R	in figures)
PRETORIA BILL D	
(R	in figures)
VEREENIGING BILL E	
(R	in figures)

- 2. The amount due may not be the accepted price but payment shall be made in accordance with the conditions of contract identified in the contract data.
- 3. Acceptance shall form an agreement between us according to the terms and conditions contained in this form and in the contract that is comprised of:

Part C1: Agreements and Contract Data (including this form of acceptance), Part C2: Pricing Data, Part C3: Scope of the Work, Part C4: Site Information, and Part C5: Annexures together with issued drawings and other documents, or parts thereof, which may be incorporated by reference into the Parts listed above.

- a) Deviations and/or variations included in your offer as well as any changes to the terms of the offer agreed by us during the process of offer and acceptance shall not be valid unless contained in the appended schedule of deviations. (*If no deviation state* "There are no deviations, variations or changes to the documents.) Addenda issued during the tender period are deemed not to be deviations to the tender documents and schedules.
- b) Within 14 calendar days of the date of this form of acceptance (including the schedule of deviations if any) you shall deliver to the Employer:
 - Performance Security (per clause 4 of the FIDIC Conditions of Contract) a proforma of which is attached for your reference. The 10% calculation shall be based on the accepted contract value as contained in this form and there shall be no deviations from the wording of the proforma guarantee.
 - Proof of insurance in terms of the information provided in the contract data and clause 18 of the FIDIC Conditions of Contract. Proof of currency of insured cover shall be provided on a monthly basis until contract completion.
 - Proof that the contract has been registered by the Department of Labour in terms of Occupational Health and Safety legislation, for which purpose the relevant forms have already been partially completed by the Employer and attached hereto.
 - The completion of the attached Employer's Form of Banking Details.

Failure to fulfil any of these obligations shall constitute a repudiation of this agreement.

- 4. The effective date of the contract shall be the date of this form of acceptance unless you, within seven (7) calendar days of the effective date, notify the Employer in writing of any justification why you cannot accept the contents of this agreement.
- 5. The commencement date of the contract shall be that on which the site hand-over meeting is held, which shall not be later than (Usually 28 calendar days after the date of this form, or earlier if circumstances demand and as agreed between tenderer/Employer).
- 6. Notwithstanding that a full, original-signed copy of the contract document containing all contract data and schedules (including that of accepted deviations) will be delivered to you, this form of acceptance constitutes the binding contract between us.

Signature		Date
Name		
Capacity		
for the Employer	r Department of Roads and Transport Chief Directorate Maintenance	
Name and Signature of Witness		Date

C1.1.3 APPENDIX TO FORM OF ACCEPTANCE

Schedule of deviations

- 1. The deviations listed below constitute agreed variations/amendments to the tender data and schedules negotiated between the tenderer and Employer based on information provided in Form A4: Schedule of Variations or deviations by tenderer or conditions imposed by the Employer in its acceptance of the offer.
- 2. In the event that an alternative offer is accepted in terms of F.2.12 of the Tender Data, it is a fundamental condition of acceptance that all responsibilities and concomitant liabilities arising from the alternative design pass from the Employer to the contractor.
- 3. Addenda issued during the tender period are deemed not to be variations to the tender.

1	 	
2	 	
3	 	
4 etc	 	

C1.2 CONTRACT DATA

C1.2.1 CONDITIONS OF CONTRACT

Note to tenderer:

1. The Conditions of Contract for Construction (1999 edition) as amended, shall apply to this contract. The amendments together with additional amendments (particular conditions of contract) as prescribed by The Department of Roads and Transport

TABLE OF CONTENTS

PAGE

PART B:	PARTICULAR CONDITIONS OF CONTRACT	0
1.1	DEFINITIONS	1
1.2	INTERPRETATION	2
1.5	PRIORITY OF DOCUMENTS	2
1.6	CONTRACT AGREEMENT	2
1.7	ASSIGNMENT	2
1.8	CARE AND SUPPLY OF DOCUMENTS	2
2.3	EMPLOYER'S PERSONNEL	3
3.1	PROJECT MANAGER'S DUTIES AND AUTHORITY	3
4.2	PERFORMANCE SECURITY	3
4.4	SUBCONTRACTORS	3
4.7	SETTING OUT	3
4.8	SAFETY PROCEDURES	3
4.10	SITE DATA	3
4.13	RIGHTS OF WAY AND FACILITIES	3
4.17	CONTRACTOR'S EQUIPMENT	4
4.18	PROTECTION OF THE ENVIRONMENT	4
4.19	ELECTRICITY, WATER AND GAS5	4
4.20	EMPLOYER'S EQUIPMENT AND FREE-ISSUE MATERIAL	4
4.21	PROGRESS REPORTS	4
4.22	SECURITY OF THE SITE	4
4.24	FOSSILS	4
6.5	WORKING HOURS	4
6.7	HEALTH AND SAFETY5	4
"6.12	INDEMNITY BY CONTRACTOR	5
8.1	COMMENCEMENT OF WORK	5
8.4	EXTENSION OF TIME FOR COMPLETION	5
8.7	DELAY DAMAGES	5
10.2	TAKING OVER OF PARTS OF THE WORKS	5
11.9	PERFORMANCE CERTIFICATE	5
11.11	CLEARANCE OF SITE	6

12.3	EVALUATION	56
13.3	VARIATION PROCEDURE	56
13.5	PROVISIONAL SUMS	56
13.6	DAYWORK	56
13.8	ADJUSTMENTS FOR CHANGES IN COSTS	56
14.3	APPLICATION FOR INTERIM PAYMENT CERTIFICATES	57
14.5	PLANT AND MATERIALS INTENDED FOR THE WORKS	57
14.6	ISSUE OF INTERIM PAYMENT CERTIFICATES	57
14.7	PAYMENT	57
14.8	DELAYED PAYMENT	58
14.10	STATEMENT AT COMPLETION	58
14.11	APPLICATION FOR FINAL PAYMENT CERTIFICATE	58
14.15	CURRENCIES OF PAYMENT	58
15.2	TERMINATION BY THE EMPLOYER	58
17.3	EMPLOYER'S RISKS	59
18.1	GENERAL REQUIREMENTS FOR INSURANCES	59
18.2	INSURANCE FOR WORKS AND CONTRACTOR'S EQUIPMENT	59
18.3	INSURANCE AGAINST INJURY TO PERSONS AND DAMAGE TO PROPERTY	59
18.4	INSURANCE FOR CONTRACTOR'S PERSONNEL	59
19.1	DEFINITION OF FORCE MAJEURE	59
19.5	FORCE MAJEURE AFFECTING SUBCONTRACTOR	59
20.1	CONTRACTOR'S CLAIMS	59
20.2	SETTLEMENT OF DISPUTES	60
20.3	MEDIATION	60
20.4	REFERENCE TO COURT	62
20.5	SPECIAL DISPUTES	62
20.6	CONTINUING VALIDITY OF SUB-CLAUSES 20.2 TO 20.6	62
APPENDIX:	GENERAL CONDITIONS OF DISPUTE ADJUDICATION AGREEMENT	62
ANNEX:	PROCEDURAL RULES	62
CONTRACT	PRICE ADJUSTMENT SCHEDULE	63

PART B: PARTICULAR CONDITIONS OF CONTRACT

Note to tenderer:

The following amendments are the Department of Roads and Transport's standard particular conditions to the general conditions and shall apply to this contract.

The following additional amendments apply to this contract:

CONDITIONS OF CONTRACT

PARTICULAR CONDITIONS AMENDING THE GENERAL CONDITIONS OF FIDIC

SUBJECT INDEX

	Clause		Clause
BE Definitions	1.1.2.11	Fossils	4.24
BE Subcontractors	4.1 & 4.4	Health & Safety	6.7
Appendix to Tender	1.1.1.9	Indemnity by Contractor	6.12
Assignment	1.7		10.1
Clearance of Site	11.11	Insurance – General	18.1
Commencement of Works	8.1	requirements Laws Letter of Acceptance	1.1.6.5
The Contract	1.1.1	Materials on Site	14.5
Contract Agreement	1.6		
Contract Documents - no. of copies	1.8	Payment Certificates	14.6
Contract Price Adjustment schedule	13.8	Performance Certificate	11.9
Contractor's Claims	20.1	Performance Security	4.2
Contractor's Equipment	4.17	Priority of Documents	1.5
Contractor's Obligations –	4.1	Programme	8.3
B-BBEE Requirements			
Currencies of Payment	14.15	Protection of Environment	4.18
Day work	13.6	Provisional Sums	13.5
Disorderly Conduct	20.2	Retention Money Guarantee	14.3
Disputes	20.3	Right of way & facilities	4.13
Settlement of			
Mediation	20.3	Safety Procedures	4.8
Court	20.4	Site Data	4.10
Special	20.5	SMME	1.1.2.12
Documents – Priority	1.5	Specifications	4.4
Electricity, Gas, Water	4.19	Subcontractors & Suppliers Supplementary Agreement	4.4 1.1.6.10
Employer's Equipment	4.19	Taking over parts of works	10.2
	1.20	Tender	10.2
Employer's Personnel	2.3	Variations – Procedures	13.3
Employer's Risks (SASRIA)	17.3	Working hours	6.5
Employer's Sole Authority	3.1	Written Communications	1.2
Environmental Protection	4.18		
Force Majeure: Subcontractor	19.5		
and Supplier			

71

PARTICULAR CONDITIONS AMENDING THE GENERAL CONDITIONS OF FIDIC

1.1 Definitions

1.1.1 **The Contract**

Replace 1.1.1.1 with:

" "**Contract**" means the Form of Offer and Acceptance, Contract Data, these Conditions, the Specifications, the Drawings, the Schedules, and the further documents (if any), which are listed in the Form of Offer and Acceptance, and further includes drawings and documents or parts thereof, which any of the aforesaid documents incorporate by reference."

Replace 1.1.1.3 with:

"Letter of Acceptance" means the Form of Acceptance as contained in part C1.1.2 of the contract documents."

Replace 1.1.1.4 with:

"Letter of Tender" means the Form of Offer as contained in part C.1.1.1 of the contract document."

Replace 1.1.1.5 with:

"Specification" means that document entitled Scope of Work, as included in the Contract, and any additions and modifications to the Scope of Work in accordance with the Contract. Such document specifies the Works."

Replace 1.1.1.7 with:

"Schedules" means the document(s) completed by the Contractor and submitted with his tender offer, as included in the Contract. Such document(s) may include the Bill of Quantities, data lists and schedules of rates and/or prices."

Replace 1.1.1.8 with:

"**Tender**" means that section of the Form of Offer and Acceptance called 'Offer' and all other documents which the Contractor submitted as Returnable Documents, as included in the Contract."

Replace 1.1.1.9 with:

" "**Appendix to Tender**" means the completed section entitled C1.2.2 Contract Data – Information provided by the Employer included in the Contract Data:"

1.1.1.10 - Add the following:

"Bill of Quantities" shall also mean the Pricing Schedule as contained in section C2.2 of the contract document."

1.1.3 Dates, Tests, Periods and Completions

Replace 1.1.3.9 with:

"A "**day**" means a calendar day, except for any extension of time that is granted under sub-clause 8.4, [Extension of Time for Completion], in which case a day means a working day. A "Year" means 365 calendar days"

1.1.6 **Other Definitions**

1.1.6.5 "**Laws**"

In the 1st line, replace "(or state)" with "(or other spheres of government)" and in the 2nd line, after "other laws", insert "including the South African Common Law".

Add the following:

"1.1.6.10 "**Supplementary Agreement**" means an agreement between the Employer and the Contractor for executing work, supplemental to the original Contract, which was not contemplated in the original Contract and is also not required for the proper completion of the original Contract."

1.2 Interpretation

Replace the contents of (d) with:

"The expression "written", "in writing", "notify", "the giving of notice", "giving consent", "as instructed" or "at the request of" means that communication, either hand-written or printed by whatever means, including transmission by telefax or e-mail, and resulting in a permanent record. However, such notice, instruction, consent or request is not deemed to have been delivered by virtue of its appearance in the minutes of meetings."

1.5 Priority of Documents

Replace sub-paragraphs items (a) to (h) with:

- "(a) the Forms of Offer and Acceptance
- (b) the Appendix to Tender within the Contract data
- (c) the Particular Conditions of Contract
- (d) the General Conditions
- (e) the Scope of Works,
- (f) the project Drawings,
- (g) the standard Specifications,
- (h) the standard Drawings, and
- (i) the Schedules and any other documents forming part of the Contract."

1.6 Contract Agreement

Replace the 1st two sentences with the following:

"The Parties shall enter into a Contract Agreement when the Employer issues the Form of Acceptance (see Particular Condition 1.1.1.3). The Contract Agreement shall be in the form prescribed in the tender documents"

1.7 Assignment

Change the title of this sub-clause to read "Assignment/Cession" and replace its contents with the following:

"Neither Party shall, without the written consent of the other, assign the contract or any part thereof or any obligation under the Contract or cede any right or benefit thereunder."

1.8 Care and Supply of Documents

In the 1st paragraph, 2nd line, change "two copies" to "one copy".

In the 2nd paragraph, 3rd line, change "six" to "two".

2.3 Employer's Personnel

In the 1st sentence delete "and the Employer's other contractors".

3.1 Project Manager's Duties and Authority

After the 3rd paragraph insert the following:

"In addition to the actions stipulated in the General Conditions whereby the project manager shall first obtain the approval of the Employer, the Employer's approval shall also be obtained before taking any action under sub-clauses 8.4, 11.9, 13.3 and 20.1 as amended in these Particular Conditions".

4.2 Performance Security

Replace the 2nd paragraph with:

"The Contractor shall deliver the Performance Security to the Employer within 14 days of the date of issue of the Letter of Acceptance. The Performance Security shall be issued by a bank or insurance company registered or licensed as a bank or insurance company to do business in the Republic of South Africa and approved by the Employer and having an office or banking facility in the Republic of South Africa. The Performance Security shall be subject to approval by the Employer and shall be in the form prescribed in the tender documents or in another form approved by the Employer."

In the last line of the last paragraph replace the words "Performance Certificate" with "Taking-Over Certificate".

4.4 Subcontractors

In the first paragraph delete "the whole of the Works" and add "no subcontractors are allowed for this contract".

4.7 Setting Out

Amend the second line of the second paragraph to read:

".....reference, provided that the Contractor shall provide proof of their inaccuracy before they are used."

4.8 Safety Procedures

Add the following sub-paragraph:

"(f) enter into and execute an agreement as provided for under Section 37(2) of the Occupational Health and Safety Act, 1993 (Act No 85 of 1993) and shall comply with all other requirements of Act No 85 of 1993 and Construction Regulations, 2014 (as amended). The agreement in the relevant form shall be prepared at the expense of the Employer."

4.10 Site Data

In the 1st paragraph, 1st sentence, replace "prior to the Base Date" *with* "either as part of or by reference in the Tender Documents or, otherwise, not later than 7 days before the latest date for submission of the Tender Documents", *and delete the 2nd sentence*.

4.13 Rights of Way and Facilities

Add the following paragraph:

"The Contractor shall abide by the procedures for the provision of deviation, haul and construction roads, and the requirements for the construction, maintenance and final reinstatement of such roads, all as set out in the standard Specifications."

4.17 Contractor's Equipment

Add the following paragraph:

"The Contractor shall notify the Engineer, in writing, of the names and addresses of the owners of all major items of equipment not owned by the Contractor."

4.18 Protection of the Environment

In the 1st paragraph, 1st sentence add "and shall ensure compliance with all the environmental requirements indicated in part C3 Scope of Work."

Add the following paragraph:

"The Contractor shall indemnify the Employer against any liability arising from or in relation to any of the above matters."

4.19 Electricity, Water and Gas

In the 1st paragraph, 1st line, delete "except as stated below", and delete the 2nd and 3rd paragraphs.

4.20 Employer's Equipment and Free-Issue Material

Delete "and Free-Issue Material" from the title of the sub-clause and delete the 3rd and 4th paragraphs.

4.21 Progress Reports

In the 1st paragraph, 2nd line, delete "in six copies".

4.22 Security of the Site

Replace the full stop at the end of sub clause (b) with a comma and continue this clause as follows:

"... on the Site, or utility or service owners whom the Employer or the Engineer identifies as having also been authorised. Without said notice, the Contractor may refuse access to such utility or service owners; and"

Add the following sub clause:

"(c) The Contractor shall indemnify the Employer against any liability for damage incurred to, or loss of, property within the site identified in the contract documents as not belonging to the Employer regardless of whether or not such damage or loss is caused by the Contractor's equipment."

4.24 Fossils

In the 1st paragraph, 1st sentence after "fossils" insert "and graves" and in the 2nd sentence, add "and shall indemnify the Employer against any liability arising from such loss or damage."

6.5 Working Hours

Replace the 1st sentence with the following:

"No work shall be carried out on Site on Sundays or on any special non-working day stated in the Contract Data or between sunset and sunrise on any day, unless:"

6.7 Health and Safety

Replace the 1st paragraph with the following:

"The Contractor shall provide and maintain on the Site adequate and suitable sanitary and first aid services (including the provision at all times of a person qualified to render medical first aid) and a supply of potable water for the Contractor's, the Employer's and the Engineer's personnel engaged on the Contract and, if necessary, similar facilities elsewhere for such personnel off the Site."

Add the following sub-clause:

"6.12 Indemnity by Contractor

The Contractor shall indemnify the Employer against and from all damages, losses and expenses (including legal fees and expenses) resulting from:

- (a) the loss of output and delay caused by the slowing down or partial or total stoppage of work caused by:
 - i. all or any of the Contractor's workforce as a result of a dispute between all or any of the Contractor's workforce and the Contractor; or
 - ii. all or any of the Contractor's suppliers' difficulty or impossibility to deliver goods or materials needed to perform the Works;
- (b) any unlawful, riotous or disorderly conduct by or amongst the Contractor's personnel."

8.1 Commencement of Work

In the 1st paragraph, delete the 1st sentence, and in the 2nd sentence replace "42 days after the Contractor receives the Letter of Acceptance" with "28 days of the date of issue of the Letter of Acceptance."

In the 2nd line of the 2nd paragraph, after the words "Commencement Date", insert "but within the period stated in the Contract Data."

8.4 Extension of Time for Completion

Replace the word "Engineer" with "Employer" in the last sentence of the last paragraph.

8.7 Delay Damages

Add the following after the first paragraph:

"The Contractor shall in consultation with the specific regional manager determine the commencement date and the period required to complete a specific work order. Should the Contractor fails to comply he shall pay delay damages to the Employer as stated in the Appendix to Tender."

Add the following paragraph:

"Where stated in the Appendix to tender, the contractor shall be subject to penalties for non-compliances with specified accommodation of traffic road signage identified by the engineer and for each additional day of lane closure needed to complete programmed work sections."

10.2 Taking Over of Parts of the Works

Delete the 2nd paragraph.

Between the 3rd and 4th paragraphs insert the following paragraph:

"The Employer may make use of any part of the Permanent Works prior to the issue of a Taking Over-Certificate."

Delete the 5th paragraph.

11.9 Performance Certificate

In the 1st paragraph, 2nd line and in the 2nd paragraph, 1st line, replace the word "Engineer" with "Employer".

Delete the last sentence of the 2nd paragraph.

11.11 Clearance of Site

Replace the 1st paragraph with the following:

"With the exception of Plant, Materials and Contractor's Equipment required to complete any outstanding work or to remedy defects or damage as notified by, or on behalf of, the Employer and which Plant, Materials and Contractor's Equipment have been agreed by the Engineer and the Contractor, the Contractor shall, upon receipt of the Taking-Over Certificate, remove all Contractor's Equipment and surplus material, wreckage, rubbish and Temporary Works, from the Site unless otherwise instructed by the Engineer."

In the 2nd paragraph, replace "after the Employer receives a copy of the Performance Certificate" *with* "after the issue of the Taking-Over Certificate".

12.3 Evaluation

Replace the second sentence of paragraph two with the following:

"However a new rate or price shall be appropriate for an item of work only if notice has been given and if ..."

Replace the word "Contract" with 'Appendix to Tender'.

13.3 Variation Procedure

Replace the 3rd paragraph with the following:

"Each instruction to execute a Variation, unless the Variation is to be executed on a Day work basis, shall be a written instruction presented in the form of a Variation order. The Variation order shall be presented to the Employer, who shall signify his approval before the order is signed by the Engineer and issued to the Contractor, who shall acknowledge his acceptance by signing the order. The Contractor shall not accept a Variation order that is not approved and signed by the Employer".

13.5 Provisional Sums

In the 1st line of sub-paragraph (b) after "services" insert "and including items for which a prime cost sum has been provided in the Bill of Quantities".

13.6 Day work

Replace the 2nd and 3rd sentences in the 1st paragraph with "The following procedure shall apply."

Add the following as the 5th paragraph of this sub-clause:

"The work shall be valued in accordance with the Day work Schedule included in the Contract or, in the absence of a Day work Schedule or for items not included in the Day work Schedule the Contractor shall be paid the aggregate of:

- (i) the gross remuneration of the workmen for the time they are actually engaged on the work concerned,
- (ii) the net cost of Materials actually used,
- (iii) an amount in respect of Contractor's Equipment which shall be charged on a time basis at the rates stated in the Tender, failing which at rates, to be agreed between the Contractor and the Engineer or, failing agreement, to be determined by the Engineer on the basis of ruling equipment hire rates and
- (iv) the percentage allowances stated in the Contract Data, which allowances shall be held to cover all charges for the Contractor's and/or Subcontractor's profits, timekeeping, clerical work, insurance, establishment, superintendence and the use of hand tools."

13.8 Adjustments for Changes in Costs

Replace this sub-clause with the following:

"The value of certificates issued in terms of Sub-clause 14.6 (excluding the value of those special Materials specified in the Contract Data) shall be increased or decreased by applying a Contract Price adjustment factor calculated according to the formula and the conditions set out in the Contract Price adjustment Schedule appended to these Particular Conditions.

Price adjustments for variations in the costs of special Materials specified in the Contract Data shall be made in the manner set out in the Contract Price adjustment schedule."

14.3 Application for Interim Payment Certificates

In the 1st line of the 1st paragraph, delete "in six copies."

In the 4th line of the 1st paragraph, change "the report" to "reports."

In the 2nd paragraph, sub-paragraph (c), after "above amounts" insert "and 80% of the value of Materials on Site" and add the following as a final paragraph:

"If, as stated in the Contract Data, a Retention Money Guarantee is permitted and the Contractor elects to furnish it, the guarantee shall, at the cost of the Contractor, be executed by an insurance company or bank in a form approved by the Employer.

The said company or bank shall be registered or licensed to do business in the Republic of South Africa and shall have an office and banking facility in the Republic of South Africa and shall be subject to approval by the Employer.

The aggregate liability under the guarantee shall be the maximum amount of retention monies to be retained by the Employer, which amount shall be as stated in the Contract Data.

Other conditions, if any, additional to the above standard conditions shall be as stated in the Contract Data.

The guarantee shall expire on the date on which the last of the retention monies (which, but for the guarantee, would have been retained by the Employer) becomes payable to the Contractor.

The guarantee shall be returned to the guarantor upon final payment of the aggregate liability or on the date of expiry, whichever is the earlier."

14.5 Plant and Materials intended for the Works

In the first paragraph delete "If this Sub-Clause applies".

Delete the 2nd paragraph.

In the 3rd paragraph, delete sub-paragraphs (b) and (c) (i) and amend sub-paragraph (a) so that (c) (ii) becomes (a) (iii) thus:

- "(a) (ii) supported by satisfactory evidence; and
- (a) (iii) the relevant Plant and Materials have been delivered to and ..."

Add the following paragraph:

"If so agreed in writing by the Employer, the provisions of this Sub-Clause 14.5, as amended herein, shall apply equally to Plant and Materials intended for incorporation in the Permanent Works and stored at places other than the Site."

14.6 Issue of Interim Payment Certificates

In the 2nd line of the 1st paragraph replace "28" with "14"

14.7 Payment

In sub-paragraphs (b) and (c) of the 1st paragraph replace "56" with "28".

Delete the 2nd paragraph.

14.8 Delayed Payment

Replace the 2nd paragraph with the following:

"These financing charges shall be at the rate prescribed in terms of the Prescribed Rate of Interest Act, 1975 (Act No 55 of 1975)".

14.10 Statement at Completion

In the 2nd line of the 1st paragraph delete "six copies of".

14.11 Application for Final Payment Certificate

In the 2nd line of the 1st paragraph delete "six copies of".

In the 3rd paragraph, replace the last sentence with:

"Thereafter, when the dispute is finally resolved, the Contractor shall then prepare and submit to the Employer (with a copy to the Engineer) a Final Statement."

14.15 Currencies of Payment

Delete this sub-clause.

15.2 Termination by the Employer

Delete sub-paragraph (f) and replace with the following:

- "(f) Gives or has given, offers to give or has offered to give (directly or indirectly) to any person any bribe, gift, gratuity, commission or other thing of value, as an inducement or reward:
 - (i) for doing or forbearing to do any action in relation to the Contract or any other contract with the Employer or State Department or Organ of State, or
 - (ii) for showing or forbearing to show favour or disfavour to any person in relation to the Contract or any other contract with the Employer or State Department or Organ of State,

or if any of the Contractor's Personnel, agents or Subcontractors gives or has given, offers to give or has offered to give (directly or indirectly) to any person any such inducement or reward as is described in this sub-paragraph (f). However, lawful inducements and rewards to Contractor's Personnel shall not entitle termination."

Add the following sub-paragraph:

"(g) Misrepresented, whether innocently, negligently or fraudulently, the true facts requested in the tender documents."

Insert the following after the expression e) or f) in the penultimate line of the second paragraph:

"or g)"

Replace the full stop at the end of the third paragraph with a comma and add the following:

"including the right to terminate any other contract between the Employer and the Contractor and to forbid the Contractor or any employee, partner, shareholder or director of the Contractor to tender on any future projects put out to tender by the Employer for a period of five years from the date of notice of termination, which period may be reduced by application to and at the sole discretion of the Employer."

17.3 Employer's Risks

Add the following to sub-paragraph (c):

"unless these risks are insurable with the South African Special Risks Insurance Association (SASRIA) at the time of tendering and it is stipulated in the Contract Data that the Contractor is to effect insurance against these risks".

18.1 General Requirements for Insurances

Replace this sub-clause with the following:

"The Contractor shall effect all insurances as have been proposed and agreed by the Contractor as being necessary to adequately cover his insurable obligations under the Contract and shall maintain such insurances for the duration of the Contract.

With regard to the insurances to be affected for insurance against injury to Persons and Damage to property the Contractor shall arrange for the policy to be issued in the joint names of the Contractor, the Employer and Subcontractors and will incorporate a Cross Liability clause.

The Employer shall be entitled at his discretion to call for evidence of the scope and validity of such insurance as and when this may be required.

If required, the Contractor shall provide proof that he has paid all contributions required in terms of the compensation for Occupational Injuries and Diseases, 1993 (Act No 130 of 1993)."

18.2 Insurance for Works and Contractor's Equipment

Delete this sub-clause.

18.3 Insurance against Injury to Persons and Damage to Property

Delete this sub-clause.

18.4 Insurance for Contractor's Personnel

Delete this sub-clause.

19.1 Definition of Force Majeure

In the third line of sub clause 19.1(iii) insert "or suppliers," after the word "Subcontractors".

19.5 Force Majeure Affecting Subcontractor

Amend the title to read "Force Majeure Affecting Subcontractor and Supplier".

In the first line insert "or supplier" after the word "Subcontractor"

20.1 Contractor's Claims

In paragraph 5, insert the following after the first sentence:

"If an extension of time is granted the Contractor shall be paid such additional time-related Preliminary and General allowances as are appropriate having regard to any other compensation which may already have been granted in respect of the circumstances concerned. Payment of costs additional to the above will only be considered if the costs derive from claims that fall within the terms of Clause 13 [Variations and Adjustments] and/or Sub-clause 17.3 [Employer's Risks]."

Replace the 6th paragraph with the following:

"After receiving a claim or any further particulars supporting a previous claim, the Engineer shall present such claim or particulars to the Employer, together with his recommendations, for a ruling, which ruling

shall be given to the Contractor within 42 days after receiving a claim or any further particulars, provided that the said period of 42 days may be extended by application from one Party and approval of the other. If the Employer fails to give his ruling within the specified period, or agreed extension thereto, it shall be deemed that the Employer has dismissed the claim."

Delete the 8th paragraph.

20.2 to 20.8

Replace these sub-clauses with the following:

20.2 Settlement of Disputes

- (a) The Contractor shall have the right to dispute any ruling given or deemed to have been given by the Employer or the Engineer, provided that, unless the Contractor shall, within 42 days after his receipt of a ruling or after a ruling shall have been deemed to have been given, give written notice (hereinafter referred to as a "Dispute Notice") to the Engineer, referring to this Clause, disputing the validity or correctness of the whole or a specified part of the ruling, he shall have no further right to dispute that ruling or the part thereof not disputed in the said Dispute Notice.
- (b) All further references herein to a ruling shall relate to the ruling, or part thereof, specified in the Dispute Notice, as varied or added to by agreement between the Contractor and the Engineer or by the Engineer's decision in terms of sub-paragraph (c) or by the Mediator's opinion to the extent that it has become binding in terms of Sub-clause 20.3(f).
- (c) The Engineer shall
 - i) before giving his decision on the dispute, consult the Employer thereon and give the Contractor a reasonable opportunity to present written or oral submissions thereon, which latter shall be confirmed in writing within 7 days
 - ii) deliver his decision in writing to the Employer and to the Contractor, and
 - iii) give his decision within 56 days of his receipt of the Dispute Notice, or within any further period as may be agreed between the Engineer and the Contractor, failing which, he shall be deemed to have given a decision affirming, without amendment, the ruling concerned.
- (d) Unless either the Employer or the Contractor, shall, within 28 days after his receipt of notice of the decision in terms of sub-paragraph (c)(ii) or after the decision is deemed to have been given in terms of sub-paragraph (c)(iii), have given notice in writing to the Engineer, with a copy to the other Party, disputing the Engineer's decision or a specific part thereof, he shall have no further right to dispute any part of the ruling not specified in his said notice.
- (e) If either Party shall have given written notice in compliance with sub-paragraph (d), the dispute shall be referred to mediation in terms of Sub-Clause 20.3 unless either Party has given written notice to the other Party of its intention to refer the matter in dispute to court, which notice shall be given either:
 - i) within 28 days of receipt of notice of the Engineer's decision, or
 - ii) within 14 days of receipt by the one Party of the other Party's notice of dispute of the Engineer's decision.

If notice of intention to refer the matter in dispute to Court has been served by either party, the matter in dispute shall not be referred to mediation but shall be referred to Court.

(f) Notwithstanding that the Contractor may, in respect of a ruling, have given a Dispute Notice, the ruling shall be of full force and carried into effect unless and until otherwise agreed by both Parties in terms of Sub-Clause 20.3(f) or as determined in a court judgement.

20.3 Mediation

(a) The mediation referred to in Sub-Clause 20.2(e) shall be conducted by a mediator selected by agreement between the Parties or, failing such agreement within 7 days after a written request by

either Party for such agreement, nominated on the application of either Party by the President for the time being of the South African Institution of Civil Engineering.

If, for any reason, the person appointed fails to assume or to continue in the office concerned:

- (i) the provisions of Sub-Clause 20.3 shall apply mutatis mutandis in the appointment of a successor, and
- (ii) in making his nomination in terms of this sub-clause, the president for the time being of the South African Institution of Civil Engineering shall, at his own discretion, act in consultation with the presidents for the time being of Consulting Engineers South Africa and the South African Federation of Civil Engineering Contractors, and
- (iii) if the president required to make a nomination in terms of this sub-clause shall have a direct or indirect interest in the subject matter of the dispute, the nomination shall be made by the chief executive officer or the next senior officer of the body concerned who has no such interest.
- (b) Neither Party shall be entitled to be represented at any hearing before, or at, any meeting, or in any discussion, with the mediator except by any of the following:
 - i) the Party himself, if a natural person,
 - ii) a partner in the case of a partnership,
 - iii) an executive director in the case of a company,
 - iv) a member in the case of a close corporation,
 - v) the Engineer,
 - vi) a bona fide employee of the party concerned, and
 - vii) a professional engineer appointed for the purpose by the Party concerned.
- (c) The mediator shall, as he deems fit, follow formal or informal procedure and receive evidence or submissions orally or in writing, sworn or unsworn, at joint meetings with the Parties or separately or from any person whom he considers can assist in the formulation of his opinion, provided that:
 - i) each Party shall be given reasonable opportunities of presenting evidence or submissions and of responding to evidence or submissions of the other Party, and
 - ii) each Party shall be given full details of any evidence or submissions received by the Mediator from the other Party or any other person otherwise than at a meeting where both Parties are present or represented.
- (d) The mediator shall have the power to propose to the Parties compromise settlements of or agreements in disposal of the whole or portion of the dispute.
- (e) The mediator shall, as soon as reasonably practical, give to each of the Parties his written opinion on the dispute, setting out the facts and the provisions of the Contract on which the opinion is based and recording the details of any agreement reached between the Parties during the mediation.
- (f) The mediator's opinion shall become binding on the Parties only to the extent correctly recorded as being agreed by the Parties in the mediator's written opinion or otherwise as recorded as being agreed in writing by both Parties subsequent to the receipt of the mediator's opinion.
- (g) The dispute on any matter still unresolved after the application of the provisions of sub-paragraph (f) shall be resolved by court proceedings.
- (h) Save for reference to any portion of the mediator's opinion which has become binding in terms of sub-paragraph (f), no reference shall be made by or on behalf of either Party, in any proceedings subsequent to mediation, to the mediator's opinion, or to the fact that any particular evidence was given, or to any submission, statement or admission made in the course of the mediation.
- (i) Irrespective of the nature of the mediator's opinion:
 - (i) each Party shall bear his own costs arising from the mediation, and

(ii) the Parties shall in equal shares pay the mediator the amount of his expenses and the amount of his fee based on a scale of fees as agreed between the mediator and the Parties before the commencement of the mediation.

20.4 Reference to Court

If a dispute is still unresolved as provided for in sub-paragraph (g) of sub-clause 20.3 or the dispute is one described in sub-clause 20.5, the dispute shall be determined by court proceedings, provided that:

- (a) nothing herein contained shall deprive the Contractor of the right to institute immediate court proceedings in respect of failure by the Employer to pay the amount of a payment certificate on its due date or to refund any amount of retention money on its due date for refund,
- (b) no ruling or decision given by the Engineer in accordance with the provisions of the Contract shall disqualify him from being called as a witness and giving evidence before the court on any matter whatsoever relevant to the dispute concerned, and
- (c) the court shall have full power to open up, review and revise any ruling, decision, order, instruction, certificate or valuation of the Engineer relevant to the matter in dispute.

20.5 Special Disputes

Notwithstanding anything elsewhere provided in sub-clauses 20.2, 20.3 and 20.4, any dispute between the Contractor and the Employer,

- (a) not relating to a ruling, decision, order, instruction or certificate by the Engineer, or
- (b) arising after the completion of the Contract or, if a Defects Notification Period is provided, after the termination of that period,

shall be determined, without the application of the provisions of sub-clauses 20.2 and 20.3 by court proceedings which may be initiated by either Party, in which event the provisions of sub-clause 20.4 shall apply.

20.6 Continuing Validity of sub-clauses 20.2 to 20.6

Sub-clauses 20.2 to 20.6 inclusive constitute a separate, divisible agreement from the rest of the Contract and shall remain valid and applicable, notwithstanding that the Works may have been completed or that the rest of the Contract may be void or voidable or may have been cancelled for any reason."

APPENDIX: General Conditions of Dispute Adjudication Agreement

Delete this appendix

ANNEX: Procedural Rules

Delete this annexure

APPENDIX TO THE PARTICULAR CONDITIONS:

CONTRACT PRICE ADJUSTMENT SCHEDULE

1. **Contract Price Adjustment** In accordance with sub-clause 13.8, the value of each certificate issued in terms of sub-clause 14.6 shall be increased or decreased by the amount obtained by multiplying "Ac", defined in clause 2 of this Schedule, by the Contract Price adjustment factor, rounded off to the sixth decimal place (or the fourth decimal expressed as a percentage), determined according to the formula:

 $(1 - x) \left[\begin{array}{c} \underline{aLt} + \underline{bEt} \\ Lo \end{array} + \begin{array}{c} \underline{cMt} \\ \overline{Eo} \end{array} + \begin{array}{c} \underline{cMt} \\ \overline{Mo} \end{array} + \begin{array}{c} \underline{dFt} \\ \overline{Fo} \end{array} - 1
ight]$

in which the symbols have the following meanings:

"x" is the proportion of "Ac" which is not subject to adjustment. Unless otherwise stated in the Appendix this proportion shall be 0, 15.

"a", "b", "c" and "d" are the co-efficient determined by the Engineer and specified in the Contract Data, which are deemed, irrespective of the actual constituents of the work, to represent the proportionate value of labour, equipment, materials (other than "special materials" specified, in terms of sub-clause 13.8, in the Contract Data) and fuel respectively. The arithmetical sum of "a", "b", "c", and "d" shall be unity.

"L" is the "Labour Index" and shall be the "Consumer Price Index" for the urban area specified in the Contract Data, as published in the Statistical Release P0141, Additional tables, Table 13, of Statistics South Africa.

"E" is the "Equipment Index" and shall be the "Civil Engineering Plant Index" as published in the Statistical Release P0142.1, Table 12, of Statistics South Africa. Note that Statistics South Africa's "Civil Engineering Plant" includes equipment.

"M" is the "Materials Index" and shall be the "Price Index of Civil Engineering Materials", as published in the Statistical Release P0142.1, Table 11, of Statistics South Africa.

"F" is the "Fuel Index" and shall be the index for diesel oil – Coast and Witwatersrand, as published in the Statistical Release P0142.1, Table 12, of Statistics South Africa.

The suffix "o" denotes the basic indices applicable on the Base Date as defined in sub-clause 1.1.3.1 of the General Conditions of Contract.

The suffix "t" denotes the current indices applicable to the month in which the last day of the period falls to which the relevant payment certificate relates.

If any index relevant to any particular Payment Certificate is not known at the time when the certificate is prepared, the Engineer may estimate the value of such index. Any correction which may be necessary when the correct indices become known shall be made by the Engineer in subsequent Payment Certificates.

2. Assessment of amount subject to For the purpose of calculating the adjustment to the value of the certificates, the amount "Ac" shall be determined by the formula:

Ac = T - S - D - W - G - Ap

adjustment

In which formula the symbols have the following meanings:

"T" is the summation of the total value of the

68

- (i) preliminary and general items,
- (ii) work done, and
- (iii) Materials on Site

as certified in the Payment Certificate under consideration without any deduction whatsoever and before any adjustment made in terms of this Schedule

"S" is the aggregate of (i), (ii), (iii) and (iv), referred to below, and included in "T":

- (i) the amounts actually expended and substituted for any prime cost sums;
- (ii) the value of any work done by Nominated Subcontractors;
- (iii) the value of any work done against Provisional Sums
- (iv) the value of any extra or additional work done under a Variation order

where special arrangements for price adjustments in respect of those amounts were made and recorded at the time the work was ordered.

"D" is the value of work included in "T" and done at new rates fixed in terms of sub-clause 12.3, where those rates are not based on labour, Contractor's Equipment or Materials costs in force at the time of tendering. Generally new rates may be based on current costs and de-escalated to the Base Date of the indices, in which case work done at these rates shall not be included in the value of "D".

"W" is the amount included in "T" and paid for any Day work executed at Cost plus percentage allowances as set out in sub-clause 13.6 as amended by Particular Condition.

"G" is the amount included in "T" for Materials classified and dealt with as "special materials" in terms of sub-clause 13.8 as amended by Particular Condition.

"Ap" is the summation of all "Ac" amounts determined in terms of Clause 2 of this Schedule for all Payment Certificates preceding in time the Payment Certificate under consideration.

- 3. Reduction of CPAF after Time for Completion has expired
 Save only for Variations ordered to be carried out after the Time for Completion has expired to certificates relating to work done or materials supplied after the Time for Completion shall be half the factor calculated by inserting in the formula referred to in Clause 1 of this Schedule the indices Lt, Et, Mt and Ft applicable at the date of expiry of the Time for Completion.
- 4. **Special** materials The price of each "special material" specified in the Contract Data shall be increased or decreased by the net amount of any variation incurred after the date of the Tender on the basis set out in the Contract, provided that any claim for adjustment in terms hereof shall be substantiated by the submission of acceptable invoices and any other supporting documents which the Engineer considers necessary for that purpose. However, except for Variations ordered in terms of Clause 13 (Variations and Adjustments) all adjustments after expiry of Time for Completion shall be calculated by using the price of each "special material" at expiry of Time for Completion or the contract base price of each "special material", whichever is the lesser.

For the purpose of this clause, "the net amount of any Variation" in respect of a particular material referred to as a "special material" in terms of sub-clause 13.8 shall be calculated by multiplying the difference between the rate or price entered in the Contract by the Contractor for that Material and the equivalent rate or price actually paid by the Contractor for the Material by the quantity of the Material in question.

5. Assessment of indices if certificates are not issued monthly If more than one month intervenes between the months applicable to any Payment Certificate and the month applicable to the immediately succeeding payment certificate, then the indices "Lt", "Et", "Mt" and "Ft" applicable to the succeeding Payment Certificate shall each be taken as the arithmetic mean, rounded off to the second decimal place, of the relevant indices applicable to the month of measurement and to such intervening months.

C1.2.2 CONTRACT DATA - INFORMATION PROVIDED BY THE EMPLOYER

APPENDIX TO TENDER

Note: Clause numbers (Cl. No.) refer to the "General Conditions of Contract for Construction for Building and Engineering Works designed by the Employer" (1999). The prefix A refers to an amendment in the Particular Conditions.

ltem	Clause No	Data
Employer	1.1.2.2	means The Department of Roads and Transport
		The Employer's address is:
		Department of Roads and Transport Private Bag X83 Marshalltown 2107
Project Manager	1.1.2.4	The Deputy Director, Directorate Technical Auxiliary, Co-Ordination and Office Support at Koedoespoort will act as the Project Manager.
Communications	1.3	The addresses for communication between the parties shall be:
		BENONI
		Regional Manager
		Main Reef Road
		TEL: (011) 748 2001/2
		BRONKHORSTSPRUIT
		Regional Manager
		Nr. 2 Industria
		Cresent Road
		TEL: (01393) 20171/2
		KRUGERSDORP
		Regional Manager
		97 Sterkfontein Road
		Krugersdorp North
		TEL: (011) 660 5541
		PRETORIA
		Regional Manager
		Plot 34 Baviaanspoort Road
		Derdepoort 326 JR
		TEL: (012) 808 9913

VEREENIGING

Regional Manager Lager Street Leeuhof TEL: (016) 451 1047

Period of validity of tender	-	90 days after the closing date for tenders
Time for completion of works	1.1.3.3.	36 months including the contractor's holidays in December and January
Defects for notification period	1.1.3.7	12 calendar months
Laws	1.1.6.5	The law governing this contract is South African law
Time for access to the site	2.1	Nil (access on Commencement Date)
Amount of performance security	4.2	10 % of the accepted contract amount (CI no. 4.11)
Base date	13.8	Base date for this contract is the month prior to the date of tender closure.
Special non-working hours/days	A6.5	All designated public holidays (including all foreseeable statutory declared election days),
Period in which works must commence	A8.1	Not later than 14 days after the date on a Works Order
Delay damages for the works	A8.7	 (a) Delay Damages (i) Late delivery R 5000 per day for any specific works order (ii) Non-compliance R1 000 per day
Evaluation	A12.3	The term "fixed rate item" shall apply to all items of work listed in the Pricing Schedule. (Including agreed items of work listed in variation orders)
Price Variations	A 13.8	CPA Applicable
Retention money: - Percentage	14.3 (c)	Not Applicable
- Limit	14.3 (c)	Not Applicable
Minimum amount of interim payment certificate	14.6	Not Applicable
Contractor to insure with SASRIA	A17.3 (c)	Applicable / Required

Appointment of DAB	A 20.2	Not Applicable
BEE Target values (CPG)	E3.2	Not Applicable
Labour Content		Not Applicable
SMME/BE utilization		Not Applicable
Termination by Employer	15	Applicable
Suspension and Termination by Contractor	16	Applicable
Risk and Responsibility	17	Applicable
Insurance	18.1	Applicable / Required
Insurance for contractors works and equipment	18.2	Applicable / Required
General Public Liability cover for claims against the contractor	18.3	Applicable / Required
Insurance for contractors' personnel	18.4	Applicable / Required

SIGNED BY TENDERER:

C1.2.3 CONTRACT DATA – INFORMATION PROVIDED BY THE TENDERER

he Contractor is
hysical Address:
elephone:
acsimile:

The authorised and designated representative of the Contractor is:
Name:
The postal address for receipt of communications is:
· · · ·
-
Telephone:
· · · · · · · · · · · · · · · · · · ·
Facsimile:
Physical Address:
Email:

C1.3 OTHER STANDARD FORMS

C1.3.1 FORM OF OCCUPATION HEALTH AND SAFETY ACT 1993 (ACT NO. 85 OF 1993)

.....

and has accepted a tender by the Mandatory for the construction, completion & maintenance of such works and whereas the Employer and the Mandatory have agreed to certain arrangements and procedures to be followed in order to ensure compliance by the Mandatory with the provisions of the Occupational Health and Safety Act 1993 (Act 85 of 1993);

NOW THEREFORE THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. The Mandatory shall execute the work in accordance with the contract documents pertaining to this contract.
- 2. This Agreement shall hold good from its commencement date, to either :
 - a) the date of the Performance Certificate issued in terms of sub-clause 11.9 of the FIDIC Conditions of Contract for Construction for building and engineering works designed by the Employer (1999) (hereinafter referred to as "the GCC"), as contained in Volume 1 of the contract documents pertaining to this contract, or
 - b) the date of termination of the contract in terms of clauses 15, 16 or 19 of the GCC.
- 3. The Mandatory declares himself to be conversant with the following:
 - a) All the requirements, regulations and standards of the Occupational Health and Safety Act (Act 85 of 1993), hereinafter referred to as "The Act", together with its amendments and with special reference to the following Sections of The Act.
 - i) Section 8: General duties of employers to their employees.
 - ii) Section 9: General duties of employers and self-employed persons to persons other than employees.
 - iii) Section 37: Acts or omissions by employees or mandatories and
 - iv) Sub-section 37(2) relating to the purpose and meaning of this Agreement.
 - b) The procedures and safety rules of the Employer as pertaining to the Mandatory and to all his subcontractors.

- 4. In addition to the requirements of sub-clause 4.8, 6.7 and 17.1 of the GCC and all relevant requirements of Volume 3 of the contract documents pertaining to this contract, the Mandatory agrees to execute all the works forming part of this contract and to operate and utilize all machinery, plant and equipment in accordance with The Act.
- 5. The Mandatory is responsible for the compliance with the Act by all his subcontractors, whether or not nominated and/or approved by the Employer.
- 6. The Mandatory warrants that all his and his subcontractors' workmen are covered in terms of the Compensation for Occupational Injuries and Diseases Act 1993, which cover shall remain in force whilst any such workmen are present on site. A letter of good standing from the Compensation Commissioner to this effect must be produced to the Employer upon signature of the agreement.
- 7. The Mandatory undertakes to ensure that he and/or his subcontractors and/or their respective employees will at all times comply with the following conditions:
 - a) The Mandatory shall assume the responsibility in terms of Section 16.1 of The Act. The Mandatory shall not delegate any duty in terms of Section 16.2 of The Act without the prior written approval of the Employer. If the Mandatory obtains such approval and delegates any duty in terms of section 16.2 a copy of such written delegation shall immediately be forwarded to the Employer.
 - b) All incidents referred to in The Act shall be reported by the Mandatory to the Department of Labour as well as to the Employer. The Employer will further be provided with copies of all written documentation relating to any incident.
 - c) The Employer hereby obtains an interest in the issue of any formal enquiry conducted in terms of section 32 of The Act into any incident involving the Mandatory and/or his employees and/or its subcontractors.

In witness thereof the parties hereto have set their signatures hereon in the presence of the subscribing witnesses:

SIGNED FOR AND ON BEHALF OF EMPLOYER:
WITNESS:
NAME (IN CAPITALS)

SIGNED FOR AND ON BEHALF OF THE MANDATARY
WITNESS:
NAME (IN CAPITALS):

C1.3.2 FORM OF GUARANTEE

To: The Department of Roads and Transport Private Bag X83 Marshalltown 2107

Note to tenderer:

This pro forma is for information only. The successful tenderer's guarantor will need to reproduce it without amendment, omission or addition for completion and lodgement with the Employer. A separate copy of this pro forma will be issued to the successful tenderer with the letter of acceptance.

TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

1.	I/We , the undersigned, and
	in our respective capacities as
	and
	and as such duly authorised to represent:
	do hereby hold at your disposal the amount of
	(R) including VAT, for the due fulfilment by
2.	The Guarantor hereby renounces the benefits of the exceptions non numeratae pecuniae, non causa debiti, excussionis and divisionis, the meanings and effect whereof we declare ourselves to be fully conversant.
3.	The Guarantor undertakes and agrees to pay to the Employer the said amount of R
	(R) including VAT, or such portion as may be demanded on receipt of a written demand from the Employer, which demand may be made by the Employer if, (in your opinion and at your sole discretion), the said Contractor fails and/or neglects to commence the work as prescribed in the contract or if he fails and/or neglects to proceed therewith or if, for any reason, he fails and/or neglects to complete the services in accordance with the conditions of contract, or if he fails or neglects to refund to the Employer any amount found to be due and payable to the Employer, or if his estate is sequestrated or if he surrenders his estate in terms of the Insolvency Law in force within the Republic of South Africa.
4.	Subject to the above and without in anyway detracting from your rights to adopt any of the procedures set out in the contract, the said demand can be made by you at any stage.
5.	The said amount of R

(R.....) including VAT, or such portion as may be demanded may be retained by the Employer on condition that after completion of the service, as stipulated in the contract, the Employer shall account to the Guarantor showing how this amount has been utilised and refund to the Guarantor any balance due.

- 6. This guarantee is neither negotiable nor transferable and
 - a) must be surrendered to the Guarantor at the time when the Employer accounts to the Guarantor in terms of clause 5 above, or
 - b) shall lapse upon the issue of the Taking-Over Certificate in terms of sub-clause 10.1 of the General Conditions of Contract and
 - c) shall not be interpreted as extending the Guarantor's liability to anything more than payment of the amount guaranteed.
- 7. This guarantee shall be governed by South African Law and subject to the jurisdiction of South African Courts.

THUS DONE AND	SIGNED AT	
ON THIS	DAY OF	. 20
GUARANTOR:		
AS WITNESSES:	1	
NAMES (PRINT)	1	
ADDRESSES		

C1.3.4 FORM OF BANKING DETAILS

Notes to Contractor:

- 1. The Employer applies an Electronic Funds Transfer system for all payments.
- 2. If you are already registered as a vendor with the Employer, you are not required to submit the documentation as per note 3.
- 3. If you are not registered as a vendor with the Employer, you are required to supply:
 - an original cancelled cheque bearing your company name and account number; or
 - if you are unable to supply an original cancelled cheque, you are to provide a letter on your letterhead as per the pro forma below and return the original letter to the address as stated in clause 1.3 of C1.2.2 Information provided by the Employer, delivered by hand or sent by post.

To: The Department of Roads and Transport Chief Directorate Maintenance 1215 Nico Smith Street Koedoespoort Pretoria 0186

Dear Sir

TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

BANKING DETAILS

By signing this document, we accept the following:

- The banking details submitted are those of and we take full responsibility for their correctness.
- We indemnify the Employer from any and all outcomes if an electronic transfer is made into an incorrect bank account using the banking details submitted.

Account Name:
Bank:
Branch Name:
Branch Code:
Account Number:
Yours sincerely

Authorised Signatory for

ΔΤΕ· '	



TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

Part C2.1 Pricing Instructions

- 1. Measurement and payment shall be in accordance with the relevant provisions of the Standard Specification for Road and Bridge Works for State Authorities (1998 edition) as amended in the Scope of Works.
- 2. The units of measurement described in these Bill of Quantities are metric units. Abbreviations used in these Bill of Quantities are as follows:

%	=	percent	m²-pass	=	square meter-pass
h	=	hour	m³	=	cubic meter
ha	=	hectare	m³-km	=	cubic meter/kilometer
kg	=	kilogram	MN	=	mega newton
kl	=	kiloliter	MN.m	=	mega newton-meter
km	=	kilometer	MPa	=	mega Pascal
km-pass	=	kilometer-pass	No.	=	number
kPa	=	kilopascal	Prov sum	=	Provisional sum
kW	=	kilowatt	PC sum	=	Prime Cost sum
I	=	liter	R/only	=	Rate only
m	=	meter	sum	=	lump sum
mm	=	millimeter	t	=	ton (1000 kg)
m²	=	square meter	W/day	=	Work day

- For the purpose of these Bills of Quantities, the following words shall have the meanings hereby assigned to them:
 - Unit: The unit of measurement for each item of work as defined in the Standard Specification for Road and Bridge Works for State Authorities (1998 edition).
 - Quantity: The number of units of work for each item.

3.

- Rate: The agreed payment per unit of measurement.
- Amount: The product of the quantity and the agreed rate for an item.
- Lump sum: An agreed amount for an item, the extent of which is described in the Bill of Quantities but the quantity of work of which is not measured in any units.

- 4. Unless otherwise stated, items are measured net in accordance with the drawings, and no allowance is made for waste.
- 5. It will be assumed that prices included in the Bill of Quantities, unless otherwise stated in the Scope of Work, are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published before the closing date for tenders. (Refer to www.stanza.org.za or www.iso.org for information on standards)
- 6. The prices and rates in this Bill of Quantities are fully inclusive prices for the work described under the items. Such prices and rates cover all costs and expenses that may be required in and for the execution of the work described in accordance with the provisions of the Scope of Work, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and profit.
- 7. Where the Scope of Work requires detailed drawings and designs or other information to be provided, all costs associated therewith are deemed to have been provided for and included in the unit rates and sum amount tendered such items

8. <u>All items in the Bill of Quantities need to be completed separately. No grouping of</u> items with a single lump sum will be allowed.

- 9. The quantities set out in these Bill of Quantities are approximate and do not necessarily represent the actual amount of work to be done. The quantities of work accepted and certified for payment will be used for determining payments due and not the quantities given in this Bill of Quantities.
- 10. Reasonable compensation will be received where no pay item appears in the Bill of Quantities in respect of work required in terms of the Contract and which is not covered in any other pay item.
- 11. The short descriptions of the items of payment given in these Bill of Quantities are only for the purposes of identifying the items. More details regarding the extent of the work entailed under each item appear in the Scope of Work.
- 12. The item numbers appearing in the Bill of Quantities refer to the corresponding item numbers in the COLTO Standard Specification for Road and Bridge Works for State Authorities (1998 edition).
- 13. The contractor shall bear all the costs and charges for special and temporary rights of way required by him in connection with access to the Site. The Contractor shall also provide at his own cost any additional facilities outside the Site required for the purposes of the Works.
- 14. The Bills of Quantities in the Tender Document must be completed in Black Ink and signed.
- 15. The Bills of Quantities in the Tender Document must be fully completed every item must be priced.
- 16. The Contract will come to an end when either the money or the time period is finished. It is the sole discretion of the Department to increase the quantities or not.



TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

Part C2.2 Bill of Quantities



TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

Part C2.2 Bill of Quantities

BILL A: BENONI REGION

<u>NB</u>: Tenderers must complete the schedule of rates in black ink.

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
5500	FENCING				
B55.10	Supply and delivery of fencing material:				
(A 1)	Wire plain 2mm, law SABS 675, fully galvanised law SABS 935, 50kg coils	roll	500		
(A 2)	Installation of wire	per m	10 000		
(B 1)	Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils	roll	700		
(B 2)	Installation of wire	per m	10 000		
(C 1)	Fully galvanised barbed wire angle string ("Champeon" or "Karoo" type) 4,5kN tensile strength in 35kg coils law SABS specification 675. Barbs 125mm apart. 2.8 X 1.9mm	roll	1 500		
(C 2)	Installation of barbed wire	per m	10 000		
(D 1)	Diamond wire, mesh, lightly galvanised law SABS 935, in coils of 30m. 1.8m X 40mm X2.5mm	roll	1 200		
(D 2)	diamond mesh SAP*181257 Installation of wire	per m	10 000		
(E 1)	Dropper, Iron, 1.25m X 0.56kg/m Ridgeback pattern (50 per bundle)	per bundle	2 000		
(E 2)	Installation of droppers	per bundle	2 000		
TOTAL C	CARRIED FORWARD TO SUMMARY C	DF BILL A			

ITEM	SUPPLY AND INSTALLATION OF FEI	UNIT	QUANTITY	RATE	AMOUNT
NO		•••••			
(F 1)	Farm gate heavy duty construction 2m long X 1.2m high 5 horizontal and 2 vertical flat mild steel strips. Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening blue Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate All metal surfaces cleaned & covered with one coat zinc chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.	per gate	250		
(F 2)	Installation of farm gate.	per gate	250		
(G 1)	Farm gate heavy duty construction 3m long X 1.2m high 5 horizontal and 2 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degrees in an arc of 203m without flattening				

DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
tube. Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate. All metal surfaces cleaned & covered with one coat of chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.	no	200		
Installation of farm gate	per gate	200		
Farm gate heavy duty construction 4.8m long X 1.2m high 5 horizontal and 4 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening tube Flat mild steel strips 30mm X 6mm welded between vertical sides as horizontal reinforcing and also between horizontal sides as vertical reinforcing. Cross-points thoroughly welded 2 hanger bolts 16mm thick X 225mm complete with 2 galvanised				
	tube. Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate. All metal surfaces cleaned & covered with one coat of chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use. Installation of farm gate Farm gate heavy duty construction 4.8m long X 1.2m high 5 horizontal and 4 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening tube Flat mild steel strips 30mm X 6mm welded between vertical sides as horizontal reinforcing and also between horizontal sides as vertical reinforcing. Cross-points thoroughly welded 2 hanger bolts 16mm thick X	tube. Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate. All metal surfaces cleaned & covered with one coat of chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.per gateFarm gate heavy duty construction 4.8m long X 1.2m high 5 horizontal and 4 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening tube Flat mild steel strips 30mm X 6mm welded between vertical sides as horizontal reinforcing and also between horizontal sides as vertical reinforcing. Cross-points thoroughly welded 2 hanger bolts 16mm thick X	tube. Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate. All metal surfaces cleaned & covered with one coat of chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.per gate200Farm gate heavy duty construction 4.8m long X 1.2m high 5 horizontal and 4 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening tube Flat mild steel strips 30mm X 6mm welded between vertical sides as horizontal reinforcing and also between horizontal sides as vertical reinforcing. Cross-points thoroughly welded 2 hanger bolts 16mm thick X	tube. Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate. All metal surfaces cleaned & covered with one coat of chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use. Installation of farm gate per gate 200 Farm gate heavy duty construction 4.8m long X 1.2m high 5 horizontal and 4 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees

TEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
0					
	Washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick secure directly above hinge of lower hanger bolt to carry mass of gate Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate All metal surfaces cleaned & covered	no	200		
	with one coat zinc chromite primer & outer coat of aluminium paint Complete for fitting, ready to use.				
(H 2)	Installation of farm gate	per gate	200		
(I 1)	Posts, gate or corner tubular, complete with cap and baseplates 230mm X 230mm X 5mm and pressed steel mushroom heads according to CKS specification 82 and for tubing size to SABS 657 with a wall thickness of 3mm nominal O.D. spacing holes according to SABS specification 280 – 2.4mm X 76mm Nominal O.D. X 3mm Complete unit dipped in black bitumastic paint after assembly and drilling of holes	no	350		
(I 2)	Installation of posts	per post	350		
(J 1)	Stays gate post, tubular with baseplates 150 X 150 X 3mm welded on. Top of stay flattened with 13mm hole drilled 25mm from top of stay complete unit to be dipped in				

ITEM	SUPPLY AND INSTALLATION OF FEI	UNIT	QUANTITY	RATE	AMOUNT
NO					
	Bitumastic paint after flattening of end and drilling of holes. 1.8m X 38mm, nominal O.D. X 3mm according to CKS 82 & SABS 657	no	350		
(J 2)	Installation of posts	per post	350		
(K 1)	Standard Y-section, 1.85m length, 2kg/m in bundles of 10	per bundle	850		
(K 2)	Installation of Y-section	per bundle	850		
(L 1)	Standard Y-section, 2.4m lengths, 2kg/m in bundles of 10	per bundle	2 000		
(L 2)	Installation of Y-section	per bundle	2 000		
(M 1)	Post straining, in accordance with CKS spec 82 Iron rail pattern (optional-spacing of holes according to latest issue of SABS specification 280) To be painted with one coat of bitumastic paint. Post 2.1m long with mass of 15kg/m each.	no	3 000		
(M 2)	Installation of posts	per post	3000		
(N 1)	Palisade panels, 3m (L) X 1.8m (H), painted with red oxide, 21 pales per panel 30mm X 3mm thick	no	4 000		
(N 2)	Installation of panels	per panel	4 000		
TOTAL					
IUTAL	ARRIED FORWARD TO SUMMARY C	PF DILL A			

ITEM	SUPPLY AND INSTALLATION OF FEI	UNIT	QUANTITY	RATE	AMOUNT
NO		•••••			
(Q 1)	Razor mesh panel standard, (H) 1.8m X (L) 6m with aperture size 150mm, rolls	no	850		
(Q 2)	Installation of panel	per panel	850		
(R 1)	Razor mesh panel standard (H) 2.4mm X (L) 30m with aperture size 150mm X 300mm	no	700		
(R 2)	Installation of panels	per panel	700		
TOTAL C	CARRIED FORWARD TO SUMMARY C)F BILL A			

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
B55.11	Provisional sum for equipment				
(A)	Equipment	Prov Sum	1		1 000 000.00
(B)	Handling cost and profit in respect of Subitem B55.11(a)	%	1 000 000	10%	100 000.00
B55.12	Additional Fencing Related Products				
(A)	Supply of additional fencing products	Prov Sum	1		2 000 000.00
(B)	Handling cost and profit in respect of Subitem B55.12	%	2 000 000	10%	200 000.00
B55.13	Traffic Accommodation (as approved by the Engineer) (As and when required)				
(A)	Traffic accommodation	Prov Sum	1		2 000 000.00
(B)	Handling cost and profit in respect of Subitem B55.13	%	2 000 000	10%	200 000.00
TOTAL C	CARRIED FORWARD TO SUMMARY C	DF BILL A		I	5 500 000.00



TENDER NO. DRT 08/06/2022

FOR

SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

SUMMARY AND CALCULATION OF TENDER SUM: BILL A - BENONI REGION

B5500:	FENCING	
B5500:	FENCING EQUIPMENT, ADDITIONAL PRODUCTS AND TRAFFIC ACCOMMODATION	

SUBTOTAL

ADD 15% CONTINGENCIES

SUBTOTAL

VALUE-ADDED TAX (VAT)(15%)

|--|

SIGNED ON BEHALF OF TENDERER:



TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

Part C2.2 Bill of Quantities

BILL B: BRONKHORSTSPRUIT REGION

<u>NB</u>: Tenderers must complete the schedule of rates in black ink.

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
5500	FENCING				
B55.10	Supply and delivery of fencing material:				
(A 1)	Wire plain 2mm, law SABS 675, fully galvanised law SABS 935, 50kg coils	roll	350		
(A 2)	Installation of wire	per m	7 000		
(B 1)	Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils	roll	450		
(B 2)	Installation of wire	per m	7 000		
(C 1) (C 2)	Fully galvanised barbed wire angle string ("Champeon" or "Karoo" type) 4,5kN tensile strength in 35kg coils law SABS specification 675. Barbs 125mm apart. 2.8 X 1.9mm Installation of barbed wire	roll per m	1 300 7 000		
(D 1)	Diamond wire, mesh, lightly galvanised law SABS 935, in coils of 30m. 1.8m X 40mm X2.5mm diamond mesh SAP*181257	roll	900		
(D 2)	Installation of wire	per m	7 000		
(E 1)	Dropper, Iron, 1.25m X 0.56kg/m Ridgeback pattern (50 per bundle)	per bundle	900		
(E 2)	Installation of droppers	per bundle	900		
TOTAL C	ARRIED FORWARD TO SUMMARY C) F BILL B			

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
(F 1)	Farm gate heavy duty construction 2m long X 1.2m high 5 horizontal and 2 vertical flat mild steel strips. Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening blue Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate All metal surfaces cleaned & covered with one coat zinc chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.	per gate	180		
(F 2)	Installation of farm gate.	per gate	180		
(G 1)	Farm gate heavy duty construction 3m long X 1.2m high 5 horizontal and 2 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degrees in an arc of 203m without flattening				

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
	tube. Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate. All metal surfaces cleaned & covered with one coat of chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.	no	140		
(G 2)	Installation of farm gate	per gate	140		
(H 1)	Farm gate heavy duty construction 4.8m long X 1.2m high 5 horizontal and 4 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening tube Flat mild steel strips 30mm X 6mm welded between vertical sides as horizontal reinforcing and also between horizontal sides as vertical reinforcing. Cross-points thoroughly welded 2 hanger bolts 16mm thick X 225mm complete with 2 galvanised				

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
	Washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick secure directly above hinge of lower hanger bolt to carry mass of gate Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate All metal surfaces cleaned & covered with one coat zinc chromite primer & outer coat of aluminium paint Complete for fitting, ready to use.	no	130		
(H 2)	Installation of farm gate	per gate	130		
(I 1)	Posts, gate or corner tubular, complete with cap and baseplates 230mm X 230mm X 5mm and pressed steel mushroom heads according to CKS specification 82 and for tubing size to SABS 657 with a wall thickness of 3mm nominal O.D. spacing holes according to SABS specification 280 – 2.4mm X 76mm Nominal O.D. X 3mm Complete unit dipped in black bitumastic paint after assembly and drilling of holes	no	280		
(I 2)	Installation of posts	per post	280		
(J 1) TOTAL C	Stays gate post, tubular with baseplates 150 X 150 X 3mm welded on. Top of stay flattened with 13mm hole drilled 25mm from top of stay complete unit to be dipped in CARRIED FORWARD TO SUMMARY C	DF BILL B			

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
	Bitumastic paint after flattening of end and drilling of holes. 1.8m X 38mm, nominal O.D. X 3mm according to CKS 82 & SABS 657	no	280		
(J 2)	Installation of posts	per post	280		
(K 1)	Standard Y-section, 1.85m length, 2kg/m in bundles of 10	per bundle	725		
(K 2)	Installation of Y-section	per bundle	725		
(L 1)	Standard Y-section, 2.4m lengths, 2kg/m in bundles of 10	per bundle	1 700		
(L 2)	Installation of Y-section	per bundle	1 700		
(M 1)	Post straining, in accordance with CKS spec 82 Iron rail pattern (optional-spacing of holes according to latest issue of SABS specification 280) To be painted with one coat of bitumastic paint. Post 2.1m long with mass of 15kg/m each.	no	2 700		
(M 2)	Installation of posts	per post	2 700		
(N 1)	Palisade panels, 3m (L) X 1.8m (H), painted with red oxide, 21 pales per panel 30mm X 3mm thick	no	3 400		
(N 2)	Installation of panels	per panel	3 400		
TOTAL C	CARRIED FORWARD TO SUMMARY C	OF BILL B			

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
NO					
(Q 1)	Razor mesh panel standard, (H) 1.8m X (L) 6m with aperture size 150mm, rolls	no	725		
(Q 2)	Installation of panel	per panel	725		
(R 1)	Razor mesh panel standard (H) 2.4mm X (L) 30m with aperture size 150mm X 300mm	no	400		
(R 2)	Installation of panels	per panel	400		
TOTAL C	ARRIED FORWARD TO SUMMARY C) F BILL B			

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
B55.11	Provisional sum for equipment				
(A)	Equipment	Prov Sum	1		2 000 000.00
(B)	Handling cost and profit in respect of Subitem B55.11(a)	%	2 000 000	10%	200 000.00
B55.12	Additional Fencing Related Products				
(A)	Supply of additional fencing products	Prov Sum	1		2 000 000.00
(B)	Handling cost and profit in respect of Subitem B55.12	%	2 000 000	10%	200 000.00
B55.13	Traffic Accommodation (as approved by the Engineer) (As and when required)				
(A)	Traffic accommodation	Prov Sum	1		1 500 000.00
(B)	Handling cost and profit in respect of Subitem B55.13	%	1 500 000	10%	150 000.00
TOTAL C	CARRIED FORWARD TO SUMMARY C	DF BILL B			6 050 000.00



TENDER NO. DRT 08/06/2022

FOR

SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

SUMMARY AND CALCULATION OF TENDER SUM: BILL B – BRONKHORSTSPRUIT REGION

B5500:	FENCING	
B5500:	FENCING EQUIPMENT, ADDITIONAL PRODUCTS AND TRAFFIC ACCOMMODATION	

SUBTOTAL

ADD 15% CONTINGENCIES

SUBTOTAL

VALUE-ADDED TAX (VAT)(15%)

TENDER SUM CARRIED TO FORM OF OFFER	
-------------------------------------	--

SIGNED ON BEHALF OF TENDERER:



TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

Part C2.2 Bill of Quantities

BILL C: KRUGERSDORP REGION

<u>NB</u>: Tenderers must complete the schedule of rates in black ink.

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO		•••••			
5500	FENCING				
B55.10	Supply and delivery of fencing				
	material:				
(A 1)	Wire plain 2mm, law SABS 675, fully				
(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	galvanised law SABS 935, 50kg	roll	900		
	coils				
(A 2)	Installation of wire	per m	20 000		
(B 1)	Wire plain 4mm, law SABS 675, fully				
(D I)	galvanised law SABS 935, 50kg	roll	1 000		
	coils	1011	1 000		
(B 2)	Installation of wire	per m	20 000		
	Fully askessional backsel (1999)				
(C 1)	Fully galvanised barbed wire angle string ("Champeon" or "Karoo" type)				
	4,5kN tensile strength in 35kg coils	roll	2 500		
	law SABS specification 675. Barbs				
	125mm apart. 2.8 X 1.9mm				
(C 2)	Installation of barbed wire	per m	2 500		
(D 1)	Diamond wire, mesh, lightly				
()	galvanised law SABS 935, in coils of				
	30m. 1.8m X 40mm X2.5mm	roll	2 000		
	diamond mesh SAP*181257				
(D 2)	Installation of wire	per m	20 000		
(E 1)	Dropper, Iron, 1.25m X 0.56kg/m	per bundle	4 000		
, , ,	Ridgeback pattern (50 per bundle)				
(E 2)	Installation of droppers	per bundle	4 000		
TOTAL C	ARRIED FORWARD TO SUMMARY C	OF BILL C			

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
(F 1)	Farm gate heavy duty construction 2m long X 1.2m high 5 horizontal and 2 vertical flat mild steel strips. Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening blue Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate All metal surfaces cleaned & covered with one coat zinc chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.	per gate	400		
(F 2)	Installation of farm gate.	per gate	400		
(G 1)	Farm gate heavy duty construction 3m long X 1.2m high 5 horizontal and 2 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degrees in an arc of 203m without flattening CARRIED FORWARD TO SUMMARY O				

ITEM DESCRIPTION	UNIT	QUANTITY		
			RATE	AMOUNT
NO				
tube. Flat mild steel strips 30mm 2 6mm welded between horizonta sides as vertical reinforcing Cross points thoroughly welded 2 hange bolts 16mm thick X 225mm lon measured from eye, threaded for 200mm complete with 2 galvanise washers & 2 hexagonal nuts per gate. Weld 75mm wide flat meta collar 2.6mm thick in position aroun gate frame as reinforcing for swivelling of hanger bolt eye. Wel cover of round mild steel 16mm thic securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring aroun gate frame on opening side of gate All metal surfaces cleaned & covere with one coat of chromite primer of outer coat of aluminium pain Complete for fitting, ready for use.	II	400		
(G 2) Installation of farm gate	per gate	400		
(H 1) Farm gate heavy duty constructio 4.8m long X 1.2m high 5 horizonta and 4 vertical flat mild steel strip Gate frame to be steel tubing 2.8mr thick & outer dia. 42mm Both lowe angles mitre-squared at 45 degree Both upper angles bent 90 degree i an arc of 203m without flattenin tube Flat mild steel strips 30mm 2 6mm welded between vertical side as horizontal reinforcing and als between horizontal sides as vertica reinforcing. Cross-points thoroughl welded 2 hanger bolts 16mm thick 2 225mm complete with 2 galvanised	II s n r s n g K s s o l			
		÷	•	1

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO		•••••			
	Washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick secure directly above hinge of lower hanger bolt to carry mass of gate Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate All metal surfaces cleaned & covered with one coat zinc chromite primer & outer coat of aluminium paint Complete for fitting, ready to use.	no	400		
(H 2)	Installation of farm gate	per gate	400		
(I 1)	Posts, gate or corner tubular, complete with cap and baseplates 230mm X 230mm X 5mm and pressed steel mushroom heads according to CKS specification 82 and for tubing size to SABS 657 with a wall thickness of 3mm nominal O.D. spacing holes according to SABS specification 280 – 2.4mm X 76mm Nominal O.D. X 3mm Complete unit dipped in black bitumastic paint after assembly and drilling of holes	no	800		
(I 2)	Installation of posts	per post	800		
(J 1) TOTAL C	Stays gate post, tubular with baseplates 150 X 150 X 3mm welded on. Top of stay flattened with 13mm hole drilled 25mm from top of stay complete unit to be dipped in CARRIED FORWARD TO SUMMARY C	F BILL C			

	ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
end and drilling of holes. 1.8m X 38mm, nominal O.D. X 3mm according to CKS 82 & SABS 657no800(J 2)Installation of postsper post800(K 1)Standard Y-section, 1.85m length, 2kg/m in bundles of 10per bundle1 200(K 2)Installation of Y-sectionper bundle1 200(L 1)Standard Y-section, 2.4m lengths, 2kg/m in bundles of 10per bundle3 300(L 2)Installation of Y-sectionper bundle3 300(L 2)Installation of Y-sectionper bundle3 300(M 1)Post straining, in accordance with CKS spec 82 Iron rail pattern (optional-spacing of holes according to latest issue of SABS specification 280) To be painted with one coat of bitumastic paint. Post 2.1m long with mass of 15kg/m each.per post5 000(M 2)Installation of postsper post5 000(N 1)Palisade panels, 3m (L) X 1.8m (H), painted with red oxide, 21 pales per panel 30mm X 3mm thickno6 600(N 2)Installation of panelsper panel6 600	NO					
(K 1)Standard Y-section, 1.85m length, 2kg/m in bundles of 10per bundle1 200(K 2)Installation of Y-sectionper bundle1 200(L 1)Standard Y-section, 2.4m lengths, 2kg/m in bundles of 10per bundle3 300(L 2)Installation of Y-sectionper bundle3 300(L 2)Installation of Y-sectionper bundle3 300(M 1)Post straining, in accordance with CKS spec 82 Iron rail pattern (optional-spacing of holes according to latest issue of SABS specification 280) To be painted with one coat of bitumastic paint. Post 2.1m long with mass of 15kg/m each.no4 700(M 2)Installation of postsper post5 000(N 1)Palisade panels, 3m (L) X 1.8m (H), painted with red oxide, 21 pales per panel 30mm X 3mm thickno6 600(N 2)Installation of panelsper panel6 600		end and drilling of holes. 1.8m X 38mm, nominal O.D. X 3mm	no	800		
2kg/m in bundles of 10per bundle1 200(K 2)Installation of Y-sectionper bundle1 200(L 1)Standard Y-section, 2.4m lengths, 2kg/m in bundles of 10per bundle3 300(L 2)Installation of Y-sectionper bundle3 300(L 2)Installation of Y-sectionper bundle3 300(M 1)Post straining, in accordance with CKS spec 82 Iron rail pattern (optional-spacing of holes according 	(J 2)	Installation of posts	per post	800		
(L 1)Standard Y-section, 2.4m lengths, 2kg/m in bundles of 10per bundle3 300(L 2)Installation of Y-sectionper bundle3 300(M 1)Post straining, in accordance with CKS spec 22 Iron rail pattern (optional-spacing of holes according to latest issue of SABS specification 280) To be painted with one coat of bitumastic paint. Post 2.1m long with mass of 15kg/m each.no4 700(M 2)Installation of postsper post5 000(N 1)Palisade panels, 3m (L) X 1.8m (H), painted with red oxide, 21 pales per panel 30mm X 3mm thickno6 600(N 2)Installation of panelsper panel6 600	(K 1)	_	per bundle	1 200		
2kg/m in bundles of 10per bundle3 300(L 2)Installation of Y-sectionper bundle3 300(M 1)Post straining, in accordance with CKS spec 82 Iron rail pattern (optional-spacing of holes according to latest issue of SABS specification 280) To be painted with one coat of bitumastic paint. Post 2.1m long with mass of 15kg/m each.no4 700(M 2)Installation of postsper post5 000(N 1)Palisade panels, 3m (L) X 1.8m (H), painted with red oxide, 21 pales per panel 30mm X 3mm thickno6 600(N 2)Installation of panelsper panel6 600	(K 2)	Installation of Y-section	per bundle	1 200		
(M 1)Post straining, in accordance with CKS spec 82 Iron rail pattern (optional-spacing of holes according to latest issue of SABS specification 280) To be painted with one coat of bitumastic paint. Post 2.1m long with mass of 15kg/m each.no4 700(M 2)Installation of postsper post5 000(N 1)Palisade panels, 3m (L) X 1.8m (H), painted with red oxide, 21 pales per panel 30mm X 3mm thickno6 600(N 2)Installation of panelsper panel6 600	(L 1)	_	per bundle	3 300		
CKS spec 82 Iron rail pattern (optional-spacing of holes according to latest issue of SABS specification 280) To be painted with one coat of bitumastic paint. Post 2.1m long with mass of 15kg/m each.no4 700(M 2)Installation of postsper post5 000(N 1)Palisade panels, 3m (L) X 1.8m (H), painted with red oxide, 21 pales per panel 30mm X 3mm thickno6 600(N 2)Installation of panelsper panel6 600	(L 2)	Installation of Y-section	per bundle	3 300		
(N 1)Palisade panels, 3m (L) X 1.8m (H), painted with red oxide, 21 pales per panel 30mm X 3mm thickno6 600(N 2)Installation of panelsper panel6 600	(M 1)	CKS spec 82 Iron rail pattern (optional-spacing of holes according to latest issue of SABS specification 280) To be painted with one coat of bitumastic paint. Post 2.1m long with	no	4 700		
painted with red oxide, 21 pales per panel 30mm X 3mm thickno6 600(N 2)Installation of panelsper panel6 600	(M 2)	Installation of posts	per post	5 000		
	(N 1)	painted with red oxide, 21 pales per	no	6 600		
	(N 2)	Installation of panels	per panel	6 600		

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
			QUANTIT	TAIE	
NO					
(Q 1)	Razor mesh panel standard, (H) 1.8m X (L) 6m with aperture size 150mm, rolls	no	1 000		
(Q 2)	Installation of panel	per panel	1 000		
(R 1)	Razor mesh panel standard (H) 2.4mm X (L) 30m with aperture size 150mm X 300mm	no	1 000		
(R 2)	Installation of panels	per panel	1 000		
TOTAL C	ARRIED FORWARD TO SUMMARY C	OF BILL C			

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	
NO						
B55.11	Provisional sum for equipment					
(A)	Equipment	Prov Sum	1		2 000 000.00	
(B)	Handling cost and profit in respect of			100/		
	Subitem B55.11(a)	%	2 000 000	10%	200 000.00	
B55.12	Additional Fencing Related					
200112	Products					
			1		2 000 000.00	
(A)	Supply of additional fencing products	Prov Sum				
(B)	Handling cost and profit in respect of	%	2 000 000	10%	200 000.00	
	Subitem B55.12					
B55.13	Traffic Accommodation (as					
D00.10	approved by the Engineer) (As					
	and when required)					
(A)	Traffic accommodation	Prov Sum	1		2 000 000.00	
(B)	Handling cost and profit in respect of	%	2 000 000	10%	200 000.00	
	Subitem B55.13					
TOTAL C	CARRIED FORWARD TO SUMMARY C	OF BILL C	1		6 600 000.00	



TENDER NO. DRT 08/06/2022

FOR

SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

SUMMARY AND CALCULATION OF TENDER SUM: BILL C – KRUGERSDORP REGION

B5500:	FENCING	
B5500:	FENCING EQUIPMENT, ADDITIONAL PRODUCTS AND TRAFFIC ACCOMMODATION	

SUBTOTAL

ADD 15% CONTINGENCIES

SUBTOTAL

VALUE-ADDED TAX (VAT)(15%)

TENDER SUM CARRIED TO FORM OF OFFER		
-------------------------------------	--	--

SIGNED ON BEHALF OF TENDERER:



TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

Part C2.2 Bill of Quantities

BILL D: PRETORIA REGION

<u>NB</u>: Tenderers must complete the schedule of rates in black ink.

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO			QUANTIT		AMOUNT
5500	FENCING				
B55.10	Supply and delivery of fencing				
	material:				
(A 1)	Wire plain 2mm, law SABS 675, fully				
(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	galvanised law SABS 935, 50kg	roll	800		
	coils				
(A 2)	Installation of wire	per m	12 000		
(B 1)	Wire plain 4mm, law SABS 675, fully				
	galvanised law SABS 935, 50kg	roll	950		
	coils				
(B 2)	Installation of wire	per m	12 000		
(C 1)	Fully galvanised barbed wire angle				
()	string ("Champeon" or "Karoo" type)				
	4,5kN tensile strength in 35kg coils	roll	1 900		
	law SABS specification 675. Barbs				
(C 2)	125mm apart. 2.8 X 1.9mm Installation of barbed wire	per m	12 000		
(02)	Installation of barbed wire	perm	12 000		
(D 1)	Diamond wire, mesh, lightly				
	galvanised law SABS 935, in coils of 30m. 1.8m X 40mm X2.5mm	roll	1 000		
	diamond mesh SAP*181257	roll	1 800		
(D 2)	Installation of wire	per m	12 000		
			0.000		
(E 1)	Dropper, Iron, 1.25m X 0.56kg/m Ridgeback pattern (50 per bundle)	per bundle	2 800		
(E 2)	Installation of droppers	per bundle	2 800		
、 ,	••				
TOTAL C	L CARRIED FORWARD TO SUMMARY C	OF BILL D		<u> </u>	

ITEM	SUPPLY AND INSTALLATION OF FEI	UNIT	QUANTITY	RATE	AMOUNT
NO					
(F 1)	Farm gate heavy duty construction 2m long X 1.2m high 5 horizontal and 2 vertical flat mild steel strips. Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening blue Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate All metal surfaces cleaned & covered with one coat zinc chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.	per gate	350		
(F 2)	Installation of farm gate.	per gate	350		
(G 1)	Farm gate heavy duty construction 3m long X 1.2m high 5 horizontal and 2 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degrees in an arc of 203m without flattening				

			1	-
DESCRIPTION	UNIT	QUANTITY	RAIE	AMOUNT
tube. Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate. All metal surfaces cleaned & covered with one coat of chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.	no	270		
Installation of farm gate	per gate	270		
Farm gate heavy duty construction 4.8m long X 1.2m high 5 horizontal and 4 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening tube Flat mild steel strips 30mm X 6mm welded between vertical sides as horizontal reinforcing and also between horizontal sides as vertical reinforcing. Cross-points thoroughly welded 2 hanger bolts 16mm thick X 225mm complete with 2 galvanised				
	DESCRIPTION tube. Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate. All metal surfaces cleaned & covered with one coat of chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.Installation of farm gateFarm gate heavy duty construction 4.8m long X 1.2m high 5 horizontal and 4 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening tube Flat mild steel strips 30mm X 6mm welded between vertical sides as horizontal reinforcing and also between horizontal sides as vertical reinforcing. Cross-points thoroughly welded 2 hanger bolts 16mm thick X 225mm complete with 2 galvanised	DESCRIPTIONUNITtube. Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate. All metal surfaces cleaned & covered with one coat of chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.per gateFarm gate heavy duty construction 4.8m long X 1.2m high 5 horizontal and 4 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bert 90 degree in an arc of 203m without flattening tube Flat mild steel strips 30mm X 6mm welded between vertical sides as horizontal reinforcing and also between horizontal sides as vertical reinforcing. Cross-points thoroughly welded 2 hanger bolts 16mm thick X 225mm complete with 2 galvanised	DESCRIPTIONUNITQUANTITYtube. Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate. All metal surfaces cleaned & covered with one coat of chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use. Installation of farm gateper gate270Farm gate heavy duty construction 4.8m long X 1.2m high 5 horizontal and 4 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening tube Flat mild steel strips 30mm X 6mm welded between vertical sides as horizontal reinforcing and also between horizontal sides as vertical reinforcing. Cross-points thoroughly welded 2 hanger bolts 16mm thick X 225mm complete with 2 galvanised	tube. Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm lower on opening side of gate. All metal surfaces cleaned & covered with one coat of chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use. Installation of farm gate per gate Parm gate heavy duty construction 4.3m Hota Steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening tube Flat mild steel strips 30mm X form welded between vertical sides

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
	Washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick secure directly above hinge of lower hanger bolt to carry mass of gate Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate All metal surfaces cleaned & covered with one coat zinc chromite primer & outer coat of aluminium paint	no	260		
(H 2)	Complete for fitting, ready to use. Installation of farm gate	per gate	260		
(I 1) (I 2)	Posts, gate or corner tubular, complete with cap and baseplates 230mm X 230mm X 5mm and pressed steel mushroom heads according to CKS specification 82 and for tubing size to SABS 657 with a wall thickness of 3mm nominal O.D. spacing holes according to SABS specification 280 – 2.4mm X 76mm Nominal O.D. X 3mm Complete unit dipped in black bitumastic paint after assembly and drilling of holes Installation of posts	no per post	700		
(J 1)	Stays gate post, tubular with baseplates 150 X 150 X 3mm welded on. Top of stay flattened with 13mm hole drilled 25mm from top of stay complete unit to be dipped in				

ITEM	SUPPLY AND INSTALLATION OF FEI DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
	Bitumastic paint after flattening of end and drilling of holes. 1.8m X 38mm, nominal O.D. X 3mm according to CKS 82 & SABS 657	no	700		
(J 2)	Installation of posts	per post	700		
(K 1)	Standard Y-section, 1.85m length, 2kg/m in bundles of 10	per bundle	1 100		
(K 2)	Installation of Y-section	per bundle	1 100		
(L 1)	Standard Y-section, 2.4m lengths, 2kg/m in bundles of 10	per bundle	2 700		
(L 2)	Installation of Y-section	per bundle	2 700		
(M 1)	Post straining, in accordance with CKS spec 82 Iron rail pattern (optional-spacing of holes according to latest issue of SABS specification 280) To be painted with one coat of bitumastic paint. Post 2.1m long with mass of 15kg/m each.	no	3 850		
(M 2)	Installation of posts	per post	3 850		
(N 1)	Palisade panels, 3m (L) X 1.8m (H), painted with red oxide, 21 pales per panel 30mm X 3mm thick	no	6 000		
(N 2)	Installation of panels	per panel	6 000		
TOTAL	ARRIED FORWARD TO SUMMARY C				

	SUPPLY AND INSTALLATION OF FEI				
	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
(Q 1)	Razor mesh panel standard, (H) 1.8m X (L) 6m with aperture size 150mm, rolls	no	1 100		
(Q 2)	Installation of panel	per panel	1 100		
(R 1)	Razor mesh panel standard (H) 2.4mm X (L) 30m with aperture size 150mm X 300mm	no	900		
(R 2)	Installation of panels	per panel	900		
TOTAL	CARRIED FORWARD TO SUMMARY C				
IUTAL					

ITEM NO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
B55.11	Provisional sum for equipment				
(A)	Equipment	Prov Sum	1		2 000 000.00
(B)	Handling cost and profit in respect of Subitem B55.11(a)	%	2 000 000	10%	200 000.00
B55.12	Additional Fencing Related Products				
(A)	Supply of additional fencing products	Prov Sum	1		2 000 000.00
(B)	Handling cost and profit in respect of Subitem B55.12	%	2 000 000	10%	200 000.00
B55.13	Traffic Accommodation (as approved by the Engineer) (As and when required)				
(A)	Traffic accommodation	Prov Sum	1		2 000 000.00
(B)	Handling cost and profit in respect of Subitem B55.13	%	2 000 000	10%	200 000.00
TOTAL C	CARRIED FORWARD TO SUMMARY C	DF BILL D	1	1	6 600 000.00



TENDER NO. DRT 08/06/2022

FOR

SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

SUMMARY AND CALCULATION OF TENDER SUM: BILL D - PRETORIA REGION

B5500:	FENCING	
B5500:	FENCING EQUIPMENT, ADDITIONAL PRODUCTS AND TRAFFIC ACCOMMODATION	

SUBTOTAL

ADD 15% CONTINGENCIES

SUBTOTAL

VALUE-ADDED TAX (VAT)(15%)

SIGNED ON BEHALF OF TENDERER:



TENDER NUMBER: DRT 08/06/2022 SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

Part C2.2 Bill of Quantities

BILL E: VEREENIGING REGION

<u>NB</u>: Tenderers must complete the schedule of rates in black ink.

ITEM NODESCRIPTION5500FENCING B55.10 Supply and delivery of fencing material:(A 1)Wire plain 2mm, law SABS 675, fully galvanised law SABS 935, 50kg coils(A 2)Installation of wire(B 1)Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils(B 1)Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils(B 1)Fully galvanised barbed wire angle string ("Champeon" or "Karoo" type) 4,5kN tensile strength in 35kg coils law SABS specification 675. Barbs 125mm apart. 2.8 X 1.9mm (C 2)(C 2)Installation of barbed wire	roll per m	QUANTITY 700 8 500	RATE	AMOUNT
5500FENCINGB55.10Supply and delivery of fencing material:(A 1)Wire plain 2mm, law SABS 675, fully galvanised law SABS 935, 50kg coils Installation of wire(A 2)Installation of wire(B 1)Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils Installation of wire(B 1)Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils 				
B55.10Supply and delivery of fencing material:(A 1)Wire plain 2mm, law SABS 675, fully galvanised law SABS 935, 50kg coils Installation of wire(A 2)Installation of wire(B 1)Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils Installation of wire(B 1)Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils Installation of wire(C 1)Fully galvanised barbed wire angle string ("Champeon" or "Karoo" type) 4,5kN tensile strength in 35kg coils law SABS specification 675. Barbs 125mm apart. 2.8 X 1.9mm Installation of barbed wire				
B55.10Supply and delivery of fencing material:(A 1)Wire plain 2mm, law SABS 675, fully galvanised law SABS 935, 50kg coils Installation of wire(A 2)Installation of wire(B 1)Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils Installation of wire(B 1)Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils Installation of wire(C 1)Fully galvanised barbed wire angle string ("Champeon" or "Karoo" type) 4,5kN tensile strength in 35kg coils law SABS specification 675. Barbs 125mm apart. 2.8 X 1.9mm Installation of barbed wire				
 material: (A 1) Wire plain 2mm, law SABS 675, fully galvanised law SABS 935, 50kg coils (A 2) Installation of wire (B 1) Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils (B 2) Installation of wire (C 1) Fully galvanised barbed wire angle string ("Champeon" or "Karoo" type) 4,5kN tensile strength in 35kg coils law SABS specification 675. Barbs 125mm apart. 2.8 X 1.9mm (C 2) Installation of barbed wire 				
 (A 2) galvanised law SABS 935, 50kg coils (A 2) Installation of wire (B 1) Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils (B 2) Installation of wire (C 1) Fully galvanised barbed wire angle string ("Champeon" or "Karoo" type) 4,5kN tensile strength in 35kg coils law SABS specification 675. Barbs 125mm apart. 2.8 X 1.9mm (C 2) Installation of barbed wire 				
 (A 2) Installation of wire (B 1) Wire plain 4mm, law SABS 675, fully galvanised law SABS 935, 50kg coils (B 2) Installation of wire (C 1) Fully galvanised barbed wire angle string ("Champeon" or "Karoo" type) 4,5kN tensile strength in 35kg coils law SABS specification 675. Barbs 125mm apart. 2.8 X 1.9mm (C 2) Installation of barbed wire 	per m	8 500		
 (B 2) galvanised law SABS 935, 50kg coils (B 2) Installation of wire (C 1) Fully galvanised barbed wire angle string ("Champeon" or "Karoo" type) 4,5kN tensile strength in 35kg coils law SABS specification 675. Barbs 125mm apart. 2.8 X 1.9mm (C 2) Installation of barbed wire 				
 (B 2) Installation of wire (C 1) Fully galvanised barbed wire angle string ("Champeon" or "Karoo" type) 4,5kN tensile strength in 35kg coils law SABS specification 675. Barbs 125mm apart. 2.8 X 1.9mm (C 2) Installation of barbed wire 	roll	850		
string ("Champeon" or "Karoo" type) 4,5kN tensile strength in 35kg coils law SABS specification 675. Barbs 125mm apart. 2.8 X 1.9mm (C 2) Installation of barbed wire	per m	8 500		
	roll per m	2 000 8 500		
		0.000		
 (D 1) Diamond wire, mesh, lightly galvanised law SABS 935, in coils of 30m. 1.8m X 40mm X2.5mm diamond mesh SAP*181257 	roll	1 500		
(D 2) Installation of wire	per m	8 500		
(E 1) Dropper, Iron, 1.25m X 0.56kg/m Ridgeback pattern (50 per bundle)	per bundle	2 800		
(E 2) Installation of droppers	per bundle	2 800		
TOTAL CARRIED FORWARD TO SUMMARY O				

	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
(F 1)	Farm gate heavy duty construction 2m long X 1.2m high 5 horizontal and 2 vertical flat mild steel strips. Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening blue Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate All metal surfaces cleaned & covered with one coat zinc chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.	per gate	300		
(F 2)	Installation of farm gate.	per gate	300		
(G 1)	Farm gate heavy duty construction 3m long X 1.2m high 5 horizontal and 2 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degrees in an arc of 203m without flattening				
TOTAL C	CARRIED FORWARD TO SUMMARY O	OF BILL E			

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO		0			
NU	tube. Flat mild steel strips 30mm X 6mm welded between horizontal sides as vertical reinforcing Cross- points thoroughly welded 2 hanger bolts 16mm thick X 225mm long measured from eye, threaded for 200mm complete with 2 galvanised washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick securely directly above hinge of lower hanger bolt to carry mass of gate. Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate. All metal surfaces cleaned & covered with one coat of chromite primer & outer coat of aluminium paint. Complete for fitting, ready for use.	no	250		
(G 2)	Installation of farm gate	per gate	250		
(H 1)	Farm gate heavy duty construction 4.8m long X 1.2m high 5 horizontal and 4 vertical flat mild steel strips Gate frame to be steel tubing 2.8mm thick & outer dia. 42mm Both lower angles mitre-squared at 45 degrees Both upper angles bent 90 degree in an arc of 203m without flattening tube Flat mild steel strips 30mm X 6mm welded between vertical sides as horizontal reinforcing and also between horizontal sides as vertical reinforcing. Cross-points thoroughly welded 2 hanger bolts 16mm thick X 225mm complete with 2 galvanised	FBILL F			
TOTAL C	ARRIED FORWARD TO SUMMARY O	F BILL E			

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO					
	Washers & 2 hexagonal nuts per gate. Weld 75mm wide flat metal collar 2.6mm thick in position around gate frame as reinforcing for swivelling of hanger bolt eye. Weld cover of round mild steel 16mm thick secure directly above hinge of lower hanger bolt to carry mass of gate Supply no 3 chains, 150mm long to 6mm mild steel ring around gate frame on opening side of gate All metal surfaces cleaned & covered with one coat zinc chromite primer & outer coat of aluminium paint Complete for fitting, ready to use.	no	250		
(H 2)	Installation of farm gate	per gate	250		
(I 1)	Posts, gate or corner tubular, complete with cap and baseplates 230mm X 230mm X 5mm and pressed steel mushroom heads according to CKS specification 82 and for tubing size to SABS 657 with a wall thickness of 3mm nominal O.D. spacing holes according to SABS specification 280 – 2.4mm X 76mm Nominal O.D. X 3mm Complete unit dipped in black bitumastic paint after assembly and drilling of holes	no	500		
(I 2)	Installation of posts	per post	500		
(J 1)	Stays gate post, tubular with baseplates 150 X 150 X 3mm welded on. Top of stay flattened with 13mm hole drilled 25mm from top of stay complete unit to be dipped in CARRIED FORWARD TO SUMMARY C	FBILLF			

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
NO		•••••			
	Bitumastic paint after flattening of end and drilling of holes. 1.8m X 38mm, nominal O.D. X 3mm according to CKS 82 & SABS 657	no	500		
(J 2)	Installation of posts	per post	500		
(K 1)	Standard Y-section, 1.85m length, 2kg/m in bundles of 10	per bundle	1 000		
(K 2)	Installation of Y-section	per bundle	1 000		
(L 1)	Standard Y-section, 2.4m lengths, 2kg/m in bundles of 10	per bundle	2 450		
(L 2)	Installation of Y-section	per bundle	2 450		
(M 1)	Post straining, in accordance with CKS spec 82 Iron rail pattern (optional-spacing of holes according to latest issue of SABS specification 280) To be painted with one coat of bitumastic paint. Post 2.1m long with mass of 15kg/m each.	no	3 900		
(M 2)	Installation of posts	per post	3 900		
(N 1)	Palisade panels, 3m (L) X 1.8m (H), painted with red oxide, 21 pales per panel 30mm X 3mm thick	no	5 000		
(N 2)	Installation of panels	per panel	5 000		
TOTAL C	ARRIED FORWARD TO SUMMARY C) DF BILL E			

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
	DESCRIPTION	UNIT	QUANTIT	NAIL	AMOUNT
NO					
(Q 1)	Razor mesh panel standard, (H) 1.8m X (L) 6m with aperture size 150mm, rolls	no	1 000		
(Q 2)	Installation of panel	per panel	1 000		
(R 1)	Razor mesh panel standard (H) 2.4mm X (L) 30m with aperture size 150mm X 300mm	no	800		
(R 2)	Installation of panels	per panel	800		
TOTAL C	ARRIED FORWARD TO SUMMARY C	OF BILL E			

	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT			
NO								
B55.11	Provisional sum for equipment							
(A)	Equipment	Prov Sum	1		2 000 000.00			
(B)	Handling cost and profit in respect of Subitem B55.11(a)	%	2 000 000	10%	200 000.00			
B55.12	Additional Fencing Related Products							
(A)	Supply of additional fencing products	Prov Sum	1		2 000 000.00			
(B)	Handling cost and profit in respect of Subitem B55.12	%	2 000 000	10%	200 000.00			
B55.13	Traffic Accommodation (as approved by the Engineer) (As and when required)							
(A)	Traffic accommodation	Prov Sum	1		2 000 000.00			
(B)	Handling cost and profit in respect of Subitem B55.13	%	2 000 000	10%	200 000.00			
τοται ο	TOTAL CARRIED FORWARD TO SUMMARY OF BILL E 6 600 000.00							
	TOTAL CARRIED FORWARD TO SUMMARY OF BILL E 6 600 000.00							



TENDER NO. DRT 08/06/2022

FOR

SUPPLY AND INSTALLATION OF FENCING RELATED PRODUCTS FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

SUMMARY AND CALCULATION OF TENDER SUM: BILL E – VEREENIGNG REGION

B5500:	FENCING	
B5500:	FENCING EQUIPMENT, ADDITIONAL PRODUCTS AND TRAFFIC ACCOMMODATION	

SUBTOTAL

ADD 15% CONTINGENCIES

SUBTOTAL

VALUE-ADDED TAX (VAT)(15%)

TENDER SUM CARRIED TO FORM OF OFFER	
-------------------------------------	--

SIGNED ON BEHALF OF TENDERER:



TENDER NUMBER: DRT 08/06/2022 SUPPLY AND DELIVERY OF FENCING RELATED MATERIAL FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

C3: Scope of Works

PART C3: SCOPE OF WORKS

TABLE OF CONTENTS

PAGE

 SECTION B:
 PROJECT SPECIFICATION AMENDMENTS TO THE PROJECT

 SPECIFICATION
 124

PROJECT SPECIFICATIONS

TABLE OF CONTENTSPAGE

SECTION B1200:	<u>GENERAL</u>	REQUIREMENTS AND PROVISIONS	
SECTION B5500:	FENCING		

SERIES 1000: GENERAL

SECTION B1100: DEFINITIONS AND TERMS

Add the following clause:

"B1156 OTHER DEFINITIONS

The Standard Specifications for Roads and Bridge Works for State Road Authorities (1998 edition) has been written for all contractors, employers and engineers. Similarly, the works and the site are not defined and the general nature of the entities and elements that collectively constitute construction under a contract are characterized by the use of lower case letters throughout.

These project specifications continue to use lowercase spellings in order to avoid the appearance of the capitalised and non-capitalised words to describe or prescribe the same elements of work required on this project. However, for the purposes of this contract the following definitions shall apply:

Contractor

The Contractor and the contractor is the same persona, but who will only be formally identified by the completed Form of Acceptance C1.1.2 in this document and which will be bound into the final contract document.

Employer

The Employer and employer is the same persona.

Project Manager

The Project Manager and project manager is the same persona.

Site

The site is bound by the limits of construction as shown in the drawings or the title of the project and extends to also include the following:

- Areas outside the construction zone areas where accommodation of traffic is placed.
- All borrowpits defined in the applications approved by the relevant Department of Minerals and Energy.
- All haul roads constructed by the contractor for purposes of access.
- Any non-adjacent sites specified in the contract documentation.
- The contractors and his subcontractors camp sites

<u>Works</u>

The works is described in Part C4 of this document.

SECTION B1200: GENERAL REQUIREMENTS AND PROVISIONS

B1204 PROGRAMME OF WORK

(a) General requirements

Replace the first paragraph with the following:

"The contractor shall base his initial programme of work for a specific order on the scope of works as indicated by the project manager or project manager's representative at that stage. This programme shall be revised based on the scope of works as contained in the official order."

Add the following subclause:

(c) Execution

The following procedure will be followed in the execution of the works:

- (i) The project manager or project manager's representative shall inform the contractor of the scope of works pertaining to a particular section of a road or different road sections within the same administrative region.
- (ii) The contractor shall inspect the identified site or sites and agree the classification of the different sites with the project manager and prepare an estimate of quantities, monetary value and contract period for executing the work on this site/sites. A cost estimate shall be prepared and submitted in a form acceptable to the engineer and priced in terms of the relevant contract rates and prices.
- (iii) The project manager or project manager's representative shall receive this estimate priced Bill of Quantities, consider the availability of funds and the proposed construction period. No work shall be done unless an approved estimate Bill of Quantities has been issued by the employer. The contractor shall also not be allowed to commence with any work until such time as he has entered into agreement with the employer in terms of the Occupational Health and Safety Act, 1993.
- (iv) The contractor shall then programme the work pertaining to a particular order to start within the required response time and to be completed by the due completion date. The programme shall be prepared in terms of working days.
- The contractor shall execute the works in compliance with the specifications (v) and with due regard of the total amount of the approved Bill of Quantities. Should the contractor find that the scope of work or the quantities required to affect the necessary work included in the specific order would result in an over expenditure on that Bill of Quantities, he shall inform the project manager or project manager's representative timeously. No over expenditure on a particular Bill of Quantities shall be accommodated unless the project manager or project manager's representative had been informed timeously of the possible over-expenditure and had been given the opportunity to review the scope of works for that particular Bill of Quantities with the view of adjusting it to remain within the Bill of Quantities amount or to initiate alternative measures available within the Provincial Financial System. Such alternative measures may include the issue of a supplementary Bill of Quantities to conclude the work included in the original scope of works, if approved by the project manager.
- (vi) No work shall be done if the environmental conditions are such that the quality of the work will be detrimentally affected or will constitute a hazard to the motoring public.

(vii) Should conditions outside of the control of the contractor be encountered on site which would materially influence the production by the contractor, the contractor may claim for an extension of time. Such a claim shall in all respects comply with the requirements in the Conditions of Contract.

The length of the extension of time claimed, shall be based on the minimum production rates quoted in the attached form, or on the production rate implied by the contractor in his programme for that particular order, whichever gives the shorter possible extension of time period.

B1205 WORKMANSHIP AND QUALITY CONTROL

Add the following after the title:

"The contractor shall implement a quality assurance system in accordance with ISO 9002 and appoint a quality manager who shall ensure that members of the contractor's staff comply with the requirements of the quality system. The quality system and the methods used to implement it shall be described in a quality plan produced by the contractor.

The quality manager shall be resident on site full time. No construction activities shall take place on site before the project manager approves the quality plan".

Replace the third paragraph with the following:

"The intensity of control and of tests to be conducted by the contractor in terms of these obligations shall be at least to a sample level of 5 % of the total works contained in that specific order or such higher sample level to ensure that proper control is being exercised."

B1206 THE SETTING OUT OF WORK AND PROTECTION OF BEACONS

Replace "clause 14" in the first paragraph with "clause 4.7"

Delete "and of clause 14 of the general conditions of contract" in the sixth paragraph.

Add the following paragraph:

"The contractor shall take care that property beacons, trigonometrical survey beacons or setting-out beacons are not displaced or destroyed without the consent of the project manager. Property beacons and trigonometrical survey beacons that have been displaced or destroyed shall be replaced by a registered land surveyor, who shall certify such replacement.

The cost of replacing all beacons displaced or destroyed during the course of the contract without the consent of the project manager shall be the contractor's responsibility and included in the tender rates".

B1209 PAYMENT

(b) Rates to be inclusive

Add the following to the first paragraph:

"VAT shall be excluded from the rates."

B 1215 EXTENSION OF TIME RESULTING FROM ABNORMAL RAINFALL

Delete clause 1215 and replace it with the following.

"B 1215 EXTENSION OF TIME

Extension of time in terms of Clause 8.4 of the Conditions of Contract shall be determined by mutual agreement between the project manager and the contractor. Delays on working days only (based on a six-day working week) and excluding non-working days as indicated in the Appendix will be taken into account for the determination of the extension of time."

B1224 THE HANDING OVER OF THE ROAD RESERVE

Add the following subclause:

"The road reserves of all the roads to be marked under this contract will be handed over to the contractor after receipt by the contractor of the official order from the employer for such a time as indicated in the programme of work or such extended period as approved by the project manager.

The occupation of the road reserves of the roads to be repaired shall be limited to those sections as directed by the project manager. The contractor will be permitted to work on any portion of the road within the specified limits provided that a free and safe flow of traffic is maintained at all times and that the requirements of the Specifications are complied with. No work may be undertaken on any section of road without an official order from the project manager."

B 1227 MONTHLY SITE MEETINGS

Add the following:

"The venue of such site meetings shall be determined by the project manager."

Add the following clauses:

"B 1230 REPORTING OF ACCIDENTS

The contractor shall report every accident which occurs on the road, within the extent of the Works, to the project manager, within twenty-four (24) hours of such accident occurring, irrespective of whether such accident has a bearing on damage to the Works or to persons, property or things. The report must be in writing and must contain full particulars of the accident. Photographs of each accident should also be included in the report. The contractor shall include and submit the reports with his payment certificates to the project manager. The project manager has the right to conduct, or have conducted, any or all enquiries, either on the site or elsewhere, as to the causes and consequences of any such accident."

B1231 MATERIALS

The contractor, when using materials that are required to comply with any standard specification, shall, if so ordered, furnish the project manager with certificates showing that the materials do comply with this specification.

Where so specified, materials shall bear the official mark of the appropriate authority. Samples ordered or specified shall be delivered to the project manager's office on the site free of charge.

Where materials are specified under trade names tenders must be based on these materials.

Unless otherwise specified, all proprietary materials shall be used and placed in strict accordance with the relevant manufacturer's current published instructions. Agrément certified products shall be used and placed in accordance with its Agrément certification criteria.

All places where materials are being manufactured or obtained for use in the works, and all the processes in their entirety connected therewith shall be open to inspection by the project manager (or other persons authorised by the project manager) at all reasonable times, and the project manager shall be at liberty to suspend any portion of work which is not being executed in conformity with these specifications."

SERIES 5000: ANCILLARY ROADWORKS

SECTION B5500: FENCING

B5501

Replace this clause with the following:

"The supply and installation of fencing related materials to the applicable region."

B5514 MEASUREMENT AND PAYMENT

Add the following payment items:

"Item

Unit

SCOPE

B55.10 Supply, delivery and installation of fencing material (specify)

(a) Specify	number (no)
(b) Installation	number (no)

The unit of measurement shall be the number of each item as listed in the bill of quantities that have been delivered to the depot in Koedoespoort.

The tendered rates shall include full compensation for labour, plant, material, delivery and installation of the materials

B55.11 Provisional Sum for equipment

(a) EquipmentProvisional Sum (Prov Sum)

The unit of measurement shall be the acquisition of fencing related tools as ordered and approved by the Project Manager.

(b) Handling costs and profit in respect of subitem B5511(a).....percentage (%)

B55.12 Additional Fencing Related Products

(a) Cost to deliver to Koedoespoort Stores	Prime Cost Sum (PC Sum)
(b) Charge on Prime Cost Sum	percentage (%)

Payment shall be done as instructed by the Project Manager.



TENDER NUMBER: DRT 08/06/2022 SUPPLY AND DELIVERY OF FENCING RELATED MATERIAL FOR A PERIOD OF THREE YEARS: ALL 5 REGIONS IN THE GAUTENG PROVINCE

C4: Site Information

PART C4: SITE INFORMATION

TABLE OF CONTENTS

PAGE

<u>C4.1</u>	THE WORKS: DESCRIPTION AND EXECUTION	132
<u>C4.8</u>	RESPONSIBILITIES OF THE PROJECT MANAGER AND PROJECT MANAG	ER'S
	REPRESENTATIVE	133
<u>C4.9</u>	QUALITY CONTROL	133
<u>C4.10</u>	DISPUTE RESOLUTION	133
<u>C4.11</u>	CLAIMS PROCEDURE	133

Information Only

All data and descriptions contained in this section of the contract documents are given for information purposes only and cannot be interpreted as prescriptive despite the fact that the text may give the opposite perspective. If any conflict arises between the content of this section and other sections of the contract documents, the latter take precedence.

MISCELLANEOUS

The Project Specifications form an integral part of the Contract Documents and supplement the Standard Specifications.

In the event of any discrepancy with a part or parts of the standard specifications, the schedule of rates or the drawings, the project specifications shall take precedence.

The Standard Specifications which form part of this contract have been written to cover all phases of work normally required for road contracts and may therefore cover items not applicable to this particular contract Tenderers shall take note of the revisions thereto contained in this volume.

C4.1 THE WORKS: DESCRIPTION AND EXECUTION

(a) General

This Contract is a period contract for the supply, delivery and installation of fencing related materials for Gauteng Province for a period of THREE YEARS.

- <u>The Contract is let on an as-and-when-required basis and will always be</u> <u>subject to the availability of sufficient funds by the Employer.</u>
- <u>The Contract is not based on estimated quantities as it is a period contract for</u> <u>work as- and-when required. The Contract requires Tenders to be submitted</u> <u>on the basis of different Schedules of Prices and Rates. These rates and</u> <u>prices shall be applicable irrespective of the actual quantities ordered.</u>
- "<u>As and when required" contracts will seize to exist after the contract period</u> lapsed or if the contract value has been depleted. The Employer has the right to determine the method in which the contract will seize to exist.
- The Bill of Quantities is divided in 5 bills.
- The Employer reserves the right to award bills to a specific contractor. The contractor will not be entitled to any additional remuneration other than the specific rates.
- The Employer shall be entitled to terminate the Contract, at any time for the Employer's convenience, by giving notice of such termination to the Contractor. (See clause 15 of the General Conditions of Contract – 2010 and clause 16 for the Suspension and Termination by the Contractor).
- <u>The contractor shall be liable for all claims that result during the execution of his work on site. (see clause 17.1 of the General Conditions of Contract 2010)</u>

C4.8 RESPONSIBILITIES OF THE PROJECT MANAGER AND PROJECT MANAGER'S REPRESENTATIVE

Notwithstanding anything else indicated in the contract, the project manager or project manager's representative shall be responsible for the following:

- (i) Indicating the scope of work prior to an order being issued and/or revising the scope in case of imminent over-expenditure on a particular order.
- (ii) Agreeing on the classification of the Works.
- (iii) Agreeing with the quantities to be invoiced by the contractor.
- (iv) Acceptance quality control of finished work, at the completion of the work and at different identified points during the functional performance guarantee period.

C4.9 QUALITY CONTROL

The Contractor shall be responsible for all routine tests to monitor the quality of his work and the materials used. This monitoring shall be in accordance with the approved quality plan. The cost of this monitoring shall be included in the rates tendered for the various items.

C4.10 DISPUTE RESOLUTION

The Contractor shall have the right by written notice to the Project Manager, to require him to consider any disagreement raised with the Project Manager or Project Manager's Representative. All disputes shall be settled in accordance with the Conditions of Contract.

C4.11 CLAIMS PROCEDURE

Any claim by the Contractor shall be submitted to the Project Manager and be considered in accordance with the procedure detailed in the Conditions of Contract.

Unless the Contractor was not or could not reasonably have been aware of facts that would form the basis of a claim, no claims shall be considered by the Engineer if received later than the final invoice by the Contractor for payment of the works pertaining to the same order as that which forms the subject of the claim.