

PROPOSED NORTH GROYNE LIGHTING LAYOUT (Sheet 10)
SCALE 1: 50



PROPOSED NORTH GROYNE LIGHTING LAYOUT (sheet 11)
SCALE 1: 50



PROPOSED NORTH GROYNE LIGHTING LAYOUT (Sheet 12)
SCALE 1: 50



PROPOSED NORTH GROYNE LIGHTING LAYOUT (Sheet 13)
SCALE 1: 50

TYPICAL 4 -WAY JUNCTION BOX (NO: 2)



TYPICAL 3 -WAY JUNCTION BOX



LEGEND

- PROPOSED EQUAL OR SIMILAR APPROVED TO SERIES 52 BULKHEAD LED LIGHT FITTING WITH VANDAL PROOF TOUGHENED GLASS, IP65, CABLE ENTRY AT THE BACK (16W OPAQUE, 2190 LUMENS SURFACE MOUNTED LIGHT FITTING), TO BE MOUNTED INTO THE EXISTING WATER BREAK WALL.
- (360mm X 260mm) 316 STAINLESS STEEL BRUSHED PLATE 2mm THICK WITH A HOLE IN A CENTRE FOR ALLOWING CABLE ENTRY OF 25mm Dia.
- 10 ECC — PROPOSED 10mm², 4 CORE ECC PVC SWA CABLE, TO BE INSTALLED INTO THE EXISTING PIPE AND CHAMBER.
- 4 ECC — PROPOSED 4mm², 4 CORE ECC PVC SWA CABLE, TO BE INSTALLED INTO THE EXISTING PIPE AND CHAMBER.

ELECTRICAL NOTES :

1. THIS DRAWING FOR ELECTRICAL LIGHTING & POWER ONLY.
2. A CERTIFICATE OF COMPLIANCE TO BE COMPLETED AND SUBMITTED BY THE CONTRACTOR ON COMPLETION OF WORK.
3. ALL WORK MUST COMPLY WITH THE GENERAL REQUIREMENTS OF SANS 10142-1 (as amended). THE CONTRACTOR AND PANEL MANUFACTURER IS REFERRED SPECIFICALLY TO CLAUSE 6.6/6.6.2/6.6.3/6.6.4 AND 6.6.5.
4. ALL ALTERNATIVES (OR SIMILAR) OF LIGHTING AND FIXTURES TO BE ACCEPTED BY ELECTRICAL ENGINEER PRIOR TO ORDERING.

DRAWING NO.	REFERENCE
2128313-1-000-E-LA-0001-02	ALTERATIONS OF THE EXISTING KIOSK SINGLE LINE LAYOUT

REFERENCE DRAWINGS

NOTES

1. DO NOT SCALE DRAWING - ONLY DIMENSIONS SHOWN TO BE USED.
2. THE CONTRACTOR SHALL VERIFY ALL CONDITIONS, DIMENSIONS AND LEVELS ON THE SITE AND NOTIFY THE NEC SUPERVISOR OF ANY VARIATIONS BEFORE CONSTRUCTION.

NO.				
0A	ISSUED FOR TENDER	PM	AM	SS 17-04-2024

REVISIONS

This Document including all design and information therein is Confidential Intellectual Property of Transnet
Copyright and all other rights are reserved by Transnet. This Document may only be used for its intended purpose

CONTRACTOR / CONSULTANT			
TITLE	NAME	SIGN	DATE
	.		. .
	.		. .
	.		. .
	.		. .
	.		. .

OPERATING DIVISIONS			
TITLE	NAME	SIGN	DATE
	.		. .
	.		. .
	.		. .
	.		. .
	.		. .

TRANSNET NATIONAL PORTS AUTHORITY			
TITLE	NAME	SIGN	DATE
DRAWN	PM		26 06 22
CHECKED	AM		26 06 22
DESIGNED	PM		26 06 22
CHECKED	SM		26 06 22
.			. .
.			. .
.			. .

PR.ENG. / PR.TECH./PR. ARCH		
NAME	S. SEWDAYAL	DATE
SIGNATURE		17 04 24
REG. NUMBER	200970129	
SCALE :	AS SHOWN	A0

Transnet National Ports Authority
QUEENS WAREHOUSE
237 MAHATMA GANDHI ROAD
DURBAN
P.O. BOX 1073, DURBAN
TEL: 031 361 1696
FAX: 0866 770815

TRANSNET

PORT OF DURBAN

DURBAN HARBOUR ENTRANCE
NORTH GROYNE PROMENADE TERRACING
AND CAR PARK UPGRADE

PROPOSED WALL LIGHTING LAYOUT

PROJECT NUMBER	OD	FBS	DIS	TYPE	DRAWING NO.	SHEET	REV	ID
XDNE048-1	000	E	LA	0002	04	OA	TD	