



- | ELECTRICAL NOTES : |  |
|--------------------|--|
| 1.                 | THIS DRAWING FOR ELECTRICAL LIGHTING & POWER ONLY.   |
| 2.                 | A CERTIFICATE OF COMPLIANCE TO BE COMPLETED AND SUBMITTED BY THE CONTRACTOR ON COMPLETION OF WORK.   |
| 3.                 | ELECTRICAL, DATA AND COMMS AND FIRE SUB- CONTRACTORS TO CO-ORDINATE ALL REQUIREMENTS FOR WIREWAYS, CONDUIT AND OTHER SERVICES THAT ASSOCIATED WITH THE EQUIPMENT (CONTRACTORS DESIGN).   |
| 4.                 | ALL WORK MUST COMPLY WITH THE GENERAL REQUIREMENTS OF SANS 10142-1 (as amended). THE CONTRACTOR AND PANEL MANUFACTURER IS REFERRED SPECIFICALLY TO CLAUSE 6.6/6.8/6.6.3/6.6.4 AND 6.6.5. |
| 5.                 | ALL ALTERNATIVES (OR SIMILAR) OF LIGHTING AND FIXTURES TO BE APPROVED BY ELECTRICAL ENGINEER PRIOR TO ORDERING.  |
| 6.                 | THE CONTRACTOR SHALL ADD MORE CIRCUIT BREAKERS TO SUIT THE NEW PROPOSED INSTALLATION ON THE EXISTING HARBOUR KIOSK AND ONE PHOTO-CELL.   |
| 7.                 | THE CONTRACTOR SHALL ISSUE A CERTIFICATE OF COMPLIANCE FOR THE EXISTING HARBOUR KIOSK AFTER NEW INSTALLATION.  |

**NOTES**

1. DO NOT SCALE DRAWING - ONLY DIMENSIONS SHOWN TO BE USED.
2. THE CONTRACTOR SHALL VERIFY ALL CONDITIONS, DIMENSIONS AND LEVELS ON THE SITE AND NOTIFY THE NEC SUPERVISOR OF ANY VARIATIONS BEFORE CONSTRUCTION.
3. THE CONTRACTOR SHALL TAKE ALL THE EXISTING CIRCUIT BREAKERS AND POPULATE THEM INTO A NEW PROPOSED KIOSK.

[illegible]

|  |  |
|--|--|
| <p><b>Transnet National Ports Authority</b></p> <p>QUEENS WAREHOUSE<br/>237 MAHATMA GANDHI ROAD<br/>DURBAN<br/>P.O. BOX 1073, DURBAN</p>   | <p><b>TRANSNET</b></p>  <p>TEL: 031 361 1696<br/>FAX: 0866 770815</p> |
| <p><b>PORT OF DURBAN</b></p>   |  |
| <p><b>DURBAN HARBOUR ENTRANCE</b><br/><b>NORTH GROYNÉ PROMENADE</b><br/><b>TERRACING UPGRADE</b><br/><b>ALTERATIONS OF THE EXISTING KIOSK</b><br/><b>SINGLE LINE DRAWING</b></p> |  |