Annexure C3.2:

Scope of work

The conveyor belt is used to transport Sand from one location to another by use of a belt system driven by a motor connected to a gearbox with a sprocket and chain

Scope of work

- Refurbish filter sand conveyor frames.
- Supply and install new belts, rollers, idlers, bearings, jacking mechanisms, gearboxes, motors, sprockets, chains, guards, and control boxes
- All the belts to be spliced and fit properly on the frames.
- > Supply a 100 m cable fitted with a plug suitable to run the conveyor belt motor.
- ➤ The conveyors to be tested at the suppliers' facilities and witnessed by a Rand Water representative before delivery to Rand Water.
- > Transportation costs from and to Rand Water must be included in the quotation.
- A detailed QCP must be submitted and approved by Rand Water before commencement of repairs.
- > *Safety file and induction will be required before the work can commence

Picture	No_of	Name
DEWILEURO DRIVE Januaristury Suita Africa Th. 788/101656/2010/22.L incented that Partit 1-1200234 Ht. 50 ppm1450 AW 2.25 for 1200-5, 72-30-17 gran for 1200234 Ht. 50 ppm1450 AW 2.25 for 1200-5, 72-30-17 gran for 1200234 Ht. 50 ppm1450 AW 2.25 for 1200-5, 72-30-17 gran for 1200234 Ht. 50 ppm1450 Th. 788/101656/2010/2010/2010/2010/2010/2010 Th. 788/101656/2010/2010/2010/2010/2010/2010/2010/201	4	Drive Motor

Bid No.10398199 Sand Conveyor Refurbishment

GEARED MOTOR 1 STATE OF THE ASSET OF THE AS	4	Drive gearbox
	4	Drive roller
	32	Idler roller

Bid No.10398199 Sand Conveyor Refurbishment

1 .	
4	Driven roller
2	Jacking Mechanism
2	Jacking Motor with a pendant

Bid No.10398199 Sand Conveyor Refurbishment

4	Drive chain with 3 sprockets
4	Conveyor belt
4	Frames to be refurbished