

Material	Short Text	Purchase Order Text	Quantity Required	Unit of Measure
0035033	NOZZLE TRCH:CUTTING;0.8 MM	NOZZLE, TORCH: TYPE: CUTTING; SIZE: 0.8 MM; SUPPL P/N: 005-030; W005-014; 6 MM ACETYLENE, ANM-6, SHORT PATT	58	EA
0035034	NOZZLE TRCH:CUTTING;1.2 MM;CU	NOZZLE, TORCH: TYPE: CUTTING; SIZE: 1.2 MM; MATERIAL: COPPER; SUPPL P/N: W005-015; 005-031; 13 MM ACETYLENE, ANM-6, SHORT PATT	58	EA
0035035	NOZZLE TRCH:CUTTING;1.6 MM	NOZZLE, TORCH: TYPE: CUTTING; SIZE: 1.6 MM; SUPPL P/N: W005-016; 005-032; 75 MM ACETYLENE, ANM-6, SHORT PATT	58	EA
0035036	NOZZLE TRCH:CUTTING;2 MM;BRASS	NOZZLE, TORCH: TYPE: CUTTING; SIZE: 2 MM; MATERIAL: BRASS; SUPPL P/N: 005-033; W005-017; 100 MM ACETYLENE, ANM-6, SHORT PATT	58	EA
0035044	NOZZLE TRCH:CUTTING;3.2 MM	NOZZLE, TORCH: TYPE: CUTTING; SIZE: 3.2 MM; SUPPL P/N: W005-020; 005-020; 300 MM ACETYLENE, ANM-6, SHORT PATT	58	EA
0158582	CHALK:BOILERMAKERS;WHITE;SOAPSTONE	CHALK: TYPE: BOILERMAKERS; COLOR: WHITE; FORM: SOAPSTONE; SIZES: 125MM LENGTH X 12MM WIDTH X 5MM THICK	29	KG
0404240	FLUX, SOLD FLUXITE PASTE D2883	FLUX: TYPE: SOLDERING; FORM: PASTE; CONTAINER: 500 G; DRAWING NO: ESKOM D2883 REV 1; FOR USE ON ALL METALS EXCEPT ALUMINIUM AND STAINLESS STEEL; USED FOR PLUMBING/WIPING CABLE JOINT COPPER/LEAD SLEEVES	385	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

Business Management System

Supply Chain Management

Warehouse

Scope of Work for Tooling

0544914	BRUSH WRE:SCRATCH;30 MM;WD 25 X LG 200	BRUSH, WIRE: TYPE: SCRATCH; TRIM LENGTH: 30 MM; DIMENSIONS: WD 25 X LG 200 MM; MATERIAL: SS WIRE; HANDLE: CURVED; REFERENCE NO: 43662003; HBG 10 INOX 0,30 SG	7533	EA
0545219	ROD WELDG:ER410NIMO;2.4 MM;LG 1 M;CARTON	ROD, WELDING: CLASS: ER410NIMO; DIAMETER: 2.4 MM; LENGTH: 1 M; MATERIAL: AWS A5.9; CONTAINER: CARTON; TYPE: TIG; SUPPL P/N: ER410NIMO	575	KG
0545385	ROD BRAZG:SILFOS 15;1.5 MM;LG 600 MM	ROD, BRAZING: TYPE: SILFOS 15; DIAMETER: 1.5 MM; LENGTH: 600 MM; MATERIAL: 15% AG CU P; CONTAINER: BAG PLASTIC 5 KG; SPECIFICATION: SABS ISO 9001; COLOR CODE: BLUE TIP; NOTE ! MATERIAL SAFETY DATA SHEET AND MATERIAL TEST CERTIFICATE REQUIRE WITH DELIVERY	29	EA
0545836	ELECTRODE WELDG:2 MM;A5.1 E6013;VITEMAX	ELECTRODE, WELDING: SIZE: 2 MM; AWS CLASS: A5.1 E6013; MATERIAL: VITEMAX; CONTAINER: 4 KG; SPECIFICATION: ENISO2560E350RC11; MANUF P/N: W075001; A PREMIUM GRADE, GENERAL PURPOSE RUTILE ELECTRODE SUITABLE FOR WELDING MILD STEEL; NOTE: MATERIAL SAFETY DATE SHEET REQUIRE WITH DELIVERY	874	EA
0548048	ELECTRODE:GOUGING;CARBON;DIA 9.5	ELECTRODE: TYPE: GOUGING; MATERIAL: CARBON; DIMENSIONS: DIA 9.5; MANUF P/N: 054-919; AMPERAGE 350-450; NOTE: MATERIAL SAFETY DATA SHEET REQUIRE WITH DELIVERY	2300	EA
0548740	FLUX:BRAZING;PASTE;CAN 1 KG	FLUX: TYPE: BRAZING; FORM: PASTE; CONTAINER: CAN 1 KG; FOR BRAZING OF HEAVY METALS; TEMPERATURE RANGE 500-800 DEG C; NOTE: MATERIAL SAFETY DATA	288	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

		SHEET REQUIRE WITH DELIVERY		
0548741	ELECTRODE:GOUGING;CARBON;DIA 8 MM	ELECTRODE: TYPE: GOUGING; MATERIAL: CARBON; DIMENSIONS: DIA 8 MM; REFERENCE NO: 054-918; AMPERAGE 200-250; NOTE: MATERIAL SAFETY DATA SHEET REQUIRE WITH DELIVERY	3387	EA
0550001	ROD THRDD:M10;METRIC;LG 1.9 M;DUROSTONE	ROD, THREADED: DIAMETER: M10; THREAD: METRIC; LENGTH: 1.9 M; MATERIAL: DUROSTONE; SPECIFICATION: ISO 965; REFERENCE NO: UPR S19	1438	EA
0550544	ELECTRODE:GOUGING;CARBON;DIA 6.4 MM	ELECTRODE: TYPE: GOUGING; MATERIAL: CARBON; DIMENSIONS: DIA 6.4 MM; REFERENCE NO: 054-917; AMPERAGE: 150-200; NOTE: MATERIAL SAFETY DATA SHEET REQUIRE WITH DELIVERY	5244	EA
0550547	ELECTRODE WELDG:3.15 MM;A5.1 E6013;5 KG	ELECTRODE, WELDING: SIZE: 3.15 MM; AWS CLASS: A5.1 E6013; MATERIAL: VITEMAX; CONTAINER: 5 KG; SPECIFICATION: ENISO2560E350RC11; MANUF P/N: W075003; A PREMIUM GRADE, GENERAL PURPOSE RUTILE ELECTRODE SUITABLE FOR WELDING MILD STEEL; NOTE: MATERIAL SAFETY DATE SHEET REQUIRE WITH DELIVERY	4784	EA
0550561	ROD THRDD:M8;METRIC;LG 1.9 M;DUROSTONE	ROD, THREADED: DIAMETER: M8; THREAD: METRIC; LENGTH: 1.9 M; MATERIAL: DUROSTONE; SPECIFICATION: ISO 965; REFERENCE NO: UPR S19	1604	EA
0550563	ROD THRDD:M16;METRIC;LG 1.9 M;DUROSTONE	ROD, THREADED: DIAMETER: M16; THREAD: METRIC; LENGTH: 1.9 M; MATERIAL: DUROSTONE; SPECIFICATION: ISO 965; REFERENCE NO: UPR S19	270	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0550577	ELECTRODE WELDG:4 MM;A5.1 E6013;VITEMAX	ELECTRODE, WELDING: SIZE: 4 MM; AWS CLASS: A5.1 E6013; MATERIAL: VITEMAX; CONTAINER: 4 KG; SPECIFICATION: ENISO2560E350RC11; MANUF P/N: W075004; A PREMIUM GRADE, GENERAL PURPOSE RUTILE ELECTRODE SUITABLE FOR WELDING MILD STEEL; NOTE: MATERIAL SAFETY DATE SHEET REQUIRE WITH DELIVERY	834	EA
0550595	BRUSH WRE:WELDER;25 MM;WD 25 X LG 300 MM	BRUSH, WIRE: TYPE: WELDER; TRIM LENGTH: 25 MM; DIMENSIONS: WD 25 X LG 300 MM; MATERIAL: STAINLESS STEEL; HANDLE: PLASTIC	7234	EA
0550600	ROD THRDD:M12;METRIC;LG 1.9 M;DUROSTONE	ROD, THREADED: DIAMETER: M12; THREAD: METRIC; LENGTH: 1.9 M; MATERIAL: DUROSTONE; SPECIFICATION: ISO 965; REFERENCE NO: EPR S19	1150	EA
0550620	SOLDER:LEAD;1.6 MM;WIRE RESIN CORE	SOLDER: MATERIAL: LEAD; DIMENSIONS: 1.6 MM; FORM: WIRE RESIN CORE; REFERENCE NO: 60T2	650	EA
0550624	CHALK:BLACK BOARD;WHITE;STICKS 100	CHALK: TYPE: BLACK BOARD; COLOR: WHITE; FORM: STICKS 100; NOTE: TO BE SUPPLY QTY 100 STICKS PER BOX	782	EA
0550627	FLUX:BRAZING;POWDER;CAN 250 G	FLUX: TYPE: BRAZING; FORM: POWDER; CONTAINER: CAN 250 G; FOR USE WITH EASY-FLO; ARGO-FLO AND OTHER SILVER BRAZING ALLOYS AT TEMPERATURES UP TO 800 DEG C; NOTE: MATERIAL SAFETY DATA SHEET REQUIRE WITH DELIVERY	351	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0550687	ELECTRODE WELDG:5 MM;A5.1 E7018-1HB;6 KG	ELECTRODE, WELDING: SIZE: 5 MM; AWS CLASS: A5.1 E7018-1HB; MATERIAL: HYDROGEN; CONTAINER: 6 KG; SPECIFICATION: ENSIO2560AE424B12H10; MANUF P/N: W075285; A PREMIUM GRADE SUITABLE FOR WELDING C-MN AND LOW ALLOY STEELS;NOTE: MATERIAL SAFETY DATA SHEET REQUIRE WITH DELIVERY	983	EA
0550696	WIRE WELDG:COREMAX 71 PLUS;MANGANESE;1.6	WIRE, WELDING: STYLE: COREMAX 71 PLUS; MATERIAL: MANGANESE; DIAMETER: 1.6 MM; FORM: SPOOL; TYPE: MIG; PACKAGE WEIGHT: 15 KG; CLASSIFICATION: AWS A5.20 E71T-1; MANUF P/N: W081231; NOTE: MATERIAL TEST CERTIFICATE REQUIRE WITH DELIVERY	4025	EA
0550700	ELECTRODE WELDG:4 MM;A5.1 E7018-1H8;4 KG	ELECTRODE, WELDING: SIZE: 4 MM; AWS CLASS: A5.1 E7018-1H8; MATERIAL: HYDROGEN; CONTAINER: 4 KG; SPECIFICATION: ENISO2560AE424B12H10; MANUF P/N: W075284; A PREMIUM GRADE SUITABLE FOR WELDING C-MN AND LOW ALLOY STEELS;NOTE: MATERIAL SAFETY DATA SHEET REQUIRE WITH DELIVERY	334	EA
0550722	ROD BRAZG:SILFOS 15;3 MM;LG 600 MM	ROD, BRAZING: TYPE: SILFOS 15; DIAMETER: 3 MM; LENGTH: 600 MM; MATERIAL: 15% AG CU P; CONTAINER: BAG PLASTIC 5 KG; SPECIFICATION: SABS ISO 9001; COLOR CODE: BLUE TIP; NOTE ! MATERIAL SAFETY DATA SHEET AND MATERIAL TEST CERTIFICATE REQUIRE WITH DELIVERY	20125	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0550724	ELECTRODE WELDG:3.15 MM;A5.1 E7018-1HB	ELECTRODE, WELDING: SIZE: 3.15 MM; AWS CLASS: A5.1 E7018-1HB; MATERIAL: HYDROGEN; CONTAINER: 4 KG; SPECIFICATION: ENISO2560AE424B12H10; MANUF P/N: W075283; A PREMIUM GRADE SUITABLE FOR WELDING C-MN AND LOW ALLOY STEELS;NOTE: MATERIAL SAFETY DATA SHEET REQUIRE WITH DELIVERY	3007	EA
0550726	ELECTRODE WELDG:2.5 MM;A5.1 E6013;5 KG	ELECTRODE, WELDING: SIZE: 2.5 MM; AWS CLASS: A5.1 E6013; MATERIAL: VITEMAX; CONTAINER: 5 KG; SPECIFICATION: ENISO2560E350RC11; MANUF P/N: W075002; A PREMIUM GRADE, GENERAL PURPOSE RUTILE ELECTRODE SUITABLE FOR WELDING MILD STEEL; NOTE: MATERIAL SAFETY DATE SHEET REQUIRE WITH DELIVERY	4249	EA
0550761	ELECTRODE WELDG:2.5 MM;A5.1 E7018-1HB	ELECTRODE, WELDING: SIZE: 2.5 MM; AWS CLASS: A5.1 E7018-1HB; MATERIAL: HYDROGEN; CONTAINER: 4 KG; SPECIFICATION: ENISO2560AE424B12H10; MANUF P/N: W075282; A PREMIUM GRADE SUITABLE FOR WELDING C-MN AND LOW ALLOY STEELS;NOTE: MATERIAL SAFETY DATA SHEET REQUIRE WITH DELIVERY	713	EA
0569832	SOLDER:LEAD FREE;2 MM;WIRE SOLID CORE	SOLDER: MATERIAL: LEAD FREE; DIMENSIONS: 2 MM; FORM: WIRE SOLID CORE; NOTE: THIS ITEM WILL NOT BE ACCEPTED WITHOUT A MATERIAL SAFETY DATA SHEET.	328	EA
0591786	FOIL:BRAZING FILLER METAL;WD 100 MM;LG 5	FOIL: TYPE: BRAZING FILLER METAL; MATERIAL: SILVER COPPER PHOSPHORUS; WIDTH: 100 MM; LENGTH: 5 M; THICKNESS: 0.15; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE CORRECT DRAWING REVISION NUMBER (IF APPLICABLE).	58	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0594654	WIRE WELDG:900 B3 DUAL SHIELD;21 CRMO;18	WIRE, WELDING: STYLE: 900 B3 DUAL SHIELD; MATERIAL: 21 CRMO; DIAMETER: 1.2 MM; FORM: SOLID; TYPE: TIG; PACKAGE WEIGHT: 18 KG	1150	EA
0597369	WIRE:K THERMOCOUPLE;1 MM;LG 100 M;NICR	WIRE: TYPE: K THERMOCOUPLE; DIAMETER: 1 MM; LENGTH: 100 M; MATERIAL: NICR; STRUCTURE: DOUBLE STRAND	104	EA
0612825	WIRE WELDG:AWS AS 27;BRONZE;5 MM;BRAZING	WIRE, WELDING: STYLE: AWS AS 27; MATERIAL: BRONZE; DIAMETER: 5 MM; FORM: BRAZING; PACKAGE WEIGHT: 5 KG; CLASSIFICATION: CU ZN - C	575	EA
0608075	ROD WELDG:S/N 4316175;3.2 MM;LG 350 MM	ROD, WELDING: CLASS: S/N 4316175; DIAMETER: 3.2 MM; LENGTH: 350 MM; MATERIAL: AWS A5.13; CONTAINER: PKT 4.6 KG; TYPE: COCR-A	288	EA
0614287	NOZZLE:VENTURI;10 MM;10 MM;SCREW ON;BRS	NOZZLE: TYPE: VENTURI; SIZE: 10 MM; CONNECTION SIZE: 10 MM; CONNECTION: SCREW ON; MATERIAL: BRASS; APPLICATION: SAND BLAST; SPECIFICATION: 0Z10 MM	1035	EA
0614288	NOZZLE:SINGLE PORT;10 MM;10 MM;SCREW ON	NOZZLE: TYPE: SINGLE PORT; SIZE: 10 MM; CONNECTION SIZE: 10 MM; CONNECTION: SCREW ON; MATERIAL: BRASS; APPLICATION: SAND BLAST; SPECIFICATION: 0Z10A	1035	EA
0614289	NOZZLE:HOLDER;48 MM;48 MM;CLAMP ON;NYLON	NOZZLE: TYPE: HOLDER; SIZE: 48 MM; CONNECTION SIZE: 48 MM; CONNECTION: CLAMP ON; MATERIAL: NYLON; APPLICATION: SAND BLAST; SPECIFICATION: H-2/50	2070	EA
0669228	NOZZLE TRCH:CUTTING;1.2 MM;TELLURIUM CU	NOZZLE, TORCH: TYPE: CUTTING; SIZE: 1.2 MM; MATERIAL: TELLURIUM CU; SPECIFICATION: A-NM6; MANUF P/N: W005-015	115	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0669229	NOZZLE TRCH:CUTTING;3.2 MM;TELLURIUM CU	NOZZLE, TORCH: TYPE: CUTTING; SIZE: 3.2 MM; MATERIAL: TELLURIUM CU; SPECIFICATION: A-NM6; MANUF P/N: W005-020	115	EA
0669230	NOZZLE TRCH:CUTTING;1.6 MM;TELLURIUM CU	NOZZLE, TORCH: TYPE: CUTTING; SIZE: 1.6 MM; MATERIAL: TELLURIUM CU; SPECIFICATION: A-NM6; MANUF P/N: W005-016	58	EA
0669231	NOZZLE TRCH:CUTTING;0.8 MM;TELLURIUM CU	NOZZLE, TORCH: TYPE: CUTTING; SIZE: 0.8 MM; MATERIAL: TELLURIUM CU; SPECIFICATION: A-NM6; MANUF P/N: W005-014	58	EA
0669232	NOZZLE TRCH:CUTTING;2 MM;TELURIUM CU	NOZZLE, TORCH: TYPE: CUTTING; SIZE: 2 MM; MATERIAL: TELURIUM CU; SPECIFICATION: A-NM6; MANUF P/N: W005-017	115	EA
0738224	CONNECTOR:DINSE MALE 10/25;LG 130 MM;BRS	CONNECTOR: TYPE: DINSE MALE 10/25; DIMENSIONS: LG 130 MM; MATERIAL: BRASS	115	EA
0738225	CONNECTOR:DINSE MALE 35/50;LG 130 MM;BRS	CONNECTOR: TYPE: DINSE MALE 35/50; DIMENSIONS: LG 130 MM; MATERIAL: BRASS	115	EA
0738228	NOZZLE TRCH:CONTACT TIP M6;0.9 MM	NOZZLE, TORCH: TYPE: CONTACT TIP M6; SIZE: 0.9 MM; MATERIAL: RED COPPER; SUITABLE FOR BINZEL STYLE MIG WELDING TORCHES	115	EA
0738226	PLUG:DINSE FEMALE;10/25;WELDING MACHINE	PLUG: TYPE: DINSE FEMALE; SIZE: 10/25 IN; MATERIAL: BRASS; HARD PLASTIC; APPLICATION: WELDING MACHINE	115	EA
0738227	PLUG:DINSE FEMALE;35/50;WELDING MACHINE	PLUG: TYPE: DINSE FEMALE; SIZE: 35/50; MATERIAL: BRASS; HARD PLASTIC; APPLICATION: WELDING MACHINE	115	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

Business Management System

Supply Chain Management

Warehouse

Scope of Work for Tooling

0738229	WIRE WELDG:FLUX CORE;STL;0.9 MM;ROLL;5	WIRE, WELDING: STYLE: FLUX CORE; MATERIAL: STEEL; DIAMETER: 0.9 MM; FORM: ROLL; PACKAGE WEIGHT: 5 KG; GASLESS WELDING WIRE USED IN MIG WELDING MACHINE E71T-11	115	EA
0738450	COVER:YOKE ARM;XXLARGE;LEATHER;BROWN;ACE	COVER: TYPE: YOKE ARM; DIMENSIONS: XXLARGE; MATERIAL: LEATHER; COLOR: BROWN; APPLICATION: WELDING/GOUGING; SPECIFICATION: ACE; LEATHER THK 1.45 MM	115	EA
0738451	COVER:YOKE ARM;XLARGE;LEATHER;BROWN;ACE	COVER: TYPE: YOKE ARM; DIMENSIONS: XLARGE; MATERIAL: LEATHER; COLOR: BROWN; APPLICATION: WELDING/GOUGING; SPECIFICATION: ACE; LEATHER THK 1.45 MM	115	EA
0738452	COVER:YOKE ARM;LARGE;LEATHER;BROWN;ACE	COVER: TYPE: YOKE ARM; DIMENSIONS: LARGE; MATERIAL: LEATHER; COLOR: BROWN; APPLICATION: WELDING/GOUGING; SPECIFICATION: ACE; LEATHER THK 1.45 MM	115	EA
0738453	COVER:YOKE ARM;MEDIUM;LEATHER;BROWN;ACE	COVER: TYPE: YOKE ARM; DIMENSIONS: MEDIUM; MATERIAL: LEATHER; COLOR: BROWN; APPLICATION: WELDING/GOUGING; SPECIFICATION: ACE; LEATHER THK 1.45 MM	115	EA
0544938	FILE HND:BASTARD;HALF RD;LG 300 MM	FILE, HAND: CUT: BASTARD; SHAPE: HALF RD; LENGTH: 300 MM; SIZE: THK 9 MM; PATTERN TYPE: AMERICAN; TYPE: STRAIGHT	236	EA
0544948	FILE HND:SMOOTH;DOUBLE;FLAT;LG 250 MM	FILE, HAND: CUT: SMOOTH; CUT DESIGN: DOUBLE; SHAPE: FLAT; LENGTH: 250 MM; SIZE: THK 6 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	345	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0544950	FILE HND:BASTARD;DOUBLE;FLAT;LG 350 MM	FILE, HAND: CUT: BASTARD; CUT DESIGN: DOUBLE; SHAPE: FLAT; LENGTH: 350 MM; SIZE: THK 7 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	144	EA
0544954	FILE HND:BASTARD;DOUBLE;FLAT;LG 100 MM	FILE, HAND: CUT: BASTARD; CUT DESIGN: DOUBLE; SHAPE: FLAT; LENGTH: 100 MM; SIZE: THK 4 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	173	EA
0544956	FILE HND:SECOND;DOUBLE;FLAT;LG 250 MM	FILE, HAND: CUT: SECOND; CUT DESIGN: DOUBLE; SHAPE: FLAT; LENGTH: 250 MM; SIZE: THK 6 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	115	EA
0544958	FILE HND:SECOND;DOUBLE;FLAT;LG 150 MM	FILE, HAND: CUT: SECOND; CUT DESIGN: DOUBLE; SHAPE: FLAT; LENGTH: 150 MM; SIZE: THK 4 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	345	EA
0545014	FILE HND:BASTARD;DOUBLE;FLAT;LG 150 MM	FILE, HAND: CUT: BASTARD; CUT DESIGN: DOUBLE; SHAPE: FLAT; LENGTH: 150 MM; SIZE: THK 4 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	431	EA
0545025	FILE STNRY:RNG;25 MM;PVC;BLUE;30SP, BL;4	FILE, STATIONERY: TYPE: RING; SIZE: 25 MM; MATERIAL: PVC; COLOR: BLUE; SPECIAL FEATURES: 30SP, BL; HOLE QUANTITY: 4	8217	EA
0545355	FILE HND:SMOOTH;SINGLE;RD;LG 250 MM	FILE, HAND: CUT: SMOOTH; CUT DESIGN: SINGLE; SHAPE: RD; LENGTH: 250 MM; SIZE: DIA 10 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	115	EA
0545849	FILE HND:BASTARD;SINGLE;RD;LG 150 MM	FILE, HAND: CUT: BASTARD; CUT DESIGN: SINGLE; SHAPE: RD; LENGTH: 150 MM; SIZE: DIA 5 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	115	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

0546229	FILE HND:BASTARD;DOUBLE;SQ;LG 150 MM	FILE, HAND: CUT: BASTARD; CUT DESIGN: DOUBLE; SHAPE: SQ; LENGTH: 150 MM; SIZE: 6 MM2; PATTERN TYPE: AMERICAN; TYPE: TAPER	230	EA
0546312	HANDLE FILE:LG 110 MM;PVC;BLUE	HANDLE, FILE: SIZE: LG 110 MM; MATERIAL: PVC; COLOR: BLUE; MANUF P/N: PH11	920	EA
0546320	FILE HND:BASTARD;DOUBLE;SQ;LG 300 MM	FILE, HAND: CUT: BASTARD; CUT DESIGN: DOUBLE; SHAPE: SQ; LENGTH: 300 MM; SIZE: 12 MM2; PATTERN TYPE: AMERICAN; TYPE: TAPER	230	EA
0546328	FILE SET NDL:SWISS CUT 1;12;140 MM;3 MM	FILE SET, NEEDLE: TYPE: SWISS CUT 1; QUANTITY PER SET: 12; SHAPES: FLAT; HAND; CROSSING; THREE SQUARE; SQUARE; ROUND; KNIFE; HALF-ROUND; BARRETTE; FLAT WITH ROUND EDGES; HAND WITH ROUND EDGES; CROSSING OVAL; OVERALL LENGTH: 140 MM; SHANK DIAMETER: 3 MM; MANUF P/N: 266/14; REFERENCE NO: EAN 4007220235539	702	EA
0546344	FILE HND:SECOND;DOUBLE;SQ;LG 200 MM	FILE, HAND: CUT: SECOND; CUT DESIGN: DOUBLE; SHAPE: SQ; LENGTH: 200 MM; SIZE: 7 MM2; PATTERN TYPE: AMERICAN; TYPE: TAPER	345	EA
0546354	FILE HND:SMOOTH;SINGLE;RD;LG 300 MM	FILE, HAND: CUT: SMOOTH; CUT DESIGN: SINGLE; SHAPE: RD; LENGTH: 300 MM; SIZE: DIA 12 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	115	EA
0546362	FILE HND:SMOOTH;SINGLE;RD;LG 200 MM	FILE, HAND: CUT: SMOOTH; CUT DESIGN: SINGLE; SHAPE: RD; LENGTH: 200 MM; SIZE: DIA 7 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	115	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

Business Management System

Supply Chain Management

Warehouse

Scope of Work for Tooling

0546370	FILE HND:SECOND;SINGLE;RD;LG 300 MM	FILE, HAND: CUT: SECOND; CUT DESIGN: SINGLE; SHAPE: RD; LENGTH: 300 MM; SIZE: DIA 12 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	115	EA
0546378	FILE HND:SECOND;SINGLE;RD;LG 200 MM	FILE, HAND: CUT: SECOND; CUT DESIGN: SINGLE; SHAPE: RD; LENGTH: 200 MM; SIZE: DIA 7 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	115	EA
0546386	FILE HND:SECOND;SINGLE;SQ;LG 100 MM	FILE, HAND: CUT: SECOND; CUT DESIGN: SINGLE; SHAPE: SQ; LENGTH: 100 MM; SIZE: DIA 4 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	345	EA
0546394	FILE HND:BASTARD;SINGLE;RD;LG 300 MM	FILE, HAND: CUT: BASTARD; CUT DESIGN: SINGLE; SHAPE: RD; LENGTH: 300 MM; SIZE: DIA 6 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	230	EA
0546459	HANDLE FILE:LG 130 MM;PVC;BLUE	HANDLE, FILE: SIZE: LG 130 MM; MATERIAL: PVC; COLOR: BLUE; MANUF P/N: PH13	920	EA
0546850	FILE HND:SMOOTH;DOUBLE;FLAT;LG 150 MM	FILE, HAND: CUT: SMOOTH; CUT DESIGN: DOUBLE; SHAPE: FLAT; LENGTH: 150 MM; SIZE: THK 4 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	115	EA
0547017	FILE HND:SECOND;DOUBLE;FLAT;LG 200 MM	FILE, HAND: CUT: SECOND; CUT DESIGN: DOUBLE; SHAPE: FLAT; LENGTH: 200 MM; SIZE: THK 5 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	230	EA
0547163	FILE HND:SECOND;SINGLE;RD;LG 250 MM	FILE, HAND: CUT: SECOND; CUT DESIGN: SINGLE; SHAPE: RD; LENGTH: 250 MM; SIZE: DIA 9 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	115	EA
0547879	FILE HND:SMOOTH;DOUBLE;HALF RD;LG 150 MM	FILE, HAND: CUT: SMOOTH; CUT DESIGN: DOUBLE; SHAPE: HALF RD; LENGTH: 150 MM; SIZE: DIA 4 MM; PATTERN	138	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

		TYPE: AMERICAN; TYPE: TAPER		
0548908	FILE HND:SECOND;DOUBLE;FLAT;LG 100;TAPER	FILE, HAND: CUT: SECOND; CUT DESIGN: DOUBLE; SHAPE: FLAT; LENGTH: 100; SIZE: THK 3 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	201	EA
0548909	FILE HND:BASTARD;DOUBLE;FLAT;LG 300 MM	FILE, HAND: CUT: BASTARD; CUT DESIGN: DOUBLE; SHAPE: FLAT; LENGTH: 300 MM; SIZE: THK 6 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	771	EA
0548911	FILE HND:SECOND;DOUBLE;FLAT;LG 300 MM	FILE, HAND: CUT: SECOND; CUT DESIGN: DOUBLE; SHAPE: FLAT; LENGTH: 300 MM; SIZE: THK 6 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	690	EA
0548912	FILE HND:SECOND;DOUBLE;HALF RD;LG 250 MM	FILE, HAND: CUT: SECOND; CUT DESIGN: DOUBLE; SHAPE: HALF RD; LENGTH: 250 MM; SIZE: THK 7 MM; PATTERN TYPE: AMERICAN; TYPE: STRAIGHT	230	EA
0548914	FILE HND:SMOOTH;DOUBLE;FLAT;LG 300 MM	FILE, HAND: CUT: SMOOTH; CUT DESIGN: DOUBLE; SHAPE: FLAT; LENGTH: 300 MM; SIZE: THK 6 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	817	EA
0548915	FILE HND:BASTARD;1ST;HALF RD;LG 250 MM	FILE, HAND: CUT: BASTARD; CUT DESIGN: 1ST; SHAPE: HALF RD; LENGTH: 250 MM; SIZE: THK 7 MM; PATTERN TYPE: AMERICAN; TYPE: STRAIGHT	144	EA
0548918	FILE HND:BASTARD;SINGLE;RD;LG 250 MM	FILE, HAND: CUT: BASTARD; CUT DESIGN: SINGLE; SHAPE: RD; LENGTH: 250 MM; SIZE: DIA 9 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	115	EA
0548919	FILE HND:SMOOTH;DOUBLE;HALF RD;LG 250 MM	FILE, HAND: CUT: SMOOTH; CUT DESIGN: DOUBLE; SHAPE: HALF RD; LENGTH: 250 MM; SIZE: DIA 7 MM; PATTERN	230	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.



Business Management System

Supply Chain Management

Warehouse

Scope of Work for Tooling

		TYPE: AMERICAN; TYPE: TAPER		
0548921	FILE HND:SMOOTH;SINGLE;RD;LG 150 MM	FILE, HAND: CUT: SMOOTH; CUT DESIGN: SINGLE; SHAPE: RD; LENGTH: 150 MM; SIZE: DIA 5 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	58	EA
0548922	FILE HND:SECOND;SINGLE;RD;LG 150 MM	FILE, HAND: CUT: SECOND; CUT DESIGN: SINGLE; SHAPE: RD; LENGTH: 150 MM; SIZE: DIA 4 MM; PATTERN TYPE: AMERICAN; TYPE: TAPER	230	EA
0548926	FILE HND:SMOOTH;DOUBLE;SQ;LG 100 MM	FILE, HAND: CUT: SMOOTH; CUT DESIGN: DOUBLE; SHAPE: SQ; LENGTH: 100 MM; SIZE: 4 MM2; PATTERN TYPE: AMERICAN; TYPE: TAPER	230	EA
0548929	HANDLE FILE:LG 90 MM;PVC;BLUE	HANDLE, FILE: SIZE: LG 90 MM; MATERIAL: PVC; COLOR: BLUE; MANUF P/N: PH9	2300	EA

Complied By:

Signature: 

Date: 30/01/2025

Approved By:

Signature: 

Date: 30/01/2025

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.