

C2.2

VANITY TOPS

| | |
|-------|---|
| 2/8/1 | "Avonite" (or equivalent) acrylic based vanity work tops of 758mm overall girth with 50mm high splashback and 150mm return, including waterproofing backing, vanity worktops fixed to 30 x 30 x 3mm galvanised mild steel square tube frame structure 550 x 820mm high bolted to walls with and including 10 x 70mm expansion bolts as per manufacturer specification and approved by Architect |
|-------|---|

m

3

Supply and install complete as per Architect's drawings and specifications (Drawing No. 503 and 504)

| | |
|-------|---|
| 2/8/2 | 2110mm high wall bands fixed to brickwork at 964mm centres (Refer to Architect's drawing No. 503 & 504) |
|-------|---|

No

52

| | |
|-------|--|
| 2/8/3 | 435mm long brackets for steel shelves fixed to wall bands (elsewhere measured) |
|-------|--|

No

310

| | |
|-------|------------------------------------|
| 2/8/4 | Shelf size 914mm long x 435mm deep |
|-------|------------------------------------|

No

85

"Shelco" (or equivalent) powder coated wall free-standing modular shelving system

| | |
|-------|--|
| 2/8/5 | Shelving unit size 914 x 450 x 2100mm high overall |
|-------|--|

No

8

Carried to Collection

R

Reference No. 222Q/2024/25

| <u>CUPBOARDS</u> | | | | | | |
|--|---|----|---|--|---|--|
| | <p><u>"Avonite" (or equivalent) worktops of 42mm thick board on cupboard carcasses and internal shelving comprising of 'Super white' PG Bison (or equivalent) boards of 17mm 1st Grade particle board double faced with high pressured laminate melamine to exposed surfaces and matching 2mm PVC edging, 'peen' finished doors and backing board of 3.5mm white masonite board, 150mm plinths of (RIH660) brushed aluminium skirting and base adjuster with dowel (RIH 830) as per Architect's drawing and specifications (Refer to Drawing No. 501)</u></p> | | | | | |
| 2/8/6 | <p>Wall cupboard 4754/2833 x 400 x 700mm high overall inclusive of framing, complete with top, sides, back, bottom, 9 No. vertical divisions, one corner unit with unequal leaf doors, one floating shelf fixed at 360mm centre's and 13 No. doors 435 x 700mm, each fitted with 128mm stainless steel handles - refer to Architect's drawing no. 501</p> <p><u>Floor Cupboards</u></p> | No | 1 | | | |
| 2/8/7 | <p>Floor cupboard 4754/2833 x 600 x 900mm high overall cupboards complete with "Avonite" (or equivalent) worktop including cut-out for double bowl sink, including 11 No. equal leaf double hinged doors, one corner unit with unequal leaf doors and 720 x 600 x 900mm drawer unit with 4No. equal drawers complete with ironmongery (sink elsewhere measured) - refer to Architect's drawing no. 501</p> <p><u>Cupboard comprising of "Super white" PG Bison (or equivalent) boards of varying thickness with matching 1.5mm PVC edging, exposed surface's of doors to be finished in "Storm Grey", doors to be fixed with "Grass Nexis Slid-On 04" (or equivalent) hinges as per Architect's drawings and specifications (Refer to Drawing No. 502)</u></p> | No | 1 | | | |
| 2/8/8 | <p>Ablution locker 1422 x 450 x 1735mm high overall, carcass comprising of 2No. 1585 x 450mm verticals to ends, 2 No. Vertical dividers, 2 No. 1422 x 450mm boards for top and plinth, 9 No. 450 x 450mm horizontal shelves, cupboard fitted with 12No. 468 x 388mm doors complete with ironmongery, the whole supported on a 150 x 22mm meranti base clad with brushed aluminium cladding.</p> | No | 1 | | | |
| Carried to Collection | | | | | R | |
| <p>BUILDING WORKS BILL NO. 8 JOINERY FITTINGS Part C2: Pricing Data Reference No. 222Q/2024/25</p> | | | | | | |

| | | | | | |
|---|---|----|---|--|---|
| 2/8/9 | <p>Ablution locker 1890 x 450 x 1735mm high overall, carcass comprising of 2No. 1585 x 450mm verticals to ends, 3 No. Vertical dividers, 2 No. 1422 x 450mm boards for top and plinth, 12 No. 450 x 450mm horizontal shelves, cupboard fitted with 16No. 468 x 388mm doors complete with ironmongery, the whole supported on a 150 x 22mm meranti base clad with brushed aluminium cladding.</p> <p><u>Cupboard comprising of "Super white" PG Bison (or equivalent) boards of varying thickness with matching 1.5mm PVC edging, exposed surface's of doors to be finished in "Storm Grey", doors to be fixed with "Grass Nexis Slid-On 04" (or equivalent) hinges as per Architect's drawings and specifications (Refer to Drawing No. 502)</u></p> | No | 5 | | |
| 2/8/10 | <p>Lunch-Box locker cupboard 3992 x 350 x 1735mm high overall, carcass comprising of 9 No. 350 x 1585mm verticals complete with 40No. 379 x 350 x 18mm thick horizontal shelves, cupboard fitted with 40No. x 397 x 388mm doors complete with ironmongery, the whole supported on a 150 x 22mm meranti base clad with brushed aluminium cladding.</p> <p><u>RECEPTION DESK</u></p> <p><u>Supply and install complete as per Architect's drawings and specifications (Refer to Architect's drawing no. 508)</u></p> | No | 1 | | |
| 2/8/11 | <p>Laminated timber 50mm thick reception counter size 900mm wide, stained and sealed to specialist's detail including 38 x 38mm powder coated or epoxy painted galvanised mild steel frame to support 900mm countertop and bolted to brickwork</p> | m | 9 | | |
| Carried to Collection | | | | | R |
| BUILDING WORKS BILL NO. 8 JOINERY FITTINGS Part C2: Pricing Data Reference No. 222Q/2024/25 | | | | | |

| <u>BENCHES</u> | | | | | |
|---|--|----|---|--|--|
| Supply and install complete as per Architect's drawings and specifications (Drawing No. 503) | | | | | |
| <u>Timber benches comprising of Meranti planks sanded with abrasive paper and sealed with two coats wood primer and two coats varnish, supported by galvanised mild steel frame, connection plates, bolted to wall/floor as per Architect's drawings and specifications (Refer to Drawing No. 503)</u> | | | | | |
| 2/8/12 | Floor mounted timber bench overall size 1900 x 664 x 450mm high, including all fixings complete with selected 114 x 32mm Meranti edge strip hardwood bench slats and 32 x 75mm Meranti on both sides fixed to frame of 8 No. 40 x 40 x 3mm galvanised mild steel SHS stayed bracket including 60 x 60 x 5mm gusset plates welded to 4No. 40 x 40mm intermediate posts welded to 300 x 5mm , including fixing steel structure with anchor bolts to floors walls | No | 1 | | |
| 2/8/13 | Wall mounted Timber bench overall size 1900 x 362 x 450mm high, including all fixings complete with selected 114 x 32mm Meranti hardwood bench slats and 32 x 75mm Meranti edge strip fixed to frame of 4 No. 40 x 40 x 3mm galvanised mild steel SHS stayed bracket bolted to walls, including fixing steel structure with anchor bolts to walls | No | 3 | | |
| 2/8/14 | Wall mounted L-shaped bench overall size 1600/1600 x 362 x 450mm high, including all fixings complete with selected 114 x 32mm Meranti hardwood bench slats and 32 x 75mm Meranti edge strip fixed to frame of 6 No. 40 x 40 x 3mm galvanised mild steel SHS stayed bracket bolted to walls, including fixing steel structure with anchor bolts to walls | No | 1 | | |
| Carried to Collection | | | | | |
| BUILDING WORKS | | | | | |
| BILL NO. 8 | | | | | |
| JOINERY FITTINGS | | | | | |
| Part C2: Pricing Data | | | | | |
| Reference No. 222Q/2024/25 | | | | | |

R