

### **TENDER DOCUMENT**

TENDER No: RWCLM-3/005/2022-2023: APPOINTMENT OF A PANEL OF ONE OR MORE CONTRACTOR(S) FOR THE CONSTRUCTION, MAINTENANCE AND REPAIRS OF (H.V/M.V) SUBSTATIONS AND SUBSTATION TRANSFORMERS FOR A 36-MONTH PERIOD ON AN AS AND WHEN REQUIRED BASIS.

### TENDER FOR THE APPOINTMENT OF ONE OR MORE CONTRACTOR/S

	ISS	UED	BY
--	-----	-----	----

### THE MUNICIPAL MANAGER

Rand West City Local Municipality

P O Box 218

Randfontein

1760

Tel: 011 411 0051

Fax: 011 693 3865

### PREPARED BY;

### THE PROGRAMME MANAGER

Rand West City Local

Municipality

P O Box 218

Randfontein

1760

Tel: 011 411 0216

Fax: (011) 412 3424

NAME OF THE TENDERER:	
BIDDERS TOTAL PRICE (INCL VAT): R	

### Special conditions of contract and required documentation

The following mandatory documents must be submitted with the tender document and failure to submit either will lead to your submission being declared non-responsive:

- Prices must be valid for at least ninety (90) days from the closing date and must be inclusive of VAT if the bidder is a VAT vendor.
- A valid Tax Clearance Certificate and Tax Compliance status document with PIN from SARS.
- Proof of registration with the National Treasury Central Supplier Database (a bidder must attach CSD registration report with Supplier No. and Unique Code).
- Original BBBEE certificate, certified copy or a certified original copy of EME or QSE verified affidavit in the case of EMEs and QSEs. Failure to submit either will lead in the bidder scoring no points for BBBEE. Must be a consolidated certificate for Joint Ventures.
- Certified copies of Company Registration Documents and ID copies of company directors
- Completed MBD FORMS.
- A current municipal account statement reflecting the bidder is not in arrears for more than 3 months, lease agreement or SAPS affidavit stating that the bidder not obliged to pay municipal rates.

NB: No bids will be considered from persons in the service of the state.
BIDDERS SHOULD ALSO TAKE NOTE OF THE FOLLOWING BID CONDITIONS:

- The Rand West City Local Municipality Supply Chain Management Policy will apply.
- The Rand West City Local Municipality does not bind itself to accept the lowest bid or any other bid and reserves the right to accept the bid in whole or in part.
- Bids, which are late, incomplete, unsigned, faxed or sent electronically, will not be accepted.
- The latest General Conditions of Contract and any Special Conditions of Contract will apply.
- The bid will be evaluated on local production content the minimum threshold as stipulated by the DTI in each designated sector will apply.
- For all procurement that exceed 10 Million, (all application taxes included) bidders must submit the audited annual financial statements for the past three years.
- The municipality reserve the right for appoint more than one service provider.
- CIDB Grading 8 EP OR 7 EP PE)

### The Compulsory briefing Session as Follows:

Date: 20 September 2022

Venue: Corner Fedler and Second Street, Randfontein

Time: 10:00am

Failure to comply with these conditions may invalidate your offer.

Acknowledgement	
Signature	Date



### PART A INVITATION TO BID

YOU ARE HERE	BY INVITED TO B	ID FOR REQUIREMENTS	S OF THE (NAM	E OF MU	UNICII	PALITY	MUNIC	CIPAL ENTITY	)	C THANK
BID NUMBER:	RWCLM- 3/005/2022/2023	CLOSING DATE:	2	022	OCTO			NG TIME:	11:00	
		OF A PANEL OF ONE OF V/M.V) SUBSTATIONS A								ND
DESCRIPTION	WHEN REQUIRE	U BASIS.								
	UL BIDDER WILL	BE REQUIRED TO FILL	IN AND SIGN A	WRITT	EN CO	ONTRA	CT FOR	RM (MBD7).		
BID RESPONSE	DOCUMENTS M	AY BE DEPOSITED IN								
•	STREET ADDRESS									
CNR Fedler and Randfontein	Second Street									
1760										
SUPPLIER INFO	RMATION				Z.					
NAME OF BIDDE	R									
POSTAL ADDRE	SS									
STREET ADDRE	SS									
TELEPHONE NU	IMBER	CODE				NUMB	ER			
CELLPHONE NU	IMBER									
FACSIMILE NUM	1BER	CODE				NUMB	ER			
E-MAIL ADDRES	SS		1							
VAT REGISTRAT	TION NUMBER									
TAX COMPLIANO		TCS PIN:			OR	CSD N	ło:			
			<u> </u>		B-BB	EE				
B-BBEE STATUS VERIFICATION (		☐Yes			STAT		I	Yes		
[TICK APPLICAB					SWO		-			
		☐ No				DAVIT		No		
TO QUALIFY F	ATUS LEVEL VEI FOR PREFERENC	RIFICATION CERTIFICA CE POINTS FOR B-BB	ATE/ SWORN A EE1	FFIDA	VIT (F	OR EM	ES & C	QSEs) MUST E	BE SUBMITTED IN	ORDER
•				Ţ		YOU A				
ARE YOU THE A	CCREDITED			İ		EIGN B PLIER I				
REPRESENTATI						GOOD				
AFRICA FOR TH		☐Yes ☐	_No			RVICES		☐Yes		□No
OFFERED?	8	[IF YES ENCLOSE PRO	OFI		WO	RKS ERED?		TIE YES AN	SWER PART B:3]	
					011	LIXLD:		[11 120, 74		
TOTAL NUMBER	R OF ITEMS									
OFFERED					Prici	ing		N/A		
SIGNATURE OF					DAT	E				
CAPACITY UND										
	DURE ENQUIRIE	S MAY BE DIRECTED T	0:					N MAY BE DI		
DEPARTMENT		SCM				PERSON		Marius Van Re	ensburg	
CONTACT PERS		Cecilia Mofokeng 011 411 0467				E NUME		011 411 0000		
FACSIMILE NUM		VII 411 U40/		E-MAIL	_	NUMBE RESS	-17	Marius VanPa	nsburg@randwestcit	V ((NV 72
E-MAIL ADDRES		Cecilia.Mofokeng@rand	westcity.gov.za		_,,,,,,		L	ando. vant to		1.90v.EU

### PART B TERMS AND CONDITIONS FOR BIDDING

1.	BID SUBMISSION:						
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CO CONSIDERATION.	PRRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR					
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVI	DED-(NOT TO BE RE-TYPED) OR ONLINE					
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREME PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITION SPECIAL CONDITIONS OF CONTRACT.	NT POLICY FRAMEWORK ACT AND THE PREFERENTIAL IS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER					
2.	TAX COMPLIANCE REQUIREMENTS						
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGAT	ONS.					
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL I THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND	DENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE FAX STATUS.					
2.3	APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFIC USE THIS PROVISION, TAXPAYERS WILL NEED TO REGIST WWW.SARS.GOV.ZA.	CATE OR PIN MAY ALSO BE MADE VIA E-FILING, IN ORDER TO ER WITH SARS AS E-FILERS THROUGH THE WEBSITE					
2.4	FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUEST	ONNAIRE IN PART B:3.					
2.5	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGE	THER WITH THE BID.					
2.6 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.							
2.7 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.							
3.	QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS						
3.1.	IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA	(RSA)? ☐ YES ☐ NO					
3.2.	DOES THE ENTITY HAVE A BRANCH IN THE RSA?	☐ YES ☐ NO					
3.3.	DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE	RSA? YES NO					
3.4.	DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?	☐ YES ☐ NO					
3.5.	IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?	☐ YES ☐ NO					
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.							
NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID. NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.							
SIGI	NATURE OF BIDDER:						
CAP	ACITY UNDER WHICH THIS BID IS SIGNED:						
DAT	E:						

### TENDER: MAINTENANCE ON SUBSTATIONS AND MINISUBS

Functionality scoring (Failure to provide certified proof, a tenderer will score Zero and will not be evaluated further. Applicable to all sections of the evaluation criteria.) Only the top 5 scorers will be entered into the panel with a minimum of one contactor in the panel.

Intent /	ucture and Resources Available. Provide proof Agreement from Hiring Company is required d of ownership by means of certified, vehicle s chicles.	to score poir	its. Proof to be	1002-007-008	m Points	Points Awarded (official us only)
Item	Equipment	Hiring	Ownership			
1	Light Delivery Vehicle or Bakkie	10	20			
2	Crane truck to remove various components from transformers. (Proof must be provided by means of a certified e-Natis document)	10	20	4	10	
recently cali	sipment Certified proof of ownership linked to a ibrated calibration certificate. Must be in the com- iclude a calibration certificate and model/serial n	pany name. R		Maximu	m Points	Points Awarded
Item	Equipment		Points			
	Primary and Secondary Injection test set.	Hiring	Ownership			
1	Current Range 20A to 200A, Current accuracy output ±2.5%,AC Voltage output 0 to 250V,2A 50/60 Hz	10	20	40		
2	High Voltage Line Phase Comparator Test section 3.3kV,6.6kV & 11kV	10 20				
team memb	d Personnel, CVs and certified copies of qualification to be attached. Only red seal qualification will lift in the control of	be accepted. F	roof of certified	Maximum Points		Points Awarded
Item	Personnel		Points	10		
	Personnel Points  ECSA registered electrical engineer 2  Qualified Electrician with certified qualification and Wireman's licence  Second qualified electrician with valid certified ORHVS  2	2				
	Qualified Electrician with certified qualification and Wireman's licence  Second qualified electrician with valid certified ORHVS  Third qualified electrician with valid certified ORHVS  2		2			
			2	10		
			2			
Infrastructu construction past 10 yea	Previous experience -Electrical Infrastructure projects -  frastructure substation and transformer maintenance, construction, or refurbishment projects) completed in the last 10 years * Certified copies of appointment and corresponding completion certificates will be accepted.  Maximum Points  Maximum Points			m Points	Points Awarded	
Three (3) Sir government	milar projects completed successfully with		12			
government	nilar projects completed successfully with institutions		16	2	0	
1.1	ilar projects completed successfully ment institution	20 Points		Maximum Points		Points Awarded
codes from a stamped Bar	l Resources – In terms of bank an accredited Financial Institution. The and Rating Letter must not be older than 3 an the closing date of the tender.					
HORLIIS HOII			10	1	0	
1	Bank Code A, B, C	10				
	Bank Code A, B, C			Minimum threshold	Maximum Points	Points Awarded

## TENDER: MAINTENANCE ON SUBSTATIONS AND MINISUBS

# TENDER FOR THE TENDER FOR THE APPOINTMENT OF ONE OR MORE CONTRACTOR/S

Z
Щ
크
$\subseteq$
꼬
<
2
B
!
Ш
Ō
0
C
3
Ш
Z
크
S

RETURNABLE DOCUMENTS REQUIRED FOR TENDER EVALUATION PURPOSES

### SCHEDULE OF PROPOSED PERSONELL

No	No Professional	Name and Surname	ID No	Registration No.	Signature
1	Key Staff				
1	ECSA registered Electrical Engineer			, p	
2	Qualified Electrician with certified qualification and Wireman's licence				
ဃ	Second qualified electrician with valid certified ORHVS				
.4	Third qualified electrician with valid certified ORHVS				

CVs and Certified copies of qualification certificates for each team member to be attached. Proof of certified valid ORHVS (Operating rience

Regulations for High Voltage Systems) certification required. All team members must have at least 3 years or more expe Name of Tenderer:

## TENDER: MAINTENANCE ON SUBSTATIONS AND MINISUBS

## FORM H PLANT AND EQUIPMENT

No	Description	Number Required	Max Points to be allocated	Unit	Size or Capacity	Number Owned	Number to be Hired	Points scored (office use only)
1	Light Delivery Vehicle of Bakkie	<u>-\$</u>	20	_				
N	Crane truck to remove various components from transformers	1	20	Ton				
	Total		40					

Pr. be oints. Proof to (e-NATIS)

1	Light Delivery Vehicle of Bakkie		20	_			
2	Crane truck to remove various components from transformers	_	20	Tøn			
	Total		40				
Provid be pro	Provide proof of ownership or letter of Intent / Agreement from Hiring Company is required to score pobe provided of ownership by means of certified (by SAPS or Commissioner of Auth) vehicle registration	r of Intent / Agre s of certified (by S	ement from SAPS or Com	Hiring Co missioner	mpany is re of Auth) ve	quired to hicle reg	score poi
Name of Tenderer:	'enderer:Date:Date:	Date:					
Signature	Signature:Name of Signatory:Position:Position:	Name of	Signatory:				

### RAND WEST CITY LOCAL MUNICIPALITY

## TENDER FOR THE APPOINTMENT OF ONE OR MORE CONTRACTOR/S

# RETURNABLE DOCUMENTS REQUIRED FOR TENDER EVALUATION PURPOSES

following table Tenderers are required to provide proof of 5 previous experiences of similar projects completed, by filling in the

## (TENDERERS ARE NOT TO REFER TO THEIR COMPANY PROFILE)

Tende	55	4	3.	2.	1.		No
Tenderers are required to Attach Proof in the form of Certified copies not older than 3 months from closure of				•			Project Name
Proof in the fo							Value in Rands R'000
orm of Cer						Assigned	Da
tified con						Completed	Date
ies not older than 3						Name of employer	
months from c			ě			Contact Person	Employer
Josure of						erson Tel. No	

tender, of appointment letter and corresponding completion certificates. Telluerers are required to Attach Froof in the Jorni of certified copies not older than a months from crosure of

Date:

### C 2.2 BILL OF QUANTITIES

### Section A: MAINTENANCE ON AUX TRANSFORMERS

25KVA Transformer		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	·
Clean and Respray of transformer	1	
Purify transformer oil (4 passes)	1	
Total rewind of transformer (including replacement of bushings and other accessories)	1	

50KVA transformer		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	
Re-gasket of drain valve	1	***
Re-gasket of temperature gage	1	
Clean and Respray of transformer	1	
Purify transformer oil (4 passes)	1	
Total rewind of transformer (including replacement of bushings and other accessories)	1	

100KVA transformer		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Respray of transformer	1	
Purify transformer oil (4 passes)	1	
Total rewind of transformer (including replacement of bushings and other accessories)	1	

200KVA transformer		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Respray of transformer	1	
Purify transformer oil (4 passes)	1	
Total rewind of transformer (including replacement of bushings and other accessories)	1	

315KVA transformer		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Respray of transformer	1	
Purify transformer oil (4 passes)	1	
Total rewind of transformer (including replacement of bushings and other accessories)	1	

500KVA transformer		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	2	
Re-gasket of LV bushings	4	-
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Re-gasket conservator	1	
Re-gasket Buchholz	1	
Respray of transformer	1	
Purify transformer oil (4 passes)	1	
Total rewind of transformer (including replacement of bushings and other accessories)	1	

630KVA transformer		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	2	
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Re-gasket conservator	1	
Re-gasket Buchholz	1	
Respray of transformer	1	
Purify transformer oil (4 passes)	1	
Total rewind of transformer (including replacement of bushings and other accessories)	1	<del></del>

800KVA transformer		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	"
Re-gasket of MV bushings	3	
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	478, -8, 40
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Re-gasket conservator	1	
Re-gasket Buchholz	1	
Respray of transformer	1	
Purify transformer oil (4 passes)	1	
Total rewind of transformer (including replacement of bushings and other accessories)	1	

1MVA Transformer		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Re-gasket conservator	1	<del></del>

Re-gasket Buchholz	1	
Respray of transformer	1	
Purify transformer oil (4 passes)	1	
Total rewind of transformer (including replacement of bushings and other accessories)	1	
TOTAL SECTION A		R

### Section B: MAINTENANCE ON MINISUBS

100KVA		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Purify transformer oil (4 passes)	1	
Service LT Panel	1	
Service RMU	1	
Replace doors	1	
Replace hinges on doors	1	
Replace Locks (Mechanical)	1	<del> </del>
Respray minisub completely	1	
Replace RMU	1	
Rewind transformer and do total Refurbishment of minisub	1	

200KVA		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	8
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	*****
Purify transformer oil (4 passes)	1	
Service LT Panel	1	1 74 -
Service RMU	1	
Replace doors	1	
Replace hinges on doors	1	
Replace Locks (Mechanical)	1	
Respray minisub completely	1	
Replace RMU	1	
Rewind transformer and do total Refurbishment of minisub	1	

315KVA		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	
Re-gasket of drain valve	1	. 100
Re-gasket of temperature gage	1	
Purify transformer oil (4 passes)	1	
Service LT Panel	1	
Service RMU	1	
Replace doors	1	
Replace hinges on doors	1	<del></del>
Replace Locks (Mechanical)	1	
Respray minisub completely	1	<u> </u>
Replace RMU	1	
Rewind transformer and do total Refurbishment of minisub	1	
	<u> </u>	
500KVA		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	

Re-gasket of LV bushings	4	
Re-gasket of side glass	1	•
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Purify transformer oil (4 passes)	1	
Service LT Panel	1	
Service RMU	1	
Replace doors	1	
Replace hinges on doors	1	P-90-9049-4
Replace Locks (Mechanical)	1	
Respray minisub completely	1	
Replace RMU	1	
Rewind transformer and do total Refurbishment of minisub	1	

630KVA		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	
Re-gasket of LV bushings	4	4-18
Re-gasket of side glass	1	
Re-gasket of drain valve	1	, , , , , , , , , , , , , , , , , , , ,
Re-gasket of temperature gage	1	
Purify transformer oil (4 passes)	1	
Service LT Panel	1	
Service RMU	1	
Replace doors	1	
Replace hinges on doors	1	
Replace Locks (Mechanical)	1	
Respray minisub completely	1	
Replace RMU	1	
Rewind transformer and do total Refurbishment of minisub	1	

800KVA		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	U- 0 - 1
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Purify transformer oil (4 passes)	1	

Service LT Panel	1	
Service RMU	1	
Replace doors	1	
Replace hinges on doors	1	
Replace Locks (Mechanical)	1	
Respray minisub completely	1	
Replace RMU	1	
Rewind transformer and do total Refurbishment of minisub	1	

1000KVA		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of MV bushings	3	
Re-gasket of LV bushings	4	
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Purify transformer oil (4 passes)	1	
Service LT Panel	1	
Service RMU	1	
Replace doors	1	
Replace hinges on doors	1	
Replace Locks (Mechanical)	1	
Respray minisub completely	1	
Replace RMU	1	
Rewind transformer and do total Refurbishment of minisub	1	<del>.</del>
TOTAL SECTION B	<u> </u>	
TOTAL SECTION B	F	•

### Section C: Maintenance on Switchgear

Description	Quantity	Rate (excl)
Partial discharge & infra-red testing and report	1	*
Service MV breakers incl. all mechanical parts	1	
Testing breakers (ductor test, pressure and speed test)	1	
Testing of protection Relays (secondary injection)	1	1
Cleaning of panels (vacuum cleaning) and torqueing of bus bar	1	-
Cleaning of substation and painting of floor and walls	p/m²	<del></del>

Replacing of substation single door with Rand West specification door ( EXPANDA)	1	
Replacing of substation double doors with Rand West specification doors (EXPANDA)	1	
Give COC for substation	1	
Clean substation yard of all weeds and spray weed killer	p/m²	
Replace oil breaker	1	
Replace vacuum breaker	1	
Total refurbishment of oil breaker	1	
Total refurbishment of vacuum breaker SBV 3 and SBV 4	1	
TOTAL SECTION C		R

### Section D - SERVICING OF INCOMER SUBSTATIONS

10MVA Transformer			
Description	Quantity	Rate (excl)	
Re-gasket of top cover	1		
Re-gasket of HV bushings	1	···	
Re-gasket of MV bushings	1		
Re-gasket of side glass	1		
Re-gasket of drain valve	1		
Re-gasket of temperature gage	1		
Re-gasket of inspection covers	1		
Re-gasket of PRV valve	1		
Re-gasket of cooling fins	1		
Re-gasket of Buchholz	1		
Re-gasket of conservator	1		
Re-gasket of oil level indicators	1		
Clean and Respray transformer completely	1		
Clean and Paint Plinth	1		
Full commissioning test on transformer	1	3	
Service of manual tap changer	1		
Re-gasket manual tap changer	1		
Drain oil	1		
Refill oil	1		
Purify transformer oil (4passes)	1		
Note: should transformer fail, repair would take place on a strip and quote basis and only 20% profit margin on proven cost will be paid.			

20MVA transformer			
Description	Quantity	Rate (excl)	

Re-gasket of top cover	1	
Re-gasket of HV bushings	1	
Re-gasket of MV bushings	1	100
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Re-gasket of inspection covers	1	
Re-gasket of PRV valve	1	
Re-gasket of cooling fins	1	
Re-gasket of Buchholz	1	,
Re-gasket of conservator	1	
Re-gasket of oil level indicators	1	
Clean and Respray transformer completely	1	
Clean and Paint Plinth	1	
Full commissioning test on transformer	1	
Service of automatic tap changer	1	
Re-gasket automatic tap changer	1	
Drain oil	1	
Refill oil	1	
Purify transformer oil (4 passes)	1	
Note: should transformer fail, repair would take place on a strip and quote basis and only 20% profit margin on proven cost will be paid.		

40 MVA Transformer		
Description	Quantity	Rate (excl)
Re-gasket of top cover	1	
Re-gasket of HV bushings	1	
Re-gasket of MV bushings	1	<del></del>
Re-gasket of side glass	1	
Re-gasket of drain valve	1	
Re-gasket of temperature gage	1	
Re-gasket of inspection covers	1.0	
Re-gasket of PRV valve	1	
Re-gasket of cooling fins	1	
Re-gasket of Buchholz	1	
Re-gasket of conservator	1	
Re-gasket of oil level indicators	1	
Clean and Respray transformer completely	1	
Clean and Paint Plinth	1	<del> </del>
Full commissioning test on transformer	1	

Service of manual tap changer	1	
Re-gasket manual tap changer	1	
Service of automatic tap changer	1	
Re-gasket automatic tap changer	1	
Drain oil	1	
Refill oil	1	
Purify transformer oil (4 passes)	1	
Note: should transformer fail, repair would take place on a strip and quote basis and only 20% profit margin on proven cost will be paid.		
TOTAL SECTION D		R

### Section E: Dry Ice cleaning

	Dry ice cleaning		
<u>Description</u>	Quantity	Rate (excl)	
Dry ice cleaning	6 Hour shift		
Т	OTAL SECTION E	R	,,

### Section F: GENERAL COST

Description	Quantity	Rate (excl)
Transport with LDV	p/km	
Transport with 3-5Ton truck	p/km	
Transport with Crane Truck	p/km	
Generator 3Phase (100KVA)	p/hour	
Low bed 30 Ton plus	p/km	
130 Ton Crane	p/hour	
Rigging team	p/hour	
Supply of virgin oil	p/Lt	
Supply of regen oil	p/Lt	
Supply of regen oil on exchange base	p/Lt	-
Sampling of transformer (KV, moisture, acid, DGA, PCB and Furan test) & report	1	
Replace yard stone in substation - 19mm	p/m2	2
Service and testing of outdoor VT's 132kV	1	
Service and testing of outdoor CT's 132kV	1	
Service and testing of outdoor Circuit Breaker 132kV	1	
Total on site repair on NEC/NER/NERCT	1	
Supply and install new 200KVA NERCT	1	
Replace and install normal wire fencing - 2m high	p/m2	
Replace and install Clearview fencing – 2m high	p/m2	

Replace and install electric fencing 17 wire including 4J energizer	p/m2		
Replace lighting in outdoor substation with 136W LED fitting	1		
Replace lighting in indoor substation 5ft LED fitting	1		
TOTAL SECTION F		R	

### Summary:

-

Total price must be carried over to the front page of this document.

### RAND WEST CITY LOCAL MUNICIPALTY RESERVES THE RIGHT TO APPOINT ONE OR MORE CONTRACTORS ON THIS BID

Note: Any other items not listed here will be procured at market related prices based on three (3) quotations and/or cost plus 10%.

### RAND WEST CITY LOCAL MUNICIPALITY

### TENDER FOR THE APPOINTMENT OF ONE OR MORE CONTRACTOR/S

### PROVISIONS RE-CONTRACT PRICE ADJUSTMENT

Any rise or fall in the cost of labour, materials and transport subsequent to the tender closing date shall be for the Employer's account.

### **Definition of Dates of Applicable Indices**

In the application of formulae designated hereafter suffixes to indexes will determine the date of the applicable index as follows:

### Note

- Suffix (o) The index ruling during the month prior to that during which the bid closed.
- Suffix (n) The index ruling on the Adjustment Date as defined below.

"Base Month": for this contract, shall mean: Month Prior to Advertising of the Bid

"Adjustment Date" shall mean:

- 1 January for orders placed from and including this date up to 30 June
- 1 July for all orders places from and including this date up to 31 December
- 1 January for orders placed from and including this date up to 30 June
- 1 July for all orders places from and including this date up to 31 December
- 1 January for orders placed from and including this date up to 30 June
- 1 July for all orders places from and including this date up to 31 December

### Important Note:

NO ADJUSTMENT shall be made from date of award of contract until the first Adjustment Date stipulated above.

NO ADJUSTMENT of prices shall be made at any time other than on the adjustment dates stipulated above.

The adjusted prices shall be fixed and firm until the date of the next adjustment.

The date that a faxed or e-mailed order is transmitted to the supplier or a written order is delivered by hand shall be taken as the Date of Order

### RAND WEST CITY LOCAL MUNICIPALITY

### TENDER FOR THE APPOINTMENT OF ONE OR MORE CONTRACTORS

### SCOPE OF WORKS

### **ANNEXURE SW-A**

### MAINTENANCE / SERVICE TRANSFORMERS SWA -A

### A.1. Scope

The scope of this procedure include all tasks, equipment and spares required to repair, clean and test transformers.

### A.2. Task description

- a) Repair of all oil leaks, in-situ, by means of re-gasketting where necessary with high-density cork. (bushings, oil level gauges, bucholz relays, piping, valves, conservators, radiators, couplings, inspection covers, etc)
- b) Preparation and painting of transformers.
  - · Remove all loose or peeling paint.
  - Degrease entire exterior surfaces.
  - Remove all rust.
  - With all rust removed, apply a primer for steel containing Zinc phosphate to all exposed metal areas.
  - Sand sound coating to provide a key for the next coat.
  - Apply manufacturers specification primer.

- Apply industrial final coat. (Minimum life expectancy of 5 years under local conditions.)
- Supply and paint stencil work.
- c) Cleaning and re-torqueing to specification of the overhead line / busbar connections to the HV/MV/LV bushings.
- d) Re-torqueing of all bolts must be with a torque wrench to required torque. (OEM specifications)
- e) Restoring oil levels of transformers if required.
- f) Inspect conservator oil level indicator.
- g) Inspect general condition of breather and drying agent and replace where required.
- h) Inspect general condition of fans, radiators and cooling system.
- I) Inspection operation of valves and couplings.
- j) Inspection condition of all valves and coupling.
- k) A comprehensive report on current conditions, findings and recommendations to be submitted after completion of work.
- I) Testing and calibration:
  - Testing of the of the bucholz relay by means of dry nitrogen injection.
  - Testing and calibration of winding and oil temperature thermometers.
  - Megger test of transformer windings, HV to LV, HV to earth and LV to earth.
  - · Conductivity test of all earth connections
  - · Test certificates must be provided.

	A.3 Trans	former description	
Amount	Make	Capacity	Voltage
7	TSS	10-MVA	11kV/6,6kV
1	Pearl Electric	20-MVA	132kV/11kV
1		20-MVA	132kV/6.6KV
1	WEG	40MVA	132kV/11kV

### **ANNEXURE SW-B**

### Maintenance / service on load tap changers

### B.1. Scope

The scope of this procedure include all tasks, equipment and spares required to service, clean and test on-load changers.

### **B.2. Task Description**

- a. Draining, flushing (cleaning) and refilling of oil in tap changer tank.
- b. Inspect
  - · And repair oil leaks.
  - · Fixed and moving.
  - · Pressure control relay.
  - · Transition resistors.
  - Geneva gear for wear.
  - · Step switches.
  - Motor contractors.
  - V-belt.
  - · Heating system.

- Mechanical operation counter.
- Gland for the main shaft
- Brake of the flywheel.
- Mechanical and electrical end-limits.
- Starting contact.
- c. Replace worn fixed and moving contacts.
- d. Replace top cover gaskets.
- e. A complete diagnostic test must be done on the function of the tap changer.

(Test certificate must be provided)

f. A comprehensive report on current conditions, findings and recommendations to be submitted after completion work.

### B.3. On load tap changer description.

	B.3. On load tap changer description.	
No.	Make	Serial number
1		00000
2		00000

### **MAINTENANCE / SERVICE: 132KV CIRCUIT BREAKERS**

### C.1. Scope

The scope of this procedure include all tasks, equipment and spares required to service, clean and test 132kV circuit breakers.

### C. 2. Task Description

- a. Inspect:
  - Repair oil leaks
  - Fixed and moving contacts (springs, washers, insulator buffer, etc.
  - Tabulator discs.
  - Insulated buffers in poles.
- b. Flush poles with transformer oil to remove all carbon.
- c. Clean equipment, making use of approved chemical solvents.
- d. Replace oil gauge and /or "o" ring if necessary.
- e. Replace connecting rod rubber cone seal if necessary. (EIB CB)
- f. Clean, inspect, adjust and lubricate the spring drive mechanism.
- g. Refill circuit breaker oil.
- h. Measure the main contact resistance at 100 Amps. (Test certificate)
- i. Carry out the minimum closing and tripping voltage tests. (Test certificate)

- j. Carry out speed test. (Test certificate)
- k. Carry out functional testing of the complete circuit breaker.
- A comprehensive report on the current conditions, findings and recommendations to be submitted after completion works

	C. 3 132kV Circuit breaker description	
No	Make	Serial number

### **ANNEXURE SW-D**

### Maintenance / service: 132kV - Current and voltage transformers

### D.1. Scope

The scope of this procedure includes all tasks, equipment and spares required to repair, clean and paint 132kV outdoor CT's and VT's.

### D.2 Task description

- a. clean equipment making use of approved chemical solvents.
- b. Repair oil leaks.
- Preparing and re-painting of the complete transformer, if necessary.
  - Remove all loose or peeling paint.
  - Degrease entire exterior surface.
  - Remove all rust.
    - With all rust removed apply a primer for steel containing Zinc Phosphate to all exposed metal areas.
  - Sand sound coating to provide a key for the next coat.
  - Apply manufactures specification primer.
    - Apply industrial final coat. (Minimum life expectancy of 5 years under local conditions)
  - Supply and install stencil work.
- d. Topping up of transformer oil where required.
- e. Replace oil gauge and/or "o" rings or gaskets if necessary.
- f. Repair of broken or cracked insulator sheds, where required.
- g. Inspect, clean and re-torque all line and/or busbar clamps.
- h. A comprehensive report on the current conditions, findings and recommendations to be submitted after completion of work.

### **ANNEXURE SW-E**

### Maintenance / service 132kV disconnectors / isolators

### E.1 Scope

The scope of this procedure includes all tasks, equipment and spares required to service, clean and test 132kV disconnects/isolators.

### E.2 Task descriptions

- a. Clean equipment making use of approved chemical solvents.
- b. Carry out a general inspection and operate manually and electrically where applicable.
- c. Inspect, clean and lubricate main and auxiliary contacts. (Approved contact grease)
- d. Check and adjust main contact alignment if required.
- e. Lubricate all bearings and test operating mechanisms.
- f. Clean lubricate and test operating mechanisms.
- g. Check mechanical interlocking
- h. Repair of broken or cracked isolator sheds, where required.
- Inspect, clean and re-torque line and busbar clamp connectors.
- j. Duster test of main contact resistance (100 Amps)
- k. A comprehensive report on current conditions, findings and recommendations to be submitted after completion of work.

### **ANNEXURE SW-F**

### Maintenance / service: 11kV and 6.6kV switchgear

### F.1. Scope

The scope of this procedure include all tasks, equipment and spares required to service, clean and test 11kV and 6.6kV switchgear.

### F.2. Task description

- a. Inspect.
  - And repair oil leaks
  - Fixed and moving contacts (springs, washers, insulator buffer, etc.)
- b. Flush switchgear with transformer oil to remove all carbon. (where applicable)
- c. Clean switchgear making use of approved chemical solvents.
- d. Clean, inspect, adjust, and lubricate the operating mechanism.
- e. Refill switchgear with oil. (Where applicable)
- f. Measure the main contact resistance, at 100 Amps. (Test certificate)

- g. Carry out minimum closing and tripping voltage test. (Test certificate)
- h. Carry out speed test. (Test certificate)
- i. Carry out functional testing of the complete switchgear.
- A comprehensive report on current conditions, findings and recommendations to be submitted after completion of work.

F.3. Switchgear descriptions			
No	Make	Model	
1	Johnson & Phillips	L.H.G., L.S.G.	
2	English electrical	ACO, DACO	
3	GEC / Alstom	AGV, LGV, SBV3 & SBV4 (Vacuum CB)	
4	GEC	T1	
5	GEC	T1/OF	
6	GEC T3		
7	GEC	Type1, T1/OF, T3, T3/OF, K3AF Switchgear	
8	Hawker Siddeley	Vacuum CB	
9	L&T	Tamco VH IH	

### **ANNEXURE SW-G**

### TRANSMISSION LINE INSPECTION ASSESSMENT AND MAINTENANCE

### G.1. Scope of work

The scope of this includes all tasks required for the inspection, assessment and maintenance of transmission lines.

### G.2 Task description

### G.2.1. Lattice tower assessment

- Remove screed (muffling) and excessive rust with scraper and wire brush.
- Take 6 (six) equally spaced readings of the steel footing with micrometer gauge.
- Take 1 (one) reading with an ultrasonic thickness gauge for original steel thickness and record on steel residual report.
- Paint the exposed section of the pole with an anti-corrosive primer. (Specifications of paint to be supplied and approved be Municipality)
- Earth resistance test.

### G.2.2 Inspection of transmission structures and lines:

- Insulators, straining clamps, suspension clamps, arcing horns, split pins etc.
- Vibration dampers, armor rods and conductor joints.
- Phase, earth wire, road, tree and line crossings for clearances.
- Earthing, earth wire and earth wire insulators where applicable
- Tower construction, numbers and labeling.

### G.2.3 Reports

- Record structure type, pole number, associated hardware and conductor size and all above information in a typed report.
- A compiled report on each line with an introduction, line assessment, summary of refurbishment cost, conclusion, recommendation, residual steel thickness appendix and photographs.

### ANNEXURE SW-H VERTICAL EARTH ELECTRODE INSTALLATION

### H.1. Scope of work

The scope of this procedure includes all tasks required for the installation and connection of vertical earth electrodes.

### H.2. Design

The system will be designed and installed in accordance with the latest SANS codes of practice 10199 (2010) and 10313 (2012) in conjunction with SANS 62305-1-2-3-4 (2011) and IEC 62305-1-2-3-4 (2010)

### H.3. Task Description

A hole is drilled close to the structure footing foundation with a diameter between 100mm and 300mm. This is performed by either a tractor mount augur or a traditional borehole-drilling rig.

The depth of the hole is determined by calculation, and is a function of the earth resistivity of that specific microenvironment, and the electrode resistance required.

After drilling, an earth rod at least 10mm<sup>2</sup> diameter is lowered into the hole, and care taken that it reaches the bottom. The rod will be terminated between 500mm and 800mm below finished ground level.

Conductive concrete, in a slurry composition, is then used to back-fill the hole with the earth rod in-situ, to a level of 150mm<sup>2</sup> below the top of the exposed earth rod.

An anti theft conductor is then connected to the top of the earth rod and route via a short as possible trench (minimum depth of 800mm) to the nearest connection point of the structure.

All conductors used for the termination between the vertical earth electrode and the structure will be done with bimetallic, anti-theft product. (Kwena, exobond or similar product)

All conductor connections will be made with exothermic welding, allowing a permanent reliable maintenance and vandalize free connection.

### **H.4 Reports**

An earth resistance test report must be submitted for each structure.

### C 3.6 Change in works

The Engineer may, from time to time by order in writing without in any way vitiating the Contract or giving to the Contractor any claim for additional payment, require the Contractor to proceed with the execution of the works in such order as in his opinion may be necessary, and may alter the order of or suspend any part of the Works at such time and times as he may deem desirable and the Contractor shall not, after receiving such written order, proceed with work ordered to be suspended until he shall receive a written order to do so from the Engineer.

Where the work must of necessity be carried out in conjunction with work of other Contractors, or with that of the Employer, it shall be co-ordinated and arranged in such a manner as to interfere as little as possible with the progress of such other work so as to offer every reasonable facility to other Contractors or to employees of the Employer.

### RAND WEST CITY LOCAL MUNICIPALITY

### TENDER FOR THE APPOINTMENT OF ONE OR MORE CONTRACTOR/S

### PROJECT SPECIFICATIONS

### **TECHNICAL SPECIFICATION**

### **STATUS**

In the event of any discrepancy between the Scope of Works and a part or parts of the SABS 1200 Standardized Specifications, the Bill of Quantities or the Project Specifications shall take precedence and prevail in the Contract.

### C3.1.1 RWCLM'S OBJECTIVES

This contract provides for the maintenance and repair of substations (buildings, perimeter fencing and equipment) ranging from 6,6 kV to 132 kV (including transformers) for the energy department, on an as and when required basis, in order to effect repairs to and maintenance of its MV and HV networks for a period with effect from appointment for a 36 month period.

Locally based companies and bidders must note that this bid may be awarded to one company for Randfontein the Contractor/Bidder or his/her sub-contractor/s will have to carry out all the tasks as set out in this Contract/Bid.

### C3.1.2 OVERVIEW OF THE WORKS

The contractor may however be requested by the electrical department's authorised representative to carry out only a certain item/section/portion of the work as per the bill of quantities and be paid accordingly.

The Contractor shall provide the resources, personnel, transport, equipment, hand tools, consumable spares and materials (where requested to do so), necessary to carry out the repairs and maintenance on the Metropolitan's MV (6,6 kV to 11 kV) and HV (132 kV), networks as and when required (this will require the Contractor to make himself/herself available to carry out repairs, etc, 24 hours a day and 365½ days a year and the contractor shall be on site of the repair work to be carried out within two (2) hours of being contacted by the Randfontein Municipality – Electricity Division, with all personnel, material and equipment necessary to carry out the task required.

### C3.1.3 EXTENT OF WORKS

The Works to be carried out by the Contractor under this Contract comprise mainly the following:

### **BASIC DESCRIPTION OF THE VARIOUS TASKS**

The contractor must collect all material required for the successful completion of the work, either from the Electrical Depot or the Electrical Store. The Contractor remains responsible for the correct material, even if the material is provided by the Municipality.

The contractor or his/her representative must be available on call during office hours and after hours by means of a cellular phone and the cost of the cellular phone calls made by the contractor to the Municipality to be included in the rates.

Contractors must identify themselves on request to all customers, stating their business and producing proof of their appointment for the task.

### C3.1.3.1 PRIMARY/SECONDARY SUBSTATION BUILDINGS – OUTSIDE (Schedule of Prices Item A.1)

The unit rate includes the following items:

- A.1.1 The painting of the outside of the substation building, roof, walls and doors per coat. (per m²)
- A.1.2 Painting of facia boards, gutters, down pipes, windows, etc. per coat (per running m)
- A.1.3 The securing of all doors in a proper manner and fitting of locking arrangements and locks. (per door)
- A.1.4 The repair of damaged/rusted doors. (per door)
- A.1.5 The replacement of doors and fitting of locking arrangements and locks. (per door)
- A.1.6 The repairing of all roof leaks, gutters, down pipes, facia boards, etc. (per m²)
- A.1.7 The repairing of windows inclusive of broken glass. (per m²)
- A.1.8 The fitting of an official nameplate, number and safety signs at the substation in a visible place. (Fitting only)

### C3.1.3.2 PRIMARY/SECONDARY SUBSTATION BUILDINGS - INSIDE (Schedule of Prices Item A.2)

- A.2.1 The cleaning and tidying-up of the internal of the substation from all dirt. Do not use a blower as this only resettles the dust and dirt. A vacuum cleaner with the front end pipe made of an insulating material is recommended. (per m²)
- A.2.2 The repairing of damage ceiling panels including material. (per m²)
- A.2.3 The replacement of ceiling panels including material. (per m²)

- A.2.4 The painting of the inside of the substation, doors, walls, ceiling, windows, etc. (per m² per coat) All painting must be inspected prior to the final coat.
- A.2.5 The closing of the cable ducts/trenches in a proper manner, excluding material. (per m²)
- A.2.6 The supply and spreading of river sand for cable trenches. (per m³)
- A.2.7 The repairing of lights (per light) and power wall plugs. (per plug) while ensuring that the LV distribution board, associated wiring and components are in a safe and proper working condition
- A.2.8 The repairing of LV distribution board. (per board excluding material)
- A.2.9 The repairing of ventilation/positive pressurising fan and air filters.(per each)
- A.2.10 The repairing of water sump pump.(per pump)
- A.2.11 The repairing of LV Henley units/circuit breakers as a result of hot connections.(???)
- A.2.12 Inspection of ablution facilities for correct functioning and effecting repairs where considered necessary.(per site)
- A.2.13 The fitting of notices in compliance with OHS Act, in a visible position, (fitting only)

### C3.1.3.3 PRIMARY/SECONDARY SUBSTATION YARDS (Schedule of Prices Item A.3)

- A.3.1 The repairing of the substation perimeter fencing. (per m²)
- A.3.2 The repair/replacement of electric fencing per strand. (per m)
- A.3.3 The replacement of electric fence energizer (4 joule) including the wiring up to the fence.
- A.3.4 The replacement of electric fence energizer(6 joule) including the wiring up to the fence.
- A.3.5 The cleaning and tidying-up of the yard, removal of weeds, loose wires, debris, rubble and unused equipment including cutting of grass. Including the disposal of grass, debris, rubble, etc. (per m²)
- A.3.6 The repair of access gates and provide locking mechanisms. (per gate)??

- A.3.7 The painting of access gates per coat. (per m²)
- A.3.8 The fitting of statutory notices and signs to the perimeter fence in compliance with OSH Act. (fitting only)
- A.3.9 The proper maintenance of access roads i.e. repairing of driveway/ kerbing. (per m²)
- A.3.10 The repairing of security lighting inclusive of the proper functioning of day night switches.(per point)
- A.3.11 The inspecting of substation lightning masts for severe corrosion at mast base, intermediate joints, etc. and testing of the proper grounding of the mast. (per mast)
- A.3.12 The repairing of all cable trench covers including material. (per m²)
- A.3.13 The supply and spreading of 19 mm stone, clear of weeds, sand and debris including removal and disposal of rubble, weeds, sand, etc (per m²)

### C3.1.3.4 33 kV TO 132 kV OUTDOOR SWITCHGEAR AND ANCILLIARY EQUIPMENT

### C3.1.3.4.1 GENERAL (Schedule of Prices Item B.1)

- B.1.1 The removal of all external dirt from equipment and the inspection of all busbars and structures for discoloration (indicative of overheating), galvanic corrosion, deformation, buckling or cracking. Corrosion should be immediately rectified. Any painting work must be inspected prior to the final coat.
- B.1.2 The checking of all insulator discs/ insulating material for chipped, cracked or broken sheds.
- B.1.3 The checking of all connections for loose, missing or damaged bolts and repairing of same.
- B.1.4 The checking of correctly installed busbar labelling and properly connected and intact structure earthing.
- B.1.5 The fitting of labelling. (Fitting only per label)
- B.1.6 The repairs of structure earthing.

B.1.7 The inspection of oil filled bushings/chambers for leaks and ensuring that oil levels are correct. Repairing oil leaks where required.

### C3.1.3.4.2 DISCONNECTORS(MANUAL/MOTORISED)/ISOLATORS (Schedule of Prices Item B.2)

The unit rate includes the following items:

- B.2.1 The cleaning of equipment of all external dirt and the visual inspection for abnormal conditions on the equipment. Hot connections as identified shall be repaired as the severity dictates.
- B.2.2 The cleaning and inspection of all isolating contacts, examine for signs of overheating. relubricate and recondition in accordance with the manufacturer's specification. Hot connections as identified shall be repaired as the severity dictates.
- B.2.3 The cleaning, inspection and checking the overall operation of the isolator/dis-connector mechanism and re-lubrication of the mechanism in accordance with the manufacturer's specification. Extreme care must be taken that all adjustments conform to the manufacturer's specification.
- B.2.4 The checking of secondary wiring and all auxiliary switches for cleanliness and sound working condition. Effecting of repairs where required.
  - · Any changes to wiring shall be recorded on existing diagrams in electronic format
  - Prove that all control and indication circuits locally, as well as on the remote panel, are working properly
- B.2.5 The inspection for the continuity of all earthing connections and ensuring that the system is grounded as required. Test the resistance to ground of the earth connection and record resistance reading.

### C3.1.3.4.3 CIRCUIT BREAKERS (BULK OIL/SMALL OIL VOLUME/SF6) (Schedule of Prices Item B.3)

- B.3.1 The cleaning of C.B.'s and C.B. panels of all dirt, visual inspection for abnormal conditions on the equipment and checking of steel support structures. For the removal of grease, oil or carbon deposits use a good quality electrical cleaning solvent. The checking of all nuts and bolts for tightness.(per C.B)
- B.3.2 Existing circuit breaker oil must be replaced with oil supplied by RWCLM. Oil should be handled in accordance with NRS 079-1 as a minimum requirement and disposal of oil in accordance with SANS. (per C.B.)
- B.3.3 Circuit breakers filled with SF6 should be checked for the correct pressure in line with the manufacturer's specification and instructions.(per C.B.)

- B.3.4 Ensure that labels and notices on circuit breaker and control panels are marked correctly.
- B.3.5 The fitting of labelling. (Fitting only per label)
- B.3.6 Inspect for earth continuity of all earthing connections and ensure that the system is grounded as required. Test the resistance to ground of the earth connections with a suitable test instrument and record all values of the earth connection. (per C.B.)
- B.3.7 The determining of the main contact resistance with a Ductor tester or similar instrument with a valid calibration certificate and performing of pole discrepancy and timing/speed tests using a Hathaway CSD CB test unit or similar instrument with a valid calibration certificate. The adjusting and replacing contacts *should* be carried out by a qualified person in line with the manufacturer's specification and instructions. (per C.B.)
- B.3.8 The checking of secondary wiring and ensuring that all auxiliary switches are clean and in a sound working condition. Perform local trip testing of circuit breaker/s. (per C.B.)

### C3.1.3.4.4 CURRENT TRANSFORMERS (Schedule of Prices Item B.4)

- B.4.1 The cleaning of equipment of all external dirt and visual inspection of all porcelain for chips, cracks or broken sheds, pollution levels on porcelains, any insulating oil leaks, oil leaks, cleanliness and legibility of gauge glasses and any audible discharges.
- B.4.2 The checking of all nuts and bolts for correct tightness as well as primary and secondary connections. Any hot connection to be repaired as required.
- B.4.3 The detection of oil leaks and the severity thereof may result in the unit being removed for repair at the manufacturer's premises.
- B.4.4 The inspection for the continuity of all earthing connections and ensuring that the system is grounded as required. Testing of the resistance to ground of the earth connection and recording the value.
- B.4.5 The strapping and supporting of all multi core cabling and proper designation of same as well as ensuring that all labels and notices are in place.
- B.4.6 Remove existing faulty current transformer and replace with a new one.(equipment to be supplied by RWCLM). After replacing faulty current transformer contractor need to perform the following tests/actions before considering that CT's are ready for service
  - Ensure correct VA, primary voltage correct and ratios applied are correct
  - Ratio test

- Perform Magnetisation curve: Plot at least ten points (current and voltage) to determine the knee point of each CT.
- Polarity test
- Burdens
- Unused cores shorted and no open-circuit cores

### B.4.7 Tan Delta Test

Test Equipment should be appropriate to the protection functions to be tested.

### C3.1.3.4.5 VOLTAGE TRANSFORMERS/SURGE ARRESTORS (Schedule of Prices Item B.5)

The unit rate includes the following items:

- B.5.1 The cleaning of equipment of all external dirt and visual inspection of all porcelain for chips, cracks or broken sheds, pollution levels on porcelains, any insulating oil leaks, oil levels, cleanliness and legibility of gauge glasses and any audible discharges.
- B.5.2 The checking of all nuts and bolts for correct tightness as well as primary and secondary connections. Hot connections to be repaired as required.
- B.5.3 The detection of oil leaks and the severity thereof may result in the unit being removed for repair at the manufacturer's premises.
- B.5.4 The inspection for the continuity of all earthing connections and ensuring that the system is grounded as required. Testing of the resistance to ground of the earth connection and recording the value.
- B.5.5 The strapping and supporting of all multi core cabling and proper designation of same as well as ensuring that all labels and notices are in place.
- B.5.6 Remove existing faulty voltage transformer/surge arrestor and replace with a new one. (equipment to be supplied by RWCLM). After replacing faulty voltage transformer, the following tests needs to be performed.
  - · Testing of HV, MV and LV fuses
  - Ratio Test
  - Insulation Test
  - Test Equipment should be appropriate to the protection functions to be tested.

### C3.1.3.4.6 CONTROL PANELS AND PROTECTION RELAYS (Schedule of Prices Item B.6)

- B.6.1 Ensure that the control panels, instrument faces and protection relay covers are clean and in good condition. This includes the cleaning of the inside of the control panel (No blowers allowed).
- B.6.2 The checking that all labels/notices and designation are in place and that instruments, control switches and relays are properly and correctly designated, as required. All panel wiring and installation work shall be done in accordance with the latest SANS 0142 specification and standards.
  - Any changes to wiring shall be recorded on existing diagrams in electronic format
  - Test equipment should be appropriate to the protection functions to be tested
  - Characteristic test on each element of the Protection device shall be carried out by injecting two, four, six times the actual setting
  - Confirm that settings have been correctly applied
  - Prove that all control and indication circuits locally on the panel as well as on the remote are working properly
- B.6.3 The visual inspection that all indication, where applicable, are

operational and general conditions of control panel e.g. paint work, etc. are in good condition.

- The resetting of alarms/trips on relays shall be prohibited, except with the knowledge and approval of the RWCLM representative or the responsible Project Manager.
- B.6.4 Testing of the Protection Relay Overcurrent and Earth Fault
  - Primary Injection Test, characteristics test on each element of the protection device shall be carried by injection creep / pickup test as well as injecting two and four times the actual setting. Confirm correctness of readings on the relay.
  - · Confirm all selected inputs and outputs
  - Test and Confirm that the ARC protection sensors are operational
- B.6.5 Testing of the Transformer Differential Protection Relay
  - Primary Injection Test, characteristics test on each element of the protection device shall be carried by injection creep / pickup test as well as injecting two and four times the actual setting.
  - Confirm correctness of readings on the relay.
  - · Confirm all selected inputs and outputs.
  - Test the relay according manufacture 's specification
  - · Perform a stability test
- B.6.6 Testing of the Transformer Voltage Regulating Relay
  - · Confirm all selected inputs and outputs.
  - Confirm the operation of the tap changer is correct in conjunction with the relay.
  - Test the relay according manufacture 's specification
- B.6.7 Testing of the ARC Protection System per panel
  - Test and Confirm that the ARC protection sensors and control unit are operational

## B.6.8 Testing of the ARC Protection System per 10 panel board

Test and Confirm that the ARC protection sensors and control unit are operational

#### B.6.9 Testing of the Restricted Earth Relay

Perform a stability test and prove the functionality of the relay

## B.6.10 Testing of Line Differential protection

As per item B.6.8

## B.6.11 Replace and commissioning of the Protection Relay Overcurrent and Earth Fault

## The following shall be included:

- Relay cut-out to be done
- Blanking plate to be supplied if required.
- · Installation and connections
- · Configuration of relay according to RWCLM standard.
- Update and correction of current drawings in CAD and PDF format

## B.6.12 Replace and commissioning of the Transformer Differential Protection Relay

#### The following shall be included:

- Relay cut-out to be done
- Blanking plate to be supplied if required.
- Installation and connections
- Configuration of relay according to RWCLM standard.
- · Update and correction of current drawings in CAD and PDF format

## B.6.13 Replace and commissioning of the Transformer Voltage Regulating Relay

## The following shall be included:

- · Relay cut-out to be done
- Blanking plate to be supplied if required.
- · Installation and connections
- Configuration of relay according to RWCLM standard.
- Update and correction of current drawings in CAD and PDF format

## B.6.14 Replace and commissioning of the Restricted Earth Relay

#### The following shall be included:

- Relay cut-out to be done
- · Blanking plate to be supplied if required.
- · Installation and connections
- Configuration of relay according to RWCLM standard.
- Update and correction of current drawings in CAD and PDF format

## B.6.15 Replace and commissioning of the Line Differential protection

The following shall be included:

- Relay cut-out to be done
- Blanking plate to be supplied if required.
- Installation and connections
- · Configuration of relay according to RWCLM standard.
- Update and correction of current drawings in CAD and PDF format

# C3.1.3.4.7 INSPECT, REPAIR AND MAINTAIN DC SYSTEMS AND ASSOCIATED WIRING (Schedule of Prices Item B.7)

Inspections will be done according to RWCLM's maintenance program (On key) job cards and will include the capture of all information required on the job cards. The job card shall be collected from and delivered to RWCLM's premises. Battery systems include NiCad and lead acid cells.

## B.7.1 Inspection of DC systems

Tests will include, inter alia, the following:

- Inspect and record Voltage and Fluid levels for each cell.
- · Inspect and record the charging current of a battery charger
- Inspect battery connections
- · Test alarm and boost functions

## B.7.2 Maintenance of DC systems 32V

- · Tighten loose connections
- Top up cells with distilled water
- · Clean each cell in the battery bank

## B.7.3 Maintenance of DC systems 110V

- Tighten loose connections
- · Top up cells with distilled water/Electrolyte
- · Clean each cell in the battery bank

## B.7.4 Repairs of Battery Chargers 48V - 110V

As per hourly rate

## B.7.5 Repairs of Battery Charger 32V

· As per hourly rate

## B.7.6 Supply and replacement of complete battery chargers 48-110V

As per hourly and equipment rate

## B.7.7 Supply and replacement of complete battery chargers 32V

As per hourly and equipment rate

B.7.8 Supply and replace single battery charger batteries (1,2V 20Ah ultra low maintenance Batteries)

As per hourly and equipment rate

# C3.1.3.5.1 MEDIUM VOLTAGE SWITCHGEAR (6,6 kV/11 kV) AND ANCILLARY EQUIPMENT OIL FILLED CIRCUIT BREAKERS/ VACUUM/SF6 (Schedule of Prices Item C.1)

- C.1.1 The visual inspection for oil leaks, low SF6 pressure, electrical discharge, unusual smells, noise and the availability of correct operating handles
- C.1.2 The cleaning of equipment of all external and internal dirt, inspecting and checking the overall operation of the switchgear.
- C.1.3 The cleaning and inspection of all insulators and insulating material, inclusive of porcelain insulation for cracks or other defects, oil filled bushings/chambers for leaks and ensuring that oil levels are correct. The effecting of oil leak repairs, where necessary.
- C.1.4 Regarding vacuum and SF6 circuit breakers, respectively, the checking of the vacuum interrupter to determine that it is in a sound operating condition and the checking of the SF6 gas pressure, all incompliance with the manufacturer's specifications and instructions.
- C.1.5 The checking of external parts, nuts and bolts.
- C.1.6 The opening of the CB tank, draining of oil, cleaning of tank from old oil and carbon and replacement of oil with regenerated oil (Oil to be supplied by RWCLM)
- C.1.7 The inspection and testing of the main contacts condition and tank liners, inclusive of the inspection and cleaning of arc control devices/shields and oil dashpot ports, where applicable. In the event of fixed and moving contacts being badly defaced, they can be filed with a smooth file, care should be taken to preserve the original character of the contact faces. Repairing or adjusting contacts should only be carried out by a qualified person in compliance with the manufacturer's specifications and instructions.
- C.1.8 The checking of the mechanism nuts and bolts for the correct tightness and operation of the CB several times to check for smoothness of operation, inclusive of the local switch position indicator. All adjustments required to conform to the manufacturer's specification.
- C.1.9 The cleaning and inspection of all isolating contacts and examining for possible signs of overheating, re-lubrication and reconditioning as considered necessary, ensuring that all fastenings are tight and that a good contact is maintained.
- C.1.10 The cleaning and ensuring that all auxiliary switches are in a sound and working condition and that good contact pressure and freedom of movement of the operating links are maintained.

- C.1.11 The cleaning of the faces of instruments and relays, checking of all connections and maintenance of relays in accordance with the appropriate relay publications, inclusive of the checking of all secondary wiring, particularly the tightness of connections and correct wiring.
- C.1.12 The checking for the use of correctly rated fuses. If incorrect, the fuses are not to be replaced but a note is to be made in the report form.
- C.1.13 Confirming that the VT can be locked in the "in" and "out" positions, where applicable and that the VT racking mechanism is functioning correctly.
- C.1.14 The checking of the interlocking to ensure that the CB cannot be racked "in", if: (a) the low voltage circuit connections is not connected and (b) the CB is closed.
- C.1.15 In the test position, if an earthing switch is used, ensure that when operated, the CB cannot be pushed right "in".
- C.1.16 The inspecting for the continuity of all earthing connections and ensuring that the system is grounded as required.
- C.1.17 The performance of the following tests:
  - (a)Testing the resistance to ground of the earth connection. (b) Insulation resistance test.
  - (c) That all trip circuits operate at 70 % of the rated auxiliary voltage.
  - (d) Main contacts resistance with a Ductor tester or similar instrument. Approved calibration certificate required.
  - (e) Pole discrepancy and timing/speed tests using a Hathaway CSD CB tester unit or similar instrument. Approved calibration certificate required.
  - (f) Millivolt drop test on bus bars.
  - (g) Continuity test of voltage transformer fuses, time limit fuses, etc.
  - (h) Secondary tests and magnetisation curves.

## C3.1.3.5.2 OIL FILLED SWITCHES/ ISOLATORS (Schedule of Prices Item C.2)

- C.2.1 The visual inspection for oil leaks, electrical discharge, unusual smells, noise and the availability of correct operating handles.(per each)
- C.2.2 The cleaning of equipment of all external and internal dirt and inspecting and checking the overall operation of the switchgear.(per each)
- C.2.3 The checking of the mechanism for smoothness of operation inclusive of the selector operation, ensuring that it is free and functionally properly as well as the interlocking

associated with the cable testing device. All necessary adjustments and re-lubrication to conform to the manufacturer's specification.

- C.2.4 The cleaning and inspection of all insulators and insulating material, inclusive of porcelain insulation for cracks or other defects, oil filled bushings/chambers for leaks and ensuring that oil levels are correct.
- C.2.5 The repairs of minor oil leak detected in item C.3.2 (per leak)
- C.2.6 The inspection of fixed contact faces for arc erosion, if severe erosion is found the contacts should be replaced, otherwise the arc erosion could be removed with a smooth file, for all silver plated contact faces no abrasive should be used other than a good quality plate polish.
- C.2.7 The checking of the oil condition preferably taking a sample from the bottom of the chamber.
- C.2.8 The replacement of oil, oil should be replaced with oil supplied by RWCLM. The oil level as indicted inside the chamber/tank must be maintained correctly. (per each)
- C.2.9 The checking of the gas vent holes for any obstruction and when replacing the vent box ensuring that the external vent holes are at the bottom.
- C.2.10 The examining of the cable testing device insulators for damage as any small scratches on the surface may admit moisture and cause insulation breakdown.
- C.2.11 The checking for the continuity of all earthing connections and ensuring that the system is properly grounded as required.

# C3.1.3.5.3 NON-EXTENSIBLE 6,6 kV/11 kV RING MAIN UNITS (OIL FILLED/SF6/VACUUM) FREE STANDING UNITS OR UNITS LOCATED WITHIN A MINIATURE SUBSTATION ENCLOSURE OR SWITCHGEAR ENCLOSURE (KIOSK) (Schedule of Prices Item C.3)

- C.3.1 The visual inspection for oil leaks, correct SF6 gas pressure, sound vacuum interrupter, electrical discharge, unusual smells, noise and the availability of correct operating handles.
- C.3.2 The cleaning of all parts from external and internal dirt and inspecting/checking the overall operation of the ring main unit.
- C.3.3 The repair of ring main unit mechanism.
- C.3.4 The cleaning and inspection of all insulators and insulating material, inclusive of porcelain insulation for cracks or other defects, oil filled chambers for leaks and ensuring that oil level is correct.

- C.3.5 The repair of minor oil leaks including material.
- C.3.6 The inspection of fixed contact faces for arc erosion, if severe erosion is found the contacts should be replaced, otherwise the arc erosion could be removed with a smooth file. Necessary adjustments and re-lubrication to be done shall conform to the manufacturer's specification. (Material to be supplied by RWCLM)
- C.3.7 The checking of the oil condition preferably taking a sample from the bottom of the chamber. Oil test results should be supplied to RWCLM.
- C.3.8 The replacement of oil, oil should be replaced with oil supplied by the RWCLM. The oil level as indicted inside the chamber must be maintained correctly.
- C.3.9 The checking of the mechanism for smoothness of operation inclusive of the selector operation, ensuring that it is free and functionally properly as well as the interlocking associated with the cable testing device. All necessary adjustments and re-lubrication to conform to the manufacturer's specification.
- C.3.10 The examining of the cable testing device insulators for damage.
- C.3.11 The checking of the T-off fused chamber for any defects e.g. oil leaks, etc. and confirming that the interlocking functions correctly.
- C.3.12 The repairs to T-off fused chamber, repairs shall conform to the manufacturer's specification.
- C.3.13 The checking that the installed T-off fuses are correctly rated. If not, the fuses should not be replaced but note it on the report form.
- C.3.14 The checking for the continuity of all Earthing connections and ensuring that the system is properly grounded as required. The testing of the resistance to ground of the earth connection. Resistance values shall be supplied to RWCLM.

## C3.1.3.5.4 MAINTENANCE OF MV (6,6 kV/11 kV) SWITCHGEAR ENCLOSURE (KIOSK) (Schedule of Prices Item C.4)

- C.4.1 The cleaning and tidying-up of the site, removal of vegetation/weeds and the cutting of grass around the kiosk including disposal of rubble, grass, etc. (per m²)
- C.4.2 The inspection of the concrete plinth for damage and possible subsidence.
- C.4.3 Repair concrete plinth.

- C.4.4 Replace concrete plinth.
- C.4.5 The inspection of the kiosk roof cover to ascertain whether properly in place.
- C.4.6 The securing the kiosk roof cover.
- C.4.7 The checking of the kiosk for signs of rust on outside.
- C.4.8 The repainting of the enclosure. (per coat per m²). Any painting work must be inspected prior to the final coat.
- C.4.9 The checking that the kiosk doors are properly secured, locked and fitted with locking arrangements, inclusive of correct labels being displayed on the kiosk doors and that the labels are readable/properly secured. The official name/number of the kiosk should be visible and clear from the outside.
- C.4.10 Repairs of kiosk doors, locks and locking arrangement. (Per door)
- C.4.11 The cleaning and the tidying-up of the inside of the kiosk from dirt, etc.
- C.4.12 The checking of the cable entries in the concrete plinth whether they are covered with river sand or screed.
- C.4.13 The supply and installation of river sand and screed. (per m²)
- C.4.14 The checking that all cables are clearly tagged/labelled and properly secured/clamped, inclusive of correct earthing and the system being grounded as required. The testing of the resistance to ground of the earth connection. Resistance values shall be supplied to RWCLM.
- C.4.15 The re-lubrication of bolts and hinges.
- C.4.16 The repainting of the enclosure. Any painting work must be inspected prior to the final coat. (per site)

## C3.1.3.5.5 MAINTENANCE OF MV MINIATURE SUBSTATION ENCLOSURE (Schedule of Prices Item C.5)

- C.5.1 The cleaning and tidying-up of the site, removal of vegetation/weeds and the cutting of grass around the miniature substation including disposal of rubble, grass etc. (per m²)
- C.5.2 The inspection of the concrete plinth for damage and possible subsidence.
- C.5.3 Repair concrete plinth.

- C.5.4 Replace concrete plinth excluding material.
- C.5.5 The inspection of the miniature substation roof cover to ascertain whether properly in place and secured and effecting necessary repairs where required.
- C.5.6 The checking of the miniature substation for signs of rust and oil leaks on the transformer. (per enclosure)
- C.5.7 The checking that the miniature substation doors are properly secured, locked and fitted with locking arrangements, inclusive of correct labels being displayed on the miniature substation doors and that the labels are readable/properly secured. The official name/number of the miniature substation should be visible and clear from the outside.
- C.5.8 The repairs of kiosk doors, locks and locking arrangement. (Per door)
- C.5.9 The cleaning and the tidying-up of the insides of the MV and LV compartments of the miniature substation from dirt, etc.
- C.5.10 The cleaning of the transformer.
- C.5.11 The repairs of minor leaks of the transformer (bushings, side glass, tap-changers and taps).
- C.5.12 The replacement of silica gel breather where applicable.
- C.5.13 The checking of the cable entries in the concrete plinth whether they are covered with river sand or screed.
- C.5.14 The supply and installation of river sand and screed. (per m²)
- C.5.15 The checking that all cables are clearly tagged/labelled and properly secured/clamped, inclusive of correct Earthing and the system being grounded as required.
- C.5.16 The checking that the transformer star point is earthed and connected to the neutral bar as well as the earth point on the miniature substation.
- C.5.17 The inspection for the continuity of all Earthing connections and testing of the resistance to ground of the earth connection. Resistance values to be supplied to RWCLM.
- C.5.18 The visual inspection of electrical connections onto the LV Henley units/ LV circuit breakers/bus-bars/fuse pillars and check for proper tightness and visible hot connections.
- C.5.19 The re-lubrication of bolts and hinges.

C.5.20 The fitting of labels. Labels to be supplied by RWCLM (per label)

## C3.1.3.5.6 REFURBISHMENT OF MINIATURE SUBSTATIONS (Schedule of Prices Item C.6)

- C.6 The following work, inspections and repairs shall be executed:
  - (a) The visual inspection for oil leaks, correct SF6 gas pressure, electrical discharge, unusual smells, noise and the availability of correct operating handles.
  - (b) The inspecting cleaning and repairs of all MV and LV equipment including, insulators, insulating material, transformers, oil filled bushings/chambers, gauge glasses and switchgear of all external and internal dirt. As well as tidying-up of inside of kiosk from dirt, etc. A maximum of 20% of chipped or broken sheds is permitted on an insulator. Chips or breaks shall be painted with glyptol.
  - (c) The inspecting, checking and repairs of the overall switchgear/ ring-main unit mechanism for smoothness of operation inclusive of the selector operation, ensuring that it is free and functionally properly as well as the interlocking associated with the cable testing device. All necessary adjustments and relubrication to conform to the manufacturer's specification.
  - (d) The inspection of fixed contact surfaces for arc erosion, if minor the arc erosion could be removed with a smooth file, for all silver plated contact faces no abrasive should be used other than a good quality plate polish. Necessary adjustments and re-lubrication to be done shall conform to the manufacturer's specification.
  - (e) The replacement of oil within the ring main unit, oil must be replaced with oil supplied by RWCLM. The oil level must be maintained correctly as indicted inside the chamber/tank.
  - (f) The checking for the continuity of all Earthing connections and ensuring that the MV and LV system is properly grounded as required. Including checking and ensuring that the transformer star point is earthed and connected to the neutral bar as well as the earth point on the miniature substation
  - (g) The examining and repair of the cable testing device insulators.
  - (h) The checking of the T-off fused chamber for any defects e.g. oil leaks, etc. and confirming that the interlocking functions correctly.
  - (i) The cleaning and tidying-up of the site, removal of vegetation/weeds and the cutting of grass around the miniature sub including disposal of rubble, grass, etc.
  - (j) The inspection and of the concrete plinth for damage and possible subsidence.
  - (k) The inspection and securing of the roof cover to ascertain whether properly in place.
  - (I) The repainting of the enclosure. Any painting work must be inspected prior to the final coat.
  - (m) The minor repairs to all doors and ensure it is properly secured, locked and fitted with locking arrangements, inclusive of correct labels being displayed on the doors and that the labels are readable/properly secured. The official name/number of the miniature sub/kiosk should be visible and clear from the outside. All door cover seals to be intact/replaced.
  - (n) The checking of the cable entries in the concrete plinth whether they are covered with river sand or screed.

- (o) The checking that all cables are clearly tagged/labelled and properly secured/clamped, inclusive of correct Earthing and the system being grounded as required. The testing of the resistance to ground of the earth connection. Resistance values shall be supplied to RWCLM.
- (p) The re-lubrication of bolts, nuts, hinges, etc.
- (q) The checking of all metal parts for corrosion and minor repairs to be done where necessary.
- (r) The checking of all insulating putty and tape on cable contacts, replacement to be done where necessary.
- (s) The visual inspection of electrical connections onto the LV Henley units/ LV circuit breakers/bus-bars/fuse pillars and check for proper tightness and visible hot connections
- (t) The issuing of full test certificates and full service reports on all work carried out, inclusive of producing an Excel spread sheet document or similar document reflecting all switchgear, CT and relay information per circuit, MV switchgear enclosures(kiosks), MV miniature substation enclosures, etc.

The above work should include all labour and equipment resources to preform work mentioned.

## C3.1.3.5.7 Construction of a new bulk 40MVA x 132kV/11kV/66kV Substation / Switching Station

- Construction of a complete new 132kV/11kV/6.6kV bulk substation including the supply and installation of all H/V and M/V hardware, breakers, isolators, bus bar, lightning arrestors, voltage transformers, current transformers, metering, protection, battery chargers, complete switching room and equipment, the supply and installation of a 40MVA x 132kV/11kV/6.6kV substation transformer, etc. Including the testing and commissioning and energizing of new 40MVA x 132kV/11kV/6.6kV bulk substation.
- Construction of 17.2m x 7m switching station this include 3.5m Mimic room. Size of actual
  development substation or switching station to be approved by Rand West City Local
  Municipality and based on the design and Engineering estimates. (RWCLM appointed
  consultants).

## C3.1.3.5.8 HIRING OF MACHINERY (Schedule of Prices Item C.7)

The unit rate (per hour) includes the hire of the relevant equipment or machinery.

The cost of the driver/operator of the vehicle/machinery/equipment supplied by the Contractor must be given per hour.

The driver/operator shall be able to operate the vehicle/machinery/equipment on the vehicle in the case of crane trucks, hydraulic towers, etc., and shall have the necessary training certificates. The Contractor shall supply proof of training certificates of the driver/operator, when requested by the HEAD OF DEPARTMENT or his authorised representative.

## C3.1.3.5.9 LABOUR RATES (Schedule of Prices Item C.8)

 The unit rate per hour will be applied in respect of any additional work (non-scheduled items) to be executed and to cater for special needs that may arise from time to time during the validity period of the contract.

## C3.1.3.5.10 RATES FOR DRY ICE CLEANING (Schedule of Prices Item C.9)

The unit rate will be for a minimum time period of six (6) hours providing for the following:

C.12.1 The provision of dry ice cleaning equipment for the cleaning of out

door primary and secondary plant e.g. transformer bushings, porcelain insulators, busbars suspension insulators, etc. inclusive of the cleaning of indoor substation equipment such as 6,6 kV/11 kV/22 kV switchgear panels, control panels, marshalling kiosks, etc.

The applied cleaning process shall be non-abrasive, not using any hazardous material, non-toxic, no conductivity capability, no excessive moisture and no hazardous materials to dispose of.

## C3.1.3.5.11 RATES FOR DRY ICE CLEANING (Schedule of Prices Item C.9)

## C3.4.1 WORKS SPECIFICATIONS

#### C3.4.1.1 Applicable SABS 1200 Standardized Specifications

N/A

#### C3.4.1.2 Particular Specifications

The Contractor/Bidder must be on the required site within two hours of being notified and work must not be terminated until the repairs have been completed and tested.

#### C3.4.1.3 National and International Standards

N/A

## C3.4.1.4 Variations and Additions to the SABS 1200 Standardized Specifications

N/A

#### C3.4.2 SITE ESTABLISHMENT

N/A

## C3.4.2.1 Services and facilities provided by the Employer

The contractor is responsible for and must make provision at his own expense for the transportation of all employees for the execution of the work where work is executed in terms of tendered unit tariffs.

(a) Water sources

N/A

(b) Electricity supply

N/A

(c) Excrement disposal

N/A

(d) Area for contractor's site establishment

N/A

(e) Rail facilities

N/A

## C3.4.2.2 Facilities provided by the Contractor

(i) Office accommodation

N/A

(ii) Carports

N/A

(iii) Site meeting venue

N/A

(iv) Contract name boards

N/A

(v) Survey equipment and assistants

N/A

(vi) Telephone facilities

N/A

(vii) Computer facilities

N/A.

(viii) Fax facilities

N/A

(ix) Electricity supply for the Project Manager

N/A

(x) Site instruction book

N/A

(xi) Housing for Project Manager's Representative

N/A

## (b) Water

The Contractor shall, at his own expense, be responsible for obtaining and providing all water as may be required for the purposes of executing the Contract, including water for both construction purposes and domestic use, as well as for making all arrangements in connection therewith. The Contractor shall further, at his own expense, be responsible for providing all necessaries for procuring, storing, transporting and applying water required for the execution of the Contract, including but not limited to all piping, valves, tanks, pumps, meters and other plant and equipment, as well as for all work and superintendence associated therewith.

The sources of all water utilised for the purposes of the Contract shall be subject to the prior approval of the Project Manager, which approval shall not be unreasonably withheld.

The Contractor shall comply with all prevailing legislation in respect of drawing water from natural and other sources and shall, when required by the Project Manager, produce proof of such compliance. The providing of water shall be carried out by the Contractor strictly in accordance with the applicable laws and regulations.

All water provided by the Contractor for construction purposes shall be clean, free from undesirable concentrations of deleterious salts and other materials and shall comply with any further relevant specifications of the Contract. The Contractor shall, whenever reasonably required by the Project Manager, produce test results demonstrating such compliance. Water provided by the Contractor for human consumption shall be healthy and potable to the satisfaction of the health authorities in the area of the Site.

No separate payment will be made to the Contractor for the obtainment, distribution and consumption of water, the costs of which will be deemed to be included in the Contractor's bidded rates.

#### (c) Electricity

The Contractor shall, at his own expense, be responsible for obtaining and providing all electricity as he may require for the purposes of executing the Contract, including electricity for both construction purposes and domestic use, as well as for making all arrangements in connection therewith.

The providing of electricity shall be carried out by the Contractor strictly in accordance with the applicable laws and regulations.

No separate payment will be made to the Contractor for the obtainment, distribution and consumption of electricity, the costs of which will be deemed to be in the Contractor's bidded rates and prices.

## (d) Excrement disposal

The Contractor shall, at his own expense, be responsible for safely and hygienically dealing with and disposing of all human excrement and similar matter generated on the Site during the course of the Contract, to the satisfaction of the responsible health authorities in the area of the Site and the Project Manager. All such excrement shall be removed from the Site and shall not be disposed of by the Contractor on the Site.

The Contractor shall further comply with any other requirements in this regard as may be stated in the Contract.

No separate payment will be made to the Contractor in respect of discharging his obligations in terms of this sub clause and the costs thereof shall be deemed to be included within the Contractor's bidded Preliminary and General items.

## C3.4.2.3 Site usage

N/A

#### C3.4.2.4 Permits and wayleaves

Where applicable wayleaves shall be obtained before excavations are undertaken.

## C3.4.2.5 Features requiring special attention

## (a) Site maintenance

During progress of the work and upon completion thereof, the Site of the Works shall be kept and left in a clean and orderly condition. The Contractor shall store materials and equipment for which he is responsible in an orderly manner, and shall keep the Site free from debris and obstructions.

The Contractor/Tenderer shall provide the necessary watch guards as required in order to guard the contract sites, works and equipment, while the work/task is being carried out, if required. Material and spares must be relocated to a safe location in the case of where the repair procedure takes a number of days to complete the task, the relocation and storage will be the responsibility of the Contractor/Bidder.

Please note that the Contractor/Bidder will be responsible for the save guarding and in the event of theft, vandalism or damage, the replacement of any material issued to him/her by Randfontein, until such time as the equipment has been energized and taken over by Randfontein.

The Contractor/Bidder must therefore ensure that he/she is adequately insured against any such possible occurrences.

- (b) Testing and quality control
- (I) CONTRACTOR TO ENGAGE SERVICES OF AN INDEPENDENT LABORATORY
  N/A
- (II) ADDITIONAL TESTING REQUIRED BY THE PROJECT MANAGER N/A
- (III) COSTS OF TESTING
- (a) Tests in terms of sub clause C3.4.2.5(c)(i)
  N/A
- (b) Additional tests required by the Project Manager
   N/A
- (c) Subcontractors

All matters pertaining to subcontractors (including Nominated Subcontractors) and the work executed by them shall be dealt with directly between the Project Manager and the Contractor in the context of all subcontract work being an integral part of the Works for which the Contractor is responsible.

The Project Manager will not liaise directly with any subcontractors nor will he issue instructions concerning the subcontract works directly to any subcontractor.

All matters arising from the subcontract agreements shall be dealt with directly between the Contractor and the subcontractors and the Project Manager will not become involved.

- (d) Opening up and closing down of designated borrow pits
  - N/A

N/A

- (e) Access to properties
- (f) Existing residential areas

Electricity supply interruptions in existing areas shall be kept to a minimum. The Project Manager's approval shall be obtained prior to such interruptions and residents shall be notified in writing at least 24 hours but not more than 48 hours in advance. Supplies shall be normalised by 16:00 on the same day.

- (g) Labour-intensive competencies of supervisory and management staff N/A
- (h) Employment of unskilled and semi-skilled workers in labour-intensive works
- (I) REQUIREMENTS FOR THE SOURCING AND ENGAGEMENT OF LABOUR

N/A

(II) SPECIFIC PROVISIONS PERTAINING TO SANS 1914-5

N/A

(4) Variations to SANS 1914-5

N/A

(III) TRAINING OF TARGETED LABOUR

N/A

## (i) Employment of local labour

It is the intention that this Contract should make maximum use of the local labour force that is presently underemployed. To this end the Contractor shall limit the utilisation on the Contract of non-local employees to that of key personnel only and to employ and train local labour to the extent necessary for the execution and completion of this Contract.

The Contractor shall fill in the form entitled Key Personnel in the Forms to be completed by the Bidder. The data stated on the above-mentioned form will be strictly monitored during the Contract period and any deviations therefrom shall be subject to the prior approval of the Project Manager, which approval shall not be unreasonably withheld.

The employment of casual labour will be done in co-operation with community leaders and local structures. The bidder shall ensure that all remuneration paid to employees is in line with the relevant sectorial determination in terms of the Basic Conditions of Employment Act, No 75 of 1997, as determined by the Department of Labour

## (j) Monthly statements and payment certificates

The statement to be submitted by the Contractor in terms of Clause 49 of the Conditions of Contract shall be prepared by the Contractor at his own cost, strictly in accordance with the standard payment certificate prescribed by the Project Manager, in digital electronic computer format. The Contractor shall, together with a copy of the digital electronic computer file of the statement, submit two (2) A4 size paper copies of the statement.

For the purposes of the Project Manager's payment certificate, the Contractor shall subsequently be responsible, at his own cost, for making such adjustments to his statement as may be required by the Project Manager for the purposes of accurately reflecting the actual quantities and amounts which the Project Manager deems to be due and payable to the Contractor in the payment certificate.

The Contractor shall, at his own cost, make the said adjustments to the statement and return it to the Project Manager within three (3) normal workings days from the date on which the Project Manager communicated to the Contractor the adjustments required. The Contractor shall submit to the Project Manager five (5) sets of A4 size paper copies of such adjusted statement, together with a copy of the electronic digital computer file thereof.

Any delay by the Contractor in making the said adjustments and submitting to the Project Manager the requisite copies of the adjusted statement for the purposes of the Project Manager's payment certificate will be added to the times allowed to the Project Manager in terms of Sub clause 49.4 of the Conditions of Contract

to submit the signed payment certificate to the Employer and the Contractor. Any such delay will also be added to the period in which the Employer is required to make payment to the Contractor.

#### (k) Construction in restricted areas

N/A

## (I) Notices, signs, barricades and advertisements

All areas barricaded to prevent entrance to live equipment shall not be entered by workers

#### (m) Workmanship and quality control

The onus to produce work that conforms in quality and accuracy of detail to the requirements of the Specifications rests with the Contractor, and the Contractor shall, at his own expense, institute a quality control system and provide suitably qualified and experienced Project Managers, foremen, surveyors, materials technicians, other technicians and technical staff, together with all transport, instruments and equipment to ensure adequate supervision and positive control of the Works at all times.

The cost of supervision and process control, including testing carried out by the Contractor, will be deemed to be included in the rates bidded for the related items of work.

## C3.4.2.6 Extension of time due to abnormal rainfall

No extension of time will be granted in respect of delays incurred by the Contractor arising from the occurrence of wet climatic conditions on the Site, whether abnormal or otherwise.

## C3.4.3 PLANT AND MATERIALS

## C3.4.3.1 Plant and materials supplied by the employer

The contractor must collect all material required for the successful completion of the work, either from the Electrical Depot or the Electrical Store. The Contractor remains responsible for the correct material, even if the material is provided by the Municipality.

In instances where material cannot be supplied by the Municipality, the successful bidder(s) can be requested to supply the required material according to the RWCLM specifications at market related cost (proof of purchase will be required which must be market related) and the successful bidder(s) will be allowed a mark-up of 10% on the said purchased equipment.

All invoices submitted for material supplied, must be submitted separately and must be certified for payment by the Project Manager.

In the event of any dispute arising from whether such pricing is market related or not, three quotations will be called for the same material from three different suppliers by the Electrical Department and the cheapest of the three will be accepted by the contractor and the Project Manager as the market related value.

## The following duties are also the responsibility of the employer:

To carry out certain electrical tests, to be agreed upon prior to the commencement of work.

To switch out the network, or portion of the network on which the contractor must work, and to issue the Contractor with the necessary work permit/s before they can continue working on the network. (The work to be carried out in terms of the Randfontein General Instructions, Operational Procedures and Policies).

To provide the Contractor with all necessary information, drawings, etc. (where available), as he/she may require to allow work to proceed uninterrupted.

To supervise the work in progress.

The Municipality's authorized operator will carry out the phasing of the cable, when required, in terms of the General Instructions, Operational Procedures and Policies and he/she must ensure that it complies to the standard requirements.

The authorized operator will witness all tests to be conducted by the contractor, of the equipment on completion of required maintenance work and obtain test certificates.

To provide the Contractor with uninterrupted access to Site for the purpose of completing the Works (where "Site" means area to be occupied by the Contractor and "Works" means specified duties performed by the Contractor).

C3.4.3.2	Materials,	samples	and	shop	drawings

Samples

N/A

## C3.4.4 CONSTRUCTION EQUIPMENT

C3.4.4.1 Requirements for equipment

N/A

C3.4.4.2 Equipment provided by the employer

N/A

C3.4.5 EXISTING SERVICES

C3.4.5.1 Known services

The utmost care shall be exercised to prevent damage to services

C3.4.5.2 Treatment of existing services

It will be the contractor's responsibility to make sure that all services have been indicated and a signed drawing is obtained from the relevant Area indicating all services of the site where work/task is to be carried out.

#### C3.4.5.3 Use of detection equipment for the location of underground services

The ELECTRICAL DEPARTMENT: relevant Area shall, upon the contractor's request, render the necessary assistance to point out to the contractor any services on site. The contractor must make application for way-leaves in terms of the Municipalities standard requirements.

- j. Carry out speed test. (Test certificate)
- k. Carry out functional testing of the complete circuit breaker.
- A comprehensive report on the current conditions, findings and recommendations to be submitted after completion works

	C. 3 132kV Circuit breaker description			
No	Make	Serial number		
	as a			

#### **ANNEXURE SW-D**

## Maintenance / service: 132kV - Current and voltage transformers

## D.1. Scope

The scope of this procedure includes all tasks, equipment and spares required to repair, clean and paint 132kV outdoor CT's and VT's.

## D.2 Task description

- a. clean equipment making use of approved chemical solvents.
- Repair oil leaks.
- c. Preparing and re-painting of the complete transformer, if necessary.
  - Remove all loose or peeling paint.
  - Degrease entire exterior surface.
  - Remove all rust.
    - With all rust removed apply a primer for steel containing Zinc Phosphate to all exposed metal areas.
  - Sand sound coating to provide a key for the next coat.
  - Apply manufactures specification primer.
    - Apply industrial final coat. (Minimum life expectancy of 5 years under local conditions)
  - Supply and install stencil work.
- Topping up of transformer oil where required.
- Replace oil gauge and/or "o" rings or gaskets if necessary.
- f. Repair of broken or cracked insulator sheds, where required.
- Inspect, clean and re-torque all line and/or busbar clamps.
- h. A comprehensive report on the current conditions, findings and recommendations to be submitted after completion of work.

N/A

PLI 7 Clearing and grubbing

N/A.

PLI 8 Shaping

N/A.

PLI9 Loading

N/A

PLI 10 Haul

N/A

PLI 11 Offloading

N/A

PLI 12 Spreading

N/A

PLI 13 Compaction

N/A

PLI 14 Grassing

N/A

PLI 15 Stone pitching and rubble concrete masonry

N/A

PLI 16 Manufactured elements

N/A

**SCHEDULES OF QUANTITIES** 

N/A

## C3.5 MANAGEMENT OF THE WORKS

C3.5.1 GENERIC SPECIFICATIONS

N/A

## C3.6 <u>HEALTH AND SAFETY</u>

## **Competent Persons**

Personnel employed on the maintenance and repair of substations (buildings, perimeter fencing and equipment) ranging from 6,6kV to 132kV (excluding transformers) for the ELECTRICAL DEPARTMENT shall be competent persons as defined in the Occupational Health and Safety Act (Act 85, 1993) and shall be thoroughly experienced and competent in working in close proximity of live and dangerous electrical equipment and assistants shall be adequately supervised to ensure the highest standard of workmanship. Work in proximity of live equipment must be carried out by a competent person (competent as defined in the Occupational Health and Safety Act (Act 85, 1983)

The contractor shall supply the RWCLM and include in the bid document, copies of all documentation in support of the qualifications and experience of the personnel he/she intends to use. Contractors who cannot offer competent, qualified electricians, (as defined in the Occupational Health and Safety Act (Act 85, 1993)) and inexperienced personnel in this field will not be considered and their bid will be rejected.

## C3.6.1 HEALTH AND SAFETY REQUIREMENTS AND PROCEDURES

12.1.10 Before any work can commence it is necessary for all contractors to register with Randfontein's Occupational Health and Safety Practitioner:

Will be provided after award of tender

The contractors hereby indemnify the Council and undertake to protect the Council against any loss, costs and liability as a result of any work undertaken by the contractor. The execution of this work requires that all workmen be made aware by the contractor of the danger and risks of live networks (Electrical shock, electrical burns and loss of supply).

The Contractor/Bidder shall be responsible for all injuries sustained to person(s) whether in his/her employment or not, and for all damages sustained to any property whatsoever, resulting from any such act or omission in the execution of work, and he/she shall at his/her own cost make good all such damage(s) to property in a proper and workmanlike manner to the satisfaction of the Employer, or at the option of and to the extent decided by the Employer, shall pay compensation for such damage(s): and he/she shall pay all sums whether the principle, interest or costs awarded against the Employer in respect of any claim arising out of such injury or damage, and all costs (including attorneys and client costs) and the expenses to which the Employer may be put in investigating, deciding or settling any such claims: Provided that the Employer shall not settle any claim without consulting the Contractor.

The Contractor/Bidder shall at his/her own expense, arrange the necessary insurance, to cover any such aforementioned claim. The insurance cover to be valid for 12 (twelve) months after completion of the contract/tender. Proof of insurance must be provided prior to signing of this agreement.

### (a) Construction Regulations, 2014

The Contractor shall be required to comply with the Occupational Health and Safety Act, 1993: Construction Regulations, 2014 (the regulations) as promulgated in Government Gazette No 37307 and Regulation Gazette No 10113 of 7 February 2014. (A copy of the Construction Regulations is included as an Annexure in this Volume). Non-compliance with these regulations, in any way whatsoever, will be adequate reason for suspending the Works.

The proposed type of work, materials to be used and potential hazards likely to be encountered on this Contract are detailed in the Project Specifications, Schedule of Quantity and Drawings, as well as in the Employers' health and safety specifications (regulation 4(1)) of the Construction Regulations 2014, which are bound in the Contract document/will be issued separately by the Employer.

The Contractor shall in terms of regulation 5(1) provide a comprehensive health and safety plan detailing his proposed compliance with the regulations, for approval by the Employer.

The Contractor shall at all times be responsible for full compliance with the approved plan as well as the Construction Regulations and no extension of time will be considered for delays due to non-compliance with the abovementioned plan or regulations.

A payment item is/Payment items are included in the Schedule of Quantities to cover the Contractor's cost for compliance with the OHS Act and the abovementioned regulations

## C3.6.2 PROTECTION OF THE PUBLIC

Members of the public shall not be allowed into the substation area.

## C3.6.3 BARRICADES AND LIGHTING

All areas barricaded to prevent entrance to live equipment shall not be entered by workers.

# PRICING SCHEDULE – FIRM PRICES (PURCHASES)

NOTE:

\*Delete if not applicable

ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name of Bidder				
OFFER TO BE VALID FOR DAYS FROM THE CLOSING DATE OF BID.				
ITEM NO.	QUANTITY DESCRIPTION	BID PRICE IN RSA CURRENCY **(ALL APPLICABLE TAXES INCLUDED)		
_	Required by:			
	At:			
-	Brand and Model			
-	Country of Origin			
-	Does the offer comply with the specification(s)?	*YES/NO		
-	If not to specification, indicate deviation(s)			
-	Period required for delivery	*Delivery: Firm/Not firm		
-	Delivery basis			
Note:	All delivery costs must be included in the bid pri	ce, for delivery at the prescribed destination.		
** "all applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.				

#### MBD 4

#### **DECLARATION OF INTEREST**

- 1. No bid will be accepted from persons in the service of the state<sup>1</sup>.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.

In order to give effect to the above, the following questionnaire must be completed

and	submitted with the bid.	
3.1	Full Name of bidder or his or her representative:	
3.2	Identity Number:	
3.3	Position occupied in the Company (director, trustee, hareholder²):	
3.4	Company Registration Number:	
3.5	Tax Reference Number:	
3.6	VAT Registration Number:	
3.7	The names of all directors / trustees / shareholders members, their individual in numbers and state employee numbers must be indicated in paragraph 4 below	-
3.8	Are you presently in the service of the state?	YES / NO
	3.8.1 If yes, furnish particulars.	,

<sup>1</sup>MSCM Regulations: "in the service of the state" means to be –

(a) a member of -

3

- (i) any municipal council;
- (ii) any provincial legislature; or
- (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

<sup>&</sup>lt;sup>2</sup> Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

3.9	Have	e you been in the service of the state for the past twelve months?	YES / NO
	3.9.1	I If yes, furnish particulars	
			**************
3.10	in the	ou have any relationship (family, friend, other) with persons e service of the state and who may be involved with evaluation and or adjudication of this bid?	YES / NO
	3.10	.1 If yes, furnish particulars.	
3.11	any otl	ou, aware of any relationship (family, friend, other) between her bidder and any persons in the service of the state who e involved with the evaluation and or adjudication of this bid?	YES / NO
	3.11.1	If yes, furnish particulars	**
3.12		y of the company's directors, trustees, managers, le shareholders or stakeholders in service of the state?	YES / NO
	3.12.1	If yes, furnish particulars.	
3.13	trustee	y spouse, child or parent of the company's directors es, managers, principle shareholders or stakeholders rice of the state?	YES / NO
	3.13.1	If yes, furnish particulars.	
3.14	princip have a	or any of the directors, trustees, managers, ile shareholders, or stakeholders of this company any interest in any other related companies or ass whether or not they are bidding for this contract.	YES / NO
	3.14.1	If yes, furnish particulars:	

4.	Full	details	of dir	ectors	/ trustees /	members /	shareholders.
7.	I GII	uctans	OI UII	ひししいる。	/ LIUSLEES /	IIICIIIDGI 3 1	SHALD HOUGES.

Full Name	Identity Number	State Employee Number
=		
,		
Signature		Date

Signature	Date
Capacity	Name of Bidder

compliance or dispute

concerning the execution of

such contract?

## DECLARATION FOR PROCUREMENT ABOVE R10 MILLION (ALL APPLICABLE TAXES INCLUDED)

For all procurement expected to exceed R10 million (all applicable taxes included), bidders must complete the following questionnaire:

1	Are you by law required to prepare annual financial statements for auditing?		
1.1	If yes, submit audited annual financial statements for the past three years or since the date of establishment if established during the past three years.		*YES/NO
2	Do you have any outstanding undisputed commitments for municipal services towards any municipality for more than three months or any other service provider in respect of which payment is overdue for more than 30 days?		
2.1	If no, this serves to certify that the bidder has no undisputed commitments for municipal services towards any municipality for more than three months or other service provider in respect of which payment is overdue for more than 30 days.		
2.2	If yes, provide particulars.	•	
	***************************************		
		2 Hoo	ony contract boon
		award	any contract been ed to you by an organ te during the past five
* Del	ete if not applicable	years,	including particulars iny material non-

\*YES / NO

3.1	If yes, furnish particulars	
	*YES / NO	
4.	Will any portion of goods or services be sourced from outside the Republic, and, if so, what portion and whether any portion of payment from the municipality / municipal entity is expected transferred out of the Republic?	*YES / NO I to be
4.1	If yes, furnish particulars	
	CERTIFICATION	
	I, THE UNDERSIGNED (NAME)	
	CERTIFY THAT THE INFORMATION FURNISHED ON THIS D	DECLARATION FORM IS CORRECT.
	I ACCEPT THAT THE STATE MAY ACT AGAINST ME SHOUL	LD THIS DECLARATION PROVE TO BE
	FALSE.	
	Signature	Date
	Position	Name of Bidder

## PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

#### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all bids:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2

- a) The value of this bid is estimated to exceed/not exceed R50 000 000 (all applicable taxes included) and therefore the preference point system shall be applicable; or
- b) Either the 80/20 or 90/10 preference point system will be applicable to this tender (delete whichever is not applicable for this tender).
- 1.3 Points for this bid shall be awarded for:
  - (a) Price; and
  - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	
B-BBEE STATUS LEVEL OF CONTRIBUTOR	
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

#### 2. DEFINITIONS

- (a) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
  - 1) B-BBEE Status level certificate issued by an authorized body or person;
  - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
  - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

#### 3. POINTS AWARDED FOR PRICE

## 3.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis: 80/20 or 90/10

$$Ps = 80\left(1 - \frac{Pt - P\min}{P\min}\right)$$
 or  $Ps = 90\left(1 - \frac{Pt - P\min}{P\min}\right)$ 

Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration

Pmin = Price of lowest acceptable bid

#### 4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (90/10 system)	Number of points (80/20 system)
1	10	20
2	9	18
3	6	14
4	5	12
5	4	8
6	3	6
7	2	4
8	1	2
Non-compliant contributor	0	0

5.	BID	DECL	_AR	AT	ION
· ·				~	

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6.	BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS	OF
	ARAGRAPHS 1.4 AND 4.1	
6.1	B-BBEE Status Level of Contributor: . =(maximum of 10 or 20 poir	nts)
	Points claimed in respect of paragraph 7.1 must be in accordance with the ta reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BB	

## 7. SUB-CONTRACTING

7.1 Will any portion of the contract be sub-contracted?

YES	NO	
120	110	_

status level of contributor.

7.1.1 If yes, indicate:

i)	What	percent	age	of	the	contract	will	be
	subcont	racted			%			
ii)	The nan	ne of the sub	-contrac	tor				
iii)	The B-E	BBEE status I	evel of t	he sub-co	ntractor			
iv)	Whethe	r the sub-cor	ntractor i	s an EME	or QSE			
	(Tick ap	oplicable bo	x)					
	YES	NO						

v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations,2017:

Designated Group: An EME or QSE which is at last 51% owned		QSE
by:	√	1
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		

Black people who are military veterans	
OR	
Any EME	
Any QSE	

ο.	DECLARATION WITH REGA	RD TO COMPA	NITICIKIVI		
8.1	Name company/firm:				of
8.2	VAT number:				registration
8.3	Company number:		• • • • • • • • • • • • • • • • • • • •		registration
8.4	TYPE OF COMPANY/ FIRM				
	<ul> <li>□ Partnership/Joint Vento</li> <li>□ One person business/s</li> <li>□ Close corporation</li> <li>□ Company</li> <li>□ (Pty) Limited</li> <li>[TICK APPLICABLE BOX]</li> </ul>				
8.5	DESCRIBE PRINCIPAL BU	SINESS ACTIVI	TIES		
			,		*
8.6	COMPANY CLASSIFICATION  Manufacturer  Supplier  Professional service production of the service providers  Tick Applicable BOX	rovider	er, etc.		(get)/Account
8.7	MUNICIPAL INFORMATION				
	Municipality who Registered Account Numb	er:		is	situated:
8.8	Total number of years the co	mpany/firm has I	peen in busin	ess:	
8.9	I/we, the undersigned, who company/firm, certify that the contributor indicated in paragonal company/ firm for the preference.	he points claime graphs 1.4 and 6	ed, based o 6.1 of the fore	n the B-BBE going certificat	status level of e, qualifies the

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have
  - (a) disqualify the person from the bidding process;
  - recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution.

		. 8
NESSES		
***************************************	 Si	IGNATURE(S) OF BIDDERS(S)
100	DATE:	\$
į.	ADDRESS	5
	8	

# DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Municipal Bidding Document (MBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2011 and the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

## 1. General Conditions

- 1.1. Preferential Procurement Regulations, 2011 (Regulation 9) makes provision for the promotion of local production and content.
- 1.2. Regulation 9.(1) prescribes that in the case of designated sectors, where in the award of bids local production and content is of critical importance, such bids must be advertised with the specific bidding condition that only locally produced goods, services or works or locally manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for bids referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x/y]*100$$

## Where

- x is the imported content in Rand
- y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as required in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

- 1.6. A bid may be disqualified if -
  - (a) this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation; and
  - (b) the bidder fails to declare that the Local Content Declaration Templates (Annex C, D and E) have been audited and certified as correct.

#### 2. Definitions

- 2.1. "bid" includes written price quotations, advertised competitive bids or proposals;
- 2.2. "bid price" price offered by the bidder, excluding value added tax (VAT);
- 2.3. "contract" means the agreement that results from the acceptance of a bid by an organ of state;
- 2.4. "designated sector" means a sector, sub-sector or industry that has been designated by the Department of Trade and Industry in line with national development and industrial policies for local production, where only locally produced services, works or goods or locally manufactured goods meet the stipulated minimum threshold for local production and content;
- 2.5. "duly sign" means a Declaration Certificate for Local Content that has been signed by the Chief Financial Officer or other legally responsible person nominated in writing by the Chief Executive, or senior member / person with management responsibility(close corporation, partnership or individual).
- 2.6. "imported content" means that portion of the bid price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or its subcontractors) and which costs are inclusive of the costs abroad (this includes labour and intellectual property costs), plus freight and other direct importation costs, such as landing costs, dock duties, import duty, sales duty or other similar tax or duty at the South African port of entry;
- 2.7. "local content" means that portion of the bid price which is not included in the imported content, provided that local manufacture does take place;
- 2.8. "stipulated minimum threshold" means that portion of local production and content as determined by the Department of Trade and Industry; and
- 2.9. "sub-contract" means the primary contractor's assigning, leasing, making out work to, or employing another person to support such primary contractor in the execution of part of a project in terms of the contract.
- 3. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

	Description of services, works or go	Stipulated minimum threshold
		%
		%
		%
4.	Does any portion of the services, w have any imported content?  (Tick applicable box)  YES NO	orks or goods offered
4.1	prescribed in paragraph 1.5 of the	e used in this bid to calculate the local content as general conditions must be the rate(s) published cy at 12:00 on the date of advertisement of the
	The relevant rates of exchange info www.reservebank.co.za.	ermation is accessible on
	Indicate the rate(s) of exchange ag (refer to Annex A of SATS 1286:20	ainst the appropriate currency in the table below 11):
	Currency	Rates of exchange
	Currency US Dollar	Rates of exchange
	US Dollar Pound Sterling	Rates of exchange
	US Dollar	Rates of exchange
	US Dollar Pound Sterling	Rates of exchange
	US Dollar Pound Sterling Euro	Rates of exchange
	US Dollar Pound Sterling Euro Yen Other	Rates of exchange  ne SARB rate (s) of exchange used.
5.	US Dollar Pound Sterling Euro Yen Other  NB: Bidders must submit proof of the	
5.	US Dollar Pound Sterling Euro Yen Other  NB: Bidders must submit proof of the Were the Local Content Declaration certified as correct?	ne SARB rate (s) of exchange used.
	US Dollar Pound Sterling Euro Yen Other  NB: Bidders must submit proof of the Were the Local Content Declaration certified as correct? (Tick applicable box)  YES  NO  yes, provide the following particulars Full name of auditor: Practice number: Telephone and cell number: Email address:	ne SARB rate (s) of exchange used.  Templates (Annex C, D and E) audited and

6. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the Accounting Officer / Accounting Authority provide directives in this regard.

# LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

LEGALLY REXECUTIVE	ESPONSIBLI OR SENIOR	E PERSON NOM	INATED IN WRITI I WITH MANAGEME	OFFICER OR OTHER NG BY THE CHIEF ENT RESPONSIBILITY	
IN RESPECT	OF BID NO.				
	•	-	f Municipality / Munic		
NB				30	
				n cannot be transferred party acting on behalf of	
Templates (Adevelopment/Declaration Don Declaration the closing of paragraph (cpurposes for a	Annex C, D  ip.jsp. Bidder , bidders shoun  n C. Declarat  late and time b) below. Declarat  a period of at	and E) is accests should first could complete Declaration C should be started in order the bid in order the started by the sta	sible on <a href="http://www.mplete Declaration">http://www.mplete Declaration</a> ation E and then consubmitted with the r to substantiate the should be kept by the	cal Content Declaration the the ting the ting solidate the information bid documentation at e declaration made in e bidders for verification equired to continuously on of the contract.	
do hereby ded	clare, in my ca	pacity as		(full names), (name of bidder	
(a) The facts	contained he	rein are within my o	wn personal knowled	lge.	
(b) I have sa	tisfied myself	that			
<ul> <li>the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and</li> <li>the declaration templates have been audited and certified to be correct.</li> </ul>					
formula giver	n in clause 3 I above and th	3 of SATS 1286:2 ne information conta	2011, the rates of	n calculated using the exchange indicated in and E which has been	

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	*

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above. The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Municipality /Municipal Entity has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Municipal / Municipal Entity imposing any or all of the remedies as provided for in Regulation 13 of the Preferential Procurement Regulations, 2011 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE:	DATE:
WITNESS No. 1	DATE:
WITNESS No. 2	DATE:

## DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- The bid of any bidder may be rejected if that bidder, or any of its directors have:
  - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
  - b. been convicted for fraud or corruption during the past five years;
  - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
  - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Item	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?  (Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the audi alteram partem rule was applied).  The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the	Yes	No 🗆
	bottom of the home page.		
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)?  The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes	No
4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes	No

4.3.1	If so, furnish particulars:	<u>-</u>	
Item	Question	Yes	No
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes	No
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes	No
4.7.1	If so, furnish particulars:		
I, THE UNDERSIGNED (FULL NAME)			
Sign	nature Date		
Posi	ition Name of Bidder	••••••	Js367bW

MBD 9

### CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Municipal Bidding Document (MBD) must form part of all bids1 invited.
- Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).<sup>2</sup> Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
  - take all reasonable steps to prevent such abuse;
  - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
  - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
  - This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
  - In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

<sup>1</sup> Includes price quotations, advertised competitive bids, limited bids and proposals.

<sup>&</sup>lt;sup>2</sup> Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

#### CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:
(Bid Number and Description)
in response to the invitation for the bid made by:
(Name of Municipality / Municipal Entity)
do hereby make the following statements that I certify to be true and complete in every respect:
I certify, on behalf of:that:
(Name of Bidder)

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
- 4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
- 5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
  - (a) has been requested to submit a bid in response to this bid invitation;
  - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
  - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder

- 6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium<sup>3</sup> will not be construed as collusive bidding.
- 7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - (a) prices;
  - (b) geographical area where product or service will be rendered (market allocation)
  - (c) methods, factors or formulas used to calculate prices;
  - (d) the intention or decision to submit or not to submit, a bid;
  - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
  - (f) bidding with the intention not to win the bid.
- 8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

<sup>&</sup>lt;sup>3</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

Signature	Date
Position	Name of Bidder
	leQ1A1w A

Js9141w 4

### THE NATIONAL TREASURY

### Republic of South Africa



# GOVERNMENT PROCUREMENT: GENERAL CONDITIONS OF CONTRACT

**July 2010** 

### **GOVERNMENT PROCUREMENT**

### GENERAL CONDITIONS OF CONTRACT July 2010

### NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if (applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

### TABLE OF CLAUSES

1.	Definitions
2.	Application
3.	General
4.	Standards
5.	Use of contract documents and information; inspection
6.	Patent rights
7.	Performance security
8.	Inspections, tests and analysis
9.	Packing
10.	Delivery and documents
11.	Insurance
12.	Transportation
13.	Incidental services
14.	Spare parts
15.	Warranty
16.	Payment
17.	Prices
18.	Contract amendments
19.	Assignment
20.	Subcontracts
21.	Delays in the supplier's performance
22.	Penalties &
23.	Termination for default
24.	Dumping and countervailing duties
25.	Force Majeure
26.	Termination for insolvency
27.	Settlement of disputes
28.	Limitation of liability
29.	Governing language
30.	Applicable law
31.	Notices
32.	Taxes and duties
33.	National Industrial Participation Programme (NIPP)
34.	Prohibition of restrictive practices

### **General Conditions of Contract**

#### 1. Definitions

- 1. The following terms shall be interpreted as indicated:
- 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 "Day" means calendar day.
- 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10 "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the

#### RSA.

- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.
- 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such

obligations of the supplier covered under the contract.

1.25 "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

### 2. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

#### 3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from <a href="https://www.treasury.gov.za">www.treasury.gov.za</a>

#### 4. Standards

- 4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.
- 5. Use of contract documents and information; inspection.
- 5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

### 6. Patent rights

6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

### 7. Performance security

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
  - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
  - (b) a cashier's or certified cheque
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

# 8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or

8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

#### 9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

### 10. Delivery and documents

- 10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2 Documents to be submitted by the supplier are specified in SCC.

#### 11. Insurance

11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

### 12. Transportation

12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

### 13. Incidental services

- 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
  - (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
  - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
  - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;

- (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

### 14. Spare parts

- 14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
  - (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
  - (b) in the event of termination of production of the spare parts:
    - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
    - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

### 15. Warranty

- 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take

such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

#### 16. Payment

- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.

#### 17. Prices

17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

### 18. Contract amendments

- 18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.
- 19. Assignment
- 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

#### 20. Subcontracts

20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

# 21. Delays in the supplier's performance

- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the

- supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.
- 21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

#### 22. Penalties

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

### 23. Termination for default

- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
  - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
  - (b) if the Supplier fails to perform any other obligation(s) under the contract; or
  - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4 If a purchaser intends imposing a restriction on a supplier or any

person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.

- 23.5 Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.
- 23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
  - (i) the name and address of the supplier and / or person restricted by the purchaser;
  - (ii) the date of commencement of the restriction
  - (iii) the period of restriction; and
  - (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

- 23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.
- 24. Anti-dumping and countervailing duties and rights
- 24.1 When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a
  provisional payment or anti-dumping or countervailing right is
  increased in respect of any dumped or subsidized import, the State is
  not liable for any amount so required or imposed, or for the amount of
  any such increase. When, after the said date, such a provisional
  payment is no longer required or any such anti-dumping or
  countervailing right is abolished, or where the amount of such
  provisional payment or any such right is reduced, any such favourable
  difference shall on demand be paid forthwith by the contractor to the
  State or the State may deduct such amounts from moneys (if any)
  which may otherwise be due to the contractor in regard to supplies or
  services which he delivered or rendered, or is to deliver or render in
  terms of the contract or any other contract or any other amount which

may be due to him

### 25. Force Majeure

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

### 26. Termination for insolvency

26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

### 27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5 Notwithstanding any reference to mediation and/or court proceedings herein,
  - (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
  - (b) the purchaser shall pay the supplier any monies due the supplier.

### 28. Limitation of liability

- 28.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;
  - (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and

- (b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.
- 29. Governing language
- 29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.
- 30. Applicable law
- 30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.
- 31. Notices
- 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.
- 32. Taxes and duties
- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.
- 33. National 33.1 Industrial Participation (NIP) Programme
  - The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.
- 34 Prohibition of Restrictive practices
- 34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.

34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

Js General Conditions of Contract (revised July 2010)