

1

2

3

4



5

A


B

C


D



MATERIAL	ALUMINIUM GRADE 1050 H14		DRAWN	STRESS	APPROVED	QA	ECR		DESCRIPTION		
STOCK SIZE	SHEET, 1.6 mm THICK		TJM	N/R	JL	JC	N/A		CHASSIS BACK PANEL 2 FANS		
DEBURR	REMOVE BURRS AND SHARP EDGES TO 0.5 mm MAX		06 Nov 2025		11 Nov 2025	20 Nov 2025					
SURFACE TREATMENT	NONE		STATUS: RELEASED			A3			IDENTIFIER	DESIGN VERSION	DRAWING REVISION
TOLERANCE	GENERAL TO ISO 2768 CLASS mH - U.O.S.	DRAWING STANDARD: BS 8888:2013	SCALE 1:2	SHEET 2 OF 4					R4000-0005	1	1



DETAIL B
SCALE 1 : 1

MATERIAL	ALUMINIUM GRADE 1050 H14		DRAWN	STRESS	APPROVED	QA	ECR		DESCRIPTION			
STOCK SIZE	SHEET, 1.6 mm THICK		TJM	N/R	JL	JC	N/A		CHASSIS BACK PANEL 2 FANS			
DEBURR	REMOVE BURRS AND SHARP EDGES TO 0.5 mm MAX		06 Nov 2025		11 Nov 2025	20 Nov 2025						
SURFACE TREATMENT	NONE		STATUS: RELEASED			A3		DIMENSIONS IN MM	IDENTIFIER	R4000-0005	DESIGN	DRAWING
TOLERANCE	GENERAL TO ISO 2768 CLASS mH - U.O.S.	DRAWING STANDARD: BS 8888:2013	SCALE 1:2		SHEET 3 OF 4						VERSION	REVISION
											1	1

1

2

3

4

5

A

B

C

D

R1 TYP

DOWN 90° R 1

3 x $\varnothing$ 3,8 THRU

R0,5 TYP

8 x $\varnothing$ 3,4 THRU4 x $\varnothing$ 3,4 THRU

R2 TYP

419,8

3 x $\varnothing$ 4 THRU4 x $\varnothing$ 3,4 THRU

95,3

BLANK SIZE. SCALE 1:2
(FLAT PATTERN FOR INFORMATION ONLY)

MATERIAL	ALUMINIUM GRADE 1050 H14		DRAWN	STRESS	APPROVED	QA	ECR		DESCRIPTION CHASSIS BACK PANEL 2 FANS		
STOCK SIZE	SHEET, 1.6 mm THICK		TJM	N/R	JL	JC	N/A				
DEBURR	REMOVE BURRS AND SHARP EDGES TO 0.5 mm MAX		06 Nov 2025		11 Nov 2025	20 Nov 2025					
SURFACE TREATMENT	NONE		STATUS: RELEASED			A3			IDENTIFIER R4000-0005	DESIGN VERSION	DRAWING REVISION
TOLERANCE	GENERAL TO ISO 2768 CLASS mH - U.O.S.	DRAWING STANDARD: BS 8888:2013	SCALE 1:2		SHEET 4 OF 4					1	1