DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-1: CIDB Grading Designation (Eligibility Criteria Schedule)

Note to tenderers:

Tenderers are to indicate their CIDB Grading by filling in the table below. **Attach a copy of the CIDB Grading Designation or evidence of being capable of being so registered.**

CRS Number	Status	Grading	Expiry Date

1. Only those tenderers who are registered with the CIDB, or are capable of being so prior to the evaluation of submissions, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations, for a **2EB or higher** class of construction work, are eligible to have their tenders evaluated.

2. Joint Venture (JV)

Joint ventures are eligible to submit tenders subject to the following:

- a) every member of the joint venture is registered with the CIDB;
- b) the lead partner has a contractor grading designation of not lower than one level below the required grading designation in the class of construction works under consideration and possesses the required recognition status; and the
- c) combined Contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a Contractor grading designation determined in accordance with the sum tendered for a **2EB or higher** class of construction work or a value determined in accordance with Regulation 25(1B) or 25(7A) of the Construction Industry Development Regulations
- d) The tenderer shall provide a certified copy of its signed joint venture agreement
- e) The tenderer shall provide a certified copy of its signed joint venture agreement.

TENDER NUMBER: SIM22022CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



FUNCTIONALITY

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-04: Evaluation Schedule: Previous Experience

Note to tenderers:

Tenderers are required to demonstrate performance in comparable projects of similar size and nature by supplying the following:

- A list of past / current comparable projects accompanied by completion certificates.
- Construction of similar works as detailed in the *Works* Information with reference to: roads construction; pavement structures related to the *works* information
- Sufficient references to substantiate experience indicated (Client name, contact details, project description, duration, contract value and completion certificates/award letter/ form of offer/ Purchase Order)

Points	Work experience (40 points)	
T2.2-4: Previous Company Experience	Tenderers are required to demonstrate their experience in the delivery of similar works, and to this end shall supply a sufficiently detailed reference list with contact details of existing customers and also indicate their previous experience on Repairs, replacements, servicing and testing of Standby Diesel Generators	
0	No Previous Experience submitted/Irrelevant experience submitted	
20 points	1 Similar project completed with award letter/Purchase Order.	
40 points	2 Similar project completed with award letters/Purchase Orders.	
60 points	3 Similar project completed with award letters/Purchase Orders.	
80 points	4 Similar project completed with award letters/Purchase Orders.	
100 points	5 Similar project completed with award letters/Purchase Orders.	

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-05: Evaluation Schedule: Method Statement

Note to tenderers:

Programme

The Tenderer details the programme for evaluation and attaches it to this schedule. In addition, the Tenderer is to provide an electronic copy of the programme in Micro Soft Projects.

The Tenderer's attention is drawn to core clause 31 of the NEC3 Engineering and Construction contract regarding the items to be shown on a programme.

The tenderer shall provide the proposed programme showing the following:

- Ability to execute the works in terms of the Employer's requirements and within the required timeframe
 indicating, in a logical sequence, the order and timing of the construction that will take place in order
 to Provide the Works clearly indicating the capacity & capability to achieve the dates stated in the
 Contract Data.
- Dates when the *Contractor* will need access to any part of the Site; submission & approval process & timing for Health & Safety Files, Environmental Files and Quality Files. In addition the Programme must clearly demonstrate the procurement process for all long lead items if applicable.
- The Contractor indicates how he plans in achieving the following dates and clearly demonstrates them
 on the schedule Start Date, Access Date, Planned Completion, Key Dates/Sectional Completion Dates
 & Completion Date. In addition, the Programme clearly demonstrates adequate provisions for Time
 Risk Allowance (TRA). Time Risk Allowances are not float, are owned by the Tenderer, can be included
 in the activity duration and illustrated in the schedule in a code field or as an attachment.
- The Programme must clearly support and demonstrate alignment to the Approach Paper/Method Statement as contained in T2.1 List of Returnables.

Points	Method Statement (20 points)	
T2.2-5 Method Statement	Tenderers are to submit a project specific Method Statement highlighting the timelines in respect of the Repairs, replacements, servicing and testing of Standby Diesel Generators	
0	Detailed service and testing schedule for Diesel generators and replacement timelines of greater than 6 hours or method statement not submitted	
20 points	Detailed service and testing schedule for Diesel generators and replacement timelines of 6 hours and less	

TENDER NUMBER: SIM22022CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"



REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

40 points	Detailed service and testing schedule for Diesel generators and replacement timelines of 5 hours and less
60 points	Detailed service and testing schedule for Diesel generators and replacement timelines of 4 hours and less
80 points	Detailed service and testing schedule for Diesel generators and replacement timelines of 3 hours and less
100 points	Detailed service and testing schedule for Diesel generators and replacement timelines of 2 hours and less

The undersigned, who warrants that he/she is duly authorised to do so on behalf of the Tenderer, confirms that the contents of this schedule are within my personal knowledge and are to the best of my belief both true and correct.

Signed	Date
Name	Position
Tenderer	



T2.2-6: Organisation and Staffing (Management & CV's of Key Personnel)

The tender must be able to demonstrate that the project personnel have sufficient knowledge, experience and qualifications to provide the required services and submit the following documents as a minimum with the tender:

- 1. An organisation chart showing on-site and off-site management (including the key people you have identified in the Contract Data Part two and identify the required legal appointments.)
- CV's and proof of qualifications attached for the Project Team including Safety Officer and Quality
 Assurance Representative. The Individual CV's from the Project Team to indicate level of general
 experience and qualifications of key staff within the organization.
- 3. Details of the location (and functions) of offices from which the *works* will be managed.
- 4. Details of the experience of the staff who will be working on the *works* with respect to:
 - Working with the NEC3 Engineering and Construction Short Contract Option chosen for this contract. If staff experience of these matters is limited, an indication of relevant training that they have attended would be helpful.
- 5. An explanation of how you propose to allocate adequate resources to enable you to comply with the requirements and prohibitions imposed on you by or under the statutory provisions relating to health and safety.

Points	Organisation and Staffing competency (20 points)		
T2.2-6 Organisation and Staffing competency	Project Organogram: Names & Number of personnel required to execute the project. Mechanic/Electrician competency submissions, (Submit CV's and Qualifications).		
0	No Mechanical Trade Tested personnel submitted and No Company organogram submitted		
20 points	Company organogram submitted.		
40 points	1 x Mechanical Trade Tested personnel submitted		
60 points	2 x relevant Artisan Diesel Mechanic Trade Tested		
80 points	3 x relevant Artisan Diesel Mechanic Trade Tested		
100 points	3 x relevant Artisan Diesel Mechanic Trade Tested and company organogram		

TENDER NUMBER: SIM22022CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



Index of documentation attached to this schedule:		
Signed	Date	
	2	
Name	Position	
Tenderer		

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



SAFETY HEALTH AND ENVIRONMENTAL (SHE) SPECIFICATIONS FOR CONTRACTORS

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



TRANSNET FREIGHT RAIL SAFETY HEALTH AND ENVIRONMENTAL (SHE) SPECIFICATIONS FOR CONTRACTORS

CONTRACT NAME:	For the rendering of Repair, replacement, servicing, testing, rental & re-fuelling of diesel generators as & when required basis		
CONTRACT NUMBER:			
CONTRACT SCOPE:	Repair of diesel Generator		
	- Replacement of diesel Generat	ors	
	- Servicing of diesel Generators		
	- Testing of diesel Generators		
	- Rental of diesel Generators		
	- Re-fueling of diesel Generators		
	- Transportation of diesel Generators		
	- Mobilization of diesel generators		
	- Issuing of Certificate of Compliance for every job card, where applicable		
CONTRACT LOCATION:	JHB central region		
CONTRACT DURATION:	36 Months		
CONTRACT MANAGER:	Zandile Dinwayo Act Executive Manager: REM		
TFR TECHNICAL OFFICER:	M. Selowa Engineering Technician (Electrical)		
	SHE SPECIFICATION APPROVAL		
TITLE:	NAME:	SIGNATURE:	
TFR CONTRACT MANAGER / TECHNICAL OFFICER / TFR AGENT	M.S.D Zikalala Technical Manager (Electrical)	DATE:	
RISK / ENVIRONMENTAL SPECIALIST	Mmagauta Tabane	DATE:	
SAFETY SPECIALIST / MANAGER	Kedibone Moselane		

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



	DATE.
	DAIE:
	1

1. Introduction

- 1.1 This Safety, Health and Environmental (SHE) specification is Transnet Freight Rail (TFR) minimum requirements to be met by contractors when performing work for or on behalf of TFR. They set out the requirements to be followed by the Contractor and other contractors so that the health and safety of all person's potentially at risk may receive the same priority as other facets of the contract.
- 1.2 The Contractor shall **develop a SHE plan and prepare a SHE file** based on these requirements, risk assessment as well as all the relevant applicable legislation. The contractor shall remain accountable for the quality and execution of his health and safety programme for his employees and sub-contractor employees. This specification in no way releases the contractors from compliance with the relevant legislation.

2 Purpose

- 2.1 The purpose of this specification is to ensure that the Contractor provides and maintains, as far as reasonably practicable a safe working environment for all employees and the public whilst performing work for or on behalf of TFR.
- 2.2 This specification form an integral part of the contract, and the Contractor shall forward this specification to all subcontractors at the bidding stage so that they can in turn prepare health and safety plans relating to their operations

3 Scope and Application

- 3.1 This specification is applicable to all contractors, suppliers and all activities and processes carried out for or on behalf of Transnet Freight Rail. The Specification defines the strategies to manage Health and Safety and is a compliance document drawn up in terms of the Occupational Health and Safety Act 85 of 1993 and Electrical Installation Regulations and National Railway Safety Regulator Act (Act no 16 of 2002) requirements as applicable.
- 3.2 This specification shall also apply to any subcontractors as employers in their own right. The Contractor shall furnish the TFR Contract Manager/Technical Officer with full particulars of such subcontractors and shall ensure that they comply with the OHS Act and Regulations and Transnet's safety requirements and procedures.
- 3.3 Every effort has been made to ensure that this specification document is accurate and adequate in all respects. Should it however, contain any errors or omissions they may not be considered as grounds for claims under the contract for additional reimbursement or extension of time, or relieve the Contractor from his responsibilities and accountability in respect of the contract to which this specification document pertains. Any such

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



inaccuracies, inconsistencies and/or inadequacies must immediately be brought to the attention of the TFR Contract Manager/Technical Officer or Client Agent.

4 General

- 4.1 The Contractor and Transnet Freight Rail are individual employers, each in its own right, with their respective duties and obligations set out in the Occupational Health and Safety Act, Act 85 of 1993 (herein referred as the OHS Act) and applicable Regulations.
- 4.2 The Contractor accepts, in terms of the General Conditions of Contract and in terms of the OHS Act, his obligations as an employer in respect of all persons in his employ, other persons on the premises or the Site or place of work or on the work to be executed by him, and under his control. The Contractor shall, before commencement with the execution of the contract work, comply with the provisions set out in the OHS Act, and shall implement and maintain a SHE Plan approved by Transnet Freight Rail, on the Site and place of work for the duration of the contract.
- 4.3 The Contractor accepts his obligation to complying with the OHS Act and applicable Regulations notwithstanding the omission of some of the provisions of the OHS Act and the Regulations from this document.
- 4.4 Transnet Freight Rail accepts, in terms of the OHS Act, its obligations as an employer of its own employees working on or associated with the site or place of work, and the Contractor and TFR Contract Manager/Technical Officer or his deputy shall at all times, co-operate in respect of the health and safety management of the site, and shall agree on the practical arrangements and procedures to be implemented and maintained during execution of the works
- 4.5 In the event of any discrepancies between any legislation and this specification, the applicable legislation will take precedence.

5. Section 37(2) Agreements

- 5.1 Transnet Freight Rail and the Contractor shall enter into an agreement in terms of section 37(2) of the Occupational Health and Safety Act to the arrangements and procedures between them to ensure compliance by the Contractor with the provisions of the OHS Act.
- 5.2 The agreement shall be completed and signed by the Contractor mandated representative as soon as possible and returned to the relevant TFR Project Manager / TFR Contract Manager for his/her signature on behalf of TFR.
- 5.3 The Contractor shall enter into a Section 37(2) Agreement with their respective subcontractors. Signed copy of such agreement must be kept on the Contractor's SHE file.

6. Definitions

6.1 In this Specification the definitions as listed in the Occupational Health and Safety Act 85 of 1993 and Construction Regulations, 2014, Electrical Installation Regulations,

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



Electrical Machinery Regulations and Transnet Contractor Management Procedure shall apply, unless the context otherwise indicates: -

6.1.1 "competent person" means a person who—

- a) has in respect of the work or task to be performed the required knowledge, training and experience and, where applicable, qualifications, specific to that work or task: Provided that where appropriate qualifications and training are registered in terms of the provisions of the National Qualification Framework Act, 2000 (Act No.67 of 2000), those qualifications and that training must be regarded as the required qualifications and training; and
- b) is familiar with the Act and with the applicable regulations made under the Act;
- 6.1.2 **"contractor"** means an employer (organisation) or a person who performs ANY work and has entered into a legal binding business agreement contract to supply a product or provide services to Transnet. This applies to the Suppliers, Vendors, Consultants, Service Providers or Contractors. NB: A contractor is an employer in his/her own right (includes Principal Contractor and subcontractor);
- 6.1.3 **"construction work",** which, in terms of the Construction Regulations, 2014 means any work in connection with:
 - a) the construction, erection, alteration, renovation, repair, demolition or dismantling of or addition to a building or any similar structure; or
 - b) the, construction, erection maintenance, demolition or dismantling of any bridge, dam, canal, road, railway, runway, sewer or water reticulation system or the moving of earth, clearing of land, the making of an excavation, piling or any similar civil engineering structure; or any similar type of work.
- 6.1.4 "COVID 19" means Corona Virus Disease of 2019
- 6.1.5 **"electrical contractor"** means a person who undertakes to perform electrical installation work on behalf of any other person, but excludes an employee of such first —mentioned person
- 6.1.6 "**excavation work"** means the making of any man made cavity, trench, pit, or depression formed by cutting, digging, or scooping
- 6.1.7 **"fall protection plan "**means a documented plan, which includes and provides for
 - a) all risks relating to working from a fall risk position, considering the nature of work undertaken;
- b) the procedures and methods to be applied in order to eliminate the risk of falling; and
 - c) a rescue plan and procedures

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 6.1.8 "fall risk" means any potential exposure to falling either from, of or into
- 6.1.9 **"health and safety (SHE) plan"** means a site, activity or contract specific documented plan in accordance with the client's health and safety specification;
- 6.1.10 **"risk assessment"** means a programme to determine any risk associated with any hazard at a work site, in order to identify the steps needed to be taken to remove, reduce or control such hazard
- 6.1.11 **"Safety, Health and Environmental (SHE) File"** means a file or other record in permanent form, containing the information required to be kept on site in accordance with the OHS Act and applicable Regulations;
- 6.1.12 **"TFR"** means Transnet Freight Rail, a division of Transnet SOC Ltd (Registration No. 1990/000900/30), a public company incorporated in accordance with the company laws of the Republic of South Africa
- 6.1.13 "TFR Contract Manager" means a Transnet employee who is authorised to represent Transnet in terms of the contract and appointed to supervise and/or liaise with the contractor to ensure that the specifications of the contract are met (with special emphasis on technical specifications, inspection of quality, on health and safety, environment and quantity work). A Contract manager has the role of executing the plan to achieve the deliverables. This person receives all his authorisations from the contract initiator and the stakeholders. (It includes a Technical Officer, Maintenance Manager, Operations Manager, Security Depot Manager, Security Inspector, Maintenance Supervisor's etc)

7. Notification of Construction Work

- 7.1 The Contractor who intends to carry out any construction work other than work where a Construction Work Permit is required, must at least 7 days before carrying out such work, notify the Provincial Director of the Department of Labour in writing if the construction work:-
- (a) includes excavation work
- (b) includes working at a height where there is a risk of a person falling;
- (c) includes the demolition of a structure; or
- (d) includes the use of explosives to perform construction work,
- 7.2 The notification to the Provincial Director shall be on a form similar to Annexure 2 of the Construction Regulations, 2014. The Contractor shall ensure that a copy of the completed notification form is kept on site for inspection by an inspector, TFR Contract Manager/Technical Officer or employee.

8. Letter of Good standing

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 8.1 The Contractor shall submit proof of registration and Letter of Good Standing with the compensation fund or with a licensed compensation insurer as contemplated in the Compensation for Occupational Diseases Act , 1993 (Act No. 130 of 1993) for his company and each of his sub-contractors'.
- 8.2 No contractor may do any work for TFR without a valid letter of good standing. The Contractor must ensure that the Letter of Good Standing remains valid for the duration of the contract period.
- 8.3 The letter of good standing must reflect the name of the Contractor and/or Subcontractor, registration number and, expiry date.

9. Management and Supervision

- 9.1 The Contractor and all subcontractors shall submit a SHE organogram outlining the site SHE management structure including the relevant appointments/competent persons or the intended appointments where such appointments have not been made.
- 9.2 The Contractor shall, in accordance with the OHS Act and applicable Regulations, make all the necessary appointments of competent persons in writing. Copies should also be retained on the SHE file.
- 9.3 In case of construction work, additional appointments must be made in terms of the Construction Regulations:
- 9.4 Subcontractors shall also make the above written appointments and the Contractor shall deliver copies thereof to the TFR Contract Manager/Technical Officer.

10. SHE Committee Meetings and SHE Representatives

- 10.1 When required by legislation, the Contractor and subcontractors shall appoint SHE Representative/s in writing after consultation with employees and ensure that they are trained in performing their duties.
- 10.2 SHE Representatives duties shall include inspections of the workplace, taking part in incident investigations, risk assessments, attending SHE Committee meetings etc. Records of monthly inspections of SHE Representatives must be kept on the SHE file.
- 10.3 The number of SHE Representatives appointed shall be in accordance with the requirements of the Occupational health and Safety Act 85 of 1993.
- 10.4 When required by legislation, the Contractor must ensure that a SHE Committee meeting is held monthly and minutes of such meeting shall be recorded and records kept on the SHE file. The Contractor representative and appointed SHE representatives shall attend the monthly SHE Committee meeting.
- 10.5 The TFR Contract Manager/Technical Officer or his deputy shall be allowed to attend meetings of the Contractor's health and safety committee as an observer.

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



10.6 Subcontractors appointed by the Contractor shall have their own internal monthly SHE Committee meeting.

11. SHE Audits and Contractor Monthly Reports

- 11.1 The TFR Contract Manager/Technical Officer or his deputy shall ensure that the Contractor's SHE Plan is audited at intervals mutually agreed to between them, but at least once every month to ensure that the SHE Plan is implemented and maintained on site.
- 11.2 TFR Safety Officers / Specialists shall at all reasonable times be allowed access to the work sites, the Contractor site offices and tool-sheds to inspect the Contractor's and its subcontractor's tools, equipment, registers and workplace.
- 11.3 Should any non-compliances or contraventions to the TFR safety requirements, legal requirements, this specification or the Contractor's SHE Plan be identified, such non-compliances or contraventions shall be rectified by the contractor at its cost immediately or within a period specified by the TFR Contract Manager/Technical Officer, his deputy, or TFR Safety Officers / Specialists.
- 11.4 Should the Contractor refuse or fail to rectify such non-compliances or contraventions, TFR may take remedial action at the Contractor's cost as it may deem necessary to ensure safety at the TFR sites at all times.
- 11.5 TFR reserves the right to conduct safety audits without prior warning.
- 11.6 The Contractor on all contracts of more than 1 month shall provide a monthly safety performance report as required by TFR.
- 11.7 The Monthly safety performance report shall be compiled in terms of Annexure 1 or in any format that the Contractor has as long as it includes all items listed in Annexure 1.

12. Training, Competence and Awareness

12.1 Induction Training

- 12.1.1 The Contractor shall ensure that all his employees and subcontractors employees undergo a TFR SHE Induction with regard to the general hazards prevalent on the site, rules and regulations, and other related aspects before commencing work. It is the responsibility of the contractor to inform TFR whenever new employees are appointed after the initial induction was conducted.
- 12.1.2 In addition to the TFR SHE induction, it is the responsibility of the Contractor to develop and implement a site specific SHE Induction programme, a job specific induction programme and a general employee SHE awareness programme, to develop awareness amongst employees on the generic SHE issues associated with the scope of work and the specific environmental issues in question.
- 12.1.3 The Contractor shall ensure that all visitors and suppliers to the site undergo and comply with Contractors' site-specific safety induction requirement prior to being allowed access to site. All visitors and suppliers shall sign the attendance register.

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 12.1.4 All visitors and suppliers shall wear the necessary personal protective equipment whilst on site and shall remain in the care of the host who understand the scope of work and associated risks.
- 12.1.5 The Contractor shall maintain comprehensive attendance records of SHE induction training on the SHE file.

12.2 Competency / Training

- 12.2.1 The Contractor must ensure that all his employees are adequately trained to perform the tasks allocated to them and that there is the requisite amount of supervision at all times to maintain safe work practices and standards.
- 12.2.2 The Contractor shall identify training requirements of employees whose work may have a significant impact on their health and safety or that might create a significant impact upon the environment and ensure that these employees will receive appropriate training. A Training matrix shall be used as a mechanism to manage and control the training of employees.
- 12.2.3 The Contractor shall identify all training needs and incorporate the site specific training into the SHE plan.
- 12.2.4 Each Contractor shall be required to ensure that before an employee commences work on the contract that the supervisor in control with responsibility for the employee has informed the employee of his scope of authority and any hazards associated with the work performed. This will include man-job specifications, the discussion of any standard task procedures or hazardous operational procedures to be performed by the employee
- 12.2.5 The Contractor is to ensure that the supervisor has satisfied himself that the employee is conversant with all hazards associated with any work to be performed by conducting task observations.
- 12.2.6 The Contractor must ensure that certificate/s of competence where applicable is/are provided in the SHE File.

12.3 Awareness Training

- 12.3.1 Awareness training required shall be identified for all employees on the contract using the SHE Policy, the SHE Plan, the SHE programmes and procedures.
- 12.3.2 The Contractor shall have a daily safety talk. This talk shall include subcontractor employees.
- 12.3.3 The talk must be brief and concise. Subject topics should be applicable to the job at hand, incidents, accidents and up-and-coming work will be discussed along with suggestions and comments. These meetings can be used as a training meeting with the central idea of educating employees.

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



13. Health and Safety Plan (SHE Plan)

- 13.1 Potential Contractor submitting tenders shall submit with their tender, a Health and Safety Plan setting out the practical arrangements and procedures to be implemented by him to ensure compliance by him with the OHS Act and Regulations, this SHE specification and particularly in respect of: -
 - (a) The provision, as far as is reasonably practical, of a working environment that is safe and without risk to the health of his employees and subcontractors in terms of section 8 of the OHS Act;
 - (b) the execution of the contract work in such a manner as to ensure in terms of section 9 of the OHS Act that persons other than those in the Contractor's employment, who may be directly affected by the contract work are not thereby exposed to hazards to their health and safety;
 - (c) ensuring, as far as is reasonably practical, in terms of section 37 of the OHS Act that no employee or subcontractor of the Contractor does or omits to do any act which would be an offence for the Contractor to do or omit to do.
- 13.2 The Contractor's Health and Safety Plan shall be based on a risk assessment in respect of the hazards to health and safety of his employees and other persons under his control that are associated with or directly affected by the Contractor's activities in performing the contract work and shall establish precautionary measures as are reasonable and practical in protecting the safety and health of such employees and persons.
- 13.3 The SHE Plan shall include full particulars in respect of: -
 - (a) Safety Management Structure arrangements i.e. Appointments to be done and how;
 - (b) SHE Organisation arrangements i.e. SHE Committees, SHE Audits, Findings and Corrective Actions
 - (c) Risk Management i.e. Risk Assessment frequencies, methodology
 - (d) Education and Training i.e. safety induction, site / job specific training arrangements
 - (e) Emergency Planning
 - (f) Health and Safety Communication i.e. Toolbox talks, incident recall
 - (g) Safe working methods and procedures to be implemented i.e. safe work procedures, task observation
 - (h) Fall Protection Plan i.e. documented plan, training/competency, medical surveillance, rescue plan

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- (i) Personal protective Equipment and Clothing
- (j) Contract Security i.e. site access control and security
- (k) SHE Costs
- (I) Occupational Health i.e Medical Surveillance, First Aid, Welfare Facilities, Substance Abuse testing, Noise, Vibration, Manual Handling etc
- (m) Environmental management
- (n) Incident Management i.e. reporting and investigation
- (o) Operational Control
- (p) Review plan of the SHE Plan
- 13.5 The Contractor shall submit a final SHE Plan after awarding of the contract which shall be subject to the TFR Contract Manager/Technical Officer's approval and he may, in consultation with the Contractor, order that additional and/or supplementary practical arrangements and procedures be implemented and maintained by the Contractor or that different working methods or safety equipment be used or safety clothes be issued which, in the TFR Contract Manager/Technical Officer's opinion, are necessary to ensure full compliance by the Contractor with his obligations as an employer in terms of the OHS Act and Regulations.
- 13.6 The Contractor shall approve the SHE Plan of the subcontractor and further take reasonable steps to ensure that each subcontractor's SHE Plan is implemented and maintained on the site: Provided that the steps taken, shall include periodic audits at intervals mutually agreed to between them, but at least once every month.
- 13.7 The Contractor shall stop any subcontractor from executing any construction work, which is not in accordance with the Contractor's, and/or subcontractor's SHE Plan for the site or which poses a threat to the health and safety of persons.
- 13.8 The Contractor shall ensure that a copy of the SHE Plan is available on site for inspection by an inspector, TFR Contract Manager/Technical Officer, agent, subcontractor, employee, registered employee organisation, health and safety representative or any member of the health and safety committee.

14. Hazards Identification and Potential Hazardous Situations

- 14.1 The Contractor shall ensure a risk assessment is carried out by a competent person, appointed in writing, before commencement of any work and reviewed during the duration of the contract period. The Risk Assessments shall form part of the Health and Safety Plan to be applied on the site and shall include at least the following:
 - (a) The identification of the risks and hazards (including ergonomic risks) that persons may be exposed to;
 - (b) The analysis and evaluation of the hazards identified;

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- (c) A documented plan, including safe work procedures to mitigate, reduce or control the; risks identified; and
- (d) A monitoring and review plan.
- 14.2 Risk assessments shall be conducted by a competent person and such person shall use a documented method to analyse and evaluate identified risk and hazards.
- 14.3 The Contractor shall consult with the health and safety committee or, if no health and safety committee exists, with a representative group of employees, on the development, monitoring and review of the risk assessment
- 14.4 The risk assessment shall be reviewed when there are changes that affect the design of the structure that may affect the health, safety and environment on site or after an incident.
- 14.5 The Contractor shall ensure that all employees are to be informed, instructed and trained regarding any risks, hazard and related SHE procedures by a competent person as outlined in the risk assessment prior to commencement of work and thereafter at predetermined intervals as outlined in the monitoring plan.
- 14.6 The Contractor shall ensure that all subcontractors are informed regarding any hazard as stipulated in the risk assessment before any work commences, and thereafter at such intervals as may be determined in the risk assessment.
- 14.7 The risk assessment shall be available on site for review. Where a risk assessment is not readily available or not communicated to contractor employees, the construction activities shall be stopped until such time the contractor complies.
- 14.8 The Contractor and the TFR Contract Manager/Technical Officer shall immediately notify one another of any hazardous or potentially hazardous situations which may arise during performance of the contract or any subcontractor and, in particular, of such hazards as may be caused by the design, execution and/or location and any other aspect pertaining to the contract work.
- 14.9 The Contractor shall be required to analyse his scope of work and define these critical activities. For each activity, a risk assessment shall be required which defines systems and safe work procedures that will be used in order to complete the activity safely.
- 14.10 Copies of all safe work procedures and proof that employees have been trained on those safe work procedures shall be kept on the SHE file.
- 14.11 Preliminary risk and hazard identification shall be conducted by the Contractor prior to work commencement on site. Should the Client's Agent, Project Manager, TFR Contract Manager/Technical Officer or his duly nominated alternative identify hazardous activities performed by the Contractor on the site for which the Contractor has not submitted a risk assessment, the Contractor shall be required to do so before continuing with work.
- 14.12 The contractor shall conduct a COVID-19 risk assessment to give effect to minimum control measure required, taking into consideration the specific circumstances of the

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



workplace and work activities. When conducting such a risk assessment, the contractor shall take into consideration measures required by the COVID-19 Occupational Health and Safety Measures in Workplaces.

15. Safety, Health and Environmental (SHE) File

- 15.1 The Contractor shall prepare a SHE file and submit to TFR Contract Manager for approval prior to commencement of work on site. The file shall include all documentation required as per the OHS Act and applicable regulations. ,
- 15.2 The approval time of the SHE file is at least 5 working days
- 15.3 The Contractor shall ensure that a copy of the both his SHE File as well as any subcontractor's SHE File is kept on site and made available to an inspector of the Department of Labour, the TFR Contract Manager/Technical Officer, or subcontractor upon request.
- 15.4 The Contractor shall hand over a consolidated SHE file to the TFR Contract Manager/Technical Officer upon completion of the Construction Work and shall in addition to documentation mentioned in the OHS Act and applicable Regulations include a record of all drawings, designs, materials used and other similar information concerning the completed structure.

16. Occupational Health

16.1 Medical Surveillance Programme

- 16.1.1 The Contractor shall ensure that all his and subcontractor employees have a valid medical certificate of fitness issued by an Occupational Health Practitioner.
- 16.1.2 Medical certificate of fitness must be available and be kept in the SHE file.
- 16.1.3 The contractor shall develop and implement COVID 19 procedure and program to ensure the protection of employees and other persons.

16.2 Substance Abuse

- 16.2.1 All Contractors must comply with the Transnet Substance Abuse Policy and Regulation 2A of the General Safety Regulations of the OHS Act.
- 16.2.2 No Contractor may possess, sell, offer to other person, use, store, manufacture, transport, distribute, or transfer drugs or alcohol during work hours, on or off TFR premises.
- 16.2.3 TFR will not tolerate substance abuse or use which put at risk the health and safety of its employees or threatens its services to our stakeholders. It is on this basis that a contractor employee will be considered unfit for work if:
 - (a) He/she is subjected to alcohol screening and/or alcohol testing and is found to have alcohol in his/her breathe and/or blood;

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- (b) Refuses to undergo substance screening and/or testing;
- (c) He /she produces a positive confirmatory test for any other substances, measured by sample analysis at a registered pathological laboratory and authorised by a medical practitioner; and/or
- (d) Through observation by security personnel or TFR Contract Manager, it is evident that the contractor's physical, emotional, mental or behavioural state reflects that they are intoxicated or under the influence.
- 16.2.4 Any transgression of this policy will constitute a breach of the relevant contract and may result in the termination of services/contract.
- 16.2.5 Any contractor employee using medication that has a narcotic effect must declare before work to his / her supervisor.

16.3 Occupational Hygiene

- 16.3.1 The Contractor shall conduct Health Risk Assessments of all the Occupational Hygiene / Environmental stressors (e.g. noise, dust, illumination, HCS, heat & cold stressors, ergonomics, etc.) present in the area where they operate to determine if there is any possible worker exposure. Records of all these assessments should be documented and kept up to date.
- 16.3.2 The Contractor shall monitor the extent to which their employees are exposed to the occupational hygiene stressors. These assessments shall be conducted by an Approved Inspection Authority as listed on the Department of Labour database. The findings from these assessments should be kept on the SHE file, communicated to all affected parties and be reported to relevant authorities.

16.4 First Aid requirements

- 16.4.1 All Contractors shall ensure that their employees receive prompt first aid treatment in case of injury or emergency. The Contractor must have the necessary equipment and/or facility on site for treatment of injured persons.
- 16.4.2 Contractor shall ensure that the first aid box / boxes are available and accessible. More first aid boxes shall be provided if the risks, distance between work teams, or the working environment requires it.
- 16.4.3 Taking into account the type of injuries that are likely to occur on site, the nature of activities performed and the number of employees on site, the Contractor shall ensure that the first aid box contain suitable first aid equipment which includes at least the minimum contents as listed on Annexure 1 of General Safety Regulation (GSR).
- 16.4.4 The Contractor must ensure that trained / certificated first-aid personnel are appointed and be available on site at all times. The ratio of first aiders to employees shall be 1:50.



16.5 Asbestos Control

16.5.1 The Contractor shall inform the TFR Project Manager or TFR Contract Manager if during construction work asbestos or suspected asbestos containing material is found. Only Asbestos Approved Contractor can work on asbestos containing material.

16.6 Noise

- 16.6.1 The Contractor shall ensure that the requirements of the Noise Induced Hearing Loss Regulations are complied with.
- 16.6.2 Contractor shall ensure that machinery and equipment are operated at noise levels not exceeding an equivalent level of 85-dB (A) during normal working conditions.
- 16.6.3 Where the noise levels at the Operator position or to employees working in the vicinity exceed an equivalent level of 85-dB (A) during normal working conditions, the Contractor shall take appropriate measures to reduce such levels to an equivalent level of 85-dB (A). The use of Personal Protective Equipment (PPE) should be the last resort.
- 16.6.4 All employees exposed to noise must be trained on the effects of exposure, precautionary measures to be taken to prevent exposure and the correct use of PPE.
- 16.6.5 Noise zones must be demarcated as such.

16.7 Vibration

- 16.7.1 Contractors must put measures to reduce the risks associated with hand–arm vibrations, avoid, whenever possible, the need for vibration equipment.
- 16.7.2 Contractor shall develop a good maintenance regime for tools and machinery. This may involve ensuring that tools are regularly sharpened, worn components are replaced or engines are regularly tuned and adjusted.
- 16.7.3 The Contractor must introduce a work pattern that reduces the time exposure to vibrations.
- 16.7.4 The Contractor shall issue employees with gloves and warm clothing. There is a debate as to whether anti-vibration gloves are really effective but it is agreed that warm clothing helps with blood circulation which reduces the risk of vibration white finger. Care must be taken so that the tool does not cool the hand of the operator.

16.8 Manual Handling

16.8.1 Contractor must reduce risk of injury due to manual handling by using mechanical assistance involving the use of mechanical aids to assist the manual handling operation. Mechanical aids such as hand-powered hydraulic hoists, specially adapted trolleys, hoist for lifting patients and roller conveyors can be used.

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



16.8.2 Contractor shall ensure all employees involved in manual handling are trained in good lifting techniques.

16.9 Dust

- 16.9.1 The Contractor shall monitor dust caused by their activities, mobile equipment, generators and other equipment during construction. Factors such as wind can often affect the intensity to which the impact is experienced.
- 16.9.2 Dust suppression measures must be in place to reduce the dust caused by the activities on site.
- 16.9.3 Appropriate PPE should be provided to exposed employees.

16.10 Weather precautions

- 16.10.1 In the event of adverse weather (high winds, flooding, storm surge, lightning etc) or other conditions, the Contractor must institute precautionary measures to protect employees on site.
- 16.10.2 The Contractor shall take steps to prevent heat stroke, dehydration and exhaustion of employees as a result of exposure to excessive heat on site. Such steps may include employees taking regular breaks, consuming enough water, provision of sun brims for their hard hats and sun screen to protect them against sun burn.
- 16.10.3 The Contractor shall take steps to prevent hypothermia or dangerous overcooling of the body as a result of exposure to cold temperatures.

16.11. Welfare Facilities

16.11.1 The Contractor shall ensure that suitable, clean and hygienic welfare facilities are provided to its employees and subcontractors. Where such welfare facilities are provided to them by TFR for the use of their employees and subcontractors, the Contractor shall ensure that they are kept in a clean, hygienic, safe, whole and leak-free condition, and in a good state of repair.

16.12 Fatigue Management and Fit for Duty Processes

- 16.12.1 The Contractor must ensure that it complies to the requirements of RSR 00-4-1.2016 Edition 1, Part 4-1 Human Factors Management-Fatigue Management standard.
- 16.12.2 The Contractor shall document, implement and maintain processes and procedures to identify, assess and mitigate the risks associated with fatigue's contributory factors.
- 16.12.3 The Contractor shall comply with TFR Fatigue Risk Management Plan (FRMP) and Fatigue Risk Management System (FRMS).

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 16.12.4 The Contractor shall collect data and report on their management of fatigue as outlined in Clause 8.3 of Part 4-1 Human Factors Management-Fatigue Management standard.
- 16.12.5 The Contractor shall document and implement fit for duty processes for all its employees.

16.13 Work in Confined Space

- 16.13.1 The Contractor shall ensure that a confined space is only entered by an employee or any other person only after the air therein has been tested and evaluated by a person who is competent to pronounce on the safety thereof, and who has certified in writing that the confined space is safe and will remain safe while any person is in the confined space, taking into account the nature and duration of the work to be performed therein.
- 16.13.2 the Contractor shall take steps to ensure that any confined space in which there exist or is likely to exist a hazardous gas, vapour, dust or fumes, or which has or likely to have, an oxygen content of less than 20 percent by volume, is entered by an employee or other person only when:
 - (a) the confined space is purged and ventilated to provide a safe atmosphere therein and measures necessary to maintain a safe atmosphere therein have been taken;
 - (b) the confined space is isolated from all pipes, ducts and other communicating openings by means of effective blanking other than the shutting or locking of a value or a cock, or, if this is not practicable, only when all valves and cocks which are a potential source of danger have been locked and securely fastened by means of chains and padlocks.
- 16.13.3 The Contractor shall ensure that the provisions of General Safety Regulation 5 are complied with regard to work on confined space
- 16.13.4 The Contractor must take into consideration that a tunnel is defined as a confined space in terms of the General Safety Regulations and must ensure compliance to the above when working in tunnels.

16.14 **COVID 19 Requirements**

- 16.14.1 The contractor shall complete and submit to the TFR Contract Manager a declaration stating that the contractor is permitted to operate in terms of the provisions of the Disaster Management Act 2002 (Act No 57 of 2002) and Regulations, Transnet COVID-19 Guidelines and COVID-19 Occupational Health and Safety Measures in Workplaces, COVID-19 (C19 OHS), 2020 and have prepared a COVID-19 Workplace Readiness Plan and shall operate within the regulated permissions and restrictions of applicable lockdown level.
- 16.14.2 The contractor must ensure that all its employees are trained on the health risks and hazards associated with COVID-19 and what precautionary measures they must follow

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



for the protection of their health, including the proper use and maintenance of PPE. They are prepared and informed regarding updated rules, hygiene and behavioural practices, complete a "return to work interview" with their line manager and sign commitment to maintain social distancing.

- 16.14.3 The contractor shall ensure that every employee reporting for duty is screened to ascertain whether they have any observable symptoms associated with COVID-19 and require such employee to immediately inform the contractor if he/she experiences such symptoms
- 16.14.4 Non-essential physical work that requires close contact between workers should be avoided where it is possible to do so.
- 16.14.5 Where it is practicable, every employee must be issued with own tool for use for the duration of the shift. Tools and equipment in stores should be sanitised before issued and on return to the stores.
- 16.14.6 Washing hands facilities must be provided on site, and where it is not available, employees should be provided with hand sanitisers. Employees should be encouraged to regularly wash their hands.
- 16.14.7 Alcohol testing on site should be managed in such a way that no employee is exposed to the virus and contractors must promote personal hygiene. Breathalyzer equipped with disposable mouthpieces shall be used and shall be cleaned and/or disinfected after every use.
- 16.14.8 All non-essential visitors to site are not allowed, only suppliers are allowed. Suppliers must be advised in advance of the COVID-19 site screening tests and required COVID-19 PPE requirements for the site.
- 16.14.9 Where site meetings are held, only absolutely necessary meeting participants should attend. Social distancing should be maintained.
- 16.14.10 The contractor shall when transporting his employees to TFR premises comply with the regulations which outlines that 70% of the vehicle capacity can be utilised.
- 16.14.11 The contractor shall inform the TFR Contract Manager when any of its employees working on TFR premises has been diagnosed with COVID-19. The contractor shall investigate the cause and control failure and review its risk assessment to ensure that the necessary controls and PPE requirements are in place.

17 Incidents/Occurrences

- 17.1 All incidents referred to in Regulation 9 of General Administration Regulations of the OHS Act involving the contractor and his subcontractor on TFR premises, shall be reported to the TFR Contract Manager and Department of Labour as prescribed by the OHS Act.
- 17.2 TFR must be forwarded with a copy of a report of any investigation, formal inquiry conducted in terms of Section 31 and 32 of the Act into any incident involving the

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



contractor, his subcontractor, any person or machinery under his control on TFR premises.

- 17.3 TFR Contract Manager must be informed of the above incidents/occurrences before the end of shift when the incident/occurrence occurred.
- 17.4 The Contractor shall make available its employees to attend as witnesses when required so by TFR during an investigation into any incident where TFR believes the said contractor employees were witnesses or may assist in the investigation.
- 17.5 The contractor shall make available to TFR any documents required to assist in their investigation.

18. SHE Cost

- 18.1 The Contractor shall ensure that it has made adequate provision for the cost of health and safety measures in the tender offer.
- 18.2 The Contractor shall ensure that its subcontractors have made adequate provision for the cost of health and safety measures in the tender offer.

19. Personal Protective Equipment (PPE)

- 19.1 The contractor shall ensure that all employees are provided with appropriate prescribed Personal Protective Equipment (PPE) free of charge (according to General Safety Regulations (2), suitable for the type of activities that the employees will perform.
- 19.2 Such PPE shall be approved by credible institution such as SABS, EN, or AN.
- 19.3 The contractor shall manage the issuing of PPE and ensure that PPE is used at all times. Employees shall be trained in the proper use of PPE.

20. Emergency Evacuation Plan and Procedure

- 20.1 The Contractor must establish and implement an emergency evacuation plan to ensure that in the event of fire, explosion structural collapse etc. all staff is able to evacuate the area to a demarcated area for the purpose.
- 20.2 The area so selected must be demarcated and the relevant "Assembly Point" sign displayed where applicable or use TFR nearest assembly point.
- 20.3 An Emergency Evacuation Procedure must be drawn up; all staff members and contractors shall be given awareness training and participate in regular evacuation drills.
- 20.4 The Contractor and its employees shall collaborate and adhere to TFR evacuation drills and requirements.

21. Access Control and Security

21.1 The Contractor shall, before commencing any work, obtain from the TFR Contract Manager/Technical Officer a Site Access Certificate signed by him, permitting and

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



limiting access to the designated site or place of work by the Contractor and any subcontractors under his control.

- 21.2 No Site Access Certificate will be granted to the Contractor who fails to comply with TFR minimum SHE requirements, with the SHE File not approved and without the SHE induction been concluded.
- 21.3 The contractor must assess the security risks and implement appropriate measures. All contractors are to strictly adhere to all security requirements on the premises.
- 21.4 The Contractor in collaboration with the TFR representative will ensure that proper access control is in place and functional at all times onto and out of the site. A form of access control will be issued to contractor employees who have been inducted and submitted copies of ID documents or work permits (where required).
- 21.5 Access Permits should be carried by a contract employee at all time when on site. Access Permits shall be produced at the point of entry / gate.
- 21.6 Contractors shall ascertain from TFR Contract Manager/Technical Officer the correct route along with their employees may proceed when coming on or going off shift and direct their employees accordingly.

22. Management of Subcontractors

- 22.1 The Contractor is directly responsible for the actions of his contractors/sub-contractors.
- The Contractor will also be responsible for initiating any remedial action (recovery plan) that may be necessary to ensure that the contractor complies with all requirements.
- 22.3 The Contractor shall provide any contractor who is making a bid or appointed to perform construction work, with the relevant sections of the documented SHE specification, who would in turn provide a SHE plan for approval.
- 22.4 The Contractor shall carry out inspection/audits on the contractor/subcontractor to ensure that their SHE plan is being implemented and maintained and submit audit report to TFR Representative.
- 22.5 The Contractor shall stop any contractor/subcontractor from executing construction work which poses a threat to the safety and health of persons or the environment.
- 22.6 The Contractor shall ensure that the sub-contractors appointed have the necessary competencies and resources to perform the work safely.
- 22.7 The Contractor will be required to submit 37(2) mandatory agreement between the Contractor and subcontractor to the TFR Contract Manager

23. Environmental Management

23.1 The Contractor shall identify, document and comply with all pertinent Environmental laws and associated Regulations, approvals, licenses and permits which are applicable to the Services and activities undertaken.

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 23.2 Before commencement with any of the services to be rendered to TFR, the Contractor shall make available all personnel who will be working on the specified contract to be given environmental induction training. All Contractor employees arriving on the site shall attend such induction.
- 23.3 The Contractor shall adhere to all instructions issued by Contract Manager or his /her delegated person in promotion of environmental management and legal compliance.
- 23.4 The Contractor shall determine the correct positioning of topsoil stockpiling to avoid massive disturbance and prepare the topsoil for reuse during landscaping.
- 23.5 Concrete shall not be mixed directly on the ground or any other permeable surface. Should concrete batching activities occur, these should be located in the designated area on site with low environmental sensitivity levels.
- 23.6 All excess concrete shall be removed from site on completion of plastering or concrete pouring and disposed of in an environmentally acceptable manner.
- 23.7 The Contractor shall ensure that his or her employees are aware of the procedures to be followed when dealing with spills and leaks, which shall include notifying the relevant authorities and TFR as required in terms of National Environmental Management Act (NEMA), 1998 and National Water Act (NWA), 1998. The Contractor shall ensure that all necessary material and equipment required for use during clean up/rehabilitation of spills and leaks are available on site at all times. Treatment, remediation and/or rehabilitation of contaminated areas shall be undertaken to the reasonable satisfaction of the TFR Environmental Control Officer or relevant Environmental Specialist.
- 23.8 Contractor shall be solely responsible for the control of dust generated from his or her activities. Excavation, handling and transport of erodable material shall be avoided under aggressive wind conditions or when a visible dust plume is present. If dust damping measures are deemed inadequate, working must cease until the wind speed drops to an acceptable level.
- 23.9 Construction activities generating output levels of 85 db (A) or more shall be confined to the hours 08h00 to 17h00 Mondays to Fridays (close to residential areas).
- 23.10 No on-site burying or dumping of waste material shall occur. Waste must be collected by a licensed waste transporting contractor and disposed of at a licensed disposal site. Disposal certificate must be made available to TFR on request.
- 23.11 Waste bins must be provided in sufficient number and capacity to store solid waste produced on a daily basis. These bins must be kept closed and emptied regularly.
- 23.12 A designated re-fuelling area (s) must be provided. The re-fuelling area must be protected from hydrocarbon spillage to the reasonable satisfaction of the TFR Environmental Control Officer or Relevant Environmental Specialist. As a minimum requirement, re-fuelling and workshop areas shall have a bunded floor surface and storm water collection mechanism. Refuelling shall always be accompanied by the use of drip trays.

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 23.13 The Contractor must notify the Contract Manager immediately of any pollution incident. An incident record system shall be maintained on site for inspection by TFR and relevant authorities.
- 23.14 All vehicles and equipment's shall be kept in good working condition. All leaking equipment's shall be repaired immediately or removed from site. All vehicles and equipment shall be maintained and not emit excessive noise.
- 23.15 In case of major hydrocarbon spill or leakage as a result of equipment failure, Contract Manager must be made aware of such event and the affected area must be fenced off and be cleaned immediately to the reasonable satisfaction of the TFR Environmental Control Officer to prevent contamination of soil and both surface and groundwater.
- 23.16 The Contractor shall ensure that no spillage occurs when toilets are being cleaned or emptied and that the contents are removed from site by a licensed service provider.
- 23.17 The use of borrow pits for the construction of access roads must comply with the provisions of Minerals and Petroleum Resources Development Act of 2004 as amended and should not be located inside the border of any protected area (e.g. Nature Reserve).
- 23.18 All disturbed areas must be rehabilitated to the reasonable satisfaction of TFR Environmental Control Officer or Relevant Environmental Specialist.
- 23.19 Transportation, handling and storage of all substances classified as hazardous must comply with the provisions of the Hazardous Substances Act, 15 of 1973, relevant Regulations and SANS Codes.
- 23.20 Archaeological remains, artificial features and structures older than 60 years are protected by the Natural Heritage Resources Act, 25 of 1999. Should any archaeological artefact be exposed during construction or any contract work, such work must be stopped immediately. The TFR Environmental Control Officer must be called in for inspection and to recommend the way-forward. Under no circumstances may any artefacts be destroyed or removed from site.
- 23.21 The extraction of water for construction purposes must at all times comply with licensing requirements of Department of Water Affairs, where applicable. Extraction of water from a stream or a river requires approval.
- 23.22 Blasting work that may be required on site shall be carried out entirely within the provisions of the Explosives Act, 26 of 1956 and other relevant engineering and safety standards.
- 23.23 Office and camp sites shall be established, as far as is practicable, outside the flood plain, above the 1:50 flood level mark within the boundaries of the construction area.
- 23.24 No camp or office site shall be located closer than 100 metres from a stream, river, spring, dam or pan.

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 23.25 The area chosen for these purposes shall be the minimum reasonably required and which will involve the least disturbance to vegetation.
- 23.26 Camps and site offices shall be fenced (where necessary) in consultation with the landowner.
- 23.27 The Project Manager or TFR Contract Manager may, at his or her discretion stop any work, activity or process not in accordance with Environmental laws and associated Regulations, approvals, licenses and permits.
- 23.28 The contractor shall preserve wild life in terms of the NEMA.

24. Operational Safety

24.1 National Safety Regulator requirements

- 24.1.1 The Contractor shall ensure that its equipment, machinery and employees when on TFR premises complies fully with all applicable railway safety requirements and/or regulations of the National Safety Regulator Act 16 of 2002 and the relevant SANS Codes of Practice.
- 24.1.2 Permission for the engagement of a subcontractor by the Principal both initially and during a contract shall be subject to a review by TFR of the capability of the proposed subcontractor to comply with railway safety requirements and user specifications.
- 24.1.3 The Contractor and/or his subcontractors must grant TFR access, during the term of the contract, to review any railway safety related activities, including the coordination of such activities across all parts of the organisation.
- 24.1.4 The Contractor shall ensure that where applicable, such work is performed by person who has the necessary competencies as required in terms of any applicable railway safety standard or code of practice.
- 24.1.5 The Contractor shall ensure that all his employees are protected from the risk of being hit by moving trains.
- 24.1.6 The Contractor must ensure that it complies to the requirements of RSR 00-4-1.2016 Edition 1, Part 4-1 Human Factors Management-Fatigue Management standard.

24.2 Special Permits

24.2.1 Where special work permits are required before work may be carried out such as for e.g. hot work (welding, cutting etc.), isolation, and occupations, the Contractor shall apply to the TFR Contract Manager/Technical Officer or the relevant authority for such permits to be issued. The Contractor shall strictly comply with the conditions and requirements pertaining to the issue of such work permits.

24.3 Vehicle Safety

With respect to vehicles, vehicles and mobile plants the Contractor must ensure that:

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 24.3.1 They are of an acceptable design and maintained in a good working order and are used in accordance with their design and the intention for which they were designed
- 24.3.2 Are operated by a person who-has received appropriate training, is certified competent and in possession of proof of competency and is authorised in writing to operate such vehicle and mobile plant;
- 24.3.3 Are operated by a person who has a medical certificate of fitness to operate those vehicle and mobile plant, issued by an occupational health practitioner;
- 24.3.4 Vehicles used to transport employees have seats firmly secured and adequate for the number of employees to be carried. No employees will be allowed to be transported at the back of LDV's / bakkies unless it is provided with a seat and safety belt and further that the risk assessment has indicated it to be a low risk.
- 24.3.5 Vehicles are fitted with structures designed to protect the operator from falling material or from being crushed should the vehicle or mobile plant overturn;
- 24.3.6 Vehicle must be equipped with an acoustic warning device which can be activated by the operator and an automatic acoustic reversing alarm
- 24.3.7 Vehicles must be inspected by the authorised operator or driver on a daily basis using a relevant checklist prior to use and that the findings of such inspection are recorded in a register kept in the construction vehicle or mobile plant.
- 24.3.8 No person rides or is required or permitted to ride on a construction vehicle or mobile plant otherwise than in a safe place provided thereon for that purpose.
- 24.3.9 All vehicles or mobile plant when not in use, have buckets, booms or similar appendages, fully lowered or blocked, controls in a neutral position, motors stopped, wheels chocked, brakes set and ignition secured.
- 24.3.10 Whenever visibility conditions warrant additional lighting, all mobile plant are equipped with at least two headlights and two taillights when in operation
- 24.3.11 Tools, material and equipment are secured and separated by means of a physical barrier in order to prevent movement when transported in the same compartment with employees.
- 24.3.12 Where applicable, also in collaboration with the TFR representative and other appropriate personnel develop a traffic management plan for the site to ensure the safe movement of all construction related mobile plant where applicable
- 24.3.13 This plan is to be reviewed as and when required to ensure its applicability where applicable.
- 24.3.14 Those working or operating on public roads comply with the requirements of the National Road Traffic Act, 1996.

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



24.4 Housekeeping and general safeguarding on sites

- 24.4.1 Contractor must ensure that suitable housekeeping is continuously implemented on each work site
- 24.4.2 The Contractor must ensure proper storage of materials and equipment and the removal of scrap, waste and debris at appropriate intervals.
- 24.4.3 The Contractor must ensure that materials required for use, are not placed on the site so as to obstruct means of access to and egress from workplaces and passageways
- 24.4.4 The Contractor must ensure that materials which are no longer required for use, do not accumulate on and are removed from the site at appropriate intervals.

24.5 Hazardous Chemical Substances (HCS)

- 24.5.1 The Contractor must ensure that all employees exposed to hazardous chemicals are trained on the potential source of exposure, potential risk to health caused by exposure and measures to be taken by the contractor and employees against any risk of exposure.
- 24.5.2 HCS risk assessment to be conducted and where it indicates that any employee may be exposed, the contractor shall ensure that monitoring is carried out in terms of regulation 6 and 7 of the Hazardous Chemical Substances Regulations.
- 24.5.3 Employees exposed to hazardous substances shall be under medical surveillance
- 24.5.4 Where herbicides are used, the contractor shall comply with all relevant legislative requirements pertaining to the use of herbicides and that work is undertaken under the supervision of a person with a valid certificate in Pest Control.

24.6 Stacking and Storage

- 24.6.1 The Contractor shall ensure that a competent person is appointed in writing with the duty of supervising all stacking and storage.
- 24.6.2 Adequate storage areas are provided, demarcated as storage areas and are kept neat and under control.

24.7 Fire Precautions and Fire Safety

- 24.7.1 The Contractor must ensure that all appropriate measures are taken to avoid the risk of fire. The Contractor shall comply to the fire precautions as stipulated in the Environmental Regulations for Workplaces, 1987 and regulation 29 of the Construction Regulations, 2014
- 24.7.2 Sufficient and suitable storage is provided for flammable liquids, solids and gases.
- 24.7.3 Smoking is prohibited and notices in this regard are prominently displayed in all places containing readily combustible or flammable materials

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 24.7.4 The Contractor shall ensure that the work areas are clear, at all times, of any material, which could fuel a fire and that ccombustible materials do not accumulate, oily rags, waste and other substances liable to ignite are without delay removed to a safe place.
- 24.7.5 A thorough inspection is made of the work site at the end of any working period to ensure that no material is left at the work site or any situation left in such a manner that a fire or accident could result (all machines to be turned off at main switches, and cylinders to be closed and hoses deflated).
- 24.7.6 Suitable and sufficient fire-extinguishing equipment is placed at strategic locations or as may be recommended by the Fire Chief or local authority concerned and that such equipment is maintained in a good working order.
- 24.7.7 The fire equipment is inspected by a competent person, who has been appointed in writing for that purpose, in the manner indicated by the manufacturer thereof
- 24.7.8 Sufficient number of employees are trained in the use of fire extinguishing equipment and familiarise themselves with locations of fire fighting equipment in the work site.
- 24.7.9 There is an effective evacuation plan providing for all persons to be evacuated speedily without panic, accounted for and a siren is installed and sounded in the event of a fire.
- 24.7.10 Where appropriate, suitable visual signs are provided to clearly indicate the escape routes in the case of a fire and the means of escape is kept clear at all times.
- 24.7.11 The Contractor must ensure that fire fighting equipment are not to be used for any purpose other than their intended use.

24.8 Demarcation of the site

- 24.8.1 The Contractor shall ensure that its activities are conducted within a limited area to facilitate control and to minimize the impact on the existing natural environment and other TFR activities.
- 24.8.2 The Contractor shall demarcate the boundaries of the site in order to restrict activities to the site.
- 24.8.3 The method of demarcation and the location of the demarcated area shall be determined by the Contractor and approved by the TFR Contract Manager prior to any work being undertaken. The Contractor shall ensure that all his plant, labour and materials remain within the boundaries of the site.
- 24.8.4 Failure to do so may result in the Contractor being required to fence off the boundaries of the site at his own expense to the satisfaction of the TFR .The contractor is responsible for the safeguarding of his/her own equipment and material while on site.

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



24.9 Fall Protection Plan

- 24.9.1 In the event of the risk and hazard identification, as required in terms of clause 14 of this Specification, revealing risks relating to working from a fall risk position the contractor shall cause the designation of a competent person, responsible for the preparation of a fall protection plan;
- 24.9.2 The Contractor shall implement, maintain and monitor the fall protection plan for the duration of the contract. The Contractor shall also take such steps to ensure the continued adherence to the fall protection plan.
- 24.9.3 The fall protection plan shall include:-
 - (a) a risk assessment of all work carried out from a fall risk position;
 - (b) the procedures and methods to address all the identified risks per location;
 - (c) the evaluation of the employees physical and psychological fitness necessary to work at fall risk positions;
 - (d) the training of employees working from fall risk positions;
 - (e) rescue plan; and
 - (f) the procedure addressing the inspection, testing and maintenance of all fall protection equipment

24.10 SHE Signage (Symbolic Safety Signs) on plant and in buildings

- 24.10.1The Contractor's employees shall comply with all SHE signage posted at various locations of TFR sites.
- 24.10.2The Contractor shall after occupation of the construction site ensure that appropriate SHE signs (Symbolic Safety Signs) are displayed on site

24.11 General Machinery, Tools and Equipment

- 24.11.1 The Contractor shall ensure that all machinery, tools and equipment are identified, numbered or tagged, listed on an inventory list.
- 24.11.2 The Contractor shall ensure that all machinery, tools and equipment are safe to be used and is maintained in a good condition.
- 24.11.3 The Contractor shall ensure that all machines driven by means of belts, gear wheels, chains and couplings shall be adequately guarded in such a manner that persons cannot gain inadvertent access to the moving parts.
- 24.11.4 All machinery, tools and equipment to be regularly inspected at least monthly or as required by legislation and risk assessments. Records of such inspections shall be kept on the SHE file.

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 24.11.5 Where applicable machinery, tools and equipment must have the necessary approved test or calibration documentation.
- 24.11.6 The Contractor shall ensure that all machinery, tools and equipment are operated by persons who have been trained to operate such machinery, tools or equipment.

24.12 Portable Electrical Tools and Explosive Power Tools

- 24.12.1The Contractor shall ensure that use and storage of all explosive power tools and portable electrical tools comply with all applicable legislation.
- 24.12.2The Contractor shall ensure that only trained employees are authorised to use portable electrical tools and explosive power tools
- 24.12.3 The Contractor shall ensure that all portable electrical tools and explosive power tools are kept in a safe working condition.
- 24.12.4 All portable electrical tools and explosive power tools are inspected monthly by a competent person and daily before use by the operator of such tool. Records of such inspections must be kept in the safety file.
- 24.12.5 Users / Operators of electrical power tools and explosive power tools should be issued with suitable protective equipment

24.13 Lifting Machine, Lifting Tackle and Suspended Loads

- 24.13.1The Contractor shall ensure that lifting machine and tackle comply with Driven Machinery Regulation 18 and all other applicable legislative requirements and standards.
- 24.13.2The Contractor shall ensure that lifting machine operators shall be competent to operate a lifting machine. They must be in possession of a valid permit. The training should have been done according to the Code of Practice by a provider registered by the Department of Labour.
- 24.13.3 A lock out system should be implemented to ensure that only an operator that is competent can draw lifting machines and fork lifts.
- 24.13.4 The Contractor shall ensure that before using any lifting machines or tackle the operator inspect it. Records of such inspections and examinations shall be kept on the safety file.
- 24.13.5 All lifting machines shall be examined and subjected to a performance test by an accredited person/company at intervals not exceeding 12 months.
- 24.13.6 All lifting tackle should be recorded on a register and should be examined by an accredited person/company at intervals not exceeding 3 months.
- 24.13.7 All hooks shall be fitted with a safety latch/catch.
- 24.13.8 All lifting tackle should be conspicuously and clearly marked with identification particulars and the maximum mass load which it is designed for.

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 24.13.9 No person shall be moved or supported by means of a lifting machine unless such a machine is fitted with a cradle approved by an inspector.
- 24.13.10 Rigging of loads to be done in accordance with acceptable safe work practices
- 24.13.11 Contractors and their employees shall keep out from under suspended loads, including excavators, and between a load and a solid object where they might be crushed if the load should swing or fall. They shall not pass or work under the boom or any crane or excavator.
- 24.13.12 Contractors and their employees shall ensure that crane loads are not carried over the heads of any workmen.
- 24.13.13 The Contractor shall ensure proper supervision in terms of guiding the load including the use of guide ropes to prevent loads from swinging and a trained person to direct lifting operations and checking the lifting tackle and attachments daily.

24.14 Hand Tools and Pneumatic Tools

- 24.14.1 All hand tools (hammers, chisels, spanners, etc) must be recorded on a register and inspected by a competent person on a monthly basis as well as by users prior to use.
- 24.14.2 All pneumatic tools should be numbered, recorded and inspected at least monthly as well as by users prior to use. And the revolutions per minutes measured in accordance with the manufacturer specifications
- 24.14.3 Tools with sharp points in tool boxes must be protected with a cover.
- 24.14.4 All files and similar tools must be fitted with handles.
- 24.14.5 The Contractor must have a policy on private and make shift tools on site.
- 24.14.6 No pneumatic tool shall be operated by using a compressed gas cylinder. Pneumatic equipment shall only draw supply from mobile air compressors or from compressed air lines installed within the premises.

24.15 Electrical Equipment

The Contractor must ensure that:

- 24.15.1 Implementation and compliance with Electrical Installation Regulations, Electrical Machinery Regulations and regulation 24 of the Construction Regulations and OH&S Act.
- 24.15.2 All electrical installations, machinery and electrical work is performed in compliance with TFR Electrical Safety Instructions.
- 24.15.3 Connections are not made to any power supply without the prior written approval of the TFR Contract Manager.

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 24.15.4 All electrical machines and appliances provided by the Contractor for his own use on the Site are in a serviceable condition
- 24.15.5 Power tools used on the Site are protected by residual current devices approved by TFR Contract Manager and are double insulated.
- 24.15.6 All extension cords, portable tools and electrical plant supplied at a voltage above 32 volts are inspected, tested and tagged by a Licensed Electrician at regular monthly intervals. Details of inspections and tests are kept in Log Books available for inspection by the TFR Contract Manager or any other authorised Officer of TFR.
- 24.15.7 All electrical installations are inspected by the TFR Contract Manager (or his nominee) to ensure that the installation complies with the Statutory Regulations applicable to the site and TFR Electrical Safety Instructions. Any installations deemed unsatisfactory by the TFR Contract Manager should be removed by the Contractor at his expense.
- 24.15.8 Portable lights have adequate stability and are fitted with a mechanical guard to protect the lamp. Temporary festoon lighting is of the 'double insulated' type and is supported at least 2.5m above the floor, if possible. Hand lamps are of the 'all insulated' type.
- 24.15.9 All temporary light fittings are supplied from more than one final sub-circuit, with the supply from a residual current device, extra low voltage source or an isolating transformer.
- 24.15.10 The Contractor must obtain approval from the TFR Contract Manager before any of his employees or Sub-contractors commence work within three (3) metres of conductor rails or high tension wires, or where there is a possibility of equipment coming close to and/or touching a power source, and must provide suitable protective insulating barriers. For the erection of scaffolding, the distance is five (5) metres.
- 24.15.11 Only authorised persons may enter Electrical Contactor Houses, Motor Rooms, Switch Rooms, Control Rooms or Cable Ducts. Should the Contractor require entering such places to carry out work, he must first obtain permission from the TFR Contract Manager and obtain a valid Permit to Work.
- 24.15.12 The Contractor's employees required to enter such electrical spaces "authorised persons", with the names entered in the TFR Authorised Persons Register, after receiving approval from the TFR Electrical Officer, or they are accompanied by an authorised person who must supervise the placement of Danger Tags and Out-of-Service Tags, as well as Electrical Isolation Permit.
- 24.15.13 Electrical equipment supply cabling distribution boards, fixed lighting and portable appliances, extension leads, welding machines, compressors, pumps and hand portable tools are inspected on a monthly basis and also by the user daily before use.
- 24.15.14 Such monthly inspection(s) are to be performed by an appropriately qualified Electrician.

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 24.15.15 Contractors working on, over, under, or adjacent to railway lines and near high voltage equipment shall comply with the TFR E7/1 Specification for Works On, Over, Under or Adjacent to Railway Lines and Near High Voltage Equipment.
- 24.15.16 No person may do electrical installation work as an electrical contractor unless that person has been registered as an electrical contractor in terms of the Electrical Installation Regulations.
- 24.15.17 No person shall authorize, design, install or permit or require the installation of an electrical installation, other than in accordance with a health and safety standard provided that the components within an electrical installation shall comply with the standards and proof of compliance shall be identifiable on the components or certification shall be available from the supplier or manufacturer of the components.
- 24.15.18 Contractor shall provide further that items of an electrical installation not covered by such incorporated safety standard, and the conductors between the point of supply and the point of control, shall be installed in accordance with the by-laws or regulations of the supplier concerned.
- 24.15.19 A registered person shall exercise general control over all electrical installation work being carried out, and no person shall allow such work without such control: Provided that where the voltage exceeds 1kV, the installation shall be designed and supervised by a person deemed competent
- 24.15.20 No supplier shall restrict the application of a health and safety standard when an electrical installation is installed, except where the distribution system of the supplier may be adversely affected by the application thereof.

24.16 Demolition Work

The Contractor must ensure that:

- 24.16.1 A competent person is appointed in writing to supervise and control all demolition work on site.
- 24.16.2 Before any demolition work is carried out, and in order to ascertain the method of demolition to be used, a detailed structural engineering survey of the structure to be demolished is carried out by a competent person and that a method statement on the procedure to be followed in demolishing the structure is developed by that person.
- 24.16.3 During a demolition, the competent person must check the structural integrity of the structure at intervals determined in the method statement in order to avoid any premature collapses.
- 24.16.4 With regard to a structure being demolished, the Contractor shall take steps to ensure that no floor, roof or other part of the structure is overloaded with debris or material in a manner which would render it unsafe

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 24.16.5 All reasonably practicable precautions are taken to avoid the danger of the structure collapsing when any part of the framing of a framed or partly framed building is removed, or when reinforced concrete is cut.
- 24.16.6 Precautions are taken in the form of adequate shoring or other means that may be necessary to prevent the accidental collapse of any part of the structure or adjoining structure.
- 24.16.7 No person works under overhanging material or a structure which has not been adequately supported, shored or braced.
- 24.16.8 Any support, shoring or bracing used, is designed and constructed so that it is strong enough to support the overhanging material.
- 24.16.9 Where the stability of an adjoining building, structure or road is likely to be affected by demolition work on a structure, take steps to ensure the stability of such structure or road and the safety of persons.
- 24.16.10 The location and nature of electricity, water, gas or other similar services which may in any way be affected by the work to be performed, and must before the commencement of demolition work that may affect any such service, take the steps that are necessary to render circumstances safe for all persons involved.
- 24.16.11 Every stairwell used and every floor where work is being performed in a building being demolished, to be adequately illuminated by either natural or artificial means.
- 24.16.12 Convenient and safe means of access to be provided to every part of the demolition site in which persons are required to work.
- 24.16.13 A catch platform or net is erected above an entrance or passageway or above a place where persons work or pass under, or fence off the danger area if work is being performed above such entrance, passageway, or place so as to ensure that all persons are kept safe where there is a danger or possibility of persons being struck by falling objects.
- 24.16.14 No material is dropped to any point, which falls outside the exterior walls of the structure, unless the area is effectively protected.
- 24.16.15 No person may dispose of waste and debris from a high place by a chute unless the chute is adequately constructed and rigidly fastened; if inclined at an angle of more than 45 degrees to the horizontal, is enclosed on its four sides; if of the open type, is inclined at an angle of less than 45 degrees to the horizontal; where necessary, is fitted with a gate at the bottom end to control the flow of material; and discharges into a container or an enclosed area surrounded by barriers.
- 24.16.16 Every chute used to dispose of rubble is designed in such a manner that rubble does not free-fall and that the chute is strong enough to withstand the force of the debris travelling along the chute.
- 24.16.17 No equipment is used on floors or working surfaces, unless such floors or surfaces are of sufficient strength to support the imposed loads.

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- 24.16.18 Where a risk assessment indicates the presence of asbestos, a contractor must ensure that all asbestos related work is conducted in accordance with the Asbestos Regulations, 2001, promulgated by Government Notice No. R. 155 of 10 February 2002.
- 24.16.19 Where a risk assessment indicates the presence of lead, a contractor must ensure that all lead related work is conducted in accordance with the Lead Regulations, 2001, promulgated by Government Notice No. R.236 of 28 February 2002.
- 24.16.20 Where the demolition work involves the use of explosives, a method statement must be developed in accordance with the applicable explosives legislation, by an appointed person who is competent in the use of explosives for demolition work and all persons involved in the demolition works must adhere to demolition procedures issued by the appointed person.
- 24.16.21 All waste and debris are as soon as reasonably practicable removed and disposed of from the site in accordance with the applicable legislation.

25. Scaffolding

- The Contractor must ensure that all scaffolding operations are carried out under the supervision of a competent person and that all erectors, team leaders and inspectors are competent to carry out their work.
- The Contractor must ensure that scaffolding when used and erected, complies with the safety standards as per SANS 10085-1:2004 Please note that Scaffold also need to comply with CR 12 Temporary Works.
- 25.3 All scaffolding equipment to be inspected and proclaimed safe to use or rectified as to be safe to use after any inclement weather. Signage must be posted to indicate the status of the scaffolding.

26. Excavations, Floor Openings and Trenches

The Contractor must ensure that:

- All excavation work is carried out under the supervision of a competent person who has been appointed in writing for that purpose.
- 26.2 Evaluation of the stability of the ground, as far as is reasonably practicable, before excavation work begins.
- 26.3 Sufficient steps in order to prevent, as far as is reasonably practicable, any person from being buried or trapped by a fall or dislodgement of material in an excavation.
- No person is permitted to work in an excavation which has not been adequately shored or braced: Provided that shoring and bracing may not be necessary where the sides of the excavation are sloped to at least the maximum angle of repose measured relative to the horizontal plane; or such an excavation is in stable material: Provided that

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



permission has been given in writing by the appointed competent person upon evaluation by him or her of the site conditions.

- Where any uncertainty pertaining to the stability of the soil still exists the decision from a professional engineer or a professional technologist competent in excavations is decisive and such a decision must be noted in writing and signed by both the competent person and the professional engineer or technologist, as the case may be.
- 26.6 The shoring or bracing used is designed and constructed in a manner that renders it strong enough to support the sides of the excavation in question.
- 26.7 No load, material, plant or equipment is placed or moved near the edge of any excavation where it may cause its collapse and consequently endangers the safety of any person, unless precautions such as the provision of sufficient and suitable shoring or bracing are taken to prevent the sides from collapsing;
- 26.8 Where the stability of an adjoining building, structure or road is likely to be affected by the making of an excavation, steps are taken to ensure the stability of such building, structure or road and the safety of persons.
- 26.9 Convenient and safe means of access to be provided to every excavation in which persons are required to work, and such access may not be further than six meters from the point where any worker within the excavation is working.
- 26.10 The location and nature of electricity, water, gas or other similar services which may in any way be affected by the work to be performed, and must before the commencement of excavation work that may affect any such service, take the steps that are necessary to render the circumstances safe for all persons involved.
- 26.11 Every excavation, including all bracing and shoring, is inspected by the competent person, daily, prior to the commencement of each shift; after every blasting operation; after an unexpected fall of ground; after damage to supports; and after rain in order to ensure the safety of the excavation and of persons.
- 26.12 The results of such inspections must be recorded in a register kept on site and made available on request to an inspector, the client, the client's agent, any other contractor or any employee.
 - 26.13 Every excavation which is accessible to the public or which is adjacent to public roads or thoroughfares, or whereby the safety of persons may be endangered, to be adequately protected by a barrier or fence of at least one metre in height and as close to the excavation as is practicable; and provided with warning illuminants or any other clearly visible boundary indicators at night or when visibility is poor.
- 26.14 All precautionary measures stipulated for confined spaces as determined in the General Safety Regulations, 2003, are complied with by any person entering any excavation.
- 26.15. Where the excavation work involves the use of explosives, appoint a competent person in the use of explosives for excavation, and must ensure that a method statement is developed by that person in accordance with the applicable explosives legislation.

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



26.16 Warning signs to be positioned next to an excavation within which or where persons are working or carrying out inspections or tests.

27. Confidentiality

- 27.1 The Contractor must, at all times, consider all data or information given to him or that is required in connection with the work of the Company, as confidential and not makes unauthorized use of it.
- 27.2 He/she must ensure that such data or information is not given to any non-employee of the contractor without written consent of the TFR Contract Manager.
- 27.3 The Contractor shall be aware of the confidentiality of the mentioned information and is compelled to treat it accordingly.
- 27.4 The contractor must provide adequate physical protection for any confidential documents, etc, which were obtained from Transnet in connection with the contract work as well as any copies made thereof. If any documents or sketches are lost, the TFR Contract Manager must be notified immediately.

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



ANNEXURE 1

CONTRACTOR MONTHLY SHE REPORT


For Month/Year			Name of Contractor		
Name of Contract					
Contract Number		Date of Commencement		Date of Completion	
Number of employees	Man-he worked Month		Cumulative (Contract duration man- hours)	Man-hours Since last Lost Time Incident (LTI)	DIFR

1. Details of SHE Incidents

Incident	This Month	Cumulative(Contract duration)	Short description of major/ significant incidents and preventative action taken
Number of fatalities			
Number of disabling incidents			
Number of Medical Treatment Cases			
Number of first aid Cases Number of near			
miss incidents Motor vehicle			
incidents Number of			
environmental incidents			
Positive substance abuse incidents			
Substandard Act/ Conditions observed			
Legal violations observed			

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"





2. Details of SHE Meetings

Date	No of participants	Major SHE Concerns	Action taken

3. Details of Audits/Inspections

Date	Area / Facility	Findings/Recommendations	Action taken

5. Details of any SHE Promotional activities for the month

Date	Activity	Remarks

6. Safety Communication

Month	Number of Safety talks held	Remarks

Attach separate sheets for further or othe	r details	
Name of Contractor Representative	Signature	 Date

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-7: Assessment Schedule - Health and Safety Requirements

Submit the following documents as a minimum with your tender:

- 1. The Tenderers must provide their own project specific health and safety Plan.
- 2. Health and safety cost breakdown (Bill of Quantities)
- 3. Safety, Policy signed by the Chief Executive Officer, must include or cover the following five elements
 - Commitment to Safety, prevention of pollution,
 - Continual improvement,
 - Compliance to legal requirements, appropriate to the nature of contractor's activities,
 - Hold management accountable for development of the safety systems
 - · Include objectives and targets.
- 4. Table or outline the Roles & Responsibilities, such as S16.2 CEO, CR8.1 Construction manager, CR8.2 Assistant Construction manager, CR8.5 Safety officer, CR8.7 Construction Supervisor, CR8.8 Construction assistant supervisor, CR9.1 Risk Assessor, 17.1 SHE Reps, etc. as per the Occupational health and safety Act 85 of 1993
- 5. List of job categories for project and competencies required per category and develop a training Matrix for all employees who will be working on the project. This matrix must include Management and highlight training planned dates.
- 6. Overview of the project specific Baseline Risk Assessment (RA), indicating major activities of the project
- 7. **Three years** synopsis of SHE incidents, description, type and action taken to prevent re-occurrence.
- 8. Complete and return with tender documentation the Contractor Safety Questionnaire included as an Annexure B.

Attached submissions to this schedule:

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



The assessment of the Tenderer's Health and Safety Requirements will be as follows:

MAXIMUM POINTS						
	SHE Plan, Letter of Good standing & Safety, Health & Environmental Policy	Roles & Responsibilities as stipulated from above	List of Job Categories for project as stipulated from above	Overview of the project specific Baseline Risk Assessment (RA), indicating major activities of the project namely:	Three years synopsis of SHE incidents, descriptions, type and action taken	Complete and return the <i>Contractor</i> Safety Questionnaire attached hereto
(score 0)	The Tenderer has submitt	ed no information or ir	nadequate information to	determine a score.		
(score 20)	SHE Plan is not project specific and information supplied is totally insignificant to archieve the required standard of service. The Health and safety bill of quantities supplied is totally insignificant to achieve the required standard of service. 1 of the 5 key policy	Roles and responsibilities do not meet the Occupational health and safety Act as per construction regulations and TFR health and safety specification.	Key responsible persons are not included on training matrix as per proposed organogram structure.	Information supplied is totally insignificant/inadequ ate to achieve the required standard of service.	Information supplied is totally insignificant/inadeq uate to achieve the required standard of service.	Information supplied is totally insignificant/inadequate to achieve the required standard of service.
	components are recognized and meet the <i>Employer's</i> requirement.					
(score 40)	SHE plan is project specific, but the information lacks	Roles and responsibilities are unlikely to ensure	Not all key responsible persons are included in the training matrix.	Poor response/answer/sol ution lacks	Poor response/answer/sol ution lacks	Poor response/answer/solution lacks convincing evidence,

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



convincing evidence, compliance as per Trainings matrix convincing evidence, convincing medium risk that stated that stated *Employer's* evidence, medium the works submitted does not medium risk that *Employer's* requirements requirements will be information and not cover all SHE training stated *Employer's* risk that stated will not be met. in line with OHS Act met. listed on Health and requirements will not Employer's and TFR health and Safety specification. be met. requirements will safety specification. Training matrix not The information not be met. provided in the Health signed by responsible and safety bill of personnel. quantities is poor and lacks convincing evidence. There's a medium risk that stated *Employer's* requirments will not be met. 2 of the 5 key policy components are recognized and meet the *Employer's* requirement. (score 60) SHE plan is project Satisfactory Satisfactory response Satisfactory Satisfactory Satisfactory specific. The information response on roles on the list of job response/answer/sol response/answer/sol response/answer/solution categories and is satisfactory to the and responsibilities ution to the ution to the to the particular aspect of particular aspect of particular aspect, and as per *Employer's* trainings as per particular aspect of the evidence given is requirements. proposed project the requirement, the requirement, evidence sufficient that *Employers* organogram structure. evidence given that requirement, given that the stated evidence given that requirements will be Training matrix covers the stated Employer's requirements the stated met. most of the trainings Employer's will be met. listed on TFR Health requirements will be Employer's The information and safety met. requirements will be provided in the Health specification. met. and safety bill of quantities is satisfactory and the evidence is

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"



REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

	convincing, that stated Employer's requirments will be met. 3 of the 5 key policy components are recognized and meet the Employer's requirements.					
(score 80)	SHE plan is project specific. The information is good and demonstrate real understanding & ability to meet stated Employer's requirements. The information provided in the Health and safety bill of quantities is good and demonstrates real understanding and evidence of ability to meet stated Employer's requirements. 4 of the five key policy components are recognized and meets the Employer's requirements.	Roles and responsibilities are likely to ensure compliance as per Works Information, OHS Act and TGC health and safety specification.	Most of key persons listed on the training matrix as per proposed project organogram structure. Trainings specified on the matrix are in line with TFR health and safety specification.	Good response/answer/sol ution which demonstrates real understanding and evidence of ability to meet stated Employer's requirements.	Good response/answer/sol ution which demonstrates real understanding and evidence of ability to meet stated Employer's requirements.	Good response/answer/solution which demonstrates real understanding and evidence of ability to meet stated <i>Employer's</i> requirements.

TENDER NUMBER: SIM21011CIDB/ CRAC-JHB-36959

DESCRIPTION OF THE SERVICE: REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"





T2.2-7a: Health and Safety Questionnaire

1.	SAFE WORK PER	FORMANCE			
1A.	Injury Experience / Historical Performance - Alberta				
Use t	e the previous three years injury and illness records to complete the following:				
Year	,	,	•		
Numb	per of medical treatment	cases			
Numb	er of restricted work day	cases			
	per of lost time injury cas				
	per of fatal injuries				
Total	recordable frequency				
	ime injury frequency				
	per of worker manhours				
				1	
1 - Me	dical Treatment Case	Any occupational injury or il provided under the direction	n of a physician		
	stricted Work Day Case	Any occupational injury or il craft jurisdiction duties			
	st Time injury Cases	Any occupational injury that day		, , ,	
	tal Recordable Frequency	Total number of Medical Tre by 200,000 then divided by	total manhours	•	
	Time Injury Frequency	Total number of Lost Time I	njury cases multiplied	by 200,000 then divid	e by total manhours
1B.	Workers' Compensatio	•		C II	11.
Use t	he previous three years in		•		able):
	Industry Code:	Indu	stry Classification		
Year					
	try Rate				
	actor Rate				
	scount or Surcharge				
	ur Workers' Compensation	account in good	Yes		
	tanding?	r account in good	☐ No		
	e provide letter of confirmation)				
2.	CITATIONS				
2A.	Has your company been	cited, charged or prose	ecuted under Hea	lth. Safety and/or	Environmental
	Legislation in the last 5		ocated arraer rica	icily duricely diria, or	
	☐ Yes ☐ No	,			
	If yes, provide details:				
	, , , ,				
•					
2B.	Has your company been	cited, charged or prose	ecuted under the	above Legislation i	n another
	Country, Region or State				
	☐ Yes ☐ No				
	If yes, provide details:				

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



3. CERTIFICATE OF REC	COGNI	TION				
Does your company have a Certificate of Recognition? — Yes — No If Yes, what is the Certificate No Issue Date						
res no il res, what	is the C	ertincate	: NO 155ut	e Date		
4. SAFETY PROGRAM						
Do you have a written safety particle of the	orogram	manual?		Yes	☐ No	
Do you have a pocket safety booklet for field distribution?						
If Yes, provide a copy for review Does your safety program con	tain the	following	g elements:			
, ,, ,	YES	No	•	YES	No	
CORPORATE SAFETY POLICY			EQUIPMENT MAINTENANCE			
INCIDENT NOTIFICATION POLICY			EMERGENCY RESPONSE			
RECORDKEEPING & STATISTICS			HAZARD ASSESSMENT			
REFERENCE TO LEGISLATION			SAFE WORK PRACTICES			
GENERAL RULES & REGULATIONS			SAFE WORK PROCEDURES			
PROGRESSIVE DISCIPLINE POLICY			WORKPLACE INSPECTIONS			
RESPONSIBILITIES			INVESTIGATION PROCESS			
PPE STANDARDS			TRAINING POLICY & PROGRAM			
ENVIRONMENTAL STANDARDS			COMMUNICATION PROCESSES			
MODIFIED WORK PROGRAM						
5. TRAINING PROGRAM						
5A. Do you have an orientation program for new hire employees?						
If Yes, include a course outline. Does it i	nclude an YES	y of the fol N O	lowing:	YES	No	
GENERAL RULES & REGULATIONS			CONFINED SPACE ENTRY			
EMERGENCY REPORTING			TRENCHING & EXCAVATION			
INJURY REPORTING			SIGNS & BARRICADES			
LEGISLATION			Dangerous Holes & Openings			
RIGHT TO REFUSE WORK			RIGGING & CRANES			
PERSONAL PROTECTIVE EQUIPMENT			MOBILE VEHICLES			
EMERGENCY PROCEDURES			PREVENTATIVE MAINTENANCE			
PROJECT SAFETY COMMITTEE			HAND & POWER TOOLS			
Housekeeping			FIRE PREVENTION & PROTECTION	N 🗆		
LADDERS & SCAFFOLDS			ELECTRICAL SAFETY			
FALL ARREST STANDARDS			COMPRESSED GAS CYLINDERS			
AERIAL WORK PLATFORMS			WEATHER EXTREMES			

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



5B. Do you have a program for training newly hired or promoted supervisors?					
(If Yes, submit an outline for evaluation.	Does it inc	lude instru No	uction on the following:	Yes	No
EMPLOYER RESPONSIBILITIES	П		SAFETY COMMUNICATION		П
EMPLOYEE RESPONSIBILITIES			FIRST AID/MEDICAL PROCEDURES		
DUE DILIGENCE			NEW WORKER TRAINING		
SAFETY LEADERSHIP			ENVIRONMENTAL REQUIREMENTS		
Work Refusals			HAZARD ASSESSMENT		
Inspection Processes			PRE-JOB SAFETY INSTRUCTION		
EMERGENCY PROCEDURES			DRUG & ALCOHOL POLICY		
INCIDENT INVESTIGATION			PROGRESSIVE DISCIPLINARY POLICY		
SAFE WORK PROCEDURES			SAFE WORK PRACTICES		
SAFETY MEETINGS			NOTIFICATION REQUIREMENTS		
6. SAFETY ACTIVITIES					
Do you conduct safety inspectio	ns?		Yes No Weekly Mon	thly C	Quarterly
Describe your sefety inexection	process	(in aluda	participation decumentation requires	monto	
follow-up, report distribution		(include	participation, documentation requirer	nents,	
Who follows up on inspection action items?					
Do you hold site safety meetings for field employees? If Yes, how often?					
Yes No Daily Weekly Biweekly					
Do you hold site meetings where safety is addressed with management and field supervisors? Yes No Weekly Biweeky Monthly					
			Yes No Weekly Biw	eeky ¬	Monthly
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐					
Is the process documented?	idea bei	010 10 02	Yes No		
Who leads the discussion?					
Do you have a hazard assessm	ent proce	ss?	☐ Yes ☐ No		
			If yes, how are hazard assessments		
and implemented on each project? Who is responsible for leading the hazard assessment process?					
Does your company have not	icies and	d proce	dures for environmental protection,	snill c	lean-un
			art of the Health & Safety Program?	op o	nour up,
☐ Yes ☐ No					
How does your company measure its H&S success?					
Attach separate sheet to explain					

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"



REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

7.	SAFETY STEWARDSHIP						
7A	'A Are incident reports and report summaries sent to the following and how often?						
			Yes	No	Monthly	Quarterly	Annually
	Project/Site Manager		Ш				
	Managing Director						
	Safety Director/Manager						
	/Chief Executive Officer						
7B	How are incident records and summaries kept	? How ofte	en are t	hey re	ported int	ernally?	
			Yes	No	Monthly	Quarterly	Annually
	Incidents totaled for the entire company						
	Incidents totaled by project						
	 Subtotaled by superintendent 						
	Subtotaled by foreman						
7C	How are the costs of individual incidents kept?	How ofte	en are t Yes	hey re No	ported into Monthly	ernally? Quarterly	Annually
	Costs totaled for the entire company						
	Costs totaled by project						
	Subtotaled by superintendent						
	 Subtotaled by foreman/general foreman 	an					
7D	Does your company track non-injury incidents						
			Yes	No	Monthly	Quarterly	Annually
	Near Miss						
	Property Damage						
	Fire						
	Security						
	Environmental						
8	PERSONNEL						
	List key health and safety officers planned for Name		t. Atta tion/Titl		ume. I	Designat	ion
	INdiffe	F 0311	11011/1111	<u> </u>		Designat	1011
	Supply name, address and phone number of your company's corporate health and safety representative. Does this individual have responsibilities other than health, safety and environment?						
	Name		Addres	S		Telephone N	lumber
	Other responsibilities:						
9	REFERENCES						
	List the last three company's your form has we commitment to your occupational Health &			uld vei	ify the qu	ality and ma	nagement
	Name and Company		Addres	S		Phone Nui	mber

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" $^{\prime\prime}$



REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

T2.2-7b: Health and Safety Cost Breakdown

NB: This Safety Cost breakdown is required to illustrate to Transnet that safety costs have been factored into your tender price, and will not be paid for as a separate expense.

Tenderer (Company)	Responsible Person	Designation	Date
Project/Tender Title	Project/Tender No.	Project Location / Desc	cription

#	Cost element	Unit Cost (R)	# of Units	Total Cost (R)
1.	Human Resources			
2.	Systems Documentation			
3.	Meetings & Administration			
4.	H&S Training			
5.	PPE & Safety Equipment			
6.	Signage & Barricading			
7.	Workplace Facilities			
8.	Emergency & Rescue Measures			
9.	Hygiene Surveys & Monitoring			
10.	Medical Surveillance			
11.	Safe Transport of Workers			
12.	HazMat Management (e.g. asbestos /silica)			
13.	Substance Abuse Testing (3 kits @R500 pm)			
14.	H&S Reward & Recognition			
15.	Other			

Total Health and Safety Estimate (R)	
Total Estimate Value (R)	
H&S Cost as % of Tender value	

Attached to this schedule is the Letter/s of Good Standing.

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"



T2.2-7c Letter/s of Good Standing with the Workmen's Compensation Fund

lame of Company/Members of Joint Venture:
Iame of Company/Members of Joint Venture:
lame of Company/Members of Joint Venture:
lame of Company/Members of Joint Venture:

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



Annexure 8.1 APPOINTMENT LETTER TRN-IMS-GRP-TMP 014.1

To:	From:			
Designation:	Designation:			
SAP No.:	SAP No.:			
	Contract Manager			
	Period of appointment			
From:	То:			
Business/Area of Responsibility				
	Date			
(a) Ensure that necessary appointment are made for implementation and monitoring of the contract requirements. (b) Ensure appropriate record and document management. (c) Ensure adherence to Transnet, legal and regulatory requirements. (d) Ensure appropriate risk management and sound corporate governance. (e) Ensure progress meetings, risk reduction and other relevant meetings are held and minute of such meetings are kept safe for inspection purposes. (f) Ensure risk register and risk controls are reviewed as planned. (g) Ensure status of implementation of contract requirements is reported at agreed intervals to the contract initiator. (h) Ensure that the appointed contractor acknowledge receipt of contract and all necessary documents for execution of contract requirements. (i) Ensure that the appointed contractor avail relevant personnel for Transnet induction training. (j) Ensure that the appointed contractor make all necessary legal and regulatory appointments. (k) Adhere to DOA framework at all times. N.B. In delegating these duties I am in no way attempting to forsake my responsibilities and I acknowledge that the final responsibility lies with me. I,				
Contract Manager Signature	 Date			

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-8: Risk Elements:

Tenderers to identify and evaluate the potential risk elements associated with the Works and possible mitigation thereof. The risk elements and the mitigation as identified thereof by the Tenderer are to be submitted.

If No Risks are identified "No Risks" must be stated on this schedule.

Tenderers are also to evaluate any risk/s stated by the *Employer* in Contract Data Part C1, and provide possible mitigation thereof.



REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

		RFQ SIM22029CIDB/ CRAC-JHB-40177		
Tenderer Risk Management Guidelines				
Company Name	Eva	luation of Tender- Risk Management Plans		
Tender Description		airs, replacement, servicing and testing of standby diesel generators, on an en" required basis, for the Inland region for 36 months		
Business continuity plan Business Continuity Managen objective is to ensure continu service provision to TFR in ca- interruptions which may arise tenderer's site aligned to app standards	ity of the se on any e from the	Scoring Criteria		
The following criteria to be included: - Emergency operating procedures - Business continuity invocation action - Project recovery resources - Business / Supplier contact list - Emergency contacts 20%	n	Business Continuity plan contains Emergency Operating Procedures, Busine invocation action, Project recovery resources, Business / Supplier contact list contacts Business Continuity plan contains 4 of the 5 required criteria Business Continuity plan contains 3 of the 5 required criteria Business Continuity plan contains 2 of the 5 required criteria Business Continuity plan contains 1 of the 5 required criteria No business continuity plan submitted		
2. Business Impact Analysis		Scoring Criteria		
- Identification of critical processes w - Recovery Time Objective in case of that may arise - Recovery Strategy: how will the sup - Operational dependencies eg: Opera equipments, telephones etc needed to ensure continuity - Alternative supply of equipment and extra staff - Battle box (It comprises of all neced documentation, equipments required)	any interruption plier recover ational / or supply of	Business Impact Analysis contains Identification of critical processes within Recovery Time Objective , Recovery Strategy ,Operational dependencies, A of equipment and / or supply of extra staff , Battle box. (Score 100) Business Impact Analysis contains 4 of the 5 required criteria Business Impact Analysis contains 3 of the 5 required criteria Business Impact Analysis contains 2 of the 5 required criteria Business Impact Analysis contains 1 of the 5 required criteria No business plan submitted		
20%				

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"



3. Risk Assessment for the Score Criteria project/Operational Risks The identified risks should be based on the scope of works - Identification of risks of service interruption Risk Register contains Identification of risks of service interruption during the project ,Risk Analysis methodology, Ranking of the Risks, Mitigation of the identified risks and during the project - Risk analysis methodology Responsible person (Score 100) - Ranking of the Risks - Mitigation of the identified risks Risk Register contains 4 to 5 required criteria (Score 80) - Responsible person Risk Register contains 3 of the 5 required criteria (Score 60) Risk Register contains 2 of the 5 required criteria (Score 40) Risk Register contains 1 of the 5 required criteria (Score 20) 60% No Risk Register submitted \ Risks identified are not relevant to the project (Score 0)



T2.2-9: Environmental Management Plan

The tenderer must provide an environmental management plan describing:-

- Key environmental impacts and aspects associated with the proposed project.
- Possible mitigation measures associated with identified impacts and aspects.
- Key roles and responsibilities for both the Tender's project team and Transnet with regards to the project.
- Monitoring techniques and reporting of both accidents and incidents.
- Details of induction and other forms of training (if any).

The following documents are key -

- 1.0 Transnet SOC Limited Integrated Management Systems (IMS) Policy,
- 1.1 By signing this Tender Schedule, the tenderer confirms that they will comply with the above policy statement and environmental commitments therein.
- 1.2 Tender to provide a signed declaration of understanding as part of the returnable acknowledging understanding thereof and the budget provision for the implementation of environmental management requirements.

By signing this Tender Schedule, the tenderer confirms that they will **comply** with the above requirements and in particular Transnet Freight Rail IMS policy statement and environmental commitments therein.

The scoring of the Tenderer's Environmental Management Plan will be as follows:

Key Environm	ental Impacts and Possible Mitigation Measures (60%)	
(Score 0)	The EMP is not submitted by the bidder.	
(Score 20)	Poorly written EMP with zero/no key impacts	This part of the EMP is
	and mitigation measures specific to the project	satisfactory
(Score 40)	EMP contains 1-3 key impacts and mitigation	
	measures specific to the project.	
(Score 60)	EMP contains 4-6 key impacts and mitigation	
	measures specific to the project.	
(Score 80)	EMP contains 7-9 key reasonable and relevant	
	impacts and mitigation measures specific to the	
	project.	
(Score 100)	EMP contains 10 and more key reasonable and	
	relevant impacts and mitigation measures	
	specific to the project, which meet and exceed	
	tender requirements.	

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"



REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

K	ey Roles and Responsibilities (20%)	
(Score 0)	The EMP is not submitted by the bidder.	
(Score 20)	Poorly written EMP with zero/no key roles and responsibilities specific to the project.	This part of the EMP is satisfactory
(Score 40)	EMP contains 1-3 key reasonable and relevant roles and responsibilities specific to the project.	
(Score 60)	EMP contains 4-6 key reasonable and relevant roles and responsibilities specific to the project.	
(Score 80)	EMP contains 7-9 key reasonable and relevant key reasonable and relevant roles and responsibilities specific to the project.	
(Score 100)	EMP contains 10 and more key reasonable and relevant key reasonable and relevant roles and responsibilities specific to the project, which meet and exceed tender expectations.	

Environmer	ntal Monitoring, Training and Reporting (20%)	
(Score 0)	The EMP is not submitted by the bidder.	
		This part of the EMP is
(Score 20)	Poorly written EMP with zero/no monitoring	satisfactory
	techniques, no training and no form of reporting.	
(Score 40)	Tenderer did not demonstrate understanding of	
	the project scope and provided irrelevant	
	information on monitoring techniques, training	
	methods and types of reports.	
(Score 60)	Tenderer understood the project scope, but	
	provided relevant but less detailed information on	
	monitoring techniques, training methods and types	
	of reports.	
(Score 80)	Tenderer understood the project scope and	
	identified relevant monitoring techniques, relevant	
	training methods and relevant reports.	
(Score 100)	Tenderer understood the project scope and	
	addresses all critical aspects with regards to	
	monitoring, training and reporting which meets and	
	exceeds tender requirements.	

Signed	Date	
Name	Position	
Tenderer	r	

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-10: Eligibility Criteria Schedule:

Certificate of Attendance at Tender Clarification Meeting

This is to certify	that		
			(Company Name)
Represented by:			(Name and Surname)
Was represente	d at the compulsory tender clarification	on meeting	
Held at:			
On (date)		Starting time:	
Particulars of	person(s) attending the meeting	: Signature	
Capacity			
Attendance of	f the above company at the meet	ing was confirme	d:
Name		Signature	
	For and on Behalf of the Employers Agent.	Date	

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



			$=$ \sim				
L	 IDK			. —	II L C :	GENER	Λ I
П	JAN	IADL		пов		CILILERY	4 L

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-11: Availability of Equipment and Other Resources

The Tenderer to submit a list of all Equipment and other resources that will be used to execute the *Services* as described in the Service Information.

Equipment Type and Availability – Description	Hourly Rate	Number of Equipment	Details of Ownership





T2.2-12: Site Establishment Requirements

Tenderers to indicate their Site establishment area requirements: Signed Date Name Position Tenderer

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-13: Authority to submit a Tender

Indicate the status of the tenderer by ticking the appropriate box hereunder. The tenderer must complete the certificate set out below for his category of organisation or alternatively attach a certified copy of a company / organisation document which provides the same information for the relevant category as requested here.

A - COMPANY	B - PARTNERSHIP	C - JOINT VENTURE	D - SOLE PROPRIETOR

A. Certificate for Company			
I,	chairperson of the board of directors		
	, hereby confirm that by resolution of the board taken on		
(date), Mr/Ms	, acting in the capacity of		
	, was authorised to sign all documents in connection with this tender		
offer and any contract resulting f	m it on behalf of the company.		
Signed	Date		
Name	Position Chairman of the Board of Directors		

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING

OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



B. Certificate for Partnership

Name	Address	Signature	Date
or Contract	and any contract	resulting from it on our beh	alf.
	, to sign all docun	nents in connection with th	ne tender offer
hereby autho	rise Mr/Ms	acting in th	ne capacity of

NOTE: This certificate is to be completed and signed by the full number of Partners necessary to commit the Partnership. Attach additional pages if more space is required.

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING

OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



C. Certificate for Joint Venture

		(22/3) and 32/23/3	
Name of firm Address Authorising signature, name (in caps) and capacity			
the contract for and on behalf of any a	and all the partners.		
authorised to incur liabilities, receive in	nstructions and payments and be	responsible for the entire execution of	
that all partners are liable jointly and	severally for the execution of the	e contract and that the lead partner is	
·	e a copy of the joint venture agre	ement which incorporates a statement	
all the partners to the Joint Venture.	, ,	, , , , ,	
This authorisation is evidenced by the	attached power of attorney sign	ned by legally authorised signatories of	
contract resulting from it on our behal	f.		
connection with the tender offer for Co	ontract	and any	
	, acting in the capacity of le	ead partner, to sign all documents in	
	, an authorised signatory of th	ne company	
We, the undersigned, are submitting t	his tender offer in Joint Venture	and hereby authorise Mr/Ms	
We, the undersigned, are submitting t	his tender offer in Joint Venture	and hereby authorise Mr/Ms	

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



D.	Certificate	for Sole	Proprietor
----	-------------	----------	-------------------

I,	 hereby confir	m that I am the sole owner of the business
trading as		
Signed	Date	
Name	Position	Sole Proprietor
	. 55.5.511	



T2.2-14: Record of Addenda to Tender Documents

This schedule as submitted confirms that the following communications received from the *Employer* before the submission of this tender offer, amending the tender documents, have been taken into account in this specific tender offer:

	Date	Title or Details
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		

Attach additional pages if more space is required.

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-15: Storage Capacity

Note to tenderers:

The Tenderer is required to demonstrate to the Purchaser that he has sufficient current and/or future storage capacity to accommodate Transnet Limited's requirements as detailed in the Pricing Data and Goods Information, (Proof of Ownership or Rental/Lease Agreement of premises)

Index of documentation attached to this schedule:		

Page 71 of 125

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-16: Compulsory Enterprise Questionnaire

The following particulars hereunder must be furnished.

In the case of a Joint Venture, separate enterprise questionnaires in respect of each partner/member must be completed and submitted.

1.	SECTION 1:	NAME OF I	ENTERPRISE:	-		
2.	SECTION 2: VAT REGISTRATION NUMBER, IF ANY:					
3.	SECTION 3: CIDB REGISTRATION NUMBER, IF ANY:					
4.	SECTION 4:	TION 4: CSD NUMBER:				
5.	5. SECTION 5: PARTICULARS OF SOLE PROPRIETORS AND PARTNERS IN					
	PARTNERSHIPS					
Na	me		Identity number	Personal income tax number		
* Complete only if sole proprietor or partnership and attach separate page if more than 3 partners						
C. CECTION C. DARTICULARS OF COMPANIES AND CLOSE CORPORATIONS						
6. SECTION 6: PARTICULARS OF COMPANIES AND CLOSE CORPORATIONS						
Company registration number						
Close corporation number						
Tax reference number:						
Section 7: The attached SBD4 must be completed for each tender and be attached as a tender requirement.						
Section 8: The attached SBD 6 must be completed for each tender and be attached as a requirement.						
Section 9: The attached SBD8 must be completed for each tender and be attached as a requirement.						
Section 10: The attached SBD9 must be completed for each tender and be attached as a requirement.						

TRANSNET FREIGHT RAIL

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

TRANSNET

The undersigned, who warrants that he / she is duly authorised to do so on behalf of the enterprise:

- i) authorizes the Employer to obtain a tax clearance certificate from the South African Revenue Services that my / our tax matters are in order;
- confirms that the neither the name of the enterprise or the name of any partner, manager, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears on the Register of Tender Defaulters established in terms of the Prevention and Combating of Corrupt Activities Act of 2004;
- iii) confirms that no partner, member, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears, has within the last five years been convicted of fraud or corruption;
- iv) confirms that I / we are not associated, linked or involved with any other tendering entities submitting tender offers and have no other relationship with any of the tenderers or those responsible for compiling the scope of work that could cause or be interpreted as a conflict of interest; and
- v) confirms that the contents of this questionnaire are within my personal knowledge and are to the best of my belief both true and correct.

Signed	Date	
Name	Position	
Enterprise		
name		



SBD 4

DECLARATION OF INTEREST

- 1. Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid (includes a price quotation, advertised competitive bid, limited bid or proposal). In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/ adjudicating authority where-
 - the bidder is employed by the state; and/or
 - the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the bid(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the bid.

^{1,} "State" means –

a) any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999
 (Act No. 1 of 1999); any municipality or municipal entity;

b) provincial legislature;

c) national Assembly or the national Council of provinces; or

d) Parliament.

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



SBD 4

•	In order to give effect to the above, the following questionnaire must be completed submitted with the bid.
2.1	Full Name of bidder or his or her representative:
2.2	Identity Number:
.3	Position occupied in the Company (director, trustee, shareholder²):
.4	Company Registration Number:
.5	Tax Reference Number:
.6	VAT Registration Number:
	2.6.1 The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers and, if applicable, employee / personnel numbers must indicated in paragraph 3 below.
.7	Are you or any person connected with the bidder presently employed by the state? YES / NO
.7.	1 If so, furnish the following particulars:
•	Name of person / director / trustee / shareholder/ member:
•	Name of state institution at which you or the person connected to the bidder is employed:
•	Position occupied in the state institution:
	Any other particulars:

² "Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



SBD 4

2.7.2 If you are presently employed by the state, did you obtain the appropriate authority to undertake remunerative work outside employment in the public sector?

YES / NO

2.7.3 If yes, did you attached proof of such authority to the bid document?

YES / NO

Note: Failure to submit proof of such authority, where applicable, may result in the disqualification of the bid.

If no, furnish reasons for non-submission of such proof:
Did you or your spouse, or any of the company's directors / trustees / shareholders / members or their spouses conduct business with the state in the previous twelve months? YES / NO
If so, furnish particulars:
Do you, or any person connected with the bidder, have any relationship (family, friend, other) with a person employed by the state and who may be involved with the evaluation and or adjudication of this bid?
YES / NO
If so, furnish particulars.

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



SBD 4

Are you, or any person connected with the bidder, aware of any relationship (family, friend, other)
between any other bidder and any person employed by the state who may be involved with the
evaluation and or adjudication of this bid?
YES/NO
If so, furnish particulars.
Do you or any of the directors / trustees / shareholders / members of the company have any interest
in any other related companies whether or not they are bidding for this contract?
YES/NO
If so, furnish particulars:



SBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim for preference points for Broad-Based Black Economic Empowerment [**B-BBEE**] Status Level of Contribution.

Transnet will award preference points to companies who provide valid proof of their B-BBEE status using either the latest version of the generic Codes of Good Practice or Sector Specific Codes (if applicable).

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all bids:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
- 1.2 The value of this bid is estimated to exceed R50 000 000 (all applicable taxes included) and therefore the 90/10 preference point system shall be applicable. Despite the stipulated preference point system, Transnet shall use the lowest acceptable bid to determine the applicable preference point system in a situation where all received acceptable bids are received outside the stated preference point system.
- 1.3 Preference points for this bid shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contribution.
- 1.4 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTION	20
Total points for Price and B-BBEE must not exceed	100

- 1.5 Failure on the part of a bidder to submit proof of B-BBEE status level of contributor together with the bid will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. **DEFINITIONS**

- (a) "all applicable taxes" includes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies;
- (b) "B-BBEE" means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (c) "B-BBEE status level of contributor" means the B-BBEE status received by a measured entity based on its overall performance using the relevant scorecard contained in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (d) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the supply/provision of services, works or goods, through price quotations, advertised competitive bidding processes or proposals;
- (e) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (f) "EME" means an Exempted Micro Enterprise as defines by Codes of Good Practice under section 9 (1) of the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (g) "functionality" means the ability of a bidder to provide goods or services in accordance with specification as set out in the bid documents
- (h) "Price" includes all applicable taxes less all unconditional discounts.
- (i) "Proof of B-BBEE Status Level of Contributor"
 - (i) the B-BBBEE status level certificate issued by an authorised body or person;
 - (ii) a sworn affidavit as prescribed by the B-BBEE Codes of Good Practice; or
 - (iii) any other requirement prescribed in terms of the B-BBEE Act.
- "QSE" means a Qualifying Small EEnterprise as defines by Codes of Good Practice under section 9 (1) of the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (k) "rand value" means the total estimated value of a contract in South African currency, calculated at the time of bid invitations, and includes all applicable taxes and excise duties.

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$Ps = 80 \left(1 - \frac{Pt - P\min}{P\min} \right)$$

Where

Ps = Points scored for comparative price of bid under consideration

Pt = Comparative price of bid under consideration

Pmin = Comparative price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTION

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0



4.2 The table below indicates the required proof of B-BBEE status depending on the category of enterprises:

Enterprise	ise B-BBEE Certificate & Sworn Affidavit			
Large Certificate issued by SANAS accredited verification agency				
Certificate issued by SANAS accredited verification agency Sworn Affidavit signed by the authorised QSE representative and attested by a Commissioner of Oaths confirming annual turnover and black ownership (only bla owned QSEs - 51% to 100% Black owned) [Sworn affidavits must substantially comply with the format that can be obtained DTI's website at www.dti.gov.za/economic empowerment/bee codes.jsp.]				
EME ³	Sworn Affidavit signed by the authorised EME representative and attested by a Commissioner of Oaths confirming annual turnover and black ownership Certificate issued by CIPC (formerly CIPRO) confirming annual turnover and black ownership Certificate issued by SANAS accredited verification agency only if the EME is being measured on the QSE scorecard			

- 4.3 A trust, consortium or joint venture (including unincorporated consortia and joint ventures) must submit a consolidated B-BBEE Status Level verification certificate for every separate bid.
- 4.4 Tertiary Institutions and Public Entities will be required to submit their B-BBEE status level certificates in terms of the specialized scorecard contained in the B-BBEE Codes of Good Practice.
- 4.5 A person will not be awarded points for B-BBEE status level if it is indicated in the bid documents that such a bidder intends sub-contracting more than 25% of the value of the contract to any other enterprise that does not qualify for at least the points that such a bidder qualifies for, unless the intended sub-contractor is an EME that has the capability and ability to execute the sub-contract.
- 4.6 A person awarded a contract may not sub-contract more than 25% of the value of the contract to any other enterprise that does not have an equal or higher B-BBEE status level than the person concerned, unless the contract is sub-contracted to an EME that has the capability and ability to execute the sub-contract.
- 4.7 Bidders are to note that the rules pertaining to B-BBEE verification and other B-BBEE requirements may be changed from time to time by regulatory bodies such as National Treasury or the DTI. It is the Bidder's responsibility to ensure that his/her bid complies fully with all B-BBEE requirements at the time of the submission of the bid.

5. BID DECLARATION

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

³ In terms of the Implementation Guide: Preferential Procurement Regulations, 2017, Version 2, paragraph 11.11 provides that in the Transport Sector, EMEs can provide a letter from accounting officer or get verified and be issued with a B-BBEE certificate by SANAS accredited professional or agency as the Transport Sector Code has not been aligned to the generic Codes. EMEs in the Transport Sector are not allowed to provide a Sworn Affidavit as the generic codes are not applicable to them.

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"



REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

6.	B-BBEE STATUS LEVEL OF CONTRIBUTION CLAIMED IN TERMS 6.1	OF PARAC	GRAPHS 1.4 AND		
6.1	B-BBEE Status Level of Contribution: . =(maximum of 2	20 points)			
		(Points claimed in respect of paragraph 6.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.			
7.	SUB-CONTRACTING				
7.1	Will any portion of the contract be sub-contracted?				
	(Tick applicable box)				
	YES NO				
7.1.1	If yes, indicate:				
	 i) What percentage of the contract will be subcontracted				
	Designated Group: An EME or QSE which is at last 51% owned by:	EME √	QSE √		
	Black people				
	Black people who are youth				
	Black people who are women				
	Black people with disabilities				
	Black people living in rural or underdeveloped areas or townships				
	Cooperative owned by black people				
	Black people who are military veterans				
	OR	•	1		
	Any EME				
	Any QSE				
8.	DECLARATION WITH REGARD TO COMPANY/FIRM				
8.1	Name of company/firm:				
8.2	VAT registration number:				
8.3	Company registration number:				
8.4	TYPE OF COMPANY/ FIRM				

TRANSNET FREIGHT RAIL

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



	□ Partnership/Joint Venture / Consortium
	□ One person business/sole propriety
	□ Close corporation
	□ Company □
	□ (Pty) Limited
	[TICK APPLICABLE BOX]
8.5	DESCRIBE PRINCIPAL BUSINESS ACTIVITIES
8.6	COMPANY CLASSIFICATION
	□ Manufacturer□ Supplier
	□ Professional Supplier
	Other Suppliers, e.g. transporter, etc.
	[TICK APPLICABLE BOX]
8.7	Total number of years the company/firm has been in business:
8.8	I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contribution indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:
	i) The information furnished is true and correct;
	ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
	 iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;

- (a) disqualify the person from the bidding process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;

not been fulfilled, the purchaser may, in addition to any other remedy it may have

iv) If a bidder submitted false information regarding its B-BBEE status level of contributor, local production and content, or any other matter required in terms of the Preferential Procurement Regulations, 2017 which will affect or has affected the evaluation of a bid, or where a bidder has failed to declare any subcontracting arrangements or any of the conditions of contract have

- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) if the successful bidder subcontracted a portion of the bid to another person without disclosing it, Transnet reserves the right to penalise the bidder up to 10 percent of the value of the contract;

TRANSNET FREIGHT RAIL

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- (e) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
- (f) forward the matter for criminal prosecution.

WITNESSES 1	SIGNATURE(S) OF BIDDERS(S) DATE: ADDRESS

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



SBD 8

DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1. This Standard Bidding Document must form part of all bids invited.
- 2. It serves as a declaration to be used by institutions in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3. The bid of any bidder may be disregarded if that bidder, or any of its directors have
 - a. abused the institution's supply chain management system;
 - b. committed fraud or any other improper conduct in relation to such system; or
 - c. failed to perform on any previous contract.


4. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Item	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's database	Yes	No
	as companies or persons prohibited from doing business with the public sector?		
	(Companies or persons who are listed on this database were		
	informed in writing of this restriction by the National Treasury after		
	the <i>audi alteram partem</i> rule was applied).		
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender	Yes	No
	Defaulters in terms of section 29 of the Prevention and Combating of Corrupt		
	Activities Act (No 12 of		
	2004)?		
	To access this Register enter the National Treasury's website,		
	www.treasury.gov.za, click on the icon "Register for Tender		
	Defaulters" or submit your written request for a hard copy of the		
	Register to facsimile number (012) 3265445.		
4.2.1	If so, furnish particulars:	T	
4.3	Was the bidder or any of its directors convicted by a court of law (including a	Yes	No
	court outside of the Republic of South Africa) for fraud or corruption during		
	the past five years?		
4.3.1	If so, furnish particulars:		
4.4	Was any contract between the bidder and any organ of state terminated	Yes	No
	during the past five years on account of failure to perform on or comply with		
	the contract?		
4.4.1	If so, furnish particulars:		

TRANSNET FREIGHT RAIL

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"





SBD 8

CED.	TTET	~ A -	TT^	
CER'	ITFJ	LCA	LLU	אוי

	ME) CERTIFY THIS DECLARATION FORM IS TRUE AND CORRECT.	ГНАТ ТНЕ				
I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.						
AGAINST 112 SHOOLD 11110 D	, AND TO BE I ALDE!					
Signature	Date					
	<u> </u>					
Position	Name of Tenderer					

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



SBD 9

CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1. This Standard Bidding Document (SBD) must form part of all bids/quotes⁴ invited.
- 2. Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).⁵ Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- 3. Treasury Regulation 16A9 prescribes that accounting officers and accounting authorities must take all reasonable steps to prevent abuse of the supply chain management system and authorizes accounting officers and accounting authorities to:
 - (a) disregard the bid of any bidder if that bidder, or any of its directors have abused the institution's supply chain management system and or committed fraud or any other improper conduct in relation to such system.
 - (b) cancel a contract awarded to a supplier of goods and services if the supplier committed any corrupt or fraudulent act during the bidding process or the execution of that contract.
- 4. This SBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- 5. In order to give effect to the above, the attached Certificate of Bid Determination (SBD 9) must be completed and submitted with the bid:

⁴ Includes price quotations, advertised competitive bids, limited bids and proposals.

⁵ Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



SBD 9

CERTIFICATE OF INDEPENDENT QUOTATION/PROPOSAL DETERMINATION

I, the undersigned, in submitting the accompanying quote:				
(Quote Number and Description)				
in response to the invitation for the quote made by:				
(Name of Institution)	-			
do hereby make the following statements that I certify to be true and complete in every respe	ect:			
I certify, on behalf of: tha	ıt:			
(Name of Bidder)				

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
- 4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign the bid, on behalf of the bidder;
- 5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



SBD 9

- 6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium⁶ will not be construed as collusive bidding.
- 7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.
- 8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

T2.2

⁶ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

TRANSNET FREIGHT RAIL

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"





 Position	
Signature	Date
and Combating of Corr	upt Activities Act No 12 of 2004 or any other applicable legislation.
business with the publi	c sector for a period not exceeding ten (10) years in terms of the Prevention
Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting
terms of section 59 of t	the Competition Act No 89 of 1998 and or may be reported to the National
Competition Commission	on for investigation and possible imposition of administrative penalties in
restrictive practices rela	ated to bids and contracts, bids that are suspicious will be reported to the
10. I am aware that, in add	dition and without prejudice to any other remedy provided to combat any

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-17: ANNEX G Compulsory Enterprise Questionnaire

The following particulars hereunder must be furnished.

In the case of a Joint Venture, separate enterprise questionnaires in respect of each partner/member must be completed and submitted.

Section 1:	Name of ente	erprise:				
Section 2:	VAT registrat	VAT registration number, if any:				
Section 3:	CIDB registra	CIDB registration number, if any:				
Section 4:	CSD number:	CSD number:				
Section 5:		Particulars of sole proprietors and partners in partnerships				
Name		Identity number	Personal income tax number			
* Complete only if sole proprietor or partnership and attach separate page if more than 3 partners Section 6: Particulars of companies and close corporations Company registration number Close corporation number Tax reference number:						
Section 7: The attached SBD4 must be completed for each tender and be attached as a tender requirement.						
Section 8: The attached SBD 6 must be completed for each tender and be attached as a requirement.						
Section 9: The attached SBD8 must be completed for each tender and be attached as a requirement.						
Section 10: The attached SBD9 must be completed for each tender and be attached as a requirement.			<u> </u>			



T2.2-18: Supplier Code of Conduct

Transnet SOC Limited aims to achieve the best value for money when buying or selling goods and obtaining services. This however must be done in an open and fair manner that supports and drives a competitive economy. Underpinning our process are several acts and policies that any supplier dealing with Transnet must understand and support. These are:

- The Transnet Procurement Policy A guide for Tenderers.
- Section 217 of the Constitution the five pillars of Public PSCM (Procurement and Supply Chain Management): fair, equitable, transparent, competitive and cost effective;
- The Public Finance Management Act (PFMA);
- The Broad Based Black Economic Empowerment Act (BBBEE)
- The Prevention and Combating of Corrupt Activities Act (PRECCA); and
- The Construction Industry Development Board Act (CIDB Act).

This code of conduct has been included in this contract to formally appraise Transnet Suppliers of Transnet's expectations regarding behaviour and conduct of its Suppliers.

Prohibition of Bribes, Kickbacks, Unlawful Payments, and Other Corrupt Practices

Transnet is in the process of transforming itself into a self-sustaining State Owned Enterprise, actively competing in the logistics industry. Our aim is to become a world class, profitable, logistics organisation. As such, our transformation is focused on adopting a performance culture and to adopt behaviours that will enable this transformation.

1. Transnet SOC Limited will not participate in corrupt practices. Therefore, it expects its suppliers to act in a similar manner.

- Transnet and its employees will follow the laws of this country and keep accurate business records that reflect actual transactions with, and payments to, our suppliers.
- Employees must not accept or request money or anything of value, directly or indirectly, from suppliers.
- Employees may not receive anything that is calculated to:
 - Illegally influence their judgement or conduct or to ensure the desired outcome of a sourcing activity;



- Win or retain business or to influence any act or decision of any person involved in sourcing decisions; or
- Gain an improper advantage.
- There may be times when a supplier is confronted with fraudulent or corrupt behaviour of Transnet employees. We expect our Suppliers to use our "Tip-offs Anonymous" Hot line to report these acts. (0800 003 056).

2. Transnet SOC Limited is firmly committed to the ideas of free and competitive enterprise.

- Suppliers are expected to comply with all applicable laws and regulations regarding fair competition and antitrust practices.
- Transnet does not engage with non-value adding agents or representatives solely for the purpose
 of increasing BBBEE spend (fronting).

3. Transnet's relationship with suppliers requires us to clearly define requirements, to exchange information and share mutual benefits.

- Generally, suppliers have their own business standards and regulations. Although Transnet cannot control the actions of our suppliers, we will not tolerate any illegal activities. These include, but are not limited to:
 - Misrepresentation of their product (origin of manufacture, specifications, intellectual property rights, etc);
 - Collusion;
 - Failure to disclose accurate information required during the sourcing activity (ownership, financial situation, BBBEE status, etc.);
 - Corrupt activities listed above; and
 - Harassment, intimidation or other aggressive actions towards Transnet employees.
- Suppliers must be evaluated and approved before any materials, components, products or services
 are purchased from them. Rigorous due diligence is conducted and the supplier is expected to
 participate in an honest and straight forward manner.
- Suppliers must record and report facts accurately, honestly and objectively. Financial records must be accurate in all material respects.

TRANSNET FREIGHT RAIL

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



Conflicts of Interest

A conflict of interest arises when personal interests or activities influence (or appear to influence) the ability to act in the best interests of Transnet SOC Limited.

- Doing business with family members.
- Having a financial interest in another company in our industry

Where possible, contracts will be negotiated to include the above in the terms of such contracts. To the extent such terms are not included in contractual obligations and any of the above code is breached, then Transnet reserves its right to review doing business with these suppliers.

I,	of
(insert name of Director or as per Authority	(insert name of Company)
Resolution from Board of Directors)	
hereby acknowledge having read, understood and agree	e to the terms and conditions set out in the "Transnet
Supplier Code of Conduct."	
Signed this on day at	·
Signature	

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-19: Service Provider Integrity Pact

Important Note: All potential tenderers must read this document and certify in the RFP Declaration Form that that have acquainted themselves with, and agree with the content. The contract with the successful tenderer will automatically incorporate this Integrity Pact and shall be deemed as part of the final concluded contract.

INTEGRITY PACT

Between

TRANSNET SOC LTD

Registration Number: 1990/000900/30

("Transnet")

and

The Contractor (hereinafter referred to as the "Tenderer/Service Providers/Contractor")

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING

OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" $\,$

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



PREAMBLE

Transnet values full compliance with all relevant laws and regulations, ethical standards and the principles of economical use of resources, fairness and transparency in its relations with its Tenderers / Service Providers/Contractors.

In order to achieve these goals, Transnet and the Tenderer / Service Provider hereby enter into this agreement hereinafter referred to as the "Integrity Pact" which will form part of the Tenderer's / Service Provider's / Contractor's application for registration with Transnet as a vendor.

The general purpose of this Integrity Pact is to agree on avoiding all forms of dishonesty, fraud and corruption by following a system that is fair, transparent and free from any undue influence prior to, during and subsequent to the currency of any procurement and / or reverse logistics event and any further contract to be entered into between the Parties, relating to such event.

All Tenderers / Service Providers / Contractor's will be required to sign and comply with undertakings contained in this Integrity Pact, should they want to be registered as a Transnet vendor.

CHAPTER 1 OBJECTIVES

Transnet and the Tenderer / Service Provider / Contractor agree to enter into this Integrity Pact, to avoid all forms of dishonesty, fraud and corruption including practices that are anti-competitive in nature, negotiations made in bad faith and under-pricing by following a system that is fair, transparent and free from any influence / unprejudiced dealings prior to, during and subsequent to the currency of the contract to be entered into with a view to:

- a) Enable Transnet to obtain the desired contract at a reasonable and competitive price in conformity to the defined specifications of the works, goods and services; and
- b) Enable Tenderers / Service Providers / Contractors to abstain from bribing or participating in any corrupt practice in order to secure the contract.

CHAPTER 2 COMMITMENTS OF TRANSNET

Transnet commits to take all measures necessary to prevent dishonesty, fraud and corruption and to observe the following principles:

Transnet hereby undertakes that no employee of Transnet connected directly or indirectly with the sourcing event and ensuing contract, will demand, take a promise for or accept directly or through intermediaries any bribe, consideration, gift, reward, favour or any material or immaterial benefit or any other advantage from the Tenderer, either for themselves or for any person, organisation or third party related to the contract in exchange for an advantage in the tendering process, Tender evaluation, contracting or implementation process related to any contract.

Transnet will, during the registration and tendering process treat all Tenderers / Service Providers with equity, transparency and fairness. Transnet will in particular, before and during the registration process, provide to all Tenderers / Service Providers the same information and will not provide to any Tenderers / Service Providers / Contractors confidential / additional information through which the Tenderers / Service Providers / Contractors could obtain an advantage in relation to any tendering process.

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



Transnet further confirms that its employees will not favour any prospective Tenderer in any form that could afford an undue advantage to a particular Tenderer during the tendering stage, and will further treat all Tenderers / Service Providers / Contractors participating in the tendering process.

Transnet will exclude from the tender process such employees who have any personal interest in the Tenderers / Service Providers / Contractors participating in the tendering process.

CHAPTER 3 OBLIGATIONS OF THE TENDERER / SERVICE PROVIDER

The Tenderer / Service Provider / Contractor commits itself to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of its Tender or during any ensuing contract stage in order to secure the contract or İn furtherance to secure it and in particular the Tenderer / Service Provider / Contractor commits to the following:

- a) The Tenderer / Service Provider / Contractor will not, directly or through any other person or firm, offer, promise or give to Transnet or to any of Transnet's employees involved in the tendering process or to any third person any material or other benefit or payment, in order to obtain in exchange an advantage during the tendering process; and
- b) The Tenderer / Service Provider / Contractor will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage, commission, fees, brokerage or inducement to any employee of Transnet, connected directly or indirectly with the tendering process, or to any person, organisation or third party related to the contract in exchange for any advantage in the tendering, evaluation, contracting and implementation of the contract.

The acceptance and giving of gifts may be permitted provided that:

- a) the gift does not exceed R1 000 (one thousand Rand) in retail value;
- b) many low retail value gifts do not exceed R 1 000 within a 12 month period;
- c) hospitality packages do not exceed R5 000 in value or many low value hospitality packages do not cumulatively exceed R5 000;
- d) a Tenderer / Service Provider does not give a Transnet employee more than 2 (two) gifts within a 12 (twelve) month period, irrespective of value;
- e) a Tenderer / Service Provider does not accept more than 1 (one) gift in excess of R750 (seven hundred and fifty Rand) from a Transnet employee within a 12 (twelve) month period, irrespective of value;
- f) a Tenderer / Service Provider may under no circumstances, accept from or give to, a Transnet employee any gift, business courtesy, including an invitation to a business meal and /or drinks, or hospitality package, irrespective of value, during any Tender evaluation process, including a period of 12 (twelve) months after such tender has been awarded, as it may be perceived as undue and

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



improper influence on the evaluation process or reward for the contract that has been awarded; and

- g) a Tenderer / Service Provider may not offer gifts, goods or services to a Transnet employee at artificially low prices, which are not available to the public at those prices.
- The Tenderer / Service Provider / Contractor will not collude with other parties interested in the contract to preclude a competitive Tender price, impair the transparency, fairness and progress of the tendering process, Tender evaluation, contracting and implementation of the contract. The Tenderer / Service Provider further commits itself to delivering against all agreed upon conditions as stipulated within the contract.
- The Tenderer / Service Provider / Contractor will not enter into any illegal or dishonest agreement or understanding, whether formal or informal with other Tenderers / Service Providers / Contractors. This applies in particular to certifications, submissions or non-submission of documents or actions that are restrictive or to introduce cartels into the tendering process.
- The Tenderer / Service Provider / Contractor will not commit any criminal offence under the relevant anti-corruption laws of South Africa or any other country. Furthermore, the Tenderer / Service Provider will not use for illegitimate purposes or for restrictive purposes or personal gain, or pass on to others, any information provided by Transnet as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- A Tenderer / Service Provider / Contractor of foreign origin shall disclose the name and address of its agents or representatives in South Africa, if any, involved directly or indirectly in the registration or tendering process. Similarly, the Tenderer / Service Provider / Contractor of South African nationality shall furnish the name and address of the foreign principals, if any, involved directly or indirectly in the registration or tendering process.
- The Tenderer / Service Provider / Contractor will not misrepresent facts or furnish false or forged documents or information in order to influence the tendering process to the advantage of the Tenderer / Service Provider or detriment of Transnet or other competitors.
- The Tenderer / Service Provider / Contractor shall furnish Transnet with a copy of its code of conduct, which code of conduct shall reject the use of bribes and other dishonest and unethical conduct, as well as compliance programme for the implementation of the code of conduct.
- The Tenderer / Service Provider / Contractor will not instigate third persons to commit offences outlined above or be an accessory to such offences

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



CHAPTER 4 INDEPENDENT TENDERING

For the purposes of that Certificate in relation to any submitted Tender, the Tenderer declares to fully understand that the word "competitor" shall include any individual or organisation, other than the Tenderer, whether or not affiliated with the Tenderer, who:

- a) has been requested to submit a Tender in response to this Tender invitation;
- b) could potentially submit a Tender in response to this Tender invitation, based on their qualifications, abilities or experience; and
- c) provides the same Goods and Services as the Tenderer and/or is in the same line of business as the Tenderer.

The Tenderer has arrived at his submitted Tender independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium will not be construed as collusive tendering.

In particular, without limiting the generality of paragraph 5 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:

- a) prices;
- b) geographical area where Goods or Services will be rendered [market allocation];
- c) methods, factors or formulas used to calculate prices;
- d) the intention or decision to submit or not to submit, a Tender;
- e) the submission of a Tender which does not meet the specifications and conditions of the RFP; or
- f) tendering with the intention of not winning the Tender.

In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the Goods or Services to which his/her tender relates.

The terms of the Tender as submitted have not been, and will not be, disclosed by the Tenderer, directly or indirectly, to any competitor, prior to the date and time of the official Tender opening or of the awarding of the contract.

Tenderers are aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to Tenders and contracts, Tenders that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and/or may be reported to the National Prosecuting Authority [NPA] for criminal investigation and/or may be restricted from conducting business with the public sector for a period not exceeding 10 [ten] years in terms of

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

Should the Tenderer find any terms or conditions stipulated in any of the relevant documents quoted in the Tender unacceptable, it should indicate which conditions are unacceptable and offer alternatives by written submission on its company letterhead, attached to its submitted Tender. Any such submission shall be subject to review by Transnet's Legal Counsel who shall determine whether the proposed alternative(s) are acceptable or otherwise, as the case may be.

CHAPTER 5 DISQUALIFICATION FROM TENDERING PROCESS

If the Tenderer / Service Provider / Contractor has committed a transgression through a violation of section 3 of this Integrity Pact or in any other form such as to put its reliability or credibility as a Tenderer / Service Provider into question, Transnet may reject the Tenderer's / Service Provider's / Contractor's application from the registration or tendering process and remove the Tenderer / Service Provider from its database, if already registered.

If the Tenderer / Service Provider / Contractor has committed a transgression through a violation of section 3, or any material violation, such as to put its reliability or credibility into question. Transnet may after following due procedures and at its own discretion also exclude the Tenderer / Service Provider / Contractor from future tendering processes. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the circumstances of the case, which will include amongst others the number of transgressions, the position of the transgressors within the company hierarchy of the Tenderer / Service Provider / Contractor and the amount of the damage. The exclusion will be imposed for up to a maximum of 10 (ten) years. However, Transnet reserves the right to impose a longer period of exclusion, depending on the gravity of the misconduct.

If the Tenderer / Service Provider / Contractor can prove that it has restored the damage caused by it and has installed a suitable corruption prevention system, or taken other remedial measures as the circumstances of the case may require, Transnet may at its own discretion revoke the exclusion or suspend the imposed penalty.

OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



CHAPTER 6 TRANSNET'S LIST OF EXCLUDED TENDERERS (BLACKLIST)

- All the stipulations around Transnet's blacklisting process as laid down in Transnet's Supply Chain Policy and Procurement Procedures Manual are included herein by way of reference. Below follows a condensed summary of this blacklisting procedure.
- Blacklisting is a mechanism used to exclude a company/person from future business with Transnet for a specified period. The decision to blacklist is based on one of the grounds for blacklisting. The standard of proof to commence the blacklisting process is whether a "prima facie" (i.e. on the face of it) case has been established.
- Depending on the seriousness of the misconduct and the strategic importance of the Goods/Services, in addition to blacklisting a company/person from future business, Transnet may decide to terminate some or all existing contracts with the company/person as well.
- A Service Provider or Contractor to Transnet may not subcontract any portion of the contract to a blacklisted company.
- Grounds for blacklisting include: If any person/Enterprise which has submitted a Tender, concluded a contract, or, in the capacity of agent or subcontractor, has been associated with such Tender or contract:
 - a) Has, in bad faith, withdrawn such Tender after the advertised closing date and time for the receipt of Tenders;
 - b) has, after being notified of the acceptance of his Tender, failed or refused to sign a contract when called upon to do so in terms of any condition forming part of the Tender documents;
 - c) has carried out any contract resulting from such Tender in an unsatisfactory manner or has breached any condition of the contract;
 - d) has offered, promised or given a bribe in relation to the obtaining or execution of the contract;
 - e) has acted in a fraudulent or improper manner or in bad faith towards Transnet or any Government Department or towards any public body, Enterprise or person;
 - f) has made any incorrect statement in a certificate or other communication with regard to the Local Content of his Goods or his B-BBEE status and is unable to prove to the satisfaction of Transnet that:
 - (i) he made the statement in good faith honestly believing it to be correct; and
 - (ii) before making such statement he took all reasonable steps to satisfy himself of its correctness;

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- g) caused Transnet damage, or to incur costs in order to meet the contractor's requirements and which could not be recovered from the contractor;
- h) has litigated against Transnet in bad faith.
- Grounds for blacklisting include a company/person recorded as being a company or person prohibited from doing business with the public sector on National Treasury's database of Restricted Service Providers or Register of Tender Defaulters.

Companies associated with the person/s guilty of misconduct (i.e. entities owned, controlled or managed by such persons), any companies subsequently formed by the person(s) guilty of the misconduct and/or an existing company where such person(s) acquires a controlling stake may be considered for blacklisting. The decision to extend the blacklist to associated companies will be at the sole discretion of Transnet.

CHAPTER 7 PREVIOUS TRANSGRESSIONS

- The Tenderer / Service Provider /Contractor hereby declares that no previous transgressions resulting in a serious breach of any law, including but not limited to, corruption, fraud, theft, extortion and contraventions of the Competition Act 89 of 1998, which occurred in the last 5 (five) years with any other public sector undertaking, government department or private sector company that could justify its exclusion from its registration on the Tenderer's / Service Provider's / Contractor's database or any tendering process.
- If it is found to be that the Tenderer / Service Provider / Contractor made an incorrect statement on this subject, the Tenderer / Service Provider / Contractor can be rejected from the registration process or removed from the Tenderer / Service Provider / Contractor database, if already registered, for such reason (refer to the Breach of Law Form contained in the applicable RFX document.)

CHAPTER 8 SANCTIONS FOR VIOLATIONS

Transnet shall also take all or any one of the following actions, wherever required to:

- a) Immediately exclude the Tenderer / Service Provider / Contractor from the tendering process or call off the pre-contract negotiations without giving any compensation the Tenderer / Service Provider / Contractor. However, the proceedings with the other Tenderer / Service Provider / Contractor may continue;
- b) Immediately cancel the contract, if already awarded or signed, without giving any compensation to the Tenderer / Service Provider / Contractor;
- c) Recover all sums already paid by Transnet;
- d) Encash the advance bank guarantee and performance bond or warranty bond, if furnished by the Tenderer / Service Provider / Contractor, in order to recover the payments, already made by Transnet, along with interest;
- e) Cancel all or any other contracts with the Tenderer / Service Provider; and
- f) Exclude the Tenderer / Service Provider / Contractor from entering into any Tender with Transnet in future.

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



CHAPTER 9 CONFLICTS OF INTEREST

A conflict of interest includes, inter alia, a situation in which:

- a) A Transnet employee has a personal financial interest in a tendering / supplying entity; and
- b) A Transnet employee has private interests or personal considerations or has an affiliation or a relationship which affects, or may affect, or may be perceived to affect his / her judgment in action in the best interest of Transnet, or could affect the employee's motivations for acting in a particular manner, or which could result in, or be perceived as favouritism or nepotism.

A Transnet employee uses his / her position, or privileges or information obtained while acting in the capacity as an employee for:

- a) Private gain or advancement; or
- b) The expectation of private gain, or advancement, or any other advantage accruing to the employee must be declared in a prescribed form. Thus, conflicts of interest of any Tender committee member or any person involved in the sourcing process must be declared in a prescribed form.
- If a Tenderer / Service Provider / Contractor has or becomes aware of a conflict of interest i.e. a family, business and / or social relationship between its owner(s) / member(s) / director(s) / partner(s) / shareholder(s) and a Transnet employee / member of Transnet's Board of Directors in respect of a Tender which will be considered for the Tender process, the Tenderer / Service Provider / Contractor:
 - a) must disclose the interest and its general nature, in the Request for Proposal ("RFX") declaration form; or
 - b) must notify Transnet immediately in writing once the circumstances has arisen.
- The Tenderer / Service Provider / Contractor shall not lend to or borrow any money from or enter into any monetary dealings or transactions, directly or indirectly, with any committee member or any person involved in the sourcing process, where this is done, Transnet shall be entitled forthwith to rescind the contract and all other contracts with the Tenderer / Service Provider / Contractor.

CHAPTER 10 MONITORING

Transnet will be responsible for appointing an independent Monitor to:

- a) Conduct random monitoring of compliance to the provisions of this Integrity Pact for contracts entered into between Transnet and the Tenderer / Service Provider / Contractor for less than R100,000.000 (one hundred million Rand) in value;
- b) Monitor compliance to the provisions of this Integrity Pact for contracts entered into between Transnet and the Tenderer / Service Provider / Contractor for greater than R100,000.000 (one hundred million Rand) in value; and
- c) Investigate any allegation of violation of any provisions of this Integrity Pact for contracts entered into between Transnet and the Tenderer / Service Provider / Contractor, irrespective of value.
- The Monitor will be subjected to Transnet's Terms of Conditions of Contract for the Provision of Services to Transnet, as well as to Transnet's Service Provider Code of Conduct.

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"



REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

CHAPTER 11 EXAMINATION OF FINANCIAL RECORDS, DOCUMENTATION AND/OR ELECTRONIC DATA

For the purpose of Monitoring, as stipulated above, the Monitor shall be entitled to:

a) Examine the financial records, documentation and or electronic date of Tenderer / Service Provider / Contractor / Transnet. The Tenderer / Service Provider / Transnet shall provide all requested information / documentation / data to the Monitor and shall extend all help possible for the purpose of such examination.

CHAPTER 12 DISPUTE RESOLUTION

Transnet recognises that trust and good faith are pivotal to its relationship with its Tenderer / Service Provider / Contractor. When a dispute arises between Transnet and its Tenderer / Service Provider / Contractor, the parties should use their best endeavours to resolve the dispute in an amicable manner, whenever possible. Litigation in bad faith negates the principles of trust and good faith on which commercial relationships are based. Accordingly, following a blacklisting process as mentioned in paragraph Chapter 6 above, Transnet will not do business with a company that litigates against it in bad faith or is involved in any action that reflects bad faith on its part. Litigation in bad faith includes, but is not limited to the following instances:

- a) **Vexatious proceedings**: these are frivolous proceedings which have been instituted without proper grounds;
- b) **Perjury:** where a Tenderer / Service Provider / Contractor make a false statement either in giving evidence or on an affidavit;
- Scurrilous allegations: where a Tenderer / Service Provider / Contractor makes allegations regarding a senior Transnet employee which are without proper foundation, scandalous, abusive or defamatory; and
- d) **Abuse of court process:** when a Tenderer / Service Provider / Contractor abuses the court process in order to gain a competitive advantage during a Tender process.

TRANSNET FREIGHT RAIL

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



CHAPTER 13 GENERAL

- This Integrity Pact is governed by and interpreted in accordance with the laws of the Republic of South Africa.
- The actions stipulated in this Integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the law relating to any civil or criminal proceedings.
- The validity of this Integrity Pact shall cover all the tendering processes and will be valid for an indefinite period unless cancelled by either Party.
- Should one or several provisions of this Integrity Pact turn out to be invalid the remainder of this Integrity Pact remains valid.
- Should a Tenderer / Service Provider / Contractor be confronted with dishonest, fraudulent or corruptive behaviour of one or more Transnet employees, Transnet expects its Tenderer / Service Provider / Contractor to report this behaviour directly to a senior Transnet official / employee or alternatively by using Transnet's "Tip-Off Anonymous" hotline number 0800 003 056, whereby your confidentiality is guaranteed.

The Parties hereby declare that each of them has read and understood the clauses of this Integrity Pact and shall a Tenderer by it. To the best of the Parties' knowledge and belief, the information provided in this Integrity Pact is true and correct.

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-20: Non-Disclosure Agreement

WHEREAS

.

Transnet and the Company wish to exchange Information [as defined below] and it is envisaged that each party may from time to time receive Information relating to the other in respect thereof. In consideration of each party making available to the other such Information, the parties jointly agree that any dealings between them shall be subject to the terms and conditions of this Agreement which themselves will be subject to the parameters of the Tender Document.

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



IT IS HEREBY AGREED

1. INTERPRETATION

In this Agreement:

- 1.1 Agents mean directors, officers, employees, agents, professional advisers, contractors or subcontractors, or any Group member;
- 1.2 Bid or Bid Document (hereinafter Tender) means Transnet's Request for Information [RFI] Request for Proposal [RFP] or Request for Quotation [RFQ], as the case may be;
- 1.3 Confidential Information means any information or other data relating to one party [the **Disclosing Party**] and/or the business carried on or proposed or intended to be carried on by that party and which is made available for the purposes of the Bid to the other party [the Receiving Party or its Agents by the Disclosing Party or its Agents or recorded in agreed minutes following oral disclosure and any other information otherwise made available by the Disclosing Party or its Agents to the Receiving Party or its Agents, whether before, on or after the date of this Agreement, and whether in writing or otherwise, including any information, analysis or specifications derived from, containing or reflecting such information but excluding information which:
- 1.3.1 is publicly available at the time of its disclosure or becomes publicly available [other than as a result of disclosure by the Receiving Party or any of its Agents contrary to the terms of this Agreement]; or
- was lawfully in the possession of the Receiving Party or its Agents [as can be demonstrated by its 1.3.2 written records or other reasonable evidence] free of any restriction as to its use or disclosure prior to its being so disclosed; or
- 1.3.3 following such disclosure, becomes available to the Receiving Party or its Agents [as can be demonstrated by its written records or other reasonable evidence] from a source other than the Disclosing Party or its Agents, which source is not bound by any duty of confidentiality owed, directly or indirectly, to the Disclosing Party in relation to such information;
- Group means any subsidiary, any holding company and any subsidiary of any holding company of 1.4 either party; and
- 1.5 **Information** means all information in whatever form including, without limitation, any information relating to systems, operations, plans, intentions, market opportunities, know-how, trade secrets and business affairs whether in writing, conveyed orally or by machine-readable medium.

OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



2. CONFIDENTIAL INFORMATION

- 2.1 All Confidential Information given by one party to this Agreement [the **Disclosing Party**] to the other party [the **Receiving Party**] will be treated by the Receiving Party as secret and confidential and will not, without the Disclosing Party's written consent, directly or indirectly communicate or disclose [whether in writing or orally or in any other manner] Confidential Information to any other person other than in accordance with the terms of this Agreement.
- 2.2 The Receiving Party will only use the Confidential Information for the sole purpose of technical and commercial discussions between the parties in relation to the Tender or for the subsequent performance of any contract between the parties in relation to the Tender.
- 2.3 Notwithstanding clause 2.1 above, the Receiving Party may disclose Confidential Information:
- 2.3.1 to those of its Agents who strictly need to know the Confidential Information for the sole purpose set out in clause 2.2 above, provided that the Receiving Party shall ensure that such Agents are made aware prior to the disclosure of any part of the Confidential Information that the same is confidential and that they owe a duty of confidence to the Disclosing Party. The Receiving Party shall at all times remain liable for any actions of such Agents that would constitute a breach of this Agreement; or
- 2.3.2 to the extent required by law or the rules of any applicable regulatory authority, subject to clause 2.4 below.
- In the event that the Receiving Party is required to disclose any Confidential Information in accordance with clause 2.3.2 above, it shall promptly notify the Disclosing Party and cooperate with the Disclosing Party regarding the form, nature, content and purpose of such disclosure or any action which the Disclosing Party may reasonably take to challenge the validity of such requirement. In the event that any Confidential Information shall be copied, disclosed or used otherwise than as permitted under this Agreement then, upon becoming aware of the same, without prejudice to any rights or remedies of the Disclosing Party, the Receiving Party shall as soon as practicable notify the Disclosing Party of such event and if requested take such steps [including the institution of legal proceedings] as shall be necessary to remedy [if capable of remedy] the default and/or to prevent further unauthorised copying, disclosure or use.
- 2.5 All Confidential Information shall remain the property of the Disclosing Party and its disclosure shall not confer on the Receiving Party any rights, including intellectual property rights over the Confidential Information whatsoever, beyond those contained in this Agreement.

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



3. RECORDS AND RETURN OF INFORMATION

- 3.1 The Receiving Party agrees to ensure proper and secure storage of all Information and any copies thereof.
- 3.2 The Receiving Party shall keep a written record, to be supplied to the Disclosing Party upon request, of the Confidential Information provided and any copies made thereof and, so far as is reasonably practicable, of the location of such Confidential Information and any copies thereof.
- 3.3 The Company shall, within 7 [seven] days of receipt of a written demand from Transnet:
- 3.3.1 return all written Confidential Information [including all copies]; and
- 3.3.2 expunge or destroy any Confidential Information from any computer, word processor or other device whatsoever into which it was copied, read or programmed by the Company or on its behalf.
- 3.4 The Company shall on request supply a certificate signed by a director as to its full compliance with the requirements of clause 3.3.2 above.

4. ANNOUNCEMENTS

- 4.1 Neither party will make or permit to be made any announcement or disclosure of its prospective interest in the Tender without the prior written consent of the other party.
- 4.2 Neither party shall make use of the other party's name or any information acquired through its dealings with the other party for publicity or marketing purposes without the prior written consent of the other party.

5. DURATION

The obligations of each party and its Agents under this Agreement shall survive the termination of any discussions or negotiations between the parties regarding the Tender and continue thereafter for a period of 5 [five] years.

6. PRINCIPAL

Each party confirms that it is acting as principal and not as nominee, agent or broker for any other person and that it will be responsible for any costs incurred by it or its advisers in considering or pursuing the Tender and in complying with the terms of this Agreement.

7. ADEQUACY OF DAMAGES

Nothing contained in this Agreement shall be construed as prohibiting the Disclosing Party from pursuing any other remedies available to it, either at law or in equity, for any such threatened or actual breach of this Agreement, including specific performance, recovery of damages or otherwise.

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



8. PRIVACY AND DATA PROTECTION

- 8.1 The Receiving Party undertakes to comply with South Africa's general privacy protection in terms Section 14 of the Bill of Rights in connection with this Tender and shall procure that its personnel shall observe the provisions of such Act [as applicable] or any amendments and re-enactments thereof and any regulations made pursuant thereto.
- 8.2 The Receiving Party warrants that it and its Agents have the appropriate technical and organisational measures in place against unauthorised or unlawful processing of data relating to the Tender and against accidental loss or destruction of, or damage to such data held or processed by them.

9. GENERAL

- 9.1 Neither party may assign the benefit of this Agreement, or any interest hereunder, except with the prior written consent of the other, save that Transnet may assign this Agreement at any time to any member of the Transnet Group.
- 9.2 No failure or delay in exercising any right, power or privilege under this Agreement will operate as a waiver of it, nor will any single or partial exercise of it preclude any further exercise or the exercise of any right, power or privilege under this Agreement or otherwise.
- 9.3 The provisions of this Agreement shall be severable in the event that any of its provisions are held by a court of competent jurisdiction or other applicable authority to be invalid, void or otherwise unenforceable, and the remaining provisions shall remain enforceable to the fullest extent permitted by law.
- 9.4 This Agreement may only be modified by a written agreement duly signed by persons authorised on behalf of each party.
- 9.5 Nothing in this Agreement shall constitute the creation of a partnership, joint venture or agency between the parties.
- 9.6 This Agreement will be governed by and construed in accordance with South African law and the parties irrevocably submit to the exclusive jurisdiction of the South African courts.

Signed	Date	
Name	Position	
Tenderer		

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

7

TRANSNET

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

T2.2-21: Supplier Declaration Form

Respondents are to furnish the following documentation and complete the Supplier Declaration Form below:

- 1. **Original or certified** cancelled cheque **OR** letter from the Respondent's bank verifying banking details [with bank stamp]
- 2. **Certified copy** of Identity Document(s) of Shareholders/Directors/Members [where applicable]
- 3. **Certified copy** of Certificate of Incorporation, CM29 / CM9 [name change]
- 4. **Certified copy** of Share Certificates [CK1/CK2 if CC]
- 5. Original or certified letterhead confirm physical and postal addresses
- 6. **Original or certified** valid SARS Tax Clearance Certificate [RSA entities only]
- **7. Certified copy** of VAT Registration Certificate [RSA entities only]
- 8. A signed letter from your entity's auditor or accountant confirming most recent annual turnover figures or certified BBBEE certificate
- 9. **Certified copy** of valid Company Registration Certificate *[if applicable]*

Note: No contract shall be awarded to any South African Respondent whose tax matters have not been declared by SARS to be in order.

Note: No agreement shall be awarded to any Respondent whose tax matters have not been declared by SARS to be in order.

Company Trading	g Name								
Company Registe	ered Name								
Company Registr Proprietor	ration Number	Or ID Number	If A S	Sole					
Form of entity	CC	Trust	Pty	Ltd	Limite	ed	Partnership	Sole	Proprietor
VAT number (if r	egistered)								
Company Teleph	one Number								
Company Fax Nu	ımber								
Company E-Mail	Address								
Company Website Address									
Bank Name		Bank Account Number							
Postal Address									
1 Ostal Addicss								Code	
Physical Address								Code	

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177



DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

Contact Person											
Designation											
Telephone											
Email											
Annual Turnover Ra Year)	ange (Lasi	Fina	ancial	< R5 M	1illio	n	F	R5-35 millior	ı	> R35 million	
Does Your Compan	y Provide			Produc	ts		9	Services		Both	
Area Of Delivery				Nationa	al		F	Provincial		Local	
Is Your Company A	Public Or	Priva	ate Entity	,			F	Public		Private	е
Does Your Compan Certificate	y Have A	Tax [Directive	Or IRP3()		١	⁄es		No	
Main Product Or Service Supplied (E.G.: Stationery/Consulting)								_			
BEE Ownership Det	ails										
% Black Ownership			Black won ership	nen				% Disabled person/s ownership			
Does your company	have a E	BEE ce	ertificate			Yes	No		No		
What is your broad	based BE	E sta	itus (Leve	el 1 to 9	/ Un	known	1)				
How many personn	el does th	e firr	m employ	/	Per	maner	nt	I	Part time		
Transnet Contact Pe	erson										
Contact number											
Transnet operating	division										
		•									
Duly Authorised To	Sign For	And (On Behalf	f Of Firm	1/0	rganisa	atio	n			
Name					Designation						
Signature Date											
Stamp And Signature	ro Of Co~	micc	ionar Of	Oath							
Stamp And Signatur	T CON	IIIISS	olorier of	Oatii			D-1				
Name	-					\rightarrow	Dat				
Signature							No.	ephone			

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-22: RFP Declaration Form

We _	do hereby certify that:						
1.	Transnet has supplied and we have received appropriate tender offers to any/all questions (as applicable) which were submitted by ourselves for tender clarification purposes;						
2.	we have received all information we deemed necessary for the completion of this Tender;						
3.	at no stage have we received additional information relating to the subject matter of this tender from Transnet sources, other than information formally received from the designated Transnet contact(s) as nominated in the tender documents;						
4.	we are satisfied, insofar as our company is concerned, that the processes and procedures adopted by Transnet in issuing this tender and the requirements requested from tenderers in responding to this tender have been conducted in a fair and transparent manner; and						
5.	furthermore, we acknowledge that a direct relationship exists between a family member and/or owner / member / director / partner / shareholder (unlisted companies) of our company and employee or board member of the Transnet Group as indicated below: [Respondent to indicate if a section is not applicable]						
	FULL NAME OF OWNER/MEMBER/DIRECTOR/ PARTNER/SHAREHOLDER: ADDRESS:						
	Indicate nature of relationship with Transnet:						

[Failure to furnish complete and accurate information in this regard may lead to the disqualification of your response and may preclude a Respondent from doing future business with Transnet]

We declare, to the extent that we are aware or become aware of any relationship between ourselves and Transnet (other than any existing and appropriate business relationship with Transnet) which could unfairly advantage our company in the forthcoming adjudication process, we shall notify Transnet immediately in writing of such circumstances.

6. We accept that any dispute pertaining to this tender will be resolved through the Ombudsman process and will be subject to the Terms of Reference of the Ombudsman.

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



The Ombudsman process must first be exhausted before judicial review of a decision is sought. (Refer "Important Notice to respondents" below).

- 7. We further accept that Transnet reserves the right to reverse a tender award or decision based on the recommendations of the Ombudsman without having to follow a formal court process to have such award or decision set aside.
- 8. We have acquainted ourselves and agree with the content of T2.2-31a"Service Provider Integrity Pact".

For and on behalf of
duly authorised thereto
Name:
Signature:
Date:

IMPORTANT NOTICE TO TENDERERS

- Transnet has appointed a Procurement Ombudsman to investigate any <u>material complaint</u> in respect of tenders exceeding R5,000,000.00 (five million S.A. Rand) in value. Should a Tenderer have any material concern regarding an tender process which meets this value threshold, a complaint may be lodged with Transnet's Procurement Ombudsman for further investigation.
- It is incumbent on the Tenderer to familiarise himself/herself with the Terms of Reference for the Transnet Procurement Ombudsman, details of which are available for review at Transnet's website www.transnet.net.
- An official complaint form may be downloaded from this website and submitted, together with any
 supporting documentation, within the prescribed period, to <u>procurement.ombud@transnet.net</u>
- For transactions below the R5,000,000.00 (five million S.A. Rand) threshold, a complaint may be lodged with the Chief Procurement Officer of the relevant Transnet Operating Division.
- All Tenderers should note that a complaint must be made in good faith. If a complaint is made in bad faith, Transnet reserves the right to place such a tenderer on its List of Excluded Bidders.

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-23: REQUEST FOR PROPOSAL – BREACH OF LAW

NAME OF COMPANY:
do hereby certify that <i>I/wa</i> have/have not been found guilty during the preceding 5 (five) years of a serious breach of law, including but not limited to a breach of the Competition Act, 89 of 1998, by a court of law, tribunal or other administrative body. The type of breach that the Tenderer is required to disclose excludes relatively minor offences or misdemeanours, e.g. traffic offences.
Where found guilty of such a serious breach, please disclose:
NATURE OF BREACH:
DATE OF BREACH:
Furthermore, I/we acknowledge that Transnet SOC Ltd reserves the right to exclude any Tenderer from the tendering process, should that person or company have been found guilty of a serious breach of law, tribunal or regulatory obligation.
Signed on this day of 20
SIGNATURE OF TENDER

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-24: SBD1 (TAX COMPLIANCE STATUS)

PART A: INVITATION TO BID

BID NUMBER:	SIM21011CIDB/	ISSUE	30 MAY 2022	CLOSING	21 JUNE 2022	CLOSING	10h00	
	CRAC-JHB-36959	DATE:	30 11/11 2022	DATE:	21 JONE 2022	TIME:		
	SUPPLY, REPAIR, F	REPLACEME	NT, SERVICING A	ND TESTING	OF STANDBY	DIESEL GENE	ERATORS FOR	
DESCRIPTION	JOHANNESBURG CENTRAL REGION ON AN "AS AND WHEN" REQUIRED BASIS FOR PERIOD OF 36							
	MONTHS.							

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)

Transnet has implemented a new electronic tender submission system, the e-Tender Submission Portal, in line with the overall

Transnet digitalization strategy where suppliers can view advertised tenders, register their information, log their intent to

Respond to bids and upload their bid proposals/responses on to the system.

RESPONDENTS ARE TO UPLOAD THEIR BID RESPONSE PROPOSALS ONTO THE TRANSNET SYSTEM AGAINST EACH TENDER/RFQ SELECTED.

The Transnet e-Tender Submission Portal can be accessed as follows:

- Log on to the Transnet eTenders management platform website (https://www.transnet.net);
- Click on "TENDERS";
- **Scroll towards the bottom right hand side of the page;**
- Click on "register on our new eTender Portal";
- Click on "ADVERTISED TENDERS" to view advertised tenders;
- © Click on "SIGN UP NOW/REGISTER for bidder to register their information (must fill in all mandatory information);
- Click on "SIGN IN/REGISTER" to sign in if already registered;
- I Toggle the "Log an Intent" button to submit a bid:
- I Submit bid documents by uploading them into the system against each tender selected.

Please do always refer back to the tender portal to check if there are any changes on the tender advised before the closing date and time.

BIDDING PROCEDU TO	TECHNICAL ENQUIRIES MAY BE DIRECTED TO:					
CONTACT PERSON	Phumudzo Gadivhana		CONTACT PE	RSON	Mathib	ele Selowa
TELEPHONE NUMBER	011 584 0765	TELEPHONE NUMBER		011 773 7844		
FACSIMILE NUMBER			FACSIMILE NUMBER			
E-MAIL ADDRESS	Phumudzo.Gadivhana@	E-MAIL ADDRESS		Mathibele. Selowa@transnet.net		
SUPPLIER INFORMA	TION					
NAME OF BIDDER						
POSTAL ADDRESS						
STREET ADDRESS						
TELEPHONE NUMBER	CODE			NUMBI	≣R	
CELLPHONE NUMBER						
FACSIMILE NUMBER	CODE			NUMBI	ĒR	

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"



REQUIRED BASIS FOR PERIOD OF 36 MONTHS.

E-MAIL ADDRESS							
VAT REGISTRATION							
NUMBER SUPPLIER	TAX COMPLIANCE						
COMPLIANCE STATUS	SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE	UNIQUE REGISTRATION REFERENCE NUMBER: MAAA		
B-BBEE STATUS	TICK APPLICABLE BOX]		B-BBEE STAT	US LEVEL	[TICK APPLICABLE BOX]		
LEVEL VERIFICATION CERTIFICATE	☐ Yes	□ No	SWORN AFFI	DAVIT	☐ Yes ☐ No		
	/EL VERIFICATION CERT Y FOR PREFERENCE POI			(FOR EMES & QS	SEs) MUST BE SUBMITTED		
1 ARE YOU THE	I FOR PREFERENCE POI	NIS FOR B-BBL	Lj				
ACCREDITED			2 ARE YOU	J A FOREIGN			
REPRESENTATIVE IN			BASED SUPPL	LIER FOR THE			
SOUTH AFRICA FOR			GOODS	/SERVICES	_		
THE GOODS	∏Yes	□No	/WORKS	OFFERED?	☐Yes ☐No		
/SERVICES /WORKS	_	_			[IF YES, ANSWER		
OFFERED?	[IF YES ENCLOSE PROC	OF]			QUESTIONAIRE BELOW		
QUESTIONNAIRE TO	BIDDING FOREIGN S	SUPPLIERS					
IS THE ENTITY A RESI	DENT OF THE REPUBLIC	OF SOUTH AFF	RICA (RSA)?				
☐ YES ☐ NO							
DOES THE ENTITY HAV	VE A BRANCH IN THE RS	A?					
☐ YES ☐ NO							
DOES THE ENTITY HAV	VE A PERMANENT ESTAB	SLISHMENT IN T	HE RSA?				
☐ YES ☐ NO							
DOES THE ENTITY HAV	VE ANY SOURCE OF INCO	OME IN THE RS	A?				
☐ YES ☐ NO							
IS THE ENTITY LIABLE	IN THE RSA FOR ANY F	ORM OF TAXAT	ION?				
☐ YES ☐ NO							
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 1.3 BELOW.							

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



PART B TERMS AND CONDITIONS FOR BIDDING

1. TAX COMPLIANCE REQUIREMENTS

THE BID INVALID.

- 1.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 1.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 1.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 1.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 1.5 IN BIDS WHERE UNINCORPORATED CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 1.6 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER

SIGNATURE OF BIDDER:						
CAPACITY UNDER WHICH THIS BID IS SIGNED:						
(Proof of authority must be submitted e.g. company resolution)						
DATE:						

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



PART B: TERMS AND CONDITIONS FOR BIDDING

1.	BID SUBMISSION:							
1.1.	. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.							
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR ONLINE							
1.3.	BIDDERS MUST REGISTER ON THE CENTRAL SUPPLIER DATABASE (CSD) TO UPLOAD MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS; AND BANKING INFORMATION FOR VERIFICATION PURPOSES). B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION.							
1.4.	ONLY BIDDERS REGISTERED ON THE NATIONAL TREASURY'S CENTRAL SUPPLIER DATABASE (CSD) ARE ELIGIBLE TO TENDER, UNLESS ONE OF THE EXCEPTIONS APPLY.							
1.5.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER LEGISLATION OR SPECIAL CONDITIONS OF CONTRACT.							
2.	TAX COMPLIANCE REQUIREMENTS							
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.							
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.							
2.3	APPLICATION FOR TAX COMPLIANCE STATUS (TCS) OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.							
2.4	BIDDERS MAY ALSO SUBMIT A PRINTED TCS TOGETHER WITH THE BID.							
2.5	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE PROOF OF $\ TCS\ /\ PIN\ /\ CSD\ NUMBER.$							
2.6	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.							
3.	QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS							
3.1.	IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? YES NO							
3.2.	DOES THE BIDDER HAVE A BRANCH IN THE RSA? YES NO							
3.3.	DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA? YES NO							
3.4.	DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA? YES NO							
	IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN, IT IS NOT A REQUIREMENT TO OBTAIN A TAX COMPLIANCE STATUS / TAX COMPLIANCE SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT							

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

REGISTER AS PER 2.3 ABOVE.

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-25: Certificate of Acquaintance with Tender Documents

٨	IΔ	MF	OF	TEN	IDE	RING	FNT	ITV.
ı١	-	11411	T JE	1 1 1 1	41 JE 6	7 11117		111

- 1. By signing this certificate I/we acknowledge that I/we have made myself/ourselves thoroughly familiar with, and agree with all the conditions governing this RFP. This includes those terms and conditions of the Contract, the Supplier Integrity Pact, Non-Disclosure Agreement etc. contained in any printed form stated to form part of the documents thereof, but not limited to those listed in this clause.
- 2. I/we furthermore agree that Transnet SOC Ltd shall recognise no claim from me/us for relief based on an allegation that I/we overlooked any tender/contract condition or failed to take it into account for the purpose of calculating my/our offered prices or otherwise.
- 3. I/we understand that the accompanying Tender will be disqualified if this Certificate is found not to be true and complete in every respect.
- 4. For the purposes of this Certificate and the accompanying Tender, I/we understand that the word "competitor" shall include any individual or organisation, other than the Tenderer, whether or not affiliated with the Tenderer, who:
 - has been requested to submit a Tender in response to this Tender invitation; a)
 - b) could potentially submit a Tender in response to this Tender invitation, based on their qualifications, abilities or experience; and
 - c) provides the same Services as the Tenderer and/or is in the same line of business as the Tenderer
- 5. The Tenderer has arrived at the accompanying Tender independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium will not be construed as collusive Tendering.
- 6. In particular, without limiting the generality of paragraph 5 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - a) prices;
 - b) geographical area where Services will be rendered [market allocation]
 - methods, factors or formulas used to calculate prices; c)

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



- d) the intention or decision to submit or not to submit, a Tender;
- e) the submission of a tender which does not meet the specifications and conditions of the tender; or
- f) Tendering with the intention not winning the tender.
- 7. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the Services to which this tender relates.
- 8. The terms of the accompanying tender have not been, and will not be, disclosed by the Tenderer, directly or indirectly, to any competitor, prior to the date and time of the official tender opening or of the awarding of the contract.
- 9. I/We am/are aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to tenders and contracts, tenders that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and/or may be reported to the National Prosecuting Authority [NPA] for criminal investigation. In addition, Tenderers that submit suspicious tenders may be restricted from conducting business with the public sector for a period not exceeding 10 [ten] years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

Signed on this		day of	 	20
SIGNATURE OF	TENDE	RER		

OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"





T2.2-26: JOB-CREATION SCHEDULE

The Government has identified State Owned Enterprises sourcing activities as a key enabler to achieve the National Development Plan (NDP) objective of reducing unemployment from the current baseline of 28% to 6%.

In order to give effect to these job creation objectives, Tenderers are required to provide the following undertaking of new jobs that will be created (either by them or by their subcontractors) should they be awarded this tender.

Tenderers to note, that if successful, any deviations from the Job creation Schedule in the contract phase will be subject to acceptance by the *Project Manager* in terms of the Conditions of Contract. Please also note the applicable Z clauses in Contract Data by *Employer*.

(a) Please indicate total number of new jobs that will be created over the term of the contract:

Total number and value of new jobs created	Total number of new jobs	Total rand value of new jobs created

(b) Of the total number of new jobs created, please indicate the number and value of new jobs to be created for the following designated groups:

	Total number of new jobs	Total rand value of new jobs
Black men		
Black women		
Black Youth		
Black people living in rural or underdeveloped areas or townships		
Black People with Disabilities		

TENDER NUMBER: SIM22029CIDB/ CRAC-JHB-40177

DESCRIPTION OF THE SERVICE: SUPPLY, REPAIR, REPLACEMENT, SERVICING AND TESTING OF STANDBY DIESEL GENERATORS FOR THE INLAND REGION ON AN "AS AND WHEN"





(c) Of the total number of new jobs created, please indicate the number of skilled, semi-skilled and unskilled new jobs that will be created over the term of the contract:

	Total number of Skilled jobs	Total number of Semi-skilled jobs	Total number of Unskilled jobs
Black men			
Black women			
Black Youth			
Black people living in rural or underdeveloped areas or townships			
Black People with Disabilities			
Other			

(d) Please indicate the number of new jobs to be created, broken down per quarter over the term of the contract.

Year 1	Q1	Q2	Q3	Q4
Total number of new jobs				
Number of new jobs for Black men				
Number of new jobs for black women				
Number of new jobs for black youth				
Number of new jobs for black people living in rural or underdeveloped areas or townships				
Number of new jobs for black People with Disabilities				
Number of new jobs for other categories				
Number of new skilled jobs				
Number of new semi-skilled jobs				
Number of new unskilled jobs				

REQUIRED BASIS FOR PERIOD OF 36 MONTHS.



T2.2-27: Insurance provided by the *Contractor*

Clause 83.1 in NEC3 Term Service Contract (June 2005)(amended June 2006 and April 2013) requires that the *Contractor* provides the insurance stated in the insurance table except any insurance which the *Employer* is to provide as stated in the Contract Data.

Please provide the following details for insurance which the *Contractor* is still to provide. Notwithstanding this information all costs related to insurance are deemed included in the tenderer's rates and prices.

Insurance against (See clause 84.2 of the TSC)	Name of Insurance Company	Cover	Premium
Liability for death of or bodily injury to employees of the <i>Contractor</i> arising out of and in the course of their employment in connection with this contract			
Motor Vehicle Liability Insurance comprising (as a minimum) "Balance of Third Party" Risks including Passenger and Unauthorised Passenger Liability indemnity.			
Insurance in respect of loss of or damage to own property and equipment. (Other)			





T2.2-28: Three (3) years audited financial statements

Attached to this schedule is the last three (3) years audited financial statements of the single tenderer/members of the Joint Venture.

NAME OF COMPANY/IES	and INDEX OF ATTACH	MENTS:	