

	Scope Of Work	Bulk Material Services
---	---------------	------------------------

Title: **Maintenance of Dust Handling Plant** Document Identifier:

services for various power stations

on an “as and when required basis” Alternative Reference **Not Applicable**

Number:

Area of Applicability: **Eskom Rotek Industries
SOC Ltd**

Functional Area: **Bulk Material Services-
Various Power Station**

Revision: **1**

Total Pages: **27**

Next Review Date: **N/A**

Disclosure **Controlled Disclosure**
Classification:

Compiled by

**Functional
Responsibility**

Authorized by



Thabani Mlilo

Project Manager

Date:

22 September 2021



Avhasei Mudzwiri

HOD- Coal Ops 3 Actig

22 September 2021



NP Makhubele

HOD- Coal Ops 2

Date:

22 September 2021

Content

Page

1. Introduction.....	5
1.1 Purpose.....	5
1.1.1 Applicability	5
2. Normative/Informative References.....	5
2.1 Normative.....	5
2.2 Informative	6
2.3 Definitions	6
2.4 Abbreviations	8
3. Supporting Clauses	9
3.1 Scope (DHP Maintenance).....	9
3.1.1 Sites generic scope	9
3.1.2 Dust Handling Plant Maintenance.....	9
3.2 PERFORMANCE SPECIFICATION	10
3.2.1 Working times.....	11
3.3 Roles and Responsibilities	12
3.3.1 Site Manager	12
3.3.2 Senior Supervisor Technical	12
3.3.3 Technician	14
3.3.4 SHE Officer	15
3.3.5 Fitter/Boilermaker/Control & Instrumentation	16
3.3.6 Utility man	17
4. PPE	18
4.1.1 Required PPE (Specification to be supplied under SHEQ)	18
4.1.2 Required Tools/Resources	19
5. Maintenance Philosophy.....	19
6. 4. Management strategy and start up	20
6.1 The <i>Contractor's</i> plan for the <i>service</i>	20
6.2 Management meetings	20
6.3 <i>Contractor's</i> management, supervision and key people.....	20
6.4 Documentation control.....	21
6.5 Invoicing and payment.....	21
6.6 Contract change management	21
6.7 Records of defined cost to be kept by the <i>Contractor</i>	21
6.8 Training workshops	21
5. Health, Safety, Environment and Quality assurance	22
5.1 Health and safety risk management	22
5.2 Environmental constraints and management.....	23
5.3 Quality assurance requirements	23

CONTROLLED DISCLOSURE

6. Procurement.....	24
6.1 People.....	24
6.2 Plant and Materials.....	25
6.2.1 Correction of defects	25
6.2.2 Plant & Materials provided by the <i>Employer</i>	25
7. Working on the Affected Property	25
7.1 <i>Employer's</i> site entry and security control, permits, and site regulations	25
7.2 People restrictions, hours of work, conduct and records.....	26
7.3 Records of <i>Contractor's</i> Equipment	26
7.4 Control of noise, dust, water and waste	26
8. List of drawings.....	26
9. Acceptance.....	26
10. Revisions	27
10. Development Team	27
11. Acknowledgements	27

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

1. Introduction

Eskom Rotek Industries (ERI), Bulk Material Services (BMS) has various maintenance contracts with Eskom Generation on a national contract level. Part of the responsibility of the operations is on the Dust Handling Plants (DHP) on the various Eskom Power Stations.

1.1 Purpose

The purpose is to preserve the status of the plant availability and reliability through maintenance of the assets and maintaining of good housekeeping standards.

1.1.1 Applicability

This document shall apply to the site with attached addendum.

This document shall be effective from the authorisation date.

The stations where the services are required are

Site	Operation
Kendal	Dust Handling Plant Maintenance
Kusile	Dust Handling Plant Maintenance
Medupi	Dust Handling Plant Maintenance

2. Normative/Informative References

Parties using this document shall apply the most recent edition of the documents listed in the following paragraphs and additional site-specific ones.

2.1 Normative

1. ISO 9001 Quality Management Systems
2. OSHAS 1800 Safety Management Systems

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

3. Occupational Health and Safety Act and Regulations (85 of 1993)
4. 36-681_Generation Plant Safety Regulation
5. 240-62196227_Eskom Life Saving Rules
6. 32-95_Environmental, Occupational Health and safety Incident Management Procedure

2.2 Informative

1. Criminal Procedures Act 51 of 1977
2. National Road Traffic Act 93 of 1996
3. Labour Relations Act 66 of 1995
4. Basic Conditions of Employment Act 75 of 1997

2.3 Definitions

Description	Definition
Appointed Contractor	Means a contractor appointed by the principal contractor.
Appointed Person	A person who has been authorised in terms of 36-681_Generation Plant Safety Regulation to: (i) Determining appropriate and effective isolations for the anticipated work to be carried out safely. (ii) Ensuring that the isolation and de-isolation on the plant covered by a permit to work is effectively carried out taking health and safety precautions into account. (iii) Issuing of prepared permits once all the associated test certificates are available and the required risk assessments have been presented to the appointed person by the responsible person for review in terms of these regulations.
Baseline Risk Assessment	(32-520) baseline operational risks refer to the health and safety risks associated with all standard processes and routine activities in the business
Cleaning Activity	Means the safe cleaning of transfer chutes from the outside by the disabling of mechanisms to inhibit starting of the plant during the cleaning process, which is done in accordance with formulated safe procedures.

CONTROLLED DISCLOSURE

Contractor (includes appointed contractor)	means an employer as defined in section 1 of the Act who performs contract work and includes principal contractors
Competent Person	(OHS Act) means any person having knowledge, training, experience, and qualifications, specific to work or task being performed, provided that, where appropriate, qualifications and training are registered in terms of the South African Qualifications Authority Act, 1995 (Act No. 58 of 1995).
Danger/Dangerous	Means a condition/substance that constitutes a risk of personal injury, impairment of health, or death
Employee	(OHS Act) means, subject to the provisions of subsection (2), any person who is employed by or works for an employer and who receives remuneration or who works under the direction or supervision of an employer or any other person.
Employer	(OHS Act) means, subject to the provisions of subsection (2), any person who employs or provides work for any person and remunerates that person or expressly or tacitly undertakes to remunerate him/her, but excludes TES (ex. labour broker) as defined in section 1(1) of the Labour Relations Act.
Field / Plant Operator	Employee designated to conduct routine Plant inspections, Preventative Maintenance (PM) and (report) defect any breakdowns or abnormal Plant conditions
Lifesaving Rules	(240-62196227) a rule that, if not adhered to, has the potential to cause serious harm to people.
Permit To Work	Means the printed form containing sections entitled application, permits to work, suspension, suspension revocation, clearance and revocation, and used for the authorisation of all work to be carried out on the plant in terms of these regulations.
Plant	Means structure, machinery, low voltage electrical equipment or equipment, which does not fall within the scope of the Operating Regulations for High-voltage Systems, and excludes, mobile, portable lifting equipment, domestic circuits, appliances and tools.

CONTROLLED DISCLOSURE

Responsible Person	Means a person who has been authorised in terms of these regulations to be responsible for ensuring that the work on the plant covered by a permit to work can be carried out and executed taking health and safety precautions into account and within the terms of 36-681_Generation Plant Safety Regulation
Safe/Safely/Safety	Means a condition not posing any danger, an activity that can be carried out without danger, or protection against danger.
Shall and Should	The word “shall” is to be understood as mandatory and “should” as recommended.
Skilled Person	Means a person who has been trained, has adequate knowledge for the task at hand and declared competent in writing.
Supervision/Supervise	Means to oversee the actions of a person(s) to such an extent as to prevent any dangerous act, as far as reasonably practicable. Such a supervisor must be trained in risk assessment techniques and be able to understand the dangers / hazards associated with the task and who has the authority to ensure that precautionary measures taken are implemented.
Visitor	Any person visiting a workplace with the knowledge of, or under the supervision of, an employer.

2.4 Abbreviations

Abbreviation	Explanation
RA	Risk Assessment
AP	Appointed Person
DHP	Dust Handling Plant
LAR	Limited Access Register
ERI	Eskom Rotek Industries
OHSACT	Occupational Health And Safety Act

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

Abbreviation	Explanation
RA	Risk Assessment
AP	Appointed Person
OEM	Original Equipment Manufacturer
RP	Responsible Person
PPE	Personal Protective Equipment
PTW	Permit To Work
H&S Rep	Health and Safety Representative
RA	Risk Assessment
-	-

3. Supporting Clauses

3.1 Scope (DHP Maintenance)

The scope of work is the provision of operations fixed plant services for **the duration of 36 months, on an “as and when required basis”**, at various Eskom Rotek Industries (ERI) Bulk Material Services (BMS) sites.

3.1.1 Sites generic scope

- The scope of work will include all dust handling plant maintenance; this is maintenance of the Dust Handling plant components at various ERI BMS sites.

3.1.2 Dust Handling Plant Maintenance

- Provide Responsible Persons on all shifts on a 24 hour basis
- Provide seasoned skilled persons to maintain the Dust handling plant on a 24 hour basis.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

- This service delivery will include all maintenance personnel, tools, equipment, site infrastructure and heavy machinery required to perform the task.
- Maintenance will be a full maintenance of the DHP plant, 24 hours a day, based upon a 4 or 5 shift shift cycle.
- The development of maintenance and safe working procedures will be a joint venture between Generation Power Stations and ERI
- The maintenance work includes, mechanical and Instrumentation and Control; preventative maintenance, breakdown maintenance, corrective maintenance.
- Investigate plant failures within the DHP
- Provide recommendations to improve the DHP plant performance

3.2 PERFORMANCE SPECIFICATION

- The employees must be in a mental and physical healthy condition to be able to work an average of 12 hours per shifts for the operations department.
- Working of overtime as per operational requirements when needed.
- Employees must be medically fit.
- Minimum educational requirements for **Site Manager** is a **National Diploma (Electrical/Mechanical/Control & Instrumentation)** with a minimum of 5 years experience in a power plant environment of which 2 years is at a supervisory/management level.
- Minimum educational requirement for **Senior Technical Supervisor** is a **Fitter/Electrician/boilermaker trade test plus a National N Diploma and or National Diploma Mechanical/Electrical Engineering** with a minimum of 5 years of work experience in maintenance of a power plant.
- Minimum educational requirements for a **Control and Instrumentation Technician** is a **National Diploma in Electrical Engineering (Process)** with a minimum of two years experience in a power plant environment.
- Minimum educational requirements for a **Mechanical Technician** is a **National Diploma in Mechanical Engineering** with a minimum of 2 years experience in maintenance of a power plant
- Minimum educational requirements for a **SHE Officer** is a **National Diploma- Safety management or Environmental/Health with 3 years or more experience in safety; occupational health, Environmental field and quality**

CONTROLLED DISCLOSURE

- Minimum educational requirement for **Fitter Artisan** is a **Fitter trade test** with a minimum of 2 years of work experience in maintenance of a power plant.
- Minimum educational requirements for a **Control and Instrumentation Artisan** is a **Trade test** in control and Instrumentation with a minimum of two years experience in a power plant environment.
- Minimum educational requirement for **Boiler maker Artisan** is a **Boiler Maker trade test** with a minimum of 2 years of work experience in maintenance of a power plant.
- Minimum educational requirements for a **Utility man** is a Grade 12 with a minimum of a year experience in a power plant

3.2.1 Working times

- The work hours will be on shift basis depending on each site shift roster
- Safety officers and Technicians will work normal day shift and standby.
- Site Manager will work normal day shift and be available to resolve site issues after hours and during weekends.
- The shifts are either 8hrs or 12hrs to cover the 24hr day and the starting times vary from site to site
- The shift cycle is either 4 shift or 5 shift and site dependent
- The maximum number of hours to be paid per month is 198hrs on a basic rate of pay
- A shift allowance of 15% of the basic rate of pay
- Overtime shall be paid in accordance with the current directive that is capped at 64hrs per month
- The supplier must provide a cover in case someone is on leave at their own cost
- The payment of the shift workers must be aligned to what is prescribed as per the Basic Conditions of employment act

CONTROLLED DISCLOSURE

3.3 Roles and Responsibilities

3.3.1 Site Manager

- Overseeing all site activities
- Organising and mobilising of resources
- Communication with the client
- Issuing instructions to supervisors and other team members
- Conducting of SMATS
- Managing spares availability
- Ensuring that all safety processes are adhered to
- Ensuring that work execution is done to the acceptable quality standards
- Documentation of all activities
- Submitting required reports to the employer
- Financial management
- Scope management
- Time management

3.3.2 Senior Supervisor Technical

- Conduct planning of activities for all teams (deploy resources as necessitated by business needs)
- Routine plant visit/walk to area of responsibility
- Ensure that all plant repairs are conducted qualitatively.
- Provide on job training to subordinates.
- Co-ordinate Maintenance of plant in accordance with laid down procedures and instructions.
- Co-ordinate permit to work process within section.
- Ensure all duties are carried out as per instruction.
- Ensure good housekeeping in area of responsibility.
- Ensure that plant inspections are done as per the planned maintenance orders and feedback given to the planning section to generate follow up work.

CONTROLLED DISCLOSURE

- Ensure that all defective spares removed from the plant are booked back to the stores for repairs through a rotatable process.
- Manage spares availability
- Communicate with stakeholders
- Highlight risk in the plant beforehand.
- Update and sign off log sheet on Flip system.
- Conduct Risk assessment before commencing any task.
- Attend toolbox talk and chair if needed
- Ensure relevant PPE is issued as per risk assessment
- Ensure work instructions, procedures and policies are followed at all times
- Conduct PTW (Permit to work), LARs (Limited access register), spot checks & PJO's (Planned Job Observations)
- Perform JO's on listed critical tasks in order to supervise operational activities and correct behaviour
- Conduct job observations and (SMATS) as per business requirements
- Report all quality and environmental issues
- Strive for the best quality workmanship.
- Promote safety, health, environment and quality at all times.
- Report any incidents, damaged or lost equipment
- Enforce good housekeeping at all time
- Compliance to life saving rules and HPC points
- Carry out any other lawful instruction given out by the next line manager
- Execute duties promptly and safely.
- Safeguard tools and safety equipment issued.
- Keep good relationship with all personnel.
- Be neat, self-sufficient and presentable
- Must be able to work under pressure
- Clean work area.

CONTROLLED DISCLOSURE

- Ensure good team work
- Ensure good communication
- Be available to assist and supervise other plants

3.3.3 Technician

- Conduct planning of activities for all teams (giving support to the teams)
- Routine plant visit/walk to area of responsibility
- Ensure that all plant repairs are conducted qualitatively by conducting quality inspections.
- Inspect all spares before installation to ensure that they are free from defects.
- Co-ordinate Maintenance of plant in accordance with laid down procedures and instructions.
- Take out permit to work process within section.
- Ensure all duties are carried out as per instruction.
- Ensure good housekeeping in area of responsibility.
- Ensure that plant Work orders are up to date in terms of information, and time durations.
- Ensure that a clear scope of work to repair defective spares is issued for quality repairs.
- Manage plant availability
- Manage spares availability
- Communicate with stakeholders
- Make recommendations to improve the plant availability and reliability
- Conduct Risk assessment before commencing any task.
- Attend toolbox talk and chair if needed
- Ensure work instructions, procedures and policies are up to date.
- Ensure all tasks have a safe working procedures and quality control documentation.
- Conduct PTW (Permit to work), LARs (Limited access register), spot checks & PJO's (Planned Job Observations)
- Perform JO's on listed critical tasks in order to supervise operational activities and correct behaviour
- Conduct job observations and (SMATS) as per business requirements

CONTROLLED DISCLOSURE

- Report all quality and environmental issues
- Strive for the best quality workmanship.
- Promote safety, health, environment and quality at all times.
- Report any incidents, damaged or lost equipment
- Enforce good housekeeping at all time
- Compliance to life saving rules and HPC points
- Carry out any other lawful instruction given out by the next line manager
- Execute duties promptly and safely.
- Safeguard tools and safety equipment issued.
- Keep good relationship with all personnel.
- Be neat, self-sufficient and presentable
- Must be able to work under pressure
- Clean work area.
- Ensure good team work
- Ensure good communication
- Be available to assist and supervise other plants

3.3.4 SHE Officer

- Conduct plant inspections and generate inspection reports
- Conduct site induction
- Routine plant visit/walk
- Support Site Manager during audits
- Ensure corrective action measures are implemented and closed out.
- Communicate with stakeholders
- Make recommendations to improve the plant availability and reliability
- Conduct Risk assessment before commencing any task.
- Attend toolbox talk and chair if needed

CONTROLLED DISCLOSURE

- Conduct PTW (Permit to work), LARs (Limited access register), spot checks & PJO's (Planned Job Observations)
- Conduct job observations and (SMATS) as per business requirements
- Report all quality and environmental issues
- Promote safety, health, environment and quality at all times.
- Report any incidents, damaged or lost equipment
- Compliance to life saving rules and HPC points
- Carry out any other lawful instruction given out by the line manager
- Execute duties promptly and safely.
- Keep good relationship with all personnel.
- Be neat, self-sufficient and presentable
- Must be able to work under pressure
- Clean work area.
- Ensure good team work
- Ensure good communication

3.3.5 Fitter/Boilermaker/Control & Instrumentation

- Obey all lawful instructions
- Familiarize with:
 - The applicable work instructions and procedures in place
 - Safe working conditions and procedures
 - All legal and contractual requirements
 - Discipline
 - Maintain plant in accordance with laid down standards
 - Execute recommendations from the condition monitoring report and give feedback.
 - Give feedback to the supervisor
 - Conduct on job training to utility man
 - Communicate with previous operating section

CONTROLLED DISCLOSURE

- Verify with plant status.
- Ensure that the plant is clean after working on it.
- Conduct plant inspections as per PM orders on SAP.
- Repair defective plant items as per corrective maintenance
- Report all defects on the plant to Senior Technical Supervisor. Ensure SAP defects is loaded and SAP number is generated.
- Responsible for own safety.
- Responsible for personal protective equipment issued by the company.
- Take full responsibility of the 2 way radio that is issued to you.
- Execute duties promptly and safely.
- Safeguard tools and safety equipment issued.
- Keep good relationship with all personnel.
- Always ensure that SHEQ standards are met.
- Strive for the best quality workmanship.
- Report any incidents, damaged or lost equipment
- Always ensure that SHEQ standards are met.
- Strive for the best quality workmanship.
- Promote safety and quality at all times.
- Be neat, self-sufficient and presentable
- Must be able to work under pressure
- Should be able to perform extra duties required from time to time
- Keep Senior Technical Supervisor informed on plant and task status on a daily basis.

3.3.6 Utility man

- Obey all lawful instructions.
- Assist Artisans and Technician in executing allocated work
- Keep work area clean before and after executing the task

CONTROLLED DISCLOSURE

- Clean tools
- Keep the workshop area clean
- Assisting with barricading the propane gas truck before off-loading it.
- Conduct Risk assessment before commencing any task
- Attend toolbox talk
- Ensure relevant PPE is used as per Risk Assessment.
- Ensure that work instructions, procedures and policies are followed at all times
- Strive for the best quality workmanship.
- Promote safety, health, environment and quality at all times.
- Report any incidents, damaged or lost equipment
- Enforce good housekeeping at all time
- Compliance to life saving rules
- Carry out any other lawful instruction given out by the supervisor
- Execute duties promptly and safely.
- Safeguard tools and safety equipment issued.
- Keep good relationship with all personnel.
- Be neat, self-sufficient and presentable
- Must be able to work under pressure
- Ensure housekeeping is done.

4. PPE

4.1.1 Required PPE (Specification to be supplied under SHEQ)

- Overalls-specific to activity
- Safety boots
- 3-point chin strap hard hat
- Gumboots
- Gloves

CONTROLLED DISCLOSURE

- Safety goggles
- Face shield
- Ear plugs/muffs
- Dust masks
- Cloth masks
- Respirators
- Safety harnesses
- Welding aprons
- Welding glasses
- Spats
- Reflector vests
- Sun hats

All specialised PPE will be provided by ERI

4.1.2 Required Tools/Resources

- All maintenance staff tools used in the trade for an individual competency. This is a minimum requirement for the contract in terms of skill requirement.
- The supplier to supply all tools necessary to effectively carry out the scope of maintaining a Dust Handling plant within quality, time and cost effective methodology.

5. Maintenance Philosophy

Sites to provide operating philosophies, which will be incorporating the contractor operations methodologies and strategies as per site-specific requirements

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

6. 4. Management strategy and start up

6.1 The *Contractor's* plan for the service

Operations services schedule to be supplied by the Contractor after the employer has given them the maintenance plans.

6.2 Management meetings

There will be a monthly meeting for the *Contractor* with the *Employer* held at the *Employer's* premises where contract issues will be discussed i.e. monthly report form the *Contractor* which will include safety meetings, call-out report, incident report an any other issues relating to the service being delivered. The following meetings are to be attended by the *Contractor's* Supervisor:

- Safety meeting (once a month / as and when required)
- Contractor's meetings (to be specified)
- Assessments meetings (end of the month on the 25th)
- Any other meetings relating to the *Contractor's* outputs or necessary for business continuity
- Risk register meeting with the client.

All meetings shall be recorded using minutes or a register prepared and circulated by the person who convened the meeting. Such minutes or registers shall not be used for the purpose of identified in the *conditions of contract* to carry out such actions or instructions.

6.3 *Contractor's* management, supervision and key people

The *Contractor's* staff structure – supervisors and workforce is to be submitted in the form of an organogram. The employer must approve any changes to such staff structure, and after the approval, the contractor shall submit an updated staff structure.

The *Contractor* shall provide a competent representative to be available on site during all normal working hours (Supervisor).

CONTROLLED DISCLOSURE

The Contractor's representative will be required to keep the time sheets, which are required, signed at the end of each month.

NB: The Contractor's representative will assume the role of a supervisor or lead for this contract

6.4 Documentation control

The service provider shall submit all proof of purchase, SHE bin certificates, time sheets and delivery note to the employer for assessment. Cleaning control sheets to be signed after each cleaning is completed (in respect of the COVID 19 pandemic)

6.5 Invoicing and payment

Invoicing and payment turnaround time is 30 days. Assessments are to be conducted from the 26th of each month.

6.6 Contract change management

Task Order form to be used when work within the service is instructed to be carried out within a stated period. A task Order will be sent to the *Contractor* via an email. In the case of a compensation event, the *Contractor* must give the *Employer* an early warning and a quotation for the total costs, must be submitted electronically by the *Contractor* for that compensation event by email

6.7 Records of defined cost to be kept by the *Contractor*

The Employer will do all hours worked by the Contractor. Timesheets will be submitted to and kept by the *Employer* on a weekly basis, and these will be used for assessment purposes.

6.8 Training workshops

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

- Any training required by the *Employer* will be provided e.g. Ethics, HIRA, etc however, any other training additional that the *Contractor* will need, the training costs will be for the *Contractor*. Training may not be conducted during working hours, unless permission is given by the *Employer*.
- The *Contractor* will be trained during the Job Specification Induction training that will be provided by the *Employer* at the beginning of the contract. The *Contractor* may also be trained during Work Stoppages and also any other training as per employer's requirements.
- The following training is necessary for the Supervisor and Team leaders. The cost will be for the *Contractor*:
 - Safety, Health and Environment Representative (SHE Rep.)
 - Applying SHE Principles and Procedure
 - Hazard Identification and Response
 - First Aid level 1

5. Health, Safety, Environment and Quality assurance

5.1 Health and safety risk management

The *Contractor* shall at all times comply with the health and safety requirements prescribed by law as they may apply to the *services*.

The *Contractor* shall, when coming on site abide by the Lifesaving Rules and COVID-19 safety requirements at all times. The Employer on the start of the contract will provide these. The *Contractor* shall also abide by Safety, Health and Environmental Specifications for Contractors Procedure, which will also be provided by the *Employer*.

The *Employer* follows an accident/ incident prevention policy that includes the investigation of all accidents/ incidents involving personnel and property. This is done with the intention of introducing control measures to prevent recurrence of the same incidents. The *Contractor* is expected to fully co-operate to achieve this objective. Refer to 32-95_Environmental, Occupational Health and safety Incident Management Procedure

CONTROLLED DISCLOSURE

The *Contractor* implements a safety plan and maintains the safety system until completion of the whole of the works. The plan, will as a minimum, contain PPE information, written safe work procedures, job specific risk assessments, safety meetings, etc. The plan will be to the *Employer's* satisfaction and will be accepted prior to the commencement of any work.

The *Contractor* will be subject to periodic audits by the *Employer* in order to ensure compliance with the plan. Any deviations will be corrected to the *Employer's* satisfaction.

The *Project Manager* has the right to stop the *Contractor's* work activities which, in the opinion of the *Project Manager*, is un-safe. The *Contractor* may only continue with work activities when all safety deficiencies have been corrected to the *Service Manager's* satisfaction. The *Contractor* shall have no claim against the *Employer* in respect of delay due to the above.

5.2 Environmental constraints and management

The *Contractor* shall comply with ERI management system. This includes the identification, collection, storage, transportation and disposal of waste. Hazardous waste shall be disposed of in line with the applicable environmental legislation. It is important to note that all spillages must be cleaned immediately and reported to the project manager as soon as possible. It is the responsibility of the polluter to clean all spillages and for the rehabilitation of the polluted land and the cost associated with that.

NB: In cases of inclement weather, the Project Manager will assess the risk of continuing with the works. When it is unsafe to continue, the Project Manager will stop the works and payment will be per the work covered in this instance.

5.3 Quality assurance requirements

The *Contractor* implements a quality system and maintains the quality system until the completion of the whole of the works. The system, will as a minimum, comply with the provisions of the ISO9001 series. The system will be to the *Employer's* satisfaction and will be accepted prior to the commencement of any work on site. The *Contractor* will be subject to self-assessments by the *Employer* in order to ensure compliance with the system. Any deviations will be corrected to the *Employer's* satisfaction.

CONTROLLED DISCLOSURE

The *Project Manager* has the right to stop the *Contractor's* work activities, which, in the opinion of *Project Manager*, does not meet the requirements of the system and will have a detrimental effect on plant performance. The *Contractor* may only continue with work activities when all deficiencies have been corrected to the *Project Manager's* satisfaction. The *Contractor* shall have no claim against the *Employer* in respect of delay due to the above.

The *Contractor* ensures that all plant and materials for the *works* are to the standard and quality accepted by the *Employer* and ensures that they are suitable for the purpose intended by the manufacturer.

The *Contractor* will work according to the *Employer's* standards, specifications, guidelines and procedures. Where no standards, specifications, guidelines and procedures are available, the *Contractor* will work according to the Generation Quality manual and professional guidelines. Where possible, standards will be reflected in the Task Order.

The employer shall evaluate, control and monitor the performance and effectiveness of the Contractor

6. Procurement

6.1 People

Eskom Holdings Limited's requirements regarding employment of unskilled or semi-skilled workers are as follows:

- ERI requires that during recruitment of unskilled or semi-skilled labour, a contractor should make every effort to employ minimum target of 100 % suitable candidates from all disciplines from the local community and will only resort to other avenues if the local community cannot provide the required resources.
- **The contractor will be required to pay rates as per the Metal and Engineering Industries Bargaining Council (MEIBC). The rates can be found on the MEIBC website**

CONTROLLED DISCLOSURE

6.2 Plant and Materials

6.2.1 Correction of defects

If there is part of work that the *Employer* is not happy with, this will be indicated to the *Contractor* and will have to be rectified by the *Contractor* immediately where reasonably possible or within 5 working days after the defect was reported.

6.2.2 Plant & Materials provided by the *Employer*

- a. Water and Electricity
- b. Lighting and Ventilation
- c. Ablution facilities
- d. Sitting facilities
- e. Kitchen facilities
- f. All required tools
- g. Specialised PPE

NB: The *Contractor* will be responsible for their meals, own accommodation and transport to and from the place of work.

7. Working on the Affected Property

Under no circumstances will the *Contractor* do the work without proper PPE. The Supervisor on the *Contractor's* side will make it his duty to make sure that this is properly addressed.

7.1 *Employer's* site entry and security control, permits, and site regulations

The *Contractor's* access to site shall be in line with the Site access procedure. The *Contractor* shall be required to make an application for his employees to enter site for the duration of the contract, including defects period. The permits shall only be issued once the *Contractor's* employees have attended the safety induction training and have undergone medical checks. The safety induction will be for the *Employer's* account. The medical checks will be for the *Contractor's* account

CONTROLLED DISCLOSURE

7.2 People restrictions, hours of work, conduct and records

The *Contractor* will carry out the *Works* on an 8-hour basis. Work on Saturdays, Sundays and Public Holidays will be as and when required.

7.3 Records of *Contractor's* Equipment

The *Contractor's* Supervisor should keep record of all the equipment used by the *Contractor*. The *Contractor* is responsible for the safekeeping of all their equipment.

7.4 Control of noise, dust, water and waste

The contractor must supply their own dust masks and cloth masks as part of PPE. Drinking water is available on site as well as waste bins for disposing waste

8. List of drawings

N/A

9. Acceptance

This document has been seen and accepted by:

Name	Designation
Avhasei Mudzwiri	HOD Coal Ops 3-Acting
Ntwanano Makhubele	HOD Coal Ops 2

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.

10. Revisions

Date	Rev.	Compiler	Remarks
May 2021	1	Thabani Mlilo	No existing work instruction

10. Development Team

The following people were involved in the development of this document:

- T Mlilo

11. Acknowledgements

None

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.