



- GENERAL NOTES:
- NO CONSTRUCTION WORK SHALL COMMENCE ON SITE PRIOR TO APPROVAL OF ARCHITECTURAL PLANS FROM THE LOCAL MUNICIPALITY.
 - ALL WORKS TO COMPLY WITH SANS 10400
 - ALL LEVELS AND DIMENSIONS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF ANY WORK.
 - ALL DISCREPANCIES TO BE BROUGHT TO THE IMMEDIATE ATTENTION OF THE AUTHOR.
 - ALL PLUMBING BY REGISTERED CONTRACTOR.
 - ALL ELECTRICAL BY REGISTERED CONTRACTOR.
 - IF ON EXCAVATION IT IS FOUND TO CONTAIN EXPANSIVE CLAY, EXCESSIVE GROUND WATER OR OTHER POOR SOIL CONDITIONS, THEN ALL FOUNDATIONS ARE TO BE BUILT TO PROFESSIONAL ENGINEERS DETAILS AND UNDER HIS SUPERVISION.
 - FACEBRICK FURTH OR 1 000MM WIDE CONCRETE APRON TO BE PROVIDED AROUND BUILDING.
 - NO VEGETATION TO BE AFFECTED ON SITE.
 - BOUNDARY BEACONS TO BE EXPOSED AND DEMARKED.
 - GLASS THICKNESS TO COMPLY WITH INQ.
 - SAFETY GLAZING IN ACCORDANCE WITH INQ REQUIRED.
 - ONLY FIGURED DIMENSIONS TO BE USED ON ALL DRAWINGS.

NOTE:
POSITION OF NEW BUILDINGS TO BE FINALIZED UPON RECEIPT OF SURVEY.
ALLOW PROVISIONAL SUM FOR WALKWAYS TO ENGS DETAILS.
TEMPORARY ABLUTIONS TO BE ALLOWED FOR DURING CONSTRUCTION.
ALLOW FOR DEMOLITION AND DECOMMISSIONING OF EX. PIT TOILETS AS PER ASSESSMENT REPORT.

CO-ORDINATES
LATITUDE : 28°40'5.59"S
LONGITUDE : 30°37'37.02"E

No. BY DATE REVISION

COPYRIGHT IS VESTED IN VHB ASSOCIATES IN TERMS OF THE COPYRIGHT ACT, (ACT 98 OF 1978).



CLIENTS SIGNATURE

VHB ASSOCIATES

ARCHITECTURE & PROJECT MANAGEMENT

HEAD OFFICE: KWA-ZULU NATAL
SUITE 1, BISSET HOUSE
48 BISSET STREET
PORT SHEPSTONE, 4240
TEL : 039 032 0003
MOBILE : 082 554 3427

BRANCH: EASTERN CAPE
OFFICE No. 2, FYNN HOUSE
STREET No. 6
BIZANA, 4800
TEL: 039 251 0476
FAX: 086 577 7715

P. O. BOX 455, PORT SHEPSTONE, 4240
e-mail: vhb@vhbassociates.co.za

PROJECT:
ERADICATION OF PIT LATRINE
FOR: NOCOMBOSHE P.S.

CADASTRAL DESCRIPTION:
TUGELA FERRY
UMZINYATHI DISTRICT MUNICIPALITY

DRAWING:
SITE DEVELOPMENT PLAN

DESIGNED V. BRIDGLALL DATE JULY 2026

DRAWN J. DUKI SCALE AS SHOWN

CHECKED V. BRIDGLALL

JOB No. IDT 26/06 SHEET No. SDP 01 REV. A