




	<p align="center"><b>SHE SPECIFICATION</b></p> <p align="center"><b>Cleaning of AWR and Pollution Control Dams</b></p>	<p align="center"><b>Auxiliary Maintenance Department</b></p>
---	--	---

Title:  
**Cleaning  
of AWR  
and  
Pollution  
Control  
Dams**

Unique Identifier: **240-73418055**

Contract Reference Number: **2013/77/132**

CONFIDENTIAL

<p><b>Compiled by</b></p> <p></p> <p>.....</p> <p><b>BS Ramushu</b> <b>Safety Officer for Contractors</b> <b>OHS Management</b></p> <p>Date: 2022/04/19 .....</p>	<p><b>Approved by</b></p> <p></p> <p>.....</p> <p><b>Zinhle Khoza</b> <b>Project Manager</b></p> <p>Date: 2022/04/19 .....</p>	<p><b>Authorized by</b></p> <p></p> <p>pp.....</p> <p><b>Obed Shongwe</b> <b>Execution Manager</b></p> <p>Date: 2022/04/19 .....</p>
--	---	---

**CONTROLLED DISCLOSURE**

When downloaded from the EDS database, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the database.

**ESKOM RESPONSIBLE PROJECT MANAGER**  
**NAME:** Zinhle Khoza

**ESKOM HEALTH AND SAFETY OFFICER**  
**NAME:** Bheki Ramushu

**ESKOM RESPONSIBLE PROCURMENT PERSONNEL  
NAME: \_\_\_\_\_**

## CONTENTS

<b>1. INTRODUCTION .....</b>	<b>4</b>
<b>2. SUPPORTING CLAUSES .....</b>	<b>4</b>
2.1 SCOPE .....	4
2.2 NORMATIVE/INFORMATIVE REFERENCES .....	4
2.3 ABBREVIATIONS .....	8
2.4 RELATED/SUPPORTING DOCUMENTS .....	9
<b>3. DOCUMENT CONTENT .....</b>	<b>9</b>
3.1 SCOPE OF WORK .....	9
3.2 LEGAL COMPLIANCE .....	10
3.3 PERSONNEL HEALTH / HYGIENE FACILITIES .....	12
3.4 FOOD HANDLING HYGIENE .....	13
3.5 ESKOM LIFE-SAVING RULES .....	13
3.6 SUBSTANCE ABUSE .....	14
3.7 OCCUPATIONAL HEALTH, HYGIENE AND REHABILITATION .....	14
3.8 APPOINTMENTS .....	15
3.9 ROLES AND RESPONSIBILITIES .....	15
3.10 RISK ASSESSMENTS .....	15
3.11 PERSONAL PROTECTIVE EQUIPMENT REQUIREMENTS .....	16
3.12 INCIDENT INVESTIGATION .....	16
3.13 EMERGENCY MANAGEMENT .....	16
<b>4. AUTHORIZATION .....</b>	<b>17</b>
<b>5. REVISIONS .....</b>	<b>17</b>

## 1. INTRODUCTION

Eskom Hendrina Power Station's responsibility and commitment is to ensure a safe working environment is in line with its Safety, Health, Environmental and Quality Policy, along with legislative obligations.

This SHE specification is Eskom Hendrina Power Station's minimum requirements which are required to be met for the specific contract and for the duration of the contract period by contractors and where required, the delivery organisation.

**The contractor is expected to develop a SHE plan which meets these requirements as well as all the relevant applicable legislation they conform to.**

**Eskom Hendrina Power Station's in no way assumes the contractor's legal responsibilities. The contractor is and remains accountable for the quality and the execution of his/her health and safety programme for his/her employees and appointed contractor employees.**

This SHE specification reflects minimum requirements and should not be construed as all encompassing.

**Note 1:** All the requirements listed hereunder are in relation to the contract and do not supersede or replace any organizational SHE requirements.

Where requirements listed are already in place, then the organisational requirements must be taken cognisance of and listed in the respective SHE plans. If there are any additional Eskom and or legislative requirements listed in the SHE specification, then these must be addressed.

## 2. SUPPORTING CLAUSES

### 2.1 SCOPE

This SHE specification lists the legislative and Eskom Hendrina Power Station's requirements and where applicable, any requirements pertaining to Local Authorities / Municipal by-laws / Environmental legislation that must be met by the contractor.

#### 2.1.1 Purpose

This document will provide a standardised approach to the compilation of SHE specifications throughout Eskom Hendrina Power Station for contracts, standards and NEC 3 contracts.

#### 2.1.2 Applicability

This SHE specification is applicable to any contracting organisation who intends tendering for the contract.

### 2.2 NORMATIVE/INFORMATIVE REFERENCES

Parties using this document shall apply the most recent edition of the documents listed in the following paragraphs.

#### 2.2.1 Normative

- [1] Basic Conditions of Employment Act No 75 of 1997.
- [2] Occupational Health and Safety Act and Regulations No 85 of 1993.
- [3] National Environmental Management Act 107 of 1998.
- [4] National Road Traffic Act 93 of 1996.
- [5] 32-37 Eskom Substance Abuse Procedure.

- [6] 32-136 Contractor Health and Safety Requirements
- [7] 240-62196227 Life- saving Rules
- [8] 32-95 Environmental, Occupational Health and Safety Incident Management Procedure
- [9] Foodstuffs, Cosmetics and Disinfectants Act, 1972 (Act no. 54 of 1972).
- [10] Regulations Governing General Hygiene Requirements for Food Premises, the transport of food and related matters (Regulation 962).
- [11] SANS 10049

### **2.2.2 Informative**

- [1] Tobacco Products Control Act 83 of 1993 (Updated 2011.05.19)
- [2] SANS 1186 Symbolic Safety Signs
- [3] Constitution of the Republic of South Africa No 108 of 1996

### 2.2.3 Definitions

Definition	Explanation
<b>Appointed contractor</b>	Means a contractor appointed by the principal contractor
<b>Baseline risk assessment</b>	(32-520) baseline operational risks refer to the health and safety risks associated with all standard processes and routine activities in the business
<b>Client</b>	Eskom representative (Internal – Asset Owner), also referred to as the contract administrator/custodian or agent or project manager (as defined in the contract). He/she is the person responsible for ensuring that the works or services are executed in terms of the contract, as well as adherence to legislation pertaining to the contract.
<b>Competent person</b>	(OHS Act) means any person having the knowledge, training, experience, and qualifications, specific to the work or task being performed, provided that, where appropriate, qualifications and training are registered in terms of the South African Qualifications Authority Act, 1995 (Act No. 58 of 1995)
<b>Contractor – includes appointed contractor</b>	means an employer as defined in section 1 of the Act who performs contract work and includes principal contractors
<b>Consultant</b>	means a person providing professional advice
<b>Duty of care to the environment</b>	(32-136) anybody who causes or has caused or may cause significant pollution or degradation of the environment must take reasonable measures to prevent such pollution or degradation from occurring, continuing, or recurring. If such harm to the environment is authorised by law or cannot reasonably be avoided or stopped, such person must minimise and rectify such pollution or degradation of the environment
<b>Employee</b>	(OHS Act) means, subject to the provisions of subsection (2), any person who is employed by or works for an employer and who receives or is entitled to receive any remuneration or who works under the direction or supervision of an employer or any other person
<b>Employer</b>	(OHS Act) means, subject to the provisions of subsection (2), any person who employs or provides work for any person and remunerates that person or expressly or tacitly undertakes to remunerate him/her, but excludes a TES (ex labour broker) as defined in section 1(1) of the Labour Relations Act 1956 (Act No. 28 of 1956)
<b>Eskom requirements</b>	a) Eskom requirements flowing from directives, policies, standards, procedures, specifications, work instructions, guidelines, or manuals
<b>Hazard</b>	(OHS Act) means a source of, or exposure to, danger
<b>Hazard identification</b>	(OHS Act) means the identification and documenting of existing or expected hazards to the health and safety of persons, which are normally associated with the type of construction work being executed or to be executed
<b>Health and safety file</b>	(OHS Act) means a file or other record, containing the information in writing required by the construction regulations.
<b>Health and safety plan</b>	(OHS Act) means a site, activity or project specific document plan in accordance with the client's health and safety specifications.
<b>Health and safety specification</b>	(OHS Act) means a site, activity or project specific document prepared by the client pertaining to all health and safety requirements related to construction work.

Definition	Explanation
<b>Health and safety requirements</b>	means comprehensive health and safety requirements for a contract, project, site, and scope of work. This specification is intended to ensure the health and safety of persons, both workers and the public, and the duty of care to the environment. The health and safety requirements must be specific to each contract, project, site, and scope of work
<b>Medical certificate of fitness</b>	(OHS Act) means a certificate specific to the work to be performed and issued by an occupational health practitioner in the form of Annexure 3 of the construction regulations.
<b>Medical surveillance</b>	(OHS Act) means a planned programme or periodic examination (which may include clinical examinations, biological monitoring, or medical tests) of employees by an occupational health practitioner or, in prescribed cases, by an occupational medicine practitioner
<b>Method statement</b>	(OHS Act) means a written document detailing the key activities to be performed in order to reduce, as reasonably as practicable, the hazards identified in any risk assessment
<b>Organisation</b>	may be defined as a group of individuals (large or small) that is cooperating under the direction of executive leadership in accomplishment of certain common objects
<b>Pre-job meetings</b>	(34-227) means a meeting that is held prior to the commencement of the day's work and that is attended by all the relevant employees associated with the work task
<b>Principal contractor</b>	(In the text of this document) Means an employer, as defined in section 1 of the OHS Act, who intends to tender for or has signed a contract with Eskom for services rendered.
<b>Provincial director</b>	(OHS Act) means the provincial director as defined in Regulation 1 of the General Administrative Regulations under the Act
<b>Responsible Manager</b>	Is a Manager of a department, section or operating/business unit who has been appointed as part of the Eskom delegation of authority process with the aim to assist the applicable 16(2) assigned person in executing his/her duties in terms of the Occupational Health and Safety Act
<b>Risk assessment</b>	(OHS Act) means a programme to determine any risk associated with any hazard at a construction site in order to identify the steps needed to be taken to remove, reduce, or control such hazard.
<b>Site</b>	(34-228) means an Eskom department, unit, complex, building, specific project, work site, or the site where agents, clients, principal contractors, contractors, suppliers, vendors, and service providers provide a service to Eskom, directly or indirectly
<b>Service provider</b>	any private person or legal entity that provides any service(s) to Eskom for compensation
<b>Task</b>	(34-227) a segment of work that requires a set of specific and distinct actions for its completion
<b>Toolbox talks</b>	(34-227) where the team leader, after conducting pre-task planning, shares all the tasks at hand and discusses task allocation, the identified risks, and the control measures with all his/her team members on site before commencing a specific task and documenting the agreed strategy. (This shall be done to ensure common understanding of the tasks, risks, and control measures required.)
<b>The Act</b>	(OHS Act) means the Occupational Health and Safety Act No. 85 of 1993, as amended, and the Regulations thereto

Definition	Explanation
<b>Visitor</b>	Any person visiting a workplace with the knowledge of, or under the supervision of, an employer.

#### 2.2.4 Classification

- a. **Controlled disclosure:** controlled disclosure to external parties (either enforced by law, or discretionary).

#### 2.3 ABBREVIATIONS

Abbreviation	Description
<b>BU</b>	Business Unit
<b>CE</b>	Chief Executive
<b>COID Act</b>	Compensation for Occupational Injuries and Diseases Act
<b>DMR</b>	Driven Machinery Regulations
<b>DoL</b>	Department of Labour ( Inspection and Enforcement services – Provincial office)
<b>EP</b>	Emergency Preparedness
<b>EAP</b>	Employee Assistance Program
<b>ERfW</b>	Environmental Regulations for Workplaces
<b>GAR</b>	General Administrative Regulations
<b>GSR</b>	General Safety Regulations
<b>HCS</b>	Hazardous Chemical Substances
<b>LDV</b>	Light Delivery Vehicle
<b>MSDS</b>	Material Safety Data Sheets
<b>NEMA</b>	National Environmental Management Act
<b>OHS Act</b>	Occupational Health and Safety Act and Regulations, 85 of 1993
<b>SABS</b>	South African Bureau Standard
<b>SANS</b>	South African National Standard



## 2.4 RELATED/SUPPORTING DOCUMENTS

Eskom Hendrina Power Station's OHS Act section 37 (2) agreement to be signed at procurement during the signing of the NEC contract, it is the responsibility of the project manager to ensure that the 37(2) agreement is signed and a copy be kept in the contractor file at procurement.

## 3. DOCUMENT CONTENT

### 3.1 SCOPE OF WORK

Before the works commences, *Contractor* submits detailed methodology and applicable machinery or equipment specifying how to execute the required works. *Service Manager* approves the detailed methodology. Detailed methodology specifies the following:

- Applicable surface preparation
- De-Silting mechanism, as per the site conditions and project constraints provided by the *Employer*
- Mechanism to dispose the sludge to Ash Dam 3
- Production rate broken down according to the use of equipment and effective rate at which the Slurry Dams are desilted, and sludge is disposed to Ash Dam 3.

#### 3.1.1 De-silting the Slurry Dams

##### 3.1.1.1 Seven Year Dam

- *Contractor* provides surface preparation to de-silt the Seven Year Dam.
- *Employer* provides no isolations for the whole duration of conducting the de-silting works. *Contractor* de-silts the Seven Year Dam using Online Cleaning mechanism.
- *Contractor* disposes the sludge to Ash Dam 3. Maximum hauling distance from the Seven Year Dam to Ash Dam 3 is 4.5km.
- *Contractor* cleans and rehabilitates the site after completion of conducting the required works.

##### 3.1.1.2 Seepage Dam

- *Contractor* provides surface preparation to de-silt the Seepage Dam.
- *Employer* provides no isolations for the whole duration of conducting the de-silting works. *Contractor* de-silts the Seepage Dam using Online Cleaning mechanism.
- *Contractor* disposes the sludge to Ash Dam 3. Maximum pumping distance from the Seepage Dam to Ash Dam 3 is 2 km and the respective maximum haul distance is 1.5 km.
- *Contractor* cleans and rehabilitates the site after completion of conducting the required works.

##### 3.1.1.3 New Lower Dams

- *Contractor* provides surface preparation to de-silt the New Lower Dams.
- *Employer* provides isolations for the whole duration of conducting the de-silting works. Inflow is restricted and water level is reduced to 30% by pumping the water to the old lower dams *Employer* provides 400mm HDPE pipeline for the *Contractor* to further reduce the water level to 0%, by pumping the water to Ash Dam 5. Maximum pumping distance from the New Lower Dams to Ash Dam 5 is 1.5 km.
- *Contractor* de-silts the New Lower Dams using Offline Cleaning mechanism.
- *Contractor* disposes the sludge to Ash Dam 3. Maximum pumping distance from the New Lower Dams to Ash Dam 3 is 2.5 km and the respective maximum haul distance is 1.5 km.
- *Contractor* flushes the 400mm HDPE pipeline after each shift.

- *Contractor* cleans and rehabilitates the site after completion of conducting the required works.

#### 3.1.1.4 Old Lower Dams

- *Contractor* provides surface preparation to de-silt the Old Lower Dams.
- *Employer* provides isolations in the mornings from 8:00am till 4:00pm. Inflow is restricted and water level is reduced to 30% by pumping the water to the Upper Dams. *Employer* provides 300mm steel pipeline for the *Contractor* to further reduce the water level to 0%, by pumping the water to Ash Dam 2. Maximum pumping distance from the Old Lower Dams to Ash Dam 2 is 1.5km
- *Contractor* de-silts the Old Lower Dams using Offline Cleaning mechanism.
- *Contractor* dispose the sludge to Ash Dam 3. Maximum pumping distance from the Old Lower Dams to Ash Dam 3 is 2.5 km and the respective maximum haul distance is 1.8 km.
- *Contractor* flushes the 300mm steel pipeline after each shift.
- *Contractor* cleans and rehabilitates the site after completion of conducting the required works.

#### 3.1.1.5 Upper Dams

- *Contractor* provides surface preparation to de-silt the Upper Dams.
- *Employer* provides isolations for the whole duration of conducting the works to de-silt one pond at a time. Inflow is restricted and the water level is reduced to 40% by pumping the water back to the station. *Employer* provides 300mm steel pipeline for the *Contractor* to further reduce the water level to 0%, by pumping the water to Ash Dam 2. Maximum pumping distance from the Upper Dams to Ash Dam 2 is 1.5 km
- *Contractor* de-silts the Upper Dams using Offline Cleaning mechanism.
- *Contractor* disposes the sludge to Ash Dam 3. Maximum pumping distance from the Upper Dams to Ash Dam 3 is 2.5 km and the respective maximum haul distance is 6.5 km.
- *Contractor* flushes the 300mm steel pipeline after each shift
- *Contractor* cleans and rehabilitates the site after completion of conducting the de-silting works.

A copy of the scope of works must be retained by the contractor.

**Note:** The contractor who will be awarded this contract will be known as the “principal contractor” and any contractor appointed by the principal contractor will be known as the “appointed contractor”.

### 3.2 LEGAL COMPLIANCE

#### 3.2.1 Section 37(2) (Legal) Agreement

A section 37(2) agreement must be signed between Eskom Hendrina Power Station and the principal contractor at the time of awarding the contract. The principal contractor must ensure that a section 37(2) agreement is compiled between the principal contractor and all their appointed contractors for the contract.

The original copy of the section 37(2) agreement must be retained by the contractor and a copy retained by the responsible project manager.

**N.B. If construction regulation is applicable, 5.1.k. should be signed by both Eskom and principal constructor.**

A copy of all the agreements must form part of the respective contractor’s SHE file.

#### 3.2.2 Hazardous Work by Children (Child Labour)

The constitution of the Republic of South Africa, in the “Bill of Rights” is clear on the rights of children, especially when it comes to:

1. *being protected from exploitative labour practices;*
2. *not to be required or permitted to perform work or provide services that*
  - i. *are inappropriate for a person of that child's age; or*
  - ii. *place at risk the child's well-being, education, physical or mental health or spiritual, moral or social development* and the Basic Conditions of Employment Act, Chapter six Section 43 "Prohibition of employment of children".

Before resorting to the use of child labour, due consideration must be given to the rights of the child in terms of the constitution. Where work is being performed which is not prohibited in terms of the constitution, then such work must be conducted in terms of the OHS Act "Regulations on Hazardous Work by Children in South Africa" with emphasis on paragraph 2 Purpose and Interpretation. Eskom does not condone the use of child labour and therefore all effort must be exercised and child labour should not be used.

### **3.2.3 OHS Act**

The principal contractor and appointed contractors shall have an up to date copy of the OHS Act and regulations which will be available to all employees.

### **3.2.4 Legislative Compliance**

All contractors will comply with all the legislation pertaining to this contract being:

- The Constitution of the Republic of South Africa (particularly Section 24 of the Bill of Rights).
- Occupational Health and Safety Act 1993 (Act 85 of 1993) and its Regulations.
- Compensation for Occupational Injuries and Diseases Act.
- National Environmental Management Act 107 of 1998.
- National Road Traffic Act 93 of 1996.

### **3.2.5 Eskom requirements**

All contractors shall, before commencement of the charter ensure that all their employees are familiar with the relevant Eskom Hendrina Power Station's SHE documentation that is applicable to charter services.

### **3.2.6 Appointment of a Contractor**

The principal contractor will be appointed by Eskom Hendrina Power Station on the awarding of the contract and will be responsible and accountable for all legislative and Eskom Hendrina Power Station's requirements for the duration of the contract.

### **3.2.7 Appointment of sub-contractors**

The principal contractor may appoint contractors to assist in the contract. All appointments shall be done in writing and will form part of the SHE plan that is required to be submitted to Eskom Hendrina Power Station. Adequate training and instruction must be given to the appointees and the principal contractor must ensure that all the appointed contractors understand their roles and responsibilities.

**Note: Copies of contractor appointments must be kept in the respective SHE file.**

### **3.2.8 SHEQ Policy**

A SHE policy is a statement of intent and a commitment by the organisation's CE and senior management in relation to the relevant SHE roles and responsibilities, the achievement of their strategic objectives, values of integrity, customer satisfaction, excellence, and innovation.

The principal contractor and all appointed contractors, if already not in place, will be required to compile an organisational SHE policy in line with their SHE responsibilities. The policy must be signed by the organisation's CE or the appointed assistant to the CE OHS Act Section 16(2). The policy must be displayed in a prominent place within the workplace. A copy of the policy must be filed in the contractor SHE files and attached as an annexure in the SHE Plan.

### **3.2.9 COID**

The principal contractor and all his/her appointed contractors shall be registered with an appropriate employment compensation commissioner and have available a valid letter of good standing (LoG) from such commissioner. The [obligation lies](#) with the contractors to ensure that the LoG remain valid throughout the contract period. A copy of the LoG must be filed in the contractor SHE files.

## **3.3 PERSONNEL HEALTH / HYGIENE FACILITIES**

### **3.3.1 Dining areas**

Where Eskom Hendrina Power Station employees and contractor employees are required to consume food and refreshments provided by Eskom Hendrina Power Station's canteen, the service provider must comply with the following requirement:

1. The contractor must in possession of the Certificate of acceptability, comply with Regulation 916 (Food
2. Undergone Safety Audit as per SANS 10049: Water Sample tests done, Microbiological tests done, Audit of the food Safety process done.
3. Dining areas shall have suitable and sufficient tables and chairs for seating whilst eating.
4. Adequate provision must be provided for washing cooking and eating utensils.
5. Dining and kitchen areas shall be kept in a clean, tidy and hygienic manner.

It is the responsibility of the contractor to provide adequate facilities for eating to be utilised by its employees or if permitted utilise Eskom Hendrina Power Station's designated dining areas. Littering is not permitted on site.

### **3.3.2 Ablution facilities**

At the workplace it is the responsibility of the contractor to provide sufficient portable ablution facilities for the employees. Such facilities must be serviced regularly. Eskom Hendrina Power Station's ablution facilities can be utilised only if the contractor is in possession of the written permission.

### **3.3.3 Drinking Water**

The contractor must ensure that its employees only drink water which is suitable for drinking while working on Eskom Hendrina premises. Suitable drinking water is clearly marked on site.

### **3.3.4 Changing areas and Lockers**

All contractors shall provide suitable changing facilities for their employees. No contractor employees are allowed to change in an area that is not designated for such. Should the contractor employee be found changing clothes in an area that is not designated for such, Eskom Hendrina Power Station reserves the right to withdraw the

contractor employee's permit. Cognisance must be taken of the dignity of fellow workers and members of the public.

### 3.4 FOOD HANDLING HYGIENE

#### 3.4.1 Storage

Adequate cold storage of food and food storage area must be provided. This areas must be kept clean and disinfected regularly as per the food regulations

#### 3.4.2 Transportation

All food must be transported in appropriate sealable containers and at the right temperature.

#### 3.4.3 Handling

The appropriate hygienic conditions within the kitchen and utensil washing facilities must be maintained as per the food regulations.

### 3.5 ESKOM LIFE-SAVING RULES

1. Eskom Hendrina views health and safety in high esteem and encourages that any organisation who performs work for Eskom in Hendrina adopt the same view.
2. Five Life-saving rules have been developed that will apply to all Eskom Employees, agents, consultants, and **contractors**. Failure to adhere to these rules by any Eskom employee or employee of a Principal Contractor or appointed contractor will be considered a serious transgression. These rules are being implemented to prevent serious injury or death of any employee, labour broker or contractor working in any area within Eskom.
3. If any contractual work will be performed on any Eskom premises (including delivery of any product), then the rules **shall be obeyed** by any contractor and their employees.
4. The rules are:

1.

RULE	DESCRIPTION OF RULE
Rule 1	<b>OPEN, ISOLATE, TEST, EARTH, BOND, AND/OR INSULATE BEFORE TOUCH</b> ( That is plant, any plant operating above 1000 V)
Rule 2	<b>HOOK UP AT HEIGHTS</b> Working at height is defined as any work performed above a stable work surface or where a person puts himself/herself in a position where he/she exposes himself/herself to a fall from or into.
Rule 3	<b>BUCKLE UP</b> No person may drive any vehicle on Eskom business and/or on Eskom premises: Unless the driver and all passengers are wearing seat belts.
Rule 4	<b>BE SOBER</b> No person is allowed to be under the influence of intoxicating liquor or drugs while on duty
Rule 5	<b>PERMIT TO WORK</b> Where an authorisation limitation exists, no person shall work without the required permit to

	work.
--	-------

5. Eskom Hendrina will take a stance of zero tolerance on these rules.
6. Non-compliance to a Life Saving rule will be considered serious misconduct and will lead to serious disciplinary action, which may include dismissal.
7. This is to ensure that **every person** who works on or visits an Eskom Hendrina Power Station returns **home safely to his or her family**.

### 3.6 SUBSTANCE ABUSE

1. Alcohol and substance abuse poses a significant threat to any business, more so in industrial incidents and the driving of vehicles. Eskom is therefore, entitled to take reasonable steps to ensure that intoxicated persons are identified and prevented from entering Eskom Hendrina Power Station.
2. General Safety Regulation 2A is clear on the legal stance regarding intoxication.
3. **The alcohol and drug permissible level is 0%.**
4. All contractors shall comply with Eskom's procedure 32-37 ("Substance Abuse Procedure"), taking in to account that this is an Eskom Life-saving Rule number 4: BE SOBER", this means anyone entering the Eskom Hendrina Power Station will be subjected to ad hoc alcohol testing.
5. Contractors are encouraged to compile their own manual and to carry out regular alcohol testing of their own employees. The legislative alcohol level is deemed to be zero.
6. Test records must be treated as "Confidential" and filed in the employees' personal file.

### 3.7 OCCUPATIONAL HEALTH, HYGIENE AND REHABILITATION

1. All contractors are required to develop an Occupational Health, Hygiene and Rehabilitation program. The program is intended to ensure that the risks to health are identified and controlled.

#### 3.7.1 Medicals

**Note:** Eskom Hendrina Power Station will only accept medical surveillances conducted by an Occupational Health Practitioner who holds a qualification in occupational health.

1. Principle contractors must ensure that their employees and their appointed contractor employees have a medical surveillance program whereby their employees under go entry, periodic and exit medical fitness examinations.
2. In order for the appropriate medical examinations to be conducted, each employee must have a man job specification, which must indicate the description of work, list of hazards and potential occupational exposure limits, physical hazards and required physical attributes.
3. Medical fitness certificates shall be renewed annually for employees who are working on site. This shall be maintained until completion of the contract.
4. The Principal Contractor must ensure that his / her employees and appointed contractor employees have undergone pre-entry medical examination before starting work on the contract.
5. The principal contractor shall provide a documented process for managing those employees who are issued with a conditional certificate of fitness.

### **3.7.2 Health and wellness HIV / Aids**

Contractors shall submit details of their Employee Health and Wellness Programme as part of their Health and Safety Plan which should include awareness training, support for contracted illness and sharing knowledge with members of the public in the immediate work environment.

### **3.8 APPOINTMENTS**

For the duration of the contract, the principal contractor and all appointed contractors shall appoint competent employees who will meet the requirements of the OHS Act. Where appointments are made, contractors shall ensure that the appointees have been suitably trained and or informed of their responsibilities before getting them to accept such appointment. The relevant statutory appointments shall be made in accordance with the requirements of the OHS Act which includes the requirement of a competent person being appointed in the relevant roles. The statutory appointments should include but not limited to: Fire Fighter and Evacuation warden, First Aider, incident investigator, risk assessor, SHE representative, project supervisor or project manager, 16(2) appointments.

### **3.9 ROLES AND RESPONSIBILITIES**

All contractors are required to list employee's roles and responsibilities pertaining to the contract.

### **3.10 RISK ASSESSMENTS**

It is a legal requirement in terms of Section 8 (2)(d) of the OHS Act for an employer to carry out risk assessments, to establish which risks and hazards are attached to the health and safety of persons due to any work which is performed, any article or substance which is, handled, stored, transported. A risk assessment is defined as an identification of the hazards present in an organisation and an estimate of the extent of the risks involved, taking into account whatever precautions are already being taken. It is essentially a three stage process:

- identification of all hazards;
- evaluation of the risks;
- Measures to control the risks.

Risk assessments are required to be maintained. This means that significant changes to a process or activity, or any new process or activity should be subjected to a risk assessment and that if new hazards come to light during the work process, then these should also be subjected to risk assessments. Risk assessments for long term processes should be periodically reviewed and updated. Method statements or written safe work procedures are an effective method as information and record of the way jobs / tasks must be performed. Daily or issue based or task specific or on the job risk assessments must be conducted at the place where work is to be performed/ conducted to allow managers and employees to assess any inherent risks that could have been overlooked during the initial risk assessment or any changes that might have occurred in a period of absence. For example if a job / task is extended over a day or halted due to inclement weather.

### **3.11 PERSONAL PROTECTIVE EQUIPMENT REQUIREMENTS**

1. The Principal contractor must provide a detailed programme that includes the issuing, maintenance and replacement of PPE for all his employees and appointed contractors on site.
2. All contractors shall comply with the requirements of GSR 2 of the OHS Act.
3. The risk based PPE matrix must be compiled detailing the types of PPE that is required to be issued to employees performing the respective tasks.
4. Where there are unusual instances where particular activities require additional type of PPE, then a risk assessment must be conducted where such PPE requirements will be identified and the issuing be carried out.
5. All contractors shall ensure that their visitors wear and use the correct PPE whilst on worksites.
6. Where PPE is required and visitors are not in possession of, then it is the individual contractor's responsibility to provide the PPE.
7. All PPE purchased and used by all contractor employees including visitors must comply with the relevant SANS standards.
8. Where deemed as a requirement, then high visibility vests shall be worn.

### **3.12 INCIDENT INVESTIGATION**

All incidents shall be investigated in terms of OHS Act General Administrative Regulations 8 and 9, using Eskom Procedure 32-95 as a reference, and where injuries as contemplated in sections 24 and 25 have been sustained, be reported to the Department of Labour.

Contractors shall use the standard General Administrative Regulation Annexure 1 "Recording of an Incident" form for all incident investigation reports. The objective of incident investigation, should not only be a legal requirement, but should establish why and how the incident occurred and find out the real root cause of the incident and to decide on precautionary measures that are required to address the root cause to prevent any further recurrences of the same or similar incidents.

### **3.13 EMERGENCY MANAGEMENT**

The art of emergency preparedness and response is to minimise the effects of any emergency and to restore normal activities as soon as practical. The contractor must familiarise themselves with the Eskom Hendrina Power Station's emergency response plan and procedure. Periodic emergency drills must be undertaken to test the effectiveness of the plan. This must be recorded and provided on request.

#### **3.13.1 Non Conformance and Compliance**

1. Any non-compliance to any health and safety requirement in this SHE specification is subject to discipline in terms of the Eskom Procurement and Supply Management Procedure.
2. Principal contractors are required to implement a non-conformance procedure (if not already in place) for issuing to contractors for transgressions. The procedure can include "quality" related non-conformance issues. Similarly, appointed contractors must implement a non-conformance procedure.
3. The procedure for the issuing and closing off of non-conformance reports shall be strictly adhered to.
4. Contractor project management must monitor the close out non-conformances issued, in not doing so, any recommendations made may not be implemented.
5. Where non-conformances are issued by Eskom Hendrina Power Station, then one of the close-out steps of the procedure will be for the offender to be called by the responsible project manager to explain the non-conformance issued and what plan is in place to prevent a recurrence of the non-conformance.



6. Should the contractor fail to provide adequate PPE to their employees for the tasks being performed and/or to visitors; failure to enforce the wearing of such PPE will be viewed as a transgression of the legislative and Eskom requirements.

#### 4. AUTHORIZATION

Nil

#### 5. REVISIONS

Date	Rev.	Compiler	Remarks
March 2022	2	BS Ramushu	This provides the initial SHE specification requirements that must be met by the relevant contractors who have been awarded a contract for the work to be performed for Eskom.