

TENDER HOAC-HO-37313: FOR THE NATIONAL SUPPLY OF OHTE MATERIALS ON AN "AS AND WHEN" REQUIRED BASIS FOR A PERIOD OF FIVE (05) YEARS



QUESTIONS/CLARIFICATIONS/QUERIES AND RESPONSES

1. Question/Query/Query

Request for extension of the closing date

Transnet's Response

The request for the extension of the closing date has been granted. The new closing date is 05 December 2022 @12:00.

2. Question/Query/Query

Bidders struggling to download the Drawings

Transnet's Response

The link to the drawings has been refreshed and fully operational.

3. Question/Query/Query

What is the delivery address for material to be delivered?

Transnet's Response

Please refer to the delivery address as requested for in page 104 of 136 on the RFP
TFR SUPPLY CHAIN SERVICES, INFRA CENTRAL DISTRIBUTION CNTR,
759961 STATION STREET, MILLSITE,
Krugersdorp
2092

4. Question/Query/Query

Annexure C and E statesexample Group A = Tension Splices, but if you look at the bill of quantities you have 5 line items, and each with its own quantities. Please explain how we price these items as per Annexure C and e and each with its own quantities?

Transnet's Response

Addendum Annexure C have been attached in an excel format.

5. Question/Query/Query

We as a manufacture are not allowed to quote other tenderers as per page 19 of the RFQ, should we quote directly who will be disqualified? Please clarify this point.

Transnet's Response

Bidders are to refer to Page 19 of the RFP document as it clearly states that OEM INTENDING TO BID CANNOT ISSUE AN MOU TO ANY COMPANY. IF THEY (OEM) WILL BE SUBMITTING A BID FOR THE SAME RFP. FAILURE TO COMPLY WILL LEAD TO DISQUALIFICATION. This statement must be read in conjunction with the Integrity Pact attached to the RFP as Annexure J and pay particular attention to clause 4.4 which reads as follows:

In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the Goods or Services to which his/her Bid relates.

6. Question/Query/Query

If we are the OEM with a BBBEE Level 1 and we are submitting a tender directly to Transnet, do we still quote other bidders without submitting. The MOU to that bidder. The tender states that you as OEM is not allowed to submit a MOU if you are quoting direct.

Transnet's Response

Bidders are to refer to Page 19 of the RFP document as it clearly states that OEM INTENDING TO BID CANNOT ISSUE AN MOU TO ANY COMPANY. IF THEY (OEM) WILL BE SUBMITTING A BID FOR THE SAME RFP. FAILURE TO COMPLY WILL LEAD TO DISQUALIFICATION. This statement must be read in conjunction with the Integrity Pact attached to the RFP as Annexure J and pay particular attention to clause 4.4 which reads as follows:

In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the Goods or Services to which his/her Bid relates.

7. Question/Query/Query

For us to price the products for 180 day option and then hold this for 12 months, is an effective 18 months price fix, that is impossible, the reasons being, the metal prices are linked to the London Metal Exchange, the republic Copper Price and the rand dollar exchange rate, these prices change on a monthly basis, added to this we have annual increases in labour, energy, monthly fuel price changes and all of this effects our consumers costs and our manufacturing costs. We ask humbly that these implications are considered as the state of our economy currently we have to price our products on a monthly basis. Further to the above, there will need to be a mechanism in place to calculate prices for year 2 through to year 5.

Transnet's Response

180 days is for the tendering stage to allow Transnet to compete the evaluation process up until the award stage.

Refer to Section 4 of the RFP under Pricing and Delivery Schedule. Clause J under notes to pricing will apply. " Respondents, if awarded the contract, are required to indicate that their prices quoted would be kept firm and fixed a period of period of 12 months, subject there after to adjustment (i.e after the initial period of 12 months), utilizing the price index/indices/adjustment formula.

8. Question/Query/Query

Please consider price adjustments on a quarterly basis due to the continuous changes in input material, fuel, etc

Transnet's Response

180 days is for the tendering stage to allow Transnet to compete the evaluation process up until the award stage.

Refer to Section 4 of the RFP under Pricing and Delivery Schedule. Clause J under notes to pricing will apply. " Respondents, if awarded the contract, are required to indicate that their prices quoted would be kept firm and fixed a period of period of 12 months, subject there after to adjustment (i.e after the initial period of 12 months), utilizing the price index/indices/adjustment formula

9. Question/Query/Query

Delivery point: Tender calls for pricing to include to Transnet Millsite but item description mention Saldanha, Sishen, Limpopo, etc

Please can you clarify whether delivery is only to Millsite for redistribution to the various Transnet Opeations?

Transnet's Response

Please refer to the delivery address as requested for in page 104 of 136 on the RFP
TFR SUPPLY CHAIN SERVICES, INFRA CENTRAL DISTRIBUTION CNTR,
759961 STATION STREET, MILLSITE,
Krugersdorp
2092

10. Question/Query/Query

We have received the drawings for the tender, but have discovered that some of the drawings mentioned in the list of items was not attached to the email which we received on the 18 October 2022, Namely:

Group E:

- H500110-3-133-E-DE-0046
- SSE-208150
- H500110-3-133-E-DE-0084
- CEE-TN-0292
- CEE-TMHA-0225
- SSE-208153

Group L:

- CEE-TN-0408

Group N:

- CEE-TZ9-0113 ITEM 15
- CEE-TZ9-0107
- CEE-TMF-0491
- CEE-TZ9-0461
- CEE-TZ9-0400
- CEE-TMF-0490
- BBG-2165
- SSE-TMF-05
- H500110-3-133-5-DE-0102
- H500110-3-133-E-DE-0110
- CEE-0131-85

Transnet's Response

Group E:

- Please note drawing SSE-208211 has all the required dimensions for the line, however, please find attached drawing CEE-TX-0054 for additional information
- Please quote according to drawing H500110-3-133-E-DE-0106,
- For all the thimble the drawing are SSE-208214 for all different sizes
- Drawing CEE TN 0292 was superseded by CEE TNB 0085 attached
- Drawing CEE-TMHA0225 has been superseded by CEE-TMFB-076: Please use drawing CEE-TMFB-076
- Please use drawing as provided H500110-3-133-E-DE-0067

Group L:

- Drawings provided see attached CEE-TN-0408 superseded by CEE-TN-0002, which calls for CEE-TNB-0172, CEE-TN-0172 has been superseded by CEE-TNB-0075

Group N:

- Drawing CEE-TZ9-0107 has all the information for manufacturing
- Drawing CEE-TZ9-0107 is in the drawing pack
- Drawing CEE-TMF-0491 is in the drawing pack
- Drawing CEE-TMF-0461 is in the drawing pack
- Drawing CEE-TMF-0400 is in the drawing pack
- Drawing CEE-TMF-0490 is in the drawing pack
- Drawing BBG2165 is in the drawing pack
- Drawing SSE-TMF-0005 is in the drawing pack
- Drawing H500110-3-133-E-DE-0102 is in the drawing pack
- Drawing H500110-3-133-E-DE-0110 is in the drawing pack
- Drawing CEE-0131 is in the drawing pack

11. Question/Query/Query

Group L:

Item: 11 – 54112455

Require drawing numbers:

- CEE-TNB-0062
- CEE-TN-0381

Item: 12 – 54920893

Drawings Required:

- CEE-TNB-0062
- CEE-TN-0381

Require DIM for

- "L"
- "M"

Item: 13 – 54112456

Require the following drawing numbers:

- CEE-TNB-0062
- CEE-TN-0381

Item: 14 – 54112452

Require the following drawing numbers:

- CEE-TNB-0062
- CEE-TN-0381

Item: 15 – 54001658

Require Drawing Number – CEE-TN-172

Item: 16 – 54015451

Require Drawing Number – CEE-TN-0386

Please clarify OD

- Description calls for OD – 34mm
- Drawing calls for OD - 32

Item: 17 – 54000236

Require Drawing Number – CEE-TNB-0075

Item 18: - 54001723

Require Drawing Number – CEE-TN-172

Item 19: - 54001747

Require Drawing Number – CEE-TN-172

Item 20: - 54000111

Require Drawing Number – CEE-TZ7-142-SHT.49

Item: 21 - 54007303

Require Drawing Number – CEE-TNB-75

Please clarify the wall thickness

- 4mm
- 2mm

Confirm Length – 6 IN ????

Item: 22 – 54028185

Please Specify Length

- Description calls for length of 3.1m

- Drawing does mention length of 3.1m

Item: 23 – 54009755

Require drawing – no drawing received

Please specify Length:

- Description calls for 6 IN

Please specify as the differs from actual sizing

- OD – 34.0mm
- ID – 30.00mm

Item: 24 – 54009237

Require Drawing – no drawing received

Please specify as the differs from actual sizing

- OD – 42.8mm
- ID – 38.8mm

Item: 25 – 54001812

Require Drawing Number – CEE-TMFB-135

Item: 28 – 540011432

Require Drawing Number – TMFB-134

Item: 30 – 54006259

Require Drawing Number – CEE-TND-33

Require dimensions

- U-Shape
- OD

Please specify whether for 18 diameter hole

Please specify whether it is for 1 parts?

Group N:

Item: 6 – 54000202

Require Drawing Number

- SSE-TX-01-SH01
- SSE-TMF-04

Item: 9 – 54009326

Please specify:

- Only 1 part or Assembly

Group P:

Item: 1 – 54001913

Please specify dimensions on item 2

Item: 2 – 54001937

Please specify the dimensions on item 2

Item: 3 – 54001925

Please specify the dimensions on item 2

Item: 4 – 54031523

Please specify dimensions on item 2

Item: 5 – 54033659

Please specify the total length or pitch

Item: 7 – 54007226

Please specify whether the 32mm distance is for shanks or centre line

Transnet's Response

Group L:

- 1.1 Drawings provided see attached CEE TNB 0062
- 1.2 Drawings provided see attached CEE TN 0381
- 1.3 Drawings provided see attached
- 1.4 Drawings provided see attached
- 1.5 L=1357mm M=744mm
- 1.6 Drawings provided see attached
- 1.7 Drawings provided see attached
- Drawings provided see attached CEE-TNB-0075, CEE-TN-172 has been superseded by CEE-TNB-0075
- 1.8 Please attached drawing CEE-TN-0383, CEE-TN-0386 and CEE-TN-0381 All Suppliers to Quote as per drawing CEE-0386
- 1.9 Please find attached drawing CEE-TNB-0075
- 1.10 Drawings provided see attached CEE-TNB-0075, CEE-TN-172 has been superseded by CEE-TNB-0075
- 1.11 Drawings provided see attached CEE-TNB-0075, CEE-TN-172 has been superseded by CEE-TNB-0075
- 1.12 Drawings provided see attached
- 1.13 Please find attached drawing CEE-TNB-0075, check item description and drawing for thickness, Length(L) is 1600mm
- 1.14 Please use description of the item for length
- 1.15 Please submit technical data sheet for the item and quote for the item according to description, Length(L) is 6100mm
- 1.16 Please submit technical data sheet for the item and quote for the item according to description, Length(L) is 6100mm
- 1.17 Drawings provided see attached
- 1.18 Drawings provided see attached
- 1.19 CEE-TND-0033 has been superseded by BBH3656, Drawings provided see attached BBH3656 sheet 4, The height of the U shape must be not less than 60mm, with thickness for the U as 6 mm, the hole is as indicated on drawing diameter is as per drawing 18mm, item should be manufactured according to drawing and description

Group N:

- 1.20 Drawings provided see attached SSE TX 01 sh1 and SSE TMF 04
- 1.21 Please provide item as assembly

Group P:

- 1.22 Please see the drawing see M16 total length threaded is 101mm, all dimensions are on the drawing
- 1.23 All dimensions are on the drawing
- 1.24 All dimensions are on the drawing
- 1.25 All dimensions are on the drawing
- 1.26 See attached drawing BBB2903-Total length is 533mm+-10mm pitch 30.17
- 1.27 Please see drawing- center line

12. Question/Query/Query

Group E:

Item: 17 – 54016291

No drawing number to reference to

Item: 22 – 54011202

Dimension in description does not correspond to Transnet drawing to CEE-TMF-0191

Item: 29 – 54006343 – see attached drawing

Drawing no: H500110-3-133-E-DE-0039-01-02-JV

- The above drawing refers to six (06) other drawings which was not included in the drawings which was received.
- There are no dimensions indicated on the drawing number.

Group L:

Item: 1 – 54009274

No drawing number to reference to

Item: 3 – 54029813

No drawing number to reference to

Item: 4 – 54030162

No drawing number to reference to

Item: 23 – 54009755

Please can you clarify the length of the item

No drawing number to reference to

Item: 24 – 54009237

No drawing number to reference to

Item: 31 – 54009743

No drawing number to reference to

Transnet's Response

Group E:

Please use item description to manufacture products

Please use dimension as per item description for Length

Please find attached additional drawings as requested

Group L:

Please submit technical data sheet for the item and quote for the item according to description

Please submit technical data sheet for the item and quote for the item according to description

Please submit technical data sheet for the item and quote for the item according to description

Please submit technical data sheet for the item and quote for the item according to description, Length 6100mm

Please submit technical data sheet for the item and quote for the item according to description

Please submit technical data sheet for the item and quote for the item according to description

13. Question/Query/Query

Bidders requesting the Department of Trade and Industry's contact details.

Transnet's Response

Suppliers can use localcontent@thedtic.gov.za. They may also copy Dr Tebogo Makube TMakube@thedtic.gov.za Cathrine Matidza CMatidza@thedtic.gov.za.