

REQUEST FOR QUOTATION (RFQ)

RFQ NUMBER: WCR 34/2022
REQUEST FOR QUOTATION (RFQ) FOR THE REFURBISHMENT AND MINOR WORKS AT DE AAR, BEAUFORT WEST & LAINSBURG STATIONS FOR A PERIOD OF 6 MONTHS



SECTION 1: SBD1

PART A INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF PASSENGER RAIL AGENCY (PRASA)											
						13	September				
BID NUMBER:	WCR 34/2022		CLOSING	DATE:		2022		CLOS	ING TIME	≣:	12:00
DESCRIPTION	DESCRIPTION REFURBISHMENT AND MINOR WORKS AT DE AAR, BEAUFORT WEST & LAINSBURG STATIONS FOR A PERIOD OF 6 MONTHS						STATIONS				
BID RESPONSE D	BID RESPONSE DOCUMENTS SHALL BE ADDRESSED AS FOLLOWS:										
	BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS):										
1st Floor Tower B											
Cape Town Statio	on										
8001											
BIDDING PROCEI	DURE ENQUIR	IES MAY BI	E DIRECTI	ED TO							
CONTACT PERSO	N	Qaqamba	Kona								
TELEPHONE NUM	MBER	021 449 3	039								
E-MAIL ADDRESS	3	qkona@prasa.com									
SUPPLIER INFOR	SUPPLIER INFORMATION										
NAME OF BIDDER	₹										
POSTAL ADDRES	S										
STREET ADDRES	SS										
TELEPHONE NUM	MBER	CODE			NUMBER						
CELLPHONE NUM	MBER				•						
FACSIMILE NUME	BER	CODE			NUMBER						
E-MAIL ADDRESS	3										
VAT REGISTRATI	ON NUMBER										
SUPPLIER COMP	LIANCE	TAX COM	PLIANCE		0	D	CENTRAL S	UPPLIE	ER		
STATUS		SYSTEM F	PIN:		J	IX	DATABASE N	lo:	MAA	\ A	
B-BBEE STATUS LEVEL TICK APPL			PLICABLE	LICABLE BOX] B-BBEE STATUS		TATUS LEVEL		TICK AP	PLIC	ABLE BOX]	
VERIFICATION CE	☐ Yes		☐ No	SWC	ORN AI	FFIDAVIT		Yes		☐ No	
[A B-BBEE STAT	TUS LEVEL VI	ERIFICATIO	ON CERTII	FICATE	/ SW	ORN A	AFFIDAVIT (F	OR EN	IES & G	SEs,	MUST BE

prasa Bushanian						
SUBMITTED IN ORDER TO	QUALIFY FOR PREFERENCE	POINTS FOR B-BBEE]				
2.1 ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE	☐Yes ☐ No [IF YES ENCLOSE	2.2 ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	☐Yes ☐No [IF YES, ANSWER THE QUESTIONNAIRE			
GOODS /SERVICES /WORKS OFFERED?	PROOF]		BELOW]			
QUESTIONNAIRE TO BIDDI	NG FOREIGN SUPPLIERS					
IS THE ENTITY A RESIDENT	FOF THE REPUBLIC OF SOU	TH AFRICA (RSA)?	☐ YES ☐ NO			
DOES THE ENTITY HAVE A	BRANCH IN THE RSA?		☐ YES ☐ NO			
DOES THE ENTITY HAVE A	PERMANENT ESTABLISHME	NT IN THE RSA?	☐ YES ☐ NO			
DOES THE ENTITY HAVE A	NY SOURCE OF INCOME IN	THE RSA?	☐ YES ☐ NO			
IS THE ENTITY LIABLE IN T	HE RSA FOR ANY FORM OF	TAXATION?	☐ YES ☐ NO			
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX						
COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT						
REGISTER AS PER 2.3 BELOW. PART B: TERMS AND CONDITIONS FOR BIDDING						
1. BID SUBMISSION:						
1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.						
1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER						
1.3. PRESCRIBED IN THE BID DOCUMENT.						
1.4. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.						
2. TAX COMPLIANCE RE	EQUIREMENTS					
2.1 BIDDERS MUST ENSU	JRE COMPLIANCE WITH THE	EIR TAX OBLIGATIONS.				



- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID NVALID.

SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED:	
(Proof of authority must be submitted e.g. company resolution)	
DATE:	

NB:

- Quotation(s) must be addressed to PRASA before the closing date and time shown above.
- PRASA General Conditions of Purchase shall apply.



SECTION 2 NOTICE TO BIDDERS

1. RESPONSES TO RFQ

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

Proposals must reach the PRASA before the closing hour on the date shown on SBD1 above, and must be enclosed in a sealed envelope.

All responses to the RFQ must be submitted in two sealed envelopes/boxes; the first envelop/box shall have the technical, compliance and BBBEE response and the second envelop/box shall only have the financial response. Bidders must ensure that they do not indicate any financial information in the first envelop/box. PRASA will disqualify Bidders who fail to adhere to this requirement.

1.1 Bidders are required to package their response/Bid as follows to avoid disqualification:

Original & Copy of Volume 1 (Envelope 1/Package 1)

- Part A: Compliance Response and B-BBEE Response
- Part B: Technical or Functional Response (response to scope of work) and SBD 6.2 and Annexure C

Original & Copy of Volume 2 (Envelope 2/ Package 2)

Part C: Financial Proposal (BOQ/Price Schedule and Pricing form C)

Volume 2 Has to be submitted in a separate sealed envelope. Bidders must make their pricing offer in envelope 2/package 2, no pricing and pricing related information should be included in the Volume 1/envelope 1. **Bidders who fail to meet this requirement will be automatically disqualified.**

2. PREQUALIFICATION / ELIGIBILITY CRITERIA

2.1 Only those Respondents who satisfy the following pre-qualification or eligibility criteria are eligible to submit quotations as per section 3.

3 CIDB Grading

Only those Respondents who are registered with the CIDB, or are capable of being so prior to the submission of the quotation, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered or a value determined in accordance with Regulation 25 (1B)

prasa

or 25(7A) of the Construction Industry Development Regulations, for a 2GB or higher class of construction works, are eligible to have their quotations evaluated.

Joint ventures are eligible to submit tenders provided that:

- every member of the joint venture is registered with an active CIDB;
- the lead partner has a higher or equivalent contractor active grading designation in the class of construction work; and
- the combined Contractor active grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a Contractor grading designation determined in accordance with the sum quoted for a class of construction works or a value determined in accordance with Regulation 25(1B) or 25(7A) of the Construction Industry Development Regulations

4 COMMUNICATION

Respondent/s are warned that a response will be liable for disqualification should any attempt be made either directly or indirectly to canvass any SCM Officer(s) or PRASA employee in respect of this RFQ between the closing date and the date of the award of the business.

5 LEGAL COMPLIANCE

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

6 CHANGES TO QUOTATIONS

Changes by the Respondent to its submission will not be considered after the closing date and time except on condition of correcting arithmetic errors on BOQ

7 PRICING

All prices must be quoted in South African Rand on a fixed price basis, including VAT.

8 BINDING OFFER

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.



DISCLAIMERS

PRASA is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that PRASA reserves the right to:

- Modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- Reject any Quotation which does not conform to instructions and specifications which are detailed herein;
- Disqualify Quotations submitted after the stated submission deadline;
- Not necessarily accept the lowest priced Quotation or an alternative bid;
- Bids lodged at the incorrect venue that reach the correct venue late will be regarded as late.
- Reject all Quotations, if it so decides;
- Place an order in connection with this Quotation at any time after the RFQ's closing date;
- Make no award at all.
- Award only a portion of the proposed goods / service/s which are reflected in the scope of this RFQ;
- split the award of the order/s between more than one Supplier/Service Provider should it at PRASA's discretion be more advantageous in terms of, amongst others, cost or developmental consideration; or

Should a contract be awarded on the strength of information furnished by the Respondent, which after conclusion of the contract, is proved to have been incorrect, PRASA reserves the right to cancel the contract. PRASA reserves the right to award business to the highest scoring bidder/s unless objective criteria justify the award to another Respondent.

Should the preferred fail to sign or commence with the contract within a reasonable period after being requested to do so, PRASA reserves the right to award the business to the next highest ranked Respondent provided that he/she is still prepared to provide the required goods at the quoted price.

10 LEGAL REVIEW

A Proposal submitted by a Respondent will be subjected to review and acceptance or rejection of its proposed contractual terms and conditions by PRASA's Legal Counsel, prior to consideration for an award of business.

11 NATIONAL TREASURY'S CENTRAL SUPPLIER DATABASE

Respondents are required to self-register on National Treasury's Central Supplier Database (CSD) which has been established to centrally administer supplier information for all organs of state and facilitate the verification of certain key supplier information. PRASA is required to ensure that price quotations are invited and accepted from prospective bidders listed on the CSD. Business may not be awarded to a respondent who has failed to

proso

register on the CSD. Only foreign suppliers with no local registered entity need not register on the CSD. The CSD can be accessed at https://secure.csd.gov.za/.

12 PROTECTION OF PERSONAL DATA

In responding to this bid, PRASA acknowledges that it may obtain and have access to personal data of the Respondents. PRASA agrees that it shall only process the information disclosed by Respondents in their response to this bid for the purpose of evaluating and subsequent award of business and in accordance with any applicable law.

Furthermore, PRASA will not otherwise modify, amend or alter any personal data submitted by Respondents or disclose or permit the disclosure of any personal data to any Third Party without the prior written consent from the Respondents. Similarly, PRASA requires Respondents to process any personal information disclosed by PRASA in the bidding process in the same manner.



13 EVALUATION METHODOLOGY

PRASA will utilise the following evaluation process in selecting the preferred Supplier/Service Provider.

EVALUATION PROCESS	
Stage 1	
Mandatory Compliance	
Stage 2	
Non-Mandatory compliance	
Stage 3	
Technical/Functional Criteria	Testing of capacity – meet minimum threshold of
	65%
Stage 4 - Price and B-BBEE	
Price	80
BBBEE	20
TOTAL	100

14 ADMINISTRATIVE RESPONSIVENESS

The test for administrative responsiveness will include completeness of response and whether all returnable and/or required documents, certificates; verify completeness of warranties and other bid requirements and formalities have been complied with. Incomplete Bids will be disqualified.

15 VALIDITY PERIOD

- 15.1 PRASA requires a validity period of **60 Business Days** from the closing date.
- Respondents are to note that they may be requested to extend the validity period of their response, on the same terms and conditions, if the internal processes are not finalized within the validity period. However, once the adjudication body has approved the process and award of the business to the



successful respondent(s), the validity of the successful respondent(s)' response will be deemed to remain valid until a final contract has been concluded.

16 DISCLOSURE OF PRICES QUOTED

Respondents are to note that, on award of business, PRASA is required to publish the prices and preferences claimed of the successful and unsuccessful Respondents *inter alia* on the National Treasury e-Tender Publication Portal, (www.etenders.gov.za), on CIDB website for construction related RFQ's. (If applicable)

17 RETURNABLE DOCUMENTS

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below. There are three types of returnable documents as indicated below and Respondents are urged to ensure that these documents are returned with the guotation based on the consequences of non-submission as indicated below:

17.1 PREQALIFICATION AND MANDATORY RETURNABLE DOCUMENTS

Failure to provide all these Mandatory Returnable Documents at the Closing Date and time of this RFQ will result in a Respondent's disqualification. Respondents are therefore urged to ensure that all these Documents are returned with their Quotations.

17.2 NON -MANDATORY RETURNABLE DOCUMENTS

Failure to provide all these Non -Mandatory Returnable Documents at the Closing Date and time of this RFQ, PRASA may request the documents and must be made available at the time of request: Respondents are therefore urged to ensure that all these Documents are made available at the time of request.

17.3 RETURNABLE DOCUMENTS USED FOR SCORING PURPOSES

Failure to provide these Returnable Documents at the Closing Date and time of this RFQ, will not result in Respondent's disqualification. However, bidders will receive a score of zero for the applicable evaluation criteria.

18 BRIEFING SESSION (DELETE IF NOT APPLICABLE)

A Compulsory **RFQ** briefing session will be held on the **06 September 2022**, at **12:00 at Lainsburg Station**. The briefing session will start punctually at 11h00, and information will not be repeated for the benefit of Respondents joining late.



SECTION 3

1 EVALUATION CRITERIA:

NB: Compliance Requirements for all Services/Goods and works

Stage 1: Mandatory Compliance Requirements - If you do not submit the following mandatory documents your Proposal/Quote will be disqualified automatically:

No.	Description of requirement						
a)	Declaration document for local content and production SBD 6.2 must be completed,						
	duly signed and submitted						
b)	Annexure C – Local Content Declaration – Summary Schedule must be completed, duly						
	signed and submitted						
c)	Price Schedule and Pricing form (Section 4) must be included in						
	Volume2/Envelope 2						
	To facilitate like-for like comparison bidders must submit pricing strictly in accordance						
	with this price schedule and not utilize a different format. Deviation from this pricing schedule will result in a bid being declared non-responsive.						
d)	Completion and submission of RFQ documents, SBD forms, Commissioner of Oath with ALL declarations						
e)	Joint Venture / Consortium agreement / Trust Deed/ Confirmation in writing of their						
	intention to enter into a JV or consortium agreement signed by all parties. (if applicable)						
f)	Proof of CIDB grading of 2GB or higher						
g)	Attendance certificate of compulsory briefing session						
h)	Bidders to fill and sign the closing / submission register on submission of the tender						
	documents, failure to comply will result into disqualification						



Stage 2: Non – Mandatory Compliance Requirements - The following documents are non-mandatory and where not submitted, Prasa may request the documents and must be made available at the time of request:

No.	Description of requirement	
a)	Company Registration Documents	
b)	Copies of Directors' ID documents;	
c)	Valid Tax Clearance Certificate (must be valid on closing date of	
	submission of the proposal) and SARS Issued Pin	
d)	CSD report / CSD reference number	
e)	Proof of UIF registration	
f)	Annexure D – Imported Content Declaration – Supporting Schedule to Annex C	
g)	Annexure E – Local Content Declaration – Supporting Schedule to Annex C	
h)	Proof of Bank Account (i.e. cancelled cheque or letter issued by the bank	
i)	Valid Original, or certified copy of Letter of Good Standing (COIDA)	

Stage 2.2: Documents required for Scoring - The following Non-Mandatory Documents used for purposes of scoring a bid. If not submitted by the closing date and time of this bid will not result in a Respondent's disqualification. However, Bidders will receive a score of zero for the applicable evaluation criterion.:

No.	Description of requirement	
a)	Valid B-BBEE Certificate from SANAS accredited rating agency (Original or certified copy) /DTI B-BBEE certificate (original or certified copy) or sworn affidavit signed and stamped by the commissioner of oath. Joint ventures to submit the consolidated Valid B-BBEE Certificate from SANAS accredited rating agency (Original or certified copy)	
	Consolidated BBBEE certificate for Joint Venture is required. As per the implementation guide preferential procurement regulations 2017 pertaining to the preferential procurement policy framework act no 5 of 2000 march paragraph 9 BROAD BASED BLACK ECONOMIC EMPOWERMENT (B-BBEE) STATUS LEVEL CERTIFICATES sub paragraph 9.3 and 9.4 states that:	
	A trust, consortium or joint venture (including unincorporated consortia and joint ventures) must submit a consolidated B-BBEE status Level Verification certificate for every separate tender.	



2.1 Stage 3

Technical / Functionality Requirements

The minimum threshold for technical/functionality requirements is 65%. Bidders who score below this minimum requirement shall not be considered for further evaluation.

CRITERIA	WEIGHT	SCORES
Company experience: Score will be based on successfully completed construction projects or similar projects implemented over the last five (5) years of which details are provided: Contractor to submit: Signed reference letter with a company letterhead and contact details indicating the completion and Value of the project.		 No Submissions Previous jobs completed to the value less than R500 000 in the last 5 year. Previous jobs completed summing to the value of R500 001 - R750 000 in the last 5 year. Previous jobs completed summing to the value of R750 001 - R1 000 000 in the last 5 years Previous jobs completed summing to the value of R1 000 001 - R2 000 000 in the last 5 years Previous jobs completed summing above the value of R2m in the last 5 years.
Experience of technical personnel and qualification (Construction Manager must be part of this project team) Score will be based on minimum of 3 years' experience on Built Environment with copies of CV's and certified qualification of a Construction Manager	30	 No submissions Inadequate information provided A minimum of 3 years of experience in a Built Environment with copy of CV and trade certificate. A minimum of 3 years of experience in a Built Environment with copy of CV and N3 – N6 A minimum of 3 years of experience in a Built Environment with Copy of CV and National Diploma in Built Environment. A minimum of 3 years of experience in a Built Environment with copy of CV and BSC ENG. or B- TECH in Built Environment.
Technical Approach and Methodology Technical Approach and Project methodology for the subject project are addressing specific	15	No submissions Methodology aligned to scope of works(how will the project be implemented only

orașa prasa
details of the project but not limited to the
following:
1. Methodology aligned to scope of works(
how will the project be implemented)
2. Risk assessment

4. Risk Matrix

3. Mitigation factors on the risk assessment

- 2. Methodology aligned to scope of works(how will the project be implemented with any other two (2) requirements fully addressed
- 3 Methodology aligned to scope of works (how will the project be implemented with any other three (3) requirements fully addressed
- 4. Methodology aligned to scope of works(how will the project be implemented with any other four (4) requirements fully addressed
- 5 Methodology aligned to scope of works (how will the project be implemented with any other five (5) requirements fully addressed

Financial Capacity: Operating cash flow

6. Quality management plan

5. Resources assigned to the project

Provide two (2) recent year's annual financial statements prepared by the registered professional which reflect the company financial capability to manage the infrastructure project.

Required components of financial statement: Statement of financial position)Balance sheet (statement of cash flow), income statement(Profit and Loss)

Formula: Operating Cash Flows Ratio = Cash Flows From Operations/Current Liabilities

0: No Submissions of financial Statement

- 1. Submission of incomplete or irrelevant of financial Statement
- 2. Operating Cash Flows Ratio X < 0
- 3. Operating Cash Flows Ratio 0 < X < 0.5
- 4. Operating Cash Flows Ratio $0.5 \le X \le 1$
- 5. Operating Cash Flows Ratio X > 1

2.2 Stage 4- Price and B-BBEE

Evaluation criteria	Weighting
BBBEE	20
Price	80
TOTAL	100

15

$$PS = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

Where:

Ps = Score for the Bid under consideration



Pt = Price of Bid under consideration

Pmin= Price of lowest acceaptable Bid

Evaluation of Preference

Evaluation and final weighted scoring

a) Broad-Based Black Economic Empowerment criteria [weighted score 20 points] Preference Points will be awarded to a bidder for attaining the B-BBEE status level contribution in accordance with the table indicated in Section 7 B-BBEE claim form.

SECTION 4

PRICING AND DELIVERY SCHEDULE

Respondents are required to complete the attached Pricing Schedule Section 11.

- 1 Prices must be quoted in South African Rand, inclusive of VAT.
- 2 Price offer is firm and clearly indicate the basis thereof.
- 3 Pricing Bill of Quantity is completed in line with schedule if applicable.
- 4 Cost breakdown must be indicated.
- 5 Price escalation basis and formula must be indicated.
- Respondents are to note that if price offered by the highest scoring bidder is not market related, PRASA may not award the contract to the Respondent. PRASA may:
- 7 negotiate a market-related price with the Respondent scoring the highest points or cancel the RFQ;
- 8 if that Respondent does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the second highest points or cancel the RFQ;
- 9 If a market-related price is not agreed with the Respondent scoring the third highest points, PRASA must cancel the RFQ.
- 10 if the Respondent scoring the second highest points does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the third highest points or cancel the RFQ.

I / We	(Insert Name of Bidding Entity)
01	code
(Full address) conducting business under the style or titl	e of:
represented by:	in my capacity as:
	being duly authorised, hereby
offer to undertake and complete the above-mentioned wo schedule of quantities or, where these do not R	rk/services at the prices quoted in the bills of quantities
DELIVERY PERIOD: Suppliers are requested to offer their	(amount in words) Incl. VAT. r earliest delivery period possible.
Delivery will be effected within working days from	n date of order. (To be completed by Service provider)



SECTION 5

PRASA GENERAL CONDITIONS OF PURCHASE

General

PRASA and the Supplier enter into an order/contract on these conditions to supply the items (goods/services/works) as described in the order/contract.

Conditions

These conditions form the basis of the contract between PRASA and the Supplier. Notwithstanding anything to the contrary in any document issued or sent by the Supplier, these conditions apply except as expressly agreed in writing by PRASA.

No servant or agent of PRASA has authority to vary these conditions orally. These general conditions of purchase are subject to such further special conditions as may be prescribed in writing by PRASA in the order/contract.

Local Content Obligations

Respondents are to note that the Local Content commitments made by the successful Respondent(s) will be incorporated as a term of the contract and monitored for compliance. Should the successful Respondent fail to meet its Local obligations, non-compliance penalties shall be applicable. Breach of Local Content obligations also provide PRASA cause to terminate the contract in certain cases where material non-compliance with Local Content requirements are not achieved.

Price and payment

The price or rates for the items stated in the order/contract may include an amount for price adjustment, which is calculated in accordance with the formula stated in the order/contract.

The Supplier may be paid in one currency other than South African Rand. Only one exchange rate is used to convert from this currency to South African Rand. Payment to the Supplier in this currency other than South African Rand, does not exceed the amounts stated in the order/contract. PRASA pays for the item within 30 days of receipt of the Suppliers correct tax invoice.

Delivery and documents

The Supplier's obligation is to deliver the items on or before the date stated in the order/contract. Late deliveries or late completion of the items may be subject to a penalty if this is imposed in the order/contract. No payment is made if the Supplier does not provide the item as stated in order/contract.

Where items are to be delivered the Supplier:



Clearly marks the outside of each consignment or package with the Supplier's name and full details of the destination in accordance with the order and includes a packing note stating the contents thereof; On dispatch of each consignment, sends to PRASA at the address for delivery of the items, an advice note specifying the means of transport, weight, number of volume as appropriate and the point and date of dispatch; Sends to PRASA a detailed priced invoice as soon as is reasonably practical after dispatch of the items, and states on all communications in respect of the order the order number and code number (if any).

Containers / packing material

Unless otherwise stated in the order/contract, no payment is made for containers or packing materials or return to the Supplier.

Title and risk

Without prejudice to rights of rejection under these conditions, title to and risk in the items passes to PRASA when accepted by PRASA.

Rejection

If the Supplier fails to comply with his obligations under the order/contract, PRASA may reject any part of the items by giving written notice to the Supplier specifying the reason for rejection and whether and within what period replacement of items or re-work are required.

In the case of items delivered, PRASA may return the rejected items to the Supplier at the Supplier's risk and expense. Any money paid to the Supplier in respect of the items not replaced within the time required, together with the costs of returning rejected items to the Supplier and obtaining replacement items from a third party, are paid by the Supplier to PRASA.

In the case of service, the Supplier corrects non-conformances as indicated by PRASA.

Warranty

Without prejudice to any other rights of PRASA under these conditions, the Supplier warrants that the items are in accordance with PRASA's requirements, and fit for the purpose for which they are intended, and will remain free from defects for a period of one year (unless another period is stated in the Order) from acceptance of the items by PRASA.

Indemnity

The Supplier indemnifies PRASA against all actions, suits, claims, demands, costs, charges and expenses arising in connection therewith arising from the negligence, infringement of intellectual or legal rights or breach of statutory duty of the Supplier, his subcontractors, agents or servants, or from the Supplier's defective design, materials or workmanship.



The Supplier indemnifies PRASA against claims, proceedings, compensation and costs payable arising out of infringement by the Supplier of the rights of others, except an infringement which arose out of the use by the Supplier of things provided by PRASA.

Assignment and sub-contracting

The Supplier may not assign or subcontract any part of this order/contract without the written consent of PRASA.

Termination

PRASA may terminate the order/contract at any time (without prejudice to any right of action or remedy which has accrued or thereafter accrues to PRASA):

If the Supplier defaults in due performance of the order/contract, or if the Supplier becomes bankrupt or otherwise is, in the opinion of PRASA, in such financial circumstances as to prejudice the proper performance of the order/contract, or for any other reason in which case the Supplier will be compensated for all costs incurred.

Governing law

The order/contract is governed by the law of the Republic of South Africa and the parties hereby submit to the non-exclusive jurisdiction of the South African courts.



SECTION 6 SBD4

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?

 YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution		

2.2	Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? YES/NO
2.2.1	If so, furnish particulars:
1	
1	the power by one person or a group of persons holding the majority of the equity of an enterprise

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

300	
	prasa
AL PROPERTY OF	NUMBER OF STREET

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? YES/NO

2.3.1	If so, furnish particulars:						

3 DECLARATION

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium will not be construed as collusive bidding.
- In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT. I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

Signature	Date
Position	Name of bidder



SECTION 7

B-BBEE PREFERENCE POINTS CLAIM FORM

This preference form must form part of all bids invited. It contains general information and serves as a claim for preference points for Broad-Based Black Economic Empowerment [**B-BBEE**] Status Level of Contribution.

- NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.
- 1. GENERAL CONDITIONS
- 1.1 The following preference point systems are applicable to all bids:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this bid is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the preference point system shall be applicable.
- 1.3 Either the **80/20** preference point system shall be applicable to this bid.
- 1.4 Preference points for this bid shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contribution.
- 1.5 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTION	20
Total points for Price and B-BBEE must not exceed	100

1.5.1 Failure on the part of a bidder to submit a B-BBEE Verification Certificate from a Verification Agency accredited by the South African Accreditation System [SANAS], or a sworn affidavit confirming annual turnover and level of black ownership in case of all EMEs and QSEs with 51% black ownership or more together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

prasa

The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. **DEFINITIONS**

- 2.1 **"all applicable taxes"** includes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies;
- 2.2 **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- 2.3 "B-BBEE status level of contributor" means the B-BBEE status received by a measured entity based on its overall performance using the relevant scorecard contained in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- 2.4 **"bid"** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of services, works or goods, through price quotations, advertised competitive bidding processes or proposals;
- 2.5 **"Black designated group"** has meaning assigned to it in codes of good practice issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act.
- 2.6 "Black People" meaning assigned to in Section 1 of Broad-Based Black Economic Empowerment Act.
- 2.7 **"Broad-Based Black Economic Empowerment Act"** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- 2.8 **"CIPC"** means the Companies and Intellectual Property Commission, formerly known as CIPRO, the Companies and Intellectual Property Registration Office.
- 2.9 **"comparative price"** means the price after the factors of a non-firm price and all unconditional discounts that can be utilized have been taken into consideration:
- 2.10 "consortium or joint venture" means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract;
- 2.11 "contract" means the agreement that results from the acceptance of a bid by an organ of state;
- 2.12 **"co-operative"** means a co-operative registered in terms of section 7 of Cooperatives Act, 2005 (Act No. 14 of 2005)

2.13 "Designated Group" means - i) Black designated groups; ii) Black People; iii) Women; iv) people with disabilities or v) Small enterprise, as defined in Section 1 of National Small Enterprise Act, (102 of 1996) 2.14 "Designated Sector" means, sub-sector or industry or product designated in terms of regulation 8(1)(a) 2.15 "EME" means an Exempted Micro Enterprise as defines by Codes of Good Practice under section 9 (1) of the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003); 2.16 "firm price" means the price that is only subject to adjustments in accordance with the actual increase or decrease resulting from the change, imposition, or abolition of customs or excise duty and any other duty, levy, or tax, which, in terms of the law or regulation, is binding on the contractor and demonstrably has an influence on the price of any supplies, or the rendering costs of any service, for the execution of the contract; 2.17 "functionality" means the ability of a bidder to provide goods or services in accordance with specification as set out in the bid documents; 2.18 "Military Veteran" has meaning assigned to it in Section 1 of Military Veterans Act, 2011 (Act No. 18 of 2011); 2.19 "National Treasury" has meaning assigned to it in Section 1 of Public Finance Management Act, 1999 (Act No. 1 of 1999); 2.20 "non-firm prices" means all prices other than "firm" prices; 2.21 "person" includes a juristic person: 2.22 "People with disabilities" meaning assigned to it in terms of Section 1 of Employment Equity Act, 1998 (Act No. 55of 1998) 2.23 "Price" includes all applicable taxes less all unconditional discounts. 2.24 "Proof of B-BBEE Status Level of Contributor" i) the B-BBBEE status level certificate issued by an unauthorised body or person; ii) a sworn affidavit as prescribed by the B-BBEE Codes of Good Practice; or iii) any other requirement prescribed in terms of the Broad- Based Black Economic Empowerment Act. 2.25 "Rural Area" i) a sparsely populated area in which people farm or depend on natural resources, including villages and small towns that are dispersed through the area; or ii) an area including a large settlement which depends on migratory labour and remittances and government social grants for

survival, and may have traditional land tenure system.

nrasa 🌎

2.26	"QSE" means a Qualifying Small Enterprise as defines by Codes of Good Practice under section 9 (1) of the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
2.27	"rand value" means the total estimated value of a contract in South African currency, calculated at the time of bid invitations, and includes all applicable taxes and excise duties;
2.28	"sub-contract" means the primary contractor's assigning, leasing, making out work to, or employing, another person to support such primary contractor in the execution of part of a project in terms of the contract;
2.29	"total revenue" bears the same meaning assigned to this expression in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act and promulgated in the <i>Government Gazette</i> on 9 February 2007;
2.30	"Township" means an urban living area that any time from the late 19th century until 27 April 1994, was reserved for black people, including areas developed for historically disadvantaged individuals post 27 April 1994
2.31	"Treasury" meaning assigned to it in Section 1 of the Public Finance Management Act, 1999 (Act No. 1 of 1999)
2.32	"trust" means the arrangement through which the property of one person is made over or bequeathed to a trustee to administer such property for the benefit of another person; and
2.33	"trustee" means any person, including the founder of a trust, to whom property is bequeathed in order for such property to be administered for the benefit of another person.
2.34	"Youth" meaning assigned to it in terms of Section 1 of National youth Development Agency Act, 2008 (Act No. 54 of 2008).
3.	ADJUDICATION USING A POINT SYSTEM
3.1	The bidder obtaining the highest number of total points will be awarded the contract.
3.2	Preference points shall be calculated after prices have been brought to a comparative basis taking into account all factors of non-firm prices and all unconditional discounts.
3.3	Points scored must be rounded off to the nearest 2 decimal places.
3.4	In the event that two or more bids have scored equal total points, the successful bid must be the one scoring the highest number of preference points for B-BBEE.
3.5	However, when functionality is part of the evaluation process and two or more bids have scored equal

orașa prasa

points including equal preference points for B-BBEE, the successful bid must be the one scoring the highest score for functionality.

3.6 Should two or more bids be equal in all respects, the award shall be decided by the drawing of lots.

4. POINTS AWARDED FOR PRICE

4.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$Ps = 80 \left(1 - \frac{Pt - P \min}{P \min} \right)$$

Where

Ps = Points scored for comparative price of bid under consideration

Pt = Comparative price of bid under consideration

Pmin = Comparative price of lowest acceptable bid

5. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTION

In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points(80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0



- A bidder who qualifies as an EME in terms of the B-BBEE Act must submit a sworn affidavit confirming Annual Total Revenue and Level of Black Ownership. Furthermore EMEs may also obtain a sworn affidavit from CIPC (formerly CIPRO) Self Service Terminals when registering a business or filing annual returns. In these instances PRASA would require proof of turnover as well as proof of ownership. Sworn affidavits must substantially comply with the format that can be obtained on the DTI's website at www.dti.gov.za/economic empowerment/bee_codes.jsp.
- QSEs that are at least 51% Black owned or higher are only required to obtain a sworn affidavit on an annual basis confirming that the entity has an Annual Total Revenue of R50 million or less and the entity's Level of Black ownership.
- A Bidder other than EME or a QSE that is at least 51% Black owned must submit their original and valid B-BBEE status level verification certificate or a certified copy thereof, substantiating their B-BBEE rating a Verification Agency accredited by SANAS.
- A trust, consortium or joint venture (including unincorporated consortia and joint ventures) must submit a consolidated B-BBEE Status Level verification certificate for every separate bid.
- 5.6 Tertiary Institutions and Public Entities will be required to submit their B-BBEE status level certificates in terms of the specialized scorecard contained in the B-BBEE Codes of Good Practice.
- 5.7 A person will not be awarded points for B-BBEE status level if it is indicated in the bid documents that such a bidder intends sub-contracting more than 25% of the value of the contract to any other enterprise that does not qualify for at least the points that such a bidder qualifies for, unless the intended sub-contractor is an EME that has the capability and ability to execute the sub-contract.
- A person awarded a contract may not sub-contract more than 25% of the value of the contract to any other enterprise that does not have an equal or higher B-BBEE status level than the person concerned, unless the contract is sub-contracted to an EME that has the capability and ability to execute the sub-contract.
- 5.9 Bidders are to note that the rules pertaining to B-BBEE verification and other B-BBEE requirements may be changed from time to time by regulatory bodies such as National Treasury or the DTI. It is the Bidder's responsibility to ensure that his/her bid complies fully with all B-BBEE requirements at the time of the submission of the bid.

prosecution of the second of t	BID DECLARATION									
6.1	Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:									
6.1.1	B-BBEE STATUS LEVEL OF CONTRIBUTION CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 5.1									
6.2	B-BBEE Status Level of Contribution: =(maximum of 20 points) (Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 5.1 and must be substantiated by means of a B-BBEE certificate issued by a Verification Agency accredited by SANAS or a Registered Auditor approved by IRBA or a sworn affidavit.									
7.	SUB-CONTRACTING									
7.1	Will any portion of the contract be sub-contracted?									
7.1.1	(Tick applicable box) YES NO If yes, indicate: i) What percentage of the contract will be subcontracted									
	ii) The name of the sub-contractor									
	iii) The B-BBEE status level of the sub-contractoriv) Whether the sub-contractor is an EME.									
	(Tick applicable box) YES NO									
	v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:									
	Designated Group: An EME or QSE which is at last 51% owned by: \square EME \vee QSE \vee									
	Black people									
	Black people who are youth									

Black people who are women	
Black people with disabilities	
Black people living in rural or underdeveloped areas or	
townships	
Cooperative owned by black people	
Black people who are military veterans	
OR	
Any EME	
Any QSE	

8.	DECLARATION WITH REGARD TO COMPANY/FIRM
8.1	Name of company/firm:
8.2	VAT registration number:
8.3	Company registration number:
8.4	TYPE OF COMPANY/ FIRM
	□ Partnership/Joint Venture / Consortium
	□ One person business/sole propriety
	□ Close corporation
	□ Company
	□ (Pty) Limited
	[TICK APPLICABLE BOX]
8.5	DESCRIBE PRINCIPAL BUSINESS ACTIVITIES
8.6	COMPANY CLASSIFICATION
	□ Manufacturer
	□ Supplier
	Page 29 of 70

prasa									
9-20 ctm-2	□ Profe	essional servic	e provide	r					
	□ Othe	r service provi	ders, e.g.	. transporter,	etc.				
	[TICK APF	PLICABLE BOX]							
8.7	Total	number	of	years	the	company/firm	has	been	in
	business	8:							
0 0	l/wa tha	undereigned	who is /	ara duly auti	hariand to	da sa an babalf af th	o compan	ulfirm cortif	v that

- 8.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contribution indicated in paragraph 7 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraph 7, the contractor may be required to furnish documentary proof to the satisfaction of the
 - iv) purchaser that the claims are correct;
 - v) If a bidder submitted false information regarding its B-BBEE status level of contributor, local production and content, or any other matter required in terms of the Preferential Procurement Regulations, 2017 which will affect or has affected the evaluation of a bid, or where a bidder has failed to declare any subcontracting arrangements or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have.
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) if the successful bidder subcontracted a portion of the bidder to another person without disclosing it, PRASA reserves the right to penalise the bidder up to 10 percent of the value of the contract:
 - (e) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the



National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and

(f) forward the matter for criminal prosecution.

WITNESSES 1	SIGNATURE(S) OF BIDDERS(S) DATE: ADDRESS
2	



SECTION 8

DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand

y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.



- 1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;
- 2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

	Minimum Threshold for Local Content
78mm Brass Padlocks Concealed Hardened Steel Shackle KD	100%
40mm Brass Padlocks with 20mm Hardened Steel Shackle KD	100%
Three lever lockset (2 Keys) with striking plate fixed to metal .Lockset with lock, handles and keys, complete	100%
Lock indicators	100%
Aluminium window blinds 25mm wide blind slats Window opening size 1460 x 1800mm.	100%
Steel Window frame 533 x 600mm high	100%
Steel Door frame for door 813 x 2100mm high	100%
Stainless Steel engraved plate male signage, size 150 x 150mm	100%
Stainless Steel engraved plate Female signage, size 150 x 150mm	
Stainless Steel engraved plate Female signage	100%
15mm 130CP "Star" under wall pattern stopcock	100%
15mm 121-15RB stopcock	100%
Galvanised steel bins	100%
Palisade Fencing	
Welded security grille screen	
single bowl <u>sink</u> and drainer Overall size 800 x 460mm with One 340 x 370 x 150mm deep bowl, including fitting, fixed to brickwork or concrete with 40 x 40mm square stainless steel wall mounting gallow brackets, Installation shall Include flush valve traps, etc., Installation SHALL include all supply and waste piping, complete	100%
15mm 130CP "Star" under wall pattern stopcock	100%
Steel litter bin size 400mm Ø x 750mm high / 72-litre capacity with steel ash tray, galvanised with a polyurethane paint.	100%

proso	
Palisade fence vehicle swing double gate 1850mm wide x 2400mm high overall, formed of 150 x 75 x 3mm thick hollow section frame, 100 x 75 x 3mm thick hollow section middle rail and cross bracing bars and with 25 x 25 x 2.5mm thick angle section spiked vertical bars at maximum 143mm centres welded to frame, middle rail and cross bracing bars complete with approved heavy duty castors, etc. completely installed and painted	100%
150mm Diameter steel bollards with concrete infill ,300mm below the ground and 900mm above the ground	100%
150mm Diameter steel bollards with concrete infill not exceeding 1200mm with lockable mechanism sets	100%
Welded security grille screen for opening 1450x 1810mm high overall, with 25 x 25 x 3mm thick metal surround frame .	100%
Supply and install Steel litter bin size 400mm Ø x 750mm high / 72-litre capacity with steel ash tray, galvanised with a polyurethane paint.	100%
Supply and install Galvanised and polyurethane painted platform bench, set into concrete bed 1500mm long	100%
Supply and install Single lever basin mixer. Chrome finish. SANS 226 Water taps	100%
Supply and install Kwikot or Franke ZIP Stainless steel water boiler with stainless steel tank, electronic controls, connected to 15mm cold water supply and 230 volt 2000 watt electrical power supply	100%
Cobra Watertech Ledimo or equal approved 15mm chrome plated wall mounted sink mixer with overarm swivel outlet, adjustable wall flanges and concealed connections.	100%
Supply and install Satin stainless steel soap dispensers with a replaceable and refillable 1 litre container, cylinder lock, plugged and screwed to the wall with stainless steel screws.	100%
Supply and install Satin stainless steel toilet roll holders for 2 rolls with central shaft system and cylinder lock, plugged and screwed to the wall with stainless steel screws. (vandal resistant)	100%
Supply and install Satin stainless steel paper towel dispenser with min 600 folded paper towels and cylinder lock, plugged and screwed to the wall with stainless steel screws.	100%
Supply and install brushed aluminium vinyl sheet bonded unisex sign size 300x300	100%
Supply and install Natural anodised aluminium windows Top hung etc. glazed with 6.38mm obscure laminated safety glass, plugged to brickwork. Window size 900 X 1200mm	100%
Supply and install 2 tier aluminium lockers	100%
Supply and install galvanised steel mesh stonegaurd Welded security grille screen for opening 1100X 900mm with 25 x 25 x 3mm thick metal surround frame	100%

© prasa	
Supply and install Silverline stainless steel benches with powder coating 4 seater to be screwed into floor connectors.	100%
Supply and install Cobra Watertech Ledimo or equal approved 15mm chrome plated wall mounted sink mixer with overarm swivel outlet, adjustable wall flanges and concealed connections manufactured in accordance with SANS.	100%
Supply and install 5 litre Kwikot or Franke ZIP Stainless steel water boiler with stainless steel tank, electronic controls, connected to 15mm cold water supply and 230 volt 2000 watt electrical power supply	100%
Supply and install satin stainless steel recessed toilet roll holder to fit two rolls and to be mounted to the wall.	100%
Supply and install brushed aluminium vinyl sheet bonded female sign size 300x300	100%
Supply and install brushed aluminium vinyl sheet bonded male sign size 300x300	100%
Supply and install Satin stainless steel sanitary disposal bins mounted to the wall.	100%

3. Does any portion of the goods or services offered have any imported content?

(Tick applicable box)

YES	NO	

3..1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on www.reservebank.co.za

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.



4. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

representative, auditor or any other third party acting on behalf of the bidder. Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and I is accessible on http://www.thdti.gov.za/industrial_development/ip.jsp . Bidders should first complete Declaration I After completing Declaration D, bidders should complete Declaration E and then consolidate the information of Declaration C. Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract. The undersigned,	\LC	or ordination (occorded ordination, i Artheronii ortinational)	
The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorize representative, auditor or any other third party acting on behalf of the bidder. Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and B is accessible on http://www.thdti.gov.za/industrial development/jp.jsp. Bidders should first complete Declaration After completing Declaration D, bidders should complete Declaration E and then consolidate the information of Declaration C. Declaration C should be submitted with the bid documentation at the closing date and time the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract. The undersigned,	IN R	ESPECT OF BID NO.	
The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorize representative, auditor or any other third party acting on behalf of the bidder. Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and is accessible on http://www.thdti.gov.za/industrial development/ip.jsp. Bidders should first complete Declaration After completing Declaration D, bidders should complete Declaration E and then consolidate the information of Declaration C. Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract. The undersigned,		JED BY: (Procurement Authority / Name of Institution):	
representative, auditor or any other third party acting on behalf of the bidder. Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and I is accessible on http://www.thdti.gov.za/industrial development/ip.jsp. . Bidders should first complete Declaration I After completing Declaration D, bidders should complete Declaration E and then consolidate the information c Declaration C Should be submitted with the bid documentation at the closing date and time the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required continuously update Declarations C, D and E with the actual values for the duration of the contract. The undersigned,	NB		
is accessible on http://www.thdti.gov.za/industrial development/ip.jsp. Bidders should first complete Declaration E and then consolidate the information of Declaration C. Declaration D. Should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract. In the undersigned,	1		ansferred to an external authorized
do hereby declare, in my capacity as	2	is accessible on http://www.thdti.gov.za/industrial development/ip.jsp . Bidders so After completing Declaration Declaration Declaration Declaration C should be submitted with the bid documentation the bid in order to substantiate the declaration made in paragraph (c) below kept by the bidders for verification purposes for a period of at least 5 years. The substantiate the declaration made in paragraph (c) below the bidders for verification purposes for a period of at least 5 years. The substantial development/ip.jsp. Bidders so the substantial development/ip.jsp	should first complete Declaration D hen consolidate the information or on at the closing date and time on w. Declarations D and E should be the successful bidder is required to
The facts contained herein are within my own personal knowledge. (a) I have satisfied myself that: (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local conte requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SAT 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration and E which has been consolidated in Declaration C: Bid price, excluding VAT (y) R	l, the	e undersigned, (full name	es),
(a) The facts contained herein are within my own personal knowledge. (b) I have satisfied myself that: (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local conte requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SAT 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration and E which has been consolidated in Declaration C: Bid price, excluding VAT (y) R	do h	ereby declare, in my capacity as	
(b) I have satisfied myself that: (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local conte requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SAT 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration and E which has been consolidated in Declaration C: Bid price, excluding VAT (y) R	of	(name of bidde	er entity), the following:
(i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local conterequirements as specified in the bid, and as measured in terms of SATS 1286:2011; and The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SAT 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration and E which has been consolidated in Declaration C: Bid price, excluding VAT (y) Imported content (x), as calculated in terms of SATS 1286:2011 Stipulated minimum threshold for local content (paragraph 3 above)	(a)	The facts contained herein are within my own personal knowledge.	
requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SAT 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration and E which has been consolidated in Declaration C: Bid price, excluding VAT (y) Imported content (x), as calculated in terms of SATS 1286:2011 Stipulated minimum threshold for local content (paragraph 3 above)	(b)	I have satisfied myself that:	
1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration and E which has been consolidated in Declaration C: Bid price, excluding VAT (y) Imported content (x), as calculated in terms of SATS 1286:2011 Stipulated minimum threshold for local content (paragraph 3 above)		•	
Imported content (x), as calculated in terms of SATS 1286:2011 R Stipulated minimum threshold for local content (paragraph 3 above)	(c)	1286:2011, the rates of exchange indicated in paragraph 4.1 above and the info	•
Stipulated minimum threshold for local content (paragraph 3 above)		Bid price, excluding VAT (y)	R
		Imported content (x), as calculated in terms of SATS 1286:2011	R
Local content %, as calculated in terms of SATS 1286:2011		Stipulated minimum threshold for local content (paragraph 3 above)	
		Local content %, as calculated in terms of SATS 1286:2011	
		·	,

-	
300	
	orașa
100 mg	los and

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above.

The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE:	DATE:
WITNESS No. 1	DATE:
WITNESS No. 2	DATE:



SECTION 9

CERTIFICATE OF ATTENDANCE OF COMPULSORY RFQ BRIEFING

It is hereby certified that		Representative(s)
of		_[name of entity[has attended the
RFQ Briefing session to which this enquiry re	elates.	
FOR / ON BEHALF OF PRASA	DESIGNATION	
Name		
Cianatura		
Signature		
Acknowledgement		
It is hereby certified that the bidder has acqui	ainted himself /themselves with tl	ne RFQ enquiry
THUS DONE and SIGNED at	on this da	y of 20
DULY AUTHORISED SIGNATORY(IES)	WITNESSES	
Signature	Name	
oignature		
Signature	Name	



SECTION 10

COMMISSIONER OF OATH

I certify that the above	ve has acknowledged that he/she knows and unders	stands the contents of this docur	ment, that
he/she does not have	ve any objection to taking the oath, and that he/s	he considers it to be binding o	on his/her
conscience, and whic	ch was sworn to and signed before me at	on this the	day of
20_	, and that the administering oath complied with	the regulations contained in Go	overnment
Gazette No. R 1258 o	of 21 July 1972, as amended.		
COMMISSIONER C	OF OATHS STAMP AND DETAILS OF PERSON		
STAMP:	NAME & SURNAME:		
	DESIGNATION/RANK:		
	PERSAL/EMPLOYEE NO:		
	PLACE/DATE:		



SECTION 11

	REFURBISHMENT OF DE AAR STATION			
ltem	Description	UNIT	QTY	RATE
	BILL NO. 1			
	PRELIMINARIES AND GENERAL COSTS			
	GENERAL NOTES			
	Contractor is required to visit the site and inspect items before bidding for the tender.			
	Note :All rates should include supply and install			
	SUPPLEMENTARY PREAMBLES			
	View site :			
	Before submitting, the Contractor shall visit the site and satisfy himself as to the nature and extent of the work to be done and the value of the materials contained in the buildings or portions of the buildings.			
	Old material to become property of the contractor			
	Old materials from alterations, except where described to be re-used or handed over, become the property of the contractor who must allow credit for same in the Final Summary			
	Allow for compulsory JBCC contract			
	, , , , , , , , , , , , , , , , , , , ,			
1	Minor Works Agreement, JBCC Edition 6.2 March 2014 edition published by the Joint Building Contracts Committee	Item	1,00	
	OCCUPATIONAL HEALTH AND SAFETY			
	Presentation, agreement and implementation of the health and safety plan including notifications to local health and safety authorities, open health and safety file inclusive of Covid 19 requrements as per the Department of labour			
2	Health and safety File	Item	1	
	Carried to summary-			

prasa				
	BILL NO.2			
	ALTERATIONS, DEMOLITIONS,ETC			
	REMOVAL OF EXISTING WORK			
	NEWOVAL OF EXISTING WORK			
	Take down & remove doors, windows and frames etcand set aside for re-use, including making good plaster and			
	paintwork to receive new (new doors ironmongery measured elsewhere)			
1	Single timber door and frame size 813 x 2100mm high built in one brick wall	No	4	
	(Male & Female abulutions)			
2	Steel frame not exceeding 2,5m² from one brick wall	No	2	
	(Male & Femalem Abulutions)			
	Taking out and removing piping, sanitary fittings etc.including disconnecting piping from fittings and making good floor and wall finishes			
3	Vitreous china floor-mounted WC pan including toilet seat	No	4	
	(Male & Female abulutions)			
	Carried to summary-			
	BILL NO :03			
	SILL ITO TOO			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	DRYWALL PARTITIONS			
	Vitraflex" toilet partitioning with 20mm thick vitreous enamelled steel sheet faced particle board bonded panels and natural anodised aluminium edging and top rails including fixing components and standard ironmongery comprising of indicator bolts, coat			
1	Partition 2200 x 3200mm high	m	2,5	

prasa				
	(Ticket office)			
2	Extra for a sing door and frame size 900 x 2100mm high	No	1	
	(Ticket office)			
	(Transcramos)			
	Carried to summary-			
	ourned to outlinary			
	DILL NO 04			
	BILL NO.04	+		
	CARPENTRY & JOINERY			
1	Wrought meranti single door including Wooden door frame.		•	
	Door sizes 930mm x 2032mm high	No	2	
	(Female Toilet -A,Male Toilet -A)			
2	Wrought meranti single door including Wooden door frame.			
-	Door sizes 700mm x 1900mm high	No	2	
	(Cleaners Messroom)			
	Counted to automorphy			
	Carried to summary-			
	DILL NO 05			
	BILL NO.05			
	MACONDY			
	MASONRY			
1	Driel, un de en 9 minden, en enine, en el mello me el	0	Г	
ı	Brick up door & window opening and make good.	m2	5	
	(Ticket office)			
	Comind to assume			
	Carried to summary-			
	DILL NO 06			
	BILL NO.06	+		
	DI ACTEDINO	+		
	PLASTERING			
	Consent placton would have a large large at			
1	Cement plaster wood floated on brickwork	0	40	
<u> </u>	On walls-	m2	10	
	(Ticket office)	+		
	Two coats gypsum plaster "Rhinolite" polished to a smooth finish			
2		2	44.5	
	On Vitraflex" toilet partitioning plasterboard-	m2	11,5	
	(Ticket Office)	1	16	
3	On Plaster-	m2	10	
	(Ticket Office)			

prasa				
	Carried to summary-			
	BILL NO.07			
	PAINTING			
	FAINTING			
	DAINTWORK ETO TO NEW WORK			
	PAINTWORK, ETC. TO NEW WORK			
	ON FLOATED PLASTER			
	Paint one coat Plascon Professional Plaster primer and finish			
	with two coats Plascon Superior Low Sheen as per PRASA			
	colour specification.			
4	l w u			
1	Walls			
	(Ticket Office)	m2	10	
	PAINTWORK, ETC. TO PREVIOUSLY PAINTED WORK			
	PREPARATORY WORK TO EXISTING WORK			
	Note: All surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied.			
	Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with suitable filler and finished smooth			
	ON FLOATED PLASTER			
	J. T. LOMED I ENGIER			
	Paint one coat Plascon Professional Plaster primer and finish			
	with two coats Plascon Superior Low Sheen as per PRASA			
	colour specification.			
2	Walls-	m2	311	
	(Kitchen, Walkway Passage,Male & Female Abulutions, Main entrance,Store room)			
	0N PLASTER BOARD		1	
	One coat resin based bonding liquid and two coats superior			
	acrylic PVA emulsion paint on work in poor condition			
L	1			

prasa				
3	On ceilings and cornices	m2	170	
	(Female &Male Abutions,waiting Area,Storage			
	lockers,Walkway passage)			
4	On drywall partitions-	m2	15	
	(Ticket office)	1112	10	
	(Ticket Office)			
5	On Concrete Soffits-	m2	370	
	(Main Entrance,Female & Male Abulutions,Ticket office ,Subway)			
	ON METAL SURFACE			
	Paint one coat "Plascon" Metalcare Mild Steel Primer and two caots "Plascon" Professional Gloss Enamel.			
6	On steel gates painted both sides	m2	20	
	(Ticket office,Main Entrance)			
7	On Window frames & Door Frames	m2	10	
•	(Female ,Male Abulutions & Ticket office)	1112	10	
8	On Seating Steel Benches Not Exceeding 3m length	No	30	
	(Platform)	110	00	
	Paint one coat "Dulux" Supergrip primer and one coat "Dulux" Trade universal undercoat and two coats "Dulux" Trade Pearlglo. As per Prasa colour Specification			
9	On Timber Doors & Timber Door frames	m2	42	
	(Storage room, Ticket office, Male & Female Abulutions)			
10	On Skirting	m	50	
	(Ticket office)			
	Carried to summary-			
	BILL NO.08			
	IDONIMONGERY			
	IRONMONGERY			

prasa				
B.W.Co.Z.	LOCKS			
	"Union" or equal and approved fixed to timber			
1	Three lever lockset (2 Keys) with striking plate fixed to metal .Lockset with lock, handles and keys, complete	No	4	
	(Waiting rooms,Female Toilet)			
2	Lock indicators	No	7	
	(Female & Male Abulutions)			
	PADLOCKS			
3	78mm Brass Padlocks Concealed Hardened Steel Shackle KD Code: UN337800000000	No	2	
	(External gate)			
4	40mm Brass Padlocks with 20mm Hardened Steel Shackle KD, Code: UN334000000000	No	4	
	(Burglar gates)			
	Carried to summary-			
	BILL NO.09			
	BILL NO.09			
	GLAZING			
	GLAZING TO STEEL WITH PUTTY			
	4 mm Clear float glass			
1	Panes exceeding 0,5m2	m2	4	
-	(Ticket office & Female Abulutions)	1112	'	
	4mm Silvered float glass copper backed mirrors with polished edges fixed with chromium plated dome headed mirror screws			
2	Mirror size 450 x 600mm high	No	1	
	(Ticket Office)			
	Window Tinting			
3	Highly Reflective Silver Mirror Window Film Sun Blocking Mirror Reflective Window Tint One Way Heat Control Vinyl Anti			
	UV Glass Stickers	m2	20	

prasa				
Tomas S	(Ticket Office)			
	Carried to summary-			
	BILL NO.10			
	WINDOW BLINDS			
	Aluminium window blinds 25mm wide blind slats			
1	Window opening size 1460 x 1800mm.	No	1	
	(Ticket office)			
	Carried to summary-			
	BILL NO.11			
	METALWORK			
	GALVANIZED PRESSED STEEL DOOR FRAMES			
	STEWNINES TRESSES STEEL SOUTH SINES			
	1.6mm Single rebated frames suitable for One brick wall			
	1. Shift Shigh Tobatca harrise calcaste for the shiek wall			
1	Steel Door frame for door 813 x 2100mm high	No	2	
	(Male Toilet)	110		
	(maio ronoy			
	GALVANIZED PRESSED STEEL WINDOW FRAMES			
	CALVANIZED I RECOED OFFEE WINDOW I IV WILL			
	Standard residential windows with 10mm diameter mild steel	1		
	Standard residential windows with Fortim diameter filling steel	1		
2	Steel Window frame 533 x 600mm high	No	1	
	(Ticket Office)	INO	1	
	(Ticket Office)			
	Stainless Steel engraved plate male signage, size 150 x			
3	150mm	No	2	
	(Male Toilet)			
	(Male Tollet)			
4	Stainless Steel engraved plate Female signage, size 150 x	Ma		
	150mm	No	2	
	(Female Toilet)			
	Carried to summary-	1		
	BILL NO.12			

	PLUMBING AND DRAINAGE			
	I Editibilità ARD DIVANIVACE			
	SANITARY FITTINGS			
	"Vaal"or equally approved			
1	Hibiscus vitreous china wash-down pan code 772654 complete with 9 litre front flush cistern code 710533 Including lid and fitment and Jazz Thermoset seat Note: Installation SHALL include waste, traps, supply and waste piping complete (Female Toilet, Male Toilet & Ticket office)	No	7	
	"Whyte house" Vandal resistant Sanitary fittings			
2	Wall mounted <u>basin</u> with One tap hole code 030337/029799, Idral 'Franke Aqualine-S Aqua 205 Stainless steel self closing bib tap, code '359 743, with angle outlet, aerator with flow straightener, angle valve 832-10 "Including basin waste, traps, etc. Note :Installation SHALL include waste, traps, supply and waste piping complete(Female Toilet)	No	2	
3	<u>Urinal</u> code 029800 with Isca Automatic flush sensor code 4420/CH. Note : Installation SHALL include waste, traps, supply and waste piping complete (Male toilet)	No	4	
4	single bowl <u>sink</u> and drainer Overall size 800 x 460mm with One 340 x 370 x 150mm deep bowl, including fitting, fixed to brickwork or concrete with 40 x 40mm square stainless steel wall mounting gallow brackets, Installation shall Include flush valve traps, etc., Installation SHALL include all supply and waste piping,complete	No	1	
	(Messroom)			
	TAPS, VALVES, ETC			
5	15mm 130CP "Star" under wall pattern stopcock	No	6	
ô	15mm 121-15RB stopcock	No	4	
	HOT WATER HEATERS			
7	5lt hydroboil including fittings	No	1	

BILL NO.13

	EXTERNAL WORK-			
	EXTERNAL WORK-			
1	Steel litter bin size 400mm Ø x 750mm high / 72-litre capacity with steel ash tray, galvanised with a polyurethane paint.	No	4,00	
2	Patch tar platform surface to match existing	m2	20,00	
3	Mild steel welded palisade gate including spot prime exposed metal surfaces and and two coats high gloss enamel paint			
4	Palisade fence vehicle swing double gate 1850mm wide x 2400mm high overall, formed of 150 x 75 x 3mm thick hollow section frame, 100 x 75 x 3mm thick hollow section middle rail and cross bracing bars and with 25 x 25 x 2.5mm thick angle section spiked vertical bars at maximum 143mm centres welded to frame, middle rail and cross bracing bars complete with approved heavy duty castors, etc. completely installed and painted	No	1	
5	BOLLARDS			
6	150mm Diameter steel bollards with concrete infill ,300mm below the ground and 900mm above the ground	No	4,00	
7	150mm Diameter steel bollards with concrete infill not exceeding 1200mm with lockable mechanism sets	No	3,00	
	GALVANISED STEEL MESH STONEGUARD			
	Security wire mesh screens to frames as per PRASA CRES specification			
8	Welded security grille screen for opening 1450x 1810mm high overall, with 25 x 25 x 3mm thick metal surround frame.	No	4,00	
	(Waiting Area)			
	Carried to summary-			
	BILL NO.14			

Provisional Sum

prasa				
THE SECOND STATE OF T	Electrical work COC is required at the end of the project			
1	Provisional sum of R 10000.00 for faulty switches and plugs.	ITEM	1	
	g.		· · · · · ·	
2	Profit on above item.	5%		
2		50/		
3	Attendance on above.	5%		
	Carried to summary-			
	BILL NO.15			
	MEGUANICAL INCTALLATION			
	MECHANICAL INSTALLATION			
	Supply and install BTU Split Unit airconditioner complete, with a standard back to back installation, 2m of copper pipe, cable and drain pipe, an electrical power supply to nearest plug socket, and mounting brackets. Features must include a cooling and heating, minimum temp of 18°C and maximum temp of 30°C. With auto cool, power failure auto restart, electronic touch controls with remote, 12 hour on/off timer. With a 5-year warranty			
1		NIa	1	
1	(Ticket office)	No	ı	
	(113.131.31.131.131.131.131.131.131.131.			
	Carried to summary-			1
	OUR MADY			
	<u>SUMMARY</u>			
1	PRELIMINARIES AND GENERAL COSTS-			
2	ALTERATIONS, DEMOLITIONS,ETC-			
3	CEILINGS, PARTITIONS AND ACCESS FLOORING-			
	CEILINGS, FARTHONS AND ACCESS I LOCKING-			
4	CARPENTRY & JOINERY-			
5	MASONRY-			
6	PLASTERING-			
	I LAUILIMO-			
7	PAINTING-			
8	IRONMONGERY-			

prasa		
9	GLAZING-	
10	WINDOW BLINDS-	
11	METALWORK-	
12	PLUMBING AND DRAINAGE-	
13	EXTERNAL WORK-	
	_	
14	ELECTRICAL INSTALLATION-	
15	MECHANICAL INSTALLATION-	
	SUB-TOTAL	
	VAT(15%)	
	TOTAL	
	REFURBISHMENT OF BEAUFORT WEST	
	STATION	
	BILL NO. 1	
	PRELIMINARIES AND GENERAL COSTS	
	GENERAL NOTES	
	Contractor is required to visit the site and inspect items before	
	bidding for the tender.	
	Note :All rates should include supply and install	
	SUPPLEMENTARY PREAMBLES	
	View site :	
	Before submitting, the Contractor shall visit the site and satisfy	
	himself as to the nature and extent of the work to be done and	
	the value of the materials contained in the buildings or portions	
	of the buildings.	
	Old material to become property of the contractor	

prasa				
	Old materials from alterations, except where described to be re-used or handed over, become the property of the contractor who must allow credit for same in the Final Summary			
	Investigate a cracked beam and advise of any structural implications	ITEM		
	Allow for compulsory JBCC contract			
	Minor Works Agreement, JBCC Edition 6.2 March 2014 edition published by the Joint Building Contracts Committee	Item	1,00	
	OCCUPATIONAL HEALTH AND SAFETY			
	Presentation, agreement and implementation of the health and safety plan including notifications to local health and safety authorities, open health and safety file inclusive of Covid 19 requrements as per the Department of labour			
	Health and safety File	Item	1	
	Carried to summary-			
	BILL NO. 2			
	ALTERATIONS, DEMOLITIONS, ETC			
1	Hacking up/off and removing vinyl tiles, including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc:	m2	15	
	(Staff male ablution,Locker room,Passage)			
2	Hacking up/off and removing carpet tiles, including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, to receive new floor finishes, etc:	m2	150	
	(Office1,Supervisors office,Guardroom,ATM room, Boardroom,Staff female ablution)			
3	Taking out and removing sanitary fittings such as WC pan including cystern and including cutting off as necessary, disconnecting piping from fittings and making good damaged plasterwork to walls and floors (all redecoration work elsewhere):	No	6	
	(Staff male & female ablutions, Ticket office ablutions)			
			1	1

prasa				
4	Taking out and removing sanitary fittings such as WHB and including cutting off as necessary, disconnecting piping from fittings and making good damaged plasterwork to walls and floors (all redecoration work elsewhere):	No	6	
	(Staff male & female ablutions, Ticket office ablutions)			
5	Remove damaged existing vertical blinds	m2	50	
	(Office 1,Office 2,Boardroom,ATM room,Guardroom,Ticket office)			
6	Taking out existing doors & making good to receive new doors (elsehwhere measured) entrance doors/external doors	No	5	
7	Extra over for internal doors	No	7	
8	Remove timber partitioning and make good to receive new. Partition 3m high (Office1,Supervisor's office,Guardroom,ATM room)	m	20	
9	Takind down and remove damaged ceiling	m2	22	
	(ATM room)			
10	Remove timber platform benches	No	3	
10	(platform1)	INO	3	
11	Remove steel platform bins and make good to receive new bins	No	3	
	Carried to summary-			
	BILL NO.3			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	CEILING			
1	6.4mm "Rhino" gypsum plasterboard with 63mm strips of mesh scrim nailed over joints and the whole finished skimmed smooth on including metal Tee's at 400mm centres one way to underside of rafters	m2	22	
	(ATM room)			
2	75mm Coved cornice	m	16	

Extra over ceilings for 600 x 600mm trap door consisting of gypsum plasterboard on metal tee's with in a pre-made aluminium angle support surround	No	1	
<u>Drywall Partitions</u>			
Lafarge Gypsum or similar approved 90mm thick partitioning comprising internal framing formed of 64mm partitioning comprising internal framing formed of 64mm with natural anodised aluminium frames.			
Doublition 2m high	m	20	
Partition 5m nigh	111	32	
Extra for single door and frame size 900 x 2,100m high	No	3	
Carried to summary-			
ourned to Summary-			
BILL NO.4			
CARPENTRY AND JOINERY			
Wrought meranti framed, ledged and braced batten door, with tongue and grooved slats with V-joints. Size 40mm Single door 813 x 2032 high	No	5	
(Office1,Supervisor,Guardroom,ATM,Ticket office)			
Semi solid flush doors with commercial veneer suitable suitable for painting hung to timber frames.Size 40mm Door 813x2032 high	No	3	
(Boardroom,female & male ablution)			
Supply and install "White Melanine" kitchen cupboard including Worktop 600mm wide including cut out for fitting to kitchen sinks, etc. This shall include all the fittings, traps and piping. Size 1200X600mm	No	1	
Extra over for splash back tiles	m2	1	
Service doors&door frames, broken parts and replacing missing parts and making good.			
Replace window pages Size 500Y800mm	No	7	
·	INU	'	
I ISTAIT MAIE & TEMAIE ANUMINE TURKET NUITE ANUMINEL			
	gypsum plasterboard on metal tee's with in a pre-made aluminium angle support surround Drywall Partitions Lafarge Gypsum or similar approved 90mm thick partitioning comprising internal framing formed of 64mm partitioning comprising internal framing formed of 64mm with natural anodised aluminium frames. Partition 3m high Extra for single door and frame size 900 x 2,100m high Carried to summary- BILL NO.4 CARPENTRY AND JOINERY Wrought meranti framed, ledged and braced batten door, with tongue and grooved slats with V-joints. Size 40mm Single door 813 x 2032 high (Office1, Supervisor, Guardroom, ATM, Ticket office) Semi solid flush doors with commercial veneer suitable suitable for painting hung to timber frames. Size 40mm Door 813x2032 high (Boardroom, female & male ablution) Supply and install "White Melanine" kitchen cupboard including Worktop 600mm wide including cut out for fitting to kitchen sinks, etc. This shall include all the fittings, traps and piping. Size 1200X600mm Extra over for splash back tiles Service doors&door frames, broken parts and replacing	gypsum plasterboard on metal tee's with in a pre-made aluminium angle support surround Drywall Partitions Lafarge Gypsum or similar approved 90mm thick partitioning comprising internal framing formed of 64mm partitioning comprising internal framing formed of 64mm with natural anodised aluminium frames. Partition 3m high Extra for single door and frame size 900 x 2,100m high No Carried to summary- BILL NO.4 CARPENTRY AND JOINERY Wrought meranti framed, ledged and braced batten door, with tongue and grooved slats with V-joints. Size 40mm Single door 813 x 2032 high (Office1,Supervisor,Guardroom,ATM,Ticket office) Semi solid flush doors with commercial veneer suitable suitable for painting hung to timber frames. Size 40mm Door 813x2032 high (Boardroom,female & male ablution) Supply and install "White Melanine" kitchen cupboard including Worktop 600mm wide including cut out for fitting to kitchen sinks, etc. This shall include all the fittings, traps and piping. Size 1200X600mm No Extra over for splash back tiles m2 Service doors&door frames, broken parts and replacing missing parts and making good. Replace window panes. Size 590X890mm No	gypsum plasterboard on metal tee's with in a pre-made aluminium angle support surround Prywall Partitions Lafarge Gypsum or similar approved 90mm thick partitioning comprising internal framing formed of 64mm partitioning comprising internal framing formed of 64mm with natural anodised aluminium frames. Partition 3m high m 32 Extra for single door and frame size 900 x 2,100m high No 3 Carried to summary- BILL NO.4 CARPENTRY AND JOINERY Wrought meranti framed, ledged and braced batten door, with tongue and grooved slats with V-joints. Size 40mm Single door 813 x 2032 high (Office1,Supervisor,Guardroom,ATM,Ticket office) Semi solid flush doors with commercial veneer suitable suitable for painting hung to timber frames. Size 40mm Door 813x2032 high No 3 (Boardroom,female & male ablution) Supply and install "White Melanine" kitchen cupboard including Worktop 600mm wide including cut out for fitting to kitchen sinks, etc. This shall include all the fittings, traps and piping. Size 1200X600mm No 1 Extra over for splash back tiles m2 1 Service doors&door frames, broken parts and replacing missing parts and making good. Replace window panes. Size 590X890mm No 7

prasa				
6	Aluminum double door. Size 1500X2100mm	No	1	
	Carried to summary-			
	BILL NO.05			
	MASONRY			
1	Brick up door & window opening and make good.	m2	2	
	Carried to summary-			
	BILL NO.6			
	PLASTERING			
	Cement plaster wood floated on brickwork			
2	On walls	m2	4	
	Carried to summary-			
	BILL NO.07			
	PAINTING			
	PAINTWORK, ETC. TO NEW WORK			
	ON FLOATED PLASTER			
	Paint one coat Plascon Professional Plaster primer and			
	finish with two coats Plascon Superior Low Sheen as per			
	PRASA colour specification.			
	-			
	Paint one coat Plascon Professional Plaster primer and finish			
	with two coats Plascon Superior Low Sheen as per PRASA			
	colour specification.			
	<u> </u>	_		
3	Internal walls	m2	4	
	PREPARATORY WORK TO EXISTING WORK			
]	

prasa				
	Note: All surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with suitable filler and finished smooth			
	ON FLOATED PLASTER			
4	On walls	m2	250	
	ON METAL SURFACE			
	Prepare surface and paint one coat "Plascon" Metalcare Mild Steel Primer and two caots "Plascon" Professional Gloss Enamel.			
5	Security steel gate	m2	2	
6	Steel door frames and make good	m2	15	
	ON CEILING			
	Prepare surface and paint one coat Plascon Proffessional primer and finish with two coats plascon Superior Low Sheen as per Prasa Specification			
7	Station building ceiling	m2	300	
8	On new wall partition	m2	200	
	ON WOOD SURFACE			
	Prepare surface and paint one coat "Dulux" Supergrip primer and one coat "Dulux" Trade universal undercoat and two coats "Dukux" Trade Pearglo on: As per Prasa Specification			
9	On timber doors	m2	11	
	Three coats superior quality clear matt varnish			
10	On existing timber partition	m2	35	
	Carried to summary-			

prasa				
	BILL NO.8			
	FLOOR COVERING			
	1 EGGIK GOVERNING			
1	Supply and install FLOORWORX "Floorflex" or equal approved 300 x 300 x 2,0mm thick semi-flexible vinyl floor tiles.	m2	80	
	(office1,Supervisor office,ATM,Ticket office)			
2	500 x 500mm Loose lay "Metro" Belogotex Commercial carpet tiles with Nexbac from Nexus	m2	45	
	(Boardroom)			
	POLISH SEALER ETC			
3	Three coats water-based acrylic floor dressing on vinyl	m2	80	
	Carried to summary-			
	BILL NO.9			
	IRONMONGERY			
	LOCKS			
	"Union" or equal and approved fixed to timber			
1	Three lever lockset SABS approved (2 Keys) with striking plate fixed to metal .Lockset with lock, handles and keys, complete	No	6	
	(Office1,Supervisor office,ATM,Guardroom,Ticket office, Male ablution)			
2	Supply and install 2 lever lock set SABS approved and make	No	11	
	Carried to summary-			
	BILL NO.10			
	GLAZING			
	GLAZING TO STEEL WITH PUTTY			
	Service windows & window frames, broken parts and replacing missing parts and making good.			

prasa				
	2			
1	Replace window panes. Size 590X890mm	No	7	
	Window Tinting			
	VIIIdOW TIITUIII			
	Highly Reflective Silver Mirror Window Film Sun Blocking			
2	Mirror Reflective Window Tint One Way Heat Control Vinyl Anti			
	UV Glass Stickers	m2	47	
	(Office1,Supervisor,Guardroom,ATM,Boardroom, Ticket office)			
	Carried to summary-			
	Carried to Summary-			
	BILL NO.11			
	METALWORK			
	Service door and door frames, broken parts and replacing			
	missing parts and making good.			
1	Aluminum dauble dans Cina 4500V0400mm	N _a	0	
- 1	Aluminum double door. Size 1500X2100mm	No	2	
2	Steel door frames. Size 813X2032mm	No	3	
3	Supply and install Galvanised and polyurethane painted			
,	platform bench, set into concrete bed 1500mm long	No	2	
	(Platform 1)			
4	Supply and install Steel litter bin size 400mm Ø x 750mm high /			
'	72-litre capacity with steel ash tray, galvanised with a polyurethane paint.	No	2	
	F-72			
	Carried to summary-			
	BILL NO.12			
	DI UMBINO AND DRAWAGE			
	PLUMBING AND DRAINAGE			
	SANITARY FITTINGS			
	CANTANTITINGS			
	Complete and in shall Meal Conitant and Life in the State of the State			
	Supply and install Vaal Sanitaryware Hibiscus vitreous china close coupled suite colour White, comprising 90° outlet open			
1	rim pan with			
	matching 9 litre front single flush cistern including lid and	NI-		
	fitments and Jazz Thermoset seat.	No	6	
	(Staff male & female ablutions, Ticket office)			

prasa				
2	Vaal Sanitaryware Hibiscus vitreous china lavatory basin colour White size 510 x 405mm with one taphole including integrated overflow and chainstay hole bolted to wall with two x 10mm bolts and including Classic floor mounted pedestal and sealed with silicone sealant where basin meets wall. To be used in conjunction with cold water or mixer taps as specified.	No	6	
	(Staff male & female ablutions, Ticket office)			
3	Supply and install Single lever basin mixer. Chrome finish. SANS 226 Water taps	No	6	
	(Staff male & female ablutions, Ticket office)			
4	Supply and install Kwikot or Franke ZIP Stainless steel water boiler with stainless steel tank, electronic controls, connected to 15mm cold water supply and 230 volt 2000 watt electrical power supply	No	1	
	(Guardroom)			
5	Cobra Watertech Ledimo or equal approved 15mm chrome plated wall mounted sink mixer with overarm swivel outlet, adjustable wall flanges and concealed connections.	No	1	
	(Guardroom)			
	<u>Sundries</u>			
6	Supply and install Satin stainless steel soap dispensers with a replaceable and refillable 1 litre container, cylinder lock, plugged and screwed to the wall with stainless steel screws.	No	7	
	(Ticket office, Public male♀ ablutions,Staff male♀ ablutions)			
7	Supply and install Satin stainless steel toilet roll holders for 2 rolls with central shaft system and cylinder lock, plugged and screwed to the wall with stainless steel screws. (vandal resistant)	No	13	
	(Ticket office, Public male♀ ablutions,Staff male♀ ablutions)			
8	Supply and install Satin stainless steel paper towel dispenser with min 600 folded paper towels and cylinder lock, plugged and screwed to the wall with stainless steel screws.	No	5	
	(Ticket office, Public male♀ ablutions,Staff male♀ ablutions)			

prasa				
9	Supply and install Satin stainless steel sanitary towel disposal bins with capacity of min10 litres, free standing or wall mounted (plugged and screwed to the wall with stainless steel screws)	No	5	
	(Ticket office, Public male♀ ablutions,Staff male♀ ablutions)			
	Supply and install brushed aluminium vinyl sheet bonded unisex sign size 300x300	No	1	
	(Ticket office)			
	Carried to summary-			
	BILL NO.13			
	TILING			
1	300 x 300 x 7,50mm full bodied R9 Slip rated Porcelain tile with 3mm joints flush pointed with "TAL Wall and floor" grout fixed with "Tal Gold Star 6" rapid setting adhesive waterproof jointing compound (PC Amount R250/m2)	m2	64	
	(Guardroom,Locker room,Staff male♀ ablutions,Passage,Locker room)			
2	Skirting 150mm high of cut tiles	m	74	
3	200 x 200mm ceramic tiles fixed with adhesive to plaster and flush pointed with waterproofing jointing compound (PC Amount R150/m2).	m2	63	
	Carried to summary-			
	BILL NO.14			
	EXTERNAL WORK			
	WATERPROOFING			
1	One layer "Derbigum SP4" waterproofing membrane, with 75mm side laps and 100mm end laps, sealed to primed surface to falls and cross falls, strictly in primed surface to falls and cross falls, strictly in accordance with the manufacturer's specification.	m2	350	
	Carried to summary-			
	BILL NO.15			

prasa				
	ELETRICAL WORK			
	Provisional Sum			
	Electrical work COC is required at the end of the project			
1	Provisional sum of R 35000.00 for faulty switches and plugs.	ITEM	1	
	Carried to summary-			
	SUMMARY			
1	PRELIMINARIES AND GENERAL COSTS-			
2	ALTERATIONS, DEMOLITIONS, ETC-			
3	CEILINGS, PARTITIONS AND ACCESS FLOORING-			
4	CARPENTRY & JOINERY-			
5	MASONRY-			
6	PLASTERING-			
7	PAINTING-			
8	IRONMONGERY-			
9	GLAZING-			
11	METALWORK-			
12	PLUMBING AND DRAINAGE-			
13	TILING			
14	EXTERNAL WORK-			
14	ELECTRICAL INSTALLATION-			
	SUB-TOTAL			
	VAT(15%)			
	TOTAL			

prasa				
	REFURBISHMENT OF LAINGSBURG			
	STATION			
	BILL NO. 1			
	DIEL NO. 1			
	PRELIMINARIES AND GENERAL COSTS			
	_			
	GENERAL NOTES			
	Contractor is required to visit the site and inspect items before bidding for the tender.			
	Note :All rates should include supply and install			
	SUPPLEMENTARY PREAMBLES			
	View site :			
	Before submitting, the Contractor shall visit the site and satisfy himself as to the nature and extent of the work to be done and the value of the materials contained in the buildings or portions of the buildings.			
	Old material to become property of the contractor			
	Old materials from alterations, except where described to be re-used or handed over, become the property of the contractor who must allow credit for same in the Final Summary			
	Allow for commutative IDOC contract		1	
	Allow for compulsory JBCC contract			
	Minor Works Agreement, JBCC Edition 6.2 March 2014 edition			
	published by the Joint Building Contracts Committee	Item	1,00	
	OCCUPATIONAL HEALTH AND SAFETY			
	Presentation, agreement and implementation of the health and safety plan including notifications to local health and safety authorities, open health and safety file inclusive of Covid 19 requrements as per the Department of labour			
	Health and safety File	140	4	
	Health and safety File	Item	1	
	Carried to summary-			
	BILL No.2			

ALTERATIONS, DEMOLITIONS,ETC REMOVAL OF EXISTING WORK 1 Hacking up/off and removing of vinyl flooring including removing of mortar bed or adhesive from concrete and preparing surface for new screed. (Waiting area & Guardroom & foyer leading to female, Female ablution) 2 Timber skirting m 54 (Waiting area, Ticket office, foyer to female toilets, Guardroom, Female ablutions) 4 Single timber door and frame size 813 x 2032mm high built in one brick wall (Old ticket office, Female ablutions, male ablutions) 5 Extra over for door frame, plaster & paint the opening. Size No 1 (Old ticket office, Female ablutions, male ablutions) 6 Glazed timber window size 900 x 1200mm high with timber sub frame built in one brick wall.	
REMOVAL OF EXISTING WORK 1 Hacking up/off and removing of vinyl flooring including removing of mortar bed or adhesive from concrete and preparing surface for new screed. (Waiting area & Guardroom & foyer leading to female,Female ablution) 2 Timber skirting m 54 (Waiting area,Ticket office, foyer to female toilets,Guardroom,Female ablutions) 4 Single timber door and frame size 813 x 2032mm high built in one brick wall (Old ticket office,Female ablutions,male ablutions) 5 Extra over for door frame, plaster & paint the opening. Size No 1 (Old ticket office,Female ablutions,male ablutions) 6 Glazed timber window size 900 x 1200mm high with timber sub	
Hacking up/off and removing of vinyl flooring including removing of mortar bed or adhesive from concrete and preparing surface for new screed. (Waiting area & Guardroom & foyer leading to female, Female ablution) 2 Timber skirting (Waiting area, Ticket office, foyer to female toilets, Guardroom, Female ablutions) 4 Single timber door and frame size 813 x 2032mm high built in one brick wall (Old ticket office, Female ablutions, male ablutions) 5 Extra over for door frame, plaster & paint the opening. Size (Old ticket office, Female ablutions, male ablutions) 6 Glazed timber window size 900 x 1200mm high with timber sub	
Hacking up/off and removing of vinyl flooring including removing of mortar bed or adhesive from concrete and preparing surface for new screed. (Waiting area & Guardroom & foyer leading to female, Female ablution) 2 Timber skirting (Waiting area, Ticket office, foyer to female toilets, Guardroom, Female ablutions) 4 Single timber door and frame size 813 x 2032mm high built in one brick wall (Old ticket office, Female ablutions, male ablutions) 5 Extra over for door frame, plaster & paint the opening. Size (Old ticket office, Female ablutions, male ablutions) 6 Glazed timber window size 900 x 1200mm high with timber sub	
Hacking up/off and removing of vinyl flooring including removing of mortar bed or adhesive from concrete and preparing surface for new screed. (Waiting area & Guardroom & foyer leading to female, Female ablution) 2 Timber skirting (Waiting area, Ticket office, foyer to female toilets, Guardroom, Female ablutions) 4 Single timber door and frame size 813 x 2032mm high built in one brick wall (Old ticket office, Female ablutions, male ablutions) 5 Extra over for door frame, plaster & paint the opening. Size (Old ticket office, Female ablutions, male ablutions) 6 Glazed timber window size 900 x 1200mm high with timber sub	
1 removing of mortar bed or adhesive from concrete and preparing surface for new screed. (Waiting area & Guardroom & foyer leading to female,Female ablution) 2 Timber skirting (Waiting area,Ticket office, foyer to female toilets, Guardroom,Female ablutions) 4 Single timber door and frame size 813 x 2032mm high built in one brick wall (Old ticket office,Female ablutions,male ablutions) 5 Extra over for door frame, plaster & paint the opening. Size (Old ticket office,Female ablutions,male ablutions) 6 Glazed timber window size 900 x 1200mm high with timber sub	
female,Female ablution) 2 Timber skirting m 54 (Waiting area,Ticket office, foyer to female toilets, Guardroom,Female ablutions) 4 Single timber door and frame size 813 x 2032mm high built in one brick wall No 8 (Old ticket office,Female ablutions,male ablutions) 5 Extra over for door frame, plaster & paint the opening. Size No 1 (Old ticket office,Female ablutions,male ablutions) 6 Glazed timber window size 900 x 1200mm high with timber sub	
(Waiting area, Ticket office, foyer to female toilets, Guardroom, Female ablutions) 4 Single timber door and frame size 813 x 2032mm high built in one brick wall No 8 (Old ticket office, Female ablutions, male ablutions) 5 Extra over for door frame, plaster & paint the opening. Size No 1 (Old ticket office, Female ablutions, male ablutions) 6 Glazed timber window size 900 x 1200mm high with timber sub	
(Waiting area, Ticket office, foyer to female toilets, Guardroom, Female ablutions) 4 Single timber door and frame size 813 x 2032mm high built in one brick wall No 8 (Old ticket office, Female ablutions, male ablutions) 5 Extra over for door frame, plaster & paint the opening. Size No 1 (Old ticket office, Female ablutions, male ablutions) 6 Glazed timber window size 900 x 1200mm high with timber sub	
one brick wall (Old ticket office,Female ablutions,male ablutions) 5 Extra over for door frame, plaster & paint the opening. Size (Old ticket office,Female ablutions,male ablutions) 6 Glazed timber window size 900 x 1200mm high with timber sub	
5 Extra over for door frame, plaster & paint the opening. Size No 1 (Old ticket office,Female ablutions,male ablutions) Glazed timber window size 900 x 1200mm high with timber sub	
(Old ticket office,Female ablutions,male ablutions) Glazed timber window size 900 x 1200mm high with timber sub	
(Old ticket office,Female ablutions,male ablutions) Glazed timber window size 900 x 1200mm high with timber sub	
(Female ♂ ablutions)	
Taking out and removing sanitary fittings such as Bath complete, WC pan including cystern etc including cutting off as necessary, disconnecting piping from fittings and making good damaged plasterwork to walls and floors (all redecoration work elsewhere): No 4	
(Female ♂ ablutions)	
Taking out and removing sanitary fittings WHB etc including cutting off as necessary, disconnecting piping from fittings and making good damaged plasterwork to walls and floors (all redecoration work elsewhere): No 2	
(Female ♂ ablutions)	
Take out and remove sanitary fittings urinal size (1600mm x 1400mm high) including cutting off as necessary, disconnecting piping from fittings and making good damaged plasterwork and walls. No 1	
(Male ablution)	

prasa				
10	Clean & remove paint on window panes and burglar bars and make good. Window sizes 1800X1200mm	No	5	
	(Female ♂ ablutions)			
11	Take down & remove ceiling including cornice	m2	32	
	(Room1,female toilets, male toilets)			
	Carried to summary-			
	BILL NO.3			
	Drywall Partitions			
	Lafarge Gypsum or similar approved 90mm thick partitioning			
1	comprising internal framing formed of 64mm galvanised steel			
	studs fixed at 600mm centres painted with natural anodised aluminium frames. Partiotion size 34200mm high	m	2	
	(Guardroom)	111		
	Cadialoniy			
0	Extra for single door and frame size 900 x 2,100m high,			
2	including lock set (elsewhere measured)	No	1	
	CEILING			
	6.4mm "Rhino" gypsum plasterboard with 63mm wide strips of			
3	mesh scrim nailed over joints and the whole finished skimmed			
	smooth on including metal Tee's at 400mm centres one way to		04	
	underside of rafters	m2	21	
	(Female ablutions, male ablutions)			
4	75mm Coved cornices RHINO" gypsum plasterboard cornices	m	64	
	7 Simili Coved Cornices Krilino gypsum piasterboard cornices	m	04	
	Extra ever collings for 600 v 600 mm trans does consisting of			
5	Extra over ceilings for 600 x 600mm trap door consisting of gypsum plasterboard on metal tee's with in a pre-made			
	aluminium angle support surround	No	2	
	(Female ablutions, male ablutions)			
	Carried to summary-			
	BILL NO.4			
	CARPENTRY AND JOINERY			

Supply and install "White Melanine" kitchen cupboard including granite Worktop 600mm wide including cut out for fitting to kitchen sinks, etc. This shall include all the fittings, traps and piping. Size 1200X600mm	No	1	
(Guardroom)			
Extra over for splash back tiles above kitchen sink	m2	1	
Supply and install Wrought meranti framed, ledged and braced batten door, with tongue and grooved slats with V-joints. 40mm Single door size 813 x 2032mm high	No	3	
(Old ticket ffice,Female ablution, Male ablution)			
Semi solid flush doors with commercial veneer suitable for painting hung to timber frames. 40mm Door 813 x 2100mm high in half brick wall. This shall include bolts required	No	4	
(Female ablutions & Male ablutions)			
FRAMED FRAMES ETC			
90x70mm Timber frame for door size 813 x 2032mm high with sill	No	1	
(Male ablution)			
90x70mm Timber frame for door size 813 x 2032mm high no sill	No	4	
(Female & Male ablutions)			
Supply and install timber Canteen timber benche with backrest 4 seater. Size 1200X1300mm long.	No	1	
(Guardroom)			
Carried to summary-			
BILL NO.5			
PAINTWORK			
All paint colours shall be as per PRASA CRES Finishes specification schedule			
Prepare surface and paint one coat Plascon Professional Plaster primer and finish with two coats Plascon Superior Low Shoon as per PRASA colour specification			
	granite Worktop 600mm wide including cut out for fitting to kitchen sinks, etc. This shall include all the fittings, traps and piping. Size 1200X600mm (Guardroom) Extra over for splash back tiles above kitchen sink Supply and install Wrought meranti framed, ledged and braced batten door, with tongue and grooved slats with V-joints. 40mm Single door size 813 x 2032mm high (Old ticket ffice, Female ablution, Male ablution) Semi solid flush doors with commercial veneer suitable for painting hung to timber frames. 40mm Door 813 x 2100mm high in half brick wall. This shall include bolts required (Female ablutions & Male ablutions) FRAMED FRAMES ETC 90x70mm Timber frame for door size 813 x 2032mm high with sill (Male ablution) 90x70mm Timber frame for door size 813 x 2032mm high no sill (Female & Male ablutions) Supply and install timber Canteen timber benche with backrest 4 seater. Size 1200X1300mm long. (Guardroom) Carried to summary- BILL NO.5 PAINTWORK All paint colours shall be as per PRASA CRES Finishes specification schedule Prepare surface and paint one coat Plascon Professional	granite Worktop 600mm wide including cut out for fitting to kitchen sinks, etc. This shall include all the fittings, traps and piping. Size 1200X600mm (Guardroom) Extra over for splash back tiles above kitchen sink M2 Supply and install Wrought meranti framed, ledged and braced batten door, with tongue and grooved slats with V-joints. 40mm Single door size 813 x 2032mm high (Old ticket ffice,Female ablution, Male ablution) Semi solid flush doors with commercial veneer suitable for painting hung to timber frames. 40mm Door 813 x 2100mm high in half brick wall. This shall include bolts required (Female ablutions & Male ablutions) FRAMED FRAMES ETC 90x70mm Timber frame for door size 813 x 2032mm high with sill (Male ablution) 90x70mm Timber frame for door size 813 x 2032mm high no sill (Female & Male ablutions) Supply and install timber Canteen timber benche with backrest 4 seater. Size 1200X1300mm long. (Guardroom) Carried to summary- BILL NO.5 PAINTWORK All paint colours shall be as per PRASA CRES Finishes specification schedule Prepare surface and paint one coat Plascon Professional Plaster primer and finish with two coats Plascon Superior	granite Worktop 600mm wide including cut out for fitting to kitchen sinks, etc. This shall include all the fittings, traps and piping. Size 1200X600mm (Guardroom) Extra over for splash back tiles above kitchen sink Supply and install Wrought meranti framed, ledged and braced batten door, with tongue and grooved slats with V-joints. 40mm Single door size 813 x 2032mm high No Semi solid flush doors with commercial veneer suitable for painting hung to timber frames. 40mm Door 813 x 2100mm high in half brick wall. This shall include bolts required (Female ablutions & Male ablutions) FRAMED FRAMES ETC 90x70mm Timber frame for door size 813 x 2032mm high with sill (Male ablution) 90x70mm Timber frame for door size 813 x 2032mm high no sill (Female & Male ablutions) Supply and install timber Canteen timber benche with backrest 4 seater. Size 1200X1300mm long. Carried to summary- BILL NO.5 PAINTWORK All paint colours shall be as per PRASA CRES Finishes specification schedule Prepare surface and paint one coat Plascon Professional Plaster primer and finish with two coats Plascon Superior

prasa				
	_			
1	Internal walls			
	(Waiting area, Ticket office, Guardroom, Ablutions)	m2	300	
2	External walls	m2	250	
	(Station building & Male ablutions)			
	ON METAL SURFACE			
	Prepare surface and paint one coat "Plascon" Metalcare Mild Steel Primer and two caots "Plascon" Professional Gloss Enamel.			
	•			
3	Steel security gates	m2	10	
	(Waiting area, Ticket office, Male Ablutions)			
4	Steel square downpipe.size 100X75X2700mm	No	4	
	ON CEILING			
	Prepare surface and paint one coat Plascon Proffessional primer and finish with two coats plascon Superior Low Sheen as per Prasa Specification			
			05	
5	On ceiling	m2	65	
	(Waiting area, Ticket Office,Guardroom, Room1,Female ablution, Male ablutions)			
	ON WOOD SURFACE			
	Prepare surface and paint one coat "Dulux" Supergrip primer and one coat "Dulux" Trade universal undercoat and two coats "Dukux" Trade Pearglo on: As per Prasa Specification			
6	On timber doors & door frames	m2	50	
U	On univer doors a door marries	IIIZ	30	
7	On timber window frames & window frames	m2	28	
8	On timber facia's	m2	30	
	Carried to summary-			
	BILL NO.6			

TILING 300 x 300 x 7,50mm full bodied R9 Slip rated Porcelain tile with 3mm joints flush pointed with "TAL Wall and floor" grout fixed with "Tal Gold Star 6" rapid setting adhesive waterproof jointing compound (PC Amount R250/m2 m2 85 (Waiting area,Guardroom,Room1,Female ablution, Male ablution) 2 Skirting 150mm high of cut tiles m2 54 (Waiting area,Guardroom,Room1,Female ablution, Male ablution) WALL TILES 3 200 x 200mm ceramic tiles fixed with adhesive to plaster plaster elsewhere) and flush pointed with waterproofing plaster elsewhere) and flush pointed with waterproofing m2 64 (Female&Male ablutions) 4 Deep clean 500X500 carpert tiles and make good m2 15	
300 x 300 x 7,50mm full bodied R9 Slip rated Porcelain tile with 3mm joints flush pointed with "TAL Wall and floor" grout fixed with "Tal Gold Star 6" rapid setting adhesive waterproof jointing compound (PC Amount R250/m2 m2 85 (Waiting area,Guardroom,Room1,Female ablution, Male ablution) 2 Skirting 150mm high of cut tiles m2 54 (Waiting area,Guardroom,Room1,Female ablution, Male ablution) WALL TILES 200 x 200mm ceramic tiles fixed with adhesive to plaster plaster elsewhere) and flush pointed with waterproofing plaster elsewhere) and flush pointed with waterproofing plaster elsewhere) and flush pointed with waterproofing m2 64 (Female&Male ablutions)	
1 3mm joints flush pointed with "TAL Wall and floor" grout fixed with "Tal Gold Star 6" rapid setting adhesive waterproof jointing compound (PC Amount R250/m2 m2 85 (Waiting area, Guardroom, Room1, Female ablution, Male ablution) 2 Skirting 150mm high of cut tiles m2 54 (Waiting area, Guardroom, Room1, Female ablution, Male ablution) WALL TILES 200 x 200mm ceramic tiles fixed with adhesive to plaster plaster elsewhere) and flush pointed with waterproofing plaster elsewhere) and flush pointed with waterproofing m2 64 (Female&Male ablutions)	
1 3mm joints flush pointed with "TAL Wall and floor" grout fixed with "Tal Gold Star 6" rapid setting adhesive waterproof jointing compound (PC Amount R250/m2 m2 85 (Waiting area, Guardroom, Room1, Female ablution, Male ablution) 2 Skirting 150mm high of cut tiles m2 54 (Waiting area, Guardroom, Room1, Female ablution, Male ablution) WALL TILES 200 x 200mm ceramic tiles fixed with adhesive to plaster plaster elsewhere) and flush pointed with waterproofing plaster elsewhere) and flush pointed with waterproofing m2 64 (Female&Male ablutions)	
2 Skirting 150mm high of cut tiles m2 54 (Waiting area, Guardroom, Room1, Female ablution, Male ablution) WALL TILES 200 x 200mm ceramic tiles fixed with adhesive to plaster plaster elsewhere) and flush pointed with waterproofing plaster elsewhere) and flush pointed with waterproofing m2 64 (Female&Male ablutions)	
(Waiting area, Guardroom, Room1, Female ablution, Male ablution) WALL TILES 200 x 200mm ceramic tiles fixed with adhesive to plaster plaster elsewhere) and flush pointed with waterproofing plaster elsewhere) and flush pointed with waterproofing (Female&Male ablutions)	
3 WALL TILES 200 x 200mm ceramic tiles fixed with adhesive to plaster plaster elsewhere) and flush pointed with waterproofing plaster elsewhere) and flush pointed with waterproofing m2 64 (Female&Male ablutions)	
200 x 200mm ceramic tiles fixed with adhesive to plaster plaster elsewhere) and flush pointed with waterproofing plaster elsewhere) and flush pointed with waterproofing m2 64 (Female&Male ablutions)	
plaster elsewhere) and flush pointed with waterproofing plaster elsewhere) and flush pointed with waterproofing m2 64 (Female&Male ablutions)	
4 Deep clean 500X500 carpert tiles and make good m2 15	
4 Deep clean 500X500 carpert tiles and make good m2 15	
(Ticket office)	
Carried to summary-	
BILL NO.7	
<u>IRONMONGERY</u>	
1 3 lever lock set SABS approved No 6	
2 Supply and install Stainless Steel Toilet Cubicle Indicator bolt & No 4	
3 Supply and install safety gate lock set No 2	
Carried to summary-	
BILL No. 8	
METAL WORK	

prasa				
1	Supply and install Natural anodised aluminium windows Top hung etc. glazed with 6.38mm obscure laminated safety glass, plugged to brickwork. Window size 900 X 1200mm	No	2	
	(Female ablution & male ablution)			
2	Supply and install 2 tier alluminuim lockers	No	2	
	(Guardroom)			
3	Supply and install galvanised steel mesh stonegaurd Welded security grille screen for opening 1100X 900mm with 25 x 25 x 3mm thick metal surround frame	No	2	
	(Female & male ablution)			
4	Supply and install Silverline stainless steel benches with powder coating 4 seater to be screwed into floor connectors.	No	3	
	(Waiting area)			
	Pressure clean and servuce roofs including patching holes including painting			
5	Metal sheets	m2	224	
	Carried to summary-			
	BILL NO.9			
	PLUMBING AND DRAINAGE			
	Plumbing certificate required at the end of the project			
	Sanitary Fittings			
1	Supply and install floor mounted back inlet pan fitted with "Walco" prison type push button assembly and with double flap heavey seat. Shall include waste, traps, supply and waste piping complete.	No	4	
	(Female ablutions & Male ablutions)			
2	Supply and install Gypsy Waterborne Wash Hand Basin wall mounted push on demand tap. Shall include waste,traps,supply and waste piping complete.	No	4	
	(Female♀ ablutions)			

prasa				
3	Supply and install Colour tap 363 plain Bibtap white 15mm.Shall include flush pipe, and fittings	No	4	
	(Female ablutions & Male ablutions)			
4	Supply and install Cobra Watertech Ledimo or equal approved 15mm chrome plated wall mounted sink mixer with overarm swivel outlet, adjustable wall flanges and concealed connections manufactured in accordance with SANS.	No	1	
	(Guardroom)			
5	Supply & install Vaal "Sweetpea" wall mounted urinal with back inlet with manual flush. Shall include flush pipe and fittings fixed on and including two hanger brackets. Size 565 X 275 X 310mm	No	2	
	(Male ablution)			
6	Supply and install 5 litre Kwikot or Franke ZIP Stainless steel water boiler with stainless steel tank, electronic controls, connected to 15mm cold water supply and 230 volt 2000 watt electrical power supply	No	1	
	(Guardroom)			
	SUNDRIES			
7	Supply and install Satin stainless steel paper towel dispenser with min 600 floded paper towels and cylinder lock, plugged and screwed to the wall	No	2	
	(Female ablution & male ablution)			
8	Supply and install Satin stainless steel sanitary disposal bins mounted to the wall.	No	2	
	(Female ablution & male ablution)			
9	Supply and install satin stainless steel recessed toilet roll holder to fit two rolls and to be mounted to the wall.	No	4	
	(Female ablution & male ablution)			
10	Supply and install brushed aluminium vinyl sheet bonded female sign size 300x300	No	1	
	(Female ablutions)			
	<u> -</u>			
11	Supply and install brushed aluminium vinyl sheet bonded male sign size 300x300	No	1	
	(Male ablution)			

prasa				
Brokens				
12	Supply and install "Denver Bevelled" or similar approved mirrror. Size 3X300X600mm	No	2	
	(Female ablution & male ablution)			
	Carried to summary-			
	DILL NO 40			
	BILL NO.10			
	Window Tinting			
1	Highly Reflective Silver Mirror Window Film Sun Blocking Mirror Reflective Window Tint One Way Heat Control Vinyl Anti UV Glass Stickers	m2	11	
	Carried to summary-			
	BILL NO.11			
	EXTERNAL WORK			
1	Patch tar platform surface to match existing	m2	50,00	
	Carried to summary-			
	BILL NO.12			
	ELETRICAL WORK			
	Provisional Sum			
	Electrical work COC is required at the end of the project			
1	Provisional sum of R 20000.00 for faulty switches and plugs.	ITEM	1	
	Carried to summary-			
	SUMMARY			
1	PRELIMINARIES AND GENERAL COSTS-			
2	ALTERATIONS, DEMOLITIONS,ETC-			

prasa		
3	CEILINGS, PARTITIONS AND ACCESS FLOORING-	
	-	
4	CARPENTRY & JOINERY-	
5	PAINTING	
	TANTING	
6	TILING	
	_	
7	IRONMONGERY	
8	METAL WORK	
9	PLUMBING & DRAINAGE	
	FLUMBING & DRAINAGE	
10	GLAZING	
11	EXTERNAL WORK	
10		
12	ELECTRICAL WORK	
	SUB-TOTAL	
	VAT(15%)	
	TOTAL	