

**CONSOLIDATED QUESTIONS AND ANSWERS FOR SUPPLY, INSTALL AND COMMISSION STANDBY GENERATORS AT
PRETORIA NORTH AND WOLMERTON DEPOTS (CIDB GRADING: 6EB/EP). TENDER NO. CRES/NGR/59/02/2022**

ANSWER FOLLOWED BY QUESTION

1. **From:** Khuthazwa Pike

Sent: Thursday, 03 March 2022 11:52

To: 'leruwaruwa Trading' <leruwatrading@gmail.com>; CresNGR TenderEnquiries <NGR.TenderEnquiries@prasa.com>

Cc: Bongiwe Sithembile <Bongiwe.Sithembile@prasa.com>

Subject: RE: BID NUMBER: CRES/NGR/59/02/2022

Good day,

Both the Automatic Transfer and Manual Changeover switches are required.

Thanks and Regards,

Khuthazwa Pike

SCM: Sourcing Specialist

T: 012 748 7456

E. pikek@prasa.com

“If you are not willing to risk the usual, you will have to settle for the ordinary.”- Jim Rohn”



From: Ieruwaruwa Trading <leruwatrad@gmail.com>

Sent: Saturday, 26 February 2022 10:31

To: Khuthazwa Pike <Kuthazwa.Pike@prasa.com>; CresNGR TenderEnquiries <NGR.TenderEnquiries@prasa.com>

Subject: BID NUMBER: CRES/NGR/59/02/2022

WARNING - This email originates from OUTSIDE YOUR ORGANIZATION. Do not click any link and do not open attachments unless you can confirm the sender.

PLEASE REPORT SUSPICIOUS EMAILS TO: [PRASA SERVICE DESK](#)

Dear Khuthazwa,

Please clarify us, on the specification for 2MVA Standby Generator Control System, you guys indicated you require below spec for Automatic Transfer Switch, yet on 3.1 of the Bill of Materials for 2MVA Standby Generator, you require 250A 4pole Manual Changeover Switch.

Please clarify on whether you want Automatic Transfer Switch or Manual Changerover Switch or both.

Automatic Transfer Switch (ATS)

- Amps: 2500A
- Volts/phase: 400V/3Phase(4pole)
- The ATS shall comply with IEC 60947 or equivalent international standard.
- The separately mounted generator control cubicle and ATS panel shall be of sheet steel

vermin proof with lockable hinged front doors.

- A Four pole circuit breaker and auto transfer switch should be provided rated for full load of the current (+ 10% overload).
- The ATS equipment shall be of 3 attempt type and capable of sensing single phase and three phase failure of main supply or any variation in main supply voltage.
- The main supply and generator supply contactors or Solenoid/Motor operated change over switch shall be of fool proof design with mechanical and electrical interlock.

Kind Regards

Katlego

2. **From:** Khuthazwa Pike

Sent: Thursday, 03 March 2022 11:52

To: 'leruwaruwa Trading' <leruwatrading@gmail.com>; CresNGR TenderEnquiries <NGR.TenderEnquiries@prasa.com>

Cc: Bongiwe Sithembile <Bongiwe.Sithembile@prasa.com>

Subject: RE: BID NUMBER: CRES/NGR/59/02/2022

Good day,

Both the Automatic Transfer and Manual Changeover switches are required.

Thanks and Regards,

Khuthazwa Pike

SCM: Sourcing Specialist

T: 012 748 7456

E. pikek@prasa.com

“If you are not willing to risk the usual, you will have to settle for the ordinary.”- Jim Rohn”



From: Ieruwaruwa Trading <leruwatrad@gmail.com>

Sent: Saturday, 26 February 2022 10:31

To: Khuthazwa Pike <Kuthazwa.Pike@prasa.com>; CresNGR TenderEnquiries <NGR.TenderEnquiries@prasa.com>

Subject: BID NUMBER: CRES/NGR/59/02/2022

WARNING - This email originates from OUTSIDE YOUR ORGANIZATION. Do not click any link and do not open attachments unless you can confirm the sender.

PLEASE REPORT SUSPICIOUS EMAILS TO: [PRASA SERVICE DESK](#)

Dear Khuthazwa,

Please clarify us, on the specification for 2MVA Standby Generator Control System, you guys indicated you require below spec for Automatic Transfer Switch, yet on 3.1 of the Bill of Materials for 2MVA Standby Generator, you require 250A 4pole Manual Changeover Switch.

Please clarify on whether you want Automatic Transfer Switch or Manual Changerover Switch or both.

Automatic Transfer Switch (ATS)

- Amps: 2500A
- Volts/phase: 400V/3Phase(4pole)
- The ATS shall comply with IEC 60947 or equivalent international standard.
- The separately mounted generator control cubicle and ATS panel shall be of sheet steel

vermin proof with lockable hinged front doors.

- A Four pole circuit breaker and auto transfer switch should be provided rated for full load of the current (+ 10% overload).
- The ATS equipment shall be of 3 attempt type and capable of sensing single phase and three phase failure of main supply or any variation in main supply voltage.
- The main supply and generator supply contactors or Solenoid/Motor operated change over switch shall be of fool proof design with mechanical and electrical interlock.

Kind Regards

Katlego

3. **From:** Khuthazwa Pike

Sent: Wednesday, 09 March 2022 08:35

To: Ieruwaruwa Trading <leruwatradng@gmail.com>; CresNGR TenderEnquiries <NGR.TenderEnquiries@prasa.com>

Subject: RE: Equiery

Good Day,

The concrete pyramid cable marker dimensions are as follows

- **Bottom of pyramid:** 300mm(L) x 300mm(W)
- **Height:** 300mm
- **Top of the pyramid:** 170mm(L) X 170mm(W)
- Pyramid to be engraved “**CABLE**” on the top surface of the marker

Thanks and Regards

Khuthazwa Pike

SCM: Sourcing Specialist

T: 012 748 7456

E. pikek@prasa.com

“If you are not willing to risk the usual, you will have to settle for the ordinary.”- Jim Rohn”



From: Ieruwaruwa Trading <leruwatradng@gmail.com>

Sent: Saturday, 26 February 2022 10:45

To: Khuthazwa Pike <Kuthazwa.Pike@prasa.com>; CresNGR TenderEnquiries <NGR.TenderEnquiries@prasa.com>

Subject: Equiery

WARNING - This email originate from OUTSIDE YOUR ORGANIZATION. Do not click any link and do not open attachments unless you can confirm the sender.

PLEASE REPORT SUSPICIOUS EMAILS TO: [PRASA SERVICE DESK](#)

Dear Khuthazwa,

Could you also provide us with the dimensions of Concrete Pyramid Cable Maker as indicated on 2.8 of the BOQ, if possible send us the sample.

Kind Regards

Katlego

4. **From:** Khuthazwa Pike

Sent: Thursday, 17 March 2022 15:07

To: 'kholisa@realtimetrading.co.za' <kholisa@realtimetrading.co.za>

Cc: CresNGR TenderEnquiries <NGR.TenderEnquiries@prasa.com>; 'Themba Shange' <themba@realtimetrading.co.za>

Subject: RE: CRES/NGR/59/02/2022-REQUEST FOR PROPOSAL (RFP) FOR SUPPLY, INSTALL AND COMMISSION STANDBY GENERATORS AT PRETORIA NORTH AND WOLMERTON DEPOTS IN THE NORTHERN GAUTENG REGION (NGR) (CIDB GRADING: 6EB/EP)

Good day,

Please go to e-tender website to retrieve all the tender documents; however, there was no briefing or addendum issued pertaining to this tender.

Thanks and Regards,

Khuthazwa Pike

SCM: Sourcing Specialist

T: 012 748 7456

E. pikek@prasa.com

“If you are not willing to risk the usual, you will have to settle for the ordinary.” - Jim Rohn



From: kholisa@realtimetrading.co.za <kholisa@realtimetrading.co.za>

Sent: Friday, 11 March 2022 11:11

To: Khuthazwa Pike <Kuthazwa.Pike@prasa.com>

Cc: CresNGR TenderEnquiries <NGR.TenderEnquiries@prasa.com>; 'Themba Shange' <themba@realtimetrading.co.za>

Subject: CRES/NGR/59/02/2022-REQUEST FOR PROPOSAL (RFP) FOR SUPPLY, INSTALL AND COMMISSION STANDBY GENERATORS AT PRETORIA NORTH AND WOLMERTON DEPOTS IN THE NORTHERN GAUTENG REGION (NGR) (CIDB GRADING: 6EB/EP)

WARNING - This email originate from OUTSIDE YOUR ORGANIZATION. Do not click any link and do not open attachments unless you can confirm the sender.

PLEASE REPORT SUSPICIOUS EMAILS TO: [PRASA SERVICE DESK](#)

Good Day,

Please note that **Realtime Trading and Projects Pty Ltd** is interested in the advertised RFP to **SUPPLY, INSTALL, AND COMMISSION STANDBY GENERATORS AT PRETORIA NORTH AND WOLMERTON DEPOTS IN THE NORTHERN GAUTENG REGION (NGR) (CIDB GRADING: 6EB/EP)**, can you share with us the briefing notes and Addendum.

Monelo Kholisa

Office Administrator

Telephone no: 010 001 5504

Cell : 078 964 7716

Email : kholisa@realtimetrading.co.za

**Address : Unit 1 Ground Floor
64 Wessels Road,
Rivonia
2191**



5. **From:** Khuthazwa Pike
Sent: Wednesday, 23 March 2022 14:45
To: Ayanda Ntobela <bdo@mhlava.co.za>
Cc: Boitumelo Mogashoa (Planning Executive) <pcexecutive@mhlava.co.za>
Subject: RE: QUERY ON RFP TENDER - MHLAVA CIVIL CONSTRUCTION

Good day,

Kindly take note that, you are still eligible to tender for this tender irrespective of the announcement from National Treasury. As long as you ensure that you send your bid proposal on or before the closing date specified in the tender document.

Thanks and Regards,

Khuthazwa Pike

SCM: Sourcing Specialist

T: 012 748 7456

E. pikek@prasa.com

“If you are not willing to risk the usual, you will have to settle for the ordinary.”- Jim Rohn”



From: Ayanda Ntobela <bdo@mhlava.co.za>
Sent: Thursday, 17 March 2022 10:26
To: Khuthazwa Pike <Kuthazwa.Pike@prasa.com>
Cc: Boitumelo Mogashoa (Planning Executive) <pcexecutive@mhlava.co.za>
Subject: QUERY ON RFP TENDER - MHLAVA CIVIL CONSTRUCTION

WARNING - This email originate from OUTSIDE YOUR ORGANIZATION. Do not click any link and do not open attachments unless you can confirm the sender.
PLEASE REPORT SUSPICIOUS EMAILS TO: [PRASA SERVICE DESK](#)

Morning

Trust you well.

I hereby to enquire on the tender CRES/NGR/59/02/2022 advertised on your company portal, is the tender still valid following the National Treasury speech announced highlighting that all the SOE tenders issued after the 16th of Feb 2022 are put onhold.

Kindest regards



Perfection & Balance is our strength.

Ayanda Ntobela
BUSINESS DEVELOPMENT
OFFICER

078 112 6161
087 898 2244
bdo@mhlava.co.za

445 Innes Road, Morningside, Durban 4001.
Unit 3, Tygerfish Avenue, Rustenburg, 0300
www.mhlava.co.za

6. **From:** Khuthazwa Pike

Sent: Thursday, 24 March 2022 16:42

To: 'les@khawdash.co.za' <les@khawdash.co.za>

Subject: FW: CRES/NGR/59/02/2022 - Tender Clarification

Good Afternoon

Item **3.1 Supply and Install 800A Bus bar coupler** is referring to a provision for a breaker that will be used as bus coupler to connect two bus-bars

Not sure what the enquiry is about when it comes to 6.1 Technical Specification **Automatic Transfer Switch (ATS)**, the generator specified on 6.1 is to be provided with an ATS as specified.

Regards

Khuthazwa Pike

SCM: Sourcing Specialist

T: 012 748 7456

E. pikek@prasa.com

“If you are not willing to risk the usual, you will have to settle for the ordinary.” - Jim Rohn”



From: Les Licheniak <les@khawdash.co.za>

Sent: Wednesday, 23 March 2022 15:11


To: CresNGR TenderEnquiries <NGR.TenderEnquiries@prasa.com>

Cc: Khuthazwa Pike <Kuthazwa.Pike@prasa.com>; mzilethi@khawdash.co.za; 'Chris Mbhokane' <chris@khawdash.co.za>; 'Nkosinathi Walter Khumalo' <walter@khawdash.co.za>

Subject: RE: CRES/NGR/59/02/2022 - Tender Clarification

WARNING - This email originate from OUTSIDE YOUR ORGANIZATION. Do not click any link and do not open attachments unless you can confirm the sender.

PLEASE REPORT SUSPICIOUS EMAILS TO: [PRASA SERVICE DESK](#)

REQUEST FOR PROPOSAL (RFP) FOR SUPPLY, INSTALL AND COMMISSION STANDBY GENERATORS AT PRETORIA NORTH AND WOLMERTON DEPOTS IN THE NORTHERN GAUTENG REGION (NGR) (CIDB GRADING: 6EB/EP)	 PRASA PASSADERS RAIL AGENCY OF SOUTH AFRICA
CRES/NGR/59/02/2022	

Dear Ms. Khuthazwa,

Trust this email finds you well

We are now in the process of finalizing and Compiling the CRES/NGR/59/02/2022 a Proposal

However it is unclear to us the Bill of Quantity Section 3.1 **(Supply and Install 800 LV Bus Coupler)** and 6.1 Technical Specification **Automatic Transfer Switch (ATS)**

Would you please be so kind and provide some clarity for this specific query

Assuring you of our commitment to service excellence

Your earliest reply will be greatly appreciated

Kind Regards.... 

**Les Licheniak Pr. Eng
Engineering Manager**

Unit 68 Bridgeway Business Park,

Sam Green Road, GERMISTON 1416

P: +27 (0) 11 822 2688 / **C:** +27 (0) 82 777 9509

E: les@khawdash.co.za www.khawdash.co.za



7. From: Khuthazwa Pike

Sent: Thursday, 24 March 2022 16:50

To: Mr. Ishmael Ntukula <ishmael.n@e-projects.co.za>

Subject: FW: Enquiries CRES/NGR/59/02/2022

Good Afternoon

It is NOT a requirement to submit Safety file documentation(listed on page 37 of 71) during the tender stage. You will be required to submit these documents beyond tender award stage if you are a successful bidder.

Regards

Khuthazwa Pike

SCM: Sourcing Specialist

T: 012 748 7456

E. pikek@prasa.com

“If you are not willing to risk the usual, you will have to settle for the ordinary.”- Jim Rohn”



From: Mr. Ishmael Ntukula <ishmael.n@e-projects.co.za>
Sent: Tuesday, 15 March 2022 12:27
To: Khuthazwa Pike <Kuthazwa.Pike@prasa.com>
Cc: CresNGR TenderEnquiries <NGR.TenderEnquiries@prasa.com>
Subject: Enquiries CRES/NGR/59/02/2022
Importance: High

WARNING - This email originate from OUTSIDE YOUR ORGANIZATION. Do not click any link and do not open attachments unless you can confirm the sender.

PLEASE REPORT SUSPICIOUS EMAILS TO: [PRASA SERVICE DESK](#)

Good day.

Kindly assist me.

Is it a requirement at the Tendering stage to submit the Safety File Documents mentioned on page 37 of 71 in the Tender Document?

Kind regards.

Ishmael Ntukula

Technical



Tel/Landline: Local – (+27) 10 225 2799: Standby (+27) 61 522 8146 | Cell: Local - (+27) 81 593 3164 | www.dspsystems.co.za | Head Office Address: No 4 Kiewiet Avenue, Croydon, Kempton Park, Johannesburg, South Africa 1619

Unless expressly stated otherwise, the information contained in this email is confidential and is intended only for the named recipient(s). If you are not the intended recipient you must not copy, distribute or take any action or place any reliance upon it. If you have received this email in error, please notify the sender. Any unauthorised disclosure of the information contained in this email is strictly prohibited. The recipient further acknowledges that any views or opinions expressed in this message are those of the individual sender and are not given or endorsed by Excellent Electrical Projects unless the sender does so expressly with due authority of Excellent Electrical Projects

END