

Safety Services (SD) Occupational Hygiene: Monitoring Program 2022

| AREA | Facilities | Stressors | LAST SURVEY DATE | SURVEY DUE DATE(S) | FREQUENCY | RESPONSIBLE PERSON | COMPLETION DATE(S) | LEGAL REQUIREMENTS / BEST PRACTICE / COMMENDS |
|-------------------------------------|-------------------------|-----------------------|------------------|--------------------|-----------|--------------------|--------------------|--|
| Analytical and Calibration Services | B-C3 | Illumination | | 2022 | 3 Yearly | | | of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | IAQ | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | HIRA | 19/11/2020 | 2022 | 2 Yearly | | November 2022 | |
| | | | | | | | | |
| | B-C5 | Noise | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | HIRA | | 2022 | 2 Yearly | | | |
| | | | | | | | | |
| | B-H1- Pal Lab | Noise | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | HIRA | | 2022 | 2 Yearly | | | |
| | | | | | | | | |
| | P1500 Radioanalysis lab | Noise | | 2022 | 2 Yearly | | July 2021 | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | July 2021 | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | P1600 Radioanalysis lab | Noise | | 2022 | 2 Yearly | | July 2021 | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | July 2021 | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | 20211004 | 20241003 | 3 Yearly | AAC | October 2021 | |

| | | | | | | | | |
|-----------------------------|--|-----------------------|------------|----------|----------|-----|----------------|--|
| | | HIRA | 12/10/2021 | 2023 | 2 Yearly | | October 2021 | SANS 277, EN 12021 |
| | | | | | | | | |
| MTR (Material Test Reactor) | P2500 - Elprod (element Production) | Noise | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | 20210922 | 2024 | 3 Yearly | AAC | September 2021 | |
| | | HIRA | 2020/01/02 | 2022 | 2 Yearly | | February 2022 | |
| | | Asbestos HIRA | 22/09/2021 | 2023 | 2 Yearly | | September 2021 | |
| | | | | | | | | |
| | P2600 - Uranium Metrology | Noise | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | 20210922 | 20240921 | 3 Yearly | AAC | September 2021 | |
| | | HIRA | | 2022 | 2 Yearly | | | |
| | | Asbestos HIRA | 22/09/2021 | 2023 | 2 Yearly | | September 2021 | |
| | | | | 2022 | | | | |
| | P2700 -Uchem (Uranium Chemistry) | Noise | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | 20210922 | 20240921 | 3 Yearly | AAC | September 2021 | |
| | | HIRA | | 2022 | 2 Yearly | | | |
| | | Asbestos HIRA | 22/09/2021 | 2023 | 2 Yearly | | September 2021 | |
| | | | | | | | | |
| | Vault - High Enriched uranium | | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | | | 2022 | 2 Yearly | | | |
| | | | | 2022 | 2 Yearly | | | |
| | | | | 2022 | 2 Yearly | | | |
| | | | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | 2022 | 2 Yearly | | | |

| | | | | | | | | |
|--|---|-----------------------|------------|------|----------|--|--------------|--|
| | | | | | | | | |
| | Decontamination - A8 -offices and plant | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | July 2021 | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | July 2021 | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | Asbestos HIRA | 30/01/2022 | 2024 | 2 Yearly | | January 2024 | |
| | | | | | | | | |
| | Decontamination - A26 Offices and Plant | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | July 2021 | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | July 2021 | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | Asbestos HIRA | 2018/12/03 | 2020 | 2 Yearly | | | |
| | | | | | | | | |
| | Decontamination - Quarantine storage facility | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | PDO- A24 Offices (Drum Storage Facility) | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | | HIRA | | 2022 | 2 Yearly | | | |

| | | | | | | | | |
|------------------------------------|----------------------------|-----------------------|--|------|----------|--|--|--|
| NLM (Nuclear liability Management) | PDO- A14 Plant and Storage | Noise | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | PDO- VYB Bus Shed storage | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | PDO- A West drum storage | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | PDO- A21 Storage | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |

| | | | | | | | |
|--|-----------------------|--|------|----------|--|--|--|
| PDO- Tabana pipe storage | Ergonomics | | 2022 | 2 Yearly | | | Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | |
| PDO- Ponds (U23s) 1-6 Pond 7 Contains Calcium flouride | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | Noise | | 2022 | 2 Yearly | | | |
| | HCS | | 2022 | 2 Yearly | | | |
| | Breathing air quality | | 2022 | 2 Yearly | | | |
| | Ventilation | | 2022 | 2 Yearly | | | |
| | Ergonomics | | 2022 | 2 Yearly | | | |
| | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | |
| Decom- A-14 Oil basement, Filter room,Cable tunnel, Control corridor | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | Noise | | 2022 | 2 Yearly | | | |
| | HCS | | 2022 | 2 Yearly | | | |
| | Breathing air quality | | 2022 | 2 Yearly | | | |
| | Ventilation | | 2022 | 2 Yearly | | | |
| | Ergonomics | | 2022 | 2 Yearly | | | |
| | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | |
| Decom- A-27 Deheeling of UF6 | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | Noise | | 2022 | 2 Yearly | | | |
| | HCS | | 2022 | 2 Yearly | | | |
| | Breathing air quality | | 2022 | 2 Yearly | | | |
| | Ventilation | | 2022 | 2 Yearly | | | |
| | Ergonomics | | 2022 | 2 Yearly | | | |
| | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | |
| Decom- Conversion Plant (Redundant Uranium Convesion) | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | Noise | | 2022 | 2 Yearly | | | |
| | HCS | | 2022 | 2 Yearly | | | |
| | Breathing air quality | | 2022 | 2 Yearly | | | |
| | Ventilation | | 2022 | 2 Yearly | | | |
| | Ergonomics | | 2022 | 2 Yearly | | | |
| | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | |
| | HIRA | | 2022 | 2 Yearly | | | |

| | | | | | | | | |
|-----------------------|---|-----------------------|------------|----------|----------|--|---------------|--|
| | Decom- H-Building (Radiochemical analyses lab) | Noise | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | LEMS- P-2400 Offices and effluent treatment plants | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | Asbestos HIRA | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | Decom- Hot yard and Moly camp Storage | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| Breathing air quality | | | 2022 | 2 Yearly | | | | |
| Ventilation | | | 2022 | 2 Yearly | | | | |
| Ergonomics | | | 2022 | 2 Yearly | | | | |
| Illumination | | | 2022 | 3 Yearly | | | | |
| | | | | | | | | |
| | | | | | | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | Care and Manitenance Facilities (Doorbyl camp,V-A16, V-C, V-E, V-XB, V-A40 and dorbyl camp) | HIRA | | 2022 | 2 Yearly | | | |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | Asbestos HIRA | | | | | | |
| | | | | | | | | |
| Nuclear Compliance | | | | | | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include |
| | | HIRA | 19/11/2020 | 2022 | 2 Yearly | | November 2022 | |
| | | Noise | NA | 2022 | 2 Yearly | | | |
| | | HCS | NA | 2022 | 2 Yearly | | | |

| | | | | | | | | |
|---------------------|---------------------|-----------------------|-------------|------|----------|--|--|--|
| Nuclear Compliance | B-C2 | Breathing air quality | | 2022 | 2 Yearly | | | of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| Property Management | | | | | | | | |
| | B-C2 | HIRA | 2016/02/11 | 2022 | 2 Yearly | | | of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | IAQ | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| Utilities | | | | | | | | |
| | V-A12 -Boiler House | HIRA | 21//09/2021 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | P2200- Utilities | HIRA | 20/10/2019 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | B-H4 - Boiler | HIRA | 2021/12/06 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | | HIRA | 18/11/2021 | 2022 | 2 Yearly | | | |
| | | Noise | | 2022 | 2 Yearly | | | |

| | | | | | | | |
|-----------------------|-----------------------|------------|------|----------|--|---------------|---|
| Pico House | HCS | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazardous Chemical Agents, Ergonomics Regulations, Environmental Regulation for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | Breathing air quality | | 2022 | 2 Yearly | | | |
| | Ventilation | | 2022 | 2 Yearly | | | |
| | Ergonomics | | 2022 | 2 Yearly | | | |
| | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | |
| V-A03 Caffeteria | HIRA | 18/11/2021 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazardous Chemical Agents, Ergonomics Regulations, Environmental Regulation for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | Noise | | 2022 | 2 Yearly | | | |
| | HCS | | 2022 | 2 Yearly | | | |
| | Breathing air quality | | 2022 | 2 Yearly | | | |
| | Ventilation | | 2022 | 2 Yearly | | | |
| | Ergonomics | | 2022 | 2 Yearly | | | |
| | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | |
| B-G1 Caffeteria | HIRA | 18/11/2021 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazardous Chemical Agents, Ergonomics Regulations, Environmental Regulation for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | Noise | | 2022 | 2 Yearly | | | |
| | HCS | | 2022 | 2 Yearly | | | |
| | Breathing air quality | | 2022 | 2 Yearly | | | |
| | Ventilation | | 2022 | 2 Yearly | | | |
| | Ergonomics | | 2022 | 2 Yearly | | | |
| | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | |
| Necsa Visitors Centre | HIRA | 19/11/2020 | 2022 | 2 Yearly | | November 2022 | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazardous Chemical Agents, Ergonomics Regulations, Environmental Regulation for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | Noise | | 2022 | 2 Yearly | | | |
| | HCS | | 2022 | 2 Yearly | | | |
| | Breathing air quality | | 2022 | 2 Yearly | | | |
| | Ventilation | | 2022 | 2 Yearly | | | |
| | Ergonomics | | 2022 | 2 Yearly | | | |
| | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | |
| V-A02 Training | HIRA | 19/11/2020 | 2022 | 2 Yearly | | November 2022 | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazardous Chemical Agents, Ergonomics Regulations, Environmental Regulation for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | Noise | | 2022 | 2 Yearly | | | |
| | HCS | | 2022 | 2 Yearly | | | |
| | Breathing air quality | | 2022 | 2 Yearly | | | |
| | Ventilation | | 2022 | 2 Yearly | | | |
| | Ergonomics | | 2022 | 2 Yearly | | | |

| | | | | | | | | |
|------------------------------------|--------------------------------|-----------------------|------------|------|----------|--|--|--|
| Nuclear Learning Arcademy (NLA) | V-A13 Training Offices | Illumination | | 2022 | 3 Yearly | | | SANS 277, EN 12021 |
| | | | | | | | | |
| | V-A13 Trade Electrical | HIRA | 18/09/2019 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | V-A13 Trade Mechanical | HIRA | 18/09/2019 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | V-A13 Trade Boiler/welding | HIRA | 18/09/2019 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | V-A13 Trade Instrumentation | HIRA | 18/09/2019 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | | HIRA | 18/09/2019 | 2022 | 2 Yearly | | | |
| | | Noise | | 2022 | 2 Yearly | | | |

| | | | | | | | | |
|----------------------|---------------------|-----------------------|------------|------|----------|--|---------------|--|
| | V-A13 Trade Rigging | HCS | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | V-A13 Lecture Halls | HIRA | 18/09/2019 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| Office of CEO and HR | | | | | | | | |
| | B-G1 Beva | HIRA | 19/11/2020 | 2022 | 2 Yearly | | November 2022 | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | P1200B | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | | HIRA | 18/09/2019 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |

| | | | | | | | | |
|----------------------|---|-----------------------|------------|------|----------|--|----------------|--|
| Security Services | Gate 1 | Illumination | | 2022 | 3 Yearly | | | SANS 277, EN 12021 |
| | | | | | | | | |
| | | HIRA | 18/09/2019 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | Gate 2 | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | | HIRA | 18/09/2019 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | Gate 3 | Illumination | | 2022 | 3 Yearly | | | |
| V-A03 Building | | | | | | | | |
| | Safety Services, Auditing,Environmental,Safety culture, Medical station, Occupational hygiene and Gymnasium (P-1200A) | HIRA | 2020/01/09 | 2022 | 2 Yearly | | September 2022 | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| Knowledge Management | | | | | | | | |
| | | HIRA | 19/11/2020 | 2022 | 2 Yearly | | November 2022 | of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | P1400- Library | Asbestos HIRA | 27/03/2019 | 2022 | | | | |
| | | | | | | | | |
| | V-N Archives | HIRA | | 2022 | 2 Yearly | | | of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |

| | | | | | | | | |
|-----------------|---|-----------------------|------------|------|----------|--|---------------|--|
| P1200A | | | | | | | | |
| | Finance Procument | HIRA | 19/11/2020 | 2022 | 2 Yearly | | November 2022 | of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| P-1500 Building | R&D Diffraction Radiography/Tom ography Industrial Isotope Technology | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| P-1501 Building | Accelerators and Fast Neutron Science, Small Angle Neutron Scattering | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| Safari 1 | P- 1800 | HIRA | 2019/02/02 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | Asbestos HIRA | 2019/10/10 | 2022 | 2 Yearly | | | |
| | | | | | | | | |
| | | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |

| | | | | | | | | |
|---------------|---|-----------------------|------------|------|----------|--|--|--|
| V- A Building | Non Destructive examination | Ergonomics | | 2022 | 2 Yearly | | | Environmental Regulationd for Work Places, ŠANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | Nuclear Manufacturing (coded Manufacturing) | HIRA | 30/05/2018 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | Electrical (Y-MN) | HIRA | 2018/02/06 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | Asbestos HIRA | | 2022 | 2 Yearly | | | |
| | | | | | | | | |
| | Mechanical (V-A32) | HIRA | 2018/02/06 | 2022 | 2 Yearly | | | |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | Asbestos HIRA | | 2022 | 2 Yearly | | | |
| | | | | | | | | |
| | | HIRA | 2019/01/04 | 2022 | 2 Yearly | | | |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |

| | | | | | | | | |
|----------------------|------------------------|-----------------------|------------|------|----------|--|--|--|
| Maintenance services | Rigging (V-A19) | Asbestos HIRA | | 2022 | 2 Yearly | | | |
| | | | | | | | | |
| | | HIRA | 2018/02/06 | 2022 | 2 Yearly | | | |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | Plumbing (V-YE) | Asbestos HIRA | | 2022 | 2 Yearly | | | |
| | | | | | | | | |
| | | HIRA | 2019/01/04 | 2022 | 2 Yearly | | | |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | Mobile (V-A19) | Asbestos HIRA | | 2022 | 2 Yearly | | | |
| | | | | | | | | |
| | | HIRA | 2018/02/06 | 2022 | 2 Yearly | | | |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | Ventilation (V-YE) | Asbestos HIRA | | 2022 | 2 Yearly | | | |
| P3100 | | | | | | | | |
| | Information Technology | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| | | | | | | | | |
|-------------------------|-----------------|-----------------------|------------|------|----------|--|----------------|--|
| V-B Admin | | | | | | | | |
| | Safety Analysis | HIRA | 19/11/2020 | 2022 | 2 Yearly | | November 2022 | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | Licensing | HIRA | 19/11/2020 | 2022 | 2 Yearly | | November 2022 | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| Reseach and Development | | | | | | | | |
| | V- B1 | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | 2021/09/09 | 2024 | 3 Yearly | | September 2024 | |
| | | Asbestos HIRA | 2022/01/02 | 2024 | 2 Yearly | | February 2022 | |
| | | | | | | | | |
| | V- H | HIRA | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | 2021/09/09 | 2024 | 3 Yearly | | September 2024 | |
| | | Asbestos HIRA | 2022/01/02 | 2024 | 2 Yearly | | February 2022 | |
| | | | | | | | | |
| | | HIRA | | 2022 | 2 Yearly | | | |

| | | | | | | | | |
|--------------------------------------|------------------|-----------------------|------------|------|----------|--|----------------|--|
| | | Noise | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | 2021/09/09 | 2024 | 3 Yearly | | September 2024 | |
| | V- X | Asbestos HIRA | 2022/01/02 | 2024 | 2 Yearly | | February 2022 | |
| Compliance assurance and Enforcement | | | | | | | | |
| | | HIRA | 19/11/2020 | 2022 | 2 Yearly | | November 2022 | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | V- X | Illumination | 2021/09/09 | 2024 | 3 Yearly | | September 2024 | |
| Supply Chain Management | | | | | | | | |
| | | HIRA | 17/10/2018 | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | V- YM North | Asbestos HIRA | | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | | HIRA | 17/10/2018 | 2022 | 2 Yearly | | | |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | Necsa Scrap Yard | Asbestos HIRA | 17/10/2018 | 2022 | 3 Yearly | | | |
| | | | | | | | | |
| | | HIRA | 2018/12/08 | 2022 | 2 Yearly | | | |
| | | Noise | | 2022 | 2 Yearly | | | |

| | | | | | | | | |
|----------------------|--------------------------|-----------------------------|------------|------|----------|--|--|--|
| Vaalputs (NC) | Nuclear waste management | HCS | | 2022 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | Vibration | | 2022 | 2 Yearly | | | |
| | | Heat stress and Cold stress | | 2022 | 2 Yearly | | | |
| Engineering Services | | | | | | | | |
| | V-H2 | HIRA | 25/02/2019 | 2021 | 2 Yearly | | | Health Risk Assessments will be conducted in accordance with the requirements of the Occupational Health and Safety Act, Act No 85 of 1993. HRA will include illumination, thermal comfort (stresses), ventilation, indoor air quality and office ergonomics where applicable. Noise Regulation, Hazadous Chemical Agents,Ergonomics Regulations, Environmental Regulationd for Work Places, SANS 10114, ASHRAE 55 and 60, SANS 277, EN 12021 |
| | | Noise | | 2022 | 2 Yearly | | | |
| | | HCS | NA | 2022 | 2 Yearly | | | |
| | | Breathing air quality | | 2022 | 2 Yearly | | | |
| | | Ventilation | | 2022 | 2 Yearly | | | |
| | | Ergonomics | | 2022 | 2 Yearly | | | |
| | | Illumination | | 2022 | 3 Yearly | | | |
| | | Asbestos HIRA | | 2022 | 2 Yearly | | | |

