



NOTES:


1. CONCRETE SHALL HAVE A MINIMUM 28 DAY COMPRESSIVE CUBE STRENGTH OF 40 MPA AND A MINIMUM MODULUS OF RUPTURE STRENGTH (FLEXURAL STRENGTH) OF 4 MPA.
2. COVER TO REINFORCEMENT SHALL BE 60mm.




PLAN: ROOF SLAB BOTTOM REINFORCING
1:25



PLAN: ROOF SLAB SHEAR REINFORCING
1:25




PLAN: ROOF SLAB TOP REINFORCING
1:25





SECTION A
1:25

SECTION 1:25 



SECTION C

SECTION 1:25 

| | | | | | | | |
|---|--|--|--|--|--|---|--|
| | | Engineers | |  | |  | |
| | | <p>P O Box 26546 HOUT BAY 7872 Tel: +27(21) 791 9100 E-Mail: zaaepna@zaaepna.com</p> | | <p>31 Melkhout Crescent Hout Bay 7806 Fax: +27(21) 790 4470</p> | | <p>237 MAHATMA GANDHI ROAD DURBAN P.O. BOX 31683, DURBAN TEL: 031 361 8852</p> | |
| | | | | <p>PORT OF DURBAN</p> | | | |
| | | | | <p>DCT BERTHS 203 to 205 RECONSTRUCTION DEEPENING AND LENGTHENING</p> | | | |
| | | | | <p>SEWER PUMP STATION TYPE 2 REINFORCING DETAILS</p> | | | |
| | | | | <p>SHEET 1 OF 2</p> | | | |
| <p>1785-CO-130-C-SCH-0008-01 BENDING SCHEDULE</p> <p>1785-CO-130-C-DWG-0005-01 PUMP STATION TYPE 2 DETAILS SHEET 1</p> <p>DRAWING NO. REFERENCE</p> | | <p>PROJECT NO DIS CODE AREA DISP TYPE DRG NO SHEET STATUS REV</p> <p>1 7 8 5 - C 0 - 1 3 0 - C D W G - 0 0 0 8 - 0 1 - T 0 A</p> | | <p>NO. DESCRIPTION BY CHK'D APP'D DATE</p> <p>2019.07.26</p> | | <p>PR.ENG. / PR.TECH.</p> <p>NAME J. ZIETSMAN DATE</p> <p>SIGNATURE 19/07/26</p> <p>REG. NUMBER 760293</p> <p>SCALE : 1:100</p> | |
| REFERENCE DRAWINGS | | | | <p>REVISIONS / ISSUE AUTHORIZATION</p> | | <p>PROJECT NUMBER DIV FBS DIS TYPE DRG NO. SHT. REV. ID</p> <p>2 1 2 2 8 3 0 - 1 - 1 3 0 - C - G A - 1 0 0 7 - 0 1 - 0 A DC</p> | |
| | | | | <p>This Document including all design and information thereon is Confidential Intellectual Property of ZAA Engineering Projects and Naval Architecture (Pty) Ltd. Copyright and all other rights are reserved by ZAA. This Document may only be used for its intended purpose.</p> | | <p>NOTED AS A1</p> | |