


# **REQUEST FOR QUOTATION (RFQ)**





## **SECTION 1: SBD1**

## **PART A INVITATION TO BID**

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF PASSENGER RAIL AGENCY (PRASA)									
BID NUMBER:	S&D-BBSTOO	LS/11/22	CLOSING	DATE:	1	18 November 2022	CLOSING	3 TIME:	12:00PM
	SUPPLY AND DELIVERY OF BBS TOOLS AND EQUIPMENT INFRASTRACTURE FOR PRETORIA								
DESCRIPTION	DESCRIPTION NORTH FACILITIES IN NORTHERN GAUTENG REGION								
BID RESPONSE D	OCUMENTS S	HALL BE A	DDRESSE	ED AS F	OLLOV	VS:			
BID RESPONSE D	OCUMENTS M	IAY BE DEF	POSITED II	N THE B	BID BOX	( SITUATED AT (S	TREET AL	DDRESS):	
546 PAUL KRUGER c/o SCHEIDING STREET PRASA CRES BUILDING PRETORIA STATION PRECINCT PRETORIA									
BIDDING PROCEI	DURE ENQUIR	IES MAY B	E DIRECTI	ED TO					
CONTACT PERSO	N	Thobeka	Shabangu						
TELEPHONE NUM	MBER	012 748 7571							
E-MAIL ADDRESS	}	CresNGR.Quotation@prasa.com							
SUPPLIER INFORMATION									
NAME OF BIDDER									
POSTAL ADDRESS									
STREET ADDRESS									
TELEPHONE NUMBER		CODE	E NUMBER						
CELLPHONE NUM	/IBER								
FACSIMILE NUME	BER	CODE NUMBER							
E-MAIL ADDRESS									
VAT REGISTRATI	VAT REGISTRATION NUMBER								
SUPPLIER COMP	LIANCE	TAX COM	PLIANCE		OR	CENTRAL S	SUPPLIER		
STATUS		SYSTEM I	PIN:		O.	DATABASE N	lo:	MAAA	
B-BBEE STATUS LEVEL		TICK API	PLICABLE	BOX]	B-BBE	EE STATUS LEVEL	. [TI0	CK APPLIC	ABLE BOX]
VERIFICATION CERTIFICATE		☐ Yes		☐ No	SWOF	RN AFFIDAVIT		Yes	☐ No
[A B-BBEE STAT	TUS LEVEL VI	ERIFICATIO	ON CERTI	FICATE	/ SWOI	RN AFFIDAVIT (F	OR EMES	S & QSEs	) MUST BE

prasa Antonioria				
SUBMITTED IN ORDER TO	QUALIFY FOR PREFERENCE	POINTS FOR B-BBEE]		
2.1 ARE YOU THE ACCREDITED REPRESENTATIVE IN	☐Yes ☐ No	2.2 ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS	☐Yes ☐No	
SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	[IF YES ENCLOSE PROOF]	OFFERED?	QUESTIONNAIRE BELOW]	
QUESTIONNAIRE TO BIDDI	NG FOREIGN SUPPLIERS			
IS THE ENTITY A RESIDENT	TOF THE REPUBLIC OF SOU	TH AFRICA (RSA)?	☐ YES ☐ NO	
DOES THE ENTITY HAVE A	BRANCH IN THE RSA?		☐ YES ☐ NO	
DOES THE ENTITY HAVE A	PERMANENT ESTABLISHME	NT IN THE RSA?	☐ YES ☐ NO	
DOES THE ENTITY HAVE A	NY SOURCE OF INCOME IN	THE RSA?	☐ YES ☐ NO	
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?				
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX				
COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT				
REGISTER AS PER 2.3 BELOW.  PART B: TERMS AND CONDITIONS FOR BIDDING				
	AT B. TERMS AND CONDITIO	NS FOR BIDDING		
	VEDED DV THE OTIDIH ATED	TIME TO THE CORRECT APPRECA	ATE DIDO MILL NOT DE	
ACCEPTED FOR CON		TIME TO THE CORRECT ADDRESS. I	TATE RIDS WILL NOT BE	
1.2. ALL BIDS MUST BE	SUBMITTED ON THE OFFICI	AL FORMS PROVIDED-(NOT TO BE	RE-TYPED) OR IN THE	
1.3. PRESCRIBED IN THE	BID DOCUMENT.			
PREFERENTIAL PRO		PROCUREMENT POLICY FRAMEWOR 2017, THE GENERAL CONDITIONS DITIONS OF CONTRACT.	·	
2. TAX COMPLIANCE RE	EQUIREMENTS			
2.1 BIDDERS MUST ENSU	JRE COMPLIANCE WITH THE	EIR TAX OBLIGATIONS.		



- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

# NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID NVALID.

SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED:	
(Proof of authority must be submitted e.g. company resolution)	
DATE:	

#### NB:

- Quotation(s) must be addressed to PRASA before the closing date and time shown above.
- PRASA General Conditions of Purchase shall apply.



# SECTION 2 NOTICE TO BIDDERS

#### 1. RESPONSES TO RFQ

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

Proposals must reach the PRASA before the closing hour on the date shown on SBD1 above and must be enclosed in a sealed envelope.

## 2. PREQUALIFICATION / ELIGIBILITY CRITERIA

2.1 Only those Respondents who satisfy the pre-qualification or eligibility criteria are eligible to submit quotations as per section 3.

## 3 CIDB Grading (If Applicable)

Only those Respondents who are registered with the CIDB, or are capable of being so prior to the submission of the quotation, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations, for a ....................... or higher class of construction works, are eligible to have their quotations evaluated.

Joint ventures are eligible to submit tenders provided that:

- every member of the joint venture is registered with an active CIDB;
- the lead partner has a higher or equivalent contractor active grading designation in the class of construction work; and
- the combined Contractor active grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a Contractor grading designation determined in accordance with the sum quoted for a .... class of construction works, or a value determined in accordance with Regulation 25(1B) or 25(7A) of the Construction Industry Development Regulations

#### 4 COMMUNICATION

Respondent/s are warned that a response will be liable for disqualification should any attempt be made either directly or indirectly to canvass any SCM Officer(s) or PRASA employee in respect of this RFQ between the closing date and the date of the award of the business.



## 5 LEGAL COMPLIANCE

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

#### 6 CHANGES TO QUOTATIONS

Changes by the Respondent to its submission will not be considered after the closing date and time except on condition of correcting arithmetic errors on BOQ

#### 7 PRICING

All prices must be quoted in South African Rand on a fixed price basis, including VAT.

#### **8 BINDING OFFER**

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

#### 9 DISCLAIMERS

PRASA is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that PRASA reserves the right to:

- Modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- Reject any Quotation which does not conform to instructions and specifications which are detailed herein;
- Reject Quotations submitted after the stated submission deadline;
- Not necessarily accept the lowest priced Quotation or an alternative bid;
- Bids lodged at the incorrect venue that reach the correct venue late will be regarded as late.
- Reject all Quotations, if it so decides;
- Place an order in connection with this Quotation at any time after the RFQ's closing date;
- Make no award at all.
- Award only a portion of the proposed goods / service/s which are reflected in the scope of this RFQ;
- split the award of the order/s between more than one Supplier/Service Provider should it at PRASA's discretion be more advantageous in terms of, amongst others, cost or developmental consideration; or

Should a contract be awarded on the strength of information furnished by the Respondent, which after conclusion of the contract, is proved to have been incorrect, PRASA reserves the right to cancel the contract. PRASA reserves the right to award business to the highest scoring bidder/s unless objective criteria justify the award to another Respondent.

prasa

Should the preferred bidder fail to sign or commence with the contract within a stipulated period after being requested to do so, PRASA reserves the right to terminate contract and award the business to the next highest ranked Respondent provided that the next bidder is still prepared to provide the required goods at the quoted price.

## 10 LEGAL REVIEW

A Proposal submitted by a Respondent may be subjected to review and acceptance or rejection of its proposed contractual terms and conditions by PRASA's Legal Counsel, prior to consideration for an award of business.

## 11 NATIONAL TREASURY'S CENTRAL SUPPLIER DATABASE

Respondents are required to self-register on National Treasury's Central Supplier Database (CSD) which has been established to centrally administer supplier information for all organs of state and facilitate the verification of certain key supplier information. PRASA is required to ensure that price quotations are invited and accepted from prospective bidders listed on the CSD. Business may not be awarded to a respondent who has failed to register on the CSD. Only foreign suppliers with no local registered entity need not register on the CSD. The CSD can be accessed at https://secure.csd.gov.za/.

#### 12 PROTECTION OF PERSONAL DATA

In responding to this bid, PRASA acknowledges that it may obtain and have access to personal data of the Respondents. PRASA agrees that it shall only process the information disclosed by Respondents in their response to this bid for the purpose of evaluating and subsequent award of business and in accordance with any applicable law.

Furthermore, PRASA will not otherwise modify, amend or alter any personal data submitted by Respondents or disclose or permit the disclosure of any personal data to any Third Party without the prior written consent from the Respondents. Similarly, PRASA requires Respondents to process any personal information disclosed by PRASA in the bidding process in the same manner.



#### 13 EVALUATION METHODOLOGY

PRASA will utilise the following evaluation process in selecting the preferred Supplier/Service Provider.

EVALUATION PROCESS	
Stage 1	
Mandatory / Prequalification Criteria	
Stage 2	
Non-Mandatory compliance	
Stage 3 - Price and B-BBEE	
Price	80
BBBEE	20
TOTAL	100

#### 14 ADMINISTRATIVE RESPONSIVENESS

The test for administrative responsiveness will include completeness of response and whether all returnable and/or required documents, certificates; verify completeness of warranties and other bid requirements and formalities have been complied with. Incomplete Bids will be disgualified.

#### 15 VALIDITY PERIOD

- 15.1 PRASA requires a validity period of **60 Business Days** from the closing date.
- Respondents are to note that they may be requested to extend the validity period of their response, on the same terms and conditions, if the internal processes are not finalized within the validity period. However, once the adjudication body has approved the process and award of the business to the successful respondent(s), the validity of the successful respondent(s)' response will be deemed to remain valid until a final contract has been concluded.

#### 16 DISCLOSURE OF PRICES QUOTED

Respondents are to note that, on award of business, PRASA is required to publish the prices and preferences claimed of the successful and unsuccessful Respondents *inter alia* on the National Treasury e-Tender Publication Portal, (<a href="https://www.etenders.gov.za">www.etenders.gov.za</a>), on CIDB website for construction related RFQ's. (If applicable)

#### 17 RETURNABLE DOCUMENTS

**Returnable Documents** means all the documents, Sections and Annexures, as listed in the tables below. There are three types of returnable documents as indicated below and Respondents are urged to ensure that these documents are returned with the quotation based on the consequences of non-submission as indicated below:



## 17.1 PREQALIFICATION AND MANDATORY RETURNABLE DOCUMENTS

Failure to provide all Mandatory Returnable Documents at the Closing Date and time of this RFQ will result in a Respondent's disqualification. Respondents are therefore urged to ensure that all these Documents are returned with their Quotations.

## 17.2 NON -MANDATORY RETURNABLE DOCUMENTS

Failure to provide all Non -Mandatory Returnable Documents at the Closing Date and time of this RFQ, PRASA may request the documents and must be made available at the time of request: Respondents are therefore urged to ensure that all these Documents are made available at the time of request.

## 17.3 RETURNABLE DOCUMENTS USED FOR SCORING PURPOSES

Failure to provide these Returnable Documents at the Closing Date and time of this RFQ, will not result in Respondent's disqualification. However, bidders will receive a score of zero for the applicable evaluation criteria.



## **SECTION 3**

## 1 EVALUATION CRITERIA:

NB: Compliance Requirements for all Services/Goods and works

**Stage 1: Mandatory/ Prequalification Requirements -** If you do not submit the following mandatory documents your Proposal/Quote will be disqualified automatically:

No.	Description of requirement	
a)	Price Schedule and Pricing form (Section 4)	
	To facilitate like-for like comparison bidders must submit pricing strictly in accordance	
	with this price schedule/BOQ and not utilize a different format. Deviation from this	
	pricing schedule will result in a bid being declared non-responsive.	
b)	Completion and submission of RFQ documents, SBD forms, Commissioner of Oath with	
	ALL declarations	
c)	Joint Venture / Consortium agreement / Trust Deed/ Confirmation in writing of their intention to enter into a JV or consortium agreement signed by all parties. (if applicable)	

**Stage 2: Non - Mandatory Requirements -** The following documents are non-mandatory and where not submitted, Prasa may request the documents and must be made available at the time of request:

No.	Description of requirement	
a)	Company Registration Documents	
b)	Copies of Directors' ID documents;	
c)	Valid SARS Tax Pin Letter (must be valid on closing date of	
	submission of the proposal)	
d)	CSD report / CSD reference number	
e)	Proof of UIF registration	
f)	Proof of Bank Account (i.e. cancelled cheque or letter issued by the bank	



## 2.1 Stage 3- Price and B-BBEE

Evaluation criteria	Weighting
BBBEE	20
Price	80
TOTAL	100

$$PS = 80 \left( 1 - \frac{Pt - Pmin}{Pmin} \right)$$

Where:

Ps = Score for the Bid under consideration
Pt = Price of Bid under consideration
Pmin= Price of lowest acceptable Bid

## **Evaluation of Preference**

Evaluation and final weighted scoring

a) Broad-Based Black Economic Empowerment criteria [weighted score 20 points] Preference Points will be awarded to a bidder for attaining the B-BBEE status level contribution in accordance with the table indicated in Section 7 B-BBEE claim form.

#### **SECTION 4**

## PRICING AND DELIVERY SCHEDULE

Respondents are required to complete the attached Pricing Schedule **Section 10**.

- 1 Prices must be quoted in South African Rand, inclusive of VAT.
- 2 Price offer is firm and clearly indicate the basis thereof.
- 3 Pricing Bill of Quantity is completed in line with schedule if applicable.
- 4 Cost breakdown must be indicated.
- 5 Price escalation basis and formula must be indicated where applicable.

400	
	prasa

- Respondents are to note that if price offered by the highest scoring bidder is not market related, PRASA may not award the contract to the Respondent. PRASA may:
  - 6.1 negotiate a market-related price with the Respondent scoring the highest points or cancel the RFQ;
  - 6.2 if that Respondent does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the second highest points or cancel the RFQ;
  - 6.3 If a market-related price is not agreed with the Respondent scoring the third highest points, PRASA must cancel the RFQ.

I / We	(Insert Name of Bidding Entity)
of	
	code
(Full address) conducting business under the style or title of:	in my canacity ac:
represented by:	In my capacity as: heing duly authorised, hereby
offer to undertake and complete the above-mentioned work/services at	the prices quoted in the bills of quantities /
schedule of quantities or, where these do not form part R	of the contract, at a lumpsum, of
	(amount in words) Incl. VAT.
<b>DELIVERY PERIOD:</b> Suppliers are requested to offer their earliest delive	ery period possible.
Delivery will be affected within working days from date of order	r. (To be completed by Service provider)



## **SECTION 5**

#### PRASA GENERAL CONDITIONS OF PURCHASE

#### General

PRASA and the Supplier enter into an order/contract on these conditions to supply the items (goods/services/works) as described in the order/contract.

#### **Conditions**

These conditions form the basis of the contract between PRASA and the Supplier. Notwithstanding anything to the contrary in any document issued or sent by the Supplier, these conditions apply except as expressly agreed in writing by PRASA.

No servant or agent of PRASA has authority to vary these conditions orally. These general conditions of purchase are subject to such further special conditions as may be prescribed in writing by PRASA in the order/contract.

## **Local Content Obligations**

Respondents are to note that the Local Content commitments made by the successful Respondent(s) will be incorporated as a term of the contract and monitored for compliance. Should the successful Respondent fail to meet its Local obligations, non-compliance penalties shall be applicable. Breach of Local Content obligations also provide PRASA cause to terminate the contract in certain cases where material non-compliance with Local Content requirements are not achieved.

## Price and payment

The price or rates for the items stated in the order/contract may include an amount for price adjustment, which is calculated in accordance with the formula stated in the order/contract.

The Supplier may be paid in one currency other than South African Rand. Only one exchange rate is used to convert from this currency to South African Rand. Payment to the Supplier in this currency other than South African Rand, does not exceed the amounts stated in the order/contract. PRASA pays for the item within 30 days of receipt of the Suppliers correct tax invoice.

## **Delivery and documents**

The Supplier's obligation is to deliver the items on or before the date stated in the order/contract. Late deliveries or late completion of the items may be subject to a penalty if this is imposed in the order/contract. No payment is made if the Supplier does not provide the item as stated in order/contract.

Where items are to be delivered the Supplier:



Clearly marks the outside of each consignment or package with the Supplier's name and full details of the destination in accordance with the order and includes a packing note stating the contents thereof; On dispatch of each consignment, sends to PRASA at the address for delivery of the items, an advice note specifying the means of transport, weight, number of volume as appropriate and the point and date of dispatch; Sends to PRASA a detailed priced invoice as soon as is reasonably practical after dispatch of the items, and states on all communications in respect of the order the order number and code number (if any).

## Containers / packing material

Unless otherwise stated in the order/contract, no payment is made for containers or packing materials or return to the Supplier.

#### Title and risk

Without prejudice to rights of rejection under these conditions, title to and risk in the items passes to PRASA when accepted by PRASA.

## Rejection

If the Supplier fails to comply with his obligations under the order/contract, PRASA may reject any part of the items by giving written notice to the Supplier specifying the reason for rejection and whether and within what period replacement of items or re-work are required.

In the case of items delivered, PRASA may return the rejected items to the Supplier at the Supplier's risk and expense. Any money paid to the Supplier in respect of the items not replaced within the time required, together with the costs of returning rejected items to the Supplier and obtaining replacement items from a third party, are paid by the Supplier to PRASA.

In the case of service, the Supplier corrects non-conformances as indicated by PRASA.

#### Warranty

Without prejudice to any other rights of PRASA under these conditions, the Supplier warrants that the items are in accordance with PRASA's requirements, and fit for the purpose for which they are intended, and will remain free from defects for a period of one year (unless another period is stated in the Order) from acceptance of the items by PRASA.

#### Indemnity

The Supplier indemnifies PRASA against all actions, suits, claims, demands, costs, charges and expenses arising in connection therewith arising from the negligence, infringement of intellectual or legal rights or breach of statutory duty of the Supplier, his subcontractors, agents or servants, or from the Supplier's defective design, materials or workmanship.



The Supplier indemnifies PRASA against claims, proceedings, compensation and costs payable arising out of infringement by the Supplier of the rights of others, except an infringement which arose out of the use by the Supplier of things provided by PRASA.

## Assignment and sub-contracting

The Supplier may not assign or subcontract any part of this order/contract without the written consent of PRASA.

## **Termination**

PRASA may terminate the order/contract at any time (without prejudice to any right of action or remedy which has accrued or thereafter accrues to PRASA):

If the Supplier defaults in due performance of the order/contract, or if the Supplier becomes bankrupt or otherwise is, in the opinion of PRASA, in such financial circumstances as to prejudice the proper performance of the order/contract, or for any other reason in which case the Supplier will be compensated for all costs incurred.

## Governing law

The order/contract is governed by the law of the Republic of South Africa and the parties hereby submit to the non-exclusive jurisdiction of the South African courts.



SECTION 6 SBD4

#### **BIDDER'S DISCLOSURE**

## 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

#### 2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?

YES/NO

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution
		_

2.2	Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? <b>YES/NO</b>
	If so, furnish particulars:

<sup>&</sup>lt;sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

prasa Primana Prim	
2.3	Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?  YES/NO
2.3.1	If so, furnish particulars:
3 DE	ECLARATION
	I the undersigned (name) in submitting the

3.1 I have read and I understand the contents of this disclosure:

respect:

3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;

accompanying bid, do hereby make the following statements that I certify to be true and complete in every

- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium will not be construed as collusive bidding.
- In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

<sup>&</sup>lt;sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

Prasa Paratakan	I ACCEPT THAT THE STAT 6 OF PFMA SCM INSTRUC SUPPLY CHAIN MANAGEN	CTION 03 OF 2021/22 ON	PREVENTING AND COM	MBATING ABUSE IN THE
	Signature		Date	
	Position		Name of bidder	



## **SECTION 7**

#### **B-BBEE PREFERENCE POINTS CLAIM FORM**

This preference form must form part of all bids invited. It contains general information and serves as a claim for preference points for Broad-Based Black Economic Empowerment [**B-BBEE**] Status Level of Contribution.

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

- 1. GENERAL CONDITIONS
- 1.1 The following preference point systems are applicable to all bids:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- 1.2 The value of this bid is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the ...... preference point system shall be applicable.
- 1.3 Either the **80/20** preference point system shall be applicable to this bid.
- 1.4 Preference points for this bid shall be awarded for:
  - (a) Price; and
  - (b) B-BBEE Status Level of Contribution.
- 1.5 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTION	20
Total points for Price and B-BBEE must not exceed	100

1.5.1 Failure on the part of a bidder to submit a B-BBEE Verification Certificate from a Verification Agency accredited by the South African Accreditation System [SANAS], or a sworn affidavit confirming annual turnover and level of black ownership in case of all EMEs and QSEs with 51% black ownership or more together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

prasa

The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

## 2. **DEFINITIONS**

- 2.1 **"all applicable taxes"** includes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies;
- 2.2 **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- 2.3 "B-BBEE status level of contributor" means the B-BBEE status received by a measured entity based on its overall performance using the relevant scorecard contained in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- 2.4 **"bid"** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of services, works or goods, through price quotations, advertised competitive bidding processes or proposals;
- 2.5 **"Black designated group"** has meaning assigned to it in codes of good practice issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act.
- 2.6 "Black People" meaning assigned to in Section 1 of Broad-Based Black Economic Empowerment Act.
- 2.7 **"Broad-Based Black Economic Empowerment Act"** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- 2.8 **"CIPC"** means the Companies and Intellectual Property Commission, formerly known as CIPRO, the Companies and Intellectual Property Registration Office.
- 2.9 **"comparative price"** means the price after the factors of a non-firm price and all unconditional discounts that can be utilized have been taken into consideration:
- 2.10 "consortium or joint venture" means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract;
- 2.11 "contract" means the agreement that results from the acceptance of a bid by an organ of state;
- 2.12 **"co-operative"** means a co-operative registered in terms of section 7 of Cooperatives Act, 2005 (Act No. 14 of 2005)

nrasa 🌎 2.13 "Designated Group" means - i) Black designated groups; ii) Black People; iii) Women; iv) people with disabilities or v) Small enterprise, as defined in Section 1 of National Small Enterprise Act, (102 of 1996) 2.14 "Designated Sector" means, sub-sector or industry or product designated in terms of regulation 8(1)(a) 2.15 "EME" means an Exempted Micro Enterprise as defines by Codes of Good Practice under section 9 (1) of the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003); 2.16 "firm price" means the price that is only subject to adjustments in accordance with the actual increase or decrease resulting from the change, imposition, or abolition of customs or excise duty and any other duty, levy, or tax, which, in terms of the law or regulation, is binding on the contractor and demonstrably has an influence on the price of any supplies, or the rendering costs of any service, for the execution of the contract; 2.17 "functionality" means the ability of a bidder to provide goods or services in accordance with specification as set out in the bid documents; 2.18 "Military Veteran" has meaning assigned to it in Section 1 of Military Veterans Act, 2011 (Act No. 18 of 2011); 2.19 "National Treasury" has meaning assigned to it in Section 1 of Public Finance Management Act, 1999 (Act No. 1 of 1999); 2.20 "non-firm prices" means all prices other than "firm" prices; 2.21 "person" includes a juristic person; 2.22 "People with disabilities" meaning assigned to it in terms of Section 1 of Employment Equity Act, 1998 (Act No. 55of 1998) 2.23 "Price" includes all applicable taxes less all unconditional discounts. 2.24 "Proof of B-BBEE Status Level of Contributor" i) the B-BBBEE status level certificate issued by an unauthorised body or person; ii) a sworn affidavit as prescribed by the B-BBEE Codes of Good Practice; or iii) any other requirement prescribed in terms of the Broad- Based Black Economic Empowerment Act. 2.25 "Rural Area" i) a sparsely populated area in which people farm or depend on natural resources, including villages and small towns that are dispersed through the area; or ii) an area including a large settlement which depends on migratory labour and remittances and government social grants for

survival, and may have traditional land tenure system.

2.26	"QSE" means a Qualifying Small Enterprise as defines by Codes of Good Practice under section 9 (1) of the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
2.27	"rand value" means the total estimated value of a contract in South African currency, calculated at the time of bid invitations, and includes all applicable taxes and excise duties;
2.28	"sub-contract" means the primary contractor's assigning, leasing, making out work to, or employing, another person to support such primary contractor in the execution of part of a project in terms of the contract;
2.29	"total revenue" bears the same meaning assigned to this expression in the Codes of Good Practice on Black Economic Empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act and promulgated in the <i>Government Gazette</i> on 9 February 2007;
2.30	"Township" means an urban living area that any time from the late 19th century until 27 April 1994, was reserved for black people, including areas developed for historically disadvantaged individuals post 27 April 1994
2.31	"Treasury" meaning assigned to it in Section 1 of the Public Finance Management Act, 1999 (Act No. 1 of 1999)
2.32	"trust" means the arrangement through which the property of one person is made over or bequeathed to a trustee to administer such property for the benefit of another person; and
2.33	"trustee" means any person, including the founder of a trust, to whom property is bequeathed in order for such property to be administered for the benefit of another person.
2.34	"Youth" meaning assigned to it in terms of Section 1 of National youth Development Agency Act, 2008 (Act No. 54 of 2008).
3.	ADJUDICATION USING A POINT SYSTEM
3.1	The bidder obtaining the highest number of total points will be awarded the contract.
3.2	Preference points shall be calculated after prices have been brought to a comparative basis taking into account all factors of non-firm prices and all unconditional discounts.
3.3	Points scored must be rounded off to the nearest 2 decimal places.
3.4	In the event that two or more bids have scored equal total points, the successful bid must be the one scoring the highest number of preference points for B-BBEE.
3.5	However, when functionality is part of the evaluation process and two or more bids have scored equal



points including equal preference points for B-BBEE, the successful bid must be the one scoring the highest score for functionality.

3.6 Should two or more bids be equal in all respects, the award shall be decided by the drawing of lots.

## 4. POINTS AWARDED FOR PRICE

#### 4.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

## 80/20

$$Ps = 80 \left( 1 - \frac{Pt - P\min}{P\min} \right)$$

Where

Ps = Points scored for comparative price of bid under consideration

Pt = Comparative price of bid under consideration

Pmin = Comparative price of lowest acceptable bid

## 5. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTION

5.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of	Number of points		
Contributor	(80/20 system)		
1	20		
2	18		
3	14		
4	12		
5	8		
6	6		
7	4		
8	2		
Non-compliant contributor	0		



- A bidder who qualifies as an EME in terms of the B-BBEE Act must submit a sworn affidavit confirming Annual Total Revenue and Level of Black Ownership. Furthermore EMEs may also obtain a sworn affidavit from CIPC (formerly CIPRO) Self Service Terminals when registering a business or filing annual returns. In these instances PRASA would require proof of turnover as well as proof of ownership. Sworn affidavits must substantially comply with the format that can be obtained on the DTI's website at <a href="https://www.dti.gov.za/economic empowerment/bee\_codes.jsp">www.dti.gov.za/economic empowerment/bee\_codes.jsp</a>.
- QSEs that are at least 51% Black owned or higher are only required to obtain a sworn affidavit on an annual basis confirming that the entity has an Annual Total Revenue of R50 million or less and the entity's Level of Black ownership.
- A Bidder other than EME or a QSE that is at least 51% Black owned must submit their original and valid B-BBEE status level verification certificate or a certified copy thereof, substantiating their B-BBEE rating a Verification Agency accredited by SANAS.
- A trust, consortium or joint venture (including unincorporated consortia and joint ventures) must submit a consolidated B-BBEE Status Level verification certificate for every separate bid.
- 5.6 Tertiary Institutions and Public Entities will be required to submit their B-BBEE status level certificates in terms of the specialized scorecard contained in the B-BBEE Codes of Good Practice.
- 5.7 A person will not be awarded points for B-BBEE status level if it is indicated in the bid documents that such a bidder intends sub-contracting more than 25% of the value of the contract to any other enterprise that does not qualify for at least the points that such a bidder qualifies for, unless the intended sub-contractor is an EME that has the capability and ability to execute the sub-contract.
- A person awarded a contract may not sub-contract more than 25% of the value of the contract to any other enterprise that does not have an equal or higher B-BBEE status level than the person concerned, unless the contract is sub-contracted to an EME that has the capability and ability to execute the sub-contract.
- 5.9 Bidders are to note that the rules pertaining to B-BBEE verification and other B-BBEE requirements may be changed from time to time by regulatory bodies such as National Treasury or the DTI. It is the Bidder's responsibility to ensure that his/her bid complies fully with all B-BBEE requirements at the time of the submission of the bid.

proso proso proson pros	BID DECLARATION
6.1	Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:
6.1.1	B-BBEE STATUS LEVEL OF CONTRIBUTION CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 5.1
6.2	B-BBEE Status Level of Contribution: =(maximum of 20 points)  (Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 5.1 and must be substantiated by means of a B-BBEE certificate issued by a Verification Agency accredited by SANAS or a Registered Auditor approved by IRBA or a sworn affidavit.
7.	SUB-CONTRACTING
7.1	Will any portion of the contract be sub-contracted?
	YES NO
7.1.1	If yes, indicate:
	i) What percentage of the contract will be subcontracted%
	ii) The name of the sub-contractor
	iii) The B-BBEE status level of the sub-contractor
	iv) Whether the sub-contractor is an EME.
	(Tick applicable box) YES NO
	v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential
	Procurement Regulations,2017:

300	
極 麗	prasa
31700	

Designated Group: An EME or QSE which is at last 51% owned by:	EME √	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or		
townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

8.	DECLARATION WITH REGARD TO COMPANY/FIRM
8.1	Name of company/firm:
8.2	VAT registration number:
8.3	Company registration number:
8.4	TYPE OF COMPANY/ FIRM
	□ Partnership/Joint Venture / Consortium
	☐ One person business/sole propriety
	☐ Close corporation
	□ Company
	□ (Pty) Limited
	[TICK APPLICABLE BOX]
8.5	DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

prasa Provident not 8.6	COMF	PANY CLASSIFIC	ATION						
	□ Ma	anufacturer							
	□ Su	ipplier							
	□ Pro	ofessional service	provide	r					
	□ Ot	her service provic	lers, e.g.	transporter,	etc.				
	[TICK A	APPLICABLE BOX]							
8.7	Total busine	number ess:	of	years	the	company/firm	has	been	in
8.8	I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contribution indicated in paragraph 7 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:				of the				
	i) The information furnished is true and correct;								
	ii) The preference points claimed are in accordance with the General Conditions as indicated in					ed in			
	paragraph 1 of this form;								
	iii) In the event of a contract being awarded as a result of points claimed as shown in paragraph 7					ph 7,			
		the contractor ma	ay be rec	quired to furn	ish docum	entary proof to the s	atisfaction	of the	
	iv) v)		itted fals	se information	Ū	ng its B-BBEE statu		·	
		•		•		ed the evaluation of			

- (a) disqualify the person from the bidding process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;

been fulfilled, the purchaser may, in addition to any other remedy it may have.

failed to declare any subcontracting arrangements or any of the conditions of contract have not

- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) if the successful bidder subcontracted a portion of the bidder to another person without disclosing it, PRASA reserves the right to penalise the bidder up to 10 percent of the



value of the contract;

- (e) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
- (f) forward the matter for criminal prosecution.

WITNESSES	
	SIGNATURE(S) OF BIDDERS(S)
1	DATE:
	ADDRESS
2	



#### **SECTION 8**

#### DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

#### 1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand

y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

400	
	prasa
W1001.87	

- 1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;
- 2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

Minimum Threshold for Local Content
_

3. Does any portion of the goods or services offered have any imported content?

(Tick applicable box)

YES	NO	

3..1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on www.reservebank.co.za

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

4. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.



# LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

IN R	ESPECT OF BID NO.			
ISSU	JED BY: (Procurement Authority / Name of Institution):			
NB				
1	The obligation to complete, duly sign and submit this declaration cannot be representative, auditor or any other third party acting on behalf of the bidder.	transferred to an external authorized		
2	Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E is accessible on <a href="http://www.thdti.gov.za/industrial development/ip.jsp">http://www.thdti.gov.za/industrial development/ip.jsp</a> . Bidders should first complete Declaration I After completing Declaration D, bidders should complete Declaration E and then consolidate the information Declaration C. Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.			
I, the	e undersigned, (full nar	mes),		
	ereby declare, in my capacity as	,		
	(name of bid	der entity), the following:		
(a)	The facts contained herein are within my own personal knowledge.			
(b)	I have satisfied myself that:			
	(i) the goods/services/works to be delivered in terms of the above-specified bid requirements as specified in the bid, and as measured in terms of SATS 12			
(c)	The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration C and E which has been consolidated in Declaration C:			
	Bid price, excluding VAT (y)	R		
	Imported content (x), as calculated in terms of SATS 1286:2011	R		
	Stipulated minimum threshold for local content (paragraph 3 above)			
	Local content %, as calculated in terms of SATS 1286:2011			

© prosa
If the bid is for more than one product, the local content percentages for each product contained in Declaration C
shall be used instead of the table above.
The local content percentages for each product has been calculated using the formula given in clause 3 of SATS

The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE:	DATE:
WITNESS No. 1	DATE:
WITNESS No. 2	DATE:



## **SECTION 9**

# **COMMISSIONER OF OATH**

I certify that the above ha	as acknowledged that he/she knows and understands	s the contents of this docu	ıment, that
he/she does not have a	ny objection to taking the oath, and that he/she co	onsiders it to be binding	on his/her
conscience, and which wa	as sworn to and signed before me at	on this the	day of
20, a	and that the administering oath complied with the r	egulations contained in G	overnment
Gazette No. R 1258 of 21	July 1972, as amended.		
	(Sign – SERVICE PROVIDER)		
	(Name – SERVICE PROVIDER)		
COMMISSIONER OF O	ATHS STAMP AND DETAILS OF PERSON		
STAMP:	NAME & SURNAME:		
	DESIGNATION/RANK :		
	PERSAL/EMPLOYEE NO:		
	PLACE/DATE:		

## prasa


## **SECTION 10**

# <u>SPECIFICATION - CIP: SUPPLY AND DELIVER THE BBS TOOLS AND EQUIPMENT INFRASTRACTURE FOR PRETORIA NORTH FACILITIES IN NGR</u>

## 1. Scope of Work

The service provider scope of work is to Supply and Deliver the BBS Tools Infrastructure to Facilities Department in Northern Gauteng Region. BBS Tools and equipment Infrastructure will comprise of the following items as briefly outlined below:

- 1.1 Fork Over Stacker
- 1.2 Platform Hand Trolley (300kg)
- 1.3 Platform trolleys (with side walls)
- 1.4 Platform Hand Trolley (150Kg)
- 1.5 Multiple use Trolley
- 1.6 Cement steel Mixer
- 1.7 Jack Hammer Air compressor
- 1.8 Tamping Rammer
- 1.9 Vibrating Plate Compactor
- 1.10 Honey Sucker ( 1000litres
- 1.11 Honey Sucker (1000litres) with Trailer
- 1.12 Heavy steel duty lifting beam
- 1.13 Electric TrueAirless (interior walls)
- 1.14 Tractor TRAILER
- 1.15 Hacksaw
- 1.16 Pliers
- 1.17 Telescopic Basin Wrench: 400mm
- 1.18 Telescopic Basin wrench: 275mm
- 1.19 Hand Plunger
- 1.20 Toilet Plunger
- 1.21 Vice Grip
- 1.22 Hammer



Tap Spanner Set

## 2. **Definitions**

1.35

- 2.1 *PRASA-CRES:* One of the subsidiaries of Passenger Rail Agency of South Africa (PRASA) group responsible for managing the property portfolio of the group and the maintenance thereof.
- 2.2 Facilities Manager: A manager of PRASA-CRES responsible of building and infrastructure portfolio or any person authorised to act in that capacity.
- 2.3 Normal Working Hours: Hours of work as determined by a wage regulating measure or statutory enactment for any trade or activity, during which the basic minimum rate of pay is applicable and excludes all time for which a higher rate of pay is obligatory. Where no wage regulating measure is in force, the hours will be 07h00 to 17h00 Mondays to Fridays excluding a daily meal break.
- 2.4 *Contractor:* Successful tender who is appointed by PRASA-CRES and will be responsible to carry out the works as per this specification.

# Manufacture Warranty and manuals References

All BBS tools and equipment works work will be in accordance with the specification and as per the manufacture manuals and warranty certificate per equipment in adherence to OEM.



## 4. Special Conditions

- i. A work program shall be submitted to the Project Manager within 5 days from the date of the acceptance of the tender and shall match the duration stated in the specification.
- ii. The duration of the project shall be 3 months and the contractor is expected to commence work within 7 days upon receipt of the appointment letter.
- iii. Failure to adhere to specified timelines will result in termination of contract.
- iv. Limitation and Discretionary: Negotiations will be conducted with the second (2nd), third (3rd) and fourth(4<sup>TH</sup>) highest scoring bidders when necessary in line with the limitation
- v. NB: Tool and Equipment sample via picture or physical sample ( with material specification) where applicable will be required and be approved by the project manager before the contractor finalize the purchase.

## 5. SCHEDULE - BBS TOOLS AND EQUIPMENT INFRASTRACTURE

	PROJECT NAME: BBS TOOLS AND EQUIPMENT INFRASTRACTURE WORKS CONTRACT IN GAUTENG NORTH REGION				
No	Work Description	Minimum Threshold for Local Content	Unit	Rate Excl Vat	Total Amount Excl. Vat
5.1	Fork Over Stacker: Semi Electric for the capacity (Kg): 1500Kg,  Lifting Height(mm): 1600-3500 Fork Size (mm): 540/680 x 1150 Battery: 2 4V 85 / 100/ 120Ah 200A Transistor controller Standard equipped with lead acid sideway battery 3 Different lowering speed Chassis design life up to 10 years Injection mold cover Hydraulic motor, save energy and battery High performance AC driving motor Triples mast with free lifting cyclinder Electromagnetic brake	N/A	1		
5.2	<ul> <li>Steel Platform Hand Trolley for 300Kg capacity</li> <li>Total height: 880mm</li> <li>Dimensions of the loading platform: LXW: 910X 610mm</li> <li>2 Fixed and 2 castors wheels</li> <li>Made of steel</li> </ul>				
		N/A			

prasa					
NUMBER OF STREET	Localina platform mode of with an with	1	1	I	I I
	<ul> <li>Loading platform made of rubber with foldable handle</li> </ul>		1		
	Toldable Haridle		1		
<i>5</i> 2					
5.3	Diatform tuallana with aids walls				
	Platform trolleys with side walls				
	Load consoity FOOka				
	Load capacity: 500kg     Height: 1815mm				
	Height: 1815mm     Dimensions of the leading platform: L. V.				
	Dimensions of the loading platform: L X W: 1000x550mm				
	<b>-</b>				
	2 Fixed and 2 castors wheels				
	Brake present  Made of Charle				
	Made of Steel				
	Loading platform in wood				
		NT/A	1		
5.4		N/A	1		
5.4	Steel Platform Hand Trolley for 150Kg capacity		1		
	Toney for loving capacity				
	Total height: 830mm				
	Dimensions of the loading platform:				
	(LXW): 600X400				
	2 Fixed and 2 castors wheels				
	Made of steel				
	Loading platform made of rubber with				
	foldable handle				
	Total and the state of the stat	N/A	1		
5.5					
	Multiple use Trolley:				
	This is a second of the second				
	This dual -use hand trolley is similar to a standard				
	hand trolley with pneumatic tyres but contains two				
	additional smaller solid tyres. The trolley can be used as a cart, allowing to transport bulky loads.				
	as a cart, allowing to transport bulky loads.				
	Total haight: 1505 mm				
	<ul><li>Total height: 1595 mm</li><li>Total Width: 559mm</li></ul>				
			1		
	<ul> <li>Dimensions of the loading platform:(LXW): 450X220</li> </ul>		1		
	Weight: 24Kg     Capacity: 235Kg				
	Capacity : 225Kg     Programatic tyres				
	Pneumatic tyres     Solid support whools				
	Solid support wheels     Made of aluminium				
	Made of aluminium	N/A	1		
5.6		ı\/A	1		
3.0	Cement steel Mixer for 120 litres				
	Dimensions: 1165 X665X1265mm		1		
1			1		
			1	1	1
	Drum volume: 120litres				1
	Dry mix input : 80litres				
	<ul><li>Dry mix input : 80litres</li><li>Wet Mix output : 65 litres</li></ul>				
	<ul><li>Dry mix input: 80litres</li><li>Wet Mix output: 65 litres</li><li>Volt: 220</li></ul>				
	<ul> <li>Dry mix input: 80litres</li> <li>Wet Mix output: 65 litres</li> <li>Volt: 220</li> <li>Motor: 0.25kw</li> </ul>				
	<ul><li>Dry mix input: 80litres</li><li>Wet Mix output: 65 litres</li><li>Volt: 220</li></ul>	N/A	1		

prasa				1	T
5.7	Jack Hammer Air compressor  Trailer mounted portable screw air compressor for pneumatic jack hammer   Type: Twin Screw compressor Installation Type: Moveable type Power source: AC Power Cooling system: Air cooling Working Pressure: 8 -25 Bar Drive method: Multi Voltage: 380v or Customized Controller: Intelligent Controller Lubrication style: Oil Free Integral dryer: Yes Integral Filter: yes Explosion proof: the compressor has to have an explosion proof motor				
		N/A	1		
5.8	<ul> <li>Size Dimensions (LXWXH)cm: 78.5 X 47.5 X114</li> <li>Engine type: air cooling single cylinder, 4 strokes</li> <li>Engine power (hp): 5.5</li> <li>Jumping strike (max) mm(in): 40-80</li> <li>Impact Force (max) Km: 14</li> <li>Advancing Speed (m/min): 10-12</li> <li>Plate size (cm): 34x28.5</li> <li>Fuel Tank (L): 2.8</li> <li>Impact number (per minute): 640-680</li> <li>Shipping weight (Kg): 87</li> </ul>		1		
5.9	Vibrating Plate Compactor: MVC -50KG	N/A	1		
	Plate compactor is the machine that compact the ground and it tends to make the surface smooth, by transmitting vibration through vibrating plate, which power generated from single rotor in vibrator case. This machine is suitable for making the grounds surface smooth, such as levelling and finishing the asphalt paving.  Overall Length (mm): 865 Overall Width (mm): 345 Overall Height (mm): 920 Plate size (WXL): 345X460 Operating weight Kg: 46 Travelling speed m/min: 25 Vibrating Frequency Hz (VPM): 103 (6200) Centrifugal Force KN (KGF): 7.2 (730) Vibrating unit: SAE 10W-30 Lubrication oil in vibration case: 300cc				

1				
Max Output: 2.1Kw (2.8PS/ 4200min) Fuel Tank Capacity Litres: 1.5 Lubrication capacity cc: 300 Starting sytem: Recoil starting Set R.P.M rpm: 4000 Centrifugal force: 12.5KN				
Centifugal force. 12.5KN	NI/A	1		
+	1 <b>\</b> / <i>A</i> \	1		
<ul> <li>Honey Sucker ( 1000litres):</li> <li>100litres horizontal tank</li> <li>Bar Centrifugal pump</li> <li>50 000 Litres / hour</li> <li>Diesel pump engine</li> </ul>				
<ul> <li>Dieser pump engine</li> <li>6m x 63mm Heli fix Suction hose with filter and aluminium quick connector</li> <li>10m x 63mm layflat outlets hose and aluminium quick connector</li> <li>All valves, fittings and pipe work included complete.</li> </ul>	N/A	1		
Honey Sucker ( 1000litres) with Trailer:				
Tank Feature:  100litres vertical tank Bar Centrifugal pump 50 000 Litres / hour Diesel pump engine  6m x 63mm Heli fix Suction hose with filter and aluminium quick connector 10m x 63mm layflat outlets hose and aluminium quick connector All valves, fittings and pipe work included complete  Trailer Features: Heavy Duty 1.6 T unbraked axle 1.6 T leaf springs 14" Commercial wheels Jockey Wheel Spare wheel bracket Spare wheel 14" Spare wheel canvas cover				
T	N/A	1		
Heavy steel duty lifting beam  Suitable for bottom beam transporting, loading and unloading.  Dimensions: 1100W X Adjustable ''I'' X 600H mn  Trolley Beam barrel diameter: 350mm Beam flange diameter: 1250mm Carrying capacity: Up to 2000Kgs				
	Lubrication capacity cc: 300 Starting sytem: Recoil starting Set R.P.M rpm: 4000 Centrifugal force: 12.5KN  Honey Sucker ( 1000litres):	Lubrication capacity cc: 300 Starting sytem: Recoil starting Set R.P.M rpm: 4000 Centrifugal force: 12.5KN  Money Sucker ( 1000litres):  100litres horizontal tank Bar Centrifugal pump 50 000 Litres / hour Diesel pump engine 6m x 63mm Heli fix Suction hose with filter and aluminium quick connector 10m x 63mm layflat outlets hose and aluminium quick connector All valves, fittings and pipe work included complete.  N/A  Honey Sucker ( 1000litres) with Trailer:  Tank Feature: 100litres vertical tank Bar Centrifugal pump 50 000 Litres / hour Diesel pump engine 6m x 63mm Heli fix Suction hose with filter and aluminium quick connector 10m x 63mm layflat outlets hose and aluminium quick connector All valves, fittings and pipe work included complete  Trailer Features: Heavy Duty 1.6 T unbraked axle 1.6 T leaf springs 14" Commercial wheels Jockey Wheel Spare wheel bracket Spare wheel 14" Spare wheel canvas cover Inlet filler  N/A  Heavy steel duty lifting beam  Suitable for bottom beam transporting , loading and unloading . Dimensions: 1100W X Adjustable 'T' X 600H mn Trolley Beam barrel diameter: 350mm Beam flange diameter: 1250mm	Lubrication capacity cc; 300 Starting sytem: Recoil starting Set R.P.M rpm: 4000 Centrifugal force: 12.5KN    Honey Sucker ( 1000litres):   100litres horizontal tank	Lubrication capacity cc: 300 Starting sytem: Recoil starting Set R.P.M rpm: 4000 Centrifugal force: 12.5KN    Money Sucker (1000litres):   100litres horizontal tank     Bar Centrifugal pump     50 000 Litres / hour     Diesel pump engine     6 m x 63mm Hell fix Suction hose with filter and aluminium quick connector     10 m x 63mm Hell fix Suction hose and aluminium quick connector     10 m x 63mm Hell fix suction hose with filter and aluminium quick connector     10 m x 63mm Hell fix suction hose with included complete.     N/A

Electric TrueAirless Sprayer for Walls					
<ul> <li>Overall Length: 20.2 Inches</li> <li>Overall Height: 36.7 Inches</li> <li>Overall width: 17.2 Inches</li> <li>Maximum working pressure: 20.7KPA (300PSI)</li> <li>Maximum Tip Size: 0.019</li> <li>Number of guns: 1</li> <li>Power RATING: 0.65KW</li> <li>Maximum hose length: 150ft</li> <li>Maximum flow rate: 0.38GPM</li> <li>Inlet painter strainer: 35 mesh stainless steel screen</li> <li>Amperage: 8 A</li> <li>Fluid outlet: 1/4</li> <li>Engine size: 0.875HP</li> <li>Include: spray gun, True airless spray tip, spray tip guard, 1/4 inches x 50ft Durable hose, Pump Armor storage fluid (8Oz)</li> </ul>					
	N/A	1			
Tractor Trailer 5Ton Tractor Trailer Specification:  Model: tipper trailer Tons: 5 tons Compactable: 65 - 120 Hp Tyres: 2 types Condition: New					
	N/A	1			
Hacksaw  Total Length: 395mm Blade Length: 300mm/12" Height: 120mm Weight: 720g  Solid, no Flex aluminium frame Very high blade tension for straight and accurate cuts every time  Centred blade for balance and precision Unique design with soft grip handles Supplied with the 300mm/12" shatterproof 24 TPI Sandflat bi-metal blade Alternative 55° blade mounting for flush cutting Quick -change blade tensioning mechanism with spring for quick and					
	Overall Length: 20.2 Inches Overall Height: 36.7 Inches Overall width: 17.2 Inches Maximum working pressure: 20.7KPA (300PSI) Maximum Tip Size: 0.019 Number of guns: 1 Power RATING: 0.65KW Maximum hose length: 150ft Maximum flow rate: 0.38GPM Inlet painter strainer: 35 mesh stainless steel screen Amperage: 8 A Fluid outlet: ¼ Engine size: 0.875HP  Include: spray gun, True airless spray tip, spray tip guard, ¼ inches x 50ft Durable hose , Pump Armor storage fluid (80z)  Tractor Trailer Specification:  Model: tipper trailer Tons: 5 tons Compactable: 65 - 120 Hp Tyres: 2 types Condition: New  Hacksaw  Total Length: 395mm Blade Length: 300mm/12" Height: 120mm Weight: 720g Solid, no Flex aluminium frame Very high blade tension for straight and accurate cuts every time Centred blade for balance and precision Unique design with soft grip handles Supplied with the 300mm/12" shatterproof 24 TPI Sandflat bi-metal blade Alternative 55° blade mounting for flush cutting Quick -change blade tensioning	Overall Length: 20.2 Inches     Overall Height: 36.7 Inches     Overall width: 17.2 Inches     Maximum working pressure: 20.7KPA ( 300PSI)     Maximum Tip Size: 0.019     Number of guns: 1     Power RATING: 0.65KW     Maximum flow rate: 0.38GPM     Inlet painter strainer: 35 mesh stainless steel screen     Amperage: 8 A     Fluid outlet: ¼     Engine size: 0.875HP  Include: spray gun, True airless spray tip, spray tip guard, ¼ inches x 50ft Durable hose , Pump Armor storage fluid ( 8Oz)  N/A  Tractor Trailer 5Ton Tractor Trailer 5pecification:  Model: tipper trailer 7ons: 5 tons Compactable: 65 - 120 Hp Tyres: 2 types Condition: New  N/A  Hacksaw  Total Length: 395mm Blade Length: 300mm/12" Height: 120mm Weight: 720g     Solid, no Flex aluminium frame     Very high blade tension for straight and accurate cuts every time     Centred blade for balance and precision     Unique design with soft grip handles     Supplied with the 300mm/12"     shatterproof 24 TPI Sandflat bi-metal blade     Alternative 55° blade mounting for flush cutting     Quick -change blade tensioning	Overall Length: 20.2 Inches     Overall Height: 36.7 Inches     Overall Width: 17.2 Inches     Overall width: 17.2 Inches     Maximum working pressure: 20.7KPA ( 300PSI)     Maximum Tip Size: 0.019     Number of guns: 1     Power RATING: 0.65KW     Maximum hose length: 150ft     Maximum flow rate: 0.38GPM     Inlet painter strainer: 35 mesh stainless steel screen     Amperage: 8 A     Fluid outlet: ¼     Engine size: 0.875HP  Include: spray gun, True airless spray tip, spray tip guard, ¼ inches x 50ft Durable hose , Pump Armor storage fluid ( 8Oz)  N/A  Tractor Trailer 5Ton Tractor Trailer 5pecification:  Model: tipper trailer 5pecification:  Model: tipper trailer 7ons: 5 tons Compactable: 65 - 120 Hp Tyres: 2 types Condition: New  N/A  Hacksaw  Total Length: 395mm Blade Length: 300mm/12" Height: 120mm Weight: 720g     Solid, no Flex aluminium frame     Very high blade tension for straight and accurate cuts every time     Centred blade for balance and precision     Unique design with soft grip handles     Supplied with the 300mm/12"     shatterproof 24 TPI Sandflat bi-metal blade     Alternative 55° blade mounting for flush cutting     Quick -change blade tensioning	Overall Length: 20.2 Inches Overall Height: 36.7 Inches Overall width: 17.2 Inches Maximum working pressure: 20.7KPA ( 300PSI) Maximum Tip Size: 0.019 Number of guns: 1 Power RATING: 0.65KW Maximum hose length: 150ft Maximum hose length: 150ft Maximum hose length: 150ft Maximum hose length: 150ft Maximum hose length: 35 mesh stainless steel screen Amperage: 8 A Fluid outlet: ¼ Engine size: 0.875HP  Include: spray gun, True airless spray tip, spray tip guard, ¼ inches x 50ft Durable hose , Pump Armor storage fluid ( 80z)  N/A  1  Tractor Trailer Ston Tractor Trailer Specification:  Model: tipper trailer Tons: 5 tons Compactable: 55 - 120 Hp Tyres: 2 types Condition: New  N/A  Hacksaw  Total Length: 395mm Blade Length: 300mm/12" Height: 120mm Weight: 720g Solid, no Flex aluminium frame Very high blade tension for straight and accurate cuts every time Centred blade for balance and precision Unique design with soft grip handles Supplied with the 300mm/12" shatterproof 24 TPI Sandflat bi-metal blade Alternative 55° blade mounting for flush cutting Quick -change blade tensioning	Overall Length: 20.2 Inches Overall Height: 36.7 Inches Overall Midth: 17.2 Inches Overall Midth: 17.

prasa				
	Hacksaw developed according to Scientific ERGO Process.			
		N/A	3	
5.16				
	Pliers			
	6'' Side Cutter 7'' Combination 8'' Long Nose 10'' Water Pump 265X142X50mm, I,1 Kilos			
	<ul> <li>Set of 4 Mega Bite Pliers: water pump pliers, combination pliers, side cutters and long nose pliers.</li> <li>Made of chrome vanadium steel</li> <li>Plastic covered handles</li> </ul>			
	<ul> <li>Supplied in the unique Tool TC tray with removable lid and dove tail joints for use on its own or as part of the tool control system.</li> </ul>			
		N/A	4	
5.17				
	Telescopic Basin Wrench: 400mm			
	Overall length: 400mm Diameter: 48mm			
	<ul> <li>Basin tap wrench for reaching behind the sink or bath.</li> <li>A spring loaded, serrated jaw quickly</li> </ul>			
	grips on nuts and pipes, etc of 48mm diameter  • A telescopic handle for even easier			
	access in difficult to reach placers			
	Telescopic Basin Wrench: 275mm	N/A	3	
5.18	Overall length: 275mm Diameter: 32mm			
	<ul> <li>Basin tap wrench for reaching behind the sink or bath.</li> </ul>			
	<ul> <li>A spring loaded, serrated jaw quickly grips on nuts and pipes, of 32 diameters</li> </ul>			
	A telescopic handle for even easier access in difficult to reach placers	27/4		
		N/A	3	<u> </u>

prasa				
5.19	Hand Plunger			
	<ul> <li>Thread size: 5/16-24</li> <li>Thread Length: 13mm</li> <li>Plunger Diameter: 4.00mm</li> <li>Body Length: 21mm</li> <li>Plunger Type: Hardened locking pin</li> <li>Indexing plunger style code: B</li> <li>Initial End Force: 6N</li> <li>Final End Force: 12N</li> <li>Knob Diameter: 18mm</li> <li>Distance across nuts flats: 10mm</li> <li>Nuts height: 6mm</li> <li>Overall Length: 38.50mm</li> </ul>			
	<ul><li>Finish / Coating: Black Oxide</li><li>Knob Colour: Black/Grey based on</li></ul>			
	availability	N/A	3	
	Toilet Plunger fits any toilet bowl! With a unique 4-step level suction cup that fits securely in all different types of toilet openings, this device makes easy work of the toughest clogs.  Dimensions: Length: 24" ( 609.6mm) Width: 6"(152.4mm) Height: 1" ( 25.4mm)			
	<ul> <li>Unique Design: The rubber head on this bathroom plunger fits securely on the aluminum handle, and the cup is engineered to unclog toilet blockages with ease.</li> </ul>			
	<ul> <li>The cup will never flip back over itself and get stuck like other traditional bowl plungers.</li> </ul>			
	<ul> <li>Lightweight Drain Plunger: Our heavy- duty plunger is light and durable and has an easy-to-clean aluminum handle.</li> </ul>			
	<ul> <li>The handle features a peg hole, so you can hang this device in any bathroom or storage closet. Perfect for personal or commercial use.</li> </ul>			

prasa					
	<ul> <li>Powerful Plunger: The suction plunger cup is super pliable for leveraging all angles and is built of tough rubber to create an ultra-tight seal on any drain.</li> <li>The powerful suction makes this tool the perfect plunger for any bathroom clogs</li> <li>Stays Clean: Our plunger cup has a smooth edge and bottom with no interior ridges, which prevents residue buildup.</li> <li>The cup also keeps the exterior of the plunger clean, so you can use this bathroom cleaning tool daily.</li> </ul>	N/A	3		
	VICE GRIPS CHROME VANADIUM 137/ 250MM				-
5.21	Dimensions:  (1,5cm x 8,5cm x 29,5cm)  • For secure clamping ,gripping and holding • Chrome vanadium steel 31CrV3 • Nickel plated • Jaws hardened to 50HRC • Three-point shaped bottom jaw, upper jaw with wire groove • With adjusting screw and release lever with moulded plastic grip • Safe release • Weight: 550g	N/A	3		
5.22					
	Hammer  SLEDG HAMMER 3.6KG (8LB) SANDO RUBBER HANDLE 600MM  The handle consists of a core high tensile steel rods that are moulded to abrasive -resistant rubber making it unbreakable with outstanding durability.  The innovative locking plate design ensures that the head will not separate from the handle  The abrasive-resistant rubber is injected all the way into the eye of the hammer head.  The rubber in the eye inhibits the transfer of shock into the handle , reducing fatigue and the risk of injury and making the hammer more comfortable for use.				

prasa					
Acceptance of the Control of the Con	The superior quality of the rubberized handle provides excellent grip in wet and dry conditions which makes the hammer more versatile and safety for use.				
	The hammer head conforms to ASME ,BS876 & ISO 15601 specifications and is induction hardened to 50-58 HRC	N/A	3		
5.23					
	Sockets				
	1-piece T-handle ratchet socket wrench adjustable one-handed ratchet wrench hand tap tapping tool set				
	High Quality Material: Reversible ratchet faucet holder wrench made of durable alloy steel with high hardness, non-deformation, wear resistance.				
	Surface electroplated treatment with anti-rust characteristics and anti-corrosion. small size: M3*0.5, M4*0.7, M5*0.8, M6*1.0, M8*1.25, Thandle tap-chuck type M3-M8, 3mm 4mm 5mm 6mm 8mm thread tap.				
	Length of wrench: 85mm / 3.35in. 3				
	Humanized regulator: It can be easily switch from positive to negative by the humanized adjustment, the middle is the lock for non-rattling use. The machinist's tool has a heavy knurled nut that makes it easy to grip and tighten, a wrench perfect faucet to improve your work efficiency. Besides, the tool with a ratchet mechanism makes it easy to cut and remove even in the narrow space. Usage: Designed for use with taps and can also use on left tap, reamers, screw extractors and other tools with a square shank, good for mechanics, engineers, electricians, etc.  Package Include: 1pcs T-handle ratchet wrench ratchet with 5pcs M3-M8 machine thread (1pcs M3; 1pcs M4; 1pcs M5; 1pcs M6; 1pcs M8).				
		N/A	3		
5.24	PLIER- WATER PUMP (406mm)				
	<ul> <li>406mm</li> <li>Made from the finest quality tool steel</li> <li>Designed to grip all shapes like rods, pipes and cable connections</li> <li>Precisions milled ribs assure smooth, positive interlock between two</li> </ul>	N/A			

prasa				
	<ul> <li>Halves with no chance of halves separating or jumping out of grooves</li> <li>Straight jaws and self -locking jaw adjustments</li> <li>Forged hardened and tempered</li> <li>Red non slip cushion handle grip</li> <li>6 jaws positions</li> </ul>		3	
5.25	, ,			
	<ul> <li>BA 175mm water pump plier. Made of special alloy drop-forged steel, hardened and tempered for exceptional strength and durability.</li> <li>Special alloy drops forged steel, hardened for exceptional strength &amp; durability</li> <li>Slim, long jaws for confined spaces</li> <li>Box joint design for extra stability</li> <li>Maximal useable jaw capacity: 38mm Ø</li> </ul>			
	Total languille 475 and		_	
	Total length: 175mm	N/A	3	
5.26	Chisel with Guard			
	Grip G20019GR Cold Chisel - Orange/Black (200 x 19mm)			
	CODE: G20019GR MATERIAL: Steel			
	HANDLE MATERIAL: Plastic and rubber			
	FEATURE AND BENEFITS: Cold chisel with hand guard.  LENGTH: 200 mm			
	WIDTH: 110 mm			
	HEIGHT: 110 mm			
	SKU WEIGHT: 0.56			
	GUARANTEE 1-year			
	WARRANTY			
	1-year	N/A		

prasa		T	1	1
			3	
	Pipe Wrench ( 200mm 8")			
5.27				
	Weight: 0.39 Kg			
	Dimensions : 20x5x2cm			
	<ul> <li>Plumbing applications</li> </ul>			
	Used for turning soft iron pipes and			
	fittings.			
	The adjustable jaw design features			
	angle teeth that dig into soft pipe for			
	sure grip that self-tightens with slight			
	forward pressure while long handle			
	provides a high degree of leverage.			
	Heavy-duty cast-iron handle		3	
	Head constructed of steel	N/A		
5.28				
	Pipe Wrench (300mm 12")			
	Weight: 0.96 Kg			
	• Dimensions : 30x7x2.5cm			
	Plumbing applications			
	Used for turning soft iron pipes and			
	fittings.			
	The adjustable jaw design features			
	angle teeth that dig into soft pipe for			
	sure grip that self-tightens with slight			
	forward pressure while long handle			
	provides a high degree of leverage.			
	Heavy-duty cast-iron handle			
	Head constructed of steel	NT/A		
5.29		N/A	3	
	Shifting Spanner 250mm 10"			

prasa				
	<ul> <li>Size: 10 Inch( 250mm)</li> <li>Jaw opening: 0-28.8mm</li> <li>Hardened screw and jaw for a more secure jaw opening.</li> <li>Full body hardened for improved performance</li> <li>Extra wide design for a comfortable grip</li> <li>Made of Chrome Vanadium Steel</li> </ul>	N/A	3	
5.30	<ul> <li>Shifting Spanner 300mm 12"</li> <li>Size: 12 Inch( 300mm)</li> <li>Jaw opening: 0-33.5mm</li> <li>Hardened screw and jaw for a more secure jaw opening.</li> <li>Full body hardened for improved performance</li> <li>Extra wide design for a comfortable grip</li> <li>Made of Chrome Vanadium Steel</li> </ul>	N/A	3	
	<ul> <li>Shifting Spanner 375mm 15"</li> <li>Size: 15 Inch( 375mm)</li> <li>Jaw opening: 0-40.55mm</li> <li>Hardened screw and jaw for a more secure jaw opening.</li> <li>Full body hardened for improved performance</li> <li>Extra wide design for a comfortable grip</li> <li>Made of Chrome Vanadium Steel</li> </ul>	N/A	3	
5.32	<ul> <li>4-piece Locking Pliers Set, 5", 7" And 10"         Curved Jaw Locking Pliers, 6-1/2" Long         Nose Locking Pliers Included,</li> <li>Locks on with adjustable force for a         custom grip that won't slip.</li> </ul>			

prasa				
	<ul> <li>One-handed squeeze action and trigger release for re-positioning Classic allsteel construction with forged and hardened jaws</li> <li>Adjustment screw provides the ideal holding pressure Built-in wire cutter.</li> <li>Forged steel is strong and durable Ideal for tightening, clamping, twisting and turning flat objects such as sheet metal</li> </ul>			
5.33		N/A	3	
	Spanners Set  PRODUCT TYPE: Spanner set  PRODUCT  Red 21 Piece Spanner Set (380 x 380 x 70mm)  CODE: Red  SET QUANTITY: 21  APPLICATION SIZE: 6 - 32mm  MATERIAL: Steel  MANUFACTURING SPECIFICATION: Complies with ISO 9001:2008  6 to 32 Inches (Sizes)  152mm; 178mm; 203mm; 229mm; 254mm; 279mm; 305mm; 330mm; 356mm; 381mm; 406mm; 432mm; 457mm; 483mm; 508mm; 533mm; 559mm; 610mm; 686mm; 762mm; 813mm  FEATURE AND BENEFITS  • Ring offset to 15 degree.  • Jaw set at 15 degree.  • Matt satin chrome-plated finish.  • Chrome-vanadium steel.  • In the holder			
	LENGTH: 380 mm			
	WIDTH: 380 mm			
	HEIGHT: 70 mm			
	SKU WEIGHT: 3.325 kg			
	The market state of the state o			
		N/A	3	
5.34	Cable Pro Stripping Knife			
	Overall Length: 172mm			
	Overall Bengui. 1/2/11/11	N/A		

prasa					
Surface	Professional cable knife constructed from high Carbon Steel for the cutting and stripping of cables and cable jackets.				
	• Will strip cable up to 50mm in diameter and wire from AWG 10- 20				
	• Vacuum hardened to 58-60 HRC for excellent strength and a clean reliable cut		3		
	Precision ground cutting edge for long lasting sharpness				
	• Serrated tip ideal for stripping cable jackets and the metal guide shoe allows quick straight cutting without the risk of damaging the wires RS,				
	Professionally Approved Products, gives you professional quality parts across all products categories.				
5.35	Tap Spanner Set				
	Eight double ended box spanners in the following sizes:				
	• 6x7mm • 8x9mm				
	• 10x11mm				
	<ul><li>12x13mm</li><li>14x15mm</li></ul>				
	• 16x17mm				
	<ul><li>18x19mm</li><li>20x22mm</li></ul>				
	<ul> <li>190mm extension bar with rubberized</li> </ul>				
	<ul><li>handle for comfort</li><li>This set should include soft roll to make</li></ul>				
	organisation and transport easier	N/A	3		
		11/71	1	Sub Total	_
	Vat@15%				



#### ANNEXTURE - PICTURES OF TOOLS AND EQUIPMENTS







HORIZONTAL TANK HONEY SUCKER























#### PLATFORM HAND TROLLEY FOR

**3**00**T**7









DRUM STACKER










# TRAILER FOR THE TRUCK





### **PLIERS**





## VICE GRIPS CHROME VANADIUM















#### TAP SPANNER





### 406mm WATER



175mm WATER PLIER

