

Document Identifier	240-72663051	Rev	1
Effective Date	October 2022		
Review Date	October 2027		
EOI Number	MWP2159CX		

PART A					
R	REQUEST FOR AN EXPRESSION OF INTEREST (EOI)				
Description of the	The provision of service, maintenance, and	repairs as well as	s supply of spares		
works/goods/services	and consumables, for Xylem/SI Analytics br	and coulometers	(KF Titroline) to all		
	Petroleum and Flow Sciences (P&FS) labora	atories as and wh	en required for the		
	period of three (5) years				
Deadline for submission	30 August 2023	At (South	10h00		
		African			
		Standard			
		Time)			
Tender Office address	Eskom Megawatt Park				
	Megawatt Park Tender Office				
	Retail Centre 1				
	Maxwell Drive				
	Sunninghill				
	2000				

Eskom Holdings SOC Ltd ("Eskom") invites you to submit an:

• Expression of interest (EOI) to indicate your interest in the works/goods/services as stated in the table above;

Eskom has delegated the responsibility for this **EOI** to the signatory of this document, whose details can be found below.

Nicole Moila BrooksNM@eskom.co.za 011 709 3755

We look forward to receipt of your response.

Yours faithfully

Name	Designation	Signature	Date
Damela Mathetja	Procurement Manager	Mathetja	18 Aug 2023

Controlled Disclosure



Document Identifier	240-72663051	Rev	1
Effective Date	October 2022		
Review Date	October 2027		
EOI Number	MWP2159CX		

PART B RESPONSE SHEET IN TERMS OF A REQUEST FOR AN EXPRESSION OF INTEREST To be completed by the supplier				
То	Eskom Holdings SOC Ltd	Date Insert today's date		
Attention	Nicole Moila Officer Procurement		·	
Tel no Insert your tel number		Fax no and /or e-mail address Insert your fax number and/or e-mail address		
From Insert the registered full legal name of the company		Address Insert the business address of the company		
Address Insert the physical address of the company				
Sender Insert the full name of the sender at the company				
Description of the works/goods/services	The provision of service, maintenance, and repairs as well as supply of spares and consumables, for Xylem/SI Analytics brand coulometers (KF Titroline) to all Petroleum and Flow Sciences (P&FS) laboratories as and when required for the period of three (5) years			

1. Background:

Eskom has several Laboratories within the RT&D Department of Sustainability, i.e., the Petroleum and Sciences (PS) section. The laboratories provide an analytical service to various departments within Eskom and also to the SA industry and also engage in research to ensure that Eskom is in the forefront of technologies and products it uses. Various types of analytical instruments are being used to conduct analyses. The equipment needs to be maintained, serviced, spares replaced in order to ensure that the equipment is fully functional and can produce results of a high quality. Since the instruments are SI brand, a supplier who has experience and have worked on the same brand before is required.

Xylem/SI Analytics brand coulometers are titration devices, which are being used in the laboratory on a daily basis. It is used to perform analytical measurements. The laboratories provide analytical services to Eskom, which relates to transformer oils. The oils are tested to provide technical teams in the field with the necessary information to plan and schedule

Controlled Disclosure



Document Identifier	240-72663051	Rev	1
Effective Date	October 2022		
Review Date	October 2027		
EOI Number	MWP2159CX		

maintenance on transformer equipment and to identify problems. The laboratories also engage in research to improve techniques and to give Eskom a competitive edge in the global industry. Maintenance and spares are needed from time to time to ensure the equipment stays in operation and can produce good quality results.

2. Requirements

Suppliers are to respond to Part B and Eskom's Questions in this report. The Eskom technical team will evaluate the submissions following the Commercial process.

3. Format, Method, and place of delivery

Format of Submission

The response must be submitted as 1 (one) printed original RFI, plus 1 (one) printed copy.

4. Method and place of delivery

All responses must be sealed and delivered before the closing date and time to the tender box located at:

Eskom Megawatt Park Tender Office Retail Centre 1 Maxwell Drive Sunninghill 2000

5. Please find below our response to Eskom's questions:

No.	Question	Please indicate your response in this column
1.	Your contact name and contact details	
2.	Company registration number	
3.	Brief description of previous experience and Description of the solution that you can offer	
4.	Indicative prices (optional and only for use of RFI's)	N/A

Controlled Disclosure



Document Identifier	240-72663051	Rev	1
Effective Date	October 2022		
Review Date	October 2027		
EOI Number	MWP2159CX		

Yours faithfully

Name	Designation	Signature	Date
Nicole Moila	Officer Procurement		18 August 2023
Telephone number	011 709 3755	Fax and/or e-mail address	BrooksNM@eskom.co.za

Controlled Disclosure