

**UNIT PRICE FOR RESCUE EQUIPMENT FOR 8X8 AIRCRAFT RESCUE AND FIRE FIGHTING VEHICLE (excluding VAT)**

The bidder is to complete the pricing schedule as per the table provided below. No other pricing proposal and alterations will be considered.

| ITEM NO.   | DESCRIPTION  | QUANTITY | YEAR 1<br>2024 | YEAR 2<br>2025 | YEAR 3<br>2026 | YEAR 4<br>2027 | YEAR 5<br>2028 |
|------------|--|----------|----------------|----------------|----------------|----------------|----------------|
| <b>1</b>   | <b>VEHICLE</b>   |          |                |                |                |                |                |
| <b>1.1</b> | Complete chassis tool set including;   | 1 set    |                |                |                |                |                |
|            | Tyre Inflation Hose  | 2        |                |                |                |                |                |
|            | Metal Wheel Spanner  | 2        |                |                |                |                |                |
|            | Hydraulic Jack Bottle  | 1        |                |                |                |                |                |
|            | 400 mm Heavy Duty Material Plastic Toolbox                                       | 1        |                |                |                |                |                |
|            | 0.6 kg hammer with claw  | 2        |                |                |                |                |                |
|            | Socket set, combinations 8 mm to 32 mm   | 2        |                |                |                |                |                |
| <b>2</b>   | <b>PUMPING EQUIPMENT</b>   |          |                |                |                |                |                |
| <b>2.1</b> | 65 mm Delivery red hoses with rubber cuffs, 5 m length, 25 bar testing pressure  | 2        |                |                |                |                |                |
| <b>2.2</b> | 65 mm Delivery red hoses with binding pads, 30 m length, 25 bar testing pressure | 10       |                |                |                |                |                |
| <b>2.3</b> | 45 mm Delivery red hoses with binding pads, 30 m length, 25 bar testing pressure | 6        |                |                |                |                |                |

|     |  |    |  |  |  |  |  |
|-----|--|----|--|--|--|--|--|
| 2.4 | Discharge nozzles with complete foaming attachments.   | 4  |  |  |  |  |  |
| 2.5 | Purpose fit keys for manual operation of firefighting valves on vehicle                          | 2  |  |  |  |  |  |
| 3   | <b>FIRE FIGHTING EQUIPMENT</b>   |    |  |  |  |  |  |
| 3.1 | High strength 8 m light alloy scaling ladder, certified to carry 2 persons, maximum load 200 kg. | 2  |  |  |  |  |  |
| 3.2 | Multi-purpose fire hydrant key / spanner for several sizes                                       | 2  |  |  |  |  |  |
| 3.3 | Adjustable brackets with foam making capability with 65mm male coupling                          | 1  |  |  |  |  |  |
| 4   | <b>FIRE EXTINGUISHERS</b>  |    |  |  |  |  |  |
| 4.1 | 6,8 kg CO2 extinguisher  | 3  |  |  |  |  |  |
| 4.2 | 9 kg dry chemical powder extinguisher  | 3  |  |  |  |  |  |
| 5   | <b>RESCUE EQUIPMENT</b>  |    |  |  |  |  |  |
| 5.1 | Felling Axe, length 350 mm   | 2  |  |  |  |  |  |
| 5.2 | Fireman's Axe non-jamb 900 mm length with insulated handle                                       | 4  |  |  |  |  |  |
| 5.3 | 300 mm Heavy Duty Metal Hack Saw,  | 2  |  |  |  |  |  |
|     | Spare blades 300mm   | 10 |  |  |  |  |  |
| 5.4 | 1000 mm Crowbar, forged, heat treated  | 2  |  |  |  |  |  |

|      |   |        |  |  |  |  |  |
|------|---|--------|--|--|--|--|--|
| 5.5  | 1800 mm Crowbar, forged, heat treated                             | 1      |  |  |  |  |  |
| 5.6  | 300 mm Heavy Duty shifting Spanner                                | 3      |  |  |  |  |  |
| 5.7  | 450 mm Heavy Duty shifting Spanner                                | 1      |  |  |  |  |  |
| 5.8  | Heavy Duty Spanners combination 10 mm to 22 mm                    | 2 sets |  |  |  |  |  |
| 5.9  | Safety Rescue Knives  | 4      |  |  |  |  |  |
| 5.10 | 200 mm Pliers with insulated grips                                | 1      |  |  |  |  |  |
| 5.11 | Flat Nose Pliers with insulated grips 200 mm                      | 1      |  |  |  |  |  |
| 5.12 | 200 mm Flat Chisel with 25 mm blade width                         | 2      |  |  |  |  |  |
| 5.13 | 100 mm Flat Screwdriver   | 1      |  |  |  |  |  |
| 5.14 | 200 mm Flat Screwdriver   | 1      |  |  |  |  |  |
| 5.15 | 300 mm Flat Screwdriver   | 1      |  |  |  |  |  |
| 5.16 | Phillips Screwdriver Size 1                                       | 1      |  |  |  |  |  |
| 5.17 | Phillips Screwdriver Size 2                                       | 1      |  |  |  |  |  |
| 5.18 | Phillips Screwdriver Size 3                                       | 1      |  |  |  |  |  |
| 5.19 | 700 mm Wooded Sledgehammer  | 1      |  |  |  |  |  |
| 5.20 | 900 mm Rescue Tool Hooligan Non-Slip Grip with Metal Cutting Claw | 2      |  |  |  |  |  |
| 5.21 | 100 mm Metal Wheel Chock  | 4      |  |  |  |  |  |
| 5.22 | 150 mm Metal Wheel Chock  | 4      |  |  |  |  |  |

|      |   |    |  |  |  |  |  |
|------|---|----|--|--|--|--|--|
| 5.23 | 1,8 kg Wooden Handle Pane Hammer  | 2  |  |  |  |  |  |
| 5.24 | Self-Contained Breathing Apparatus Sets (Drager Type) complete with Face Mask, Composite 6.8 l / 300 bar air cylinder and covers. | 5  |  |  |  |  |  |
|      | Spare Composite 6.8 l / 300 bar air cylinder and covers   | 5  |  |  |  |  |  |
| 5.25 | Emergency Backpack for Fire Brigades with Burn Shield Rescue Medical Kit  | 2  |  |  |  |  |  |
| 5.26 | Fire Blanket Size 1,5 m x 2 m with carrying bag   | 2  |  |  |  |  |  |
| 5.27 | 600 mm Wire and Cable Cutter capable to cut up to 16 mm diameter  | 3  |  |  |  |  |  |
| 5.28 | 610 mm Bolt Cutters capable to cut up to 16 mm diameter   | 2  |  |  |  |  |  |
| 5.29 | 750 mm Bolt Cutters capable to cut up to 13 mm diameter   | 2  |  |  |  |  |  |
| 5.30 | Forcible Entry and Rescue Tool Pry-Axe with Metal Cutting Claw  | 2  |  |  |  |  |  |
| 5.31 | Battery operated 150 mm Reciprocating Saw   | 1  |  |  |  |  |  |
|      | Spare Li-on Batteries   | 2  |  |  |  |  |  |
|      | Electricity mains charger 220 v   | 1  |  |  |  |  |  |
|      | 150 mm Metal Saw Blades   | 10 |  |  |  |  |  |
| 5.32 | Battery-Operated Heavy-Duty Combi Tool (Jaws of   | 1  |  |  |  |  |  |

|             |  |       |  |  |  |  |  |
|-------------|--|-------|--|--|--|--|--|
|             | Life/Preading Ram) (Weber Type), spreading force of 780 kN, pulling force of 50 kN, spreading distance up to 350mm, cutting force of 30 mm |       |  |  |  |  |  |
|             | Battery charger 12 / 24 v  | 3     |  |  |  |  |  |
|             | Electricity mains charger 220 v  | 3     |  |  |  |  |  |
|             | Spare Li-on Batteries  | 6     |  |  |  |  |  |
| <b>5.33</b> | Petrol Driven 500 mm Chain Saw   | 1     |  |  |  |  |  |
|             | Spare Chain  | 2     |  |  |  |  |  |
|             | Chain Filling Kit  | 1     |  |  |  |  |  |
|             | Two Section 10 l plastic can   | 1     |  |  |  |  |  |
| <b>5.34</b> | Petrol Drive 406 mm Multi-Purpose Saw 3 kW / 4 Hp  | 1     |  |  |  |  |  |
|             | 406 mm Diamond Cutting Blades  | 10    |  |  |  |  |  |
| <b>5.35</b> | Vetter Lifting Bags 22 metric ton lifting capacity   | 1 Set |  |  |  |  |  |
|             | Repair Kit   | 1     |  |  |  |  |  |
|             | Carry Bag  | 1     |  |  |  |  |  |
| <b>5.36</b> | Basket Red Stretcher load capacity 300 kg complete with mats, harness lifting bridles with 4 carabiners, 2 m length                        | 1     |  |  |  |  |  |
| <b>5.37</b> | Round Point Shovels Spark Resistant  | 4     |  |  |  |  |  |
| <b>5.38</b> | 12 mm diameter High Quality Polyester Rescue Line with   | 4     |  |  |  |  |  |

|      |   |   |  |  |  |  |  |
|------|---|---|--|--|--|--|--|
|      | carrying bag, 30 m length, 1000 kg breaking strength  |   |  |  |  |  |  |
| 5.39 | 12 mm diameter High Quality Polyester Rescue Line with carrying bag, 45 m length, 1000 kg breaking strength         | 4 |  |  |  |  |  |
| 5.40 | Salvage Canvas Covers, 4 m x 5 m  | 4 |  |  |  |  |  |
| 5.41 | Handheld Intrinsically Safe Flashlights, High Intensity LED   | 4 |  |  |  |  |  |
|      | Spare Li-Ion Batteries  | 2 |  |  |  |  |  |
|      | Electricity Mains Battery Charger 220 v   | 2 |  |  |  |  |  |
| 5.42 | Petrol Driven High Performance Fan (Dimensions 500 mm x 500 mm x 500 mm) with Water Spray, 4 kilowatt / 4 HP engine | 1 |  |  |  |  |  |
| 5.43 | Metal Wrecking Bars, 300 mm length  | 3 |  |  |  |  |  |
| 5.44 | Oxygen Resuscitation Equipment Kits   | 2 |  |  |  |  |  |
|      | Spare Oxygen Tank   | 1 |  |  |  |  |  |
|      | Carry Case for Kit  | 1 |  |  |  |  |  |
| 5.45 | Oxygen External Defibrillator Kits  | 2 |  |  |  |  |  |
|      | Spare Oxygen Tank   | 1 |  |  |  |  |  |
|      | Carry Case for Kit  | 1 |  |  |  |  |  |
| 5.46 | 65 mm dividing branches   | 2 |  |  |  |  |  |
| 5.47 | 65 mm connecting branches   | 2 |  |  |  |  |  |

|             |  |   |  |  |  |  |  |
|-------------|--|---|--|--|--|--|--|
| <b>5.48</b> | Portable Mobile Thermal Imaging Camera complete  | 1 |  |  |  |  |  |
|             | Electricity Mains Battery Charger 220 v  | 1 |  |  |  |  |  |
|             | Spare Li-Ion Batteries   | 2 |  |  |  |  |  |
|             | Carrying Bag   | 1 |  |  |  |  |  |
| <b>5.49</b> | 250 mm Slip Joint Multi-Grip   | 2 |  |  |  |  |  |
| <b>5.50</b> | GPS with 200 mm screen fitted onto dashboard in cab  | 1 |  |  |  |  |  |
| <b>5.51</b> | Forward Looking Infrared Camera fitted onto dashboard in cab.                                      | 1 |  |  |  |  |  |
| <b>5.52</b> | Aluminised fibre glass approach suits complying to NFPA requirements, shall be supplied in the cab | 4 |  |  |  |  |  |
| <b>6.</b>   | <b>ADDITIONAL</b>  |   |  |  |  |  |  |
| <b>6.1</b>  | Protective goggles   | 2 |  |  |  |  |  |
| <b>6.2</b>  | Rope line rescue 45m   | 1 |  |  |  |  |  |
| <b>6.3</b>  | Rope line general use 30m  | 1 |  |  |  |  |  |
| <b>7</b>    | <b>TOTAL PRICE (Excluding 15 % VAT)</b>  |   |  |  |  |  |  |
| <b>8</b>    | 15 % Value Added Tax   |   |  |  |  |  |  |
| <b>9</b>    | <b>TOTAL PRICE (Including 15 % VAT)</b>  |   |  |  |  |  |  |

## NOTES:

- The prices shall be indicated in South African Rand (ZAR) where there is a foreign exchange component for imported goods, it is the bidder's responsibility to include this cost in the total bid offer.

2. The prices shall exclude Value Added Tax (15%).
3. The prices shall include escalation, which shall be an annual increase that is market related.
4. The prices / rates shall be **fixed** for the 5-year supply period.
5. The prices/rates applicable shall be in accordance with the year of order placement.

Bidder's signature: \_\_\_\_\_

Date: \_\_\_\_\_