Agricultural Research Council
1134 Park Street
ARCADIA
0083



Request for quotation: Req- 057519

Date: 2022-08-16

**Expiration Date: 2022-08-22 at 11h00 am** 

**Submissions: Via email to** 

galanem@arc.agric.za

Telephone: +27 (0) 12 529-9232

Tax Registration: 4140125313

Delivery address:

ARC-Onderstepoort Veterinary Institute

(ARC-OVI)

100 Old Soutpan Road (M35)

Private Bag X05 ONDERSTEPOORT

0110

## **Laboratory Consumables**

Good day

1. You are kindly requested to submit a written quotation to the Agricultural Research Council as per below or attached terms of reference (TOR).

SPECIFICATION IN FULL Cabinet – epoxy powder coated mild steel A2 rating that provides operator, sample and environmental protection for low- and medium- risk pathogens. Must meet international CDC-2/3, DHSS-B2/B1 and NSF-1/2/3 standards Must have a 30% exhausted and 70% recirculation airflow distribution		RFQ number	Description	Quantity	Unit of Measure
LED or fluorescent work surface illumination Must be supplied with UV light for work surface decontamination Supply air and exhaust air must be HEPA filtered Non-digital Magnehelic for measuring pressure Quotation must include stand fitted with levelling feet or lockable swivel castors Cabinet width - not less than1200 mm Sash made of toughened glass Buzzer type airflow alarm. Electrical sockets: minimum one15A socket inside working chamber Must be supplied with a fitted surge protection plug Minimum 1 year guarantee	1		Biological safety cabinet  SPECIFICATION IN FULL Cabinet – epoxy powder coated mild steel A2 rating that provides operator, sample and environmental protection for low- and medium- risk pathogens. Must meet international CDC-2/3, DHSS-B2/B1 and NSF-1/2/3 standards Must have a 30% exhausted and 70% recirculation airflow distribution Work surface made of either 304 or 304L stainless steel LED or fluorescent work surface illumination Must be supplied with UV light for work surface decontamination Supply air and exhaust air must be HEPA filtered Non-digital Magnehelic for measuring pressure Quotation must include stand fitted with levelling feet or lockable swivel castors Cabinet width - not less than1200 mm Sash made of toughened glass Buzzer type airflow alarm. Electrical sockets: minimum one15A socket inside working chamber Must be supplied with a fitted surge protection plug	1	EA

RFQ number	Description	Quantity	Unit of Measure
	Quotation must include delivery, on site commissioning and an on-site validation certificate Supplier must have factory-trained technicians and fully equipped workshop. Relevant training certificates for the technicians must be		
	available on request It must be possible for the client to verify the existence of the workshop by doing a site visit. Replacement parts must be readily available for a period of at least 10 years post-delivery.		

## 2. Compulsory requirements:

- 2.1. Valid current Tax Clearance Certificate and the pin code issued by the South African Revenue Services (SARS).
- 2.2. Only bidders registered on the Central Supplier Database (CSD) will be considered. Bidders shall include the CSD registration number with the bid proposal.
- 2.3. Only bidders that submit a valid current certified copy of the BBBEE certificate, original BBBEE certificate or the sworn affidavit, will be considered for scoring on the 20 points as per the 80/20 principle. Bidders are therefore required to submit the certified copy of the BBBEE certificate, original BBBEE certificate or the sworn affidavit.
- 2.4. Completed and signed Standard Bidding Documents (SBD) forms included in the bid document.
- 3. The above specified goods/services should be delivered / rendered to the ARC-Onderstepoort Veterinary Institute at above-mentioned delivery address.
- 4. The particulars of the guarantee that will apply to the goods quoted for, with the particular regards to the period and extent of the warranty must be clearly stated. Where services are required, service providers must submit documentation pertaining the relevant experience.
- 5. Your written quotation must be deposited or emailed depending on the instructions given in the email.
- 6. All price quotations that have a rand value of R 30,000.00 to below R 50,000,000.00, including VAT, will be evaluated by applying the 80/20 principle as prescribed by the Preferential Procurement Policy Framework Act 5 of 2000 and its Regulations. The lowest acceptable price will score 80 points, the 20 BBBEE points will be allocated as follows:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

## 7. Standard conditions:

- 7.1 The validity of the quotations must be indicated.
- 7.2 Prices quoted should be in South African Rand and inclusive of VAT costs such as delivery, insurance, taxes, etc.
- 7.3 No price adjustments or amendment of the delivery particulars contained in paragraph 2 will be considered by the ARC.
- 7.4The supplier accepts full responsibility for the proper execution and fulfilment of the goods/services quoted for.
- 7.5 ARC reserves the right to accept or reject any special terms and conditions that may qualify the goods/services to be provided.
- 7.6 Quotes should be submitted on an official letterhead and duly signed.
- 7.7 Goods and services should be supplied / rendered upon receipt of a purchase order from the ARC.
- 7.8 The General Conditions of Contract issued by National Treasury are applicable.
- 7.9 The ARC supply chain management code of conduct is applicable.
- 7.10 Standard Bidding Documents (SBD) forms must be signed and returned together with the quotation if the price is above R 10,000.00. Failure to comply will result to disqualification of your quotation.
- 7.11 Only the quotation from suppliers who are requested to quote shall be evaluated and considered.
- 7.12 Your quotation must indicate the delivery date.
- 7.13 The ARC reserve the right to do due diligence on the quotations.
- 7.15 The ARC reserves the right to benchmark prices quoted.

Thank you in anticipation.

Miss Emmy Galane

Tel: +27 (0) 12 529-9316

Email: galanem@arc.agric.za Supply Chain Management: ARC

Date: 2022-08-16