MPUMALANGA PROVINCIAL GOVERNMENT



DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND & ENVIRONMENTAL AFFAIRS

BID NUMBER: ALA/602/25/MP

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

ISSUED BY:

Department of Agriculture, Rural Development, Land & Environmental Affairs Private Bag X11219

Mbombela
1200

NAME OF BIDDER:	
TOTAL BID PRICE (all inclusive) :	
(Also in words):	
,	

PART A INVITATION TO BID

ENVIRONMENTAL AF		REQUIREMENTS OF I	HE DEPAK	IME	NI OF AGRICULI	URE, RURAL DEVEL	OPMENT LAND AND
BID NUMBER: ALA/	602/25/MP	CLOSING DATE:			November 2025	CLOSING TIME:	12H00
		IEL OF SERVICE PROV					
	ARTWENT OF AGR ONTHS	ICULTURE, RURAL DE	VELUPIVIER	∀1, L/	AND AND ENVIRO	INWENTAL AFFAIKS	FUR A PERIOD OF
BID RESPONSE DOCU	MENTS MAY BE D	EPOSITED IN THE BID	BOX SITUA	TED	AT (STREET ADD	RESS)	
		plex, Building No 9, Gov					
		KwaMhlanga Governme ice Centre, Department of					
of Public Works, Cnr.	Lillian Ngoyi and	Dr Beyers Naudé Streets e, ELUKWATINI , Eluky	s – Old TP	A Bu	ilding, Upper grou	and floor, Office num	bers A20, 21 and 25,
		ion A, Elukwatini 1192.					
Siyabuswa 0472			T TERRETORI				
BIDDING PROCEDURE	ENQUIRIES MAY	BE DIRECTED TO	TECHNIC	AL E	NQUIRIES MAY B	E DIRECTED TO:	
CONTACT PERSON	Ms. NI Mbuyan	e / Ms. TV Dhludhlu	CONTAC	T PE	RSON	Mr. M Chinyang	ana
TELEPHONE NUMBER	013 766 6118 /	013 766 6674	TELEPHO	ONE 1	NUMBER	073 734 5695	
FACSIMILE NUMBER			FACSIMIL	<u>E Nl</u>	JMBER		
E MAIL ADDDECC		mpg.gov.za	- MAIL A	חחחו			
E-MAIL ADDRESS SUPPLIER INFORMATION	vmanana@n ON	ipg.gov.za	E-MAIL A	ואטט	<u> </u>	Cilinyangan	am@gmail.com
NAME OF BIDDER							
POSTAL ADDRESS							
STREET ADDRESS							
TELEPHONE NUMBER	CODE			NU	MBER		
CELLPHONE NUMBER							
FACSIMILE NUMBER	CODE			NU	MBER		
E-MAIL ADDRESS							
VAT REGISTRATION NUMBER							
SUPPLIER	TAX				CENTRAL		
COMPLIANCE STATUS	COMPLIANCE		OR		SUPPLIER	B40 0 0	
ARE YOU THE	SYSTEM PIN:				DATABASE No:	MAAA	**************************************
ACCREDITED			ARE YOU	ΙΔΕC	OREIGN BASED		
REPRESENTATIVE IN SOUTH AFRICA FOR	□Yes	∏No	SUPPLIE	R FO	R THE GOODS	Yes	□No
THE GOODS			/SERVICE	ES OF	FFERED?	[IF YES, ANSW	/ER THE
/SERVICES OFFERED?	[IF YES ENCLO	SE PROOF]				QUESTIONNAI	RE BELOW]
QUESTIONNAIRE TO B	IDDING FOREIGN	SUPPLIERS					
IS THE ENTITY A RESII	DENT OF THE REF	PUBLIC OF SOUTH AFRI	ICA (RSA)?				YES NO
DOES THE ENTITY HAY	/E A BRANCH IN T	HE RSA?	,				YES NO
DOES THE ENTITY HAY	/E A PERMANENT	ESTABLISHMENT IN TH	HE RSA?				YES NO
DOES THE ENTITY HAY	/E ANY SOURCE (OF INCOME IN THE RSA	۱?				YES NO
IS THE ENTITY LIABLE	IN THE RSA FOR	ANY FORM OF TAXATIO	N?				YES NO
IF THE ANSWER IS "N SYSTEM PIN CODE FR	O" TO ALL OF TH OM THE SOUTH A	E ABOVE, THEN IT IS I FRICAN REVENUE SER	NOT A REC RVICE (SAR	QUIRI RS) A	EMENT TO REGIS	TER FOR A TAX CO	MPLIANCE STATUS OW.

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PA	RTICULARS MAY RENDER THE BID INVALID.
SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	

MPUMALANGA PROVINCIAL GOVERNMENT



DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

BID DOCUMENT

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

NAME OF BIDDER	:	
BID AMOUNT	:	
TEL NUMBER	:	
FAX NUMBER	:	
PREPARED FOR:		PREPARED BY:
CPALAGO W		
		ENGINEERING SERVICES
HEAD OF DEPARTMENT MPUMALANGA DEPT. OF AGRICU DEVELOPMENT, LAND AND ENVI	JLTURE, RURAL IRONMENTAL	MPUMALANGA DEPT. OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS
PRIVATE BAG X11219 NELSPRUIT 1200		PRIVATE BAG X11219 NELSPRUIT 1200

CLOSING DATE: AS PER BID BULLETIN AT 12:00PM THIS BID IS VALID FOR 90 DAYS



APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

DETAILS of BIDDER

(NAME)							
(SURNAME	Ξ)						
(PHONE No	၁)						
(CELL No)							
(FAX No)							
(E-MAIL)							
	(NAME) (SURNAME) (PHONE No) (CELL No) (FAX No)	(NAME) (SURNAME) (PHONE No) (CELL No) (FAX No)	(NAME) (SURNAME)(PHONE No) (CELL No) (FAX No)	(NAME) (SURNAME) (PHONE No) (CELL No) (FAX No)	(NAME) (SURNAME)(PHONE No) (CELL No) (FAX No)	(NAME) (SURNAME) (PHONE No) (CELL No) (FAX No)	(NAME) (SURNAME). (PHONE No) (CELL No) (FAX No)

BID Initials: _____ Index

Part T1: BIDDING Procedures

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

Contents:	Page:
Part T1: BID procedures	
T1.1 Notice and Invitation to BID T1.2 BID Data T1.3 Standard Conditions of BID	T5 - T6 T7 - T15 T16 - T24
Part T2: Returnable schedules	
T2.1 List of Returnable Documents T2.2 Returnable Schedules	T25 - T26 T27 - T77
Part C1: Agreement and Contract Data	
C1.1 Form of Offer and Acceptance C1.2 Contract Data	C1 - C6 C7 - C24
Part C2: Pricing data	
C2.1 Pricing Instructions C2.2 Bill of Quantities	C25 - C27 C28 - C29
Part C3: Scope of Work	
C3.1 Standard Specifications C3.2 Project Specifications C3.3 Particular Specifications C3.4 Schedule of Drawings	C32 C33 - C49 C50 - C80
Part C4: Site Information	
C4.1 Locality Plan C4.2 Site Notice Board	C82 C83

Initials: _

Part T1: BIDDING Procedures

BID

SCHEDULE OF BID DRAWINGS

The following drawings, which are bound in, form part of this Contract in terms of Clause 1(i)(j) of the General Conditions of Contract:

(TO BE ISSUED DURING SITE HANDOVER IF NOT INCLUDED IN THE BID DOCUMENT)

•	·
DRAWING NO:	DESCRIPTION:
	•

The Service Provider shall satisfy himself that the sets of drawings are complete in accordance with the above schedule, and if any are found to be missing or duplicated, or the writing or figures indistinct, he shall apply to the Engineer immediately and have the discrepancy rectified. No liability whatsoever will be admitted by the Employer in respect of errors in BIDs attributed to any such discrepancy.

BID Initials: _____ Index

Part T1: BIDDING Procedures

PART T1: BID PROCEDURES

TABLE OF CONTENTS		Page	Colour
T1.1:	NOTICE AND INVITATION TO BID	, T.5	White
T1.2:	BID DATA	T.8	Pink
T1.3:	ANNEXURE F: STANDARD CONDITIONS OF BID	T.17	Pink

BID Initials: _____ Index
Part T1: BID Procedures Notice and Invitation to BID



MPUMALANGA PROVINCIAL GOVERNMENT DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

The Mpumalanga Department of Agriculture, Rural Development, Land and Environmental Affairs invites bids for APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

Service Providers should have a CIDB contractor grading of 1CE / 1GB or higher.

BID documents will be obtainable from the following supply chain management offices Mbombela Riverside Government Complex, Malelane 17 Lorenco Street, Siyabuswa Old Parliament Building, Middelburg Department of Public Works, KwaMhlanga Government Complex Department of Finance, Piet Retief no. 11 Mearsorch Street, Elukwatini Sub-Regional Offices and The Provincial Treasury, R40 Road, Bakoena Business Complex, Bushbuckridge, on payment of a non-refundable levy of R150.00 or can be downloaded at https://www.etenders.gov.za. Only cash will be accepted and document can be collected between 7:45 and 16:00.

The closing date for receipt of bids is as per bid bulletin at 12h00 PM.

Duly completed BIDs enclosed in a sealed envelope marked "APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS" with the name of the Bidder, shall be deposited in the clearly marked BID boxes provided at the following Supply Chain Offices: Mbombela, Malelane, Bushbuckridge, KwaMhlanga, Middelburg, Siyabuswa, Elukwatini and Piet Retief.

The BIDs will be opened in public.

- Telegraphic, telephonic, telex, facsimile, e-mail and late Bids WILL NOT be accepted.
- Bidders should ensure that Bids are delivered on time to the correct address. If the Bid document is late, it will not be accepted for consideration.
- All documentation submitted in response to this Bid must be in English, unless otherwise indicated under technical specification.

COMPULSORY BRIEFING SESSION will be held as follows:

Venue	Date and Time
R40 Road, Bakoena Business Complex, Bushbuckridge	20 October 2025 at 10h00
Nooitgedacht Research Farm, Ermelo	21 October 2025 at 10h00
Riverside Office Park, Cycad Building Block 4, DARDLEA Ehlanzeni District Office	23 October 2025 at 10h00
Kwa Mhlanga Government Complex	24 October 2025 at 10h00

Part T1: BID Procedures

RID

Notice and Invitation to BID

T1.2. BID DATA

The Conditions of BID in the Standard Conditions of BID as contained in Annex F of CIDB Standard Uniformity in Construction Procurement. (See www.cidb.org.za) which are reproduced without amendment or alteration for the convenience of the prospective service providers in this BID in the section T1.3 of the BID Data.

The Standard Conditions of BID make several references to the BID Data for details that apply specifically to this BID. The BID Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the Standard Conditions of BID. Each item of BID Data given below is cross-referenced to the relevant clause in the standard Conditions of BID.

F.1.1 The Employer for this Contract is: Mpumalanga Department of Agriculture, Rural Development, Land and Environmental Affairs

F.1.2 **BID Documents**

The BID Document consists of the following:

T1: BID Procedures

T1.1: Notice and Invitation to BID

T1.2: **BID Data**

T2: Returnable Documents

List of Returnable Documents T2.1:

T2.2: Returnable schedules

CONTRACT

Part 1: Agreements and Contract Data

C1.1: Form of Offer and Acceptance

C1.2: Contract Data

C1.3: Form of Guarantee

C1.4: Agreement with Adjudicator

C1.5: Agreement in terms of Section 37(2) of the Occupational Health and Safety Act (No 85, 1993)

Part 2: Pricing Data

C2.1: **Pricing Instructions**

C2.2: **Bill of Quantities**

Part 3: Scope of Work

Standard Specifications C3.1:

C3.2: **Project Specifications**

C3.3: Particular Specifications

Part 4: **Site Information**

C4.1: Locality Plan

Construction Notice Board C4.2:

DRAWINGS

Drawings to be issued during site handover.

The BID Document and the drawings shall be obtained from the Employer or his authorized representative at the physical addresses stated in the BID Notice, upon payment of the deposit stated in the BID Notice.

Initials : _ T1.2 Part T1: BID Procedures **BID Data**

F.1.4 The Employer's agent is: None

The Employer's right to accept or reject any BID Offer F.1.5

The Employer may accept or reject any variation, deviation, BID Offer, or alternative Offer, and may cancel the BID process and reject all BID Offers at any time before the formation of a Contract. The Employer shall not accept or incur any liability to a service provider for such cancellation and rejection, but will give written reasons for such action upon written request to do so.

F.2.1 Eligibility

- 1. A service provider will not be eligible to submit a BID if:
 - The service provider submitting the BID is under restrictions or has principals who are under restriction to participate in the Employer's procurement due to corrupt of fraudulent practices;
 - The service provider does not have the legal capacity to enter into the Contract;
 - The service provider submitting the BID is insolvent, in receivership, bankrupt or being wound up, has his affairs administered by a court or a judicial officer, has suspended his business activities, or is subject to legal proceedings in respect of the foregoing:
 - (d) The service provider does not comply with the legal requirements stated in the Employer's procurement policy:
 - The service provider cannot demonstrate that s/he possesses the necessary professional and (e) technical qualifications and competence, financial resources, equipment and other physical facilities, managerial capability, personnel, experience and reputation to perform the Contract;
 - The service provider cannot provide proof that he is in good standing with respect to duties, taxes, (f) levies and contributions required in terms of legislation applicable to the work in the Contract.
 - Only those service providers who have in their employ management and supervisory staff (g) satisfying the requirements of the Scope of Work for Labour Intensive Competencies for supervisory and management staff are eligible to submit BIDs.

CIDB GRADING 2.

- I. Only those service providers who are registered with the CIDB as defined in the Regulations 09 June 2004 and 22 July 2005, in terms of the CIDB Act No 38 of 2000, or are capable of being so prior to the evaluation of submissions, in a Contractor grading designation equal to or higher than a Contractor grading designation determined in accordance with the Sum bidded for a 1CE/1GB or higher work, are eligible to submit BIDs.
- II. Joint Ventures are eligible to submit BIDs provided that:
 - every member of the Joint Venture is registered with the CIDB;
 - the lead partner has a Contractor grading designation in the 1CE/1GB or higher; and 2.
 - the combined Contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a Contractor grading designation determined in accordance with the Sum bided for a 1CE/1GB or higher.

T1.2 Initials: **BID Data** Part T1: BID Procedures

F.2.7 Site visit and clarification meeting

The arrangements for the compulsory briefing and clarification meeting are as follows:

Venue	Date and Time
R40 Road, Bakoena Business Complex, Bushbuckridge	20 October 2025 at 10h00
Nooitgedacht Research Farm, Ermelo	21 October 2025 at 10h00
Riverside Office Park, Cycad Building Block 4, DARDLEA Ehlanzeni	23 October 2025 at 10h00
District Office	
Kwa Mhlanga Government Complex	24 October 2025 at 10h00

Enquiries of attendance at least **TWO FULL WORKING DAY** in advance regarding the meeting directed to:

Bidders must note that the Employer is not obliged to answer to phone calls regarding confirmation of attendance and requests for directions to site after the starting time of the clarification meeting.

Service Providers must sign the attendance list and name of their business entity. Addenda will be issued and BIDs will be received only from those business entities appearing on the attendance list.

F.2.10 Pricing the BID Offer

(a) Value Added Tax

- The Valued Added Tax (VAT) rate shall be 15% or as otherwise provided for by Legislation.
- The successful service provider shall be required to produce a VAT invoice that shall only be prepared
 once measurements and valuations for work done in Terms of Contract Offer have been agreed with
 the Employers agent and a Certificate of Payment issued.
- Payment of VAT to non-VAT vendors shall be processed from the month in which the service provider's liability with the South African Revenue Services is effective.

F.2.11 Alterations to document

A BID Offer shall not be considered if alterations have been made to the Forms of BID data or Contract data (unless such alterations have been duly authenticated by the service provider) or if any particulars required therein have not been completed in all respects.

F.2.12 Alternative BID Offers

No alternative Offers will be considered.

F2.13 Submitting a BID Offer

F.2.13.3 BID Offers shall be submitted as an original only.

Under no circumstances whatsoever may the BID forms be retyped or redrafted.

Photocopies of the original BID documentation may be used, but an original signature must appear on such photocopies.

F.2.13.5 The Employer's address for delivery of BID Offers and identification details to be shown on such BID Offer package are:

Location of BID box:

As indicated in BID Notice

Physical address:

As indicated in BID Notice

Identification details

BID for: APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR

BID

Initials : ____

THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS Closing Date: as per bid bulletin, at 12h00

F.2.15 Closing Time

The closing time for submission of BID Offers is: 12h00 as stated in the Notice and Invitation to BID.

Telephonic, telegraphic, telex, facsimile, electronic or e-mailed BIDs will not be accepted.

F.2.16 BID Offer validity

The BID Offer validity period is 90 days from the closing time for submission of BIDs.

F.2.18 Provide other material

The service provider shall, when requested by the Employer to do so, submit the names of all management and supervisory staff that will be employed to supervise the labour-intensive portion of the works together with satisfactory evidence that such staff members satisfy the eligibility requirements

F.2.19 Access

Access shall be provided for inspections and testing by personnel acting on behalf of the Employer.

F.2.22 Return of BID Documents

Not applicable.

F.2.23 EVALUATION PROCESS

1.1. The valuation process comprises of the following phases:

1.1.1 Phase I: Initial screening process

During this phase bid documents will be reviewed to determine compliance with the following:

- Bidders must attend the compulsory briefing session and must sign the attendance register.
- SBD forms (SBD 1, SBD 4, SBD 6.1 and 6.2) must be honestly, fully completed and signed by the bidder.
- The Bill of Quantities (BoQ) must be fully completed and signed by the bidder.
- Bidders must indicate the total bid offer on the cover page as per the grand total on the Bill of quantities.
- Signed Joint Venture Agreement and Power of Attorney in case of Joint Ventures must be submitted.
- Bidders must submit a company profile which includes a list of previous contract work done, the value of the work, and contactable references per contract.
- Certificate of Contractor Registration issued by the Construction Industry Development Board. Where a
 service provider satisfies a 1CE/ 1GB OR higher CIDB Contractor grading designation requirements
 through Joint Venture formation, such service providers must submit the Certificates of Contractor
 Registration in respect of each partner.

All bidders must be registered with the Central Supplier Database (CSD), failure to do so will be automatically disqualified.

NB: It is the responsibility of the bidder to ensure that the following key information is in order to avoid any disqualification during the bid evaluations:

-The Business registration status
-Bid restrictions and defaulters' status
-Identification number and the service of the state status

Failure to submit or adhere to the above will lead to automatic disqualification.

NB: Local Content Calculation

The following items are part of the BoQ and are designated according to the Department of Trade and Industry (DTI)

Item No	Designated items	Designated percentage
1	Valves	70%
2	Steel	100%
3	Cables	90%
4	Pumps	70%
5	Electrical cables	90%
6	Prepaid Electricity Metres	70%
7	Smart Metres	50%
8	Fabricated Structural Steel	100%
9	Joining/Connecting Components	100%
10	Frames	100%
11	Roof and Cladding	100%
12	Fasteners	100%
13	Wire Products	100%
14	Ducting and Structural pipework	100%
15	Gutters, downpipes & lauders	100%
16	Plates	100%
17	Sheets	100%
18	Galvanised and Colour Coated Coils	100%
19	Wire Rod and Drawn Wire	100%
20	Sections	100%
21	Reinforcing bars	100%
22	Accessories	100%
23	Casting or Frame Fabrication	100%
24	Assembly and Testing of the fully-built unit	100%

1.1.3. Phase II: Functionality evaluation as per attached Terms of Reference

- a) Bids will be evaluated strictly according to the bid evaluation criteria stipulated in the terms of reference
- b) Bidders must as part of their bid documents, submit supportive documentation for all technical requirements as indicated hereunder. The panel responsible for scoring for the respective bids will evaluate and score all bids based on their submissions and the information provided.
- c) Bidders will not rate themselves, but need to ensure that all information is supplied as required. The Bid Evaluation committee (BEC) will evaluate and score all responsive bids and will verify all documents submitted by the bidders.
- d) The panel members will individually evaluate the responses received against the following criteria as set out below:

CRITERIA	EVIDENCE	VALUE	WEIGHTING
Plant, Tools and Equipment available for this contract	No information provided or irrelevant information.	1	
• LDV • TLB	Bidder attached any one (1) of the stipulated plant/equipment.	2	
8 Ton TruckGrader	Bidder attached any two (2) of the stipulated plant/equipment.	3	
Attach proof of ownership (certified	Bidder attached any three (3) of the stipulated plant/equipment.	4	
registration certificate and valid license disc) if owned by the Bidder	Bidder attached all four (4) of the stipulated plant/equipment.		
OR			30
Attach signed hiring arrangement that refer to this contract and proof of ownership (certified registration certificate and valid license disc) if hired or leased		5	
Certification should not be more than 6 months by the closing of bid			
Details of staff available for this Contract	No information or irrelevant information submitted to determine the scoring level or	1	
 Civil engineer with at least Diploma in Engineering Electrician with trade test 	One (1) of the stipulated staff One (2) of the stipulated staff	2	
certificate • Plumber with trade test	Two (3) of the stipulated staff	3	
certificate • Bricklayer with trade test	Three (4) of the stipulated staff	4	
certificate • A Project Manager with registration certificate from a recognised project management body (PrCPM with SACPCMP or PMP with PMI)	Five (5) or more of the stipulated staff		30
Attach CVs, certified copies of qualifications and signed letters of consent from the relevant personnel, referring to this bid document. Certification should not be more than 6 months by the closing of bid. SAQA verification certificate will be required for qualifications obtained outside South Africa	·	5	
Proof of relevant Construction or Maintenance experience in the field	CLUSTER A (1 – 2CE/GB)		
(track record)	No information or irrelevant information.	1	
Points will be allocated for	One (1) completed project	3	
submission of fully signed certificate of practical completion/completion.	Two (2) completed projects CLUSTER B (3 – 4CE/GB)	5	40
	No information or irrelevant information.	1	

CRITERIA	EVIDENCE	VALUE	WEIGHTING
	One (1) completed project	2	
	Two (2) completed projects	3	
	Three (3) completed projects	5	
	CLUSTER C (5 – 6CE/GB)		
	No information or irrelevant information.	1	
	Two (2) completed projects	3	
	Three (3) completed projects	4	
	Four (4) completed projects	5	
	CLUSTER D (7CE/GB)		
	No information or irrelevant information.	1	
	Two (2) completed projects	2	
	Three (3) completed projects	3	
	Four (4) completed projects	4	
	Five (5) or more completed projects	5	
Total			100

Only bidders who attain a minimum of 70 percent on Functionality will qualify to proceed for further evaluation on Price and Preference points.

NB: The Department reserves the right to verify the authenticity of all CVs and qualifications submitted as part of the bid.

The bid evaluation committee will conduct physical verification during the evaluation process.

e) Each panel member will rate each individual criterion on the score sheet using the following scale:

1-Poor, 2- Below average, 3- Good, 4- Very Good, 5- Excellent

- f) Individual value scores will be multiplied with the specified weighting for the criterion to obtain the marks scored for all elements. These marks will be added and expressed as a fraction of the best possible score for all criteria. This score will be converted to a percentage and only bidders that have met or exceeded the minimum threshold of 70% for functionality will be evaluated and scored in terms of pricing and socioeconomic goals as indicated hereunder.
- g) The value scored for each criterion will be multiplied with the specified with weighting for the relevant criterion to obtain the marks scored for each criterion. These marks will be added and expressed as a fraction of the best possible score for all criteria.
- h) This score will be converted to a percentage and only bidders that have met or exceeded the minimum threshold of 70 percent for functionality will be evaluated and scored in terms of pricing and socio-economic goals as indicated hereunder.
- i) Any proposal not meeting a minimum score of 70 percent functionality proposal will be disqualified.
- j) The price will not be evaluated as this stage

Phase III: Price / Financial stage

- a) Price / Financial proposal must be submitted in South African Rand.
- b) The following formula will be used to calculate the points for price in respect of this bid:

Ps =80
$$(1 - (Pt - Pmin))$$

P min

Where

Ps= Points scored for comparative price of bid under consideration

Pt= Comparative price of bid under consideration

P min = Comparative price of lowest acceptable bid

- c) The responsive bids will be adjudicated by the State on the 80/20 preference point system based on price points and preference point:
 - The bid price (maximum 80 points)
 - Specific goals (maximum 20 points)
- d) The department reserves the right to arrange contracts with more than one contractor.
- e) The Preferential Procurement Policy Framework Act 2000 (PPPFA) Preferential Procurement Regulations 2022, Regulations were gazetted on 4 November 2022 (No. 47552) Vol.689 and effective from 16 January 2023. These bid will be evaluated as per above mentioned regulations. Bidders are required to submit evidence by which preference points can be claimed based on the specific goals determined by the Department. In case of a Joint Venture, the average score of the joint companies will be considered for determining preference point score.
- f) A maximum of 20 points may be awarded to a bidder for full complying with specific goals requirements stipulated in the table below. For this bid the maximum number preference points that could be allocated to a bidder are indicated below:

Specific Goal	Maximum Preference	Minimum Proof required for claiming
	Points Allocated	preference points
An Enterprise owned by black people		CIPC enterprise registration certificate,
		certified ID copies of company owners,
	4	and a certified Accredited B-BBEE
		status level contributor certificate or a
		fully completed sworn affidavit.
An Enterprise owned by youth (35 years or		CIPC enterprise registration certificate,
younger)		certified ID copies of company owners,
	3	and a certified Accredited B-BBEE
		status level contributor certificate or fully
		completed sworn affidavit.
An Enterprise owned by women		CIPC enterprise registration certificate,
		certified ID copies of company owners,
	4	and a certified Accredited B-BBEE
		status level contributor certificate or a
		fully completed sworn affidavit.

BID Part T1: BID Procedures

Specific Goal		Maximum Preference	Minimum Proof required for claiming
		Points Allocated	preference points
An Enterprise owned by persons	with		CIPC enterprise registration certificate,
	WILLI		
disability			certified ID copies of company owners,
			and a certified Accredited B-BBEE
			status level contributor certificate or fully
		3	completed sworn affidavit.
		· ·	completed event amadvit.
			Proof of disability (Certificate from a
			medical doctor that specifies the nature
			of the disability)
An enterprise owned by Military veterans	s		A confirmation letter from the
	-		
			Department of Military Veterans
		3	confirming the individual's status as a
		S	military veteran and that they have not
			been dishonourably discharged from
			that military organisation or force.
			that immary organisation of force.
	wned	3	A declaration Annexure C Summary
companies through the promotion of		3	Schedule signed by the enterprise with
manufacturers- local production and con Local production and content design		NB: (Points are	an indication of local production and
items and designated percen		allocated only when the	•
required to claim preference points:		bidder meets the	content designated percentage for all
Valves 70	10/		goods listed on the specific goal.
	00%	designated percentage	
Cables 90		for all listed items)	
Pumps 70	1		
Electrical cables 90	I .		
Prepaid Electricity Metres 70 Smart Metres 50			
	00%		
• • • • • • • • • • • • • • • • • • • •	0%		
	0%		
<u> </u>	0%		
	0%		
Ducting and Structural pipework 10	0%		
	0%		
	0%		
Galvanised and Colour Coated			
Coils	0%		
	0%		
	0% 0%		
S .	0%		
	0%		
Assembly and Testing of the fully	0%		
Duilt unit		20 DOINTS	
TOTAL		20 POINTS	

Failure to submit the required evidence will lead to allocation of zero (0) preference points.

- The points scored by a bidder in respect of the points indicated above will be added to the points scored for a) price.
- b) Supply Chain Management may, before a bid is adjudicated or at any time, require a bidder to substantiate claims it has made with regard specific goals.
- Points scored will be rounded off to the nearest 2 decimals. c)
- d) In the event that two or more bids have scored equal total points, the contract will be awarded to the bidder scoring the highest number on specific goals. Should two or more bids be equal in all respects, the award shall be decided by drawing of lots.
- e) The department intent to appoint all bidders who went to the final stage of the evaluation process per cluster and will be rotated as per the departmental rotation register.
- It remains the responsibility of the appointed service provider to submit CIDB grading certificate in case of f) changes to ensure the correct CIDB cluster classification.

CLIENT BASE

Bidders must have specific experience and submit at least four recent references (in a form of written proof (s) on their company's letterhead including relevant person(s), telephone, fax numbers and e-mails) of similar work undertaken.

DARDLEA reserves the right to contact references during the evaluation and adjudication process to obtain information.

LEGAL IMPLICATIONS

Successful service providers must be prepared to enter into a service level agreement with the DARDLEA. DARDLEA reserves the right to award this bid on a non-exclusive basis, i.e. DARDLEA may procure similar services outside this bid with the view of securing the best service and value for money.

COMMUNICATION

Supply Chain Management will communicate with bidders for, among others. Where bid clarity is sought, to obtain information or to extend the validity period. Any communication either by facsimile, letter or electronic mail or any other form of correspondence to any government official, department or representative of a testing institution or a person acting in an advisory capacity for DARDLEA in respect of this bid between the closing date and the award of the bid by the bidder is prohibited.

COUNTER CONDITIONS

Bidders' attention is drawn to the fact that amendments to any of the Special Conditions by bidders will result in invalidation of such bids.

PROHIBITION OF RESTRICTIVE PRACTICES

In terms of the Competition Act No. 89 of 1998, all applicable sections of the relevant Acts will be covered under the Service Level Agreement (SLA).

FRONTING

DARDLEA supports the spirit of broad based black economic empowerment and recognizes that real empowerment can only be achieved through individuals and businesses conduction themselves in accordance with the Constitution and in an honest, fair, equitable, transparent and legally compliant manner. Against this background DARDLEA condemns any form of fronting.

Initials : ____ T1 2 **BID Data** DARDLEA, in ensuring that bidders conduct themselves in an honest manner will, as part of the bid evaluation processes, conduct or initiate the necessary enquiries/investigations to determine the accuracy of the representation made in bid documents. Should any of the fronting indicators as contained in the Guidelines on Complex Structures and Transactions and Fronting, issued by the Department of Trade and industry be established during such enquiry/investigation, the onus will be on the bidder / contractor to prove that fronting does not exist.

Failure to do so within a period of 14 days from date of notification may invalidate the bid/contract and may also result in the restriction of the bidder/contractor to conduct business with public sector for a period not exceeding ten years, in addition on any other remedies DARDLEA may have against the bidder/contractor concerned.

F.3.13 Acceptance of BID Offer

F.3.13.1 BID offers will only be accepted on condition that:

- (a) Service providers will be appointed per cluster, and work will be allocated on a rotational basis as needs arise. The Department intends to appoint all service providers who successfully complete the final stage of the evaluation process, with prices to be negotiated and standardised.
- (b) The BID Offer is signed by a person authorised to sign on behalf of the service provider;
- (c) the service provider's declaration of compliance with the Occupational Health and Safety Act No. 85 of 1993 and the Construction Regulations 2003, is included with her/his BID submission;
- (d) a service provider who submitted a BID as a Joint Venture has included an acceptable Joint Venture Agreement with her/his BID;
- (e) the service provider or a competent authorised representative of the Contractor who submitted the BID has attended the compulsory clarification meeting or site inspection;
- (f) the Contractor who submits the BID has been registered with the Construction Industry Development Board in accordance with the Construction Industry Development Board Act No. 38 of 2000 and the CIDB Regulations 2003 promulgated in terms of the Act, or if the Contractor can submit proof or evidence that s/he will be able to register within 10 days of the closing date for submission of BIDs;
- (g) the service provider or any of its principals is <u>not</u> listed on the register of BID Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the Public Sector;
- (h) the service provider has <u>not</u> abused the Employer's Supply Chain Management System or has failed to perform on any previous Contract and has been given a written notice to this effect;
- (i) The service provider or any of its Principals, Directors or Managers is <u>not</u> employed in the service of the State (all spheres of government) nor is a Public Representative (Councillor);
- (j) a company profile is attached;
- (k) the required Certificates listed in F.2.23 above, are attached;
- (I) The Returnable Schedules in T2.2 have been completed and signed;
- (m) The Form of Offer in C1.1 has been signed by the Service Provider;
- (n) the Employer is satisfied that the service provider or any of her/his Principals have <u>not influenced</u> the BID Offer and acceptance by the following criteria:
 - a. having Offered, promised or given a bribe or other gift or remuneration to any person in connection with the obtaining or execution of this Contract;
 - b. having acted in a fraudulent or corrupt manner in obtaining or executing this Contract;

- c. having approached an Officer or employee of the Employer or the Employer's Agent with the objective of influencing the award of a Contract in the service provider's favour;
- d. having entered into any agreement or arrangement, whether legally binding or not, with any other Person, Firm or Company to refrain from Quoting for this Contract or as to the amount of the BID to be submitted by either party;
- e. having disclosed to any other Person, Firm or Company other than the Employer, the exact or approximate amount of his proposed BID;
- f. The Employer may, in addition to using any other legal remedies, repudiate the BID Offer and acceptance and declare the Contract invalid should it have been concluded already.

F.3.18 Copies of Contract

The number of paper copies of the signed Contract to be provided by the Employer is ONE.

F.3.19 PRICE NEGOTIATION

- a) The market-related prices are used as a basis to negotiate agreed market rates.
- b) Rates will be negotiated with recommended bidders in line with the prevailing market prices and the agreed negotiated rates will apply to successful bidders on the contract.
- c) If the market-related price is not agreed upon by all the bidders intended to be appointed, the department shall cancel the bid.
- d) Negotiations will be backed by evidence from the market. If all bidders do not agree, they will be requested to provide reasons for rejecting the offer, and reasons must be supported by proof of relevant market rates.

BID Initials : _____
Part T1: BID Procedures

T1.3: Annex F: Standard Conditions of Bid

(As contained in Annexure F of South African National Standard: Construction procurement processes, Methods and procedures: SANS 294: 2004 Edition)

F.1 General

F.1.1 Actions

The employer and each service provider submitting a Bid offer shall comply with these conditions of Bid. In their dealings with each other, they shall discharge their duties and obligations as set out in F.2 and F.3, timeously and with integrity, and behave equitably, honestly and transparently.

F.1.2 Bid Documents

The documents issued by the employer for the purpose of a Bid offer are listed in the Bid data.

F.1.3 Interpretation

- **F.1.3.1** The Bid data and additional requirements contained in the Bid schedules that are included in the returnable documents are deemed to be part of these conditions of Bid.
- **F.1.3.2** These conditions of Bid, the Bid data and Bid schedules which are only required for Bid evaluation purposes, shall not form part of any contract arising from the invitation to Bid.
- **F.1.3.3** For the purposes of these conditions for the calling for expressions of interest, the following definitions apply:
- a) **comparative offer** means the service providers financial offer after the factors of non-firm prices, all unconditional discounts and any other Bided parameters that will affect the value of the financial offer have been taken into consideration
- b) **corrupt practice** means the offering, giving, receiving or soliciting of anything of value to influence the action of the employer or his staff or agents in the Bid process; and
- c) **fraudulent practice** means the misrepresentation of the facts in order to influence the Bid process or the award of a contract arising from a Bid offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels
- d) **quality (functionality)** means the totality of features and characteristics of a product or service that bear on its ability to satisfy stated or implied needs

F.1.4 Communication and employer's agent

Each communication between the employer and a service provider shall be to or from the employer's agent only, and in a form that can be read, copied and recorded. Writing shall be in the English language. The employer shall not take any responsibility for non-receipt of communications from or by a service provider. The name and contact details of the employer's agent are stated in the Bid data.

F.1.5 The employer's right to accept or reject any Bid offer

F.1.5.1 The employer may accept or reject any variation, deviation, Bid offer, or alternative Bid offer, and may cancel the Bid process and reject all Bid offers at any time before the formation of a contract. The employer may accept any Bid offer in part or in full and split the Bid to award to one or more Bid offers. The employer shall not accept or incur any liability to a service provider for such cancellation and rejection, but will give written reasons for such action.

F.1.5.2 Price negotiations

F.1.5.2.1 Rates will be negotiated whereby a standard rate will apply to all successful bidder(s) in terms of the market related price.

- **F.1.5.2.2** If the price offered by the bidder scoring the highest points is not market related, the department will negotiate a market related price with the bidder scoring the highest points or cancel the bid.
- **F.1.5.2.3** If the bidder scoring the highest points does not agree to a market related price the department shall negotiate a market related price with second bidder, if the bidder scoring the second highest points does not agree to a market related price the department shall negotiate a market related price with bidder scoring the third highest points.
- **F.1.5.2.4** If the market related price is not agreed to as envisaged by the first, second and third bidder the department shall cancel the bid.
- **F.1.5.3** After the cancellation of a Bid process or the rejection of all Bid offers the employer may abandon the proposed procurement and re-issue a similar Bid notice and invitation to Bid not less than three months after the closing dated for Bid offers or have it performed in another manner at any time.

F.2 Service Providers obligations

The service provider shall comply with the following obligations:

F.2.1 Eligibility

Submit a Bid offer only if the service provider complies with the criteria stated in the Bid data and the service provider, or any of his principals, is not under any restriction to do business with employer.

F.2.2 Cost of Biding

Accept that the employer will not compensate the service provider for any costs incurred in the preparation and submission of a Bid offer, including the costs of any testing necessary to demonstrate that aspects of the offer satisfy requirements.

F.2.3 Check documents

Check the Bid documents on receipt for completeness and notify the employer of any discrepancy or omission.

Bidders shall check the numbers of the pages and satisfy themselves that none are missing or duplicated. No liability shall be accepted in regard to claims arising from the fact that pages are missing or duplicated.

F.2.4 Confidentiality and copyright of documents

Treat as confidential all matters arising in connection with the Bid. Use and copy the documents issued by the employer only for the purpose of preparing and submitting a Bid offer in response to the invitation.

F.2.5 Reference documents

Obtain, as necessary for submitting a Bid offer, copies of the latest versions of standards, specifications, conditions of contract and other publications, which are not attached but which are incorporated into the Bid documents by reference.

F.2.6 Acknowledge addenda

Acknowledge receipt of addenda to the Bid documents, which the employer may issue, and if necessary apply for an extension to the closing time stated in the Bid data, in order to take the addenda into account.

F.2.7 Clarification meeting

Attend, where required, a clarification meeting at which service providers may familiarize themselves with aspects of the proposed work, services or supply and raise questions. Details of the meeting(s) are stated in the Bid data.

F.2.8 Seek clarification

Request clarification of the Bid documents, if necessary, by notifying the employer at least five working days before the closing time stated in the Bid data.

F.2.9 Insurance

Be aware that the extent of insurance to be provided by the employer (if any) may not be for the full cover required in terms of the conditions of contract identified in the contract data. The service provider is advised to seek qualified advice regarding insurance.

F.2.10 Pricing the Bid offer

- **F.2.10.1** Include in the rates, prices, and the Bided total of the prices (if any) all duties, taxes (except Value Added Tax (VAT)), and other levies payable by the successful service provider, such duties, taxes and levies being those applicable 14 days before the closing time stated in the Bid data.
- F2.10.2 Show VAT payable by the employer separately as an addition to the Bided total of the prices.
- **F.2.10.3** Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data.
- **F.2.10.4** State the rates and prices in Rand unless instructed otherwise in the Bid data. The conditions of contract identified in the contract data may provide for part payment in other currencies.

F.2.11 Alterations to documents

Not make any alterations or additions to the Bid documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the service provider. All signatories to the Bid offer shall initial all such alterations. Erasures and the use of masking fluid are prohibited.

F.2.12 Alternative Bid offers

- **F.2.12.1** Submit alternative Bid offers only if a main Bid offer, strictly in accordance with all the requirements of the Bid documents, is also submitted. The alternative Bid offer is to be submitted with the main Bid offer together with a schedule that compares the requirements of the Bid documents with the alternative requirements the service provider proposes.
- **F.2.12.2** Accept that an alternative Bid offer may be based only on the criteria stated in the Bid data or criteria otherwise acceptable to the employer.

F.2.13 Submitting a Bid offer

- **F.2.13.1** Submit a Bid offer to provide the whole of the works, services or supply identified in the contract data and described in the scope of works, unless stated otherwise in the Bid data.
- **F.2.13.2** Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing in black ink.
- **F.2.13.3** Submit the parts of the Bid offer communicated on paper as an <u>original plus the number of copies stated in the Bid data</u>, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.
- **F.2.13.4** Sign the original and all copies of the Bid offer where required in terms of the Bid data. The employer will hold all authorized signatories liable on behalf of the service provider. Signatories for service providers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the Bid offer.

F.2.13.5 Seal the original and each copy of the Bid offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the employer's address and identification details stated in the Bid data, as well as the service providers name and contact address.

- F.2.13.6 Where a two-envelope system is required in terms of the Bid data, place and seal the returnable documents listed in the Bid data in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the employer's address and identification details stated in the Bid data, as well as the service provider's name and contact address.
- F.2.13.7 Seal the original Bid offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the Bid data.
- F.2.13.8 Accept that the employer shall not assume any responsibility for the misplacement or premature opening of the Bid offer if the outer package is not sealed and marked as stated.

F.2.14 Information and data to be completed in all respects

Accept that Bid offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the employer as non-responsive.

F.2.15 Closing time

- F.2.15.1 Ensure that the employer receives the Bid offer at the address specified in the Bid data not later than the closing time stated in the Bid data. Proof of posting shall not be accepted as proof of delivery. The employer shall not accept Bid offers submitted by telegraph, telex, facsimile or e-mail, unless stated otherwise in the Bid data.
- F.2.15.2 Accept that, if the employer extends the closing time stated in the Bid data for any reason, the requirements of these conditions of Bid apply equally to the extended deadline.

F.2.16 Bid offer validity

- F.2.16.1 Hold the Bid offer(s) valid for acceptance by the employer at any time during the validity period stated in the Bid data after the closing time stated in the Bid data.
- F.2.16.2 If requested by the employer, consider extending the validity period stated in the Bid data for an agreed additional period.

F.2.17 Clarification of Bid offer after submission

Provide clarification of a Bid offer in response to a request to do so from the employer during the evaluation of Bid offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the total of the prices or substance of the Bid offer is sought, offered, or permitted. The total of the prices stated by the service provider shall be binding upon the service provider.

Sub-clause F.2.17 does not preclude the negotiation of the final terms of the contract with a preferred service provider following a competitive selection process, should the Employer elect to do so.

F.2.18 Provide other material

F.2.18.1 Provide, on request by the employer, any other material that has a bearing on the Bid offer, the service providers commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment. Should the service provider not provide the material, or a satisfactory reason as to why it cannot be provided.

Rid Initials: Part T1: Bidding Procedures Standard Conditions of Bid

by the time for submission stated in the employer's request, the employer may regard the Bid offer as non-responsive.

F.2.18.2 Dispose of samples of materials provided for evaluation by the employer, where required.

F.2.19 Inspections, tests and analysis

Provide access during working hours to premises for inspections, tests and analysis as provided for in the Bid data.

F.2.20 Submit securities, bonds, policies, etc.

If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.

F.2.21 Check final draft

Check the final draft of the contract provided by the employer within the time available for the employer to issue the contract.

F.2.22 Return of other Bid documents

If so instructed by the employer, return all retained Bid documents within 28 days after the expiry of the validity period stated in the Bid data.

F.2.23 Certificates

Include in the Bid submission or provide the employer with any certificates as stated in the Bid data.

F.3 The employer's undertakings

The employer undertakes to:

F.3.1 Respond to clarification

Respond to a request for clarification received up to five working days prior to the Bid closing time stated in the Bid Data and notify all service providers who drew procurement documents.

F.3.2 Issue Addenda

If necessary, issue addenda that may amend or amplify the Bid documents to each service provider during the period from the date of the Bid Notice until seven days before the Bid closing time stated in the Bid Data. If, as a result a service provider applies for an extension to the closing time stated in the Bid Data, the Employer may grant such extension and, will then notify it to all service providers who drew documents.

F.3.3 Return late Bid offers

Return Bid offers received after the closing time stated in the Bid Data, unopened, (unless it is necessary to open a Bid submission to obtain a forwarding address), to the service provider concerned.

F.3.4 Opening of Bid submissions

F.3.4.1 Unless the two-envelope system is to be followed, open valid Bid submissions in the presence of service provider's agents who choose to attend at the time and place stated in the Bid data. Bid submissions for which acceptable reasons for withdrawal have been submitted will not be opened.

F.3.4.2 Announce at the opening held immediately after the opening of Bid submissions, at a venue indicated in the Bid data, the name of each service provider whose Bid offer is opened, the total of his prices, preferences claimed and time for completion, if any, for the main Bid offer only.

F.3.4.3 Make available the record outlined in F.3.4.2 to all interested persons upon request.

F.3.5 Two-envelope system

- **F.3.5.1** Where stated in the Bid data that a two-envelope system is to be followed, open only the technical proposal of valid Bids in the presence of service provider's agents who choose to attend at the time and place stated in the Bid data and announce the name of each service provider whose technical proposal is opened.
- **F.3.5.2** Evaluate the quality of the technical proposals offered by service providers, then advise service providers who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of service providers, who score in the quality evaluation above the minimum number of points for quality stated in the Bid data, and announce the score obtained for the technical proposals and the total price and any preferences claimed. Return unopened financial proposals to service providers whose technical proposals failed to achieve the minimum number of points for quality.

F.3.6 Non-disclosure

Not disclose to service providers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of Bid offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful service provider.

F.3.7 Grounds for rejection and disqualification

Determine whether there has been any effort by a service provider to influence the processing of Bid offers and instantly disqualify a service provider (and his Bid offer) if it is established that he engaged in corrupt or fraudulent practices.

F.3.8 Test for responsiveness

Determine, on opening and before detailed evaluation, whether each Bid offer properly received:

- a) meets the requirements of these Conditions of Bid,
- b) has been properly and fully completed and signed, and
- c) is responsive to the other requirements of the Bid documents.

A responsive Bid is one that conforms to all the terms, conditions, and specifications of the Bid documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:

- detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Scope of Work,
- change the Employer's or the service provider's risks and responsibilities under the contract,
- or affect the competitive position of other service providers presenting responsive Bids, if it
 were to be rectified.

Reject a non-responsive Bid offer, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

F.3.9 Arithmetical errors

Check responsive Bid offers for arithmetical errors, correcting them in the following manner:

Bid Initials: ____ T1.3
Part T1: Bidding Procedures Standard Conditions of Bid

words shall govern.

Where there is a discrepancy between the amounts in figures and in words, the amount in

- If a bill of quantities (or schedule of rates) apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as Bided shall govern, and the unit rate will be corrected.
- Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the service provider's addition of prices, the total of the prices shall govern and the service provider will be asked to revise selected item prices (and their rates if a bills of quantities applies) to achieve the Bided total of the prices.

Consider the rejection of a Bid offer if the service provider does not correct or accept the correction of his arithmetical errors in the manner described above.

F.3.10 Clarification of a Bid offer

Obtain clarification from a service provider on any matter that could give rise to ambiguity in a contract arising from the Bid offer.

F.3.11 Evaluation of Bid offers

F.3.11.1 General

Appoint an evaluation panel of not less than three persons. Reduce each responsive Bid offer to a comparative offer and evaluate it using the Bid evaluation method that is indicated in the Bid Data and described below:

Method 4: Financial offer, quality and preferences

- 1) Score quality, rejecting all Bid offers that fail to score the minimum number of points for quality stated in the Bid data.
- 2) Score Bid evaluation points for financial offer.
- 3) Confirm that service providers are eligible for the preferences claimed, and if so, score Bid evaluation points for preferencing.
- 4) Calculate total Bid evaluation points.
- 5) Rank Bid offers from the highest number of Bid evaluation points to the lowest.
- 6) Recommend service provider with the highest number of Bid evaluation points for the award of the contract, unless there are compelling and justifiable reasons not to do so.

Score financial offers, preferences and quality, as relevant, to two decimal places.

F.3.11.3 Scoring quality (functionality)

Score quality in each of the categories stated in the Bid Data and calculate total score for quality.

F.3.12 Insurance provided by the employer

If requested by the proposed successful service provider, submit for the service provider's information the policies and / or certificates of insurance which the conditions of contract identified in the contract data, require the employer to provide.

F.3.13 Acceptance of Bid offer

- **F.3.13.1** Accept Bid offer only if the service provider satisfies the legal requirements stated in Clause F.2.1 of the Bid Data.
- **F.3.13.2** Notify the successful service provider of the employer's acceptance of his Bid offer by completing and returning one copy of the form of offer and acceptance before the expiry of the validity period stated in the

Bid data, or agreed additional period. Providing the form of offer and acceptance does not contain any qualifying statements, it will constitute the formation of a contract between the employer and the successful service provider as described in the form of offer and acceptance.

- **F.3.13.3** The Contingency will be claimed by the service provider as and when required and it must be approved by the Accounting Officer of delegated authorities.
- **F.3.13.4** The service provider must submit bank guarantee, acceptance letter and programme of works upon appointment

F.3.14 Notice to unsuccessful Service providers

After the successful service provider has acknowledged the employer's notice of acceptance, notify other service providers that their Bid offers have not been accepted.

F.3.15. Prepare contract documents

If necessary, revise documents that shall form part of the contract and that were issued by the employer as part of the Bid documents to take account of:

- a) Addenda issued during the Bid period,
- b) Inclusion of some of the returnable documents,
- c) Other revisions agreed between the employer and the successful service provider, and
- d) The schedule of deviations attached to the form of offer and acceptance, if any.

F.3.16 Issue final contract

Prepare and issue the final draft of contract documents to the successful service provider for acceptance as soon as possible after the date of the employer's signing of the form of offer and acceptance (including the schedule of deviations, if any). Only those documents that the conditions of Bid require the service provider to submit, after acceptance by the employer, shall be included.

F.3.17 Complete adjudicator's contract

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties to complete formalities for appointing the selected adjudicator at the same time as the Main contract is signed.

F.3.18 Provide copies of the contracts

Provide to the successful service provider the number of copies stated in the Bid Data of the signed copy of the contract as soon as possible after completion and signing of the form of offer and acceptance.

PART T2: RETURNABLE SCHEDULES

TABLE OF CONTENTS		Page	Colour
T2.1:	LIST OF RETURNABLE DOCUMENTS	T.27	Yellow
T2.2:	RETURNABLE SCHEDULES TO BE COMPLETED		
	BY SERVICE PROVIDERS	T.28	Yellow

PART T2: RETURNABLE SCHEDULES

T2.1 List of Returnable Documents

The Service Providers must complete the following Returnable Documents in the Appendix

The complete bid document as received from the employer, together with all additional documentation as requested, must be submitted. No documentation must be removed from the bid document.

Compulsory Returnable Documents:

- Legal Joint Venture Agreement (where applicable);
- CIDB registration Certificate;
- Proof of Registration with the Central Supplier Database;

NB: It is the responsibility of the bidder to ensure that the following key information is in order to avoid any disqualification during the bid evaluations:

-The Business registration status
-Tender restrictions and defaulters status
-ldentification number and the service of the state status

Non-submission of any of the above listed documents may lead to disqualification of the bid.

Returnable Schedules

The bidder must complete the following returnable documents:

Returnable Schedules required only for bid evaluation purposes

- Record of Addenda to Bid Documents (if applicable);
- Proposed Amendments, Deviations and Alternatives (if applicable);
- Bidder's previous experience;
- List of traceable references for similar services;
- Technical Proposal Full and Detailed (if applicable);
- Full and Detailed Technical Specifications (Designs and Layouts, Plans and Drawings, Material Specifications, etc)
- Schedule of plant and equipment;
- Schedule of proposed subcontractors
- Preliminary Execution Programme;
- Capacity: Signed CVs of staff with letter of consent, certified proof of Qualification(s)n not older than three (3) months and organogram;
- Company profile;
- A copy of valid B-BBEE Status Level Verification Certificate or a sworn affidavit;
- Valid letter of Good Standing from the Department of Labour;

Other schedules and documents that will be incorporated into the contract and must be completed & submitted to be considered responsive

- Fully completed and signed Compulsory Enterprise Questionnaire;
- Fully completed and signed Certificate of Authority for Signatory;
- Schedule of amendments, deviations and alternatives;
- Contractor's health and safety declaration;
- Fully completed and signed all SBD forms
- The Bill of Quantities (BoQ) must be fully completed and signed
- Attendance of site briefing meeting and signing of attendance register
- Notification Form in Terms of the Occupational Health and Safety Act 1993, Construction Regulations 2003
- Offer and Acceptance

Bid Initials : _____ T2
Part T2: Returnable Schedules List of Returnable Schedules

•	Contract Data Pricing schedule Other		,

Note that the bid document must be fully completed and signed, failure which may result in disqualification of the bid.

5 The Offer portion

Part C1 Agreement and Contract Data Part C2 Pricing Data Part C3 Scope of Work Part C4 Site Information

Note that the bid document must be fully completed and signed, failure which may result in disqualification of the bid.

Initials:

T2.2	Returnable Schedules to be co	mpleted by Service Pr	ovider	
		Initials :		

RECORD OF ADDENDUM TO BID DOCUMENTS

We co	We confirm that the following communications received from the Employer before the submission of this Bid Offer, amending the Bid Documents, have been taken into account in this Bid Offer:			
	Date	Title or Details		
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
Attach	additional pages if more	space is required.		
	Signed	Date		
	Name	Position		
F	Service Provider			

Initials :	

CERTIFICATE OF AUTHORITY OF AN ENTITY

Indicate the status of the service provider by ticking the appropriate box hereunder. The service provider must complete the Certificate set out below for the relevant category.

(I) Company	(II) Close Corporation	(III) Partnership	(IV) Joint Venture	(V) Sole Proprietor

(I) <u>CERTIFICATE FOR COMPANY</u>	
I	, chairperson of the Board of Directors of
	, hereby confirm that by resolution of the Board (copy attached)
taken on,	
Mr/Ms	, acting in the capacity of
	, was authorised to sign all Documents in
connection with this Bid and any Contract r	esulting from it on behalf of the Company.
Signature of Chairman:	
Signature of Signatory:	
As Witnesses:	
1	Name in Block Letters
2	Name in Block Letters
Date:	

Initials :	

COMPULSORY ENTERPRISE QUESTIONNAIRE

The following particulars must be respect of each Partner must be co		ure, separate Enterprise questionnaires i		
Section 2: VAT registration nur	nber, if any:			
	mber, if any:			
Section 4: Particulars of Sole P	roprietors and Partners in Partners	hips		
Name*	Identity number*	Personal income tax number*		
	,			
* O		W 0.D 4		
	rtnership and attach separate page if more	than 3 Partners		
_	anies and Close Corporations			
, , ,				
·				
Section 6: Record in the service				
Indicate by marking the relevant b	oxes with a cross, if any Sole Propri Stakeholder in a Company or Close	etor, Partner in a Partnership or Director Corporation is currently or has been withir		
a Member of any Municipal Council a Member of any Provincial Legislature a Member of the National Assembly or the National Council of Province a Member of the Board of Directors of any Municipal entity an Official of any Municipality or Municipal entity an employee of any Provincial Department, National or Provincial Public entity or Constitutional Institution within the meaning of the Public Finance Management Act, 1999 (Act 1 of 1999) a Member of an Accounting Authority of any National or Provincial Public Entity an employee of Parliament or a Provincial Legislature				
If any of the above boxes are mar	ked, disclose the following: Name of Institution, Public Office,	board Status of service		
Partner, Director, Manager, Principal Shareholder or Stakeholder	or organ of State and position held	d (tick appropriate column) Current Within last 12 months		
*insert separate page if necessary				
Section 7: Record of spouses, cl	nildren and parents in the service o	f the State		
Indicate by marking the relevant box	es with a cross, if any spouse, child o	r parent of a Sole Proprietor, Partner in a in a Company or Close Corporation is		
i armeranip or Director, Manager,	i imolpai onalenoluel of otakenoluel	<u>in a Company or Close Corporation is</u>		

current	y or has	been	within	the	last	12	months	been	in the	service	of	any	of the	fol	llowi	ina:
---------	----------	------	--------	-----	------	----	--------	------	--------	---------	----	-----	--------	-----	-------	------

- a Member of any Municipal Council
- a Member of any Provincial Legislature
- a Member of the National Assembly or the National Council of Province
- a Member of the Board of Directors of any Municipal Entity
- an Official of any Municipality or Municipal entity
- an employee of any Provincial Department, National or Provincial Public Entity or Constitutional Institution within the meaning of the Public Finance Management Act, 1999 (Act 1 of 1999)
- a Member of an Accounting Authority of any National or Provincial Public entity
- an employee of Parliament or a Provincial Legislature

Name of parent		spouse,	child	or	Name of Institution, Public Office, Board or Organ of State and position held	Status of service (tick appropriate column)		
						Current	Within last 12 months	

The undersigned, who warrants that he / she is duly authorised to do so on behalf of the Enterprise:

- i) authorizes the Employer to obtain a tax clearance Certificate from the South African Revenue Services that my / our tax matters are in order;
- ii) confirms that the neither the name of the Enterprise or the name of any Partner, Manager, Director or other Person, who wholly or partly exercises, or may exercise, control over the Enterprise appears on the Register of Bid Defaulters established in terms of the Prevention and Combating of Corrupt Activities Act of 2004;
- iii) confirms that no Partner, Member, Director or other Person, who wholly or partly exercises, or may exercise, control over the Enterprise appears, has within the last five years been convicted of fraud or corruption;
- iv) confirms that I / we are not associated, linked or involved with any other Biding entities submitting Bid Offers and have no other relationship with any of the Biders or those responsible for compiling the Scope of Work that could cause or be interpreted as a conflict of interest; and
- iv) confirms that the contents of this questionnaire are within my personal knowledge and are to the best of my belief both true and correct.

Position	

^{*}insert separate page if necessary

SCHEDULE OF THE SERVICE PROVIDERS EXPERIENCE

The following is a Statement of Work of similar nature recently successfully executed by myself / ourselves:

EXPERIENCE	Employer: Contact Person and Telephone Number	Consulting Engineer: Contact Person and Telephone Number	Nature of Work	Value of Work (inclusive of VAT)	Date Completed
1					Ad good war
2					
3					
4					
CURRENT	Employer	Engineer	Nature of Work	Value of Work (VAT Inclusive)	Contractual completion Date
2					
-					
3					
1					

4						
SIGNATURE:						
			Initials :			

KEY PERSONNEL

In terms of the Project Specification and the Conditions of Bid, unskilled Workers may only be brought in from outside the Local Community if such personnel are not available locally.

The service provider shall list below the personnel which he intends to utilize on the Works, including key personnel which may have to be brought in from outside if not available locally.

	Number of Persons								
Category of Employee	the Con	nnel, Part of itractor's iisation	imported if	onnel to be not available cally	Unskilled Personnel to be recruited from local community				
	HDI	NON-HDI	HDI	NON-HDI	HDI	NON-HDI			
Site Agent, Project Managers									
Foremen, Quality Control and Safety Personnel									
Technicians, Surveyors, etc									
Artisans and other Skilled Workers									
Plant Operators									
Unskilled Workers									
Others:									

SIGNATURE:	DATE:
(of person authorised to sign on behalf of the service provider)	

1 '11' 1	
Initials :	
1111tiais	

CURRICULUM VITAE FORMAT OF KEY PERSONNEL (e.g. Contract Manager)

Name:	Date of birth:
Profession:	Nationality:
Qualifications:	
Professional Registration Number:	
Name of Employer (firm):	
Current position:	Years with firm:
Employment Record:	
Experience Record Pertinent to Required service:	
Certification:	
I, the undersigned, certify that, to the best of my knowle qualifications and my experience.	dge and belief, this data correctly describes me, my
Signature of person named in the Schedule	Date

CURRICULUM VITAE FORMAT OF KEY PERSONNEL (e.g. Site Agent)

Name:	Date of birth:
Profession:	Nationality:
Qualifications:	
Professional Registration Number:	
Name of Employer (firm):	
Current position:	Years with firm:
Employment Record:	
Experience Record Pertinent to Required service:	
Certification:	
I, the undersigned, certify that, to the best of my knowledge qualifications and my experience.	and belief, this data correctly describes me, my
Signature of person named in the Schedule	Date

CURRICULUM VITAE FORMAT OF KEY PERSONNEL (e.g. General Foreman)

Name:	Date of birth:
Profession:	Nationality:
Qualifications:	
Professional Registration Number:	
Name of Employer (firm):	
Current position:	Years with firm:
Employment Record:	
Experience Decord Destinant to Described convices	
Experience Record Pertinent to Required service:	
Certification:	
I, the undersigned, certify that, to the best of my knowledge and qualifications and my experience.	d belief, this data correctly describes me, my
	 Date

CURRICULUM VITAE FORMAT OF KEY PERSONNEL (e.g. Any Other)

Name:	Date of birth:
Profession:	Nationality:
Qualifications:	
Professional Registration Number:	
Name of Employer (firm):	
Current position:	Years with firm:
Employment Record:	
Experience Record Pertinent to Required service:	
Certification:	
I, the undersigned, certify that, to the best of my knowledge qualifications and my experience.	and belief, this data correctly describes me, my
Signature of person named in the Schedule	 Date

Initials :____

AMENDMENTS, DEVIATIONS AND ALTERNATIVES

(This is not an invitation for amendments, deviations or alternatives, but should the service provider desire to make any departures from the Provisions of this Contract he shall set out his proposals clearly hereunder. The Employer will not consider any amendment, unless form (a), has been completed to the satisfaction of the Employer). The service provider is referred to Bid Data paragraph F.2.12, where it is clearly stated that no Alternative Offers will be accepted.

I / We herewith propose the amendments, as set out in the table below:

(a) AMENDMENTS

PAGE, CLAUSE OR ITEM NO	PROPOSED AMENDMENT		

Notes: (1) Amendments to the General and Special Conditions of Contract are not acceptable;

(2) The service provider must give full details of all the financial implications of the amendments and qualifications in a covering letter attached to his Bid.

Initials :	**************************************	***************************************	

SCHEDULE OF PROPOSED SUPPLIERS AND SUB-CONTRACTORS

We notify you that it is our intention to employ the following Suppliers and Subcontractors for Work in this Contract.

If we are awarded a Contract we agree that this notification does not change the requirement for us to submit the names of proposed Suppliers and Subcontractors in accordance with requirements in the Contract for such appointments. If there are no such requirements in the Contract, then your written acceptance of this list shall be binding between us.

We confirm that all Subcontractors who are Contracted to construct a house are registered as Home Builders with the National Home Builders Registration Council.

- 1			
	Name and address of proposed Supplier	Name of Equipment/Material to Supply	Previous experience with Supplier.
1			
2			
3			
ŀ			
	Name and address of proposed Subcontractor	Nature and extent of Work	Previous experience with Subcontractor.
-			
	0:		1
	Signed	Date	
	Name	Position	
	Service		
	provider		

Initials:			

SCHEDULE OF PLANT AND EQUIPMENT

The following are lists of major items of relevant equipment that I / we presently own or lease and will have available for this Contract or will acquire or hire for this Contract if my / our Bid is accepted.

uantity	Description, size, capacity, etc.	
Attach additional	pages if more space is required.	
Details of major	equipment that will be hired, or acquired for this Contract if my / our Bid is acceptable.	
Quantity Description, size, capacity, etc.		
ach additional pages it	f more space is required.	
Signed	Date	
· ·		
Name	Position	
Name	Position	
Name Service	Position	

COPY OF WORKMEN'S COMPENSATION REGISTRATION CERTIFICATE (OR PROOF OF PAYMENT OF CONTRIBUTIONS IN TERMS OF THE COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT NO. 130 OF 1993)

ACT NO. 130 OF 1993)			
[Certified Copy of the Certificate or Proof of Payment thereof obtained from the Workmen's Compensation Commissioner to be inserted here]			
Initials :			

CONTRACTOR'S FINANCIAL STANDING

In terms of Clause F.2.18.1 of the Contract-specific Bid Data the service provider shall provide information about his commercial position, which includes information necessary for the Employer to evaluate the service providers financial standing.

To that end the service provider must provide with his Bid a bank rating, certified by his banker, to the effect that he will be able to successfully complete the contract at the Bided amount within the specified time for completion.

However, should the service provider be unable to provide a bank rating with his Bid, he shall state the reasons as to why he is unable to do so, and in addition provide the following details of his banker and bank account that he intends to use for project:

Name of account holder:
Name of Bank: Branch:
Account number: Type of account:
Telephone number: Facsimile number:
Name of contact person (at bank):
Failure to provide either the required bank details or a certified bank rating with his Bid, will lead to the conclusion that the service provider does not have the necessary financial resources at his disposal to complete the contract successfully within the specified time for completion.
The Employer undertakes to treat the information thus obtained as confidential, strictly for the use of evaluation of the Bid submitted by the service provider.
SIGNATURE:

FINANCIAL INFORMATION OF SERVICE PROVIDER

This information sheet has to be filled in by the financier of the service provider, duly signed and stamped on behalf of the financial institution he represents.

Service providers / Bid Details
Bid Description:
Contract Period:
Name of service provider:
Bank Account Number:
Bid Amount:
Demand Guarantee will be provided by this Bank: YES NO
If yes, state amount of Demand Guarantee: R
Financial Institution
Name of Commercial Bank:
Branch:
Name of Bank Manager:
Telephone Number:
We acting on behalf of the above Commercial Bank confirm that
(Service provider)
has operated an account with us for the last years.
We have been requested to provide a bank rating based in relation to the financial capability of the service provider, taking into account directives set out in the following two tables.

FINANCIAL CAPABILITY

Maximum value of contract that	Value on which Bank Rating must
the service provider is considered	be used
capable of	
Up to R300 000	R24 000
R1 000 000	R78 000
R3 000 000	R240 000
R5 000 000	R480 000
R10 000 000	R900 000
R30 000 000	R2 400 000
R100 000 000	R7 800 000

BANK RATING

Bank Code	Description of Bank Code
Α	Undoubted for the amount of enquiry
В	Good for the amount of enquiry
С	Good for the amount Bided if strictly in the way of business
D	Fair trade risk for amount of enquiry
E	Figures considered too high
F	Financial position unknown
G	Occasional dishonours
Н	Frequent dishonours

The value on which our bank Rating of the	service provider is based is	K
In words		only)
The Bank Rating is code:		
Signature: Manager Financial Institution	Print Name	Date
RUBBER STAMP OF INSTITUTION		

Initials :___

CIDB GRADING CERTIFICATE

[Certified Copy of the CIDB Grading Certificate to be inserted here]

Initials :		

EXECUTION PROGRAMME

The service provider shall detail below or attach a preliminary programme reflecting the proposed sequence and tempo of execution of the various activities comprising the Work for this Contract. The programme shall be in accordance with the information supplied in the Contract, requirements of the Project Specifications and with all other aspects of his Bid.

The Execution Programme must be based on the completion time as specified in the Contract Data.

PLEASE NOTE: the cash flow projections from the Contractor (to be submitted before commencement of the execution of the Contract) must be in accordance with this execution plan in order to ensure proper Cash flow management by the Department and to minimise delayed payments.

PROGRAMME														
		WEEKS												
ACTIVITY	1	2	3	4	5	6	7	8	9	10	11	12	13	14
												1		

SIGNATURE:	DATE:
(of person authorised to sign on behalf of the service provider)	

Initials :

DETAILED METHOD STATEMENT

The service provider shall detail below or attach a detailed method statement reflecting the proposed
sequence and tempo of execution of the various activities comprising the Work for this Contract. The
Method Statement shall be read in conjunction with the works program but detailing and expanding on all
the items leading to the completion of the works and the resource allocation.

SIGNATURE:(of person authorised to sign on behalf of the service provider)	DATE:
•	
1.92.1.	
Initials :	

CONTRACTOR'S HEALTH AND SAFETY DECLARATION

In terms of Clause 4(4) of the OHSA 1993 Construction Regulations 2003 (referred to as "the Regulations" hereafter), a Contractor may only be appointed to perform construction Work if the Employer is satisfied that the Contractor has the necessary competencies and resources to carry out the Work safely in accordance with the Occupational Health and Safety Act No 85 of 1993 and the OHSA 1993 Construction Regulations 2003.

To that effect a person duly authorised by the service provider must complete and sign the declaration hereafter in detail.

Declaration by the Service provider

3.

- I the undersigned hereby declare and confirm that I am fully conversant with the Occupational Health and 1. Safety Act No 85 of 1993 (as amended by the Occupational Health and Safety Amendment Act No 181 of 1993), and the OHSA 1993 Construction Regulations 2003.
- 2. I hereby declare that my Company has the competence and the necessary resources to safely carry out the construction Work under this Contract in compliance with the Construction Regulations and the Employer's Health and Safety Specifications.
- I propose to achieve compliance with the Regulations by one of the following: (a) From my own competent resources as detailed in 4(a) hereafter: *Yes / No (b) From my own resources still to be appointed or trained until competency is achieved, as detailed in 4(b) hereafter: *Yes / No (c) From outside sources by appointment of competent specialist Subcontractors as detailed in 4(c) hereafter: *Yes / No

(* = delete whatever is not applicable)

4. Details of resources I propose:

> (Note: Competent resources shall include safety personnel such as a construction supervisor and Construction Safety Officer as defined in Regulation 6, and Competent Persons as defined in Regulations 7, 8, 10, 11, 12, 14, 15, 18, 21(1), 22, 26 and 27, as applicable to this Contract)

Details of the competent and qualified key persons from my Company's own resources, who will form part (a) of the Contract team:

NAMES OF COMPETENT PERSONS	POSITIONS TO BE FILLED BY COMPETENT PERSONS

Initials ·	

	(i)	By whom will training be provided?
	(ii)	When will training be undertaken?
	(iii)	List the positions to be filled by persons to be trained or hired:
(c)		s of competent resources to be appointed as Subcontractors if Competent Persons cannot be supplied wn Company:
	Name	of proposed Subcontractor:
		cations or details of competency of the Subcontractor:
5.	Contra	by undertake, if my Bid is accepted, to provide, before commencement of the Works under the ct, a suitable and sufficiently Documented Health and Safety Plan in accordance with Regulation 5(1) Construction Regulations, which plan shall be subject to approval by the Employer.
6.	Specifi all time	rm that copies of my Company's approved Health and Safety Plan, the Employer's Safety cations as well as the OHSA 1993 Construction Regulations 2003 will be provided on Site and will at see be available for inspection by the Contractor's personnel, the Employer's personnel, the Engineer, and Officials and Inspectors of the Department of Labour.
7.	Quantition the applied	by confirm that adequate provision has been made in my Bided rates and prices in the Schedule of ties to cover the cost of all resources, actions, training and all health and safety measures envisaged OHSA 1993 Construction Regulations 2003, and that I will be liable for any penalties that may be by the Employer in terms of the said Regulations (Regulation 30) for failure on the Contractor's part ply with the Provisions of the Act and the Regulations.
8.	that I a	that my failure to complete and execute this declaration to the satisfaction of the Employer will mean am unable to comply with the requirements of the OHSA 1993 Construction Regulations 2003, and that my Bid will be prejudiced and may be rejected at the discretion of the Employer.
		DATE:thorised to sign on behalf of the service provider)

Initials :_

CONTRACTOR'S SAFETY PLAN							
[The Contractor shall submit the Contractor's <u>Health and Safety Plan</u> as required in terms of Regulation 5 of the Occupational Health and Safety Act 1993 Construction Regulations 2003, and referred to in T2.1, before commencement of the Works.]							

Initials :_

PRO FORMA NOTIFICATION FORM IN TERMS OF THE OCCUPATIONAL HEALTH AND SAFETY ACT 1993, CONSTRUCTION REGULATIONS 2003

[This form must be completed and forwarded, <u>prior to commencement</u> of Work on Site, by all Contractors that qualify in terms of Regulation 3 of the Construction Regulations 2003, to the Office of the Department of Labour]

1.	(a)	Name and postal address of Contractor:
	(b)	Name of Contractor's contact person:
^	C	Telephone number:
2.		tractor's Workman's compensation registration number:
3.	(a)	Name and postal address of Client:
	(b)	Name of Client's contact person or Agent:
	(5)	Telephone number
4.	(a)	Name and postal address of designer(s) for the Project:
	. ,	
	(b)	Name of Designer's contact person:
		Telephone number
5.	Nam	ne of Contractor's Construction Supervisor on Site appointed in terms of
	Reg	ulation 6(1): Telephone number:
6.	Nam	ne/s of Contractor's sub-ordinate supervisors on Site appointed in terms of Regulation 6(2).
	_	
7.	Exa	ct physical address of the construction Site or Site Office:
0	Nati	are of the construction West.
3.	เงลเน	re of the construction Work:
9.	Eyne	ected Commencement Date:
10.	-	ected Completion Date:
11.		nated maximum number of persons on the construction Site:
12.		ned number of Subcontractors on the construction Site accountable to Contractor:
13.		e(s) of Subcontractors already chosen:
	NED	
CON	ITRA	CTOR: DATE:
CLIE	ENT:	DATE:

Initials :___

MONTHLY LABOUR REPORT

MONTHLY LABOUR REPORT FOR CERTIFICATE OF PAYMENT NO
JOBS CREATED

Jobs are to be reported on a monthly basis on following standard documents:

- EPWP Agreement Limited Duration Contract of Employment (template to be provided by the Employer)
- Certified ID copies (not older than three (3) months from date of employment) of all employees under the contract
- Signed and dated monthly EPWP timesheets per employee (template to be provided by the Employer)

The Service Provider is required to submit CVs (including certified proof of qualification(s)) and Contact Details of all key personnel upon appointment or during the Site Handover.

Initials :			
II			

THE CONTRACT

PART C1: AGREEMENTS AND CONTRACT DATA

PART C2: PRICING DATA

PART C3: SCOPE OF WORK

PART C4: SITE INFORMATION

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

TABLE OF CONTENTS

PART C1: AGREEMENTS AND CONTRACT DATA (YELLOW COLOUR)

C1.1: FORM OF OFFER AND ACCEPTANCE

C1.2: CONTRACT DATA

C1.2.1: CONDITIONS OF CONTRACT

C1.2.2: PART A: CONTRACT DATA PROVIDED BY THE EMPLOYER

PART B: CONTRACT DATA PROVIDED BY THE CONTRACTOR

C1.3: FORM OF GUARANTEE

C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT No 85 OF 1993

PART C2: PRICING DATA (YELLOW COLOUR)

C2.1: PRICING INSTRUCTIONS

C2.2: BILL OF QUANTITIES

PART C3: SCOPE OF WORK (BLUE COLOUR)

TABLE OF CONTENTS

C3.1: STANDARD SPECIFICATIONS

C3.2: PROJECT SPECIFICATIONS

C3.3: PARTICULAR SPECIFICATIONS

PART C 4: SITE INFORMATION (GREEN COLOUR)

C4.1: LOCALITY PLAN

C4.2: CONSTRUCTION NOTICE BOARD

Contract Initials: _____ C1.1

PART C1: AGREEMENTS AND CONTRACT DATA

C1.1: FORM OF OFFER AND ACCEPTANCE

C1.2: CONTRACT DATA

C1.2.1: CONDITIONS OF CONTRACT

C1.2.2: PART A: CONTRACT DATA PROVIDED BY THE EMPLOYER PART B: CONTRACT DATA PROVIDED BY THE CONTRACTOR

C1.3: FORM OF GUARANTEE

C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT (No 85 OF 1993)

Initials: Contract C1.1 Form of Offer and Acceptance

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT LAND AND ENVIRONMENTAL AFFAIRS

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

C1.1 Form of Offer and Acceptance

Offer

The Employer, identified in the Acceptance Signature block, has solicited Offers to enter into a Contract for the procurement of:

BID No. ALA/____/25/MP APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

The Service Provider, identified in the Offer Signature block, has examined the Documents listed in the Bid Data and addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of Bid.

By the representative of the Service Provider, deemed to be duly authorized, signing this part of this Form of Offer and Acceptance, the Service Provider Offers to perform all of the obligations and liabilities of the Contractor under the Contract including compliance with all its Terms and Conditions according to their true intent and meaning for an amount to be determined in accordance with the Conditions of Contract identified in the Contract Data.

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS:

	Rand (in words);
R	(in figures)
This Offer may be accepted by the Employer by signing the Acceptar and returning one copy of this Document to the Service Provider befor Bid Data, whereupon the Service Provider becomes the Party named adentified in the Contract Data.	re the end of the period of validity stated in the
Signature Block: Service Provider	2.20
Signature	Date
Name	
Capacity	
Name of organization	
Address of organization	
	Date
Name of witness	

Contract Initials: C1.1

Part C1: Agreement and Contract Data

Acceptance

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the Service Providers Offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the conditions of Contract identified in the Contract Data. Acceptance of the Service Providers Offer shall Form an Agreement between the Employer and the Service Providers upon the Terms and Conditions contained in this Agreement and in the Contract that is the subject of this Agreement.

The terms of the Contract, are contained in:

Part C1: Agreements and Contract Data, (which includes this Agreement)

Part C2: **Pricing Data** Scope of work. Part C3:

Part C4: Site Information and Drawings and Documents or parts thereof, which may be incorporated by

reference into Parts C1 to C4 above.

Deviations from and amendments to the Documents listed in the Bid Data and any addenda thereto as listed in the Bid Schedules as well as any changes to the Terms of the Offer agreed by the Service Provider and the Employer during this process of Offer and Acceptance, are contained in the Schedule of Deviations attached to and Forming part of this Agreement. No amendments to or deviations from said Documents are valid unless contained in this schedule.

The Service Provider shall within two weeks after receiving a completed copy of this Agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) for delivery of any Bonds, Guarantees, proof of Insurance and any other Documentation to be provided in terms of the Conditions of Contract Identified in the Contract Data. Failure to fulfil any of these Obligations in accordance with those terms shall constitute a repudiation of this Agreement.

Notwithstanding anything contained herein, this Agreement comes into effect on the date when the Service Provider receives one fully completed original copy of this Document, including the Schedule of Deviations (if any). Unless the Service Provider (now Contractor) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the Contents of this Agreement, this Agreement shall constitute a binding Contract between the Parties.

Signature Block	: Employer		
Signature			Date
Name			
Capacity			
for the Employer Mpumalanga DARDLEA			
Signature of witne	ess		Date
Name of witness			

Contract Initials: C1.1

Schedule of Deviations Details Details Details

Details

By the duly Authorised Representatives signing this Agreement, the Employer and the Service Provider agree to and accept the foregoing Schedule of Deviations as the only deviations from and amendments to the Documents listed in the Bid Data and addenda thereto as listed in the Bid Schedules, as well as any confirmation, clarification or changes to the terms of the Offer agreed by the Service Provider and the Employer during this process of Offer and Acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the Bid Documents and the receipt by the Service Provider of a completed signed copy of this Agreement shall have any meaning or effect in the Contract between the parties arising from this Agreement.

Contract
Part C1: Agreement and Contract Data

C1.1

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND **ENVIRONMENTAL AFFAIRS**

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL **AFFAIRS FOR A PERIOD OF 36 MONTHS**

C1.2 CONTRACT DATA

CONTENT

C1.2.1	Part 1:	Data provided by the Employer
C.1.2.1.1		Conditions of Contract
C.1.2.1.2		Contract-specific Data
C.1.2.1.2.1		Compulsory Data
C.1.2.1.2.2		Variations to the General Conditions of Contract
C.1.2.1.2.3		Additional Clauses to the General Conditions of Contract

Initials: _ Contract C1.2 Contract Data

C1.2.1 Part 1: Data provided by the Employer

C.1.2.1.1 Conditions of Contract

The conditions of Contract are:

- the "General Conditions of Contract" as they appear in the commercially available publication "General Conditions of Contract for Construction Works, Third Edition, 2015", hereinafter referred to as "GCC 2015": and
- specific data as contained in this Contract Data.

Each party to the Contract shall purchase its own copy of the GCC 2015 that applies to this Contract, available from its publisher:

South African Institution of Civil Engineering Private Bag X200 Halfway House 1685 South Africa

Tel +27 (0)11 805 5947

The following notes apply:

Note 1

The GCC 2015 makes several references to the Contract Data.

Each item of data below is cross-referenced to the clause in the Conditions of Contract to which it applies. Notwithstanding anything specified to the contrary, the Contract Data shall take precedence in the interpretation of any ambiguity or inconsistency between it and the GCC 2015.

The documents forming the Contract are to be taken as mutually explanatory of one another. For the purpose of interpretation, the priority of the documents shall be in accordance with the following order of precedence:

- (a) the Form of Offer and Acceptance.
- (b) amendments to the General Conditions of Contract within the Contract Data.
- (c) additional conditions to the General Conditions of Contract within the Contract Data.
- (d) corrigenda to the General Conditions of Contract.
- (e) the General Conditions of Contract.
- (f) the Specifications, Drawings, Schedules and other documents forming part of the Contract (in that order) contained in the Scope of Work and the Site Information.

If any ambiguity or discrepancy is found in the documents, the Engineer needs to be contacted to issue any necessary clarification or instruction.

Note 2

Certain pro-forma forms and pro-forma agreements contained in the GCC 2015 have been adapted for this particular contract. Those pro-forma forms and pro-forma agreements contained in the GCC 2015 do not apply where replaced by similar pro-forma forms and proforma agreements in this document.

Contract Initials: _____ C1.2

C.1.2.1.2 Contract-specific Data

The following contract-specific data, referring to the General Conditions of Contract, are applicable to this Contract:

C.1.2.1.2.1 Compulsory Data

Clause	Data
1.1.1.13	The Defects Liability Period for each allocated is 12 months
1.1.1.14	The time for achieving Practical Completion is SITE DEPENDANT, but not more than 3 months
1.1.1.15	The name of the Employer is Mpumalanga Department of Agriculture, Rural Development, Land
	and Environmental Affairs (DARDLEA)
1.1.1.26	The Pricing Strategy of a Re-measurement Contract shall apply
1.2.1.2	The address of the Employer is:
	Physical address:
	Government Complex Riverside
	1 st Floor Bldg 6
	Nelspruit
	1200
	Destal address
	Postal address:
	Private Bag X11219 Nelspruit
	1200
	e-mail address:
	nobuhlobo.agric@gmail.com
	Contact numbers:
	Tel: (013) 766 6069
1.1.1.16	The name of the Engineer is:
	Mr. M. Chinyangana
1.2.1.2	The address of the Engineer is:
	Physical address:
	Cycad Building, Riverside
	2 nd Floor Bldg 4, Office no: 217, South Tower
	Nelspruit
	1200
	Postal address:
	Private Bag X11219
	Nelspruit
	1200
	e-mail address:
	engchinyangana@gmail.com/
	Contact numbers:
	Tel no./cell no: 073 734 5695

3.1.3 The Engineer shall obtain the specific approval of the Employer before executing any of his functions or duties according to the following table:

GCC Clause	Description	Requires EWA*	Delegated to ER
No	•	-	
3.2.1	Engineer's Representative's appointment and termination	Y	NA
3.2.4	Engineer's Representative acting on Engineer's behalf	Y	NA
4.5.4	Payment for notices and fees	Υ	NA
4.7.1	Fossils, etc. on Site	Υ	NA
5.7.2	Work at night	N	NA
5.7.3	Acceleration of rate of progress	N	NA
5.7.3	Payment for acceleration	Y	NA
5.9.1	Instructions and drawings on Commencement Date	N	NA
5.11.1	Suspension of the Works	Υ	NA
5.11.3	Proceeding with Works after suspension	Υ	NA
5.12.4	Acceleration instead of extension of time	N	NA
5.13.2	Reduction in penalty	N	NA
6.3.1	Variation orders	Υ	NA
6.3.2.1	Confirmation of a Variation Order	Y	NA
6.4.1.4	Dayworks as a Variation Order	Y	NA
6.5.2	Materials for dayworks	Υ	NA
6.8.4	Costs due to changes in legislation	Y	NA
6.11.1	Variations exceeding 20%	Υ	NA
8.2.2.2	Damage due to excepted risks	Υ	NA
10.1.5	Consultation on Contractor's claim	N	NA
10.1.5	Ruling on Contractor's claim	N	NA

*The following abbreviations apply:

ER Engineer's Representative EWA Engineer's Written Action

N No

NA Not Applicable

Y Yes

4.9.1 The Contractor shall deliver to the Engineer, on a monthly basis, a detailed inventory of Construction Equipment kept on Site, full particulars given for each day of the month. Distinction shall be made between Owned Equipment and Hired Equipment as well as Equipment in working order and Equipment out of order. Such inventory shall be submitted by the seventh day of the month following the month to be reported.

4.10.2 The Contractor shall deliver to the Engineer, on a monthly basis, a return in detail of supervisory staff and the number of categorized classes of labour employed each day for the said period by the Contractor for execution of the Contract. Such return shall be submitted by the seventh day of the month following the month to be reported.

5.3.1 The documentation required before commencement with Works execution are:

Health and Safety Plan (Refer to Clause 4.3)

A signed Agreement between the Employer and the Contractor for the Works to be completed by the Contractor in terms of the provisions of Section 37(2) of the Occupational Health and Safety Act (Act No.85 of 1993) and the Construction Regulations promulgated thereunder (Refer to Clause 4.3).

	Proof of payment to the Employer, that the Contractor has paid all contributions required in terms of
	the Compensation for Occupational Injuries and Diseases Act, No 130 of 1993 (Refer to Clause 4.3).
	Initial programme (Refer to Clause 5.6).
	Security (Refer to Clause 6.2).
	Insurance (Refer to Clause 8.6).
5.3.2	The time to submit the documentation required before commencement with Works execution is 14
	Days.
5.4.2	The access and possession of Site shall not be exclusive to the Contractor but shall be as set out
	elsewhere in the Contract.
5.8.1	The non-working Days are Sundays.
	The special non-working Days are:
	Statutory public holidays; and
	All annual year-end shutdown periods as recommended by the South African Federation of Civil
	Engineering Contractors (SAFCEC), and which commence after the Commencement Date and which
	commence before the Due Completion Date.
5.13.1	The penalty for failing to complete the Works is 0,1 percent of contract price per calendar day.
5.16.3	The latent defect period is 10 years, commencing on the Day after the date of certification of Practical
	Completion.
6.5.1.2.3	The percentage allowance to cover overhead charges is:
	50 per cent for labour; and
0.40.4.5	15 per cent for materials.
6.10.1.5	The percentage advance on materials not yet built into the Permanent Works is 80%. Proof of
0.40.0	ownership is required.
6.10.3	The limit of retention money is 10% of the value of the Contract Price.
	A Retention Money Guarantee is compulsory.
	A penalty will be applied for non-delivery of the Retention Money Guarantee as required. The penalty will be 10% of the value of the completion Retention Money Amount per calendar month for late
	delivery of the said Retention Money Guarantee.
8.6.1.1.2	The value of Plant and materials supplied by the Employer to be included in the insurance sum is nil .
8.6.1.1.3	The amount to cover professional fees for repairing damage and loss to be included in the insurance
0.0.1.1.3	sum is a maximum of 10% (ten percent) of the Contract Sum.
8.6.1.3	The limit of indemnity for liability insurance is equal to the contract amount.
10.5.1	Dispute resolution shall be by standing adjudication, use GCC 2015, Appendix 5.
10.7.1	The determination of disputes shall be by arbitration.
10.7.1	Payment for labour-intensive component of the works
	Payment for works identified in the Scope of Works as being labour-intensive shall only be made in
	accordance with the provisions of the Contract if the works are constructed strictly in accordance with
	the provisions of the Scope of Work. Any payment for such works shall not relieve the Contractor in
	any way from his obligations either in contract or in delict.
	Linkage of payment for labour-intensive component of works to submission of project data
	The Contractor's payment invoices shall be accompanied by labour information for the corresponding
	period in a format specified by the employer. If the contractor chooses to delay submitting payment
i	invoices, labour returns shall still be submitted as per frequency and timeframe stipulated by the
	Employer. The contractor's invoices shall not be paid until all pending labour information has been
	submitted.
	Applicable Labour Laws
	The current Ministerial Determination (also downloadable at www.epwp.gov.za), Expanded Public
	Works Programmes, issued in terms of the Basic Condition of Employment Act of 1997 by the
	Minister of Labour in Government Notice, shall apply to works described in the scope of work as being
	labour-intensive and which are undertaken by unskilled workers.

Contract Initials: ____ C1.2
Part C1: Agreement and Contract Data Contract Data

C.1.2.1.2.2 Variations to the General Conditions of Contract

Clause	Data
2.5.1	Cession
	Amend Clause 2.5.1 as follows:
	Ameria diadae 2.0.1 as follows.
	Delete the words "without the written consent of the other"
5.14.5.1	Consequences of Completion
	Amend Clause 5.14.5.1 as follows:
	In the second line, substitute the word 'Guarantor' with 'Contractor'.
6.2	Security
	Replace Sub-Clauses 6.2.1 and 6.2.2 with:
	"The Contractor shall deliver to the Employer within such time as may be stated in the Contract Data,
	a Demand Guarantee, of an Insurance Company registered in terms of the Short-term Insurance Act (Act 53 of 1998) or of a registered Commercial Bank, in a sum equal to the amount stated in the
	Contract Data. The Demand Guarantee shall be issued by an entity subject to the approval of the
	Employer, and shall conform in all respects to the format contained in the Contract Data.
	The security to be provided by the Contractor shall be a Demand Guarantee of 10% of the Contract Sum.
	Suin.
	Wherever a joint venture constitutes the contracting party, the Demand Guarantee shall be issued on
	behalf of the joint venture.
	Failure to produce an acceptable Demand Guarantee within the period stated in the Contract Data, is
	a fundamental breach of Contract, entitling the Employer to cancel the Contract by due notice in
	terms of Clause 9.2 with specific reference to Sub-clause 9.2.2 as amended in the Contract Data."
6.3.1	Variations
	Amend Clause 6.3.1, as follows:
	In the first paragraph, third line, after the words "or for any reason appropriate", add the phrase
	", including the limiting of contract expenditure so as not to exceed the Employer's budgeted project
	funding, "
	Add the following phrase to the last paragraph of Clause 6.3.1.6, after the words "ascertaining the
	amount of the Contract Price":
	", and no such variation shall give reason for consideration of any claim in terms of Clause 6.11."
6.3.2	Orders for Variations to be in writing
000	Omit the words "Provided that" under Clause 6.3.2 and omit Clause 6.3.2.1.
6.9.2	Definition of "materials"
	Amend Clause 6.9.2, as follows:
	Substitute the word 'plant' with 'Plant'.

Initials: _

6.10.1	Interim Payments	
	Amend Clause 6.10.1.5 as follows:	
	In the third line, add the words 'not yet' before the words 'built into'	
Clause	Data	
6.10.5	Payment of retention money	
	Amend Clause 6.10.5 as follows:	
	In the second line, add the words ', if any,' after the words 'Defects Liability Period'	
6.10.6	Set-off and delayed payments	
	Amend Clause 6.10.6.2 as follows:	
	Delete the words 'simple interest' and substitute with the words 'interest compounded monthly'.	
	Delete the words 'Contractor's Bank' and substitute with the words 'Employer's Bank'	
6.11	Variations exceeding 15 per cent	
	Replace the marginal heading with:	
	"Variations exceeding 20 per cent"	
	Replace "15 per cent" with "20 per cent" in the text of this Sub-Clause	
7.4.4	Cost of test specimens and tests	
	Amend Clause 7.4.4.2 as follows:	
	In the second line of paragraph two, add the words 'the requirements of before the words 'the Contract'	
7.8.2	Cost of making good of defects	
	Amend Clause 7.8.2.1 as follows:	
	In the first line, correct the spelling of 'therefore'.	
8.1.3	Excessive loads and traffic	
	In the third line, add a comma after the word 'Site' as follows: 'in the vicinity of the Site, from'.	
8.3.1	Excepted risks	
	Amend Clause 8.3.1.10 as follows:	
	In the second line, delete the words 'Employer or any of their' and substitute with 'or any of its'.	
8.6.6	Contractor to produce proof of payment	
	"The Contractor shall before commencement of the Works produce to the Engineer:	
	8.6.6.1 The policies by which the insurances are effected,	
	8.6.6.2 Proof that due payment of all premiums there under, covering the full required period has been made, and	

8.6.6.3 Proof of continuity of the policies for the required period. Should, during the currency of the Contract, the required period of insurance be extended for any reason, the Contractor shall timeously extend (so as to maintain) the said insurances for the full extended duration. The Engineer shall be empowered to withhold all payment certificates until the Contractor has complied with his obligations in terms of this Clause 8.6.6." 8.6.7 Remedy on Contractor's failure to insure Delete sub-clause 8.6.7 and substitute with: "Failure on the part of the Contractor to effect and keep in force any of the insurances referred to in Clause 8.6.1 and its sub-clauses, is a fundamental breach of Contract, entitling the Employer to cancel the Contract by due notice in terms of Clause 9.2 and with specific reference to sub-clause 9.2.2, as amended in the Contract Data." 9.1.2 State of emergency In the fourth line, delete the words 'supply of' and substitute with 'availability of'. 9.2 **Termination by Employer** Delete the contents of Clause 9.2 and substitute with: "9.2.1 The Employer may terminate the Contract by written notice to the Contractor if: 9.2.1.1 Sequestration of the Contractor's estate is ordered by a Court with due jurisdiction, or 9.2.1.2 The Contractor publishes a notice of surrender or presents a petition for the surrender of his estate as insolvent, or makes a compromise with his creditors, or assigns in favour of his creditors, or agrees to carry out the Contract under the supervision of a committee representing his creditors, or (being a company) goes into liquidation, whether provisionally or finally (other than a voluntary liquidation for the purpose of amalgamation or reconstruction), or if the Contractor assigns the Contract without having first obtained the Employer's consent in writing, or if execution is levied on his goods, or 9.2.1.3 The Contractor, or anyone on his behalf, or in his employ, offers to any person in the employ of the Employer or the Engineer, a gratuity or reward or commission, or 9.2.1.4 The Contractor furnished materially inaccurate information in his Tender, which had a bearing on the award of the Contract, or 9.2.1.5 The Contractor has abandoned the Contract. 9.2.2 If the Contractor: 9.2.2.1 Has failed to commence the Works in terms of Clause 10 hereof, or has suspended the progress of the Works for fourteen (14) days after receiving from the Engineer written notice to proceed, or 9.2.2.2 Has failed to provide the Guarantee in terms of Clause 7 within the time stipulated in the Contract Data, or

- 9.2.2.3 Has failed to proceed with the Works with due diligence, or
- 9.2.2.4 Has failed to remove materials from the Site or to pull down and replace work within fourteen (14) days after receiving from the Engineer written notice that the said materials or work have been condemned and rejected by the Engineer in terms of these conditions, or
- 9.2.2.5 Is not executing the Works in accordance with the Contract, or is neglecting to carry out his obligations under the Contract, or
- 9.2.2.6 Has, to the detriment of good workmanship or in defiance of the Engineer's instructions to the contrary, sublet any part of the Contract, or
- 9.2.2.7 Has assigned the Contract or any part thereof without the Employer's consent in writing, then the Employer may give the Contractor 14 days notice to rectify the default, and if the Contractor fails to rectify the default in said 14 days, then, without further notice, notify the Contractor in writing of the termination of the Contract and expel the Contractor and order the Contractor to vacate the site within 24 hours of issue of the Notice of Termination and to hand the Site over to the Employer, and the Employer may then enter upon the Site and the Works without affecting the rights and powers conferred on the Employer or the Engineer by the Contract and the Employer may himself complete the Works or may employ another contractor to complete the Works, and the Employer or such other contractor may use for such completion so much of the Construction Equipment, Temporary Works and materials brought onto the Site by the Contractor as the Employer may think proper, and the Employer may at any time sell any of the said Construction Equipment, Temporary Works and unused materials and apply the proceeds of sale towards payment of any sums that may be due or become due to the Employer by the Contractor under the Contract. In such circumstances the Contractor shall forthwith vacate the Site and shall not be entitled to remain on the Site on the grounds that he is entitled to do so on a right of retention until amounts due to him have been paid, neither will the Contractor be entitled to any further payments in terms of this Contract.
- 9.2.3 If the Contractor, having been given notice to rectify a default in terms of 9.2.2 above, rectifies said default, but later repeats the same or substantially the same default, then the Employer may notify the Contractor of the immediate termination of the Contract, and proceed as stated in the paragraph following the word 'writing' in Clause 9.2.2.7 above.
- 9.2.4 Should the amounts that the Employer must pay to complete the Works, exceed the sum that would have been payable to the Contractor on due completion by him, then the Contractor shall upon demand pay to the Employer the difference, and it shall be deemed a debt due by the Contractor to the Employer and shall be recoverable accordingly. Provided that should the Contractor on demand not pay the amount of such excess to the Employer, such sum may be determined and deducted by the Employer from any sum due to or that may become due to the Contractor under this or any previous or subsequent contract between the Contractor and the Employer."

Contract
Part C1: Agreement and Contract Data

C1.2

C.1.2.1.2.3 Additional clauses to the General Conditions of Contract:

Clause	Data			
1.1	Definitions			
1.1.1.35	Add the following at the end of Sub-Clause 1.1.1:			
1.1.1.36	1.1.1.35 "Client", as used in the Occupational Health and Safety Act – Construction Regulations, mear Employer.			
	1.1.1.36 "Principal Contractor", as used in the Occupational Health and Safety Act - Construction Regulations, means Contractor.			
4.12	Contractor's superintendence			
	Add the following sub-clause 4.12.4 to Clause 4.12:			
	"Where a form is included in the Contract Data for this purpose, the Tenderer shall fill in the name of the person he proposes to entrust with the post of Contractor's Site Agent on this Contract in the space provided therefore. Previous experience of this person on work of a similar nature during the past five (5) years is to be entered on the form.			
	The Contractor's Site Agent shall be on Site at all times when work is being performed.			
	The person shall be subject to approval of the Engineer in writing and shall not be replaced or removed from Site without the written approval of the Engineer."			
5.6	Programme			
	Add the following sub-clause 5.6.6 to Clause 5.6:			
	"Failure on the part of the Contractor to deliver to the Engineer, the			
	programme of the Works in terms of Clause 5.6.1 and			
	supporting documents in terms of Clause 5.6.2			
	Within the period stated in the Contract Data, shall be sufficient cause for the Engineer to retain 25 per centum of the value of the Fixed Charge and Value-related items in assessment of amounts due to the Contractor, until the Contractor has submitted aforementioned first Programme of the Works and Supporting Documents".			
5.9.7	Engineer to approve Contractor's Designs and Drawings			
	Add the following sub-clause 5.6.6 to Clause 5.6:			
	"All designs, calculations, drawings and operation and maintenance manuals shall be fully endorsed by a third party registered engineer, accomplished in such specific field of practice and the cost thereof shall be borne solely by the Contractor.			
	Once the alternative design has been approved, the Contractor shall indemnify and hold harmless the Engineer, the Employer, their agents and assigns, against all claims howsoever arising out of the said design, whether in contract or delict".			

Contract Initials: ___ C1.2 **Contract Data**

Clause	Data					
5.11	Suspension of the Works					
	Add the following sub-clause 5.11.4 to Clause 5.11:					
	"If the Contractor does not receive from the Employer the amount due under an Interim Payment Certificate within 28 days after expiry of the time stated in sub-clause 6.10.4 within which payment is to be made (except for deductions in accordance with sub-clauses 6.10.1.6 and 6.10.1.7), the Contractor may, after giving 14 days' notice to the Employer, suspend the progress of the Works.					
	The Contractor's action shall not prejudice his entitlements to a claim in terms of Clause 10.1 and to cancellation of the Contract in terms of Clause 9.3.					
5.40	If the Contractor subsequently receives full payment of the amount due under such Interim Payment Certificate before giving a notice of cancellation of the Contract, the Contractor shall resume normal working as soon as is reasonably practicable."					
5.12	Extension of Time for Practical Completion					
	Add the following at the end of Sub-Clause 5.12.2.2:					
	"The extension of time to be allowed due to abnormal rainfall shall be calculated separately for each calendar month or part thereof in accordance with the following formula:					
	$V = (Nw - Nn) + \frac{Rw - Rn}{x}$					
	Where					
	V = Extension of time in calendar days for the calendar month under consideration					
	Nw = Actual number of days during the calendar month on which a rainfall of 10 mm or more has been recorded					
	Nn = Average number of days for the calendar month on which a rainfall of 10 mm or more has been recorded, as derived from existing rainfall records					
	Rw = Actual recorded rainfall for the calendar month					
	Rn = Average rainfall for the calendar month, as derived from existing rainfall records					
	x = 20					
	The rainfall records which shall provisionally be accepted for calculation purposes are:					
	Based on records taken at: RAINFALL STATION: 0555878 & 0556183 PERIOD: 1929 – 1989					

Contract Part C1: Agreement and Contract Data

Month	Average rainfall for calendar month Rn	Average number of days for calendar month on which a rainfall of 10 mm or more were recorded Nn		
	(mm)	(days)		
January	7	178		
February	6	172		
March	5	134		
April	2	62		
May	1	22		
June	0	13		
July	0	17		
August	0	16		
September	1	37		
October	2.5	69		
November	5	132		
December	6	158		

The factor (Nw - Nn) shall be considered to represent a fair allowance for days during which rainfall exceeds 10 mm and the factor (Rw - Rn)/x shall be considered to represent a fair allowance for those days when rainfall does not exceed 10 mm but wet conditions prevent or disrupt work.

The total extension of time shall be the algebraic sum of all monthly totals for the contract period, but if the algebraic sum is negative the time for completion shall not be reduced due to subnormal rainfall. Extensions of time for a part of a month shall be calculated using pro rata values of Nn and Rn."

For this project the rainfall formula will only apply as background information, or dispute resolution. Extension of time for rainfall will only be granted on Actual Delays experienced; noted and agreed upon by the engineer.

6.10 Payments

Add the following at the end of Sub-Clause 6.10.1:

"The Contractor shall complete the 'Contractor's Monthly Report Schedule', which pro forma documentation is obtainable from the Engineer. Pursuant to Sub-Clause (1), these, duly signed by all concerned, together with the Contractor's statement and a VAT invoice in original format are to be submitted to the Engineer. Issue by the Engineer to the Employer and Contractor of any signed payment certificate is conditional to this information being fully endorsed, accurately and timeously submitted to the Engineer".

Add the following at the end of Sub-Clause 6.10.1.5:

"All documentary evidence of such materials shall be unambiguous with respect to ownership having fully passed to the Contractor on or before the date of submittal of the Contractor's monthly statement. Should the Contractor fail to supply unambiguous documentary evidence, he shall, prior to submittal of his monthly statement, deliver to the Employer a Guarantor Guarantee in the form contained in the Appendices to the Contract Data."

9.3 Termination by the Contractor

Add the following at the end of Sub-Clause 9.3:

9.3.5 "In addition to, or as an alternative to the rights to termination contained in this Clause 9.3, the Contractor may notify the default to the Employer, with a copy to the Engineer, and if the default is not rectified within 10 days the Contractor may suspend progress of the works until a date 7 days after the default is rectified. The Contractor shall be entitled to extension of time to the extent of delay caused by or resulting from such suspension, and to payment of additional costs caused by or resulting from the suspension. Such extension of time and additional costs shall be promptly ascertained by the Engineer, who shall then grant the extension of time and include the additional costs in all future payment certificates. Such suspension, extension of time and/or payment of additional costs, shall not prejudice the Contractor's rights to cancel the contract."

Contract Initials: ____ C1.2
Part C1: Agreement and Contract Data Contract Data

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT LAND AND ENVIRONMENTAL AFFAIRS

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

C1.3 FORM OF GUARANTEE

WH	D No. ALA//25/MP EREAS The MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND VIRONMENTAL AFFAIRS (hereinafter referred to as the Employer") entered into, a Contract with:
For SEI	reinafter called "the Contactor") on the day of
	D WHEREAS it is provided by such Contract that the Contractor shall provide the Employer with security by way Guarantee for the due and faithful fulfilment of such Contract by the Contractor;
	O WHEREAS
Gua reni	W THEREFORE WE
1.	The Employer shall, without reference and / or notice to us, have complete liberty of action to act in any manner authorized and/or contemplated by the terms of the said Contract, and/or to agree to any modifications, variations, alterations, directions or extensions of the completion date of the works under the said Contract, and that its rights under this Guarantee shall in no way be prejudiced nor our liability hereunder be affected by reason of any steps which the Employer may take under such Contract, or of any modification, variation, alterations of the completion date which the Employer may make, give, concede or agree to under the said Contract.
2.	This Guarantee shall be limited to the payment of a sum of money.
3.	The Employer shall be entitled, without reference to us, to release any Guarantee held by it, and to give time to or compound or make any other arrangement with the Contractor.
4.	This Guarantee shall remain in full force and effect until the issue of the Certificate of Completion in terms of the Contract, unless we are advised in writing by the Employer before the issue of the said Certificate of his intention to institute claims, and the particulars thereof, in which event this Guarantee shall remain in full force and effect until all such claims have been paid or liquidated.
5.	Our total liability hereunder shall not exceed the Guaranteed Sum of:
	R

Contract Initials: ____ C1.2
Part C1: Agreement and Contract Data Contract Data

6.	The Guarantor reserves the right to withdraw from this Guarantee by depositing the Guaranteed Sum with the beneficiary, whereupon our liability hereunder shall cease.
7.	We hereby choose our address for the serving of all notices for all purposes arising here from as
	VITNESS WHEREOF this Guarantee has been executed by us at
Sigr	nature
Duly	y authorized to sign on behalf of
Add	ress
As v	vitnesses:
1	
2	

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT LAND, AND ENVIRONMENTAL AFFAIRS

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

C1.4: AGREEMENT IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT NO 85 OF 1993

THIS AGREEMENT is made between **The MPUMALANGA DEPARTMENT OF AGRICULTURE**, **RURAL DEVELOPMENT**, **LAND AND ENVIRONMENTAL AFFAIRS** represented by the Municipal Manager

(hereinafter called the EMPLOYER of the one part, herein represented by:	
in his capacity as: ;	
(hereinafter called the CONTRACTOR) of the other part, herein represented by	
in his capacity as: duly authorised to sign on behalf of the Contractor.	

WHEREAS the CONTRACTOR is the Mandatory of the EMPLOYER in consequence of an Agreement between the CONTRACTOR and the EMPLOYER in respect of

Project: APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS **BID No: ALA/---/25/MP**

AND WHEREAS the EMPLOYER and the CONTRACTOR have agreed to enter into an agreement in terms of the provisions of Section 37(2) of the Occupational Health and Safety Act No 85 of 1993, as amended by OHSA Amendment Act No 181/1993 (hereinafter referred to as the ACT);

NOW THEREFORE the parties agree as follows:

- 1. The CONTRACTOR undertakes to acquaint the appropriate officials and employees of the CONTRACTOR with all relevant provisions of the ACT and the regulations promulgated in terms thereof.
- The CONTRACTOR undertakes to fully comply with all relevant duties, obligations and prohibitions imposed in terms of the ACT and Regulations: Provided that should the EMPLOYER have prescribed certain arrangements and procedures that same shall be observed and adhered to by the CONTRACTOR, his officials and employees. The CONTRACTOR shall bear the onus of acquainting himself/herself/itself with such arrangements and procedures.
- 3. The CONTRACTOR hereby accepts Sole Liability for such due compliance with the relevant duties, obligations, prohibitions, arrangements and procedures, if any, imposed by the ACT and Regulations, and the CONTRACTOR expressly absolves the EMPLOYER and the Employer's CONSULTING ENGINEERS from being obliged to comply with any of the aforesaid duties, obligations, prohibitions, arrangements and

Contract Initials: _____ C1.2

procedures in respect of the work included in the Contract.

- 4. The CONTRACTOR agrees that any duly authorised officials of the EMPLOYER shall be entitled, although not obliged, to take such steps as may be necessary to ensure that the CONTRACTOR has complied with his undertakings as more fully set out in paragraphs 1 and 2 above, which steps may include, but shall not be limited to, the right to inspect any appropriate site or premises occupied by the CONTRACTOR, or to take such steps it may deem necessary to remedy the default of the CONTRACTOR at the cost of the CONTRACTOR.
- 5. The CONTRACTOR shall be obliged to report forthwith to the EMPLOYER any investigation, complaint or criminal charge which may arise as a consequence of the provisions of the ACT and Regulations, pursuant to work performed in terms of this agreement, and shall, on written demand, provide full details in writing of such investigation, complaint or criminal charge.

Thus signed at		For and on behalf of the CONTRACTOR
On this the	day of	20
SIGNATUDE:		
SIGNATURE		
NAME AND SU	JRNAME:	
CAPACITY:		
WITNESSES:	1	
	2	
Thus signed at		for and on behalf of the EMPLOYER on this
The	day of	20
SIGNATURE:		
NAME AND SU	JRNAME:	
CAPACITY:		
WITNESSES:	1	
	2	

Contract
Part C1: Agreement and Contract Data

Initials: _____ C1.2

PART C2: PRICING DATA

C2.1: PRICING INSTRUCTIONS

C2.2: BILL OF QUANTITIES

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT LAND AND **ENVIRONMENTAL AFFAIRS**

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

C2.1 Pricing Instructions

- Measurement and payment shall be in accordance with the relevant provisions of the General 1. Conditions of Contract 2015 (3rd Edition) as amended in the Scope of Works.
- 2. The units of measurement described in this Bill of Quantities are metric units. Abbreviations used in the Bill of Quantities are as follows:

% = percent h = hour ha hectare kilogram kg kilolitre kΙ km kilometre km-pass = kilometre-pass kPa kilopascal = kW kilowatt = = litre 1 m = metre mm = millimetre m² = square metre m²-pass = square metre-pass m^3 = cubic metre m³-km = cubic metre-kilometre

MPa = megapascal No. = number

Prov sum = Provisional sum PC sum = Prime Cost sum

= R/only Rate only = lump sum sum ton (1000 kg) = W/day = Work day

3. For the purpose of this Bill of Quantities, the following words shall have the meanings hereby assigned to them:

Unit: The unit of measurement for each item of work as defined in the Specifications

Quantity: The number of units of work for each item. Rate: The agreed payment per unit of measurement.

Amount: The product of the quantity and the agreed rate for an item.

An agreed amount for an item, the extent of which is described in the Bills of Lump sum:

Quantities but the quantity of work of which is not measured in any units.

- Unless otherwise stated, items are measured net in accordance with the Drawings, and no 4. allowance is made for waste.
- The prices and rates in this Bill of Quantities are fully inclusive prices for the Work described under 5. the items. Such prices and rates cover all costs and expenses that may be required in and for the execution of the Work described in accordance with the provisions of the Scope of Work, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and profit. These prices will be used as a basis for assessment of payment for additional Work that may have to be carried out.

Contract Initials: ___ C2.1 **Pricing Instructions**

- 6. It will be assumed that prices included in the Bill of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for Tenders. (Refer to www.iso.org for information on Standards)
- 7. Where the Scope of Work requires detailed Drawings and designs or other information to be provided, all costs associated therewith are deemed to have been provided for and included in the unit rates and sum amount Tendered such items
- 8. An item against which no price is entered will be considered to be covered by the other prices or rates in the Bill of Quantities. A single Lump Sum will apply should a number of items be grouped together for pricing purposes.
- 9. The quantities set out in this Bill of Quantities are approximate and do not necessarily represent the actual amount of Work to be done. The quantities of accepted work and Certified for Payment will be used for determining payments due and not the quantities given in this Bill of Quantities.
- 10. The short descriptions of the items of payment given in this Bill of Quantities are only for the purposes of identifying the items. More details regarding the extent of the work entailed under each item appear in the Scope of Work.
- 11. The item numbers appearing in the Bills of Quantities refer to the corresponding item numbers in the Specifications were applicable.
- 12. Those parts of the contract to be constructed using labour-intensive methods have been marked in the Bills of Quantities with the letters "LI" in a separate column filled in against every item so designated. The works, or parts of the works so designated are to be constructed using labour-intensive methods only. The use of plant to provide such works, other than plant specifically provided for in the scope of work, is a variation to the contract. The items marked with the letters LI are not necessarily an exhaustive list of all the activities which must be done by hand, and this clause does not over-ride any of the requirements in the generic labour-intensive specification in the Scope of Works.
- Payment for items which are designated to be constructed labour-intensively (either in this schedule or in the Scope of Works) will not be made unless they are constructed using labour-intensive methods. Any unauthorised use of plant to carry out work which was to be done labour-intensively will not be condoned and any works so constructed will not be certified for payment.

NB: For pricing of items for which description in the BoQ differs from that of the specifications; the description in the specifications shall take precedence.

Contract Initials: _____
Part C2: Pricing Data

Pricing Instructions

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND **ENVIRONMENTAL AFFAIRS**

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND **ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS**

C2.2 Bill of Quantities

Contract Initials: C2.1 Part C2: Pricing Data **Pricing Instructions**

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

SUMMARY (TOTAL BID AMOUNT)

Item no	Description	Amount		
Section 1 Demolitions and Alterations				
Section 2	Buidling works			
Section 3	Provisional Sums			
SUB-TOTAL A				
Add 15% VAT				
TOTAL CARRIED FORWARD TO FORM OF OFFER				

	TOTAL CARRIED FORWARD TO FORM OF OFFER
DATE	SIGNATURE OF SERVICE PROVIDER

Contract Initials: ____ C2.2
Part C2: Pricing Data Bill of Quantities

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

PART C3: SCOPE OF WORK

C3.1: STANDARD SPECIFICATIONS

C3.2: PROJECT SPECIFICATIONS

C3.3: PARTICULAR SPECIFICATIONS

Contract Initials: Index

Part C3: Scope of Work

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND **ENVIRONMENTAL AFFAIRS**

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND **ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS**

C3:	SC	OP	E O	F	W	O	R	K
-----	----	----	-----	---	---	---	---	---

C3.1 STANDARD SPECIFICATIONS

C3.2 PROJECT SPECIFICATIONS

PART A:	GENERAL
PS-1	Project Description
PS-2	Description of the Site and Access
PS-3	Details of the Works
PS-4	Construction Programme
PS-5	Site Facilities Available
PS-6	Facilities Required on Site
PS-7	Management and Disposal of Water
PS-8	Rainfall Figures
PS-9	Security Clearance of Personnel
PS-10	Health and Safety
PS-11	Subcontractors
PS-12	Deviation from Construction Programme
PS-13	Delay in Completion
PS-14	Supply of Materials
PS-15	Execution of Works
PS-16	Existing Services
PS-17	Labour Intensive Specification

PART B: AMENDMENTS TO THE STANDARD SPECIFICATIONS

C3.3 PARTICULAR SPECIFICATIONS

PART C: STANDARD SPECIFICATIONS FOR BUILDING TRADES PART D: ENVIRONMENTAL MANAGEMENT

PART E: **OHSA 1993 SAFETY SPECIFICATION**

Initials: __ Contract Index

Part C3: Scope of Work

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

C3.1 STANDARD SPECIFICATIONS

The standard specifications on which this contract is based are the SANS Standardised Specifications for Civil Engineering Works and the Conservation of Agricultural Resources Act (CARA) 43 of 1983.

The following SANS specifications are also referred to in this document and the Contractor is advised to obtain them from Standards South Africa (a division of SABS) in Pretoria.

SABS 1200 A - General

SABS 1200 C - Site Clearance (amended 1982)
SABS 1200 DA - Earthworks (Small Works)

SABS 1200 DB - Pipe Trenches

SABS 1200 L - Medium Pressure Pipelines

SABS 1200 LB - Bedding (Pipes)

The following SANS specifications are also referred to in this document and the Contractor is advised to obtain them from Standards South Africa (a division of SABS) in Pretoria.

SANS 10396: 2003: Implementing Preferential Construction Procurement Policies using Targeted

Procurement Procedures

SANS 1914-1 to 6 (2002): Targeted Construction Procurement

SANS 1921 – 1 (2004): Construction and Management Requirements for Works Contracts

Part 1: General Engineering and Construction Works

and where accommodation of traffic is involved:

SANS 1921-2 (2004): Construction and Management Requirements for Works Contracts

Part 2: Accommodation of Traffic on Public Roads Occupied by the Contractor.

Contract Initials: ____ C.3.1
Part C3: Scope of Work Standard Specifications

MPUMALANGA DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND **ENVIRONMENTAL AFFAIRS**

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND **ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS**

C3.2: PROJECT SPECIFICATIONS

STATUS

The Project Specification, consisting of two parts, forms an integral part of the contract and supplements the Standard Specifications.

Part A contains a general description of the works, the site and the requirements to be met.

Part B contains variations, amendments and additions to the Standardized Specifications and, if applicable, the Particular Specifications.

In the event of any discrepancy between a part or parts of the Standardized or Particular Specifications and the Project Specification, the Project Specification shall take precedence. In the event of a discrepancy between the Specifications, (including the Project Specifications) and the drawings and / or the Bill of Quantities, the discrepancy shall be resolved by the Engineer before the execution of the work under the relevant item.

The standard specifications which form part of this contract have been written to cover all phases of work normally required for road contracts, and they may therefore cover items not applicable to this particular contract.

PART A: GENERAL

1 PROJECT DESCRIPTION

The Department intends to appoint a panel of service providers for a 36-month maintenance contract for infrastructure projects across the Mpumalanga Province. The scope of work will include inspection, repair, and upkeep of structural, electrical, mechanical, and plumbing systems to ensure continuous functionality and safety of the buildings. The appointed service provider will be required to attend to preventative and corrective maintenance, including but not limited to painting, roofing, flooring, ceilings, doors, windows, lighting, water supply, drainage, and sanitary fittings. The contract is aimed at preserving the integrity of infrastructure, extending the life cycle of buildings, and ensuring that facilities remain safe, functional, and conducive for their intended use.

2 DESCRIPTIONS OF THE SITE AND ACCESS

2.1 Location of site

The coordinates for the site will be given after allocation of site to appointed Service Provider(s).

Incidental intrusion into private property shall not be permitted without the owner's written authority. Any such agreement reached with a private landowner (occupier) shall include the proviso that any material or equipment on that site shall remain the exclusive property of the Employer in terms of the contract.

2.2 Access to site

The contractor shall be responsible for the maintenance and re-instatement of damage caused by him or his agents / deliveries during the construction activities. No damage to flora or fauna located outside the limits of the site will be permitted in this contract.

The contractor should take cognisance of the aforementioned items concerning the environment and allow for any costs in his Tender under the relevant section in the Bill of Quantities.

Article I. MATERIAL DESCRIPTION

Should any requirement of the Project specification conflict with any requirement of the standardised or particular specifications listed below, the requirements of the Project Specification shall prevail.

PS1 GENERAL DESCRIPTION OF WORK

The work required for this contract is the maintenance and repair of infrastructure within the Mpumalanga Province. This work will involve, preventative and corrective maintenance, and attending to structural, electrical, mechanical, and plumbing components of the facilities. It will also include repairs to roofing, ceilings, flooring, windows, doors, painting, water supply systems, and sanitary fittings, carried out in accordance with acceptable standards.

PS 2.1 Location of sites

The coordinates for the site will be given after allocation of site to appointed Service Provider(s).

Incidental intrusion into private property shall not be permitted without the owner's written authority. Any such agreement reached with a private landowner (occupier) shall include the provision that any material or equipment on that site shall remain the exclusive property of the Employer in terms of the contract.

PS 2.2 Contractor's Plant

The Contractor shall supply the Plant and Equipment suitable for the method of operation to be used to perform this task. The capacity shall be sufficient to cope with the work within the contract time. During the works of this Contract, the Contractor will ensure that all his Plant and Equipment is in good working order and performance is in accordance with the design specifications.

No extra payment shall be made for Contractor's plant, labour or equipment to complete the work specified, nor for any incidentals thereto, the cost being deemed to be included in the Contractor's prices. Equipment brought onto the site may not be removed there from without the Client's specific permission in writing.

It is noted that a minimum of one drilling rig equipped to carry out air percussion drilling as well as one pump testing rig is required on site.

The Engineer will reserve the right to inspect the equipment to be used for the completion of the Works <u>prior</u> to the commencement of the Works.

If the Engineer considers that the equipment in use on the site of the Works is in any way inefficient or inadequate in capacity, the Engineer shall have the right to call upon the Contractor to put such equipment in order within seven (7) days. Alternatively, the Contractor will remove such equipment and replace it with additional equipment the Engineer considers necessary to meet the requirements of the Contract. In the event that this requirement is not satisfied, the Engineer reserves the right to advise the Employer to terminate the Work Order immediately.

PS 2.3 Sub-Contracting

The Contractor may not assign this Contract, nor sub-let any part of this Contract of any of its obligations hereunder without the prior written consent of the Accounting Officer. Notwithstanding that the Client's Representative may consent to any assignment, or sub-letting by the Contractor, the Contractor's obligations to the Client hereunder shall remain unchanged and the Contractor shall be solely responsible to the Client's Representative for the performance of such obligation.

Service providers must list the suppliers of the equipment and their details. The information will be used in evaluating the Tenders. A brief detail of the works for which this specification is applicable is as follows:

PS 3.2 Project Approach

The successful service provider will be responsible for the full spectrum of supply, delivery, setting out, construction, quality control, and testing and defects attendance services. The Employer will appoint an engineer to monitor construction progress and quality. Regular progress payments, based on work actually performed at the Tendered rates, are envisaged. A defects liability period of 12 months will be applicable on this project.

Contract	Initials:	C.3.2
Part C3: Scope of Work		Project Specifications

PS 3.3 Labour Recruitment Conditions

A Project Steering Committee (PSC) will be established and is a vital means of communication between all parties involved with the project. The composition of the PSC comprises representation by the Employer, the Engineer and formal structures within the community.

The contractor shall make use of these communication channels, and shall appoint from amongst his site personnel a responsible person to participate in the affairs of the PSC, and this representative may be also required to attend the monthly PSC meetings.

It is mandatory that the Contractor shall interact with the community via proactive project liaison and project participation by its leaders and constituted organisations and forums, as well as through the employment of its people, and these activities shall constitute essential facets of the project.

Local labour is to be used and the employment of such labour is to be done in conjunction with the PSC/CLO.

PSC shall appoint a Community Liaison Officer (CLO). The duties of the CLO shall consist inter alias of the following:

- To be available on site daily between the hour of 07:00 and 17:00 and at other times as the need arises. His normal working day will extend from 07:00 in the morning until 17:00 in the afternoon.
- To communicate daily with regard to number and skills, to facilitate in labour disputes and to assist in their resolution.
- To attend all meetings in which the community and/or labour are present or are required to be represented.
- To attend all PSC meeting to report on labour.
- To assist in the identification and screening of labourers from the community in accordance with the contractor's requirements.
- To advise and inform temporary labourers of their conditions of employment and to inform temporary labourers as early as possible when their period of employment will be terminated.
- To attend disciplinary proceedings to ensure that hearings are fair and reasonable.
- To keep a daily written record of his interviews and community liaison, labour force etc.
- To attend monthly site meetings and report in writing on labour and contract matters.
- Keeping a data base of available labour.
- All such other duties as agreed upon between all parties concerned.
- Compile a list of available skills in the area (skills audit).

PS 4 CONSTRUCTION PROGRAMME

PS 4.1 General

The submission of a construction programme as stated per Clause 5 of the General Conditions of Contract is compulsory.

Before any work is to be commenced on the site (within a period as stated in Clause 5.6 of the General Conditions of Contract), the Contractor must submit a detailed project programme for the construction of the Works to the Engineer for his approval.

In preparation of the construction programme the Contractor must liaise with the Engineer and the programme must take into account the coordination of all activities. The programme must consist of a detailed schedule or block diagram covering all aspects of the Works and the planned time thereof must, with the Contract Period as time basis, be shown.

Rainfall conditions will be taken as abnormal when the average rainfall, as shown in Clause PS 8, is exceeded and the contractor must then apply in writing for extension of the contract period using Clause 5.12 of the General Conditions of Contract.

The service provider is required to state in the Appendix to the Form of Tender the time in which he is prepared to undertake and complete the works.

The Contractor shall submit to the Engineer a realistic, detailed programme not later than 14 days after receipt of the Letter of Acceptance. The programme shall be in bar-chart format showing in detail how the Contractor proposes to complete the work covered by this contract by the Due Completion Date.

The following details must be stated:

- The quantity of work applicable to each bar item as well as the rate at which the work will be completed.
- II. A budget of the value of completed work, month by month, for the full contract period.
- III. The Contractor's plant commitment on the contract for every fortnight.
- IV. The critical path.

The programme shall be kept up to date. If a Contractor fails to maintain progress in terms of the programme, he shall produce a revised programme showing the modifications to the original programme necessary to ensure completion of the Works before the Due Completion Date.

The approval of any programme by the Engineer shall have no contractual significance, other than satisfying the Engineer that the Work is carried out according to such programme and that the Contractor undertakes to carry out the work in accordance with the programme. The Engineer will have the right to instruct the Contractor to revise the programme if necessitated by circumstances.

PS 4.2 Time for Completion

The maximum time allowed for the completion of the projects will be determined on project allocation.

PS 5 SITE FACILITIES AVAILABLE

PS 5.1 Water Supply

The Contractor must make his own arrangements for provision of fresh water on site for domestic and construction purposes.

The rates Tendered for the relevant items in the Preliminary and General Section of the schedule shall include all costs for the establishment and maintenance of water supply to the works and the Contractor shall make his own arrangements for the possible conveyance and storage of water if necessary.

PS 5.2 Power Supply

The Contractor must make his own arrangements for the provision of electricity on site. The rates Tendered for the relevant items in the Preliminary and General Section of the schedule shall include all costs for the establishment and maintenance of a power supply to the works.

PS 6 FACILITIES REQUIRED ON SITE

PS 6.1 Facilities for the Engineer

A site office for the Engineer is not required.

PS 6.2 Facilities for the Contractor

Site Establishment

The Contractor is responsible to provide a suitable site for his camp and to provide accommodation for his personnel and labourers. If the Employer can make any specific site available to the Contractor, such site will be pointed out to the Contractor.

The chosen site shall be subject to the approval of the beneficiary/Engineer and the Project Steering Committee (if available). Possible locations for a campsite shall be pointed out at the Site inspection. The Contractor shall conform to all beneficiary, local authority, environmental and industrial regulations.

The Contractor shall make his own arrangements concerning the supply of electrical power and all other services. No direct payment shall be made for the provision of electrical and other services. The cost

thereof shall be deemed to be included in the rates and amounts Tendered for the various items of work for which these services are required.

The Contractor shall provide security watchmen for the contract as he deems fit at no extra cost for the Employer. The Contractor must ensure that all his employees as well as the employees of his subcontractors are able to identify themselves as members of the construction team.

Ablution and Sanitary Facilities

The Contractor shall erect and maintain on the site proper ablution facilities. The Contractor shall service and maintain the facilities in a clean and hygienic state for the duration of the contract period and on completion of the works remove it from the site to the satisfaction of the Employer/beneficiary.

PS 6.3 Laboratory Facilities

The contractor shall provide laboratory facilities at an SABS accredited laboratory to conduct tests as required or as specified/measured in the bills of quantity.

PS 6.4 Construction Notice Board (Name Board)

1 Official Name Board per site, as per C4.2 Site Information: Construction Notice Board, is required for this contract.

PS 6.5 Housing for the Engineer and/or his Representative

No housing is required for the Engineer or his Representative.

PS 6.6 Telephone Facilities

Items have been provided in the Bill of Quantities to cover for communication costs for the Engineer.

PS 7 MANAGEMENT AND DISPOSAL OF WATER

The Contractor shall pay special attention to the management and disposal of water and storm water on the site. It is essential that all completed works or parts thereof are kept dry and properly drained. Claims for delay and for repair of damage caused to the works as a result of the Contractor's failure to properly manage rain and surface water, will not be considered.

PS 8 RAINFALL FIGURES

The following data collection format shall be used to calculate rainfall figures for Clause 50(5) of the Special Conditions of Contract:

INFORMATION SOURCE:

RAINFALL STATION:

PERIOD:

Rainfall station: Period:						
January			July			
February			August			
March			September			
April			October			
May			November			
June			December			
Annual ave	erage:					

Nn = Average amount of days on which a rainfall of 10 mm or more has been recorded.

Rn = Average monthly rainfall in mm

Extensions of time in respect of Clause 5.12 in the General Conditions of Contract for Construction Works (2015) in respect of abnormal rainfall shall be calculated using the following formula for each calendar month or part thereof:

$$V = (Nw - Nn) + \frac{(Rw - Rn)}{X}$$

Where:

V = Extension of time in calendar days in respect of the calendar month under consideration.

Nw = Actual number of days during the calendar month on which a rainfall of 10 mm or more has been recorded.

Nn = Average number of days in the relevant calendar month, as derived from existing rainfall records, on which a rainfall of 10mm or more has been recorded for the calendar month.

Rw = Actual average rainfall in mm recorded for the calendar month under consideration.

Rn = Average rainfall in mm for the calendar month as derived from existing rainfall records as stated in the Site Information.

X = 20mm

For purposes of the Contract Nn, Rn and Nn shall have those values assigned to them in the table above based on figures from the WRC report 1994.

If V is negative and its absolute value exceeds Nn, then V shall be taken as equal to minus Nn.

The total extension of time shall be the algebraic sum of all monthly totals for the period under consideration, but if the total is negative the time for completion shall not be reduced due to subnormal rainfall. Extensions of time for part of a month shall be calculated using pro rata values of Nn and Rn.

This formula does not take account flood damage which could cause further or concurrent delays and will be treated separately as far as extension of time is concerned.

The factor (Nw - Nn) shall be considered to represent a fair allowance for variations from the average in the number of days during which rainfall exceeds 10 mm. The factor (Rw-Rn) shall be considered to represent a fair allowance for variations from the average in the number of days during which the rainfall did not exceed 10 mm but wet conditions prevented or disrupted work.

For the purpose of applying the formula, accurate rain gauging shall be taken at a suitable point on the Site and the Contractor shall at his own expense, take all necessary precautions to ensure that rain gauges cannot be interfered with by unauthorized persons.

PS 9 SECURITY CLEARANCE OF PERSONNEL

Service Providers to note that the Mpumalanga Department of Agriculture may require that Security Clearance investigations be conducted on any number of the service providers personnel.

If so required, by the Mpumalanga Department of Agriculture, the service provider must remove personnel as indicated immediately and ensure that they have no access to the works or documentation or any other information pertaining to the site.

The Employer shall not be liable for any cost concerning the removal of personnel or the effect thereof on the execution of the work.

PS 10 HEALTH AND SAFETY

PS 10.1 General statement

It is a requirement of this contract that the Contractor shall provide a safe and healthy working environment and to direct all his activities in such a manner that his employees and any other persons, who may be

directly affected by his activities, are not exposed to hazards to their health and safety. To this end the Contractor shall assume full responsibility to conform to all the provisions of the Occupational Health and Safety Act (OHSA) No 85 and Amendment Act No 181 of 1993, and the OHSA 1993 Construction Regulations 2003 issued on 18 July 2003 by the Department of Labour. For the purpose of this contract the Contractor is required to confirm his status as mandatory and employer in his own right for the execution of the contract by entering into an agreement with the Employer in terms of the Occupational Health and Safety Act in the form as included in section C1.5.

PS 10.2 Health and Safety Specifications and Plans

(a) Employer's Health and Safety Specification

The Employer's Health and Safety Specification is included in Section C3.3, Part E of the Tender documents as part of the Particular Specifications.

(b) Service Providers Health and Safety Plan

The service provider shall submit with the Tender his own documented Health and Safety Plan he proposes to be implement for the execution of the work under the contract. The Health and Safety Plan must at least cover the following:

- (i) a proper risk assessment of the works, risk items, work methods and procedures in terms of Regulations 7 to 28;
- (ii) pro-active identification of potential hazards and unsafe working conditions;
- (iii) provision of a safe working environment and equipment:
- (iv) statements of methods to ensure the health and safety of subcontractors, employees and visitors to the site, including safety training in hazards and risk areas (*Regulation 5*);
- (v) monitoring health and safety on the site of works on a regular basis, and keeping of records and registers as provided for in the Construction Regulations;
- (vi) details of the Construction Supervisor, the Construction Safety Officers and other competent persons he intends to appoint for the construction works in terms of Regulation 6 and other applicable regulations; and
- (vii) details of methods to ensure that his Health and Safety Plan is carried out effectively in accordance with the Construction Regulations 2003.

The Contractor's Health and Safety Plan will be subject to approval by the Employer, or amendment if necessary, before commencement of construction work. The Contractor will not be allowed to commence work, or his work will be suspended if he had already commenced work, before he has obtained the Employer's written approval of his Health and Safety Plan.

Time lost due to delayed commencement or suspension of the work as a result of the Contractor's failure to obtain approval for his safety plan, shall not be used as a reason to claim for extension of time or standing time and related costs

PS 10.3 Cost of compliance with the OHSA Construction Regulations

The rates and prices Tendered by the Contractor shall be deemed to include all costs for conforming to the requirements of the Act, the Construction Regulations and the Employer's Health and Safety Specification as applicable to this contract.

Should the Contractor fail to comply with the provisions of the Construction Regulations, he will be liable for penalties as provided in the Construction Regulations and in the Employer's Health and Safety Specification.

PS 11 SUBCONTRACTORS

The Contractor shall have the right to cede any sub-contract under this contract to a subcontractor of his/her choice.

PS 12 DEVIATION FROM CONSTRUCTION PROGRAMME

Contract	Initials:	C.3.2
D- 1 00 0 (14/)		Q.J.Z
Part C3: Scope of Work		Project Specifications

The programme of work as required in terms of the "General Conditions of Contract –Third Edition (2015)" shall be submitted to the Engineer not later than fourteen days after the Commencement Date.

The Contractor shall take into account the requirements of the Occupational Health and Safety Act, as well as the Construction Regulations in the drafting of the programme.

The format shall not be in the form of a bar chart only, but shall also clearly indicate the anticipated quantity of work to be executed each month. The construction programme shall also clearly indicate the local and foreign labour to be utilised for the duration of the Contract.

If during the progress of the work, the quantities of the work performed per month fall below the expected indicated in the Construction programme, or if the sequence of operation is altered, or if the programme is deviated from in any other way, the Contractor shall, within one week after being notified by the Engineer, submit a revised construction programme.

Such a revised construction programme shall be based on the tempo of work achieved by the Contractor up to the date of revision. Any proposal to increase the tempo of work must be accompanied by positive steps to increase production by providing more labour and plant on site or by using the available labour and plant in a more efficient manner.

Failure on the part of the Contractor to work according to the programme or revised programmes shall be sufficient reason for the Engineer to take steps as provided for in the "General Conditions of Contract – Third Edition (2015)"

PS 13 DELAY IN COMPLETION

The Contractor shall organise the Works in such a manner that no delays occur. Delay due to faulty organisation or lack or shortage of materials or labour or co-operation with other parties or to any other cause within the control of the Contractor will not be countenanced and full power is reserved by the Engineer to order the Contractor to expedite the work should the work, in the opinion of the Engineer, not progress in a satisfactory way.

PS 14 SUPPLY OF MATERIALS

All material to be used in the Works is to be supplied by the Contractor.

The Contractor shall ensure that the work is not delayed due to the lack of materials on Site, by placing orders for material required under this Contract as soon as possible. No extension of time will be allowed for any delay due to the supply of materials.

Although the quantities have been carefully calculated, it must be considered as approximate only and the Contractor, before ordering any materials, should check the quantities required. The bill of quantities is provisional.

PS 15 EXECUTION OF THE WORKS

PS 15.1 Inspection by the Engineer

No portion of the work shall be proceeded with until the Engineer or his representative has examined and approved the previous stage. If any work is covered or hidden from view before the Engineer or his representative has inspected the work, the Contractor shall at his own cost expose the covered or hidden work for inspection. The Contractor shall also be responsible for making good any work damaged during the uncovering.

PS 15.2 Certificate of Completion

When all the work under the Contract have been completed to the entire satisfaction of the Engineer, he will issue a certificate of completion to the Contractor informing the Contractor of the date the date at which the works are deemed to be completed and accepted by the Employer.

The sureties provided by the Contractor for the fulfilment and completion of the Contract in terms of the

Form of Agreement will be released upon the issue of the Certificate of Completion.

PS 16 EXISTING SERVICES

The Contractor shall make himself acquainted with the position of all existing services before any excavation or other work likely to affect the existing services is commenced.

The Contractor will be held responsible for any damage to known existing services caused by or arising out of his operations and any damage shall be made good at his own expense. Damage to unknown services shall be repaired as soon as possible and liability shall be determined on site when such damage should occur.

A provisional amount is included in the bill of quantities for the protection and/or shifting of services.

Two weeks prior to commencing construction activities in a particular area, the Contractor shall also diligently enquire of local landowners as to whether there are any other known services which have not been shown on the drawings but which may be affected by the construction activities in that area, and any such services shall be brought to the attention of the Engineer immediately. The contractor shall make provision in his programme for the location and/or shifting of services.

The Contractor shall take note of the requirements of the standard specifications with regard to services.

PS 17 LABOUR INTENSIVE SPECIFICATIONS

Labour must be used in all activities where such use of labour will not compromise quality and progress.

PART B: AMENDMENTS TO THE STANDARD SPECIFICATIONS

B1 PROJECT SPECIFICATIONS RELATING TO THE STANDARD SPECIFICATIONS AND OTHER ADDITIONAL SPECIFICATIONS

In certain clauses in the standard, standardised and particular specifications, allowance is made for a choice to be specified in the project specifications between alternative materials or methods of construction, and for additional requirements to be specified to suit a particular contract. Details of such alternative or additional requirements applicable to this contract are contained in this part of the project specifications. It also contains the necessary additional specifications required for this particular contract.

VARIATIONS TO REQUIREMENTS OF SPECIFICATIONS LISTED IN C3.1

PS A GENERAL (SABS 1200A)

PS A1 REFERENCE PEGS

The reference pegs placed by the Engineer may of necessity have to be moved during construction. Pegs that have to be moved must be properly referenced, recorded, marked and protected and later reinstated.

PS A2 COMMENCING OF WORK

Before commencing with the works, the contractor will check all dimensions, levels, sections and other data used for the calculation of quantities for payment purposes with the engineer. The contractor will inform the engineer before any new part of the work is started. If the contractor fails to follow the above steps, the decision of the engineer regarding dimensions, levels and sections will be final and no further negotiation will take place.

The submission of a Safety Plan and adherence to the safety requirements is a prerequisite for the start of the works and the continuation there of. The safety plan according to the specifications, which outlines in detail method statements how the works will be executed, all associated risks, risk assessments, appointments, appropriate medical fitness certificates, induction forms, CV's for all key personnel, etc. will be included. This Safety Plan must be submitted to the Employer for approval as well within 14 days after the Commencement Date

PS A3 ACCURACY OF WORK

The contractor will execute the works according to the drawings and specifications as set out in this document, and drawings that will be issued during the construction period. Tolerances allowed will be as detailed or as specified in the relevant SABS specification. Any limitations and required / necessitated deviations in this regard must be cleared and approved by the engineer beforehand.

PS A4 CONTROL OF WORK

The contractor must verify the quality of preparation and completion of all work and notify the engineer before he requests that an inspection be done. All equipment for the execution of tests (compaction, concrete, pressure testing and x-raying) must be supplied or arranged by the contractor. Application for inspections and/or approval of tests must be done on approved formatted documentation with detail information.

PS A7 PAYMENT CERTIFICATE

The interim claim for payment to the contractor will be set out on a typed form similar to the Schedule of Quantities. A preliminary copy will be submitted to the engineer for approval where after it will be returned, with or without changes, to the contractor for submission of the final payment claim.

PS A8 ERECTION OF CAMP, DELIVERY OF EQUIPMENT TO THE SITE AND ACCOMMODATION AND OFFICES FOR SUPERVISING PERSONNEL

PS A8.1 Description:

This part of the work entails the erection and maintenance of the construction camp (depot) required for the execution of the works. It includes all offices, storage facilities, workshop sheds, sanitary facilities, water and electricity supply and the maintenance facilities required according to the conditions of contract and the specifications for the successful completion of the work. It includes accommodation of workers. It also includes the transport of personnel, equipment and other items to and from the site, the restoration of all semi-permanent buildings and the removal of all temporary buildings and equipment after completion of the works.

PS A8.2 Accommodation:

The contractor must make his own arrangements for accommodation.

Contract	Initials:	C.3.2
Part C3: Scope of Work		Project Specifications

PS A8.3 Site of construction camp (depot)

The general location of the camp sites need to be adjacent or as close as possible to the buildings to as to ensure minimum impact to the environment. The more specific location of the sites will be finalised on site in consultation with the Employer and Engineer.

The contractor is responsible for all earthworks, drainage, fencing and access, and maintenance and security of the construction camps for the period of the contract.

PS A8.4 Semi-permanent buildings:

All buildings used by the contractor as offices, storage facilities; workshops, laboratories, sheds and sanitary facilities must be of a temporary nature. The size of the buildings must be determined by the contractor. Sufficient facilities only for the purpose of this contract must be supplied.

Adequate sanitary facilities must be supplied by the contractor, erected according to the local authority's specifications on approved spots to the satisfaction of the engineer.

PS A9 FINISHING OFF AND CLEARING UP OF SITE

PS A9.1 Description:

After completion of the works the contractor is responsible for the finishing off and clearing up of the site. This work entails the clearing of all obvious signs of construction activities like building equipment, excess material, debris and temporary works to the satisfaction of the engineer.

PS A9.2 Access roads on the site:

Access roads on the site, as well as embankments and excavations must be smoothed and shaped to even planes to the satisfaction of the engineer. All changes in gradient must be properly shaped.

PS A10 DEFECTS LIABILITY

The defects liability period will be twelve (12) months after the completion certificate has been issued according to the General Conditions of Contract. The completion certificate will be issued once all clearing and finishing off on the site has been completed. The defects liability period will be determined accordingly.

PS A11 PAYMENT FOR ITEMS UNDER GENERAL

PS A11.1 Site establishment:

Payment for site establishment will be done once it is complete and complying with safety requirements.

PS A11.2 Clearing and finishing off:

Payment for this item will be made when clearing and finishing off has been completed.

PS A11.3 Time related obligations:

Time related obligations will not be subject to escalation and payment will be made in equal amounts during the construction period.

PS A12 RECEIPT AND STORAGE OF MATERIAL

The contractor is responsible for the receipt of material on site, as well as the safe storage thereof. He is responsible for the control of deliveries and signing of delivery notes. The contractor will ensure that all material delivered be in good condition and will return defective material immediately. The contractor must ensure that no damage is done during handling of material on site and is fully responsible for any damages before or during installation.

PS C CLEARING (SABS 1200 C)

PS C1 CONSERVATION OF FAUNA AND FLORA

It is required that the contractor will only clear the minimum width for construction work and related activities.

PS C2 REMOVAL OF TOPSOIL

The removal and stockpiling of topsoil will be indicated on site. The levelling of topsoil is required.

PS C3 DISPOSAL OF MATERIAL

Disposal areas are not available on site. The Contractor shall locate his own disposal areas and shall remove and cart away any accumulation of material generated by his construction activities and not required for further use in the Works. The cost of loading, carting away and disposing of material shall be deemed to have been included in the excavation rates.

Care should be taken during clearing that no significant amounts of topsoil are being removed and pushed into windrows. Should that be found, contractor will move such topsoil back at his own cost.

PS D EARTHWORKS (SABS 1200 D)

PS D1 CLASSIFICATION FOR EXCAVATION PURPOSES

Excavation shall mean excavating in all kinds of material met with the exception only of "Rock" as hereinafter defined, and shall include for the grubbing up and clearing away of all old foundations, footings, manholes, drains, paving, etc, that may be encountered; and not claim by the Contractor in respect of such items will be allowed unless specified in the Schedules of Quantities.

PS DB EARTHWORKS (DAM) (SABS 1200DB)

PS DB1 CLASSES OF EXCAVATION

Refer to Clauses PS D1 for excavation classification.

PS DB2 MATERIAL

Material imported will be as per engineer's specification and certification (for material sourced from commercial sources) or designated borrow pits test results will be required before approval.

PS DB3 COMPACTION

The moisture content during compaction shall be the optimum moisture content for the construction plant employed.

In unrestricted areas, the excavation shall be backfilled in layers specified and the material shall be compacted to a specified relative density Modified AASHTO maximum density.

In areas subject to road traffic loads and under the structures excavations shall be backfilled in layers not exceeding 150 mm in compacted thickness, and the material shall be compacted to not less than 93 % of Modified AASHTO maximum density or 100 % in the case of non-plastic sand.

PSG: CONCRETE (STRUCTURAL) (SABS 1200 G)

PSG1 WELDING

Welding of reinforcement is permitted.

PSG2 READY MIXED CONCRETE

Use of ready-mixed concrete is permitted and the manufacturer's quality control system will be acceptable.

PSG3 CONCRETE CURING

Where suitable water for curing of the concrete is not readily available, the contractor is to allow for the use of an approved curing compound.

PS GA CONCRETE (SMALL WORKS) (SABS 1200 GA)

PS GA1 MATERIAL

PS GA1.1 Cement:

Only the use of Ordinary Portland Cement CEM 11 / A-V (PC15FA) ENV 197-1 extended with Pulverized Fuel Ash will be permitted. Cement older than 10 weeks will not be used. Cement will be transported from the factory in sealed bags and no loose cement will be used.

PS GA1.2 Aggregate:

PS GA1.2.1 Spare stones:

Spare stones will not be used.

PS GA2 TOLERANCE

Tolerances for concrete work will be according to SABS 1200 GA, Grade 2.

PS GA3 SHUTTERING

PS GA3.1 Rough finish:

Rough shuttering according to sub-clause 5.2.1 A of the SABS specification will be used for concrete which will not be exposed.

PS GA3.2 Smooth finish:

Smooth shuttering according to sub-clause 5.2.1 B will be used for exposed surfaces.

PS GA4 CONCRETE FINISHES

Concrete against which earth will be backfilled shall be finished rough. All exposed concrete surfaces shall be wood float finished or steel float finished smooth to a Degree of Accuracy 2. Further treatment/finishing may be required on floated finishes.

PS GA5 CONCRETE MIXTURES

Strength concrete as specified in the drawings and bill of quantities will be used for all concrete work on this project. The contractor shall submit the proposed mix design to the Engineer for approval before casting of any concrete. Mix designs shall be made by an approved concrete technical laboratory. The approved mix shall be used.

Mpumalanga DARDLEA: Maintenance Services PS GA6 PLACING OF CONCRETE IN EXCAVATIONS All concrete used for foundations will be placed against undisturbed soil.

Contract
Part C3: Scope of Work C.3.2 Initials: _

C3.3 PARTICULAR SPECIFICATIONS

Contract
Part C3: Scope of Work C.3.2 Initials:

C3.3 PARTICULAR SPECIFICATIONS

PART C: STANDARD SPECIFICATIONS FOR BUILDING TRADES

PART D: ENVIRONMENTAL MANAGEMENT PART E: OHSA 1993 SAFETY SPECIFICATION

APPOINTMENT OF PANEL OF SERVICE PROVIDERS FOR THE PROVISION OF MAINTENANCE SERVICES FOR THE DEPARTMENT OF AGRICULTURE, RURAL DEVELOPMENT, LAND AND ENVIRONMENTAL AFFAIRS FOR A PERIOD OF 36 MONTHS

C3.3 PARTICULAR SPECIFICATIONS

In addition to the Standardised and Project Specifications the following Particular Specifications shall apply to this contract and are bound in hereafter.

PART D: ENVIRONMENTAL MANAGEMENT
PART E: OHSA 1993 SAFETY SPECIFICATION

Contract Initials: C3.3
Part C3: Scope of Works Particular Specifications

PART D: ENVIRONMENTAL MANAGEMENT SPECIFICATION

D1 General

In order to ensure that the construction works is carried out in an environmentally sensitive matter, strict compliance to the Environmental Management Plan (EMP) guidelines is required. The purpose of the EMP is to:

- Encourage good management practices through planning and commitment to environmental issues,
- Provide rational and practical environmental guidelines to:
 - a) Minimise disturbance of the natural environment,
 - b) Prevent pollution of land, air and water,
 - c) Prevent soil erosion and facilitate re-vegetation.
- Adopt the best practicable means available to prevent or minimise adverse environmental impact,
- Develop waste management practices based on prevention, minimisation, recycling, treatment or disposal
 of wastes.
- Train employees and contractors with regard to environmental obligations.

D2 Training and Induction of Employees

The Contractor has a responsibility to ensure that all those people involved in the project are aware of and familiar with the environmental requirements for the project (this includes sub-contractors, casual labour, etc.). The EMP shall be part of the terms of reference for all contractors, sub-contractors and suppliers.

D3 Complaints Register and Environmental Incident Book

Any complaints received by the project team from the public will be recorded. The complaint should be brought to the attention of the site manager, who will respond.

The following information must be recorded:

- Time, date and nature of the complaint,
- Type of communication (telephone, letter etc).
- Name, contact address and telephone number of the complainant,
- · Response and investigation undertaken and
- Actions taken and by whom.

All complaints received will be investigated and a response give to the complainant within 14 days.

All environmental incidents occurring on the site will be recorded. The following information will be provided:

- Time, date, location and nature of the incident,
- Actions taken and by whom.

D4 Site Cleanliness and Neatness

- Location of a construction camp is to be approved by the Engineer and is to be restored to its previous condition after completion of construction.
- The construction camp should preferably be fenced with a 1.8m bonnox fence or similar approved.
- All materials, equipment, plant and vehicles must be stored within the construction camp.
- A dedicated area must be made available for construction staff to change and store their personal belongings.

D5 Access

- Access to existing roads, schools, buildings, shop and residential properties must not be impeded during construction.
- Access roads utilised by the Contractor must be maintained in good condition.

D6 Borrow Pits

- Mining authorisations (permits) for borrow pits must be obtained from the Department of Minerals and Energy (DME) in consultation with the Department of Water Affairs (DWA).
- Spoil dumps resulting from borrow pits must not interfere with any natural surface drainage.
- Borrow pits must be rehabilitated after use in accordance with the requirements of DME and DWA.

D7 Dust Control / Air Quality

- Dust suppression measures must be implemented during construction by ensuring that all surfaces prone to dust generation are kept damp (e.g. use of water tanker).
- Ensure that vehicles and equipment are in good working conditions and that emissions are not excessive.
- Ensure that vehicles and equipment are in good working conditions and that emissions are not excessive.
- Special care must be taken in areas where the route passes close to schools and residential areas.
- The speed of construction vehicles must be reduced.

D8 Fauna

Contractor staff may not chase, catch or kill animals encountered during construction.

D9 Fire Prevention and Control

- Smoking is prohibited in the vicinity of flammable substances.
- The contractor must ensure that fire-fighting equipment is available on site, particularly where flammable substances are being stored or used, and that construction staff are aware of where it is kept and how it is operated.
- Fires started for comfort (warmth) are prohibited, due to the risk of veld fires and risk to adjacent property owner's lands.

D10 Grave sites

Gravesites in close proximity to the road must not be disturbed during construction.

D11 Materials Handling and Spills Management

- Any hazardous materials to be used during construction (e.g. lime, fuel, paint, etc) are to be stored in a
 designated area at the campsite.
- The storage containers/facilities (including any diesel/petrol tanks) must be placed on an impermeable surface and surrounded by a bund wall, in order to ensure that accidental spillage does not pollute the environment.
- Workers must at all times be made aware of the health and safety risks associated with any hazardous substances used (e.g. smoking near fuel tanks), and must be provided with appropriate protective clothing/equipment in case of spillages or accidents.
- Ensure all staff and contractors undergo relevant training in the maintenance of equipment to prevent the
 accidental discharge or spill of fuel, oil, lubricants and other chemicals.
- Any spill of potentially hazardous materials must be cleaned up immediately (Potentially hazardous materials on site include paint, oil, grease, fuel, turpentine, etc).
- The area of contaminated soil or spill must be deposited into the hazardous waste container(s).
- The contractor should keep Peat Sorb or a similar absorbent on site to clean up any spills.
- The absorbent must be stored in a designated area and be available for inspection.
- All spills are to be recorded in the environmental incident book.

D12 Noise

 Noise generating activities must be restricted to between 07h00 and 17h00 Monday to Friday, unless otherwise approved by the appropriate competent person in consultation with adjacent landowners/affected persons.

- All equipment, vehicles and machinery must be in good working conditions and be equipped with sound mufflers if necessary.
- Construction staff must be trained and made aware of not creating unnecessary noise such as hooting and shouting.

D13 Pollution Control

- Soil and water pollution through usage of fuel, oil, paint, bitumen or other hazardous substances must be avoided.
- All construction vehicles are to be maintained in good working order so as to prevent soil or water pollution from oil, fuel or other leaks, and to reduce noise pollution.

D14 Rivers and Streams

- During construction of bridge structures, there must be no obstruction of the water flow of rivers and streams.
- Excavated material must not be stockpiled on or near riverbanks, in order to prevent sedimentation occurring.
- Erosion control measures must be employed both during and after construction.
- No impediments to natural surface water flow, other than approved erosion control measures, must occur.

D15 Safety

- Safety measures, such as detour signs, must be implemented during construction to ensure the safety of workers, pedestrians and drivers/passengers in vehicles in the vicinity of construction work.
- Special care must be taken in the vicinity of schools to ensure the safety of children wishing to cross the road under construction.
- The relevant signage (e.g. speed control signs) must be erected alongside the road during the operation phase in order to control traffic.
- Accommodation must be made for pedestrian pathways alongside the road during the construction and operation phases.

D16 Soil Management

- Storm water drainage pipes must be installed alongside the road in all areas susceptible to soil erosion.
- Erosion should be minimised by the construction of meadow drains and the planting of indigenous vegetation on the side slopes and drains to reduce flow velocity of stormwater.
- Spoil from cuts may be used in existing erosion galleys.
- Stone pitching and gabions should be constructed at pipe culvert outlets.
- Accidental spills of contaminants onto the ground e.g. oil, concrete, fuel and chemicals should be removed together with the contaminated soil.
- If necessary an absorbent such as Peat Sorb should be used the aid in cleaning up the spill. The contaminated soil should be disposed of in an appropriate container, depending on its classification.
- Servicing and re-fuelling of vehicles must only be carried out at construction camp.

D17 Worker Conduct

Code of Conduct for Construction Personnel:

- Do not leave the construction site untidy and strewn with rubbish which will attract animal pests.
- Do not set fires.
- Do not cause any unnecessary, disturbing noise at the construction camp/site or at any designated worker collection/drop off points.
- Do not drive a construction-related vehicle under the influence of alcohol.
- Do not exceed the national speed limits on public roads or exceed the recommended speed limits on the site.
- Do not drive a vehicle which is generating excessive noise or gaseous pollution (noisy vehicles must be reported and repaired as soon as possible).
- Do not litter along the roadsides, including both the public and private roads.
- Do not pollute any water bodies (whether flowing or not).
- No member of the construction team is allowed to enter the areas outside the construction site.

D18 Traffic Disturbances and Diversions

- Any traffic diversions must be undertaken with the approval of all relevant authorities and in accordance with all relevant legislation.
- Wherever possible, traffic diversion must only take place on existing disturbed areas and remain within the existing road reserve.
- Traffic diversion routes must be rehabilitated after use.

D19 Vegetation

- Only vegetation falling directly on the route must be removed where necessary.
- Alien vegetation within the road reserve must be eradicated, and management measures must be implemented for future control of these species.
- Vegetation that has been removed from large areas (e.g. on traffic diversion routes) during construction must be replaced with indigenous vegetation after construction has been completed.

D20 Waste Management

- All general, non-hazardous waste must be placed in a skip container and disposed of at a registered waste disposal site.
- The container is to ensure that the portable toilet facilities at the campsite are properly maintained and in working order.
- No disposal, or leakage, of sewage must occur on or near the site.
- All hazardous waste (e.g. oil, plant empty lime bags, contaminated wash water, etc) must be stored in leakproof containers and disposed of a registered hazardous waste disposal site.
- The contents of waste storage containers must, under no circumstances, be emptied to the surrounding area. In general, littering, discarding or burying of any materials is not allowed on site or along the route.
- Adequate waste receptacles must be available at strategic points around the construction camp and site for all domestic refuse and to minimise the occurrence of littering.
- Concrete rubble must be collected and disposed of as directed by the Project Manager.
- Each working area must be cleared of litter and building waste (e.g. rubble, wood, concrete packets etc) on completion of the day's work.

Any spill around the container(s) should be treated as per Section D11 and D16.

Contract	Initials:	C	3.3
D 100 0 1		-	

PART E: OHSA 1993 HEALTH AND SAFETY SPECIFICATION

E1 SCOPE

This specification covers the health and safety requirements to be met by the Contractor to ensure a continued safe and healthy environment for all workers, employees and subcontractors under his control and for all other persons entering the site of works.

This specification shall be read with the Occupational Health and Safety Act (Act No 85 and amendment Act No 181) 1993, and the corresponding Construction Regulations 2003, and all other safety codes and specifications referred to in the said Construction Regulations.

In terms of the OHSA Agreement in Section C1.2.4 of the Contract document, the status of the Contractor as mandatory to the Employer (client) is that of an employer in his own right, responsible to comply with all provisions of OHSA 1993 and the Construction Regulations 2003.

This safety specification and the Contractor's own Safety Plan as well as the Construction Regulations 2003, shall be displayed on site or made available for inspection by all workers, employees, inspectors and any other persons entering the site of works.

The following are possible risks associated with this project:

- Working high above ground on top and in a restricted environment with limited landings (working platforms)
- Working in a flood plain environment subject to flooding
- · Lifting and lowering of materials and equipment from the ground and vice versa, exposed to cross winds
- Steep and restricted access
- Potentially dangerous existing services, i.e. gas lines, water and sewerage mains, electrical high voltage cables, on the bridge, buried and overhead
- Deep excavations in soils requiring shoring or reducing of slopes
- Blasting of hard rock or demolition of concrete
- High pressure during testing of the relocated pipe lines, which could result in potentially dangerous situations in the event of the pipeline of fittings failing
- Potentially harmful gasses when tying into the existing sewer mains
- Movement of construction vehicles on site, taking into consideration steep slopes, other traffic and existing services
- Exposure to possible injuries due to mishandling or failure of power and hand tools
- Falling debris, tools and materials from bridge
- Non-conformance to specifications with regards to fasteners and materials
- · Risks related to general safety and security on site

Additional risks may arise from specific methods of construction selected by the Contractor which are not necessary covered in the above.

E2 DEFINITIONS

For the purpose of this contract the following shall apply:

- a) **Employer**" where used in the contract documents and in this specification, means the Employer as defined in the General Conditions of Contract and it shall have the exact same meaning as "client" as defined in the Construction Regulations 2003. "Employer" and "client" is therefore interchangeable and shall be read in the context of the relevant document.
- b) "Contractor" wherever used in the contract documents and in this specification, shall have the same meaning as "Contractor" as defined in the General Conditions of Contract.

In this specification the terms "principal contractor" and "contractor" are replaced with "Contractor" and "subcontractor" respectively.

For the purpose of this contract the **Contractor** will, in terms of OHSA 1993, be the mandatory, without derogating from his status as an employer in his own right.

c) "Engineer" where used in this specification, means the Engineer as defined in the General Conditions of

Contract. In terms of the Construction Regulations the Engineer may act as agent on behalf of the Employer (the client as defined in the Construction Regulations).

E3 BIDS

The Contractor shall submit the following with his Bid:

- a) a documented Health and Safety Plan as stipulated in Regulation 5 of the Construction Regulations. The Safety Plan must be based on the Construction Regulations 2003 and will be subject to approval by the Employer;
- b) a declaration to the effect that he has the competence and necessary resources to carry out the work safely in compliance with the Construction Regulations 2003;
- c) a declaration to the effect that he made provision in his Bid for the cost of the health and safety measures envisaged in the Construction Regulations;
- d) Failure to submit the foregoing with his Bid, will lead to the conclusion that the Contractor will not be able to carry out the work under the contract safely in accordance with the Construction Regulations.

E4 NOTIFICATION OF COMMENCEMENT OF CONSTRUCTION WORK

After award of the contract, but before commencement of construction work, the Contractor shall, in terms of Regulation 3, notify the Provincial Director of the Department of Labour in writing if the following work is involved:

- a) the demolition of structures and dismantling of fixed plant of height of 3,0m or more;
- b) the use of explosives:
- c) construction work that will exceed 30 days or 300 person-days;
- d) excavation work deeper than 1,0m; or
- e) working at a height greater than 3,0m above ground or landings.

The notification must be done in the form of the pro forma included under Section 9 (Forms to be completed by Successful Service Provider) of the Bid document.

A copy of the notification form must be kept on site, available for inspection by inspectors, Employer, Engineer, employees and persons on site.

E5 RISK ASSESSMENT

Before commencement of any construction work during the construction period, the Contractor shall have a risk assessment performed and recorded in writing by a competent person. (Refer Regulation 7 of the Construction Regulations 2003).

The risk assessment shall identify and evaluate the risks and hazards that may be expected during the execution of the work under the contract, and it shall include a documented plan of safe work procedures to mitigate, reduce or control the risks and hazards identified.

The risk assessment shall be available on site for inspection by inspectors, Employer, Engineer, subcontractors, employees, trade unions and health and safety committee members, and must be monitored and reviewed periodically by the Contractor.

APPOINTMENT OF EMPLOYEES AND SUBCONTRACTORS

E5.1 Health and Safety plan

The Contractor shall appoint his employees and any subcontractors to be employed on the contract, in writing, and he shall provide them with a copy of his documented Health and Safety Plan, or relevant sections thereof. The Contractor shall ensure that all subcontractors and employees are committed to the implementation of his Safety Plan.

E5.2 Health and safety induction training

The Contractor shall ensure that all employees under his control, including subcontractors and their employees, undergo a health and safety induction training course by a competent person before commencement of construction work. No visitor or other person shall be allowed or permitted to enter the site of the works unless such person has undergone health and safety training pertaining to hazards prevalent on site.

The Contractor shall ensure that every employee on site shall at all times be in possession of proof of the health and safety induction training issued by a competent person prior to commencement of construction work.

E6 APPOINTMENT OF SAFETY PERSONNEL

E6.1 Construction Supervisor

The Contractor shall appoint a full-time **Construction Supervisor** with the duty of supervising the performance of the construction work.

He may also have to appoint one or more competent employees to assist the construction supervisor where justified by the scope and complexity of the works.

E6.2 Construction safety officer

Taking into consideration the size of the project and the hazards or dangers that can be expected, the Contractor shall appoint in writing a full-time or part-time **Construction Safety Officer** if so decided by the Inspector of the Department of Labour. The Safety Officer shall have the necessary competence and resources to perform his duties diligently.

Provision shall be made by the Contractor in his rates, to cover the cost of this dedicated construction safety officer appointed after award of the contract.

E6.3 Health and safety representatives

In terms of **Section 17 and 18 of the Act (OHSA 1993)** the Contractor, being the employer in terms of the Act for the execution of the contract, shall appoint a **health and safety representative** whenever he has more than 20 employees in his employment on the site of the works. The health and safety representative must be selected from employees who are employed in a full-time capacity at a specific workplace.

The number of health and safety representatives for a workplace shall be at least one for every 100 employees.

The function of health and safety representative(s) will be to review the effectiveness of health and safety measures, to identify potential hazards and major incidents, to examine causes of incidents (in collaboration with his employer, the Contractor), to investigate complaints by employees relating to health and safety at work, to make representations to the employer (Contractor) or inspector on general matters affecting the health and safety of employees, to inspect the workplace, plant, machinery etc. on a regular base, to participate in consultations with inspectors and to attend meetings of the health and safety committee.

E6.4 Health and safety committee

In terms of Sections 17 and 18 of the Act (OHSA 1993) the Contractor (as employer), shall establish one or more health and safety committee(s) where there are two or more health and safety representatives at a workplace. The persons selected by the Contractor to serve on the committee shall be designated in writing.

The function of the health and safety committee shall be to hold meetings at regular internals, but at least once every three months, to review the health and safety measures on the contract, to discuss incidents related to health and safety with the Contractor and the inspector, and to make recommendations regarding health and safety to the Contractor and to keep record of recommendations and reports made by the committee.

E6.5 Competent persons

In accordance with the Construction Regulations the Contractor has to appoint in writing **competent persons** responsible for supervising construction work on each of the following work situations that may be expected on the site of the works.

- a) Risk assessment and induction training as described in Regulation 7 of the Construction Regulations;
- b) Fall protection as described in Regulation 8;
- c) Formwork and support work as described in Regulation 10;
- d) Excavation work as described in Regulation 11;
- e) Demolition work as described in Regulation 12;
- f) Scaffolding work as described in Regulation 14;

- g) Suspended platform operations as described in Regulation 15;
- h) Material hoists as described in Regulation 17;
- i) Batch plant operations as described in Regulation 18;
- j) Explosive powered tools as described in Regulation 19;
- k) Cranes as described in Regulation 20;
- Construction vehicle and mobile plant inspections on a daily basis by a competent person as described in Regulation 21(1);
- m) Control of all temporary electrical installation on the construction site as described in Regulation 22;
- n) Stacking and storage on construction sites as described in Regulation 26; and
- o) Inspections of fire equipment as described in Regulation 27.

A competent person may be appointed for more than one part of the construction work with the understanding that the person must be suitably qualified and able to supervise at the same time the construction work on all the work situations for which he has been appointed.

The appointment of competent persons to supervise parts of the construction work does not relieve the Contractor from any of his responsibilities to comply with **all** requirements of the Construction Regulations.

E7 RECORDS AND REGISTERS

In accordance with the Construction Regulations the Contractor is bound to keep records and registers related to health and safety on site for periodic inspection by inspectors, the Engineer, the Employer, trade union officials and subcontractors and employees. The following records and registers must be kept on site and shall be available for inspection at all times.

- a) A copy of the OHSA 1993 Construction Regulations 2003;
- b) A copy of this Health and Safety Specification;
- c) A copy of the Contractor's Health and Safety Plan (Regulation 4);
- d) A copy of the Notification of Construction Work (Regulation 3);
- e) A health and safety file in terms of Regulation 5(7) with inputs by the Construction Safety Officer (Regulation 6(7));
- f) A copy of the risk assessment described in Regulation 7;
- g) A full protection plan and the corresponding records of evaluation and training of employees working from elevated positions as described in Regulation 8;
- h) Drawings pertaining to the design of structures (Regulation 9(3)) and formwork and support work structures (Regulation 10(d)) must be kept on site;
- i) Pronouncement of the safety of excavations must be recorded in a register to be kept on site (Regulation 11(3)(h));
- A copy of the certificate of the system design for suspended platforms (Regulation 15(3));
- k) A notice must be affixed around the base towers of material hoists to indicate the maximum mass load, which may be carried at any one time by material hoists (Regulation 7(5));
- I) Maintenance records of material hoists and inspection results must be kept in a record book to be kept on site (Regulation 17(8));
- m) A record of any repairs to or maintenance of a batch plant must be kept on site (Regulations 18(9));
- n) A warning notice must be displayed in a conspicuous manner when and wherever an explosive powered tool is used (Regulation 19(2));
- A register for recording of findings by the competent person appointed to inspect construction vehicles and mobile plant (Regulation 21(1)(j)).

E8 CONTRACTORS RESPONSIBILITIES

For this contract the Contractor will be the mandatory of the Employer (Client), as defined in the Act (OHSA 1993), which means that the Contractor has the status of employer in his own right in respect of the contract. The Contractor is therefore responsible for all the duties and obligations of an employer as set out in the Act (OHSA 1993) and the Construction Regulations 2003.

Before commencement of work under the contract, the Contractor shall enter into an agreement with the Employer (Client) to confirm his status as mandatory (employer) for the contract under consideration.

The Contractor's duties and responsibilities are clearly set out in the Construction Regulations 2003, and are not repeated in detail but some important aspects are highlighted hereafter, without relieving the Contractor of any of his duties and responsibilities in terms of the Construction Regulations.

Contract	Initials:	C3.3
Part C3: Scope of Works		Particular Specifications

a) Contractor's position in relation to the Employer (Client) (Regulation 4)

In accordance with Section 4 of the Regulations, the Contractor shall liaise closely with the Employer or the Engineer on behalf of the Employer, to ensure that all requirements of the Act and the Regulations are met and complied with.

b) The Principal Contractor and Contractor (Regulation 5)

The Contractor is in terms of the definition in Regulation 2(b) the equivalent of Principle Contractor as defined in the Construction Regulations, and he shall comply with all the provisions of Regulation 5.

Any subcontractors employed by the Contractor must be appointed in writing, setting out the terms of the appointment in respect of health and safety. An independent subcontractor shall however provide and demonstrate to the Contractor a suitable, acceptable and sufficiently documented health and safety plan before commencement of the subcontract. In the absence of such a health and safety plan the subcontractor shall undertake in writing that he will comply with the Contractor's safety plan, the health and safety specifications of the Employer and the Construction Regulations 2003.

c) Supervision of construction work (Regulation 6)

The Contractor shall appoint the safety and other personnel and employees as required in terms of Regulation 6 and as set out in paragraph 7 above. Appointment of those personnel and employees does not relieve the Contractor from any of the obligations under Regulation 6.

d) Risk assessment (Regulation 7)

The Contractor shall have the risk assessment made as set out in paragraph 7 above before commencement of the work and it must be available on site for inspection at all times. The Contractor shall consult with the health and safety committee or health and safety representative(s) etc. on a regular basis to ensure that all employees, including subcontractors under his control, are informed and trained by a competent person regarding health hazards and related work procedures.

No subcontractor, employee or visitor shall be allowed to enter the site of works without prior health and safety induction training, all as specified in Regulation 7.

e) Fall protection (Regulation 8)

Fall protection, if applicable to this contract shall comply in all respects with Regulation 8 of the Construction Regulations.

f) Structures (Regulation 9)

The Contractor will be liable for all claims arising from collapse or failure of structures if he failed to comply with all the specifications, project specifications and drawings related to the structures, unless it can be proved that such collapse or failure can be attributed to faulty design or insufficient design standards on which the specifications and the drawings are based.

In addition the Contractor shall comply with all aspects of Regulation 9 of the Construction Regulations.

g) Formwork and support work (Regulation 10)

The Contractor will be responsible for the adequate design of all formwork and support structures by a competent person.

All drawings pertaining to formwork shall be kept on site and all equipment and materials used in formwork, shall be carefully examined and checked for suitability by a competent person.

The provisions of Regulation 10 of the Construction Regulations shall be followed in every detail.

h) Excavation work (Regulation 11)

It is essential that the Contractor shall follow the instructions and precautions in the Standard Specifications

Contract	Initials:	C3.3
Part C3: Scope of Works		Particular Specifications

and Project Specifications as well as the provisions of the Construction Regulations to the letter as unsafe excavations can be a major hazard on any construction site. The Contractor shall therefore ensure that all excavation work is carried out under the supervision of a competent person, that inspections are carried out by a Professional Engineer or Technologist, and that all work is done in such a manner that no hazards are created by unsafe excavations and working conditions.

Supervision by a competent person will not relieve the Contractor from any of his duties and responsibilities under Regulation 11 of the Construction Regulations.

i) Demolition work (Regulation 12)

Whenever demolition work is included in a contract, the Contractor shall comply with all the requirements of Regulation 12 of the Construction Regulations. The fact that a competent person has to be appointed by the Contractor does not relieve the Contractor from any of his responsibilities in respect of safety of demolition work.

j) <u>Tunnelling</u> (Regulation 13)

The Contractor shall comply with Regulation 13 wherever tunnelling of any kind is involved.

k) Scaffolding (Regulation 14)

The Contractor shall ensure that all the provisions of Regulation 14 of the Construction Regulations are complied with. [Note: Reference in the Regulations to "Section 44 of the Act" should read "Section 43 of the Act"].

I) Suspended platforms (Regulation 15)

Wherever suspended platforms will be necessary on any contract, the Contractor shall ensure that copies of the system design issued by a Professional Engineer are submitted to the Engineer for inspection and approval. The Contractor shall appoint competent persons as supervisors and competent scaffold erectors, operators and inspectors and ensure that all work related to suspended platforms are done in accordance with Regulation 15 of the Construction Regulations.

m) Boatswain's chains (Regulation 16)

Where boatswain's chains are required on the construction site, the Contractor shall comply with Regulation 16.

n) Material Hoists (Regulation 17)

Wherever applicable, the Contractor shall comply with the provisions of Regulation 17 to the letter.

o) Batch plants (Regulation 18)

Wherever applicable, the Contractor shall ensure that all lifting machines, lifting tackle, conveyors, etc. used in the operation of a batch plant shall comply with, and that all operators, supervisors and employees are strictly held to the provisions of Regulation 18. The Contractor shall ensure that the General Safety Regulations (Government Notice R1031 of 30 May 1986), the Driven Machinery Regulations (Government Notice R295 of 26/2/1988) and the Electrical Installation Regulations (Government Notice R2271 of 11/10/1995) are adhered to by all involved.

In terms of the Regulations, records of repairs and maintenance shall be kept on site.

p) Explosive powered tools (Regulation 19)

The Contractor shall ensure that, wherever explosive-powered tools are required to be used, all safety provisions of Regulation 19 are complied with.

It is especially important that warning notices are displayed and that the issue and return of cartridges and spent cartridges be recorded in a register to be kept on site.

q) Cranes (Regulation 20)

Contract	Initials:	C3.3
Part C3: Scope of Works		Particular Specifications

Wherever the use of tower cranes becomes necessary, the provisions of Regulation 20 shall be complied with.

Construction vehicles And mobile plant (Regulation 21

The Contractor shall ensure that all construction vehicles and plant are in good working condition and safe for use, and that they are used in accordance with their design and intended use. The vehicles and plant shall only be operated by workers or operators who have received appropriate training, all in accordance with all the requirements of Regulation 21.

All vehicles and plant must be inspected on a daily basis, prior to use, by a competent person and the findings must be recorded in a register to be kept on site.

s) <u>Electrical installation and machinery on construction sites</u> (Regulation 22)

The Contractor shall comply with the Electrical Installation Regulations (Government Notice R2920 of 23 October 1992) and the Electrical Machinery Regulations (Government Notice R1953 of 12 August 1993). Before commencement of construction, the Contractor shall take adequate steps to ascertain the presence of, and guard against dangers and hazards due to electrical cables and apparatus under, over or on the site.

All temporary electrical installations on the site shall be under the control of a competent person, without relieving the Contractor of his responsibility for the health and safety of all workers and persons on site in terms of Regulation 22.

Use of temporary storage of flammable liquids on construction sites (Regulation 23)

The Contractor shall comply with the provisions of the General Safety Regulations (Government Notice R1031 of 30 May 1986) and all the provisions of Regulation 23 of the Construction Regulations to ensure a safe and hazard-free environment to all workers and other persons on site.

u) Water environments (Regulation 24)

Where construction work is done over or in close proximity to water, the provisions of Regulation 24 shall apply.

v) Housekeeping on Construction sites (Regulation 25)

Housekeeping on all construction sites shall be in accordance with the provisions of the environment Regulations for workplaces (Government Notice R2281 of 16 October 1987) and all the provisions of Regulation 25 of the Construction Regulations.

w) Stacking and storage on construction sites (Regulation 26)

The provisions for the stacking of articles contained in the General Safety Regulations (Government Notice R1031 of 30 May 1986) as well as all the provisions Regulation 26 of the Construction Regulations shall apply.

Fire precautions on construction sites (Regulation 27)

The provisions of the Environmental Regulations for Workplaces (Government Notice R2281 of 16 October 1987) shall apply.

In addition, the necessary precautions shall be taken to prevent the incidence of fires, to provide adequate and sufficient fire protection equipment, sirens, escape routes etc. all in accordance with Regulation 27 of the Construction Regulations.

y) Construction welfare facilities (Regulation 28)

The Contractor shall comply with the construction site provisions as in the Facilities Regulations (Government Notice R1593 of 12 August 1988) and the provisions of Regulation 28 of the Construction Regulations.

Contract Initials: _ C3.3 Part C3: Scope of Works

z) Non-compliance with the Construction Regulations 2003

The foregoing is a summary of parts of the Construction Regulations applicable to all construction projects.

The Contractor, as employer for the execution of the contract, shall ensure that all provisions of the Construction Regulations applicable to the contract under consideration are complied with to the letter.

Should the Contractor fail to comply with the provisions of the Regulations 3 to 28 as listed in Regulation 30, he will be guilty of an offence and will be liable, upon conviction, to the fines or imprisonment as set out in Regulation 30.

The Contractor is advised in his own interest to make a careful study of the Act and the Construction Regulations as ignorance of the Act and the Regulations will not be accepted in any proceedings related to non-conformance to the Act and the Regulations.

E9 MEASUREMENT AND PAYMENT

F9.1 Principles

It is a condition of this contract that Contractors, who submit Bids for this contract, shall make provision in their Bids for the cost of all health and safety measures during the construction process. All associated activities and expenditure are deemed to be included in the Contractor's Bided rates and prices.

a) Safety personnel

The Construction Supervisor, the Construction Safety Officer, Health and Safety Representatives, Health and Safety Committee and Competent Persons referred to in clauses 7.1 to 7.5 shall be members of the Contractor's personnel, and no additional payment will be made for the appointment of such safety personnel.

b) Records and Registers

The keeping of health and safety-related records and registers as described in 8 is regarded as a normal duty of the Contractor for which no additional payment will be considered, and which is deemed to be included in the Contractor's Bided rates and prices.

Contract Initials: C3.3

Part C3: Scope of Works

SCHEDULE OF RATES FOR GENERAL MAINTENANCE WORK FOR MPUMALANGA PROVINCIAL GOVERNMENT DARDLEA

BILL NO 1	Item No	i	Quantity	Rate	Amount
BILL NO 1	No				П
		BILL NO 1	ı	ı	ı
		BILL NO I			
		·			

DARDLEA

1	1		1	
ltem No		Quantity	Rate	Amount
	BILL 1			
	<u>ALTERATIONS</u>			
	DEMOLITIONS ETC			
	Breaking up and removing			
1	200mm Thick concrete surface beds, paving, etc m ²	1		
ı	· ·	ı	ı	

2	200mm Thick mesh reinforced concrete surface beds, paving, etc	m²	1	
3	Brick paving with mortar joints	m²	1	
4	Concrete kerbs	m	1	
5	Brick kerbs with mortar joints	m	1	
	Taking down and removing			
6	Diamond mesh fence 2.5m high with steel posts and droppers	m	1	
7	Half brick boundary or yard wall 2.5m high	m	1	
	Demolishing and removing			
8	Single storey building with pitched roof 10 x 10m on plan and 1.5m high at eaves comprising concrete surface bed, 220mm external walls, 220mm internal walls and steel roof covering on timber trusses	No	1	
	REMOVAL OF EXISTING WORK			
	Breaking up and removing mass concrete			
9	Steps	m³	1	
10	100mm Thick surface bed	m²	1	
	Breaking up and removing reinforced concrete including cutting off and removing reinforcement			
11	Stairs and landings	m³	1	
12	Beams	m³	1	
13	Columns	m³	1	
14	200mm Thick slabs	m²	1	
	Breaking down and removing brickwork etc			
15	Mass Brickwork	m³	1	
16	Half brick wall	m ²	1	
	Carried to Collection			R

17	One brick wall	m ²	1	
	Taking out and removing doors, windows, etc from brickwork to be demolished			
18	Timber single door and frame not exceeding 2,5m ²	No	1	
19	Timber single door and frame 813 x 2032mm high	No	1	
20	Timber double door and frame exceeding 2.5m ² and not exceeding 3.5m ²	No	1	
21	Timber double door and frame 1626 x 2032mm high	No	1	
22	Timber single door and steel frame not exceeding 2,5m ²	No	1	
	Taking out and removing doors, windows, etc including thresholds, sills, etc (building up openings elsewhere)			
23	Timber single door and frame not exceeding 2,5m ²	No	1	
24	Timber single door and frame 813 x 2032mm high	No	1	
25	Timber double door and frame exceeding 2.5m ² and not exceeding 3.5m ²	No	1	
26	Timber double door and frame 1626 x 2032mm high	No	1	
27	Timber single door and steel frame not exceeding 2,5m ²	No	1	
	Taking out doors, windows, etc including thresholds, sills, etc and handing to employer (building up openings elsewhere)			
28	Timber single door and frame not exceeding 2,5 m ²	No	1	
29	Timber single door and frame 813 x 2032mm high	No	1	
30	Timber double door and frame exceeding 2.5 \mbox{m}^2 and not exceeding 3.5 \mbox{m}^2	No	1	
31	Timber double door and frame 1626 x 2032mm high	No	1	
	Carried to Collection			R
	Section No. 2 BUILDING WORKS Bill No. 1			
	ALTERATIONS			

Taking out doors, windows, etc including thresholds, sills, etc and setting aside for re-use (refixing and building up openings elsewhere) Timber single door and frame not exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Timber single door and frame exceeding 2.5 m² No 1 Timber single door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Timber single door and steel frame not exceeding No 1 Timber single door and frame frame frame not exceeding No 1 Timber single door and frame exceeding 2.5 m² No 1 Timber single door and frame frame not exceeding No 1 Timber single door and frame frame not exceeding No 1 Timber single door and frame 813 x 2032mm high No 1 Timber single door and frame 813 x 2032mm high No 1 Timber single door and frame 813 x 2032mm high No 1 Timber single door and frame 813 x 2032mm high No 1 Timber single door and frame 813 x 2032mm high No 1 Timber single door and frame 813 x 2032mm high No 1 Timber single door and frame 813 x 2032mm high No 1 Timber single door and frame 813 x 2032mm high No 1 Timber single door and frame 813 x 2032mm high No 1 Timber single door and frame 813 x 2032mm high No 1 Timber single door and frame 813 x 2032mm high No 1 Timber single door and frame 813 x 2032mm high No 1 Timber					
thresholds, sills, etc and setting aside for re-use (refixing and building up openings elsewhere) Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good paintwork elsewhere) Timber single door and frame not exceeding 2,5 m² No 1 Timber double door and frame 813 x 2032mm high No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber single door and frame 1626 x 2032mm high No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Timber single door and steel frame not exceeding No 1 Timber single door and steel frame not exceeding No 1 Timber single door and steel frame not exceeding No 1 Timber single door and frame 813 x 2032mm high No 1 Timber single door and frame sexpeeding 2.5 m² No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side Imaking good paintwork elsewhere) Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame not exceeding 2,5 m² No 1	32		No	1	
Timber single door and frame 813 x 2032mm high Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame 1626 x 2032mm high No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good gement plaster on both sides (making good paintwork elsewhere) Timber single door and frame not exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame 1626 x 2032mm high No 1 Timber double door and frame 1626 x 2032mm No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Timber single door and frame 1626 x 2032mm No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side (making good paintwork elsewhere) Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame 813 x 2032mm high No 1		thresholds, sills, etc and setting aside for re-use			
Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame 1626 x 2032mm high No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good cement plaster on both sides (making good paintwork elsewhere) Timber single door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame 1626 x 2032mm high No 1 Timber double door and frame 1626 x 2032mm No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Timber single door and steel frame not exceeding No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side (making good paintwork elsewhere) Timber single door and frame 813 x 2032mm high No 1 Carried to Collection R	33	Timber single door and frame not exceeding 2,5 m ²	No	1	·
and not exceeding 3.5 m² No 1 Timber double door and frame 1626 x 2032mm No 1 Timber single door and steel frame not exceeding 2,5 m² No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good cement plaster on both sides (making good paintwork elsewhere) Timber single door and frame exceeding 2,5 m² No 1 Timber single door and frame exceeding 2.5 m² No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame 1626 x 2032mm high No 1 Timber double door and frame 1626 x 2032mm No 1 Timber single door and steel frame not exceeding 2,5 m² No 1 Timber single door and steel frame not exceeding 2,5 m² No 1 Timber single door and steel frame not exceeding 2,5 m² No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side (making good paintwork elsewhere) Timber single door and frame 813 x 2032mm high No 1 Carried to Collection R Section No. 2 BUILDING WORKS	34	Timber single door and frame 813 x 2032mm high	No	1	
high Timber single door and steel frame not exceeding 2,5 m² Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good cement plaster on both sides (making good paintwork elsewhere) 38 Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame 813 x 2032mm high No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame 1626 x 2032mm high No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Timber single door and steel frame not exceeding 2.5 m² No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side (making good paintwork elsewhere) Timber single door and frame 813 x 2032mm high No 1 Carried to Collection R Section No. 2 BUILDING WORKS	35		No	1	
Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good cement plaster on both sides (making good paintwork elsewhere) 38 Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame 813 x 2032mm high No 1 40 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame 1626 x 2032mm No 1 41 Timber double door and frame 1626 x 2032mm No 1 42 Timber single door and steel frame not exceeding 2,5 m² No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side (making good paintwork elsewhere) 43 Timber single door and frame not exceeding 2,5 m² No 1 44 Timber single door and frame not exceeding 2,5 m² No 1 5 Timber single door and frame not exceeding 2,5 m² No 1 44 Timber single door and frame 813 x 2032mm high No 1	36		No	1	
including thresholds, sills, etc and building up openings in brick walls including making good cement plaster on both sides (making good paintwork elsewhere) Timber single door and frame not exceeding 2,5 m² No 1 Timber double door and frame 813 x 2032mm high No 1 Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame 1626 x 2032mm No 1 Timber double door and frame 1626 x 2032mm No 1 Timber single door and steel frame not exceeding 2,5 m² No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side (making good paintwork elsewhere) Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame 813 x 2032mm high No 1 Carried to Collection R Section No. 2 BUILDING WORKS	37	•	No	1	
Timber single door and frame 813 x 2032mm high Timber double door and frame exceeding 2.5 m² and not exceeding 3.5 m² Timber double door and frame 1626 x 2032mm high Timber single door and steel frame not exceeding 2.5 m² No Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side (making good paintwork elsewhere) Timber single door and frame not exceeding 2,5 m² No Timber single door and frame not exceeding 2,5 m² No Timber single door and frame No Carried to Collection R Section No. 2 BUILDING WORKS		including thresholds, sills, etc and building up openings in brick walls including making good cement plaster on both sides (making good			
Timber double door and frame exceeding 2.5 m² No 1 Timber double door and frame 1626 x 2032mm No 1 Timber double door and frame 1626 x 2032mm No 1 Timber single door and steel frame not exceeding 2,5 m² No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side (making good paintwork elsewhere) Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame 813 x 2032mm high No 1 Carried to Collection R Section No. 2 BUILDING WORKS	38	Timber single door and frame not exceeding 2,5 m ²	No	1	
and not exceeding 3.5 m² Timber double door and frame 1626 x 2032mm high Timber single door and steel frame not exceeding 2,5 m² No Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side (making good paintwork elsewhere) Timber single door and frame not exceeding 2,5 m² No Timber single door and frame 813 x 2032mm high Carried to Collection R Section No. 2 BUILDING WORKS	39	Timber single door and frame 813 x 2032mm high	No	1	
high Timber single door and steel frame not exceeding 2,5 m² No 1 Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side (making good paintwork elsewhere) Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame 813 x 2032mm high No 1 Carried to Collection R Section No. 2 BUILDING WORKS	40		No	1	
Taking out and removing doors, windows, etc including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side (making good paintwork elsewhere) Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame 813 x 2032mm high No 1 Carried to Collection R Section No. 2 BUILDING WORKS	41		No	1	
including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other side (making good paintwork elsewhere) Timber single door and frame not exceeding 2,5 m² No 1 Timber single door and frame 813 x 2032mm high No 1 Carried to Collection R Section No. 2 BUILDING WORKS	42	•	No	1	
Timber single door and frame 813 x 2032mm high Carried to Collection R Section No. 2 BUILDING WORKS		including thresholds, sills, etc and building up openings in brick walls including making good face brickwork on one side and cement plaster on other			
Carried to Collection R Section No. 2 BUILDING WORKS	43	Timber single door and frame not exceeding 2,5 m ²	No	1	
Section No. 2 BUILDING WORKS	44	Timber single door and frame 813 x 2032mm high	No	1	
Section No. 2 BUILDING WORKS					
BUILDING WORKS		Carried to Collection			R
		BUILDING WORKS			

45	Timber double door and frame exceeding 2.5 \mbox{m}^2 and not exceeding 3.5 \mbox{m}^2	No	1	
46	Timber double door and frame 1626 x 2032mm high	No	1	
47	Timber single door and steel frame not exceeding 2,5 \mbox{m}^2	No	1	
	Refixing of existing doors, windows, etc (removal and setting aside elsewhere)			
48	Setting up and building in timber door frame in brickwork, rehanging single door on new 100mm brass hinges and replacing lock with mortice lock (mortice lock elsewhere measured)	No	1	
49	Setting up steel window 1000 x 1000mm high in			
	brickwork and replacing any broken glass panes with 3mm clear float glass	No	1	
	Taking out/off and removing sundry metalwork			
50	Steel pipe handrail from walls including making good plaster finish	m	1	
51	Steel balustrade 900mm high from concrete stairs including making good granolithic/tile finish	m	1	
52	Cut and remove rusted / damaged sections of balustrade not exceeding 3mm in thickness (between 0,1 to 0.5m in length) and replace with new, welded or bolted as the case may be prepare and paint to match existing	No	1	
53	Cut and remove rusted / damaged sections of balustrade not exceeding 3mm in thickness (between 0,5 to 1,0m in length) and replace with new, welded or bolted as the case may be prepare and paint to match existing	No	1	
54	Cut and remove rusted / damaged sections of balustrade exceeding 3mm but not exceeding 6mm in thickness (between 0,1 to 0.5m in length) and replace with new, welded or bolted as the case may be prepare and paint to match existing	No	1	
	Taking out and removing sundry joinery work			
55	Timber cornices from brickwork	m	1	
		1	I	

56	Timber skirtings from brickwork	m	1	
57	Timber sills from brickwork	m	1	
	Taking out and removing joinery fittings etc			
58	Timber wall cupboard 1000 x 1000 x 1000mm high	No	1	
59	Timber floor cupboard 1000 x 1000 x 1000mm high	No	1	
60	Timber sink cupboard 1000 x 1000 x 1000mm high			
	including disconnecting waste pipe (new trap and connecting to new waste pipe elsewhere)	No	1	
61	Timber counter 1000 x 1000 x 1000mm high	No	1	
	Taking up and removing vinyl floor coverings, carpeting, etc			
62	Vinyl tile floor covering including preparing screed for new floor covering	m²	1	
	Taking out and removing ironmongery			
	Carefully take out and remove from site the following including making good all works disturbed			
63	Existing door hinges	No	1	
64	Existing single action floor spring hinges	No	1	
65	Existing double action floor spring hinges	No	1	
66	Existing barrel bolt with keep fixed to metal/concrete	No	1	
67	Existing flush bolt with keep fixed to metal/concrete	No	1	
68	Existing WC indicator bolt with keep fixed to metal/concrete	No	1	
69	Existing panic bolt for single door with one keep let into concrete	No	1	
70	Existing panic bolt for double door with one keep let into concrete	No	1	
	Carried to Collection			R

	Carefully take out and remove from site the following including making good all works disturbed				
71	Existig ball catch	No	1		
72	Existing Single roller catch	No	1		
73	Existing Double roller catch	No	1		
74	Existing Fanlight catch	No	1		
75	Existing Fanlight stay	No	1		
76	Existing Fanlight friction sliding arm	No	1		
77	Existing Fanlight opener with cord and cleat	No	1		
78	Existing cabin hook and eye	No	1		
	Carefully take out and remove from site the following including making good all works disturbed				
79	Existing Padlock	No	1		
80	Existing night latch	No	1		
81	Existing bathroom lockset	No	1		
82	Existing bathroom lockset with striking plate fixed to metal/timber	No	1		
83	Existing three lever deadlock	No	1		i i
84	Existing three lever rebated deadlock	No	1		
85	Existing four lever deadlock	No	1		
86	Existing four lever rebated deadlock	No	1		
87	Existing two lever lockset	No	1		
88	Existing two lever lockset with striking plate fixed to metal/timber	No	1		
89	Existing two lever rebated lockset	No	1		
90	Existing three lever lockset	No	1		
	Carried to Collection			R	
	Section No. 2 BUILDING WORKS Bill No. 1 ALTERATIONS				

91	Existing three lever lockset with striking plate fixed to metal/timber	No	1		
92	Existing three lever rebated lockset	No	1		
93	Existing four lever lockset	No	1		
94	Existing four lever lockset with striking plate fixed to metal/timber	No	1		
95	Existing four lever rebated lockset	No	1		
96	Existing three lever sliding door lock	No	1		
97	Existing four lever sliding door lock	No	1		
98	Existing single cylinder deadlock	No	1		
99	Existing single cylinder rebated deadlock	No	1		
100	Existing double cylinder deadlock	No	1		
101	Existing double cylinder rebated deadlock	No	1		
102	Existing single cylinder lockset	No	1		
103	Existing single cylinder lockset with striking plate fixed to metal/timber	No	1		
104	Existing single cylinder rebated lockset	No	1		
105	Existing double cylinder lockset	No	1		
106	Existing double cylinder lockset with striking plate fixed to metal/timber	No	1		
107	Existing double cylinder rebated lockset	No	1		
108	Existing single cylinder sliding door lock	No	1		
109	Existing double cylinder sliding door lock	No	1		
	Carefully take out and remove from site the following including making good all works disturbed				
110	Existing flush handle	No	1		
111	Existing knob	No	1		
	Carried to Collection			R	
	Section No. 2 BUILDING WORKS				
	Bill No. 1				
	ALTERATIONS				

112	Existing pull handle	No	1	
113	Existing Set of two pull handles fixed back to back	No	1	
	Carefully take out and remove from site the following including making good all works disturbed			
114	Existing aluminium plates not exceeding 0,1m ²	No	1	
115	Existing aluminium plates exceeding 0,1 m ² but not exceeding 0,3 m ²	No	1	
116	Existing aluminium plates exceeding 0,3 m ² but not exceeding 0,5 m ²	No	1	
	Carefully take out and remove from site the following including making good all works disturbed			
117	Existing door closer	No	1	
118	Existing door closer with bracket	No	1	
119	Existing concealed door closer	No	1	
120	Existing concealed door closer with bracket	No	1	
	Carefully take out and remove from site the following including making good all works disturbed			
121	Existing Brass or plastic letters/numerals	No	1	
122	Existing perspex plate with engraved and painted letters/numerals/sysmbols not exceeding 0,1 m ²	No	1	
123	Existing aluminium plate with engraved or painted letters/numerals/symbols exceeding 0,1 m ²	No	1	
	Carefully take out and remove from site the following including making good all works disturbed			
124	Existing plugged pressed steel pelmet with single			
	or double curtain tracks including gliders, hangers and brackets	m	1	
125	Existing plastic soffit fixing single or double curtain tracks including gliders, hangers and brackets	m	1	
126	Existing face fixing plastic single or double curtain			
	tracks including gliders, hangers and brackets and make good all works disturbed	m	1	

	1			
127	Existing hospital cubicle curtain track including gliders, hangers, and brackets	m	1	
	Carefully take out and remove from site the following including making good all works disturbed			
128	Existing chromium plated curtain or hanging rail not exceeding 1,0m long	No	1	
129	Existing chromium plated curtain or hanging rail exceeding 1,0m but not exceeding 2,0m long	No	1	
130	Existing chromium plated towel rail not exceeding 1,0m long	No	1	
131	Existing toilet roll holder	No	1	
132	Existing Lockable toilet roll holder plugged	No	1	
133	Existing soap holder	No	1	
134	Existing back grab rail not exceeding 1,0m long	No	1	
135	Existing side grab rail not exceeding 1,0m girth	No	1	
136	Existing bathroom cabinet	No	1	
137	Existing soap dispenser	No	1	
138	Existing electric hand-drier	No	1	
	Carefully take out and remove from site the following including making good all works disturbed			
139	Existing rubber door stop	No	1	
	Taking out/off and removing sundry metalwork			
140	Steel pipe handrail from walls including making good plaster finish	m	1	
141	Steel balustrade 900mm high from concrete stairs including making good granolithic finish to kerb	m	1	
142	Steel wire mesh burglar proofing with framing 1000			
	x 1000mm high bolted to brickwork and making good face brickwork	No	1	-
	Carried to Collection			R

	Hacking up/off and removing granolithic, screeds,			
	plaster, etc from concrete or brickwork and preparing surfaces for new screeds, plaster, etc			
143	30mm Granolithic from floors	m ²	1	
144	30mm Granolithic from treads and risers of stairs	m²	1	
145	Granolithic skirting 15mm high	m	1	
146	25mm Screed from floors	m²	1	
147	Internal plaster from walls and columns	m²	1	
148	Internal plaster from ceilings and beams	m²	1	
149	External plaster from walls, columns and beams	m²	1	
	Hacking up/off and removing ceramic tile floor and wall finishes including removing mortar bed or backing and preparing concrete or brick surfaces for new screed, plaster or tile finishes			
150	Tiles to floors	m²	1	
151	Tiles to walls	m²	1	
152	Tile skirting 20mm high	m	1	
	Taking out and removing piping, sanitary fittings, etc including disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)			
153	Stainless steel wash hand basin	No	1	
154	Stainless steel sink and drainer	No	1	
155	Wash hand basin	No	1	
156	Wash hand basin on pedestal.	No	1	
157	Pedestal only	No	1	
158	WC pan only	No	1	
159	WC pan with cistern	No	1	
160	WC pan with flush valve	No	1	
	Carried to Collection			R
	Section No. 2 BUILDING WORKS Bill No. 1 ALTERATIONS			

161	Cistern and internal flushing mechanism	No	1	
162	Cistern only	No	1	
163	Cistern internal flushing mechanism only	No	1	
164	WC seat and cover	No	1	
165	WC pan connector	No	1	
166	Wall hung urinal with flush valve	No	1	
167	Wall hung urinal only	No	1	
168	Urinal flush valve	No	1	
169	Taking out and removing glass and mirrors Carefully remove cracked or broken glazing in panes not exceeding 0,1 m² in existing metal windows and doors including scraping out putty on reveals and prepare windows and or doors to receive new glazing (New glazing elsewhere measured)	No	1	
170	Carefully remove cracked or broken glazing in panes exceeding 0,1 m² and not exceeding 0,5 m² in existing metal windows and doors including scraping out putty on reveals and prepare windows and or doors to receive new glazing (New glazing elsewhere measured)	No	1	
171	Carefully remove cracked or broken glazing in panes exceeding 0,5m2 and not exceeding 2 m² in existing metal windows and doors including scraping out putty on reveals and prepare windows and or doors to receive new glazing (New glazing elsewhere measured)	No	1	
172	Carefully remove cracked or broken glazing in panes exceeding 2 m² and not exceeding 4 m² in existing metal windows and doors including scraping out putty on reveals and prepare windows and or doors to receive new glazing (New glazing elsewhere measured)	No	1	
	Carried to Collection			R

173	Carefully remove cracked or broken glazing in panes not exceeding 0,1 m ² in existing metal windows and doors including removal of steel beads and prepare windows and doors to receive new glazing (New glazing elsewhere measured)	No	1	
174	Carefully remove cracked or broken glazing in panes exceeding 0,1 m² and not exceeding 0,5 m² in existing metal windows and doors including removal of steel beads and prepare windows and doors to receive new glazing (New glazing elsewhere measured)	No	1	·
175	Carefully remove cracked or broken glazing in panes exceeding 0,5 m² and not exceeding 2 m² in existing metal windows and doors including removal of steel beads and prepare windows and doors to receive new glazing (New glazing elsewhere measured)	No	1	
176	Carefully remove cracked or broken glazing in panes exceeding 2 m ² and not exceeding 4 m ² in existing metal windows and doors including removal of steel beads and prepare windows and doors to receive new glazing (New glazing elsewhere measured)	No	1	
177	Carefully remove cracked or broken glazing in panes not exceeding 0,1 m ² in existing timber windows and doors including removal of timber beads and prepare windows and doors to receive new glazing (New glazing elsewhere measured)	No	1	
178	Carefully remove cracked or broken glazing in panes exceeding 0,1 m² and not exceeding 0,5 m² in existing timber windows and doors including removal of timber beads and prepare windows and doors to receive new glazing (New glazing elsewhere measured)	No	1	
179	Carefully remove cracked or broken glazing in panes exceeding 0,5 m² and not exceeding 2 m² in existing timber windows and doors including removal of timber beads and prepare windows and doors to receive new glazing (New glazing elsewhere measured)	No	1	

Section No. 2 BUILDING WORKS Bill No. 1 ALTERATIONS

-2/15-

180 Carefully remove cracked or broken glazing in			I		
panes exceeding 2 m ² and not exceeding 4 m ² in existing timber windows and doors including removal of timber beads and prepare windows and doors to receive new glazing (New glazing elsewhere measured)	No	1			
Carefully remove cracked or broken mirrors not exceeding 0,5 m² including making good painted or tiled backing and prepare surface to receive new mirrors (New mirrors elsewhere measured)	No	1			
Carefully remove cracked or broken mirrors exceeding 0,5 m² and not exceeding 1,0 m² including making good painted or tiled backing and prepare surface to receive new mirrors (New mirrors elsewhere measured)	No	1			
Carefully remove cracked or broken mirrors exceeding 1 m² and not exceeding 2 m² including making good painted or tiled backing and prepare surface to receive new mirrors (New mirrors elsewhere measured)	No	1			
Carefully remove cracked or broken mirrors exceeding 2 m² and not exceeding 4 m² including making good painted or tiled backing and prepare surface to receive new mirrors (New mirrors elsewhere measured)	No	1			
Taking down and removing roofs, e.t.c					
Carefully remove and dispose by specialist existing Corrugated Asbestors Cement roof covering	m²	1			
Carefully take out and remove damaged existing corrugated / concrete tiles / IBR roofing sheet	m²	1			
Carefully take out and remove damaged existing timber roof trusses and make good brickwork to receive new roof trusses (New roof trusses elsewhere measured)	m²	1			
188 Carefully take out and remove existing corrugated					
roofing sheet and make good trusses to receive new roof covering	m²	1			•
189 Carefully take out and remove existing concrete					
roof tiles and make good trusses to receive new			r	О	of

190	Carefully take out and remove existing IBR roofing			
	sheet and make good trusses to receive new roof covering	m²	1	
191	Inspect Concrete tiled roof not exceeding 50 m ² for			
	cracks, leaks and damages and mark up for repairs (Repairs elsewhere measured)	m²	1	
192	Inspect Concrete tiled roof exceeding 50 m ² but not exceeding 100m2 for cracks, leaks and damages and mark up for repairs (Repairs elsewhere measured)	m²	1	
193	Inspect Concrete tiled roof exceeding 100 m ² for			
	cracks, leaks and damages and mark up for repairs (Repairs elsewhere measured)	m²	1	
194	Remove broken or damaged concrete roof tiles and			
	replace with matching profile, make water tight and paint to match existing colour	m2	1	
195	Remove broken or damaged concrete ridge tiles			
	and replace with matching profile, make water tight and paint to match existing colour	m	1	
196	Remove broken or damaged concrete verge tiles			
	and replace with matching profile, make water tight and paint to match existing colour	m	1	
197	Remove broken or damaged concrete fascia tiles			
	and replace with matching profile, make water tight and paint to match existing colour	m	1	
198	Inspect Corrugated roofing sheets not exceeding			
	50 m ² for cracks, leaks and damages and mark up			
	for repairs (Repairs elsewhere measured)	m ²	1	
199	Inspect Corrugated roofing sheets exceeding 50 m ² but not exceeding 100 m ² area for cracks, leaks and damages and mark up for repairs (Repairs elsewhere measured)	m²	1	

200	Inspect Corrugated roofing sheets exceeding		
	100 m² for cracks, leaks and damages and mark up for repairs (Repairs elsewhere measured)	m²	1
201	Repair leaks and make water-tight Corrugated roofing sheets and paint to match existing colour	m²	1

Carried to Collection

R

Section No. 2 BUILDING WORKS Bill No. 1 ALTERATIONS

202	Cut out and remove broken or damaged corrugated			
	roofing sheets and replace with matching profile, make water tight and paint to match existing colour	m²	1	
203	Inspect IBR roofing sheets not exceeding 50m ² for			
	cracks, leaks and damages and mark up for repairs (Repairs elsewhere measured)	m²	1	
204	Inspect IBR roofing sheets exceeding 50 m ² but not exceeding 100m2 for cracks, leaks and damages and mark up for repairs (Repairs elsewhere measured)	m²	1	
205	Inspect IBR roofing sheets exceeding 100m² for			
	cracks, leaks and damages and mark up for repairs (Repairs elsewhere measured)	m²	1	
206	Repair leaks and make water-tight IBR roofing sheets and paint to match existing colour	m²	1	
207	Cut out and remove broken or damaged IBR			
	roofing sheets and replace with matching profile, make water tight and paint to match existing colour.	m²	1	
208	Strip off existing roof covering, cut into and replace damaged sections of 38 x 38mm sawn timber brandering/purlins including firmly securing to existing truss with fastners/hurricane clips/bolts and replace roof covering	m	1	
209	Strip off existing roof covering, cut into and replace damaged sections of 38 x 52mm sawn timber purlins/trusses including firmly securing to existing truss with fastners/hurricane clips/bolts and replace roof covering	m	1	
210	Strip off existing roof covering, cut into and replace damaged sections of 38 x 114mm sawn timber trusses including firmly securing to existing truss with fastners/hurricane clips/bolts and replace roof covering	m	1	
211	Strip off existing roof covering, cut into and replace damaged sections of 38 x 152mm sawn timber branderings/purlins including firmly securing to existing truss with fastners/hurricane clips/bolts and		r	e pl
ı		I	I	II

212	Carefully cut and remove broken or damaged fibre fascia/bargeboards not exceeding 300mm wide and make good works disturbed (replacement elsewhere measured)	m	1	
213	Carefully cut and remove broken or damaged timber fascia/bargeboards not exceeding 300mm wide and make good all works disturbed (replacement elsewhere measured)	m	1	
214	Carefully cut and remove rusted steel head wall/parapet/undertile flashing/counterflashing not exceeding 450mm girth, and make good all works disturbed (replacement elsewhere measured)	m	1	
215	Carefully remove broken or damaged fibre fascia/bargeboards not exceeding 300mm wide, replace with new and paint to match existng	m	1	
216	Carefully remove broken or damaged timber fascia/bargeboards not exceeding 300mm wide, replace with new and paint to match existng	m	1	
217	Carefully remove rusted steel head wall/parapet/undertile flashing/counterflashing not exceeding 450mm girth, replace with new and paint to match existing	m	1	
218	Carefully cut and remove broken or damaged metal roof valley/gutter not exceeding 600mm wide and replace with matching profile, make water tight and paint to match existing	m	1	
	Taking down and removing ceilings, e.t.c			
219	Allow provision for scaffold for 1 day to cover 10			
	${\rm m}^2$ to fix ceiling exceeding 3,5m but not exceeding 5m high.		Item	
220	Make good cracks not more than 5mm wide on			
	plastered ceiling with poly-filler to flush and match existing	m	1	
221	Make good cracks more than 5mm wide on plastered ceiling by hacking out and removing			

m 1

Carried to Collection

R

Section No. 2 BUILDING WORKS Bill No. 1 ALTERATIONS

-2/19-

222	Carefully hack out and remove damp, loose and flaking plaster to ceilings, prepare surface and replaster in patches not exceeding 0,3 m ² to flush and match existing	No	1	
223	Carefully hack out and remove damp, loose and flaking plaster to ceilings prepare surface and replaster in patches exceeding 0,3 m² but not exceeding 0,6 m² to flush and match existing	No	1	
224	Carefully hack out and remove damp, loose and flaking plaster to ceilings prepare surface and replaster in patches exceeding 0,6m² but not exceeding 1,0m² to flush and match existing	No	1	
225	Carefully hack out and remove damp, loose and flaking plaster to ceilings exceeding 1,0m² and prepare soffit of ceiling to receive new plaster (New plaster elsewhere measured)	m²	1	
226	Patch cracks in gypsum cement ceiling board not			
	exceeding 5mm wide with gypsum plaster and mesh	m	1	
227	Patch holes in gypsum ceiling board not exceeding 50mm diameter with gypsum plaster and mesh	No	1	
228	Patch holes in gypsum ceiling board exceeding			
	50mm but not exceeding 100mm diameter with gypsum plaster and mesh	No	1	
229	Carefully remove damaged portions of existing gypsum ceiling boards including removal of damaged brandering and cornices and prepare existing to receive new (New boards elsewhere measured)	m²	1	
230	Patch cracks in gypsum cement ceiling board not			
	exceeding 5mm wide with gypsum plaster and mesh	m	1	
231	Patch holes in gypsum ceiling board not exceeding 50mm diameter with gypsum plaster and mesh	No	1	
232	Patch holes in gypsum ceiling board exceeding			
	50mm but not exceeding 100mm diameter with gypsum plaster and mesh	No	1	
		-	-	"

233	Carefully remove damaged sections of existing gypsum ceiling boards including removal of damaged brandering and prepare existing to receive new (New boards elsewhere measured)	m²	1		
234	Patch cracks in fibre cement ceiling boards not exceeding 5mm wide	m	1		
235	Patch holes in fibre cement ceiling boards not exceeding 50mm diameter	No	1		
236	Patch holes in fibre cement ceiling boards				
	exceeding 50mm but not exceeding 100mm diameter	No	1		
237	Carefully remove damaged portions of existing fibre cement ceiling boards including removal of damaged brandering and prepare existing to receive new (New boards elsewhere measured)	m²	1		
238	Carefully remove damaged sections of existing gypsum cornices in lengths not exceeding 3,0m and make good walls and ceilings to receive new (New cornice elsewhere measured)	m	1		
239	Carefully remove damaged sections of existing				
	gypsum cornices in lengths exceeding 3,0m and make good walls and ceilings to receive new	m	1		
240	Mirror, size 600 x 600mm	No	1		
	SERVICING EXISTING ITEMS				
044	Service existing sanitary fittings, accessories, etc.				
241	Carefully examine hydroboil, for any leaks, worn parts, etc repair and fully service same to ensure functionality, all to the satisfaction of the Engineer	No	1		
242	Carefully examine wash hand basins, taps, traps and piping for any leaks, worn parts, etc. repair and fully service same to ensure functionality, all to the satisfaction of the Engineer	No	1	-	
243	Carefully examine sinks, taps, traps and piping for any leaks, worn parts, etc. repair and fully service same to ensure functionality, all to the satisfaction of the Engineer	No	1		

244	Carefully examine bath tub, taps, traps and piping for any leaks, worn parts, etc. repair and fully service same to ensure functionality, all to the satisfaction of the Engineer	No	1	
245	Carefully examine laundry sinks, size 1300 x 500 x 900mm high, taps, traps and piping for any leaks, worn parts, etc. repair and fully service same to ensure functionality, all to the satisfaction of the Engineer	No	1	
	Servicing existing windows			
246	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 300 x 300mm high	No	1	
247	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 300 x 4000mm high	No	1	
248	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 500 x 500mm high	No	1	
249	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 500 x 600mm high	No	1	
250	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 600 x 800mm high	No	1	
251	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 600 x 1200mm high	No	1	

252	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 600 x 1500mm high	No	1	
253	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 700 x 1400mm high	No	1	
254	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 800 x 600mm high	No	1	
255	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 800 x 2000mm high	No	1	
256	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 1000 x 600mm high	No	1	
257	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Enginee, overall size of window 1000 x 2000mm high	No	1	
258	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 1200 x 500mm high	No	1	
259	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 1450 x 700mm high	No	1	

260	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 1500 x 1000mm high	No	1	
261	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 1500 x 2000mm high	No	1	
262	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 2000 x 300mm high	No	1	
263	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 2000 x 600mm high	No	1	
264	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 2000 x 1500mm high	No	1	
265	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 2000 x 2000mm high	No	1	
266	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 2500 x 1000mm high	No	1	
267	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 2500 x 1500mm high	No	1	

268	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 3000 x 1500mm high	No	1	
269	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 3200 x 1500mm high	No	1	
270	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 3200 x 2000mm high	No	1	
271	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 3500 x 1500mm high	No	1	
272	Carefully examine hinges, handles and stays to steel windows, replace putty to glazing of steel windows and fully service same to facilitate smooth functionality, all to the satisfaction of the Engineer, overall size of window 3500 x 2000mm high	No	1	
	CUTTING THROUGH FLOORS AND CEILINGS			
273	50 x 50mm chase formed for plumbing pipework	m	1	
274	110 x 110mm chase formed for plumbing pipework	m	1	
275	Cutting through 100mm thick concrete surface bed for 500mm wide concrete wall footing including making good concrete on both sides of new 220mm brick wall	m	1	
	BUILDING UP OPENINGS			
	Brickwork in NFP bricks in class II mortar in			
	building up openings			
276	Half brick walls	m²	1	
277	One brick walls	m²	1	

	Sundries			
278	Cutting toothings and bonding new brickwork to existing	m²	1	
	220mm face bricks pointed with flush horizontal and vertical joints			
279	Extra over brickwork for face brickwork in patches	m²	1	
280	1000mm Wide brick-on-edge header course sill set sloping and slightly projecting	m	1	
281	Cutting toothings and bonding new face brickwork to existing	m	1	
	PREPARATORY WORK TO EXISTING SURFACES			
	Scabble existing surface of plastered wall and prepare surface to receive new tiling (new tiling elsewhere measured)			
282	On walls	m²	1	
	Scabble existing surface of fair faced wall and prepare surface to receive new plaster (new plaster elsewhere measured)			
283	On walls	m²	1	
	SCREEDS			
284	Make good cracks not more than 5mm wide with			
	cement grout (1:3) on steel or wood floated screed, flush and match existing floor texture	m	1	
285	Make good cracks on steel or wood floated screed more than 5mm thick by hacking out 150mm wide and 25mm deep minimum on both sides of cracks, prepare the surface and lay new screed to flush and match existing	m	1	
000				
286	Make good holes not exceeding 0,1 m ² in existing steel or wood floated floor screed including removing damaged sections and patching with new screed to flush and match existing	No	1	
		1		II

287	Make good holes exceeding 0,1m² but not exceeding 0,3m² in existing steel or wood floated floor screed including removing damaged sections and patching with new screed to flush and match existing	No	1	
288	Make good holes exceeding 0,3m² but not exceeding 0,5m² in existing steel or wood floated floor screed including removing damaged sections and patching with new screed to flush and match existing	No	1	
289	Make good holes exceeding 0,5m² but not exceeding 1,0 m² in existing steel or wood floated floor screed including removing damaged sections and patching with new screed to flush and match existing	No	1	
290	Hack off and remove damaged steel or wood floated floor screed exceeding 1,0m² and prepare surface to receive new floor screed (New floor screed measured elsewhere)	m²	1	1
	GRANOLITHIC			
291	Make good cracks not more than 5mm wide with			
	with cement grout on granolithic floor screed, flush and match existing floor texture	m	1	
292	Make good cracks on granolithic floor screed more than 5mm thick by hacking out 150mm wide and mininum 25mm deep on both sides of cracks, prepare the surface and lay new screed to flush and match existing	m	1	
293	Make good holes not exceeding 0,1m² in existing granolithic floor screed including removing damaged sections and patching with new screed to flush and match existing	No	1	
294	Make good holes exceeding 0,1 m ² but not exceeding 0,3m ² in existing granolithic floor screed including removing damaged sections and patching with new screed to flush and match existing	No	1	
295	Make good holes exceeding 0,3 m² but not exceeding 0,5 m² in existing granolithic floor screed including removing damaged sections and patching with new screed to flush and match existing	No	1	

296	Make good holes exceeding 0,5m ² but not exceeding 1,0m ² in existing granolithic floor screed including removing damaged sections and patching with new screed to flush and match existing	No	1	
297	Hack off and remove damaged granolithic floor screed exceeding 1,0m ² and prepare surface to receive new floor screed (New granolithic screed measured elsewhere)	m2	1	
	INTERNAL PLASTER			
298	Fill cracks not more than 5mm wide with poly-filler and touch-up paint to match existing colour	m	1	
299	Make good holes, chips, dents and cracks not exceeding 0,1m ² in existing plaster including removing damaged sections and patching with new plaster to flush and match existing	No	1	
300	Make good cracks more than 5mm wide by hacking out and removing existing plaster 150mm wide on both sides of cracks, prepare surface and repair with chicken mesh covered with new plaster and paint to match existing paint	m	1	
301	Make good holes, chips, dents and cracks exceeding 0,1m² but not exceeding 0,3m² in existing plaster including removing damaged sections and patching with new plaster to flush and match existing	No	1	
302	Make good holes, chips, dents and cracks exceeding 0,3m ² but not exceeding 0,5m ² in existing plaster including removing damaged sections and patching with new plaster to flush and match existing	No	1	
303	Make good holes, chips, dents and cracks exceeding 0,5m ² but not exceeding 1,0m ² in existing plaster including removing damaged sections and patching with new plaster to flush and match existing	No	1	
304	Carefully hack out and remove damp, loose, flaking or cracked plaster to walls exceeding 1,0m² and prepare surface of wall to receive new plaster (New plaster elsewhere measured)	m²	1	
l		1		

	EXTERNAL PLASTER			
305	Fill cracks not more than 5mm wide with poly-filler and touch-up paint to match existing colour	m	1	
306	Make good cracks more than 5mm wide by hacking out and removing existing plaster 150mm wide on both sides of cracks, prepare surface and repair with chicken mesh covered with new plaster and paint to match existing paint	m	1	
307	Make good holes, chips, dents and cracks not exceeding 0,1m² in existing plaster including removing damaged sections and patching with new plaster to flush and match existing	No	1	
308	Make good holes, chips, dents and cracks exceeding 0,1m² but not exceeding 0,3m² in existing plaster including removing damaged sections and patching with new plaster to flush and match existing	No	1	
309	Make good holes, chips, dents and cracks exceeding 0.3m^2 but not exceeding 0.5m^2 in existing plaster including removing damaged sections and patching with new plaster to flush and match existing	No	1	
310	Make good holes, chips, dents and cracks exceeding 0,5m²but not exceeding 1,0m² in existing plaster including removing damaged sections and patching with new plaster to flush and match existing	No	1	
311	Carefully hack out and remove damp, loose, flaking or cracked plaster to walls exceeding 1,0m ² and prepare surface of wall to receive new plaster (New plaster elsewhere measured)	m²	1	
312	Cutting out joints of existing brickwork to receive plaster	m²	1	
313	Hacking face of existing concrete columns, beams, etc to receive plaster	m²	1	
314	Hacking face of existing face brickwork to receive plaster	m²	1	
315	Making good defects in existing screeded floors with "Pavelite"	m²	1	
•		•	•	"

	I	1	ı	
	Damp proof treatment			
316	Hack-off plaster, apply damp repellant and replaster and paint to match existing	m²	1	
	Making good rainwater pipes.			
317	Carefully cut out and remove damaged sections of existing galvanised 125 x 100mm gutter in lengths not exceeding 0,5m and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	No	1	
318	Carefully cut out and remove damaged sections of existing galvanised 125 x 100mm gutter in lengths exceeding 0,5m but not exceeding 1,0m and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	No	1	
319	Carefully cut and remove damaged sections of existing galvanised 125 x 100mm gutter in lengths exceeding 1m and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	m	1	
320	Carefully cut out and remove damaged sections of existing galvanised 100 x 85mm gutter in lengths not exceeding 0,5m and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	No	1	
321	Carefully cut and remove damaged sections of existing galvanised 100 x 85mm gutter in lengths exceeding 0,5m but not exceeding 1,0m and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	No	1	
322	Carefully cut out and remove damaged sections of existing galvanised 100 x 85mm gutter in lengths exceeding 1m and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	m	1	
323	Carefully cut out and remove damaged sections of existing galvanised 100 x 75mm downpipes in lengths not exceeding 0,5m and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	No	1	
ļ		I	I	II

324	Carefully cut and remove damaged sections of existing galvanised 100 x 75mm downpipes in lengths exceeding 0,5m but not exceeding 1m and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	No	1	
325	Carefully cut out and remove damaged sections of existing galvanised 100 x 75mm downpipes in lengths exceeding 1m and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	m	1	
326	Carefully cut out and remove damaged sections of existing galvanised 100mm diameter downpipes in lengths not exceeding 0,5m and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	No	1	
327	Carefully cut out and remove damaged sections of existing galvanised 100mm diameter downpipes in lengths exceeding 0,5 but not exceeding 1m and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	No	1	
328	Carefully cut out and remove damaged sections of existing galvanised 100mm diameter downpipes in lengths exceeding 1m and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	m	1	
329	Carefully cut and remove damaged existing galvanised eaves offset and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	No	1	
330	Carefully cut and remove damaged existing galvanised shoe and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	No	1	
331	Carefully cut and remove damaged galvanised bends / elbow and replace with new to match existing profile, make water-tight at joining, prepare and paint to match existing	No	1	

332	Carefully cut and remove damaged galvanised box head and replace with new to match existing profile, make good flashing and counter flashing and make water-tight at joining, prepare and paint to match existing	No	1	
	Repair leaking water supply pipes			
	Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary fittings.			
333	15mm Copper pipes	No	1	
334	22mm Copper pipes	No	1	
335	28mm Copper pipes	No	1	
336	32mm Copper pipes	No	1	
337	50mm Copper pipes	No	1	
	Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths exceeding 0,5m but not exceeding 1m and replace with new including all necessary fittings.			
338	15mm Copper pipes	No	1	
339	22mm Copper pipes	No	1	
340	28mm Copper pipes	No	1	
341	32mm Copper pipes	No	1	
342	50mm Copper pipes	No	1	
	Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths exceeding 1m and replace with new including all necessary fittings.			
343	15mm Copper pipes	m	1	
344	22mm Copper pipes	m	1	
345	28mm Copper pipes	m	1	
	Comind to Collection			
	Section No. 2			R
	BUILDING WORKS Bill No. 1			

·				
346	32mm Copper pipes	m	1	
347	50mm Copper pipes	m	1	
	Shut off water supply to affected pipes, cut out and remove damaged fittings to existing pipes and replace with new including making good all works disturbed.			
348	15mm Copper fittings	No	1	
349	22mm Copper fittings	No	1	
350	28mm Copper fittings	No	1	
351	32mm Copper fittings	No	1	
352	50mm Copper fittings	No	1	
	Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary fittings.			
353	15mm Galvanised pipes	No	1	
354	22mm Galvanised pipes	No	1	
355	28mm Galvanised pipes	No	1	
356	32mm Galvanised pipes	No	1	
357	50mm Galvanised pipes	No	1	
358	65mm Galvanised pipes	No	1	
	Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths exceeding 0,5m but not exceeding 1m and replace with new including all necessary fittings.			
359	15mm Galvanised pipes	No	1	
360	22mm Galvanised pipes	No	1	
361	28mm Galvanised pipes	No	1	
362	32mm Galvanised pipes	No	1	
363	50mm Galvanised pipes	No	1	
	Carried to Collection Section No. 2 BUILDING WORKS Bill No. 1			R

Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths exceeding fin and replace with new including all necessary fittings. 365 15mm Galvanised pipes m 1 366 22mm Galvanised pipes m 1 367 28mm Galvanised pipes m 1 368 32mm Galvanised pipes m 1 369 50mm Galvanised pipes m 1 370 65mm Galvanised pipes m 1 370 65mm Galvanised pipes m 1 371 15mm Galvanised pipes m 1 372 22mm Galvanised pipes m 1 373 22mm Galvanised fittings to existing pipes and replace with new including making abod all works disturbed. 374 32mm Galvanised fittings no existing pipes and replace with new including making abod all works disturbed. 375 50mm Galvanised fittings no 1 376 65mm Galvanised fittings no 1 377 22mm Galvanised fittings no 1 378 50mm Galvanised fittings no 1 379 50mm Galvanised fittings no 1 370 65mm Galvanised fittings no 1 371 15mm Galvanised fittings no 1 372 22mm Galvanised fittings no 1 373 22mm Galvanised fittings no 1 374 32mm Galvanised fittings no 1 375 50mm Galvanised fittings no 1 376 65mm Galvanised fittings no 1 377 15mm Galvanised fittings no 1 378 22mm Galvanised fittings no 1 379 22mm Galvanised fittings no 1 380 32mm uPVC pipes No 1 380 32mm uPVC pipes No 1 380 32mm uPVC pipes No 1 381 50mm uPVC pipes No 1 381 50mm uPVC pipes No 1 381 50mm uPVC pipes No 1						
remove damaged sections of existing pipes in lengths exceeding 1m and replace with new including all necessary fittings. 15mm Galvanised pipes m 1 28mm Galvanised pipes m 1 368 32mm Galvanised pipes m 1 369 50mm Galvanised pipes m 1 370 65mm Galvanised pipes m 1 370 65mm Galvanised pipes m 1 371 65mm Galvanised pipes m 1 372 Shut off water supply to affected pipes, cut out and remove damaged fittings to existing pipes and replace with new including making good all works disturbed. 371 15mm Galvanised fittings No 1 372 22mm Galvanised fittings No 1 373 28mm Galvanised fittings No 1 374 32mm Galvanised fittings No 1 375 50mm Galvanised fittings No 1 376 65mm Galvanised fittings No 1 377 65mm Galvanised fittings No 1 378 50mm Galvanised fittings No 1 379 1 15mm upv to affected pipes, cut out and remove damaged sections of existing pipes in lengths not exceeding 0.5m and replace with new including all necessary fittings. 377 15mm upv to pipes No 1 378 22mm upv to pipes No 1 380 32mm upv to pipes No 1 381 50mm upv to pipes No 1 Carried to Collection R	364	65mm Galvanised pipes	No	1		
22mm Galvanised pipes m 1 367 28mm Galvanised pipes m 1 368 32mm Galvanised pipes m 1 369 50mm Galvanised pipes m 1 370 65mm Galvanised pipes m 1 370 65mm Galvanised pipes m 1 371 Shut off water supply to affected pipes, cut out and remove damaged fittings to existing pipes and replace with new including making good all works disturbed. 371 15mm Galvanised fittings No 1 372 22mm Galvanised fittings No 1 373 28mm Galvanised fittings No 1 374 32mm Galvanised fittings No 1 375 50mm Galvanised fittings No 1 376 65mm Galvanised fittings No 1 Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths not exceeding 0.5m and replace with new including all necessary fittings 377 15mm uPVC pipes No 1 378 22mm uPVC pipes No 1 380 32mm uPVC pipes No 1 381 50mm uPVC pipes No 1		remove damaged sections of existing pipes in lengths exceeding 1m and replace with new including all				
367 28mm Galvanised pipes m 1 368 32mm Galvanised pipes m 1 369 50mm Galvanised pipes m 1 370 65mm Galvanised pipes m 1 Shut off water supply to affected pipes, cut out and remove damaged fittings to existing pipes and replace with new including making good all works disturbed. No 1 371 15mm Galvanised fittings No 1 372 22mm Galvanised fittings No 1 373 28mm Galvanised fittings No 1 374 32mm Galvanised fittings No 1 375 50mm Galvanised fittings No 1 376 65mm Galvanised fittings No 1 376 65mm Galvanised fittings No 1 Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary fittings. 377 15mm uPVC pipes No 1 378 22mm uPVC pipes No 1 380 32mm uPVC pip	365	15mm Galvanised pipes	m	1		
368 32mm Galvanised pipes m 1 369 50mm Galvanised pipes m 1 370 65mm Galvanised pipes m 1 370 65mm Galvanised pipes m 1 371 Shut off water supply to affected pipes, cut out and remove damaged fittings to existing pipes and replace with new including making good all works disturbed. 371 15mm Galvanised fittings No 1 372 22mm Galvanised fittings No 1 373 28mm Galvanised fittings No 1 374 32mm Galvanised fittings No 1 375 50mm Galvanised fittings No 1 376 65mm Galvanised fittings No 1 376 65mm Galvanised fittings No 1 377 25mm Galvanised fittings No 1 378 22mm upv to affected pipes, cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary fittings. 377 15mm upv C pipes No 1 378 22mm upv C pipes No 1 380 32mm upv C pipes No 1 381 50mm upv C pipes No 1 381 50mm upv C pipes No 1	366	22mm Galvanised pipes	m	1		
50mm Galvanised pipes m 1 Shut off water supply to affected pipes, cut out and remove damaged fittings to existing pipes and replace with new including making good all works disturbed. 371	367	28mm Galvanised pipes	m	1		
Shut off water supply to affected pipes, cut out and remove damaged fittings to existing pipes and replace with new including making good all works disturbed. 371	368	32mm Galvanised pipes	m	1		
Shut off water supply to affected pipes, cut out and remove damaged fittings to existing pipes and replace with new including making good all works disturbed. 371	369	50mm Galvanised pipes	m	1		
remove damaged fittings to existing pipes and replace with new including making good all works disturbed. 371	370	65mm Galvanised pipes	m	1		
372 22mm Galvanised fittings No 1 373 28mm Galvanised fittings No 1 374 32mm Galvanised fittings No 1 375 50mm Galvanised fittings No 1 376 65mm Galvanised fittings No 1 376 65mm Galvanised fittings No 1 Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary fittings. No 1 377 15mm uPVC pipes No 1 378 22mm uPVC pipes No 1 380 32mm uPVC pipes No 1 381 50mm uPVC pipes No 1 381 50mm uPVC pipes No 1 Carried to Collection R		remove damaged fittings to existing pipes and replace				
28mm Galvanised fittings	371	15mm Galvanised fittings	No	1		
374 32mm Galvanised fittings	372	22mm Galvanised fittings	No	1		
375 50mm Galvanised fittings No 1 376 65mm Galvanised fittings No 1 Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths not exceeding 0.5m and replace with new including all necessary fittings. 377 15mm uPVC pipes No 1 378 22mm uPVC pipes No 1 379 28mm uPVC pipes No 1 380 32mm uPVC pipes No 1 381 50mm uPVC pipes No 1 Carried to Collection R Section No. 2 BUILDING WORKS	373	28mm Galvanised fittings	No	1		
Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary fittings. 377 15mm uPVC pipes No 1 378 22mm uPVC pipes No 1 379 28mm uPVC pipes No 1 380 32mm uPVC pipes No 1 381 50mm uPVC pipes No 1 Section No. 2 BUILDING WORKS	374	32mm Galvanised fittings	No	1		
Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary fittings. 377	375	50mm Galvanised fittings	No	1		
remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary fittings. 377	376	65mm Galvanised fittings	No	1		
378		remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all				
379	377	15mm uPVC pipes	No	1		
380 32mm uPVC pipes No 1 381 50mm uPVC pipes No 1 Carried to Collection R Section No. 2 BUILDING WORKS	378	22mm uPVC pipes	No	1		
381 50mm uPVC pipes No 1 Carried to Collection R Section No. 2 BUILDING WORKS	379	28mm uPVC pipes	No	1		
Carried to Collection R Section No. 2 BUILDING WORKS	380	32mm uPVC pipes	No	1		
Section No. 2 BUILDING WORKS	381	50mm uPVC pipes	No	1		
Section No. 2 BUILDING WORKS		Carried to Collection			D	
BUILDING WORKS						
		BUILDING WORKS				

382	65mm uPVC pipes	No	1		
	Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths exceeding 0,5m but not exceeding 1m and replace with new including all necessary fittings.				
383	15mm uPVC pipes	No	1		
384	22mm uPVC pipes	No	1		
385	28mm uPVC pipes	No	1		
386	32mm uPVC pipes	No	1		
387	50mm uPVC pipes	No	1		
388	65mm uPVC pipes	No	1		
	Shut off water supply to affected pipes, cut out and remove damaged sections of existing pipes in lengths exceeding 1m and replace with new including all necessary fittings.				
389	15mm uPVC pipes	m	1		
390	22mm uPVC pipes	m	1		
391	28mm uPVC pipes	m	1		
392	32mm uPVC pipes	m	1		
393	50mm uPVC pipes	m	1		
394	65mm uPVC pipes	m	1		
	Shut off water supply to affected pipes, cut out and remove damaged fittings to existing pipes and replace with new including making good all works disturbed.				
395	15mm uPVC fittings	No	1		
396	22mm uPVC fittings	No	1		
397	28mm uPVC fittings	No	1		
398	32mm uPVC fittings	No	1		
399	50mm uPVC fittings	No	1		
	Carried to Collection			R	
	Section No. 2 BUILDING WORKS Bill No. 1				

65mm uPVC fittings	No	1	
Cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary joining fittings.			
50mm diameter uPVC pipes	No	1	
100mm diameter uPVC pipes	No	1	
Cut out and remove damaged sections of existing pipes in lengths exceeding 0,5m but not exceeding 1m and replace with new including all necessary joining fittings.			
50mm diameter uPVC pipes	No	1	
100mm diameter uPVC pipes	No	1	
Cut out and remove damaged sections of existing pipes in lengths exceeding 1m and replace with new including all necessary joining fittings.			
50mm diameter uPVC pipes	m	1	
100mm diameter uPVC pipes	m	1	
Cut out and remove damaged fittings on existing pipes and replace with new including making good all works disturbed.			
50mm diameter uPVC fittings	No	1	
100mm diameter uPVC fittings	No	1	
Cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary joining fittings.			
50mm diameter cast iron pipes	No	1	
100mm diameter cast iron pipes	No	1	
Cut out and remove damaged sections of existing pipes in lengths exceeding 0,5m but not exceeding 1m and replace with new including all necessary joining fittings.			
50mm diameter cast iron pipes	No	1	
100mm diameter cast iron pipes	No	1	
Carried to Collection			R
	Cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary joining fittings. 50mm diameter uPVC pipes 100mm diameter uPVC pipes Cut out and remove damaged sections of existing pipes in lengths exceeding 0,5m but not exceeding 1m and replace with new including all necessary joining fittings. 50mm diameter uPVC pipes 100mm diameter uPVC pipes Cut out and remove damaged sections of existing pipes in lengths exceeding 1m and replace with new including all necessary joining fittings. 50mm diameter uPVC pipes 100mm diameter uPVC pipes Cut out and remove damaged fittings on existing pipes and replace with new including making good all works disturbed. 50mm diameter uPVC fittings 100mm diameter uPVC fittings Cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary joining fittings. 50mm diameter cast iron pipes 100mm diameter cast iron pipes Cut out and remove damaged sections of existing pipes in lengths exceeding 0,5m but not exceeding 1m and replace with new including all necessary joining fittings. 50mm diameter cast iron pipes Cut out and remove damaged sections of existing pipes in lengths exceeding 0,5m but not exceeding 1m and replace with new including all necessary joining fittings.	Cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary joining fittings. 50mm diameter uPVC pipes No 100mm diameter uPVC pipes mad 100mm diameter uPVC pipes mo 100mm diameter uPVC pipes mo 100mm diameter uPVC pipes mo 100mm diameter uPVC pipes No 100mm diameter uPVC fittings No 100mm diameter cast iron pipes No 100m	Cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary joining fittings. 50mm diameter uPVC pipes No 1 100mm diameter uPVC pipes No 1 Cut out and remove damaged sections of existing pipes in lengths exceeding 0,5m but not exceeding 1m and replace with new including all necessary joining fittings. 50mm diameter uPVC pipes No 1 Cut out and remove damaged sections of existing pipes in lengths exceeding 1m and replace with new including all necessary joining fittings. 50mm diameter uPVC pipes No 1 Cut out and remove damaged sections of existing pipes in lengths exceeding 1m and replace with new including all necessary joining fittings. 50mm diameter uPVC pipes m 1 Cut out and remove damaged fittings on existing pipes and replace with new including making good all works disturbed. 50mm diameter uPVC fittings No 1 Cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary joining fittings. 50mm diameter cast iron pipes No 1 Cut out and remove damaged sections of existing pipes in lengths not exceeding 0,5m and replace with new including all necessary joining fittings. 50mm diameter cast iron pipes No 1 Cut out and remove damaged sections of existing pipes in lengths exceeding 0,5m but not exceeding 1m and replace with new including all necessary joining fittings. 50mm diameter cast iron pipes No 1 100mm diameter cast iron pipes No 1

	Cut out and remove damaged sections of existing pipes in lengths exceeding 1m and replace with new including			
	all necessary joining fittings.			
413	50mm diameter cast iron pipes	m	1	
414	100mm diameter cast iron pipes	m	1	
	Cut out and remove damaged fittings on existing pipes and replace with new including making good all works			
	disturbed.			
415	50mm diameter cast iron fittings	No	1	
416	100mm diameter cast iron fittings	No	1	
	Locate and unblock blocked waste and sewer pipes and make good all works disturbed.			
417	50mm diameter uPVC or cast iron pipes	m	1	
418	100mm diameter uPVC or cast iron pipes	m	1	
	Fix firmly into position loose/shaking sanitary fittings, etc			
419	Stainless steel wash hand basin	No	1	
420	Stainless steel sink and drainer	No	1	
421	Wash hand basin	No	1	
422	Wash hand basin on pedestal	No	1	
423	Pedestal only	No	1	
424	WC pan only	No	1	
425	WC pan with cistern	No	1	
426	WC pan with flush valve	No	1	
427	Cistern and internal flushing mechanism	No	1	
428	Cistern only	No	1	
429	Cistern internal flushing mechanism only	No	1	
430	WC seat and cover	No	1	
	Carried to Collection			R
	Section No. 2			
	BUILDING WORKS Bill No. 1			

431	WC pan connector	No	1		
432	Wall hung urinal with flush valve	No	1		
433	Wall hung urinal only	No	1		
434	Urinal flush valve	No	1		
	TRADE ETC				
	TRAPS ETC				
	Carefully remove the following traps, make water tight and make good all works disturbed				
	"Marley" or Similar approved				
435	32mm Reseal "P" or "S" trap	No	1		
436	40mm Bath trap complete with overflow outlet and pipe	No	1		
437	40×300 mm Sink combination for double bowl with deepseal "P" trap	No .	1		
	"Vulcathene" or Similar approved				
438	40mm Anti-vac bottle trap	No	1		
	"Approved" Chromium plated				
439	40mm Chrome plated Bottle trap	No	1		
	"Cobra Watertech" or Similar approved				
440	75mm Chrome Plated hinged urinal domical grating	No	1		
	TAPS, VALVES, ETC				
	Shut off water supply and carefully remove the following existing taps, valves, e.t.c, not exceeding 50mm diameter				
	Brass				
441	Stopcock	No	1		
442	Fullway gate valve	No	1		
443	Bibcock with hose union	No	1		
				<u> </u>	
	Carried to Collection			R	
	Section No. 2				
		•	•		

444	Non return valve	No l	1	
444	Non-return valve	NO	'	
	"Cobra Watertech" or Similar			
445	Chrome Plated angle regulating valve	No	1	
446	Chrome Plated stopcock	No	1	
447	Chrome Plated "Star" underwall pattern stopcock	No	1	
448	Fullway gate valve	No	1	
449	Bibcock	No	1	
450	Bibcock with hose union	No	1	
451	Chrome Plated bibcock	No	1	
452	Chrome Plated pillarcock	No	1	
453	Chrome Plated single taphole basin mixer	No	1	
454	Chrome Plated sink mixer	No	1	
455	Chrome Plated bath mixer	No	1	
456	Chrome Plated bath mixer with hand shower	No	1	
457	Chrome Plated shower mixer	No	1	
458	Chrome Plated bath spout	No	1	
459	Chrome Plated shower rose	No	1	
460	Chrome Plated overhead shower arm	No	1	
461	In-line strainer	No	1	
462	Chrome Plated fullway ballcock	No	1	
463	Fullway ballcock	No	1	
464	PB1.10RB vacuum breaker	No	1	
465	PA1.1RB "Kwikflo" 400 kPa pressure reducing valve	No	1	
466	"Flushmaster Junior" toilet flush valve	No	1	
	Carried to Collection			R
	Section No. 2 BUILDING WORKS Bill No. 1 ALTERATIONS			

467	"Flushmaster Junior" urinal flush valve	No	1	
468	"Flushmaster" toilet flush valve	No	1	
	Fix firmly into position existing loose/shaking taps, valves, etc not exceeding 50mm diameter			
	<u>Brass</u>			
469	Stopcock	No	1	
470	Fullway gate valve	No	1	
471	Bibcock with hose union	No	1	
472	Non-return valve	No	1	
	"Cobra Watertech" or Similar			
473	Chrome Plated angle regulating valve	No	1	
474	Chrome Plated stopcock	No	1	
475	Chrome Plated "Star" underwall pattern stopcock	No	1	
476	Fullway gate valve	No	1	
477	Bibcock	No	1	
478	Bibcock with hose union	No	1	
479	Chrome Plated bibcock	No	1	
480	Chrome Plated pillarcock	No	1	
481	Chrome Plated single taphole basin mixer	No	1	
482	Chrome Plated sink mixer	No	1	
483	Chrome Plated bath mixer	No	1	
484	Chrome Plated bath mixer with hand shower	No	1	
485	Chrome Plated shower mixer	No	1	
486	Chrome Plated bath spout	No	1	
487	Chrome Plated shower rose	No	1	
	Carried to Collection			R
	Section No. 2 BUILDING WORKS Bill No. 1 ALTERATIONS			

488	Chrome Plated overhead shower arm	No	1	
489	In-line strainer	No	1	
490	Chrome Plated fullway ballcock	No	1	
491	Fullway ballcock	No	1	
492	PB1.10RB vacuum breaker	No	1	
493	PA1.1RB "Kwikflo" 400 kPa pressure reducing valve	No	1	
494	"Flushmaster Junior" toilet flush valve	No	1	
495	"Flushmaster Junior" urinal flush valve	No	1	
496	"Flushmaster" toilet flush valve	No	1	
497	Fix firmly into position existing loose/shaking fire appliances "Everyway" hose reel complete with 30m rubber			
	hose, chromium plated stopcock, shut-off nozzle			
	and wall bracket	No	1	
498	4.5kg Dry chemical fire extinguisher	No	1	
499	9kg Dry chemical fire extinguisher	No	1	
500	Carefully remove the following fire appliances "Everyway" hose reel complete with 30m rubber			
	hose, chromium plated stopcock, shut-off nozzle			
	and wall bracket	No	1	
501	4.5kg Dry chemical fire extinguisher	No	1	
502	9kg Dry chemical fire extinguisher	No	1	
	Service the following appliances and leave in perfect working order including making good all works disturbed			
503	"Everyway" hose reel complete with 30m rubber			
	hose, chromium plated stopcock, shut-off nozzle and wall bracket	No	1	
504	4.5kg Dry chemical fire extinguisher	No	1	
	Carried to Collection			R
		ı	I	II

505	9kg Dry chemical fire extinguisher	No	1		
	MAKING GOOD OF FINISHES ETC				
	TILING				
506	Carefully hack out and remove damaged sections of existing ceramic wall tiles not exceeding 0,3 m ² and replace with new (PC Sum R60.00 / m ²) pointed neat to match existing	No	1		
507	Carefully hack out and remove damaged sections of existing ceramic wall tiles exceeding 0,3 m² but not exceeding 0,6 m² and replace with new (PC Sum R60.00 / m²) pointed neat to match existing	No	1		
508	Carefully hack out and remove damaged sections of existing ceramic wall tiles exceeding 0,6 m² but not exceeding 1,0 m² and replace with new (PC Sum R60.00 / m² pointed neat to match existing	No	1		
509	Carefully hack out and remove damaged sections of existing ceramic wall tiles exceeding 1,0 m ² and prepare surface to receive new wall tiles (New wall tiles elsewhere measured)	m2	1		
510	Carefully hack out and remove damaged sections of existing ceramic floor tiles not exceeding 0,3 m ² and replace with new (PC Sum R75.00 / m ²) pointed neat to match existing	No	1		
511	Carefully hack out and remove damaged sections of existing ceramic floor tiles exceeding 0,3 m² but not exceeding 0,6 m² and replace with new (PC Sum R75,00 / m²) pointed neat to match existing	No	1		
512	Carefully hack out and remove damaged sections of existing ceramic floor tiles exceeding 0,6 m² but not exceeding 1,0 m² and replace with new (PC Sum R75,00/ m²) pointed neat to match existing	No	1		
513	Carefully hack out and remove damaged sections of existing ceramic floor tiles exceeding 1,0 m ² and prepare surface to receive new floor tiles (New floor tiles elsewhere measured)	m2	1		
514	Carefully hack out and remove damaged sections of existing terrazzo floor tiles not exceeding 0,3 m^2 and replace with new (PC Sum R150.00 / m^2)		р	o int	

515	Carefully hack out and remove damaged sections of terrazzo floor tiles exceeding 0,3 m² but not exceeding 0,6 m² and replace with new (PC Sum R150.00 / m²) pointed neat to match existing	No	1	
516	Carefully hack out and remove damaged sections of existing terrazzo floor tiles exceeding 0,6 m² but not exceeding 1,0 m² and replace with new (PC Sum R150.00/ m²) pointed neat to match existing	No	1	
517	Carefully hack out and remove damaged sections of existing terrazzo floor tiles exceeding 1,0 m² and prepare surface to receive new floor tiles (New terrazzo floor tiles elsewhere measured)	m²	1	
	FACE BRICKWORK IN REPAIRS			
	External facings in approved face bricks (FBS) with a PC Amount of R3 000.00 (Three thousand rand) per thousand bricks delivered to site (excluding VAT) pointed with square recessed horizontal and vertical joints.			
518	Half brick wall in facings in patchwork including all bonding to existing facebrickwork (full value item)	m ²	1	
	Examination and repair of existing roof covering			
519	Carefully examine/check existing sheet metal roof covering, replace/make good any defective sheets and check roof screws/bolts and replace where necessary (to ensure watertightness of roofs)	m²	1	
520	Carefully examine/check existing vertical sheet metal cladding, replace/make good any defective sheets and check roof screws/bolts and replace where necessary (to ensure watertightness of roofs)	m²	1	
521	Carefully examine/check/clean existing gutters, replace/make good any defective gutters and check roof joints and replace where necessary (to ensure watertightness of gutters)	m	1	
	Cut off and remove damaged timbers at eaves			
522	Cut off 38 x 114mm roof trusses in repairs	m	1	
523	Cut off 38 x 152mm roof trusses in repairs	m	1	

524	Cut off 50 x 76mm Purlins	m	1		
	Supply and installation of new sawn SAP Grade 6 timbers in repair works at eaves including all necessary propping, insertion of new timbers, all cutting, bolting, etc required in executing repair works				
525	38 x 114mm Bolted roof truss members in length not exceeding 2400mm	m	1		
526	38 x 152mm Bolted roof truss members in lengths not exceeding 2400mm	m	1		
527	38 x 152mm Bolted roof truss members in lengths exceeding 2400mm and not exceeding 3900mm	m	1		
528	50 x 70mm Purlins	m	1		
	Cut off and remove damaged timbers in roof space				
529	Cut off 38 x 114mm roof trusses in repairs	m	1		
530	Cut off 38 x 152mm roof trusses in repairs	m	1		
531	Cut off 50 x 76mm Purlins	m	1		
	Supply and installation of new sawn SAP Grade 6 timbers in repair works in roof space including all necessary propping, insertion of new roof timbers, all cutting, bolting, etc required in executing repair works				
532	38 x 114mm Bolted roof truss members in length not exceeding 2400mm	m	1		
533	38 x 114mm Bolted roof truss members in length exceeding 2400mm and not exceeding 3900mm	m	1		
534	38 x 152mm Bolted roof truss members in lengths not exceeding 2400mm	m	1		
535	38 x 152mm Bolted roof truss members in lengths exceeding 2400mm and not exceeding 3900mm	m	1		
536	50 x 76mm Purlins	m	1		
	<u>Walls</u>				-
	Carried to Collection			R	
	Section No. 2 BUILDING WORKS				

	Clean down by hand with an approved cleaning agent and wash down			
537	Existing facebrick walls	m2	1	
	Wash down with high pressure low volume water jet			
538	On existing external facebrick walls	m2	1	
	OPENINGS THROUGH EXISTING WALLS ETC			
	Altering openings			
539	Altering opening in 220mm brick wall where 1000 x 1000mm high steel window removed to form opening for new double door and frame 1624 x 2032mm high overall by breaking out brickwork on both sides and bottom including necessary precast concrete lintel and making good plaster on one side and into reveals and face brickwork on other side and into reveals with concrete with quarry tile finish to threshold (new door and frame and making good paintwork elsewhere)	No	1	
	Breaking out for and forming plain openings through brick walls including necessary precast concrete lintels and making good plaster on both sides and into reveals with concrete thresholds with steel trowelled finish (making good paintwork elsewhere)			
540	Opening 1000 x 1000mm high through 220 brick wall	No	1	
541	Opening for door with timber frame 813 x 2032mm high overall through 220mm brick wall	No	1	
	Breaking out for and forming openings through brick walls for new doors and frames including necessary precast concrete lintels and making good plaster on both sides and into reveals with concrete thresholds with steel trowelled finish (new doors and frames and making good paintwork elsewhere)			
542	Opening 1000 x 1000mm high through 220 brick wall	No	1	
543	Opening for door with timber frame 813 x 2032mm high overall through 220mm brick wall	No	1	
	Carried to Collection			R

	Breaking out for and forming openings through brick walls for new doors and frames including necessary precast concrete lintels and making good plaster on one side and into reveals and face brickwork on other side and into reveals with concrete thresholds with steel trowelled finish (new doors and frames and making good paintwork elsewhere)			
544	Opening 1000 x 1000mm high through 220 brick wall	No	1	
545	Opening for door with timber frame 813 x 2032mm high overall through 220mm brick wall	No	1	
	Breaking out for and forming openings through brick walls for new windows including necessary precast concrete lintels and making good plaster on both sides and into reveals (new windows and making good paintwork elsewhere)			
546	Opening for window 1000 x 1000mm high through 220mm brick wall	No	1	
	Breaking out for and forming openings through brick walls for new windows including necessary precast concrete lintels and making good plaster on one side and into reveals and face brickwork on other side and into reveals (new windows and making good paintwork elsewhere)			
547	Opening for window 1000 x 1000mm high through 220mm brick wall	No	1	
	Carried to Collection			R
	Section No. 2 BUILDING WORKS Bill No. 1			

l Bu L 2	Quantity	Rate	Amount
BILL 2			
EARTHWORKS (PROVISIONAL)			
SUPPLEMENTARY PREAMBLES			
Nature of ground			
Use "assumed to be" if no trial holes, soils investigations, etc have been carried out - discuss with engineer. Use "Trial holes indicate that" where the ground has been investigated by means of trial holes			
Nature of ground			
A soils investigation has been carried out on site by the engineer and the report is annexed to these bills of quantities. Descriptions of excavations shall be deemed to include all ground conditions classifiable as "earth" described in the above report and where conditions of a more difficult character are indicated these are separately measured			
Carting away of excavated material			
Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site			
SITE CLEARANCE ETC			
Site clearance			
Digging up and removing rubbish, debris,			
vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc	m ² 1		
Stripping average 150mm thick layer of top soil and stockpiling on site	m ² 1		
REMOVAL OF TREES ETC			
Carried to Collection Section No. 2 BUILDING WORKS Bill No. 2 EARTHWORKS		R	
	Use "assumed to be" if no trial holes, soils investigations, etc have been carried out - discuss with engineer. Use "Trial holes indicate that" where the ground has been investigated by means of trial holes Nature of ground A soils investigation has been carried out on site by the engineer and the report is annexed to these bills of quantities. Descriptions of excavations shall be deemed to include all ground conditions classifiable as "earth" described in the above report and where conditions of a more difficult character are indicated these are separately measured Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site SITE CLEARANCE ETC Site clearance Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc Stripping average 150mm thick layer of top soil and stockpiling on site REMOVAL OF TREES ETC Carried to Collection Section No. 2 BUILDING WORKS	Use "assumed to be" if no trial holes, soils investigations, etc have been carried out - discuss with engineer. Use "Trial holes indicate that" where the ground has been investigated by means of trial holes Nature of ground A soils investigation has been carried out on site by the engineer and the report is annexed to these bills of quantities. Descriptions of excavations shall be deemed to include all ground conditions classifiable as "earth" described in the above report and where conditions of a more difficult character are indicated these are separately measured Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site SITE CLEARANCE ETC Site clearance Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc Stripping average 150mm thick layer of top soil and stockpilling on site Carried to Collection Section No. 2 BUILDING WORKS Bill No. 2	Use "assumed to be" if no trial holes, soils investigations, etc have been carried out - discuss with engineer. Use "Trial holes indicate that" where the ground has been investigated by means of trial holes Nature of ground A soils investigation has been carried out on site by the engineer and the report is annexed to these bills of quantities. Descriptions of excavations shall be deemed to include all ground conditions classifiable as "earth" described in the above report and where conditions of a more difficult character are indicated these are separately measured Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site SITE CLEARANCE ETC Site clearance Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc Stripping average 150mm thick layer of top soil and stockpilling on site Carried to Collection R Section No. 2 BUILDING WORKS BIII No. 2

	Taking out and removing, grubbing up roots and filling in holes			
3	Tree stump exceeding 200mm and not exceeding 500mm girth	No	1	
4	Tree stump exceeding 500mm and not exceeding 1000mm girth	No	1	
	Cutting down and removing, grubbing up roots and filling in holes			
5	Hedge not exceeding 1000mm high	m	1	
6	Hedge exceeding 1000mm and not exceeding 2000mm high	m	1	
7	Tree exceeding 200mm and not exceeding 500mm girth	No	1	
8	Tree exceeding 500mm and not exceeding 1000mm girth	No	1	
	BULK EXCAVATION, FILLING, ETC			
	<u>User Note:</u>			
	This section is given as an alternative option and in the event of it being exercised the excavation, filling, etc other than bulk is to be given under the later section			
	Open face excavation in earth over sloping site			
9	Open face excavation	m³	1	
	Extra over bulk excavation in earth for excavation in			
10	Soft rock	m³	1	
11	Hard rock	m ³	1	
	Extra over all excavations for carting away			
12	Surplus material from excavations and/or stock			
	piles on site to a dumping site to be located by the contractor	m ³	1	
13	Surplus material from excavations and/or stock			
	piles on site to a dumping site situated approximately 3km from the building site	m ³	1	

	Risk of collapse of excavations			
14	Sides of bulk excavations not exceeding 1,5m deep	m²	1	
15	Sides of bulk excavations exceeding 1,5m deep	m²	1	
	Keeping excavations free of water			
16	Keeping excavations free of all water other than subterranean water		Item	1 500.00
	FILLING ETC			
	Earth filling obtained from the excavations (not compacted)			
17	In prescribed stock piles on site	m³	1	
	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 95% Mod AASHTO density			
18	Over site	m³	1	
	Selected material supplied by the contractor and compacted to 95% Mod AASHTO maximum density			
19	Over site	m³	1	
	Compaction of surfaces			
20	Compaction of ground surface under floors etc			
	including scarifying for a depth of 150mm and compacting to 98% Mod AASHTO Density	m ³	1	
	Prescribed density tests on filling			
21	"Modified AASHTO Density" test	No	1	
	EXCAVATION, FILLING, ETC			
	EXCAVATION, FILLING, ETC OTHER THAN BULK			
	Excavation in earth not exceeding 2m deep			
22	Trenches	m³	1	
23	Holes	m³	1	

24	Trenches and holes for thickening under surface beds etc	m³	1	
	Extra over bulk excavation in earth for excavation in			
25	Soft rock	m³	1	
26	Hard rock	m³	1	
	Extra over bulk excavation in earth for breaking up and removing			
27	Brickwork	m³	1	
28	Unreinforced concrete	m ³	1	
29	Reinforced concrete	m ³	1	
	Extra over trench and hole excavations in earth for excavation in			
30	Soft rock	m ³	1	
31	Hard rock	m³	1	
	Extra over all excavations for carting away			
32	Surplus material from excavations and/or stock			
	piles on site to a dumping site to be located by the contractor	m ³	1	
:	Risk of collapse of excavations			
33	Sides of trench and hole excavations not exceeding 1,5m deep	m²	1	
34	Sides of trench and hole excavations exceeding 1,5m deep	m²	1	
	Keeping excavations free of water			
35	Keeping excavations free of all water other than subterranean water		Item	1 500.00
	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 95% Mod AASHTO density			
36	Under floors, steps, pavings, etc	m ³	1	
		•		

37	Backfilling to trenches, holes, etc	m ³	1	
	Earth filling supplied by the contractor compacted to 95% Mod AASHTO density			
38	Under floors, steps, pavings, etc	m ³	1	
	Coarse river sand filling supplied by the contractor			
39	Under floors etc	m³	1	
	Garden soil filling obtained from the excavations and/or prescribed stockpiles on site (not compacted)			
40	Over site	m ³	1	
	SOIL POISONING			
	Soil insectiside			
41	Under floors etc including forming and poisoning			
	shallow furrows against foundation walls etc, filling in furrows and ramming	m²	1	
42	To bottoms and sides of trenches	m²	1	
	GRASSING			
	Grassing of roots in rows			
43	"Kikuyu" grass over site	m²	1	
44	Grass on sports fields	m²	1	
	<u>Fertilizing</u>			
45	Fertilizing grassed areas with fertilizer after completion of planting	m²	1	
	Maintenance			
46	Maintenance of grassed areas for a period of 6 months (total area approximately 100 m2) including regularly weeding and irrigating as necessary		ltem	

ו '		Quantity	Rate	Amount
	BILL NO. 3			
	CONCRETE, FORMWORK AND			
	REINFORCEMENT			
	NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this bill			
	NOTE: Unless otherwise stated herein, all items in this bill shall be deemed to fall into Work Group No 110 for JBCC CPAP purposes			
	SUPPLEMENTARY PREAMBLES			
	Cost of tests			
	The costs of making, storing and testing of concrete test cubes as required under clause 7 "Tests" of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the Representative/Agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the Engineer. (Test cubes are measured separately)			
	<u>Formwork</u>			
	Descriptions of formwork shall be deemed to include use and waste only (except where described as "left in" or "permanent"), for fitting together in the required forms, wedging, plumbing and fixing to true angles and surfaces as necessary to ensure easy release during stripping and for re-conditioning as necessary before reuse.			
	The vertical strutting shall be carried down to such construction as is sufficiently strong to afford the required support without damage and shall remain in position until the newly constructed work is able to support itself.			
	Formwork to soffits of solid slabs, etc shall be deemed to be to slabs not exceeding 250mm thick unless otherwise described			
	Carried to Collection		R	Not Pric
	Section No. 2 BUILDING WORKS Bill No. 3			
	CONCRETEWORK, FORMWORK AND REINFORCEME			
	-2/56-			

				II II
	UNREINFORCED CONCRETE			
	25MPa/19mm concrete			
1	Ramps	m ³	1	
2	Steps, urinal steps, cupboard platforms, etc	m ³	1	
	UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES			
	25MPa/19mm concrete			
3	Surface blinding under footings and bases	m³	1	
4	Strip footings	m³	1	
5	Surface beds	m³	1	
6	Surface beds on waterproofing	m³	1	
7	Surface beds cast in panels	m³	1	
8	Surface beds cast in panels on waterproofing	m³	1	
9	Ramps	m³	1	
	REINFORCED CONCRETE			
	30MPa/19mm concrete			
10	Strin factings			
	Strip footings	m ³	1	
11	Bases	m³ m³	1	
11 12			1 1 1	
	Bases	m ³	1 1 1	
12	Bases Foundation beams	m³ m³	1 1 1 1	
12 13	Bases Foundation beams Surface beds on waterproofing	m³ m³ m³		
12 13 14	Bases Foundation beams Surface beds on waterproofing Surface beds cast in panels	m ³ m ³ m ³ m ³		
12 13 14	Bases Foundation beams Surface beds on waterproofing Surface beds cast in panels Surface beds cast in panels on waterproofing REINFORCED CONCRETE CAST AGAINST	m ³ m ³ m ³ m ³		
12 13 14	Bases Foundation beams Surface beds on waterproofing Surface beds cast in panels Surface beds cast in panels on waterproofing REINFORCED CONCRETE CAST AGAINST	m ³ m ³ m ³ m ³		R
12 13 14	Bases Foundation beams Surface beds on waterproofing Surface beds cast in panels Surface beds cast in panels on waterproofing REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES	m ³ m ³ m ³ m ³		R

	30MPa/19mm concrete			
16	Slabs including beams and inverted beams	m³	1	
17	Isolated beams	m³	1	
18	Stairs including landings, beams and inverted beams	m³	1	
19	Columns in foundations (Provisional)	m³	1	
20	Columns	m³	1	
21	TEST BLOCKS Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	1	
	CONCRETE SUNDRIES			
	Finishing top surfaces of concrete smooth with a wood float			
22	Surface beds, slabs, etc	m²	1	
	Finishing top surfaces of concrete smooth with a steel trowel			
23	Surface beds, slabs, etc	m²	1	
	Finishing top surfaces of concrete smooth with a power float			
24	Surface beds, slabs, etc	m²	1	
	ROUGH FORMWORK (DEGREE OF ACCURACY III)			
	Rough formwork to sides			
25	Foundation beams (Provisional)	m²	1	
26	Rectangular stub columns in foundations (Provisional)	m²	1	
27	Rectangular columns in foundations (Provisional)	m²	1	
28	Rectangular columns	m²	1	
	Carried to Collection			R

29	Beams	m ²	1		
	Smooth formwork to circular columns				
30	500mm Diameter column 3000m high	No	1		
	Rough formwork to soffits				
31	Slabs propped up not exceeding 1.5m high	m²	1		
	Rough formwork to sides and soffits				
32	Beams propped up not exceeding 1.5m high	m²	1		
	REINFORCEMENT				
	REINFORCEMENT (PROVISIONAL)				
	Mild steel reinforcement to structural concrete work				
33	40mm Diameter bars	t	1.00		
34	32mm Diameter bars	t	1.00		
35	25mm Diameter bars	t	1.00		
36	20mm Diameter bars	t	1.00		
37	16mm Diameter bars	t	1.00		
38	12mm Diameter bars	t	1.00		
39	10mm Diameter bars	t	1.00		
40	8mm Diameter bars	t	1.00		
	Carried to Collection			R	
	Section No. 2 BUILDING WORKS				
		1	I	ı	

	['] Quantity [']	Rate "	Amount
BILL NO. 4			
MASONRY			
SUPPLEMENTARY PREAMBLES			
BRICKWORK			
Sizes in descriptions			
Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick			
Hollow walls etc			
Descriptions of hollow walls shall be deemed to include leaving every fifth perpend of the bottom course of the external skin open as a weep hole.			
Walls in two skins described as "bagged and sealed" shall be deemed to include having the outer face of the inner skin bagged with 1:6 cement and sand mixture and sealed with two coats "Brixeal" bitumen emulsion waterproofing coating.			
Face bricks			
Bricks shall be ordered timeously to obtain uniformity in size and colour			
Pointing			
Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc			
BLOCKWORK			
Concrete masonry units			
Blocks are to be either solid or hollow modular dense concrete masonry units having a compressive strength of 7 MPa			
Carried to Collection		R	Not P
Section No. 2 BUILDING WORKS Bill No. 4 MASONRY			

-2/61-

Wall ties for blockwork

Wall ties shall be polypropylene "Permaties" complying with BS 76377. Ties for hollow walls shall be of sufficient length to allow not less than 75mm of each end to be built into the blockwork. Ties are to be spaced at intervals of not more than 1m in the horizontal direction and not more than 400mm staggered in the vertical direction except at openings, vertical joints or ends of walls where they are to be placed vertically above each other

Blockwork

Blockwork shall comply with SABS 0145 "Concrete Masonry Construction"

Surfaces to be plastered shall have joints raked out to a depth of at least 10mm to provide a key. Cavities of hollow walls shall be kept free of mortar droppings or other undesirable matter. Every second perpend of the bottom course of the external skin of hollow walls shall be left open as a weep hole

Standard complementary blocks

Descriptions of blockwork shall be deemed to include standard complementary blocks such as corner, threequarter, half and quarter blocks required in the construction of corners, reveals, jambs, ends, etc to solid and hollow walls and for bonding as necessary

DECORATIVE BLOCKS

Blocks shall be of approved manufacture, sound, well burnt or cured and uniform and true in size, shape and colour

SAMPLES

Samples of all masonry building units, except those for walls described as "load bearing", shall consist of a minimum of 6 units. Samples of building units to be used in walls described as "load bearing" shall consist of 30 units from every 30 000 units delivered to site

FOUNDATIONS

Carried to Collection

Section No. 2 BUILDING WORKS Bill No. 4 MASONRY R Not Priced

	Brickwork of NFP bricks in class II mortar			
1	Piers	m³	1	
2	Half brick walls	m²	1	
3	Half brick walls in beamfilling	m²	1	
4	One brick walls	m²	1	
	OUR POTRICTURE			
	SUPERSTRUCTURE Brightness of NEV brights (44 MPs popular)			
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in class I mortar			
5	Piers	m ³	1	
6	Mass brick walls	m³	1	
7	Half brick walls	m²	1	
8	Half brick walls circular on plan	m²	1	
9	Half brick walls against existing surfaces	m²	1	
10	Half brick walls against waterproofing	m²	1	
11	Half brick walls against waterproofing circular on plan	m²	1	
12	Half brick walls in beamfilling	m²	1	
13	Half brick walls in beamfilling circular on plan	m²	1	
14	One brick walls	m²	1	
15	One brick walls circular on plan	m²	1	
16	One brick walls against existing surfaces	m²	1	
17	One brick walls in beamfilling	m²	1	
18	One brick walls in beamfilling circular on plan	m²	1	
19	One and half brick walls	m²	1	
20	One and half brick walls circular on plan	m²	1	
21	One and half brick walls against existing surfaces	m²	1	
	Carried to Collection			R
	Section No. 2 BUILDING WORKS Bill No. 4 MASONRY			

22	Brick-on-edge header course sill laid sloping and slighly projecting	m	1	
	BRICKWORK SUNDRIES			
	Joint forming material in movement joints			
23	10mm Bitumen impregnated soft board built in vertically between / through brick skins	m²	1	
	Brickwork reinforcement			
24	75mm Wide reinforcement built in horizontally	m	1	
25	75mm Wide reinforcement built in horizontally circular on plan	m	1	
26	150mm Wide reinforcement built in horizontally	m	1	
27	150mm Wide reinforcement built in horizontally circular on plan	m	1	
28	230mm Wide reinforcement built in horizontally	m	1	
	Galvanised hoop iron cramps, ties, etc			
29	30 x 1,6mm Wall tie 500mm long with one end shot			
	pinned to concrete and other end built into brickwork	No	1	
	FACE BRICKWORK			
	Face bricks pointed with recessed horizontal and vertical joints to match existing (PC Sum R3000.00/1000 delivered to site)			
30	Extra over brickwork for face brickwork	m²	1	
31	Extra over brickwork for face brickwork circular on plan.	m²	1	
32	Extra over brick-on-edge header course sill laid sloping and slighly projecting	m	1	
33	Extra over brick-on-edge header course lintel	m	1	
34	Cutting toothings and bonding new face brickwork to existing	m²	1	
	QUARRY TILES			
	Carried to Collection			R

15mm x 150mm wide quarry tiles on brickwork with continuous joints in both directions and pointed on all exposed surfaces Carefully remove and sat aside for re-use quary tiles sill and prepare surface to receive new (New quary tiles elsewhere measured) 1						
tiles sill and prepare surface to receive new (New quary tiles elsewhere measured) Carefully cut out and remove damaged quary tiles sill and prepare surface to receive new (New quary tiles elsewhere measured) Thoma Wide sill tiles set flat and slightly projecting may slightly may slightly may slightly may slightly may slightly may slightly projecting may slightly may slightly may slightly projecting may slightly ma		continuous joints in both directions and pointed on				
quary tiles elsewhere measured) Carefully cut out and remove damaged quary tiles sill and prepare surface to receive new (New quary tiles elsewhere measured) 150mm Wide sill tiles set flat and slightly projecting Fix only removed 150mm Wide sill tiles set flat and slightly projecting NUTEC-CEMENT/FIBRE-CEMENT WINDOW SILLS Natural grey sills in single lengths bedded in class I mortar including metal fixing lugs etc Carefully cut out and remove damaged sections of fibre cement sill and prepare surface to receive new (New fibre cement tiles elsewhere measured) 15mm x150mm Wide sills set flat and slightly projecting m 1	35	Carefully remove and set aside for re-use quary				
sill and prepare surface to receive new (New quary titles elsewhere measured) 37 150mm Wide sill titles set flat and slightly projecting m 1 38 Fix only removed 150mm Wide sill titles set flat and slightly projecting m 1 NUTEC-CEMENT/FIBRE-CEMENT WINDOW SILLS Natural grey sills in single lengths bedded in class I mortar including metal fixing lugs etc Garefully cut out and remove damaged sections of fibre cement sill and prepare surface to receive new (New fibre cement tiles elsewhere measured) m 1 40 15mm x150mm Wide sills set flat and slightly projecting m 1			m	1		
tiles elsewhere measured) 150mm Wide sill tiles set flat and slightly projecting m 1 Fix only removed 150mm Wide sill tiles set flat and slightly projecting m 1 NUTEC-CEMENT/FIBRE-CEMENT WINDOW SILLS Natural grey sills in single lengths bedded in class I mortar including metal fixing lugs etc Carefully cut out and remove damaged sections of fibre cement sill and prepare surface to receive new (New fibre cement tiles elsewhere measured) m 1 15mm x150mm Wide sills set flat and slightly projecting m 1	36	Carefully cut out and remove damaged quary tiles				
Fix only removed 150mm Wide sill tiles set flat and slightly projecting m 1 NUTEC-CEMENT/FIBRE-CEMENT WINDOW SILLS Natural grey sills in single lengths bedded in class I mortar including metal fixing lugs etc Carefully cut out and remove damaged sections of fibre cement sill and prepare surface to receive new (New fibre cement tiles elsewhere measured) m 1 15mm x150mm Wide sills set flat and slightly projecting m 1			m	1		
slightly projecting NUTEC-CEMENT/FIBRE-CEMENT WINDOW SILLS Natural grey sills in single lengths bedded in class I mortar including metal fixing lugs etc Carefully cut out and remove damaged sections of fibre cement sill and prepare surface to receive new (New fibre cement tiles elsewhere measured) 15mm x150mm Wide sills set flat and slightly projecting m 1	37	150mm Wide sill tiles set flat and slightly projecting	m	1		
SILLS Natural grey sills in single lengths bedded in class I mortar including metal fixing lugs etc Carefully cut out and remove damaged sections of fibre cement sill and prepare surface to receive new (New fibre cement tiles elsewhere measured) 15mm x150mm Wide sills set flat and slightly projecting m 1	38		m	1		
mortar including metal fixing lugs etc Carefully cut out and remove damaged sections of fibre cement sill and prepare surface to receive new (New fibre cement tiles elsewhere measured) m 1 15mm x150mm Wide sills set flat and slightly projecting m 1						
fibre cement sill and prepare surface to receive new (New fibre cement tiles elsewhere measured) m 1 15mm x150mm Wide sills set flat and slightly projecting m 1						
new (New fibre cement tiles elsewhere measured) 15mm x150mm Wide sills set flat and slightly projecting m 1 1	39	Carefully cut out and remove damaged sections of				
projecting m 1		fibre cement sill and prepare surface to receive new (New fibre cement tiles elsewhere measured)	m	1		
Carried to Collection	40		m	1		
Carried to Collection						
Carried to Collection R						
Carried to Collection						
Carried to Collection R						
Carried to Collection R						
Carried to Collection						
Carried to Collection R						
Carried to Collection						
Carried to Collection						
Carried to Collection						
		Carried to Collection			R	

Item No	 		Quantity	Rate	Amount
	BILL NO 5				
	WATERPROOFING				
	SUPPLEMENTARY PREAMBLES				
	Waterproofing				
	Waterproofing of roofs, basements, etc shall be laid under a ten year guarantee. Waterproofing to roofs shall be laid to even falls to outlets etc with necessary ridges, hips and valleys. Descriptions of sheet or membrane waterproofing shall be deemed to include additional labour to turn-ups and turn-downs				
	DAMP-PROOFING OF WALLS AND FLOORS				
	One layer of 375 micron "Consol Plastics Brikgrip DPC" embossed damp proof course				
1	110mm In walls	m	1		
2	230mm In walls	m	1		
3	One layer of 250 micron "Consol Plastics Gunplas USB Green" waterproof sheeting sealed at laps with "Gunplas Pressure Sensitive Tape" Under surface beds, ramps, pavings, steps e.t.c	m²	1		
	WATERPROOFING TO ROOFS, BASEMENTS, ETC				
	Two layers 4mm "Derbigum SP" fully bonded waterproofing including turn-ups and turn-downs at edges well jointed to existing.				
4	On flat floors	m²	1		
5	On walls	m²	1		
6	On bottoms and sides of floor ducts, channels, etc	m²	1		
7	On bottoms and sides of box gutters	m²	1		
8	On bottoms and sides of planter boxes	m²	1		
	Carried to Collection Section No. 2 BUILDING WORKS Bill No. 5			R	
1					

9	Flashing strip not exceeding 300mm girth at turn-			
	ups including sealing top edge into groove with mastic	m	1	
	PROTECTIVE STONE DRESSING			
	25mm Crushed stone dressing evenly spread with			
	larger stones around outlets			
10	50mm Thick on waterproofing to flat roofs	m²	1	
	20mm River stone pebble dressing evenly spread with larger stones around outlets			
11	50mm Thick on waterproofing to flat roofs	m²	1	
	PROTECTIVE ROOFING PAINT			
	Two coats "Silvakote" bituminous aluminium paint			
12	On waterproofing to roofs	m²	1	
13	On waterproofing to box gutters	m²	1	
	JOINT SEALANTS ETC			
	Fosroc Thioflex 600 two-part grey polysulphide sealing compound including backing cord, bond breaker, primer, etc			
14	10 x 10mm in vertical/horizontal expansion joints in concrete work/brickwork	m	1	
15	10 x 10mm in vertical/horizontal expansion joints in			
	concrete work/brickwork including raking out existing expansion joint filler as necessary	m	1	

Item No			Quantity	Rate	Amount
	BILL NO 6				
	ROOF COVERINGS ETC				
	<u>Sundries</u>				
	Galvanised hoop iron cramps, ties, etc				
1	30 x 1,6mm Metal perforated strip roof tie 1500mm long with one end shot pinned to concrete work /				
	brickwork and other end nailed around roof timber trusses	No	1		
2	1,6mm Truss hangers nailed to fasten timber trusses	No	1		
3	1,6mm Hurricane clips nailed to fasten timber trusses	No	1		
4	150 x 100 x 1,6mm Fasteners nailed to fasten roof timber trusses at joints	No	1		
5	10mm diameter bolt and nut	No	1		
	330 x 420mm "Marley Monarch Designer Range - Verona" or similar to match existing concrete tiles laid on and including underlay of 150 micron "Yellow polyethene" plastic sheeting with 75mm lapped and sealed joints and nailed through underlay with non-corrosive tile nails and/or fixed with suitable non-corrosive clips as required nailed through underlay to 38 x 38mm sawn softwood battens at 300mm centres				
6	Roof covering with pitch not exceeding 25 degrees	m2	1		
7	Ridge tiles to match roofing tiles bedded and				
	pointed in 1:3 cement mortar tinted to match tile colour	m	1		
8	Hip tiles to match roofing tiles bedded and pointed in 1:3 cement mortar tinted to match tile colour	m	1		
9	Verge capping tiles to match roofing tiles fixed with non-corrosive fixing accessories	m	1		
	Coming to Collection				
	Carried to Collection			R	
	Section No. 2				

	PROFILED METAL SHEETING AND ACCESSORIES			
	0,6mm Corrugated Z275 spelter galvanised sheet steel or similar to match existing profile fixed to timber/steel purlins or rails			
10	Roof covering with pitch not exceeding 25 degrees	m²	1	
11	Side cladding	m²	1	
12	Ridge capping 450mm girth	m	1	
13	Hip capping 450mm girth	m	1	
14	Side wall flashing 450mm girth	m	1	
15	Head wall flashing 450mm girth	m	1	
16	Gable trim 250mm girth	m	1	
17	Apex flashing 450mm girth	m	1	
	0,6mm "zincalume" or similar to match existing Z275 spelter galvanised ribbed sheet steel in single lengths fixed to timber/steel purlins or rails.			
18	Roof covering with pitch not exceeding 25 degrees	m²	1	
19	Side cladding	m²	1	
20	Ridge capping 450mm girth	m	1	
21	Hip capping 450mm girth	m	1	
22	Side wall flashing 450mm girth	m	1	
23	Head wall flashing 450mm girth	m	1	
24	Gable trim 250mm girth	m	1	
25	Apex flashing 450mm girth	m	1	
	Carried to Collection			R
	Section No. 2 BUILDING WORKS Bill No. 6 ROOF COVERINGS			

Item No	T	Quantity	Rate	Amount
	BILL NO 7			
	CARPENTRY AND JOINERY			
	SUPPLEMENTARY PREAMBLES			
	Particle board:			
	Particle board shall comply with the following specifications:			
	a) SABS 1300 Particle board: exterior and flooring type			
	b) SABS 1301 Particle board: interior type			
	Joinery:			
	Descriptions of frames shall be deemed to include frames, transomes, mullions, rails, etc			
	Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes			
	<u>Fixing</u>			
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete			
	Decorative laminate finish:			
	Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish			
	EAVES, VERGES, ETC			
	"Everite" pressed nutec-cement			
1	12 x 225mm Fascias and barge boards including galvanised steel H-profile jointing strips	m 1		
	SKIRTINGS			
	Carried to Collection		R	
	Section No. 2 BUILDING WORKS Bill No. 7 CARPENTRY AND JOINERY			

	Wrought meranti				
2	19 x 76mm Skirting including 19mm quadrant bead nailed	m	1		
	DOORS ETC				
	Wrought meranti				
3	Meranti framed batten external single door (PC R2200.00/No)	No	1		
4	Meranti framed batten external double door (PC R4250.00/No)	No	1		
5	Approved timber framed glazed single door (PC R4650.00/No)	No	1		
6	Approved timber framed glazed double door (PC R7250.00/No)	No	1		
7	Approved solid core flush single door (PC R2650.00/No)	No	1		
8	Approved solid core flush double door (PC R4850.00/No)	No	1		
9	Approved semi-solid core flush single door (PC R1650.00/No)	No	1		
10	Approved semi-solid core flush double door (PC R3800.00/No)	No	1		
11	Approved Hollow core flush single door (PC R650.00/No)	No	1		
12	Approved hollow core flush double door (PC R1550.00/No)	No	1		
	FITTINGS				
	Carried to Collection			R	
	Section No. 2 BUILDING WORKS Bill No. 7 CARPENTRY AND JOINERY	9			

				
	<u>General</u>			
	The following cupboard fittings have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing, notching, glueing, blocking, planting on and screwing with countersunk screws, edge strips, decorative plastic finish, glass, ironmongery, metalwork, paint or varnish finishes, etc (refer Architect's drawings as attached to the back of these Bills of Quantities)			
	Fittings to Classroom Store			
13	Shelving 350mm wide made up of 25mm thick hardwood top and 250 x 250mm high triangular mild steel brackets bolted to wall complete with paint and varnish	m	1	
	ROOFS ETC			
	Plate nailed timber roof truss construction			
14	Truss construction to double pitched roof with hipped or gable ends and 2100mm high extreme including wall plates, trusses, jack rafters, permanent bracing including 38 x 38mm purlins/battens at not exceeding 300mm centres for concrete roof tile covering	m²	1	
15	Truss construction to double pitched roof with hipped or gable ends and 2100mm high extreme including wall plates, trusses, jack rafters, permanent bracing including 38 x 52mm purlins/battens at not exceeding 900mm centres for corrugated roofing sheets	m²	1	
16	Truss construction to double pitched roof with hipped or gable ends and 2100mm high extreme including wall plates, trusses, jack rafters, permanent bracing including 38 x 52mm purlins/battens at not exceeding 1500mm centres for IBR roofing sheets	m²	1	
	Sawn softwood			
17	38 x 76 mm Wall plates	m	1	
	Carried to Collection			R

18	38 x 114 mm Wall plates		m	1	
	Sawn softwood grade 4				
19	38 x 76 mm Runners (Pro	visional)	m	1	
20	50 x 76 mm Runners (Pro	visional)	m	1	
21	38 x 114 mm Cross bracir	ng (Provisional)	m	1	
22	50 x 152mm Geyser bear	ers on truss tie beams	m	1	
:					
,					
					·
		Carried to Collection			R R
	Section No. 2				
	BUILDING WORKS Bill No. 7				
	CARPENTRY AND JOINERY				

Item No	Т		Quantity	Rate	Amount
140	I	ı	ı		I
	BILL NO 8				
	CEILINGS, PARTITIONS AND ACCESS FLOORING				
	SUPPLEMENTARY PREAMBLES				
	Descriptions:				
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete				
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as "bolted" the bolts have been given elsewhere				
	CEILINGS ETC				
	"Aerolite" insulation				
1	75mm Insulation closely fitted and laid on top of brandering between roof timbers etc	m²	1		
	NAILED UP CEILINGS				
	-				
	6,4mm "Rhino" gypsum plasterboard with H-type pressed steel jointing strips				
2	Ceilings including 38 x 38mm sawn softwood brandering at 400mm centres	m²	1		
3	Sloping ceilings including 38 x 38mm sawn softwood brandering at 400mm centres	m²	1		
4	Extra over ceiling for 650 x 650mm trap door of 38 x 50mm wrought softwood rebated framing with one 38 x 50mm sawn softwood cross brander covered with ceiling board and fitted flush in opening	No	1		
	UDI. in all more one of a fault and a surface.				
	"Rhino" gypsum plasterboard cornices				
5	75mm Coved cornices	m	1		
	Carried Forward to Summary of Section No. 2			R	
į		i	ı		I

Item No		Quantity	Rate	Amount
	BILL NO 9			
	FLOOR COVERINGS			
	2,5mm "Marley Superflex" or similar to match existing fully flexible vinyl sheeting (with welded joints)			
1	New Vinyl sheeting to match existing where			
	damaged sections of Vinyl floor sheetings had been removed and well bonded to existing	1		
2	New Vinyl sheeting m ²	1		
	300 x 300 x 2.0mm "Marley Superflex" or similar to match existing semi-flexible vinyl tiles			
3	New Vinyl sheeting to match existing where			
	damaged sections of Vinyl floor sheetings had been removed and well bonded to existing	1		
4	New Vinyl sheeting m ²	1		
	POLISH, SEALERS, ETC			
5	Three coats wax polish on vinyl flooring m ²	1		
	Outlind Francisco (Co. 11 and Co. 12 and Co.		_	
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2			

ltem	1		Quantity	Rate	II Amount
No			Quantity	Rate	Amount
	BILL NO 10				
	IRONMONGERY				
	SUPPLEMENTARY PREAMBLES				
	Finishes to ironmongery All items necessary to be replaced should match existing or similar approved				
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered CH Chromium plated SC Satin chromium plated SE Silver enamelled GE Grey enamelled AS Anodised silver AB Anodised bronze AG Anodised gold ABL Anodised black PB Polished brass PL Polished and lacquered PT Epoxy coated SD Sanded				
	IRONMONGERY				
	HINGES, BOLTS, ETC				
1	Door hinges	No	1		
2	Single action floor spring hinges	No	1		
3	Double action floor spring hinges	No	1		
4	Barrel bolt with keep fixed to metal/concrete	No	1		
5	Flush bolt with keep fixed to metal/concrete	No	1		
6	WC indicator bolt with keep fixed to metal/concrete	No	1		
7	Panic bolt for single door with one keep let into concrete	No	1		
8	Panic bolt for double door with one keep let into concrete	No	1		
	CATCHES, CABIN HOOKS, ETC				
9	Ball catch	No	1		
10	Single roller catch	No	1		
	Carried to Collection			R	
	Section No. 2				
	BUILDING WORKS Bill No. 10				
	IRONMONGERY				
l		ļ	1		I

11	Double roller catch	No	1	
12	Fanlight catch	No	1	
13	Fanlight stay	No	1	
14	Fanlight friction sliding arm	No	1	
15	Fanlight opener with cord and cleat	No	1	
16	Cabin hook and eye	No	1	
	LOCKS			
17	Padlock	No	1	
18	Night latch	No	1	
19	Bathroom lockset	No	1	
20	Bathroom lockset with striking plate fixed to metal/timber	No	1	
21	Three lever deadlock	No	1	
22	Three lever rebated deadlock	No	1	
23	Four lever deadlock	No	1	
24	Four lever rebated deadlock	No	1	
25	Two lever lockset	No	1	
26	Two lever lockset with striking plate fixed to metal/timber	No	1	
27	Two lever rebated lockset	No	1	
28	Three lever lockset	No	1	
29	Three lever lockset with striking plate fixed to metal/timber	No	1	
30	Three lever rebated lockset	No	1	
31	Four lever lockset	No	1	
32	Four lever lockset with striking plate fixed to metal/timber	No	1	
	Carried to Collection			R
	Section No. 2 BUILDING WORKS Bill No. 10 IRONMONGERY			

33	Four lever rebated lockset	No	1		
34	Three lever sliding door lock	No	1		
35	Four lever sliding door lock	No	1		
36	Single cylinder deadlock	No	1		
37	Single cylinder rebated deadlock	No	1		
38	Double cylinder deadlock	No	1		
39	Double cylinder rebated deadlock	No	1		
40	Single cylinder lockset	No	1		
41	Single cylinder lockset with striking plate fixed to metal/timber	No	1		
42	Single cylinder rebated lockset	No	1		
43	Double cylinder lockset	No	1		
44	Double cylinder lockset with striking plate fixed to metal/timber	No	1		
45	Double cylinder rebated lockset	No	1		
46	Single cylinder sliding door lock	No	1		
47	Double cylinder sliding door lock	No	1		
	<u>HANDLES</u>				
48	Door flush handle	No	1		
49	Door knob	No	1		
50	Door pull handle	No	1		
51	Set of two door pull handles fixed back to back	No	1		
	PUSH PLATES AND KICKING PLATES				
52	Aluminium plates not exceeding 0,1m2	No	1		
53	Aluminium plates exceeding 0,1m2 but not exceeding 0,3m2	No	1		
	Carried to Collection			R	
	Section No. 2 BUILDING WORKS Bill No. 10 IRONMONGERY				
	II COMMONDER (

54	Aluminium plates exceeding 0,3m2 but not exceeding 0,5m2	No	1	
	DOOR CLOSERS			
55	Door closer	No	1	
56	Door closer with bracket	No	1	
57	Concealed door closer	No	1	
58	Concealed door closer with bracket	No	1	
	LETTERS, NAMEPLATES, ETC			
59	Brass or plastic letters/numerals	No	1	
60	Perspex plate with engraved or painted letters/numerals/symbols not exceeding 0,1m2	No	1	
61	Aluminium plate with engraved or painted letters/numerals/symbols not exceeding 0,1m2	No	1	
	PELMETS AND CURTAIN TRACKS			
62	Pressed steel pelmet with single or double curtain tracks including gliders, hangers and brackets	m	1	
63	Soffit fixing plastic single or double curtain tracks including gliders, hangers and brackets	m	1	
64	Face fixing plastic single or double curtain tracks			
	including gliders, hangers and brackets and make good all works disturbed	m	1	
65	Hospital cubicle curtain track including gliders, hangers and brackets	m	1	
	BATHROOM FITTINGS			
66	Chromium plated curtain or hanging rail not exceeding 1,0m long	No	1	
67	Chromium plated curtain or hanging rail exceeding 1,0m but not exceeding 2,0m long	No	1	
68	Chromium plated towel rail not exceeding 1,0m long	No	1	
69	Toilet roll holder	No	1	
		ı	I	II

70	Lockable toilet roll holder	No	1	
71	Soap holder	No	1	
72	Back grab rail not exceeding 1,0m long	No	1	
73	Side grab rail not exceeding 1,0m girth	No	1	
74	Bathroom cabinet	No	1	
75	Soap dispenser	No	1	
76	Electric hand-drier	No	1	
	SUNDRIES			
77	Rubber door stop	No	1	
	STEEL LOCKERS			
	"Greenfield Baseline Guardsman" Steel lockers with			
	standard baked enamel finish			
78	"GB002" locker 300 x 450 x 1800mm high	No	1	
	WRITING BOARDS BINNING BOARD FTO			
	WRITING BOARDS, PINNING BOARD, ETC			
	"Virtrex" virtreous enamelled writing boards, etc to SABS CSK-36-1980			
79	Green writing board 4 800 x 1 140mm high			
	consisting of two fixed panels each 2 400 x 1 140mm high complete with aluminium chalk rail,			
	etc, plugged	No	1	
	"Parrot products"			
80	"BD0476" 2 400 x 1 200mm Aluminium framed carpet bulletin board	No	1	
	Carried to Collection			R
	Section No. 2			
i		I	I	II

Item No	T	——т	Quantity	Rate	Amount
	BILL NO 11				
	METALWORK				
	SUPPLEMENTARY PREAMBLES				
	<u>Descriptions</u>				
	Descriptions of bolts shall be deemed to include nuts and washers				
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete				
	Metalwork described as holed for bolt(s) shall be deemed to exclude the bolts unless otherwise described				
	WELDED SCREENS, GATES, ETC				
	Steel gates and frames				
1	Single gate and frame 965 x 2 067mm high overall, the outer frame of 45 x 45 x 3mm hollow section bolted to wall with and including eight 70mm M80 expansion bolts and the gate 813 x 2 032mm high of 40 x 60 x 2mm hollow section frame with two 40 x 6mm flat section horizontal rails filled in with 20mm diameter vertical rails at 110mm centres fitted with one and a half pairs of suitable pin hinges welded to hollow section steel frame,				
	complete with and including 150mm barrelbolt and padlock	No	1		
	PRESSED STEEL DOOR FRAMES				
	1,2mm Double rebated frames suitable for half brick walls				
2	Frame for door 813 x 2 032mm high	No	1		
	1,2mm Double rebated frames suitable for one brick walls				
3	Frame for door 813 x 2 032mm high	No	1		
	STEEL WINDOWS, DOORS, ETC				
	Carried to Collection			R	
	Section No. 2 BUILDING WORKS Bill No. 11				

	Standard residential windows with type "B2" burglar bars to opening sashes			
4	Window type E7, 1 022 x 654mm high	No	1	
5	Window type E4, 1 511 x 654mm high	No	1	
	Standard industrial windows with type "B1" burglar bars to opening sashes			
6	Window type SS53, 1 616 x 1 445mm high	No	1	
	Carried to Collection			R
	Section No. 2 BUILDING WORKS Bill No. 11 METALWORK			
1		ı	I	11

Item No	Т		Quantity	Rate	Amount
	BILL NO 13				
	TILING				
	SUPPLEMENTARY PREAMBLES				
	<u>Descriptions</u>				
	Unless described as "fixed with adhesive to plaster (plaster elsewhere)" descriptions of tiling on brick or concrete walls, columns, etc shall be deemed to include 1:4 cement plaster backing and descriptions of tiling on concrete floors etc shall be deemed to include 1:3 plaster bedding				
	WALL TILING				
	Tiles supplied by Tile Africa or similar approved				
	Ceramic tile (PC Amount R150.00/m2)				
1	On walls	m²	1		
2	On narrow widths	m²	1		
	FLOOR TILING				
	Porcelain tile (PC Amount R150.00/m2)				
3	On floors and landings	m²	1		
4	100mm High skirting	m	1		
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 BUILDING WORKS Bill No. 13 TILING				

	Quantity	Rate	Amoun
BILL NO 14			
PLUMBING AND DRAINAGE			
SUPPLEMENTARY PREAMBLES			
"Polycop" polypropylene pipes:			
Polypropylene pipes 54mm diameter and under shall be seamless copper coloured class 16 pipes jointed with "Fast-fuse" heat welded thermoplastic or brass compression fittings as designed for use with copper pipes as stated			
Pipes shall be firmly fixed to walls etc with coloured nylon snap-in pipe clips with provision for accommodating thermal movement and jointed and fixed strictly in accordance with the manufacturer's instructions			
All pipe diameters are nominal external			
"Polylink" polypropylene pipes:			
Polypropylene pipes 63mm diameter and over shall be class 12 pipes jointed with cast iron "Supraclamp" running joints			
Fusion welded bends, once or twice mitred as necessary, and tees shall be factory manufactured			
Fusion welded bends and tees shall include jointing to pipes with PVC rubber ring double Z joint couplers			
Branch tees shall include flanged and bolted joints to "Polycop" branch pipes in addition and for brass compression male iron to copper straight couplers			
Reducers shall include jointing to pipes with PVC rubber ring double Z joint couplers and reducers shall be of sufficient overall length to accommodate same			
All pipes shall be jointed and fixed strictly in accordance with the manufacturer's instructions			
All pipe diameters are nominal external			
Carried to Collection		R	Not F
Section No. 2 BUILDING WORKS Bill No. 14 PLUMBING			
-2/91-			

Concrete pipes:

Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings

Vitrified clay pipes:

Pipes shall rest on solid ground and, where necessary, pockets of sufficient size shall be cut around joints to enable the jointing to be properly performed or, alternatively, pipes shall be bedded full length on and including unreinforced concrete laid in a semi-dry state immediately before pipes are laid

Sewer and drainage pipes and fittings shall be jointed and sealed with butyl rubber rings

uPVC pipes and fittings:

Soil, waste and vent pipes and fittings shall be solvent weld jointed

uPVC pressure pipes and fittings:

Pipes for water supply shall be of the class stated

Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings

Pipes of 50mm diameter and greater shall have sockets and spigots with push in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints

Copper pipes:

Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be "Cobra Watertech" type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground

Carried to Collection

Section No. 2 BUILDING WORKS Bill No. 14 PLUMBING R Not Priced

Fixing of pipes

Unless specifically otherwise stated, descriptions of pipes shall be deemed to include fixing to walls etc, casting in, building in or suspending not exceeding 1m below suspension level

Lead pipes and fittings

All soldered joints shall be wiped and brass unions shall be used for jointing lead to steel

Reducing fittings

Where fittings have reducing ends or branches they are described as "reducing". In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained

Wire gratings

Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings

Septic tanks

Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions

Exposed concrete surfaces

Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster

Excavations

No claim for rock excavation will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling

Carried to Collection

Section No. 2 BUILDING WORKS Bill No. 14 PLUMBING R Not Priced

"Soft rock" and "hard rock" shall be as defined in "Earthworks"

Laying, backfilling, bedding, etc. of pipes

Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions

Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following: SABS 1200 L : Medium-pressure pipelines LD : Sewers LE : Stormwater drainage Pipe trenches etc shall be backfilled in accordance with clauses 3, 5.5, 5.6, 5.7 and 7 of SABS 1200 DB : Earthworks (Pipe trenches) Pipes shall be bedded in accordance with clauses 3.1 to 3.4.1, 5.1 to 5.3 and 7 of SABS 1200 LB : Bedding (Pipes). Unless otherwise described bedding of rigid pipes shall be class B bedding

Flush pans

Flush pans shall have straight or side outlets and "P" or "S" traps as necessary

Stainless steel basins, sinks, wash troughs, urinals, etc.

Units shall have standard aprons on all exposed edges and tiling keys against walls where applicable

Waste unions

Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings

Steel sectional water tanks

Tanks shall comply with SABS CKS 114

"Densyl" petrolatum anti-corrosion tape as manufactured by Denso SA (Pty) Ltd.

Pipes to be taped shall be coated with the appropriate primer and the tape shall be applied with minimum 15mm lap per spiral unless otherwise described

Carried to Collection

Section No. 2 BUILDING WORKS Bill No. 14 PLUMBING R Not Priced

	Couplings and fittings to pipes shall be taped in strict accordance with the manufacturer's instructions including all mastic, tape, "Layflat" sheeting, securing of same, etc			
	RAINWATER DISPOSAL			
	0,6mm Galvanised sheet iron with chromadek finish			
1	100 x 125mm Galvanised gutter fixed to rafter feet	m	1	
2	Extra on 100 x 125mm square gutter for stop ends	No	1	
3	Extra on 100 x 125mm square gutter for oulet to 60mm diameter downpipe	No	1	
4	60mm diameter rainwater downpipe	m	1	
5	Extra on 60mm rainwater downpipe for shoe	No	1	
6	Extra over 60mm rainwater pipe for eaves offset	No	1	
	<u>"Fullbore" cast iron outlets</u>			
7	76mm diameter 90 Degree side outlet	No	1	
	<u>Sundries</u>			
8	50mm diameter x 300mm long galvanised mild steel spout	No	1	
	SANITARY FITTINGS (All items necessary to be replaced to match existing or similar approved)			
9	Stainless steel wash hand basin	No	1	
10	Stainless steel sink and drainer	No	1	
11	Wash hand basin	No	1	
12	Wash hand basin on pedestal.	No	1	
13	Pedestal only	No	1	
14	WC pan only	No	1	
15	WC pan with cistern	No	1	
16	WC pan with flush valve	No	1	
	Carried to Collection			R
	Section No. 2 BUILDING WORKS			
	Bill No. 14			

17	Cistern and internal flushing mechanism	No	1		
18	Cistern only	No	1		
19	Cistern internal flushing mechanism only	No	1	i	
20	WC seat and cover	No	1		
21	WC pan connector	No	1		
22	Wall hung urinal with flush valve	No	1		
23	Wall hung urinal only	No	1		
24	Urinal flush valve	No	1		
	WASTE UNIONS ETC				
	New New				
25	32mm Bath overflow union (PC Sum R60.00/No)	No	1		
26	32mm Basin waste union (PC Sum R60.00/No)	No	1		
	, ,	No	1		
27	32mm waste union (PC Sum R45.00/No)	NO	'		
28	38mm Bath or sink waste union (PC Sum R60.00/No)	No	1		
	TRAPS ETC				
	"Marley" or Similar approved				
29	32mm Reseal "P" or "S" trap	No	1		
30	40mm Bath trap complete with overflow outlet and pipe	No	1		
31	40 x 300mm Sink combination for double bowl with deepseal "P" trap	No	1		
	"Vulcathene" or Similar approved	.			
32	40mm Anti-vac bottle trap	No	1		
	"Approved" Chromium plated				
33	40mm Chrome plated Bottle trap	No	1		
	Carried to Collection			R	
	Section No. 2				
	BUILDING WORKS				
			-		

	T			"
	"Cobra Watertech" or Similar approved			
34	75mm Chrome Plated hinged urinal domical grating	No	1	
	<u>Brass</u>			
35	Stopcock	No	1	
36	Fullway gate valve	No	1	
37	Bibcock with hose union	No	1	
38	Non-return valve	No	1	
	"Cobra Watertech" or Similar approved			
39	Chrome Plated angle regulating valve	No	1	
40	Chrome Plated stopcock	No	1	
41	Chrome Plated "Star" underwall pattern stopcock	No	1	
42	Fullway gate valve	No	1	
43	Bibcock	No	1	
44	Bibcock with hose union	No	1	
45	Chrome Plated bibcock	No	1	
46	Chrome Plated pillarcock	No	1	
47	Chrome Plated single taphole basin mixer	No	1	
48	Chrome Plated sink mixer	No	1	
49	Chrome Plated bath mixer	No	1	
50	Chrome Plated bath mixer with hand shower	No	1	
51	Chrome Plated shower mixer	No	1	
52	Chrome Plated bath spout	No	1	
53	Chrome Plated shower rose	No	1	
54	Chrome Plated overhead shower arm	No	1	
	Carried to Collection			R
	Section No. 2			T.
	BUILDING WORKS Bill No. 14			
	PLUMBING			
į		I	I	II

55	In-line strainer	No	1		
56	Chrome Plated fullway ballcock	No	1		
57	Fullway ballcock	No	1		
58	PB1.10RB vacuum breaker	No	1		
59	PA1.1RB "Kwikflo" 400 kPa pressure reducing valve	No	1		
60	"Flushmaster Junior" toilet flush valve	No	1		
61	"Flushmaster Junior" urinal flush valve	No	1		
62	"Flushmaster" toilet flush valve	No	1		
	SANITARY PLUMBING				
	uPVC Pipes				
63	40mm Diameter pipes	m	1		
64	50mm Diameter pipes	m	1		
65	110mm Diameter pipes	m	1		
00	Tromin Blameter pipes				
	Extra over for uPVC for fittings				
66	40mm Bend	No	1		
67	50mm Bend	No	1		
68	110mm Bend	No	1		
69	40mm Junction	No	1		
70	50mm Junction	No	1		
71	110mm Junction	No	1		
72	40mm Inspection junction	No	1		
73	50mm Inspection junction	No	1		
74	110mm Inspection junction	No	1		
75	50mm Reducing junction	No	1		
	Carried to Collection			R	
	Section No. 2			``	
	BUILDING WORKS				
	Bill No. 14 PLUMBING				

76	110mm Reducing junction	No	1		
77	110mm Pan connector	No	1		
78	110mm "GI Two way" vent valve	No	1		
79	50mm "GI Two way" vent valve	No	1		
	HOT AND COLD WATER SERVICES				
	Class 1 copper (hard drawn) pipes				
80	15mm Pipes to walls, etc	m	1		
81	22mm Pipes to walls, etc	m	1		
82	28mm Pipes to walls, etc	m	1		
83	35mm Pipes to walls, etc	m	1		
	Extra over class 1 copper (hard drawn) pipes for				
	capillary fittings				
84	15mm Fittings	No	1		
85	22mm Fittings	No	1		
86	28mm Fittings	No	1		
87	35mm Reducer	No	1		
88	35mm Elbow	No	1		
89	35mm Tee	No	1		
	Precast concrete				
90	Precast concrete gulley, overall size 430 x 440mm,				
	bedded and jointed in Class II motar and pointed on all exposed faces.	No	1	1	
	<u>TESTING</u>				
			14.0		
91	Testing water pipe system		Item		
92	Testing sewer/waste pipe system		Item		
	FIRE APPLIANCES ETC				
	Carried to Collection			R	
			I		

	A contract of the contract of the According of		1	II .	
	good all works disturbed				
93	"Everyway" hose reel complete with 30m rubber				
	hose, chromium plated stopcock, shut-off nozzle and wall bracket	No	1		
94	4.5kg Dry chemical fire extinguisher	No	1		
95	9kg Dry chemical fire extinguisher	No	1		
	Carried to Collection			R	
	Section No. 2				
	BUILDING WORKS Bill No. 14 PLUMBING				

BILL NO 14 GLAZING GLAZING TO METAL / WOOD WITH PUTTY OR BEADS Amm Clear float glass	Item No			Quantity	Rate	Amount
CLAZING TO METAL / WOOD WITH PUTTY OR BEADS		BILL NO 14				
### Dear float glass Panes not exceeding 0,1 m2 m² 1		GLAZING				
Panes not exceeding 0,1 m2 m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 ### Patterned glass Panes not exceeding 0,1 m2 m² 1 Panes exceeding 0,1 m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 ### Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 0,1 m2 m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 0,1 m² and not exceeding 0,5m² m² 1 Panes exceeding 0,5m² and not exceeding 0,5m² m² 1 ### Panes exceeding 0,1 m² m² 1 #### Panes exceeding 0,1 m² m² 1 ###################################						
Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Amm Patterned glass Panes not exceeding 0,1 m2 m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Semm Georgian wired rough cast glass Panes not exceeding 0,1m2 m² 1 Panes exceeding 0,1m2 and not exceeding 2m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 0,1 m² m² 1 Panes exceeding 0,1 m² m² 1 Panes exceeding 0,1 m² m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m² m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m² m² 1 Panes exceeding 0,1m2 and not exceeding 2m² m² 1 Panes exceeding 0,5m² and not exceeding 2m² m² 1 Semm Clear toughened safety glass Panes not exceeding 0,1m2 and not exceeding 0,5m² m² 1 Panes exceeding 0,1m2 and not exceeding 2m² m² 1 Sexition No. 2		4mm Clear float glass				
Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Amm Patterned glass Panes not exceeding 0,1 m2 m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Semm Georgian wired rough cast glass Panes not exceeding 0,1 m2 m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 0,1 m² m² 1	1	Panes not exceeding 0,1 m2	m²	1		
Amm Patterned glass Panes not exceeding 0,1 m2 m² 1 Panes exceeding 0,1 m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Semm Georgian wired rough cast glass Panes not exceeding 0,1 m2 m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 0,1 m² m² 1 Section No. 2	2	Panes exceeding 0,1m2 and not exceeding 0,5m2	m²	1		
Amm Patterned glass Panes not exceeding 0,1 m2	3	Panes exceeding 0,5m2 and not exceeding 2m2	m²	1		
Panes not exceeding 0,1 m2 m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Semm Georgian wired rough cast glass Panes not exceeding 0,1 m2 m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 0,1 m² m² 1 Sextion No. 2	4	Panes exceeding 2m2 and not exceeding 4m2	m²	1		
Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Semm Georgian wired rough cast glass Panes not exceeding 0,1m2 m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 0,1m² m² 1 Panes exceeding 0,1m² m² 1 Panes exceeding 0,1m² m² 1 Panes exceeding 0,5m² and not exceeding 0,5m² m² 1 Panes exceeding 0,5m² and not exceeding 2m² 1 Section No. 2		4mm Patterned glass				
Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Semm Georgian wired rough cast glass Panes not exceeding 0,1 m2 m² 1 Panes exceeding 0,1 m2 m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 0,1 m² m² 1 Panes exceeding 0,1 m² m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m² m² 1 Panes exceeding 0,1m2 and not exceeding 2m² 1 Carried to Collection R Section No. 2	5	Panes not exceeding 0,1 m2	m²	1		
Panes exceeding 2m2 and not exceeding 4m2 m² 1 Semm Georgian wired rough cast glass	6	Panes exceeding 0,1m2 and not exceeding 0,5m2	m²	1		
6mm Georgian wired rough cast glass Panes not exceeding 0,1 m2 m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 6mm Clear toughened safety glass Panes not exceeding 0,1 m² m² 1 Panes exceeding 0,1 m² m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m² m² 1 Panes exceeding 0,5m² and not exceeding 2m² 1 Carried to Collection R Section No. 2	7	Panes exceeding 0,5m2 and not exceeding 2m2	m²	1		
Panes not exceeding 0,1 m2 m ² 1 Panes exceeding 0,1m2 and not exceeding 0,5m2 m ² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m ² 1 Panes exceeding 2m2 and not exceeding 4m2 m ² 1 6mm Clear toughened safety glass Panes not exceeding 0,1 m ² m ² 1 Panes exceeding 0,1 m ² m ² 1 Panes exceeding 0,1m2 and not exceeding 0,5m ² m ² 1 Panes exceeding 0,5m2 and not exceeding 2m ² 1 Section No. 2	8	Panes exceeding 2m2 and not exceeding 4m2	m²	1		
Panes exceeding 0,1m2 and not exceeding 0,5m2 m² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Emm Clear toughened safety glass Panes not exceeding 0,1 m² m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m² m² 1 Panes exceeding 0,5m² and not exceeding 2m² 1 Carried to Collection R Section No. 2		6mm Georgian wired rough cast glass				
Panes exceeding 0,5m2 and not exceeding 2m2 m² 1 Panes exceeding 2m2 and not exceeding 4m2 m² 1 Emm Clear toughened safety glass Panes not exceeding 0,1 m² m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m² m² 1 Panes exceeding 0,5m² and not exceeding 2m² 1 Carried to Collection R Section No. 2	9	Panes not exceeding 0,1 m2	m²	1		
Panes exceeding 2m2 and not exceeding 4m2 m ² 1 Gmm Clear toughened safety glass Panes not exceeding 0,1 m ² m ² 1 Panes exceeding 0,1m2 and not exceeding 0,5m ² m ² 1 Panes exceeding 0,5m2 and not exceeding 2m2 m ² 1 Carried to Collection R Section No. 2	10	Panes exceeding 0,1m2 and not exceeding 0,5m2	m²	1		
6mm Clear toughened safety glass Panes not exceeding 0,1 m² m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m² m² 1 Panes exceeding 0,5m² and not exceeding 2m² 1 Carried to Collection R Section No. 2	11	Panes exceeding 0,5m2 and not exceeding 2m2	m²	1		
Panes not exceeding 0,1 m² m² 1 Panes exceeding 0,1m2 and not exceeding 0,5m² m² 1 Panes exceeding 0,5m² and not exceeding 2m² m² 1 Carried to Collection R Section No. 2	12	Panes exceeding 2m2 and not exceeding 4m2	m²	1		
Panes exceeding 0,1m2 and not exceeding 0,5m ² m ² Panes exceeding 0,5m ² and not exceeding 2m ² 1 Carried to Collection R Section No. 2		6mm Clear toughened safety glass				
Panes exceeding 0,5m2 and not exceeding 2m2 m2 1 Carried to Collection R Section No. 2	13	Panes not exceeding 0,1 m ²	m²	1		
Carried to Collection R Section No. 2	14	Panes exceeding 0,1m2 and not exceeding 0,5m ²	m²	1		
Section No. 2	15	Panes exceeding 0,5m2 and not exceeding 2m2	m²	1		
Section No. 2						
Section No. 2						
		Carried to Collection			R	
BUILDING WORKS		Section No. 2 BUILDING WORKS				

16	Panes exceeding 2m ² and not exceeding 4m ²	m²	1		
	MIRRORS, ETC				
	New Works				
	6mm Silvered float glass copper backed mirrors with 10 mm bevelled and polished edges holed for and fixed with chromium plated dome capped mirror screws with rubber buffers to plugs in brickwork or concrete				
17	Mirror 450 x 450 mm high	No	1		
18	Mirror 450 x 600mm high	No	1		
19	Mirror 450 x 900mm high	No	1		
20	Mirror 450 x 1200mm high	No	1		
21	Mirror 600 x 600mm high	No	1		
22	Mirror 600 x 900mm high	No	1		
23	Mirror 600 x 1200mm high	No	1		
24	Mirror 600 x 1500mm high	No	1		
	Carried to Collection			R	
	Section No. 2 BUILDING WORKS Bill No. 15 GLAZING				

Item No	T	Q	uantity	Rate	Amount
	BILL NO 15				
	PAINTWORK				
	PREPARATORY WORK TO EXISTING WORK				
	Previously painted plastered surfaces				
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth				
	Previously painted metal surfaces				
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal				
	Previously painted wood surfaces				
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth				
	PAINTWORK ETC TO PREVIOUSLY PAINTED WORK				
	Note: All paintwork to be "Dulux" or similar approved product				
	On Floated Plaster				
	Apply two coats of Acrylic PVA emulsion paint on work previously painted				
1	On internal walls	m²	1		
2	On external walls	m²	1		
3	On ceilings and beams	m ²	1		
4	On ceilings and cornices	m²	1		
	Carried to Collection			R	
	Section No. 2 BUILDING WORKS Bill No. 16 PAINTING				

5	On fascias and barge boards not exceeding 300 mm girth	m	1		
	On Smooth Concrete				
	Apply two coats of Acrylic PVA emulsion paint on work previously painted				
6	On internal walls	m²	1		
7	On external walls	m²	1		
8	On ceilings and beams	m²	1		
9	On ceilings and cornices	m²	1		
	On Fair Faced Brickwork				
	Apply two coats of Acrylic PVA emulsion paint on work previously painted				
10	On internal walls	m²	1		
11	On external walls	m²	1		
	Prepare and apply two coats brick dressing on				
12	Existing surfaces of face brickwork	m²	1		
	On Plaster Board				
	Apply two coats of Acrylic PVA emulsion paint on work previously painted				
13	On ceilings and cornices	m²	1		
14	On fascias and barge boards not exceeding 300 mm girth	m	1		
	On Fibre-Cement				
	Apply two coats of Acrylic PVA emulsion paint on work previously painted				
15	On ceilings and cornices	m²	1		
16	On fascias and barge boards not exceeding 300 mm girth	m	1		
	Carried to Collection			R	
,	Section No. 2				

	On Metal	1		
	Prepare and apply one undercoat and two finishing coats of gloss paint on metalworks			
17	On doors	m²	1	
18	On door frames	m²	1	
19	On windows (both sides measured flat)	m²	1	
20	On windows with burglar bars (both sides measured flat)	m²	1	
	On Wood			
	Prepare and apply one coat wood primer, one undercoat and one finishing coat alkyd enamel paint in colours which have a value of 7 or less on the Munsell system in accordance with SABS 1091			
21	On boarded panelling	m²	1	
22	On boarded ceilings	m²	1	
23	On doors	m²	1	
24	On windows, sash doors and fanlights	m²	1	
25	On door frames etc	m²	1	
26	On roof timbers at eaves and verges	m²	1	
27	On skirtings, rails, etc not exceeding 300 mm girth	m	1	
	PAINTWORK ETC TO NEW WORK			
	Note: All paintwork to be "Dulux" or similar approved product			
	On Floated Plaster			
	Prepare and apply one undercoat and two finishing coats of Acrylic PVA emulsion paint to match existing			
28	On internal walls	m²	1	
29	On external walls	m²	1	
				<u> </u>
	Carried to Collection			R
	Section No. 2 BUILDING WORKS Bill No. 16 PAINTING			

30	On ceilings and beams	m²	1	
31	On ceilings and cornices	m²	1	
32	On fascias and barge boards not exceeding 300 mm girth	m	1	
	On Smooth Concrete			
	Prepare and apply one undercoat and two finishing coats of Acrylic PVA emulsion paint to match existing			
33	On internal walls	m²	1	
34	On external walls	m²	1	
35	On ceilings and beams	m²	1	
36	On ceilings and cornices	m²	1	
	On Fair Faced Brickwork Prepare and apply one undercoat and two finishing coats of Acrylic PVA emulsion paint to match existing			
37	On internal walls	m ²	1	
38	On external walls	m²	1	
39	Prepare and apply "Drikote Sealer" or similar approved clear sealing compound in accordance with manufacturer's instructions on: Surfaces of face brickwork to match existing	m²	1	
	On Plaster Board Prepare and apply one undercoat and two finishing coats of Acrylic PVA emulsion paint to match existing			
40	On ceilings and cornices	m²	1	
41	On fascias and barge boards not exceeding 300 mm girth	m	1	
	On Fibre-Cement			
	Carried to Collection Section No. 2 BUILDING WORKS			R
•		•	'	II

	Prepare and apply one undercoat and two finishing coats of Acrylic PVA emulsion paint to match			
	existing			
42	On ceilings and cornices	m²	1	
43	On fascias and barge boards not exceeding 300 mm girth	m	1	
	On Metal			
	Prepare and apply one undercoat and two finishing coats of gloss paint on metalworks			
44	On doors	m²	1	
45	On door frames	m²	1	
46	On windows (both sides measured flat)	m²	1	
47	On windows with burglar bars (both sides measured flat)	m²	1	
	On Wood			
	Prepare and apply one coat wood primer, one undercoat and one finishing coat alkyd enamel paint in colours which have a value of 7 or less on the Munsell system in accordance with SABS 1091			
48	On boarded panelling	m²	1	
49	On boarded ceilings	m²	1	
50	On doors	m²	1	
51	On windows, sash doors and fanlights	m²	1	
52	On door frames etc	m²	1	
53	On roof timbers at eaves and verges	m²	1	
54	On skirtings, rails, etc not exceeding 300 mm girth	m	1	
	Carried to Collection			R
	Section No. 2 BUILDING WORKS Bill No. 16 PAINTING			

	Supply and Installation of Air-conditioning Units Note: All prices to include COC Certification			
1	Supply, deliver, install and commission new airconditioning units complete with electrical connection, breaker/isolator switch, and all accessories for proper operation. Units to be wall-mounted split type, including mounting brackets, drain piping, insulation, and all required refrigerant.			
1.1	9000 BTU (2.6 kW)	No	1	
1.2	12000 BTU (3.5 kW)	No	1	
1.3	18000 BTU (5.0 kW)	No	1	
1.4	24000 BTU (7.0 kW)	No	1	
1.5	36000 BTU (10.5 kW)	No	1	
2	Supply, deliver and install ceiling cassette airconditioning units, complete with refrigerant piping, insulation, drain piping, brackets, and dedicated breaker/isolator switch.			
2.1	18000 BTU (5.0 kW)	No	1	
2.2	24000 BTU (7.0 kW)	No	1	
2.3	36000 BTU (10.5 kW)	No	1	
2.4	48000 BTU (14.0 kW)	No	1	
<u>.</u>				

3	Supply, deliver and refill refrigerant gases for airconditioning units as and when required. Rates shall include leak detection and repair, vacuuming of the system, and full recharge.			
3.1	R22	No	1	
3.2	R410A	No	1	
3.3	R134A	No	1	
4	Supply and replace damaged electrical breakers or isolator switches for each unit as required, ensuring compliance with electrical safety standards and proper labeling.	No	1	
5	Supply and replace remote controls, sensors, and thermostats for airconditioning units as required, including pairing, programming, and commissioning.	No	1	
6	Dismantle, remove and dispose of old, unserviceable airconditioning units safely, including disconnection from electrical supply, draining of refrigerant gases, and making good to surfaces.	No	1	

5.001.0050.5 <u></u>				
	Section No. 2			
	BUILDING WORKS			
	SECTION SUMMARY - BUILDING WORKS			
Bill No		Page No		Amount
1	ALTERATIONS	2/49		
2	EARTHWORKS	2/55		
3	CONCRETEWORK, FORMWORK AND REINFORCEMENT	2/60		
4	MASONRY	2/66		
5	WATERPROOFING	2/69		
6	ROOF COVERINGS	2/72		
7	CARPENTRY AND JOINERY	2/77		
8	CEILINGS, PARTITIONS AND ACCESS FLOORING	2/78		
9	FLOOR COVERINGS	2/79		
10	IRONMONGERY	2/85		
11	METALWORK	2/88		
12	PLASTERING	2/89		
13	TILING	2/90		
14	PLUMBING	2/101		
15	GLAZING	2/104		
16	PAINTING	2/110		
	Carried to Final Summary			
	Section No. 2		R	
	BUILDING WORKS			
	-2/111-			

BILL NO 1

PROVISIONAL SUMS FOR THE MAIN CONTRACT / NOMINATED OR SELECTED SUBCONTRACT

SUPPLEMENTARY PREAMBLES

General

All prime cost amounts and provisional sums are net. Prime cost amounts include for delivery to site of all articles concerned

Profit

Where stated, the contractor may allow for profit if required

General attendance on selected subcontractors

The item "Attendance" which follows each provisional sum for selected subcontractors' work, shall be deemed to cover all the contractor's costs incurred in providing free of charge to the selected subcontractors, the following:

- The services as set out in clause B9 of the Preliminaries
- Hoisting of the selected subcontractor's material in batches that can be handled by the contractor's hoist or crane during normal working hours
- 3. Making good in all trades and cleaning down and removal of rubbish on completion

Contingency sums

Work for which contingency sums are allowed will be measured and valued in accordance with clause 32 of the Engineer Building Agreement and deducted in whole or in part if not required

Carried to Collection

Section No. 3 PROVISIONAL SUMS Bill No. 1 PROVISIONAL SUMS R _____Not Priced

	<u>Preliminaries</u>		
	The contractor is referred to the Preliminaries for further amplification of "Prime Cost Amounts and Provisional Sums"		
	PROVISIONAL SUMS FOR THE MAIN		
	CONTRACT / NOMINATED SUBCONTRACT		
	WORKS		
	Fire Appliances Etc		
1	Allow the Provisional Sum of R 20,000.00 (Twenty Thousand Rand) for the purchase and supply of fire		
	appliances to be expended as directed by the DARDLEA Representatives	Item	20 000.00
2	Allow for profit	Item	2 000.00
	Electrical Installations		
3	Provide the sum of 200,000.00 (Fifty Thousand Rand) for Electrical Installations to be expended as directed by the DARDLEA Representatives	Item	200 000.00
4	Allow for profit	Item	20 000.00
5			
	Mechanical Installations		
6	Provide the sum of R200,000.00 (Fifty Thousand Rand) for Mechanical Installations to be expended as directed by the DARDLEA Representatives	Item	200 000.00
7	Allow for profit	Item	20 000.00
8			
J			
	Joinery Fittings		
9	Provide the sum of R50,000.00 (Fifty Thousand Rand) for Joinery fittings to be expended as directed by the DARDLEA Representatives	Item	50 000.00
10	Allow for profit	lt and	
	·	Item	5 000.00
11	Allow for attendance	Item	2 500.00
	Carried to Collection Section No. 3		R 194 500.00
	PROVISIONAL SUMS Bill No. 1		
	PROVISIONAL SUMS		
I		1	I

	<u>Civil Works</u>		
12	Provide the sum of R500,000.00 (Fifty Thousand		
	Rand) for Civil Works to be expended as directed by the DARDLEA Representatives	Item	500 000.00
13	Allow for profit	Item	50 000.00
14			
	Community Liaison Officer (R 6,000.00 per month)		
15	Provide the sum of R 6,000.00 (Ten Thousand Rand) for the Community Liaison Officer should it be required, to be expended as directed by the DARDLEA Representatives	Item	6 000.00
16	Allow for profit	Item	600.00
	Expanded Public Works Programme (EPWP)/National Youth Service (NYS)		
17	Provide the sum of R 10,000.00 (Ten Thousand Rand) for the Coordination and Training for the Expanded Public Works Programme (EPWP)/National Youth Service (NYS) programme to be expended as directed by the DARDLEA Representatives		
		Item	10 000.00
18	Allow for profit	Item	1 000.00
	Carried to Collection Section No. 3 PROVISIONAL SUMS Bill No. 1 PROVISIONAL SUMS		 R 79 500.00

	IEINIAL CUINAMA DV		
Section No	FINAL SUMMARY		Amount
1	DEMOLITIONS AND ALTERATIONS		
2	BUILDING WORKS		
3	PROVISIONAL SUMS		
	SUB-TOTAL A	R	
	VAT @ 15%	R	
	TOTAL SUM CARRIED FORWARD TO FORM OF OFFER	R	
		_	
			



Purpose

Application for a Tax Clearance Certificate

Select the applicable	e opti	on																						Tend	ders	ŝ	1	God	od s	itan	ding	i,
If "Good standing	", ple	ease	sta	te ti	he p	ourp	ose	e of	thi	s a	ppli	icat	ion	ì																		
Particulars of ap	plica	nt																														
Name/Legal name (Initials & Surname		1											1	11.											1	i						
(Initials & Surname or registered name)							- 4.		3.					#4. v				3				Î	1			:				The second second		
Trading name							7			1	1		i			:				1			i	į				1		1	1	r i
(if applicable)			1					;		i															i							: * !
ID/Passport no	1	:	i	÷			1	•			1	:	(Com	par	19/0	Clos	e C	orp		i	1	:	1	1) ·				
Income Tax ref no	ı, į				: .								1	egis	itei	eu	10		F	PAYE	: re	f no	: 7	r ;				÷	:			
VAT registration no	o 4	1			; 1	i														SDI	. re	f no	Ľ									
Customs code																				UII	re	f no		J								
Telephone no																Fa	X 10		1													
E-mail address				•																												
Physical address																																
													1												:							
Postal address	1					1							į												i							
							ě		-	:								1														
								:			1							1										1				
											_																					
Particulars of repositions Surname	rese	nta		: (P	uDI	ic C	ודדנ	cer	711	rus	tee	2/ P	an	cner	')																	
First names																																
					-																											
ID/Passport no Telephone no																Fa		ICO	пе	Tax	rei	no										
E-mail address																	0															
Physical address																																

Particulars of tende	er (If applicable)				
Tender number					
Estimated Tender amount	{				
Expected duration of the tender	year(s)				
Particulars of the 3 la	argest contracts previou	usly awarded			
Date started	Date finalised	Principal	Contact person	Telephone number	Amount
Audit					
Are you currently aw If "YES" provide deta	vare of any Audit invest	igation against yo	u/the company?		YES NO
If 1E2 provide deta	3115				
			The state of the s		
t					
Ainterest of son	resentative/agent (F	Power of Attorne	av)		
	resentative/agent (r	OWEL OF MICO.	- 7 /		
		a. Classes Cont		Tondors or Goodstar	odina
		ax Clearance Cert		Tenders or Goodstar	
I the undersigned co	nfirm that I require a T		ificate in respect of		nding. d receive from
I the undersigned co	nfirm that I require a T		ificate in respect of		
I the undersigned co	nfirm that I require a T		ificate in respect of		
I the undersigned co	nfirm that I require a T		ificate in respect of		
I the undersigned co I hereby authorise as SARS the applicable	nfirm that I require a T	te on my/our beh	ificate in respect of		
I the undersigned co I hereby authorise as SARS the applicable Signatus Name of	nfirm that I require a T nd instruct Tax Clearance Certifica	te on my/our beh	ificate in respect of		d receive from
I the undersigned co I hereby authorise as SARS the applicable	nfirm that I require a T nd instruct Tax Clearance Certifica	te on my/our beh	ificate in respect of		d receive from
I the undersigned co I hereby authorise as SARS the applicable Signatus Name of representative/	nfirm that I require a T nd instruct Tax Clearance Certifica	te on my/our beh	ificate in respect of		d receive from
I the undersigned co I hereby authorise as SARS the applicable Signatus Name of representative/	nfirm that I require a T nd instruct Tax Clearance Certifica	te on my/our beh	ificate in respect of		d receive from
I the undersigned co I hereby authorise at SARS the applicable Signatur Name of representative/ agent Declaration	nfirm that I require a T nd instruct Tax Clearance Certifica re of representative/ag	te on my/our beh	ificate in respect of		d receive from Date
I the undersigned co I hereby authorise at SARS the applicable Signature Name of representative/ agent Declaration I declare that the Info	nfirm that I require a T nd instruct Tax Clearance Certifica re of representative/ag	te on my/our beh	ificate in respect of	to apply to and	d receive from Date
I the undersigned co I hereby authorise as SARS the applicable Signature Name of representative/agent Declaration I declare that the Inforespect.	nfirm that I require a T nd instruct Tax Clearance Certifica re of representative/ag	te on my/our beh	ificate in respect of	to apply to and	d receive from Date
I the undersigned co I hereby authorise at SARS the applicable Signature Name of representative/ agent Declaration I declare that the inferespect.	nfirm that I require a T nd instruct Tax Clearance Certifica re of representative/ag	te on my/our behi	ificate in respect of	to apply to and	d receive from Date
I the undersigned co I hereby authorise at SARS the applicable Signature Name of representative/ agent Declaration I declare that the inforespect. Signature Name of applicant/	nfirm that I require a T nd instruct Tax Clearance Certifica re of representative/ag	te on my/our behi	ificate in respect of	to apply to and	d receive from Date d correct in every
I the undersigned co I hereby authorise at SARS the applicable Signature Name of representative/ agent Declaration I declare that the inferespect.	nfirm that I require a T nd instruct Tax Clearance Certifica re of representative/ag	te on my/our behi	ificate in respect of	to apply to and	d receive from Date d correct in every
I the undersigned co I hereby authorise at SARS the applicable Signature Name of representative/ agent Declaration I declare that the inforespect. Signature Name of applicant/	nfirm that I require a T nd instruct Tax Clearance Certifica re of representative/ag	te on my/our behi	ificate in respect of	to apply to and	d receive from Date d correct in every
I the undersigned co I hereby authorise at SARS the applicable Signature Name of representative/ agent Declaration I declare that the inforespect. Signature Name of applicant/	nfirm that I require a T nd instruct Tax Clearance Certifica re of representative/ag	te on my/our behi	ificate in respect of	to apply to and	d receive from Date d correct in every

- 2. Section 75 of the Income Tax Act, 1962, states: Any person who
 - (a) fails or neglects to furnish, file or submit any return or document as and when required by or under this Act; or
 - (b) without just cause shown by him, refuses or neglects to-
 - (i) furnish, produce or make available any information, documents or things;
 - (ii) reply to or answer truly and fully, any questions put to him ...

As and when required in terms of this $\operatorname{Act} \ldots \operatorname{shall}$ be guilty of an offence \ldots

- 3. SARS will, under no circumstances, issue a Tax Clearance Certificate unless this form is completed in full.
- 4. Your Tax Clearance Certificate will only be issued on presentation of your South African Identity Document or Passport (Foreigners only) as applicable.

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?

 YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

with any person who is employed by the procuring institution? YES/NO

2.2.1	.1 If so, furnish particulars:	
2.3	Does the bidder or any of its directors / trustees / s members / partners or any person having a controlling enterprise have any interest in any other related enterprinot they are bidding for this contract?	interest in the
2.3.1	.1 If so, furnish particulars:	
3	DECLARATION	
	I, the	undersigned,
	(name) submitting the accompanying bid, do hereby make statements that I certify to be true and complete in every	the following
3.1 3.2	I have read and I understand the contents of this disclosing I understand that the accompanying bid will be disquidisclosure is found not to be true and complete in every in	ualified if this
3.3	The bidder has arrived at the accompanying bid independent without consultation, communication, agreement or arra any competitor. However, communication between particle venture or consortium will not be construed as collusive	ently from, and ngement with ners in a joint
3.4	In addition, there have been no consultations, con agreements or arrangements with any competitor regarding quantity, specifications, prices, including methods, factor used to calculate prices, market allocation, the intention submit or not to submit the bid, bidding with the intention bid and conditions or delivery particulars of the products which this bid invitation relates.	nmunications, ng the quality, is or formulas or decision to not to win the

3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring

^{3.4} The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	 Date
Position	 Name of bidder

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and

1.2 To be completed by the organ of state

- a) The applicable preference point system for this tender is the 80/20 preference point system.
- b) Either the 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20

$$Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20

$$Ps = 80 \left(1 + \frac{Pt - P max}{P max} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

_

The specific goals alloc terms of this tender	ated points in	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
An Enterprise owned by b	olack people	4	
An Enterprise owned by y or younger)	outh (35 years	3	
An Enterprise owned by v	vomen	4	
An Enterprise owned pers		3	
An enterprise owned by M	lilitary Veterans	3	
Promotion of South companies through the promotion manufacturers-local produc		3	
Local production and con items and designated pero to claim preference points: Valves Steel Cables	70% 100% 90%		
Pumps Electrical cables	70% 90%		
Prepaid Electricity Metres			
·	70%		
Smart Metres	70% 50%		
Smart Metres Fabricated Structural Steel	70% 50% 100%		
Fabricated Structural	50%		
Fabricated Structural Steel Joining/Connecting	100%		
Fabricated Structural Steel Joining/Connecting Components	50% 100% 100%		
Fabricated Structural Steel Joining/Connecting Components Frames	50% 100% 100% 100%		
Fabricated Structural Steel Joining/Connecting Components Frames Roof and Cladding	50% 100% 100% 100% 100%		
Fabricated Structural Steel Joining/Connecting Components Frames Roof and Cladding Fasteners	50% 100% 100% 100% 100%		
Fabricated Structural Steel Joining/Connecting Components Frames Roof and Cladding Fasteners Wire Products Ducting and Structural	50% 100% 100% 100% 100% 100%		

Sheets	100%	
Galvanised and Colour Coated Coils	100%	
Wire Rod and Drawn Wire	100%	
Sections	100%	
Reinforcing bars	100%	
Accessories	100%	
Casting or Frame Fabrication	100%	
Assembly and Testing of the fully built unit	100%	

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3.	Name of company/firm
------	----------------------

- 4.4. Company registration number:
- 4.5. TYPE OF COMPANY/ FIRM

Partnership/Joint Venture / Consortium
One-person business/sole propriety
Close corporation
Public Company
Personal Liability Company
(Pty) Limited
Non-Profit Company
State Owned Company
[TICK APPLICABLE BOX]

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have —

- (a) disqualify the person from the tendering process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	

SBD 6.2

DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand

y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) on the date of advertisement of the bid as indicated in paragraph 3.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

1.0		claration Certificate and the Annex C (Local Contonot submitted as part of the bid documentation;	ent
2.	The stipulated minimum threshold(s A of SATS 1286:2011) for this bid is	s) for local production and content (refer to Ann lare as follows:	nex
	Description of services, works or good	Stipulated minimum threshold	
		%	
		%	
		%	
3.	Does any portion of the goods or se have any imported content? (Tick applicable box) YES NO	rvices offered	
31	If yes, the rate(s) of exchange to be	e used in this bid to calculate the local content as eneral conditions must be the rate(s) published by ne date of advertisement of the bid.	
	The relevant rates of exchange infor	mation is accessible on www.resbank.co.za	
	Indicate the rate(s) of exchange aga	inst the appropriate currency in the table below	
	(refer to Annex A of SATS 1286:201	1):	
	(refer to Annex A of SATS 1286:201 Currency	1): Rates of exchange	
	Currency US Dollar	,	
	Currency US Dollar Pound Sterling	,	
	Currency US Dollar Pound Sterling Euro	,	
	Currency US Dollar Pound Sterling	,	
	Currency US Dollar Pound Sterling Euro Yen	Rates of exchange	
	Currency US Dollar Pound Sterling Euro Yen Other NB: Bidders must submit proof of the	Rates of exchange SARB rate (s) of exchange used. allenges are experienced in meeting the stipulate of the informed accordingly in order for the continuous process.	
	Currency US Dollar Pound Sterling Euro Yen Other NB: Bidders must submit proof of the wind sterling and in consultation with the ACL	Rates of exchange SARB rate (s) of exchange used. allenges are experienced in meeting the stipulate of the informed accordingly in order for the continuous process.	
LO LE	Currency US Dollar Pound Sterling Euro Yen Other NB: Bidders must submit proof of the wind sterling and in consultation with the ACC (REFER TO ANNIONALLY RESPONSIBLE PERSON NETWORK (SALLY RESPONSIBLE PERSON NE	Rates of exchange SARB rate (s) of exchange used. Allenges are experienced in meeting the stipulate of the distribution of the color	
LO LE(EXI	Currency US Dollar Pound Sterling Euro Yen Other NB: Bidders must submit proof of the ward of a bid, charminimum threshold for local content the to verify and in consultation with the ACCONT (REFER TO ANNIONALLY RESPONSIBLE PERSON MEGALLY RESPONSIBLE PERSON MEGAL	Rates of exchange SARB rate (s) of exchange used. Allenges are experienced in meeting the stipulate of the distribution of the exchange descordingly in order for the exchange directives in this regard. TENT DECLARATION EX B OF SATS 1286:2011) CHIEF FINANCIAL OFFICER OR OTHER NOMINATED IN WRITING BY THE CHIEF SON WITH MANAGEMENT RESPONSIBILITY POR INDIVIDUAL)	

NB

- The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.
- 2 Guidance on the Calculation of Local Content together with Local Content Declaration **Templates** (Annex C, D and E) is accessible http://www.thedti.gov.za/industrial development/ip.jsp. Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

I, the undersigned,	(fu	II na	ames),
do hereby declare, in my capacity as			,
of(n			bidder
entity), the following:			

- (a) The facts contained herein are within my own personal knowledge.
- (b) I have satisfied myself that:
 - (i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
- (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 3.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above. The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 3.1

given in clause 3 of SATS 1286:2011, the rates of exchange indicated in par above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017

promulgated under the Preferential Policy of 2000).	Framework Act (PPPFA), 2000 (Act No. 5
SIGNATURE:	<u> </u>
WITNESS No. 1	DATE:
WITNESS No. 2	DATE:

SATS 1286.2011		luded from all			Total Imported content		(C19)								
		Note: VAT to be excluded from all calculations			Total exempted imported content		(C18)						d content	/ Iotal Imported content (C24) Total local content	content % of tender
	[Z S]		Total	Total tender value	11 807	(C1/)					(C21) Total Exempt imported content	(CZZ) Total Tender value net of exempt imported content (C23) Tot	(523)	(C25) Average local content % of tender	
0			Tender Qty	1040)	(6.16)				nder value	Total Exemp	et of exemp				
	t Declaration - Summary Schedule				Local content % (per item)	(645)	(CTS)				(C20) Total tender value	. (C21)	Tender value n		
ű	- Summar				Local value	(7.74)	(0.14)					1	(CZZ) Total		
Annex C	eclaration]. GBP	local content	Imported	(C12)	(673)								
	Local Content D			Calculation of local content	Tender value net of exempted imported	content (C12)	(217)								
	Local		EU		Exempted imported value	(C11)	/113								
					Tender price - each (excl VAT)	(C10)	(25)								
		i: :t(s) ame:	tate: Pula	9/ 11/20	List of items	(63)					•	rer trom Annex B			
		Tender No. Tender description: Designated product(s) Tender Authority:	Tender Exchange Rate:	יייים ומכפו כמו	Tender item no's	(83)						Signature of tenderer from Annex B			Date:

	Note: VAT to be excluded from all calculations	Tender summary	Total exempted Total Imported imported content	(C18) (C19)			ent	(CZ3) lotal imported content
<u>le</u>		Ţ	Total tender value	(C17)			t importe	(623)
			Tender Qty	(C16)			Total Exeminet of exeminer	
/ Schedul			Local content % (per item)	(C15)		C201 Total tead (C20)	(C21, 10tal) (C21, Tender value	
r C - Summary			Local value	(C14)			(C22) Total	
Annex C eclaration - Si	eclaration	ا اocal cont	Imported value	(C13)				
Annex C Local Content Declaration - Summary Schedule		Calculation of l	Tender value net of exempted imported content	(C12)				
Local	EU		Exempted imported value	(C11)				
			Tender price - each (excl VAT)	(C10)				
	i(s) me: Pula		List of items	(63)			er from Annex B	
	Tender No. Tender description: Designated product(s) Tender Authority: Tendering Entity name:	Specified local content %	Tender item no's	(82)			Signature of tenderer from Annex B	

SATS 1286.2011		luded from all			Total Imported content	(C19)							
		Note: VAT to be excluded from all calculations		Tender summary	Total exempted imported content	(C18)					(C23) Total Imported content	content % of tender	
					Tend	Total tender value	(C17)				(C22) Total Tender value net of exempt imported content	(C23) Tota (C24)	(C25) Average local content % of tender
				Tender Qty	(C16)			ender value	Total Exemp				
	Schedule				Local content % (per item)	(C15)			(C20) Total tender value	(C21) Tender value			
Annex C Local Content Declaration - Summary Schedule				Local value	(C14)				(C22) Total				
Annex C	eclaration		GBP	ocal content	Imported	(C13)							
	Content Do			Calculation of local content	Tender value net of exempted imported	content (C12)							
	Local		EU		Exempted imported value	(C11)							
					Tender price - each (excl VAT)	(C10)							
			Pula	-	ems					m			
Tender No. Tender description: Designated product(s) Tender Authority: Tendering Entity name:	nn: .tct(s) : name:	Rate: ntent %		List of items	(6)			•	erer from Annex				
	Tender Exchange Rate: Specified local content %		Tender item no's	(83)				Signature of tenderer from Annex B		Date:			
		(2) (2) (2) (3) (3) (3)					 			-	'		

				A	nnex D							SATS 1286.201
			Imported C	ontent Declaration	on - Suppo	rting Sche	dule to Anı	nex C				1
Tender No. Tender description:								Note: VAT to be excluded from all calculations				
Designated Pro- Tender Authori Tendering Entit	ty:			_		_		_		J		
Tender Exchang	e Rate:	Pula		EL	R 9.00	GBF]				
A. Exempt	ed imported co	ntent	T	I	Forign		Calculation of	imported conte	1			Summary
Tender item no's	Description of in	nported content	Local supplier	Overseas Supplier	currency value as per Commercial invoice	Tender Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost excl VAT	Tender Qty	Exempted importe value
(D7)	(D.	8)	(D9)	(D10)	(D11)	(D12)	(D13)	(D14)	(D15)	(D16)	(D17)	(D18)
									(D15) Total exempt i	This total m	R (ust correspond with nex C - C 21
B. Importe	d directly by th	e Tenderer					Calculation of	imported conte	nt			Summary
Tender item no's	Description of in		Unit of measure	Overseas Supplier	Forign currency value as per Commercial Invoice	Tender Rate of Exchange	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost excl VAT	Tender Qty	Total imported valu
(D20)	(D2	1)	(D22)	(D23)	(D24)	(D25)	(D26)	(D27)	(D28)	(D29)	(D30)	(D31)
		41/							(D32) To	tal imported valu	e by tenderer	R
C Importor	d by a 3rd party	and supplied	l to the Tene	larar			Calculation of	imported conter				Summary
c. imported	a by a Siu paity	and supplied	to the rent	ieiei	Forign		Calculation of	imported conter	All locally			Summary
	f imported content	Unit of measure	Local supplier	Overseas Supplier	currency value as per Commercial	Tender Rate of Exchange	Local value of imports	Freight costs to port of entry	incurred landing costs & duties	Total landed cost exci VAT	Quantity imported	Total imported value
•					Invoice							
•	(D33)	(D34)	(D35)	(D36)		(D38)	(D39)	(D40)	(D41)	(D42)	(D43)	(D44)
•	(D33)	(D34)	(D35)	(D36)	Invoice	(D38)	(D39)	(D40)	(D41)	(D42)	(D43)	(D44)
•	(033)	(D34)	(D35)	(D36)	Invoice	(D38)	(D39)	(D40)	(D41)	(D42)	(D43)	(D44)
•	(033)	(D34)	(D35)	(D36)	Invoice	(D38)	(D39)	(D40)				
	(033) reign currency		(D35)	(D36) (D36) Calculation of foreign payments	Invoice (D37)	(D38)	(D39)	(D40)		(D42)		(D44) R 0 Summary of payments
D. Other fo	reign currency	payments Local supplier making the payment	Overseas beneficiary	Calculation of foreig payments Foreign currency value paid	Invoice (D37) In currency Tender Rate of Exchange	(D38)	(D39)	(D40)				Summary of payments Local value of payments
D. Other fo	reign currency	payments Local supplier making the	Overseas	Calculation of foreig payments Foreign currency value	Invoice (D37)	(D38)	(D39)	(D40)				R C Summary of payments Local value of
D. Other fo	reign currency	payments Local supplier making the payment	Overseas beneficiary	Calculation of foreig payments Foreign currency value paid	Invoice (D37) In currency Tender Rate of Exchange	(D38)	(D39)	(D40)				R 0 Summary of payments Local value of payments

Date:

This total must correspond with Annex C - C 23

SATS 1286.2011

ender No.		Note: VAT to be excluded from	n all calculations
ender description: esignated products:		Note: VAT to be excluded from	ii ali calculations
ender Authority:			
endering Entity name:			
Local Products			The state of the s
(Goods, Services and Works)	Description of items purchased	Local suppliers	Value
	(E6)	(E7)	(E8)
}			
L	(E9) Total local produ	cts (Goods, Services and Works)	RO
(E10) Manpower costs (Tenderer's manpower cost)		RO
(E11) Factory overheads (Rental, depreciation & amortisation, utility costs, o	consumables etc.)	RO
(E12) Administration overhea	ds and mark-up (Marketing, insurance, finance)	cing, interest etc.)	R O
		(E13) Total local content	RO
		This total must correspond with	h Annex C - C24

THE NATIONAL TREASURY

Republic of South Africa



GOVERNMENT PROCUREMENT: GENERAL CONDITIONS OF CONTRACT

July 2010

GOVERNMENT PROCUREMENT

GENERAL CONDITIONS OF CONTRACT July 2010

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if (applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

TABLE OF CLAUSES

1.	Definitions
2.	Application
3.	General
4.	Standards
5.	Use of contract documents and information; inspection
6.	Patent rights
7.	Performance security
8.	Inspections, tests and analysis
9.	Packing
10.	Delivery and documents
11.	Insurance
12.	Transportation
13.	Incidental services
14.	Spare parts
15.	Warranty
16.	Payment
17.	Prices
18.	Contract amendments
19.	Assignment
20.	Subcontracts
21.	Delays in the supplier's performance
22.	Penalties
23.	Termination for default
24.	Dumping and countervailing duties
25.	Force Majeure
26.	Termination for insolvency
27.	Settlement of disputes
28.	Limitation of liability
29.	Governing language
30.	Applicable law
31.	Notices
32.	Taxes and duties
33.	National Industrial Participation Programme (NIPP)
34.	Prohibition of restrictive practices

General Conditions of Contract

1. Definitions

- 1. The following terms shall be interpreted as indicated:
- 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 "Day" means calendar day.
- 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10 "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the

RSA.

- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.
- 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such

obligations of the supplier covered under the contract.

1.25 "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

2. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3. General

- 3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za

4. Standards

4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

5. Use of contract documents and information; inspection.

- 5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6. Patent rights

6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

7. Performance security

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
 - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
 - (b) a cashier's or certified cheque
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8. Inspections, tests and analyses

- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or

analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.

8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10. Delivery and documents

- 10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2 Documents to be submitted by the supplier are specified in SCC.

11. Insurance

11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

12. Transportation

12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

13. Incidental services

- 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
 - (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
 - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;

- (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14. Spare parts

- 14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
 - (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
 - (b) in the event of termination of production of the spare parts:
 - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15. Warranty

- 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take

such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16. Payment

- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.

17. Prices

17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

18. Contract amendments

- 18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.
- 19. Assignment
- 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

20. Subcontracts

20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

21. Delays in the supplier's performance

- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the

supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.

- 21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22. Penalties

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23. Termination for default

- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2:
 - (b) if the Supplier fails to perform any other obligation(s) under the contract; or
 - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4 If a purchaser intends imposing a restriction on a supplier or any

person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.

- 23.5 Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.
- 23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
 - (i) the name and address of the supplier and / or person restricted by the purchaser;
 - (ii) the date of commencement of the restriction
 - (iii) the period of restriction; and
 - (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector

- 23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.
- 24. Anti-dumping and countervailing duties and rights
- 24.1 When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a
 provisional payment or anti-dumping or countervailing right is
 increased in respect of any dumped or subsidized import, the State is
 not liable for any amount so required or imposed, or for the amount of
 any such increase. When, after the said date, such a provisional
 payment is no longer required or any such anti-dumping or
 countervailing right is abolished, or where the amount of such
 provisional payment or any such right is reduced, any such favourable
 difference shall on demand be paid forthwith by the contractor to the
 State or the State may deduct such amounts from moneys (if any)
 which may otherwise be due to the contractor in regard to supplies or
 services which he delivered or rendered, or is to deliver or render in
 terms of the contract or any other contract or any other amount which

may be due to him

25. Force Majeure

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26. Termination for insolvency

26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5 Notwithstanding any reference to mediation and/or court proceedings herein,
 - (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier.

28. Limitation of liability

- 28.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;
 - (a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and

(b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

29. Governing language

29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

30. Applicable law

30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.

31. Notices

- 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

32. Taxes and duties

- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

33. National 33.1 Industrial Participation (NIP) Programme

The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.

34 Prohibition of Restrictive practices

- 34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.

34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

Js General Conditions of Contract (revised July 2010)