

NOTE :
SKETCH NOT FOR MANUFACTURING PURPOSES.

SAP MATERIAL No.:	0404480
SHORT DESCRIPTION:	GLAND,CABLE:CABTYRE 16MM2 ;NO 1

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: CABTYRE 16MM2; SIZE: NO 1;
MATERIAL: PVC WHITE; CLASSIFICATION: WEATHER AND WATERPROOF;
COMPRESSION GLAND; SUITABLE FOR 16 MM CABTYRE FLEX CABLE;
20MM KNOCKOUT;
FITTED WITH NYLON BUSH, RETAINING WASHER AND COMPRESSION NUT;
32.5 MM LONG OVERALL;
ESKOM DRAWING No. D-DT-3070 *

SAP MATERIAL No.:	0168370
SHORT DESCRIPTION:	GLAND,CABLE:POLYAMIDE 10MM2 ;NO 1


TECH. DESCRIPTION:

GLAND, CABLE: TYPE: POLYAMIDE 10MM2; SIZE: NO 1;
MATERIAL: POLYAMIDE; COMPRESSION GLAND; UV STABILISED;
FOR UNARMOURED CABLE; 20MM CONDUIT ENTRY;
FOR 10MM2 CONCENTRIC CABLE CONDUCTOR;
ESKOM DRAWING No. D-DT-3070 *

ITEM	:-	CABLE GLAND NON METALLIC				
MATERIAL SPECIFICATION	:-					
CORROSION SPECIFICATION	:-					
STANDARD SPECIFICATION	:-					
ESKOM SPECIFICATION	:-	34-623				
TEST & CERTIFICATION REQUIREMENTS	:-					
INSPECTION	Yes	No	ESKOM RELEASE NOTE	Yes	No	
IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS						

REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS
13	VARIOUS SAP NO. UPDATED AND SHORT AND TECHNICAL DESCRIPTIONS CHANGED TO PILOG	P.A.T.	J.MAUDU	J.MAUDU	13.01.2015	
12	ESKOM SPEC. 34-623 REMOVED FOR METALLIC GLANDS AND SANS 1213 REMOVED FOR NON METALLIC GLANDS	P.A.T.	B. MWAREHWA	B. MWAREHWA	18.05.2009	
11	ESKOM SPEC 34-623 ADDED	N.M.	J.MAUDU	J.MAUDU	15.05.2008	

AUTH:	P. CROWDY	DATE:	17.05.95	SCALE NTS	Eskom	SAP No: 0404480 0168370	
CHKD:	J. SWAN	DATE:	17.05.95	CAD REF: SERIES 3000		SET	SHEET / REV
DRAWN:	P.A. VERMAAK	DATE:	30.03.95	FILE No: 3070	D-DT-3070	6	1 / 13



NOTE :
SKETCH NOT FOR MANUFACTURING PURPOSES.

SAP MATERIAL No.:	0404471
SHORT DESCRIPTION:	GLAND,CABLE:COMPRESSION A2;NO 1

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: COMPRESSION A2; SIZE: NO 1;
MATERIAL: BRS CD PLTD;
NIPPLE DIAMETER 20MM; CABLE DIAMETER: 11.0 TO 14.5MM;
MOISTURE-PROOF;
USED WITH ALL TYPES OF UNARMOURED CABLE; SUPPLIED WITH SHROUD;
ESKOM DRAWING No. D-DT-3070 *

ITEM	:-	CABLE GLAND COMPRESSION METALLIC			
MATERIAL SPECIFICATION	:-				
CORROSION SPECIFICATION	:-				
STANDARD SPECIFICATION	:-	SANS 1213 (MATERIAL EXCEPTED)			
ESKOM SPECIFICATION	:-				
TEST & CERTIFICATION REQUIREMENTS	:-				
INSPECTION	Yes	No	ESKOM RELEASE NOTE	Yes	No

IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS

REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS
13	VARIOUS SAP NO. UPDATED AND SHORT AND TECHNICAL DESCRIPTIONS CHANGED TO PILOG	P.A.T.	J.MAUDU	J.MAUDU	13.01.2015	
12	ESKOM SPEC. 34-623 REMOVED FOR METALLIC GLANDS AND SANS 1213 REMOVED FOR NON METALLIC GLANDS	P.A.T.	B. MWAREHWA	B. MWAREHWA	18.05.2009	
11	ESKOM SPEC 34-623 ADDED	N.M.	J.MAUDU	J.MAUDU	15.05.2008	

AUTH:	P. CROWDY	DATE:	17.05.95	SCALE NTS	Eskom	SAP No: 0404471	
CHKD:	J. SWAN	DATE:	17.05.95	CAD REF: SERIES 3000	D-DT-3070	SET 6	SHEET 2 / REV 13
DRAWN:	P.A. VERMAAK	DATE:	30.03.95	FILE No: 3070			

SPEC SHEET

SAP MATERIAL No.:	0404469
SHORT DESCRIPTION:	GLAND,CABLE:COMPRESSION A2;NO 2

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: COMPRESSION A2; SIZE: NO 2;
MATERIAL: BRS CD PLTD; CLASSIFICATION: MOISTUREPROOF;
NIPPLE DIA. 25 MM; CABLE DIAMETER: 14.5 TO 20.5 MM;
USED WITH ALL TYPES OF UNARMOURED CABLE;
SUPPLIED WITH SHROUD;
ESKOM DRAWING No. D-DT-3070 *

SAP MATERIAL No.:	0404468
SHORT DESCRIPTION:	GLAND,CABLE:COMPRESSION A2;NO 3

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: COMPRESSION A2; SIZE: NO 3;
MATERIAL: BRS CD PLTD; CLASSIFICATION: MOISTUREPROOF;
NIPPLE DIAMETER: 32 MM; CABLE DIAMETER: 20.5 TO 26.5 MM;
USED WITH ALL TYPES OF UNARMOURED CABLE;
SUPPLIED WITH SHROUD;
ESKOM DRAWING No. D-DT-3070 *

SAP MATERIAL No.:	0136924
SHORT DESCRIPTION:	GLAND,CABLE:COMPRESSION A2;NO 4

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: COMPRESSION A2; SIZE: NO 4;
MATERIAL: BRS CD PLTD; CLASSIFICATION: MOISTURE PROOF;
CABLE DIAMETER: 26MM TO 34MM; USED WITH ALL TYPES OF UNARMOURED CABLE;
SUPPLIED WITH SHROUD;
ESKOM DRAWING No. D-DT-3070 *


SAP MATERIAL No.:	0404476
SHORT DESCRIPTION:	GLAND,CABLE:COMPRESSION A2;NO 5

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: COMPRESSION A2; SIZE: NO 5;
MATERIAL: BRS CD PLTD; CLASSIFICATION: MOISTUREPROOF;
CABLE DIAMETER: 34.0 TO 43.0 MM;
USED WITH ALL TYPES OF UNARMOURED CABLE;
SUPPLIED WITH SHROUD;
ESKOM DRAWING No. D-DT-3070 *

REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS
13	VARIOUS SAP NO. UPDATED AND SHORT AND TECHNICAL DESCRIPTIONS CHANGED TO PILOG	P.A.T.	J.MAUDU	J.MAUDU	13.01.2015	
12	ESKOM SPEC. 34-623 REMOVED FOR METALLIC GLANDS AND SANS 1213 REMOVED FOR NON METALLIC GLANDS	P.A.T.	B. MWAREHWA	B. MWAREHWA	18.05.2009	
11	ESKOM SPEC 34-623 ADDED	N.M.	J.MAUDU	J.MAUDU	15.05.2008	

AUTH:	P. CROWDY	DATE:	17.05.95	SCALE NTS	Eskom	SAP No: 0404469 0404468	0136924 0404476
CHKD:	J. SWAN	DATE:	17.05.95	CAD REF: SERIES 3000		SET	SHEET / REV
DRAWN:	P.A. VERMAAK	DATE:	30.03.95	FILE No: 3070	D-DT-3070	6	3 / 13



NOTE :
SKETCH NOT FOR MANUFACTURING PURPOSES.

SAP MATERIAL No.:	0168367
SHORT DESCRIPTION:	GLAND,CABLE:ADJUSTABLE;NO 1;BRS CD PLTD

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: ADJUSTABLE; SIZE: NO 1;
MATERIAL: BRS CD PLTD;
SUPPLIED WITH SHROUD; USED WITH PVC INSULATED STL WIRE ARMOURED CABLE;
MUST BEAR THE SANS MARK (SANS 1213);
FOR USE ON SUBSTATIONS;
ESKOM DRAWING No. D-DT-3070 * S *

ITEM	:-	CABLE GLAND ADJUSTABLE METALLIC				
MATERIAL SPECIFICATION	:-					
CORROSION SPECIFICATION	:-					
STANDARD SPECIFICATION	:-	SANS 1213 (MATERIAL EXCEPTED)				
ESKOM SPECIFICATION	:-					
TEST & CERTIFICATION REQUIREMENTS	:-					
INSPECTION	Yes	No	ESKOM RELEASE NOTE	Yes	No	
IDENTIFICATION:- INDELIBLE MANUFACTURES TRADEMARK & PART No. ON ALL ITEMS						

REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS
13	VARIOUS SAP NO. UPDATED AND SHORT AND TECHNICAL DESCRIPTIONS CHANGED TO PILOG	P.A.T.	J.MAUDU	J.MAUDU	13.01.2015	
12	ESKOM SPEC. 34-623 REMOVED FOR METALLIC GLANDS AND SANS 1213 REMOVED FOR NON METALLIC GLANDS	P.A.T.	B. MWAREHWA	B. MWAREHWA	18.05.2009	
11	ESKOM SPEC 34-623 ADDED	N.M.	J.MAUDU	J.MAUDU	15.05.2008	

AUTH:	P. CROWDY	DATE:	17.05.95	SCALE NTS	Eskom	SAP No: 0168367	
CHKD:	J. SWAN	DATE:	17.05.95	CAD REF: SERIES 3000		SET	SHEET / REV
DRAWN:	P.A. VERMAAK	DATE:	30.03.95	FILE No: 3070	D-DT-3070	6	4 / 13

SPEC SHEET

SAP MATERIAL No.:	0168279
SHORT DESCRIPTION:	GLAND,CABLE:ADJUSTABLE;NO 2;BRS NI PLTD

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: ADJUSTABLE; SIZE: NO 2;
MATERIAL: BRS NI PLTD; SUPPLIED WITH SHROUD;
USED WITH PVC INSULATED STL WIRE ARMOURED CABLE;
INTENDED FOR 16 MM2, 2 CORE CABLE;
MUST BEAR THE SANS MARK (SANS 1213);
FOR SUBSTATION USE;
ESKOM DRAWING No. D-DT-3070 * S *

SAP MATERIAL No.:	0168280
SHORT DESCRIPTION:	GLAND,CABLE:ADJUSTABLE;NO 3;BRS NI PLTD

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: ADJUSTABLE; SIZE: NO 3;
MATERIAL: BRS NI PLTD; SUPPLIED WITH SHROUD;
USED WITH PVC INSULATED STL WIRE ARMOURED CABLE;
INTENDED FOR 12 CORE 2.6 MM2, 4 CORE 16 MM2, 3 CORE 25MM2, 4 CORE 25MM2,
2 CORE 35MM2, 4 CORE 35MM2 CABLE;
MUST BEAR THE SANS MARK (SANS 1213);
FOR SUBSTATION USE;
ESKOM DRAWING No. D-DT-3070 * S *

SAP MATERIAL No.:	0403461
SHORT DESCRIPTION:	GLAND,CABLE:ADJUSTABLE;NO 4;BRS NI PLTD

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: ADJUSTABLE; SIZE: NO 4;
MATERIAL: BRS NI PLTD; SUPPLIED WITH SHROUD;
USED WITH PVC INSULATED STEEL WIRE ARMOURED CABLE;
INTENDED FOR 70MM SQ. 3 CORE;
MUST BEAR THE SANS MARK (SANS 1213);
ESKOM DRAWING No. D-DT-3070 *

REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS
13	VARIOUS SAP NO. UPDATED AND SHORT AND TECHNICAL DESCRIPTIONS CHANGED TO PILOG	P.A.T.	J.MAUDU	J.MAUDU	13.01.2015	
12	ESKOM SPEC. 34-623 REMOVED FOR METALLIC GLANDS AND SANS 1213 REMOVED FOR NON METALLIC GLANDS	P.A.T.	B. MWAREHWA	B. MWAREHWA	18.05.2009	
11	ESKOM SPEC 34-623 ADDED	N.M.	J.MAUDU	J.MAUDU	15.05.2008	

AUTH:	P. CROWDY	DATE:	17.05.95	SCALE NTS	Eskom	SAP No: 0168279 0168280	0403461
CHKD:	J. SWAN	DATE:	17.05.95	CAD REF: SERIES 3000	D-DT-3070	SET 6	SHEET 5 / REV 13
DRAWN:	P.A. VERMAAK	DATE:	30.03.95	FILE No: 3070			

SPEC SHEET

SAP MATERIAL No.:	0175859
SHORT DESCRIPTION:	GLAND,CABLE:ADJUSTABLE;NO 5;BRS NI PLTD

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: ADJUSTABLE; SIZE: NO 5;
MATERIAL: BRS NI PLTD;
SUPPLIED WITH SHROUD;
USED WITH PVC INSULATED STL WIRE ARMOURED CABLE;
ESKOM DRAWING No. D-DT-3070 *

SAP MATERIAL No.:	0168368
SHORT DESCRIPTION:	GLAND,CABLE:ADJUSTABLE;NO 6;BRS NI PLTD

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: ADJUSTABLE; SIZE: NO 6;
MATERIAL: BRS NI PLTD;
SUPPLIED WITH SHROUD;
USED WITH PVC INSULATED STL WIRE ARMOURED CABLE *
INTENDED FOR 150 MM2 4 CORE AND 185 MM2 4 CORE;
MUST BEAR THE SANS MARK (SANS 1213);
ESKOM DRAWING No. D-DT-3070 *

SAP MATERIAL No.:	0179962
SHORT DESCRIPTION:	GLAND,CABLE:ADJUSTABLE;NO 7;BRS NI PLTD

TECH. DESCRIPTION:

GLAND, CABLE: TYPE: ADJUSTABLE; SIZE: NO 7;
MATERIAL: BRS NI PLTD;
SUPPLIED WITH SHROUD;
USED WITH PVC INSULATED STL WIRE ARMOURED CABLE;
INTENDED FOR 240 MM2 4 CORE;
MUST BEAR THE SANS MARK (1213);
ESKOM DRAWING No. D-DT-3070 *

REV	REVISION DESCRIPTION	BY	CHKD	AUTH	DATE	REF. DWGS
13	VARIOUS SAP NO. UPDATED AND SHORT AND TECHNICAL DESCRIPTIONS CHANGED TO PILOG	P.A.T.	J.MAUDU	J.MAUDU	13.01.2015	
12	ESKOM SPEC. 34-623 REMOVED FOR METALLIC GLANDS AND SANS 1213 REMOVED FOR NON METALLIC GLANDS	P.A.T.	B. MWAREHWA	B. MWAREHWA	18.05.2009	
11	ESKOM SPEC 34-623 ADDED	N.M.	J.MAUDU	J.MAUDU	15.05.2008	

AUTH:	P. CROWDY	DATE:	17.05.95	SCALE NTS	Eskom	SAP No: 0175859 0168368	0179962
CHKD:	J. SWAN	DATE:	17.05.95	CAD REF: SERIES 3000		SET	SHEET / REV
DRAWN:	P.A. VERMAAK	DATE:	30.03.95	FILE No: 3070	D-DT-3070	6	6 / 13