



**PetroSA**

The Petroleum  
Oil and Gas Corporation  
of South Africa (Pty) Ltd  
Reg. No. 1970/008130/07  
151 Frans Conradie Road,  
Parow, 7500  
Private Bag X 5 Parow, 7499  
Republic of South Africa  
Tel +27 21 929 3000  
Fax +27 21 929 3266

**Note:** All tenders and quotations are done via our eProcurement system.

The information given below is an extract of the scope of work. **To access/open the full set of tender documentation, you must be registered on CSD.**

**If you have a MAAA** CSD registration number and receiving email notifications from PetroSA Procurement you are already registered, please login as indicated below:

Username: MAAA...  
User Code: MAAA...  
Password: newuser

Contact the call center on **012 663 8815** or email: **support@intenda.net** if you are having problems with your login.

If **you do not have a MAAA** CSD registration number, please click on **“Not Registered Yet”** and register. Click on the link below to download a “how to” guide to assist you.

<http://www.procurement.petrosa.com/Downloads/Documents/SupplierSelfRegistration.pdf>

## **SCOPE OF WORK**

**ENQUIRY NO: CTT 25028**

**DESCRIPTION: AUDIOLOGY SERVICES FOR PetroSA, MOSSEL BAY**

### **1. INTRODUCTION**

In order to comply with section 11.4 of Mine Health and Safety Act no 29 of 1996 PetroSA must appoint an Audiologist to assist with medical surveillance tests to confirm work induced hearing loss (occupational health disease). Previously, more than 150 PetroSA employees have contracted noise induced hearing loss, which is classified as an occupational health disease. The management of hearing loss cases is highly regulated in both Mine Health and Safety Act and Occupational Health and Safety Act.

This occupational disease is reportable to DMRE Medical Inspectorate and department of labour compensation fund. Both department of labour and DMRE require the audiologist report.

### **2. SCOPE OF SERVICES**

The supplier will be required to perform the following comprehensive services on as and when required bases:

- Conduct diagnostic hearing tests to confirm noise induced hearing loss
- Baseline hearing tests to exclude medical condition and other factors contributing to hearing deterioration
- Screening of all abnormal hearing test
- Provide detailed feedback report with recommendations to PetroSA medical staff
- The service provider should be based in Mossel Bay and may be required to sub-contract audiologist services for cases detected from other PetroSA business units e.g. Cape Town, Bloemfontein, Tzaneen and Sandton
- All reports must be issued within 5 working days.

### **3. CHANGES TO THE SCOPE OF SERVICES**

The scope of the Services shall be subject to changes by additions, deletions or revisions thereto by PetroSA. The Consultant shall be advised of any such changes by written notification from PetroSA describing the change. The Consultant shall promptly perform and strictly comply with each such change when so instructed by PetroSA. Any extra services resulting from such changes will be charged at the Consultant's normal or agreed rates.

### **4. ENQUIRIES**

Any enquiries regarding this tender should be addressed to **Zonazihle Sityata** in the Tender Office at telephone no. **044 601 2311** or e-mail address [zonazihle.sityata@petrosa.co.za](mailto:zonazihle.sityata@petrosa.co.za) .