

## **C2.2. PRICING SCHEDULES / BILLS OF QUANTITIES (BoQ)**

### **Section 2.2 1: PRELIMINARY & GENERAL**

DESCRIPTION	UNIT	QTY	RATE	AMOUNT R
Safety file	Sum	1.0		
<b>TOTAL CARRIED TO SUMMARY</b>				

### **SECTION 2.2.2 LABOUR COMPONENT**

DESCRIPTION	UNIT	QTY	RATE	AMOUNT R
Project Manager	P/Hour	100		
Site Foreman	P/Hour	100		
Artisan Plumber	P/Hour	100		
Artisan Assistant	P/Hour	100		
General Assistant	P/Hour	100		
<b>TOTAL CARRIED TO SUMMARY</b>				

### **2.2.3 MATERIAL Price schedule**

DESCRIPTION	UNIT	QTY	RATE	AMOUNT R
<b>PLUMBING MATERIAL/ SPARES</b>				
15MM Straight connex adaptor	no	50		
15mm conex elbow	no	50		
15mm male connex adaptor	no	50		
15mm male connex elbow	no	50		
15mm female connex adaptor	no	50		
15mm female connex elbow	no	50		
15mm conex tee	no	50		
22mm polly pipe	m	65		
15mm Copper pipe 460/0	m	65		
22mm Copper pipe 460/0	m	65		
35mm Copper pipe 460/0	m	65		
42mm Copper pipe 460/0	m	65		
54mm Copper pipe 460/0	m	65		
Pillar taps (push button)	no	45		

15mm -32mm Galvanized socket	no	20		
15mm – 32mm Galvanized elbow	no	20		
15mm – 32mm Galvanized nipple	no	20		
15mm – 32mm long screw nipple	no	20		
15mm galvanized pipes	no	20		
25mm galvanized pipes	m	60		
32mm galvanized pipes	m	60		
15mm – 32mm Male and female galvanized reducing socket	no	45		
15mm – 32mm Galvanized reducing bushing socket	no	45		
15mm – 32mm Galvanized tee	no	45		
15mm – 40mm Johnson Coupling or similar approved	no	45		
Stop end plug 32 - 90mm	no	45		
110mm UPVC pipe	m	60		
110mm cascade stainless steel clamp	no	15		
900mm cascade stainless steel clamp	no	15		
White wooden toilet seat – heavy duty	no	50		
15mm Stop cork	no	25		
15mm Pillar tap	no	15		
15mm Tap washer	no	100		
15mm Chrome plated single lever basin mixer (PC R650.00)	no	30		
15mm Chrome plated single lever sink mixer	no	20		
15mm Bib tap – 3/4	no	15		
Wall hung WC open rim pan	no	15		
Close coupled WC open rim washdown pan	no	15		
10L Hydroboiler	no	20		
15mm Chrome platted adjustable multi setting shower head, complete with arm and wall flange	no	45		
Urinal flush valve	no	25		
Urinal bottle trap	no	20		
P-trap 40x50mm	no	15		
<u>Standard Flushmaster</u> Exposed top entry. Non-hold open feature. With wall flange, integral vacuum breaker, and control stop with integral non-return valve inlet. Adjustable control stop to valve connection 108mm t0 140mm. With straight flushpipe and compression pan connector. 1 1/4BSP female iron connection end. Recommended optimum design pressures: inlet flow pressure 30 - 300kPa for back entry WC pans	no	15		
<u>Standard flushmaster parts</u>				
Piston assembly	no	10		
Plunger assembly	no	10		
Control stop assembly	no	10		

Head part	no	10		
Handle and nut assembly	no	10		
Flush master ruber kits	no	10		
Flushmaster batteries	no	40		
Geysers				
100Litre standard high pressure geyser, including all accessories	no	10		
150Litre standard high pressure geyser, including all accessories	no	15		
200Litre standard high pressure geyser, including all accessories	no	15		
Geyser thermostat	no	20		
Geyser heating element	no	20		
Safety valve	no	20		
<b>TOTAL CARRIED TO SUMMARY</b>				

#### **SECTION 2.2.4 COST OF MATERIAL (FOR ITEMS NOT SCHEDULED)**

<b>DESCRIPTION</b>	<b>UNIT</b>	<b>QTY</b>	<b>RATE</b>	<b>AMOUNT R</b>
Supply, deliver and offload material not specified in the schedule of material				
Mark-up ( Proof of purchase price must be provided in a form of an itemized invoice)	Item	1	10%	Rate Only
<b>TOTAL CARRIED TO SUMMARY</b>				Rate Only

**SUMMARY OF SECTIONS**

DESCRIPTION	AMOUNT R
Section 2.2.1: Preliminary & General	R
SECTION 2.2.2 Labour	R
2.2.3 Material Price schedule	R
<b>SUBTOTAL</b>	<b>R</b>
Add Contingency - 5%	R
<b>SUBTOTAL</b>	<b>R</b>
Add 14% VAT	R
<b>Total Carried Forward to Summary of Schedules</b>	