



**KWAZULU-NATAL PROVINCE**

**HEALTH**  
REPUBLIC OF SOUTH AFRICA

**BID DOCUMENT NUMBER: ZNB 5325/2022-H:**

**DESCRIPTION: THE SUPPLY AND DELIVERY INTRAVENOUS, CENTRAL AND INTRAOSSEOUS ACCESS LINES AND INVASIVE MONITORING ACCESS FOR VARIOUS INSTITUTIONS. PERIOD: 3 YEARS.**

**Name of Bidder.....**

**Central Supplier's Database Registration Number.....**

**Income Tax Reference Number.....**

**BIDDER TO NOTE THE FOLLOWING**

**CLOSING DATE AND TIME:**

**DATE: 12 MAY 2022**

**TIME: 11: 00AM**

## TABLE OF CONTENTS

SECTION A: INVITATION TO BID (SBD1) .....	3
SECTION B: SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF BIDDING FORMS .....	5
SECTION C: AUTHORITY TO SIGN A BID .....	6
SECTION D: BIDDER'S DISCLOSURE (SBD 4) .....	10
SECTION E: THE NATIONAL INDUSTRIAL PARTICIPATION PROGRAMME (SBD 5) .....	12
SECTION F: DECLARATION THAT INFORMATION ON CENTRAL SUPPLIER DATABASE IS CORRECT AND UP TO DATE (TO BE COMPLETED BY BIDDER) .....	14
SECTION G: PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017 .....	15
SECTION H: RECORD OF AMENDMENTS TO BID DOCUMENTS.....	20
SECTION I: GENERAL CONDITIONS OF CONTRACT .....	21
SECTION J: SPECIAL CONDITIONS OF CONTRACT .....	35
SECTION K: CONDITIONS OF BID .....	42
SECTION L: SPECIFICATIONS .....	46
SECTION M: PRICING SCHEDULE: SBD 3.1 .....	81
SECTION N: OBJECTIVE EVALUATION CRITERIA .....	86

## SECTION A: INVITATION TO BID (SBD1)

### PART A

<b>YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE KWAZULU-NATAL DEPARTMENT OF HEALTH</b>					
BID NUMBER:	ZNB 5325/2022-H:	CLOSING DATE:	12/05/2022	CLOSING TIME:	11: H 00 AM
DESCRIPTION	<b>THE SUPPLY AND DELIVERY INTRAVENOUS, CENTRAL AND INTRAOSSEOUS ACCESS LINES AND INVASIVE MONITORING ACCESS FOR VARIOUS INSTITUTIONS. PERIOD: 3 YEARS.</b>				
<b>THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).</b>					
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)					
CENTRAL SUPPLY CHAIN MANAGEMENT DIRECTORATE					
OLD BOYS SCHOOL, 310 JABU NDLOVU STREET					
PIETERMARITZBURG					
3201					
<b>SUPPLIER INFORMATION</b>					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VATREGISTRATION NUMBER					
	TCS PIN:		OR	CSD No:	
STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	<input type="checkbox"/> Yes <input type="checkbox"/> No		STATUS LEVEL SWORN AFFIDAVIT		<input type="checkbox"/> Yes <input type="checkbox"/> No
IF YES, WHO WAS THE CERTIFICATE ISSUED BY?					
AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA)	<input type="checkbox"/>	AN ACCOUNTING OFFICER AS CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA)			
(CCA) AND NAME THE APPLICABLE IN THE TICK BOX	<input type="checkbox"/>	A VERIFICATION AGENCY ACCREDITED BY THE SOUTH AFRICAN ACCREDITATION SYSTEM (SANAS)			
	<input type="checkbox"/>	A REGISTERED AUDITOR			
		NAME:			
<b>[A STATUS LEVEL VERIFICATION CERTIFICATE/SWORN AFFIDAVIT (FOR EMEs&amp; QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR ]</b>					
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]		ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS / SERVICES / WORKS OFFERED?		<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ANSWER PART B:3 BELOW]
SIGNATURE OF BIDDER	.....		DATE		
CAPACITY UNDER WHICH THIS BID IS SIGNED (Attach proof of authority to sign this bid; e.g. resolution of directors, etc.)					
TOTAL NUMBER OF ITEMS OFFERED			TOTAL BID PRICE (ALL INCLUSIVE)		

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:		TECHNICAL INFORMATION MAY BE DIRECTED TO:	
DEPARTMENT	KZN Department of Health	DEPARTMENT	KZN Department of Health
CONTACT PERSON	Miss N Mahlaba	CONTACT PERSON	Dr R Groenewald
TELEPHONE NUMBER	033 815 8386	TELEPHONE NUMBER	033 395 4200
E-MAIL ADDRESS	<a href="mailto:Tenders@kznhealth.gov.za">Tenders@kznhealth.gov.za</a> or <a href="mailto:SCM.DemandManagement@kznhealth.gov.za">SCM.DemandManagement@kznhealth.gov.za</a>	E-MAIL ADDRESS	<a href="mailto:edendale.anaesthetics@kznhealth.gov.za">edendale.anaesthetics@kznhealth.gov.za</a>

## PART B: TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:	
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED – (NOT TO BE RE-TYPED) OR ONLINE
1.3.	BIDDERS MUST REGISTER ON THE CENTRAL SUPPLIER DATABASE (CSD) TO UPLOAD MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS; AND BANKING INFORMATION FOR VERIFICATION PURPOSES). CERTIFICATE OR SWORN AFFIDAVIT FOR MUST BE SUBMITTED TO BIDDING INSTITUTION.
1.4.	WHERE A BIDDER IS NOT REGISTERED ON THE CSD, MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS MAY NOT BE SUBMITTED WITH THE BID DOCUMENTATION. CERTIFICATE OR SWORN AFFIDAVIT FOR MUST BE SUBMITTED TO BIDDING INSTITUTION.
1.5.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER LEGISLATION OR SPECIAL CONDITIONS OF CONTRACT AND ANY AMENDMENTS THERETO.
2. TAX COMPLIANCE REQUIREMENTS	
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE DEPARTMENT TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
2.3	APPLICATION FOR TAX COMPLIANCE STATUS (TCS) OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE <a href="http://WWW.SARS.GOV.ZA">WWW.SARS.GOV.ZA</a> .
2.4	BIDDERS MAY ALSO SUBMIT A PRINTED TCS TOGETHER WITH THE BID.
2.5	IN BIDS WHERE CONSORTIA/ JOINT VENTURES/ SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE PROOF OF TCS / PIN / CSD NUMBER.
2.6	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS	
3.1.	IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? <input type="checkbox"/> YES <input type="checkbox"/> NO
3.2.	DOES THE BIDDER HAVE A BRANCH IN THE RSA? <input type="checkbox"/> YES <input type="checkbox"/> NO
3.3.	DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA? <input type="checkbox"/> YES <input type="checkbox"/> NO
3.4.	DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA? <input type="checkbox"/> YES <input type="checkbox"/> NO
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN, IT IS NOT A REQUIREMENT TO OBTAIN A TAX COMPLIANCE STATUS/ TAX COMPLIANCE SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTERED AS PER 2.3 ABOVE.	

**NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.**

## **SECTION B: SPECIAL INSTRUCTIONS AND NOTICES TO BIDDERS REGARDING THE COMPLETION OF BIDDING FORMS**

PLEASE NOTE THAT THIS BID IS SUBJECT TO TREASURY REGULATIONS 16A ISSUED IN TERMS OF THE PUBLIC FINANCE MANAGEMENT ACT, 1999, THE KWAZULU-NATAL SUPPLY CHAIN MANAGEMENT POLICY FRAMEWORK AND THE GENERAL CONDITIONS OF CONTRACT. REFER TO THE GENERAL CONDITIONS OF CONTRACT AT THE FOLLOWING WEB ADDRESS:

<http://www.treasury.gov.za/divisions/ocpo/ostb/contracts/default.aspx>

1. Unless inconsistent with or expressly indicated otherwise by the context, the singular shall include the plural and visa versa and with words importing the masculine gender shall include the feminine and the neuter.
2. Under no circumstances whatsoever may the bid forms be retyped or redrafted. Photocopies of the original bid documentation may be used, but an original signature must appear on such photocopies.
3. The bidder is advised to check the number of pages and to satisfy himself that none are missing or duplicated.
4. Bids submitted must be complete in all respects.
5. Bids shall be lodged at the address indicated not later than the closing time specified for their receipt, and in accordance with the directives in the bid documents.
6. Each bid shall be addressed in accordance with the directives in the bid documents and shall be lodged in a separate sealed envelope, with the name and address of the bidder, the bid number and closing date indicated on the envelope. The envelope shall not contain documents relating to any bid other than that shown on the envelope. If this provision is not complied with, such bids may be rejected as being invalid.
7. All bids received in sealed envelopes with the relevant bid numbers on the envelopes are kept unopened in safe custody until the closing time of the bids. Where, however, a bid is received open, it shall be sealed. If it is received without a bid number on the envelope, it shall be opened, the bid number ascertained, the envelope sealed, and the bid number written on the envelope.
8. A specific box is provided for the receipt of bids, and no bid found in any other box or elsewhere subsequent to the closing date and time of bid will be considered.
9. No bid sent through the post will be considered if it is received after the closing date and time stipulated in the bid documentation, and proof of posting will not be accepted as proof of delivery.
10. No bid submitted by telefax, telegraphic or other electronic means will be considered.
11. Bidding documents must not be included in packages containing samples. Such bids may be rejected as being invalid.
12. Any alteration made by the bidder must be initialled.
13. Use of correcting fluid is prohibited.
14. Bids will be opened in public as soon as practicable after the closing time of bid.
15. Where practical, prices are made public at the time of opening bids.
16. If it is desired to make more than one offer against any individual item, such offers should be given on a photocopy of the page in question. Clear indication thereof must be stated on the schedules attached.
17. The bidder must initial each and every page of the bid document.

## SECTION C: AUTHORITY TO SIGN A BID

### A. COMPANIES

If a Bidder is a company, a certified copy of the resolution by the Board of Directors, personally signed by the Chairperson of the Board, authorising the person who signs this bid to do so, as well as to sign any contract resulting from this bid and any other documents and correspondence in connection with this bid and/or contract on behalf of the company must be submitted with this bid, that is before the closing time and date of the bid

#### AUTHORITY BY BOARD OF DIRECTORS

By resolution passed by the Board of Directors on.....20.....,  
..... (Full name)  
(whose signature appears below) has been duly authorised to sign all documents in connection with this bid on behalf of  
.....(Name of Company).

IN HIS/ HER CAPACITY AS: .....

SIGNED ON BEHALF OF COMPANY: ..... (PRINT NAME)

SIGNATURE OF SIGNATORY: ..... DATE: .....

WITNESSES: 1 ..... DATE: .....

2 ..... DATE: .....

---

### B. SOLE PROPRIETOR (ONE - PERSON BUSINESS)

I, the undersigned..... (Full name) hereby  
confirm that I am the sole owner of the business trading as:  
.....(Name of Business)

SIGNATURE..... DATE.....

---

### C. PARTNERSHIP

The following particulars in respect of every partner must be furnished and signed by every partner:

FULL NAME OF PARTNER	RESIDENTIAL ADDRESS	SIGNATURE

We, the undersigned Partners in the business trading as .....  
.....(name of partnership)

hereby authorise ..... (full name) to sign this bid as well as  
any contract resulting from the bid and any other documents and correspondence in connection with this bid and/ or contract on behalf  
of

..... <b>SIGNATURE</b>	..... <b>SIGNATURE</b>	..... <b>SIGNATURE</b>
..... <b>DATE</b>	..... <b>DATE</b>	..... <b>DATE</b>

#### D. CLOSE CORPORATION

In the case of a Close Corporation submitting a bid, a certified copy of the Founding/ Amended Founding Statement of such corporation shall be included with the bid, together with the resolution by its members authorising a member or other official of the corporation to sign the documents on their behalf.

By resolution of members at a meeting on ..... 20.....

....., (Full name)  
whose signature appears below, has been authorised to sign all documents in connection with this bid on behalf of  
.....(Name of Close Corporation)

Trading as .....(Trading name).

IN HIS/ HER CAPACITY AS: .....

SIGNED ON BEHALF OF THE CLOSE CORPORATION: ..... (PRINT NAME)

SIGNATURE OF SIGNATORY: ..... DATE: .....

WITNESSES: 1 ..... DATE: .....

2 ..... DATE: .....

#### E. CO-OPERATIVE

A certified copy of the Constitution of the co-operative must be included with the bid, together with the resolution by its members authoring a member or other official of the co-operative to sign the bid documents on their behalf.

By resolution of members at a meeting on ..... 20.....

..... (full name) whose signature

appears below, has been authorised to sign all documents in connection with this bid on behalf of .....

.....(Name of cooperative)

**SIGNATURE OF AUTHORISED REPRESENTATIVE/SIGNATORY:**

.....

**IN HIS/ HER CAPACITY AS:** .....

**DATE:** .....

**SIGNED ON BEHALF OF CO-OPERATIVE:** .....

**FULL NAME IN BLOCK LETTERS:** .....

**WITNESSES:** 1 .....

**DATE:** .....

2 .....

**DATE:** .....

---

## **F. JOINT VENTURE**

If a bidder is a Joint Venture, a certified copy of the resolution/ agreement passed/ reached, signed by the duly authorised representatives of the entities, authorising the representatives who sign this bid to do so, as well as to sign any contract resulting from this bid and any other documents and correspondence in connection with this bid and /or contract on behalf of the Joint Venture must be submitted with this bid, before the closing time and date of the bid.

### **AUTHORITY TO SIGN ON BEHALF OF THE JOINT VENTURE**

By resolution/agreement passed/reached by the Joint Venture partners on.....20.....

..... (Full name)

..... (Full name)

..... (Full name)

..... (Full name)

whose signatures appear below have been duly authorised to sign all documents in connection with this bid on behalf of:

..... (Name of Joint Venture)

**IN HIS/ HER CAPACITY AS:** .....

**SIGNED ON BEHALF OF (ENTITY NAME):** .....

**SIGNATURE:** ..... **DATE:** .....

**IN HIS/ HER CAPACITY AS:** .....

**SIGNED ON BEHALF OF (ENTITY NAME):** .....

**SIGNATURE:** ..... **DATE:** .....

**IN HIS/ HER CAPACITY AS:** .....

**SIGNED ON BEHALF OF (ENTITY NAME):** .....



**SIGNATURE:** ..... **DATE:** .....

**IN HIS/ HER CAPACITY AS:** .....

**SIGNED ON BEHALF OF (ENTITY NAME):** .....

**SIGNATURE:** ..... **DATE:** .....

**IN HIS/ HER CAPACITY AS:** .....

---

#### **G. CONSORTIUM**

If a bidder is a Consortium, a certified copy of the resolution/ agreement passed/ reached, signed by the duly authorised representatives of concerned entities, authorising the representatives who sign this bid to do so, as well as to sign any contract resulting from this bid and any other documents and correspondence in connection with this bid and/ or contract on behalf of the Consortium must be submitted with this bid, before the closing time and date of the bid.

#### **AUTHORITY TO SIGN ON BEHALF OF THE CONSORTIUM**

By resolution/agreement passed/reached by the Consortium on.....20.....  
..... (full name)

whose signature appears below have been duly authorised to sign all documents in connection  
with this bid on behalf of:

..... (Name of Consortium)

**IN HIS/ HER CAPACITY AS:** .....

**SIGNATURE:** ..... **DATE:** .....

## SECTION D: BIDDER'S DISCLOSURE (SBD 4)

### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

### 2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest<sup>1</sup> in the enterprise, employed by the state? YES/NO

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? YES/NO

2.2.1 If so, furnish particulars:

.....  
.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract?  
YES/NO

2.3.1 If so, furnish particulars:

.....  
.....

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

### 3 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium<sup>2</sup> will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 AND 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....  
Signature

.....  
Date

.....  
Position

.....  
Name of bidder

---

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

## **SECTION E: THE NATIONAL INDUSTRIAL PARTICIPATION PROGRAMME (SBD 5)**

### **INTRODUCTION**

The National Industrial Participation (NIP) Programme, which is applicable to all government procurement contracts that have an imported content, became effective on the 1 September 1996. The NIP policy and guidelines were fully endorsed by Cabinet on 30 April 1997. In terms of the Cabinet decision, all state and parastatal purchases / lease contracts (for goods, works and services) entered into after this date, are subject to the NIP requirements. NIP is obligatory and therefore must be complied with. The Industrial Participation Secretariat (IPS) of the Department of Trade and Industry (DTI) is charged with the responsibility of administering the programme.

### **1 PILLARS OF THE PROGRAMME**

- 1.1 The NIP obligation is benchmarked on the imported content of the contract. Any contract having an imported content equal to or exceeding US\$ 10 million or other currency equivalent to US\$ 10 million will have a NIP obligation. This threshold of US\$ 10 million can be reached as follows:
- (a) Any single contract with imported content exceeding US\$10 million.  
or
  - (b) Multiple contracts for the same goods, works or services each with imported content exceeding US\$3 million awarded to one seller over a 2 year period which in total exceeds US\$10 million.  
or
  - (c) A contract with a renewable option clause, where should the option be exercised the total value of the imported content will exceed US\$10 million.  
or
  - (d) Multiple suppliers of the same goods, works or services under the same contract, where the value of the imported content of each allocation is equal to or exceeds US\$ 3 million worth of goods, works or services to the same government institution, which in total over a two (2) year period exceeds US\$10 million.
- 1.2 The NIP obligation applicable to suppliers in respect of sub-paragraphs 1.1 (a) to 1.1 (c) above will amount to 30 % of the imported content whilst suppliers in respect of paragraph 1.1 (d) shall incur 30% of the total NIP obligation on a pro-rata basis.

- 1.3 A period of seven years has been identified as the time frame within which to discharge the obligation.

### **2 REQUIREMENTS OF THE DEPARTMENT OF TRADE AND INDUSTRY**

- 2.1 In order to ensure effective implementation of the programme, successful tenderers (contractors) are required to, immediately after the award of a contract that is in excess of R10 million (ten million Rands), submit details of such a contract to the DTI for reporting purposes.
- 2.2 The purpose for reporting details of contracts in excess of the amount of R10 million (ten million Rands) is to cater for multiple contracts for the same goods, works or services; renewable contracts and multiple suppliers for the same goods, works or services under the same contract as provided for in paragraphs 1.1.(b) to 1.1. (d) above.

### **3 TENDER SUBMISSION AND CONTRACT REPORTING REQUIREMENTS OF TENDERERS AND SUCCESSFUL TENDERERS (CONTRACTORS)**

Tenderers are required to sign and submit this Standard Tendering Document (SBD 5) together with the Tender on the closing date and time.

3.2 In order to accommodate multiple contracts for the same goods, works or services; renewable contracts and multiple suppliers for the same goods, works or services under the same contract as indicated in sub- paragraphs 1.1 (b) to 1.1 (d) above and to enable the DTI in determining the NIP obligation, successful Tenderers (contractors) are required, immediately after being officially notified about any successful Tender with a value in excess of R10 million (ten million Rands), to contact and furnish the DTI with the following information:

- Tender / contract number.
- Description of the goods, works or services.
- Date on which the contract was accepted.
- Name, address and contact details of the government institution.
- Value of the contract.
- Imported content of the contract, if possible.

3.3 The information required in paragraph 3.2 above must be sent to the Department of Trade and Industry, Private Bag X 84, Pretoria, 0001 for the attention of Mr. Elias Malapane within five (5) working days after award of the contract. Mr. Malapane may be contacted on telephone (012) 394 1401, facsimile (012) 394 2401 or e-mail at [Elias@thedti.gov.za](mailto:Elias@thedti.gov.za) for further details about the programme.

#### **4 PROCESS TO SATISFY THE NIP OBLIGATION**

4.1 Once the successful Tenderer (contractor) has made contact with and furnished the DTI with the information required, the following steps will be followed:

- a. the contractor and the DTI will determine the NIP obligation;
- b. the contractor and the DTI will sign the NIP obligation agreement;
- c. the contractor will submit a performance guarantee to the DTI;
- d. the contractor will submit a business concept for consideration and approval by the DTI;
- e. upon approval of the business concept by the DTI, the contractor will submit detailed business plans outlining the business concepts;
- f. the contractor will implement the business plans; and
- g. the contractor will submit bi-annual progress reports on approved plans to the DTI.

4.2 The NIP obligation agreement is between the DTI and the successful Tenderer (contractor) and, therefore, does not involve the purchasing institution.

Tender number:	
Name of tenderer:	Closing date:
Postal address:	
Signature:	Name (in print):
Date:	

**SECTION F: DECLARATION THAT INFORMATION ON CENTRAL SUPPLIER DATABASE IS CORRECT AND UP TO DATE (To be completed by bidder)**

This is to certify that I

.....  
(name of bidder/authorized representative)

who represents

.....  
(state name of bidder)

am aware of the contents of the Central Supplier Database with respect to the bidder's details and registration information, and that the said information is correct and up to date as on the date of submitting this bid, and I am aware that incorrect or outdated information may be a cause for disqualification of this bid from the bidding process, and/ or possible cancellation of the contract that may be awarded on the basis of this bid.

.....  
**SIGNATURE OF BIDDER OR AUTHORISED REPRESENTATIVE**

**DATE:** .....

## SECTION G: PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment ( ) Status Level of Contribution

**NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.**

### 1. GENERAL CONDITIONS

- 1.1. The following preference point systems are applicable to all bids:
- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
- 1.2. The value of this bid is estimated not to exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.
- 1.3. Points for this bid shall be awarded for:
- (a) Price; and
  - (b) Status Level of Contributor.
- 1.4. The maximum points for this bid are allocated as follows:
- | CATEGORY  | POINTS     |
|---|------------|
| PRICE   | 80         |
| STATUS LEVEL OF CONTRIBUTOR                       | 20         |
| <b>Total points for Price and must not exceed</b> | <b>100</b> |
- 1.5. Failure on the part of a bidder to submit proof of Status level of contributor together with the bid will be interpreted to mean that preference points for Status level of contribution are not claimed.
- 1.6. The department reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the department.

### 2. DEFINITIONS

- a) **“B-BBEE”** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- b) **“B-BBEE status level of contributor”** means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- c) **“Bid”** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- d) **“Black Designated Groups”** has the meaning assigned to it in the codes of good practice issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;

- e) **“Black People”** has the meaning assigned to it in section 1 of the Broad-Based Black Economic Empowerment Act;
- f) **“Broad-Based Black Economic Empowerment Act”** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- g) **“Co-operative”** means a co-operative **registered** in terms of section 7 of the Cooperatives Act, 2005 (Act No. 14 of 2005);
- h) **“EME”** means an Exempted Micro **Enterprise** in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- i) **“Functionality”** means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- j) **“Military Veteran”** has the meaning assigned to it in section 1 of the Military Veterans Act, 2011 (Act No. 18 of 2011);
- k) **“prices” includes** all applicable taxes less all unconditional discounts;
- l) **“proof of status level of contributor” means:**
  - 1) Status level certificate issued by an authorized body or person;
  - 2) A sworn affidavit as prescribed by the Codes of Good Practice;
  - 3) Any other requirement prescribed in terms of the Act;
- m) **“QSE”** means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- n) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes; and
- o) **“stipulated minimum threshold”** means the minimum threshold stipulated in terms of regulation 8(1)(b).

### 3. POINTS AWARDED FOR PRICE

#### 3.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20	or	90/10
$P_s = 80 \left( 1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$	or	$P_s = 90 \left( 1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$

Where

P <sub>s</sub>	=	Points scored for price of bid under consideration
P <sub>t</sub>	=	Price of bid under consideration
P <sub>min</sub>	=	Price of lowest acceptable bid



#### 4. POINTS AWARDED FOR STATUS LEVEL OF CONTRIBUTOR

- 4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the status level of contribution in accordance with the table below:

STATUS LEVEL OF CONTRIBUTOR	NUMBER OF POINTS (90/10 SYSTEM)	NUMBER OF POINTS (80/20 SYSTEM)
1	10	20
2	9	18
3	6	14
4	5	12
5	4	8
6	3	6
7	2	4
8	1	2
Non-compliant contributor	0	0

#### 5. BID DECLARATION

- 5.1 Bidders who claim points in respect of Status Level of Contribution must complete the following:

#### 6. STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

- 6.1 Status Level of Contributor: = ..... (maximum of 10 or 20 points) (Points claimed in respect of paragraph 6.1 must be in accordance with the table reflected in paragraph 4 and must be substantiated by relevant proof of status level of contributor.

#### 7. SUB-CONTRACTING

- 7.1 Will any portion of the contract be sub-contracted?

(Tick applicable box)

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

- 7.1.1 If yes, indicate:

- What percentage of the contract will be subcontracted.....%
- The name of the sub-contractor.....
- The status level of the sub-contractor.....
- Whether the sub-contractor is an EME or QSE

(Tick applicable box)

YES	<input type="checkbox"/>	NO	<input type="checkbox"/>
-----	--------------------------	----	--------------------------

- v. Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

DESIGNATED GROUP: AN EME OR QSE WHICH IS AT LAST 51% OWNED BY:	EME √	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
<b>OR</b>		
Any EME		
Any QSE		

## 8. DECLARATION WITH REGARD TO COMPANY/FIRM

8.1 Name of company/firm: .....

8.2 VAT registration number: .....

8.3 Company registration number: .....

8.4 TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
  - ☐ One-person business/sole propriety
  - ☐ Close corporation
  - ☐ Company
  - ☐ (Pty) Limited
- [TICK APPLICABLE BOX]

8.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES

.....

.....

.....

8.6 COMPANY CLASSIFICATION

- ☐ Manufacturer
  - ☐ Supplier
  - ☐ Professional service provider
  - ☐ Other service providers, e.g. transporter, etc.
- [TICK APPLICABLE BOX]

8.7 Total number of years the company/firm has been in business: .....

8.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- iv) If the status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –
  - (a) disqualify the person from the bidding process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution.

WITNESSES

1. ....

2. ....

.....  
SIGNATURE(S) OF BIDDERS(S)

DATE: .....

ADDRESS .....

.....

.....

## SECTION H: RECORD OF AMENDMENTS TO BID DOCUMENTS

I / We confirm that the following communications amending the bid documents that I / we received from KwaZulu-Natal Department of Health or their representative before the closing date for submission of bids have been taken into account in this bid.

ADDENDUM NO.	DATE	TITLE OR DETAILS

SIGNATURE: ..... DATE: .....  
(of person authorized to sign on behalf of the Bidder)

## SECTION I: GENERAL CONDITIONS OF CONTRACT

### NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

## TABLE OF CLAUSES

1. Definitions
2. Application
3. General
4. Standards
5. Use of contract documents and information; inspection
6. Patent rights
7. Performance security
8. Inspections, tests and analysis
9. Packing
10. Delivery and documents
11. Insurance
12. Transportation
13. Incidental services
14. Spare parts
15. Warranty
16. Payment
17. Prices
18. Contract amendments
19. Assignment
20. Subcontracts
21. Delays in the supplier's performance
22. Penalties
23. Termination for default
24. Dumping and countervailing duties
25. Force Majeure
26. Termination for insolvency
27. Settlement of disputes
28. Limitation of liability
29. Governing language
30. Applicable law
31. Notices
32. Taxes and duties
33. National Industrial Participation Programme (NIPP)
34. Prohibition of restrictive practices

## General Conditions of Contract

### 1. Definitions

1. The following terms shall be interpreted as indicated:
  - 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
  - 1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
  - 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
  - 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
  - 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
  - 1.6 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
  - 1.7 "Day" means calendar day.
  - 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
  - 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
  - 1.10 "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
  - 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
  - 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.

- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.
- 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25 "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

## **2. Application**

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless



otherwise indicated in the bidding documents.

2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.

2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

### **3. General**

3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.

3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from [www.treasury.gov.za](http://www.treasury.gov.za)

### **4. Standards**

4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

### **5. Use of contract documents and information; inspection.**

5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.

5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.

5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.

5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

### **6. Patent rights**

6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

- 7. Performance security**
- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
- (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
  - (b) a cashier's or certified cheque
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.
- 8. Inspections, tests and analyses**
- 8.1 All pre-bidding testing will be for the account of the bidder.
- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or

analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.

- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

## **9. Packing**

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.

- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

## **10. Delivery and documents**

- 10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.

- 10.2 Documents to be submitted by the supplier are specified in SCC.

## **11. Insurance**

- 11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

## **12. Transportation**

- 12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

## **13. Incidental services**

- 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
- (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
  - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
  - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;

- (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
- (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.

13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

#### **14. Spare parts**

14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:

- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
- (b) in the event of termination of production of the spare parts:
  - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
  - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

#### **15. Warranty**

15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.

15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.

15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.

15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.

15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without

prejudice to any other rights which the purchaser may have against the supplier under the contract.

- 16. Payment**
- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.
- 17. Prices**
- 17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.
- 18. Contract amendments**
- 18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.
- 19. Assignment**
- 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.
- 20. Subcontracts**
- 20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.
- 21. Delays in the supplier's performance**
- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the

supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.

21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.

21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

## **22. Penalties**

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

## **23. Termination for default**

23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:

- (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
- (b) if the Supplier fails to perform any other obligation(s) under the contract; or
- (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.

23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.

23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

23.4 If a purchaser intends imposing a restriction on a supplier or any

person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.

23.5 Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.

23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:

- (i) the name and address of the supplier and / or person restricted by the purchaser;
- (ii) the date of commencement of the restriction
- (iii) the period of restriction; and
- (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

## **24. Anti-dumping and countervailing duties and rights**

24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him

- |     |                                   |   |
|-----|-----------------------------------|---|
| 25. | <b>Force Majeure</b>              | <p>25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.</p> <p>25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.</p>   |
| 26. | <b>Termination for insolvency</b> | <p>26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.</p>   |
| 27. | <b>Settlement of Disputes</b>     | <p>27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.</p> <p>27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.</p> <p>27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.</p> <p>27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.</p> <p>27.5 Notwithstanding any reference to mediation and/or court proceedings herein,</p> <p style="padding-left: 40px;">(a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and</p> <p style="padding-left: 40px;">(b) the purchaser shall pay the supplier any monies due the supplier.</p> |
| 28. | <b>Limitation of liability</b>    | <p>28.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;</p> <p style="padding-left: 40px;">(a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and</p> <p style="padding-left: 40px;">(b) aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.</p>   |



- |  |   |
|--|---|
| 29. <b>Governing language</b>                                | 29.1. The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.  |
| 30. <b>Applicable law</b>                                    | 30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.  |
| 31. <b>Notices</b>   | <p>31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice</p> <p>31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.</p>   |
| 32. <b>Taxes and duties</b>                                  | <p>32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.</p> <p>32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.</p> <p>32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.</p>  |
| 33. <b>National Industrial Participation (NIP) Programme</b> | 33.1 The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.  |
| 34 <b>Prohibition of Restrictive practices</b>               | <p>34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).</p> <p>34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.</p> <p>34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.</p> |

❖ I have read, understand and accept the General conditions of the contract which are binding upon me.

.....  
**Signature**

.....  
**Date**

.....  
**Name of Bidder**

## SECTION J: SPECIAL CONDITIONS OF CONTRACT

### 1. CHANGE OF ADDRESS

- 1.1. Bidders must advise the Department of Health's Central Supply Chain Management Unit, Contract Administration Section, should their ownership and/or address (domicilium citandi et executandi) details change from the time of bidding to the expiry of the contract.

### 2. DELIVERY AND PACKAGING

- 2.1. Basis of delivery: Delivery of administration sets must be made in accordance with the instructions appearing on the official order form (**Various institutions**).
- 2.2. All deliveries must take place from Monday to Friday between 08h00 and 14h00.
- 2.3. In emergency cases, the Department of Health reserves the right to request the successful bidder/s to effect deliveries at any given time including Saturdays, Sundays and public holidays.
- 2.4. Random inspection and sampling of items will be conducted upon delivery to verify quantity and compare the item against the contract sample and any other quality accreditation that is prescribed.
- 2.5. It is the contractor's responsibility to off load the delivery vehicle.
- 2.6. Order details must be presented upon delivery on delivery notes.
- 2.7. The following information must appear on the outer packaging of the carton/box:
  - (a) Name of the manufacturer/supplier
  - (b) Description of item
  - (c) Date of manufacture

### 3. DELIVERY CONDITIONS

- 3.1. Delivery of products must be made in accordance with the instructions appearing on the official order form.
- 3.2. All deliveries or dispatches must be accompanied by a delivery note stating the official order number against the delivery that has been affected.
- 3.3. In respect of items awarded to them, contractors must adhere strictly to the delivery periods stipulated by them in their bid document.
- 3.4. The instructions appearing on the official order form regarding the supply, dispatch and submission of invoices must be strictly adhered to.
- 3.5. All invoices must be submitted in the original.
- 3.6. Deliveries not complying with the order form will be returned to the contractor at the contractor's expense.
- 3.7. No locally manufactured product may be substituted during the contract period with an imported product, and vice versa, without prior approval of Contract Management at Central Supply Chain Management, Department of Health.

#### 4. ENTERING OF HOSPITAL/CLINIC STORES

- 4.1. No representative from a company shall be permitted to enter the hospital/clinic premises, buildings or containers where stores are kept unless he/she is accompanied by the responsible official in charge of stores. Before entering the hospital/clinic premises, buildings or containers where stores are kept, the company representative must in writing, motivate why entry is necessary and written authority must be obtained to enter from the Head of the Institution.

#### 5. FIRM PRICES AND ESCALATIONS

- 5.1. This bid requires that all bid prices offered are firm for the period of the contract, bidders may offer a firm price for year one, year two and year three respectively. If a non-firm price is offered, the bidder shall be disqualified for not complying with the conditions of the bid.

#### 6. VALUE ADDED TAX (VAT)

- 6.1 All bid prices must be inclusive all applicable taxes, even if the bidder is not a vat vendor,
- 6.2 Bidders who make taxable supplies in excess of R1 million in any 12-month consecutive period are liable for compulsory VAT registration, but an entity may also choose to register voluntarily provided that the minimum threshold of R50 000 (as of 1 March 2010) has been exceeded in the past 12 month period. Bidders who meet the above requirement must register as VAT vendors, if successful, within one month of award of bid.
- 6.3 **VAT will not be included** after an award of the bid or during contract management period

#### 7. STATEMENT OF SUPPLIES AND SERVICES

- 7.1. The contractor shall, monthly, furnish particulars of supplies delivered or services executed. Such information must be submitted to the Department of Health Supply Chain Management, Contract Management as follows:
- (i) Name of institution.
  - (ii) Orders received – order number & catalogue number & quantity delivered.
  - (iii) Price.
- 7.2. Historical value and volume reports may be requested by the Department of Health, Supply Chain Management, during the term of the contract for the following:
- a) **SUPPLIER MEASURES**
    - Delivery period adherence
    - Quality adherence
- 7.3 This information will be submitted at the expense of the contractor.

## **8. INSPECTION FOR QUALITY**

- 8.1 All deliveries to authorised participants will be subjected to a visual examination and scrutiny by the relevant participants, and/or inspection for quality by Provincial Quality Control Laboratories in the Republic of South Africa, and/or inspection for quality by an accredited South African National Accreditation Section (SANAS) testing agency.
- 8.2 In the event of products tested, the contractor will bear the cost of any item failing to meet the relevant standard.

## **9 INVOICES AND PAYMENTS**

- 9.1 All invoices submitted by the Contractor must be Tax Invoices indicating item description, catalogue number, quantity ordered and quantity delivered, unit price, total price, the amount of tax charged and the total invoice amount.
- 9.2 A tax invoice shall be in the currency of the republic of South Africa and shall contain the following particulars:
- (a) The name, address and registration number of the supplier;
  - (b) The name and address of the recipient;
  - (c) An individual serialized number and the date upon which the tax invoice is issued;
  - (d) A description of the goods or services supplied;
  - (e) The quantity or volume of the goods or services supplied
  - (f) The value of the supply, the amount of tax charged and the consideration for the supply; or
  - (g) Where the amount of tax charged is calculated by applying the tax fraction to the consideration, the consideration for the supply and either the amount of the tax charged, or a statement that it includes a charge in respect of the tax and the rate at which the tax was charged.
- 9.3 A contractor shall be paid by the institution concerned, in accordance with supplies delivered and services rendered.
- 9.4 Should a contractor indicate a special discount on his/her account provided payment is made within a certain time, every effort shall be made to take advantage of such discount.
- 9.5 Any query concerning the non-payment of accounts must be directed to the institution concerned. The following protocol will apply if accounts are queried:
- (i) Contact must be made with the officer-in-charge of stores;
  - (ii) If there is no response from stores, the finance manager of the institution must be contacted.

## **10 IRREGULARITIES**

- 10.1 Companies are encouraged to advise the Department of Health timeously of any possible irregularities which might come to their notice in connection with this or other contracts.

## **11 PERIOD OF CONTRACT**

- 11.1 Three-year contract.

## 12 QUALITY CONTROL TESTING OF PRODUCTS

12.1 If it is discovered that the product supplied is not in accordance with the specification the following will occur:

- (i) Testing charges will be for the account of the principal contractor;
- (ii) Possible cancellation of the contract with the principal contractor;
- (iii) Reporting such negligence by the principal contractor to the provincial and national treasury for listing on the Restricted Suppliers' Database.

## 13 RATE OF EXCHANGE

- 13.1 All bids involving imported products must use the rate of exchange that was applicable 14 days prior to the closing date indicated in the bid document. If this day falls on a weekend or public holiday, the next working day must be used.
- 13.2 Bidders must submit documentary proof (in the form of a certified copy) from their bank or any recognized legal financial Institution, clearly indicating what the rate of exchange was 14 days prior to the closing date, as mentioned above. Information can be sourced from the internet from a financial Institution website.
- 13.3 The Department of Health reserves the right to renegotiate the price should there be a reduction of the price in the market.
- 13.4 This clause must be read in conjunction with paragraph 5.1

## 14 SAMPLES

- 14.1 Samples will not be accepted with the closing of the bid document.
- 14.2 A sample meeting will be arranged with selected companies whereby the companies will be invited to forward their samples on a specified date and time.
- 14.3 Samples must be made available for the sample meeting, failure to provide a sample will reject their bid offer.
- 14.4 Samples shall be supplied by the bidder at his/her own cost/risk. Samples must be packaged as per the specification. Failure to do so will render the bid invalid.
- 14.5 Representative samples will not be accepted.
- 14.6 The Department reserves the right not to return such samples and to dispose of them at its discretion.
- 14.7 Samples must be clearly marked: Item number:
  - Brand Name
  - Name of the Company
  - Bid number
  - Name of the manufacturer/supplier
  - Description of item

- Date of manufacture

14.8 The award of this bid will be based on the sample submitted from a manufacturer based on a letter of undertaking, which is compliant to specification. If, during the contract, the awarded supplier wishes to change the item being supplied, the service provider shall apply to the Department in writing, giving reasons why they want to change the product being supplied, which the Department shall consider. This process will be subject to the sample being submitted to the technical committee for evaluation and if in order, to the adjudication committee for approval. This will be done via the contract management unit of the Department. If there is a change in the product being supplied, and no prior approval has been granted, the Department reserves its right to cancel the contract.

**N.B Failure to clearly mark the samples submitted shall result in the samples not being evaluated and eliminated from further consideration.**

## **15 UNSATISFACTORY PERFORMANCE**

15.1 Unsatisfactory performance occurs when performance is not in accordance with the contract conditions.

- (i). The institution shall warn the contractor by registered/certified mail that action will be taken in accordance with the contract conditions unless the contractor complies with the contract conditions and delivers satisfactory supplies or services within a specified reasonable time (7 days minimum). If the contractor does not perform satisfactorily despite the warning the institution will:
  - (a) Take necessary action in terms of its delegated powers.
- (ii) When correspondence is addressed to the contractor, reference will be made to the contract number/item number/s and an explanation of the complaint.

## **16 PREFERENCES**

16.1 Should the Contractor apply for preferences in the submission of his bid, and it is found at a later stage that these applications were incorrect or made under false pretences, the Department may, at its own right:

- i. Recover from the Contractor all costs, losses or damages incurred or sustained by the Department as a result of the award of the Contract; and/or
- ii. Cancel the contract and claim any damages which the Department may suffer by having to make less favourable arrangements after such cancellation.
- iii. The Department may impose penalties, however, only if provision therefore is made in the Special Conditions of Bid.

## **17 RESTRICTION OF BIDDING**

The Accounting Officer or his/her delegate must:

- a) Notify the supplier and any other person of the intention to restrict it doing business with KZN-DoH by registered mail. The letter of restriction must provide for:
  - i. The grounds for restriction;
  - ii. The period of restriction which must not exceed 10 years;
  - iii. A period of 14 calendar days for the supplier to provide reasons why the restriction should not be imposed.

- b) The Accounting Officer his/her delegate:
  - I. May regard the intended penalty as not objected to and may impose such penalty on the supplier, should the supplier fail to respond within the 14 days; and
  - II. Must assess the reasons provided by the supplier and take the final decision.
- c) If the penalty is imposed, the Accounting Officer must inform National Treasury of the restriction within 7 calendar days and must furnish the following information:
  - I. The name and address of the entity/ person to be restricted;
  - II. The identity number of individuals and the registration number of the entity; and
  - III. The period of restriction.
- d) National Treasury will load the details on the Database of Prohibited Vendors.
- e) The restriction period applicable will be based on the value of award/s made to the supplier over a financial year. The table below illustrates the restriction period that will be applicable per the award threshold:

## **18 CONTRACTOR'S LIABILITY**

- 18.1 In the event of the contract being cancelled by the Department in the exercise of its rights in terms of these conditions, the Contractor shall be liable to pay to the Department any losses sustained and/or additional costs or expenditure incurred as a result of such cancellation, and the Department shall have the right to recover such losses, damages or additional costs by means of set-off from moneys due or which may become due in terms of the contract or any other contract or from guarantee provided for the due fulfilment of the contract and, until such time as the amount of such losses, damages or additional costs have been determined, to retain such moneys or guarantee or any deposit as security for any loss which the Department may suffer or may have suffered.
- 18.2 The Contractor may be held responsible for any consequential damages and loss sustained which may be caused by any defect, latent or otherwise, in supply or service rendered or if the goods or service as a result of such defect, latent or otherwise, does not conform to any condition or requirement of the contract.

## **19 DEPARTMENTAL PROPERTY IN POSSESSION OF A CONTRACTOR**

- 19.1 The Department's property supplied to a Contractor for the execution of a contract remains the property of the Department and shall at all times be available for inspection by the Department or its representatives. Any such property in the possession of the Contractor on the completion of the contract shall, at the Contractor's expense, be returned to the Department forthwith.
- 19.2 The Contractor shall be responsible at all times for any loss or damages to the Department's property in his possession and, if required, he shall furnish such security for the payment of any such loss or damages as the Department may require.

## **20 RIGHTS TO PROCURE OUTSIDE THE CONTRACT**

- 20.1 The Department reserves the right to procure goods outside the contract in cases of urgency or emergency or if the quantities are too small to justify delivery costs, or if the goods are obtainable from another organ of State or if the Contractor's point of supply is not situated at or near the place where the goods are required or if the Contractor's goods are not readily available.
- 20.2 No provision in a contract shall be deemed to prohibit the obtaining of goods or services from a Department or local authority.



## **21 USE OF CONTRACT DOCUMENTS AND INFORMATION INSPECTION**

- 21.1 The Contractor shall not, without the Department's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Department in connection therewith, to any person other than a person employed by the Contractor in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 21.2 The Contractor shall not, without the Department's prior written consent, make use of any document or information mentioned in SCC clause 21.1 except for purposes of performing the contract.
- 21.3 Any document, other than the contract itself mentioned in SCC clause (21.1) shall remain the property of the Department and shall be returned (all copies) to the Department on completion of the Contractor's performance under the contract or so required by the Department.
- 21.4 The Contractor shall permit the Department to inspect the Contractor's records relating to the performance of the Contractor and to have them audited by auditors appointed by the Department, if so required by the Department.

## SECTION K: CONDITIONS OF BID

The bid is issued in accordance with the following subject to the provisions of the General Conditions of Contract:

- i. Section 217 of the Constitution,
- ii. The PFMA and its Regulations in general,
- iii. The Preferential Procurement Policy Framework Act ( PPPFA) of 2000
- iv. National Treasury guidelines

The special terms and conditions are supplementary to that of the General Conditions of Contract. Where, however, the special terms and conditions are in conflict with the General Conditions of Contract, the Special Terms and Conditions prevail.

- (a) **Bidder/s must ensure that they are fully aware of all the conditions contained in this bid document.**
- (b) **Only bidders that fully meet the specifications and all conditions will be considered.**

### 1. ACCEPTANCE OF A BID

- 1.1. The Department of Health Bid Adjudication Committee is under no obligation to accept any bid.
- 1.2. The financial standing of a bidder and its ability to supply goods or render services may be examined before the bid is considered for acceptance.

### 2. CERTIFICATE OF COMPLIANCE

- 2.1. If the bidder submits offers for items that make reference to South African National Standards (SANS) or South African Bureau of Standards (SABS) specifications, a Certificate of Compliance must be submitted with the bid document at the time of closing of the bid. SABS/SANS can be contacted for testing and conformity services at Tel: 031 203 2900/ Fax: 031 203 2907. SANS, SABS AND CKS specifications will be for the account of the prospective bidder.
- 2.2. Failure to submit the certificate, where applicable, will result in the bid being disqualified. The Department reserves its rights to contact SABS/SANS/CKS for testing and conformity services.
- 2.3. The South African National Accreditation System (SANAS) is recognized by the South African Government as the single National Accreditation Body that gives formal recognition that Laboratory, Certification Bodies, Inspection Bodies, Proficiency Testing Scheme Providers and Good Laboratory Practice (GLP) test facilities are competent to carry out specific tasks. This organization can be contacted as follows: Tel: 012 3943760: Fax: 012 3940526.
- 2.4. Prior to an award of the bid being made and/or during the evaluation process, the Department of Health reserves the right to conduct inspections of the premises of the most acceptable bidder. Therefore, premises of the bidder shall be open, at reasonable hours, for inspection by a representative of the Department of Health or organization acting on its behalf.
- 2.5. Any specification/s and conformity testing will be for the account of the prospective bidder.
- 2.6. In the event of the bidder not being the actual manufacturer and will be sourcing the product(s) from the manufacturer, a letter from the manufacturer confirming firm supply arrangement(s) including lead times in this regard, must accompany the bid at closing date and time. If the bidder is the manufacturer, a letter confirming that the bidder is the manufacturer should accompany the bid at the closing date and time.

### **3. COMPLIANCE WITH SPECIFICATION**

- 3.1. Offers must comply strictly with the specification.
- 3.2. Offers exceeding specification requirements will be deemed to comply with the specification.
- 3.3. The quality of services/ supply must not be less than what is specified.

### **4. EQUAL BIDS**

- 4.1. If two or more tenderers score an equal total number of points, the contract must be awarded to the tenderer that scored the highest points for B-BBEE.
- 4.2. If functionality is part of the evaluation process and two or more tenderers score equal total points and equal preference points, the contract must be awarded to the tenderer that scored the highest points for functionality.
- 4.3. If two or more tenderers score equal total points in all respects, the award must be decided by the drawing of lots.

### **5. LATE BIDS**

- 5.1. Bids are late if they are received at the address indicated in the bid documents after the closing date and time.

### **6. MORE THAN ONE OFFER/ COUNTER OFFERS**

- 6.1. Should the bidder make more than one offer, where applicable, against any individual item, such offer/s must be detailed in the Schedule of Additional Offer/s. The Department reserves its rights in and to the consideration of any additional offer/s subject to compliance with specification and the bidding conditions.
- 6.2. Bidders' attention is drawn to the fact that counter offers with regard to any of the abovementioned Special Terms and Conditions will invalidate such bids.
- 6.3. Bidders are at liberty to bid for one, a number of items, or bid for all items. If a bidder is not bidding for all the items, the appropriate price page must reflect: 'nil quote'.

### **7. ONLY ONE OFFER RECEIVED**

- 7.1. . Where only 1 offer is received, the Department of Health will determine whether the price is fair and reasonable. Proof of reasonableness will be determined as follows:
  - (i) Comparison with prices, after discounts, to the bidder's other normal clients and the relative discount that the State enjoys;
  - (ii) Where this is not possible, profit before tax based on a full statement of relevant costs; and
  - (iii) In all cases, comparison with previous bid prices where these are available.

### **8. AWARD OF BID (S)**

- 8.1. The Department of Health Bid Adjudication Committee reserves the right to award the bid to one or more than one bidder, provided that the respective bidders' offers comply with the specification and meets all the conditions attached to the bid. Bidders must ensure that they quote as per the price page failing which they will be disqualified.

8.2. Notification of the intention to award the bid shall be in the same media that the bid was advertised.

8.3. In terms of Practice Note Number: SCM-07 of 2006, Section 5: Appeal Procedure, 5.1 "A bidder aggrieved by a decision of the Departmental Bid Adjudication Committee or a delegate of an accounting officer may appeal to the Bid Appeals Tribunal in the prescribed manner"

8.4. After all appeals, should they be lodged, have been dealt with by the Bid Appeals Tribunal, the successful bidder (s) shall be notified in writing by a duly authorised official of the Department of Health, Central Supply Chain Management Unit. A formal contract will then be entered into by both parties.

## **9. AWARD CONDITIONS**

9.1. KwaZulu-Natal Department of health reserves the right to award contracts to more than one supplier for the same item.

9.2. KwaZulu-Natal Department of health reserves the right to negotiate prices or other elements which may have value added to the supply and delivery of administration giving sets.

## **10. REGISTRATION ON THE CENTRAL SUPPLIER DATABASE (CSD)**

10.1 A bidder submitting an offer must be registered on the Central Supplier Database. A bidder who has submitted an offer and is not registered on the Central Supplier Database will not be considered.

10.2 Each party to a joint venture/ consortium must be registered on the Central Suppliers Database at the time of submitting the bid.

**NB.: IF A BIDDER IS FOUND TO BE EMPLOYED BY THE STATE AND IS ON THE CENTRAL SUPPLIER DATABASE, THE BIDDER WILL BE DISQUALIFIED.**

## **11 TAX COMPLIANCE REQUIREMENTS**

11.1 Bidders must ensure compliance with their tax obligations.

11.2 No award may be made to any bidder who is not tax compliant either on the Central Supplier Database or SARS eFiling system at the time of finalisation of the award of the bid. The Onus is on the bidder to ensure that their tax affairs are in order and is valid on the CSD.

## **12 TRUST, CONSORTIUM OR JOINT VENTURE**

12.1 In terms of the Preferential Procurement Policy Framework Act and Regulations, as amended, a Trust, Consortium or Joint Venture must submit a consolidated Status Level Verification Certificate for every separate bid.

12.2 A separate B-BBEE Certificate must be submitted by each company participating in the Trust, Consortium or Joint Venture.

12.3 The non-submission of a B-BBEE Certificate by a Trust, Consortium or Joint Venture will result in zero (0) preference points being allocated for evaluation purposes.

12.4 Should this bid be submitted by a Joint Venture, the Joint Venture agreement must accompany the bid document.

12.5 The Joint Venture agreement must clearly specify the percentage of the contract to be undertaken by each company participating therein.

12.6 The Joint Venture/Consortium must submit a formal agreement that outlines the roles and responsibilities of each member of the Joint Venture/ Consortium, nomination of an authorised person to represent the Joint Venture or Consortium in all matters relating to this bid and the details of the bank account for payments to be affected.

12.7 No award will be made to a Trust/ Joint Venture/ Consortium that is not tax compliant at the finalisation of the award.

12.8 For verification purposes, each party must submit separate proof of TCS/ PIN / CSD number.

### **13 VALIDITY PERIOD OF BID AND EXTENSION THEREOF**

13.1 The validity (binding) period for the bid will be **180 days** from close of bid.

13.2 However, circumstances may arise whereby the department may request bidders to extend the validity (binding) period. Should this occur, the department will request bidders to extend the validity (binding) period under the same terms and conditions as originally offered for by bidders? This request will be done before the expiry of the original validity (binding) period.

## SECTION L: SPECIFICATIONS

### LIST OF ITEMS

**ZNB 5325/2022-H: THE SUPPLY AND DELIVERY INTRAVENOUS, CENTRAL AND INTRAOSSEOUS ACCESS LINES AND INVASIVE MONITORING ACCESS FOR VARIOUS INSTITUTIONS. PERIOD: 3 YEARS**

NO.	CATEGORY	PACKAGING / UNIT OF MEASURE	CATALOGUE NUMBER	DESCRIPTION
1.	<b>INTRAVENOUS CANNULAS:</b>	<b>Box of 50 units Price per Box</b>	30 306 01	Intravenous cannula with introducer needle - <b>26G Purple</b> OD: <b>0.6 mm</b> Length: <b>19 mm</b> Flow rate: <b>15 ml/min ± 5%</b>
2.			30 306 02	Intravenous cannula with introducer needle <b>24G Yellow</b> OD: <b>0.7mm</b> Length: <b>± 19mm</b> Flow rate: <b>24ml/min ± 2mm</b>
3.			30 306 04	Intravenous cannula with introducer needle <b>22G Blue</b> OD: <b>0.9mm</b> Length: <b>± 25mm</b> Flow rate: <b>38ml/min</b>
4.			30 306 05	Intravenous cannula with introducer needle <b>20G Pink</b> OD: <b>1.1mm</b> Length: <b>±30mm</b> Flow rate: <b>60ml/min</b>
5.			30 306 18	Intravenous cannula with introducer needle with injection port and fixation wings. <b>18G Green</b> OD: <b>1.3mm</b> Length: <b>± 30mm</b> Flow rate: <b>105ml/min ± 5%</b>
6.			30 306 19	Intravenous cannula with introducer needle with injection port and fixation wings. <b>16G Grey</b> OD: <b>1.7mm</b> Length: <b>±45mm</b> Flow rate: <b>170ml/min ± 5%</b>
7.			30 306 40	Safety intravenous cannula with introducer needle, injection port, fixation wings and a needle lock device <b>18G Green Long</b> OD: <b>1.3mm</b> Length: <b>±45mm</b> Flow rate: <b>95ml/min</b>
8.			30 306 41	Safety intravenous cannula with introducer needle, injection port, fixation wings and a needle lock device <b>16G Grey</b> OD: <b>1.7mm</b> Length: <b>±47mm</b> Flow rate: <b>170ml/min ± 5%</b>
9.			30 306 42	Safety intravenous cannula with introducer needle, injection port, fixation wings and a needle lock device <b>18G Orange</b> OD: <b>2.1mm</b> Length: <b>±45mm</b> Flow rate: <b>285ml/min ± 5%</b>
10.	<b>CENTRAL INTRAVENOUS LINES: Adults</b>	<b>Box of 10 units Price per Box</b>	CVC 2	Central Venous Catheter: <b>Adult Single Lumen 14G, 20cm</b>
11.			CVC 4	Central Venous Catheter: <b>Adult Double Lumen, 7Fr, 16cm Lumens: Distal: 16G, Proximal: 16G</b>
12.			CVC 5	Central Venous Catheter: <b>Adult Double Lumen, 7Fr, 20cm Lumens: Distal: 16G, Proximal: 16G</b>
13.			CVC 6	Central Venous Catheter: <b>Antecubital, Double Lumen, 7Fr, 60cm Lumens: Distal: 14G, Proximal: 18G</b>
14.			CVC 8	Central Venous Catheter: <b>Triple Lumen, 7Fr, 20cm Lumens: Distal: 16G, Middle: 18G, Proximal: 18G</b>
15.			CVC 9	Central Venous Catheter: <b>Adult Quad Lumen, 8.5Fr, 16cm Lumens: Distal: 16G, Middle: 14G, Middle: 18G Proximal: 18G</b>
16.			CVC 10	Central Venous Catheter: <b>Adult Antimicrobial Double Lumen, 7Fr, 20cm Lumens: Distal: 16G, Proximal: 16G</b>
17.			CVC 11	Central Venous Catheter: <b>Adult Antimicrobial Triple Lumen, 7Fr, 20cm Lumens: Distal: 16G, Middle: 18G Proximal: 18G</b>
18.			CVC 14	Central Venous Catheter Set: <b>Acute Haemodialysis, Double Lumen, Antimicrobial 12Fr Length: 20cm Proximal and Distal lumens 12G</b>
19.	<b>RAPID INFUSION LINES</b>	<b>Box of 10 units Price per Box</b>	RIL 2	Rapid infusion catheter exchange set – <b>8.5Fr Length: 6.35cm</b>
20.			RIL 3	Percutaneous Sheath introducer– <b>8.5Fr. Length: 9cm</b>

NO.	CATEGORY	PACKAGING / UNIT OF MEASURE	CATALOGUE NUMBER	DESCRIPTION
21	<b>CENTRAL INTRAVENOUS LINES: Paediatrics</b>	<b>Box of 10 units Price per Box</b>	30 500 01	Central Venous Catheter Set Paediatric: <b>Single Lumen 20G, 12cm</b> Guidewire: <b>0.64mm x 35cm</b> Introducer needle: <b>20G x 3.81cm ± 0.2cm</b> Luer slip syringe: <b>3ml</b>
22			30 500 03	Central Venous Catheter Set Paediatric: <b>Single Lumen 24G, 12cm</b> Guidewire: <b>0.46mm x 35cm</b> Introducer needle: <b>21G x 3.81cm ± 0.2cm</b> Luer slip syringe: <b>3ml</b>
23			30 500 05	Central Venous Catheter: <b>Paediatric: Double Lumen, 4Fr. 8cm</b> <b>Lumens:</b> Distal: <b>22G</b> , Proximal: <b>22G</b> Guidewire: <b>0.46mm x 45cm</b> Introducer needle: <b>21G x 3.81cm ± 0.2cm</b> 1 x Catheter <b>22G x 4.45cm</b> – radio-opaque (over a 25G introducer needle) Luer slip syringe: 5ml
24			30 500 09	Central Venous Catheter: <b>Paediatric: Triple Lumen, 4Fr. 8cm</b> Guidewire: <b>0.46mm x 45cm</b> <b>Lumens:</b> Distal: <b>20G</b> , Middle: <b>23G</b> , Proximal: <b>23G</b> Guidewire: <b>0.46mm x 45cm</b> Introducer needle: <b>21G x 3.81 ± 0.2cm</b> 1 x Catheter <b>22G x 4.45cm</b> – radio-opaque (over a 25G introducer needle) Luer slip syringe: 5ml
25			30 500 13	Central Venous Catheter: <b>Antimicrobial Paediatric: Double Lumen, 4Fr. 5cm</b> <b>Lumens:</b> Distal: <b>22G</b> , Proximal: <b>22G</b> <b>Guidewire: 0.46mm x 45cm</b> Introducer needle: <b>21G x 3.81 ± 0.2cm</b> 1 x Catheter <b>22G x 4.45cm</b> – radio-opaque (over a 25G introducer needle) Luer slip syringe: 5ml
26			30 500 14	Central Venous Catheter: <b>Antimicrobial Paediatric: Double Lumen, 4Fr. 8cm</b> <b>Lumens:</b> Distal: <b>22G</b> , Proximal: <b>22G</b> Guidewire: <b>0.46mm x 45cm</b> Introducer needle: <b>21G x 3.81 ± 0.2cm</b> 1 x Catheter <b>22G x 4.45cm</b> – radio-opaque (over a 25G introducer needle) Luer slip syringe: 5ml
27	<b>UMBILICAL CATHETERS</b>	<b>Box of 10 units Price per Box</b>	30 500 20	Umbilical Catheter - <b>single lumen 2.5Fr</b> Length: <b>20 – 40 cm</b> Flow rate: <b>2ml/min +-10%</b>
28			30 500 24	Umbilical Catheter - <b>dual lumen 3.5Fr.</b> Length: <b>20-43cm</b> 2 Lumens each to be in the range of <b>20 – 23G</b>
29			30 500 25	Umbilical Catheter - <b>dual lumen 4Fr</b> Length: <b>20cm</b> 2 Lumens each to be in the range of <b>18 – 21G</b>
30			30 500 26	Umbilical Catheter - <b>dual lumen 5Fr</b> Length: <b>20 - 43cm</b> 2 Lumens each to be in the range of <b>18G – 21G</b>
31			30 500 27	Umbilical Catheter - <b>triple lumen 5Fr</b> Length: <b>20 - 43cm</b> 3 lumens each to be in range of <b>18G – 21G</b>
32	<b>PICC LINES and INTRODUCING NEEDLES</b>	<b>Box of 10 units Price per Box</b>	30 500 28	Peripherally inserted central catheter (PICC) For neonates < 1000g <b>Single lumen 1.1Fr; 20-30cm With stiffening stylet.</b> Introducing needle size: <b>24- 26G</b>
33			30 500 29	Peripherally inserted central catheter (PICC) For Neonates <1000g <b>Single lumen 1.1Fr; 20-30cm Without stylet.</b> Introducing needle size: <b>24-26G</b>
34			30 500 30	Peripherally inserted central catheter (PICC) For Neonates >1000g <b>Single lumen 2.0Fr; 20-30cm With stiffening stylet</b> Introducing needle size: <b>22-26G</b>
35			30 500 31	Peripherally inserted central catheter (PICC) For neonates > 1000g: <b>Single lumen 2.0Fr; 30-40cm With stiffening stylet</b> Introducing needle size: <b>22-26G</b>
36			30 500 32	Peripherally inserted central catheter (PICC) For Neonates >1000g <b>Single lumen 2.0Fr; 20-30cm</b> Introducing needle size: <b>22-26G</b>
37			30 500 33	Peripherally inserted central catheter (PICC) For Neonates >1000g

NO.	CATEGORY	PACKAGING / UNIT OF MEASURE	CATALOGUE NUMBER	DESCRIPTION
				<b>Single lumen 2.0Fr Length:40-50cm With stiffening stylet.</b> <b>Introducing needle size: 22-26G</b>
38			30 500 36	<b>Peripherally inserted central catheter (PICC) For Neonates &gt;1000g</b> <b>Dual lumen 1.7Fr; 20-40cm Without stylet.</b> <b>Introducing needle size: 20-24G</b>
39			30 500 39	<b>Introducing Needle:</b> Over-the-needle peel apart cannula for central peripherally inserted catheter <b>26G</b>
40			30 500 40	<b>Introducing needle:</b> Break away for central peripherally inserted catheter OD: <b>0.7mm Splitable needle</b>
41	<b>HICKMAN LINES AND PORTS</b>	<b>Box of 10 units</b> <b>Price per Box</b>	HL 1	<b>Dual Lumen Hickman Line Peel Apart Introducer Kit – Paediatric</b> <b>7Fr OD: 2.3mm Length: 34cm</b>
42			HL 2	<b>Implantable Titanium, MRI compatible Port with Single Lumen Catheter 6.6Fr Length: 750mm</b>
43			HL 3	<b>Implantable Radiolucent, MRI compatible, Power port with Single Lumen Catheter 8Fr and 3-way valve</b>
44			HL 4	<b>Implantable Titanium Miniport – with Single Lumen Catheter OD: 4.5Fr (1.5mm); ID: 0.8mm Length: 800mm</b>
45			HL 6	<b>Implantable Titanium Port – with an 8.5Fr single lumen polyurethane catheter</b>
46			HL 8	<b>Hickman Port needle – 90-degree non-coring 20 G – 25 mm</b>
47			HL 9	<b>Hickman Port needle – 90-degree non-coring 20 G – 20 mm with clampable extension set</b>
48	<b>INTRAOSSEOUS NEEDLES</b>	<b>Box of 10 units</b> <b>Price per Box</b>	30 392 81	<b>Intraosseous needle with trocar Size: 18G Length: 2-3cm</b>
49	<b>ARTERIAL LINES</b> <b>Paediatrics</b>	<b>Box of 10 units</b> <b>Price per Box</b>	GWP 1	<b>Spring-Guide Wire: Neonatal Size: 0.46mm Length: 25cm for 24G catheter</b>
50			GWP 2	<b>Spring-Guide Wire: Paediatric Size: 0.453mm Length: 35cm for 20-22G catheter</b>
51			ALP 1	<b>Indwelling Arterial Catheter: Neonatal 24G, 2.5cm with integrated extension</b> Spring Guidewire: <b>0.46mm x 25cm</b> ; Introducer needle: <b>26G x 1.9cm</b>
52			ALP 2	<b>Indwelling Arterial Catheter Neonatal 24G, 5cm with integrated extension</b> Spring Guidewire: <b>0.46mm x 25cm</b> Introducer needle: <b>26G x 1.9cm</b>
53			ALP 4	<b>Indwelling Arterial Catheter Paediatric 22G, 5cm with integrated extension</b> Spring Guidewire: <b>0.53mm x 35cm</b> Introducer needle: <b>22G x 4cm</b>
54			ALP 6	<b>Indwelling Arterial Catheter Paediatric 22G, 8cm with integrated extension</b> Spring Guidewire: <b>0.53mm x 35cm or 0.46mm x 26cm</b> Introducer needle: <b>22G x 4 - 4.2cm</b>
55	<b>ARTERIAL LINES (Adult)</b>	<b>Box of 10 units</b> <b>Price per Box</b>	GWA 1	<b>Spring-Guide Wire: Adult Size: 0.64mm Length: 45cm</b>
56			ALA 1	<b>Indwelling Arterial Catheter Set: Adult 20G, 5cm with integrated extension</b> Spring Guidewire: <b>0.53mm x 35cm</b> 1 Introducer needle: <b>20G x 4cm</b> Extra thin walled
57			ALA 2	<b>Indwelling Arterial Catheter Set: Adult 20G, 12cm with integrated extension</b> Spring Guidewire: <b>0.53mm x 35cm</b> Introducer needle: <b>20G x 7cm</b> Extra thin walled
58			ALA 3	<b>Indwelling Arterial Catheter Set: Adult arterial catheterisation set with integral extension line, 18G, 12 cm</b>
59			ALA 4	<b>Indwelling Arterial Catheter Set: Adult 18G, 16cm with integrated extension</b> Spring Guidewire: <b>0.64mm x 45cm</b> Introducer needle: <b>18G</b>



NO.	CATEGORY	PACKAGING / UNIT OF MEASURE	CATALOGUE NUMBER	DESCRIPTION
				<b>x 7cm</b> Extra thin walled
60			ALA 5	Indwelling Arterial Catheter Set: <b>Adult 20G, 8cm</b> Spring Guidewire: <b>0.50mm x 20cm</b> Introducer needle: <b>20G x 3.2cm</b>
61			ALA 7	Indwelling Arterial Catheter Set: <b>Adult 18G, 12cm</b> Spring Guidewire: <b>0.64mm x 33cm</b> Introducer needle: <b>18G x 5cm</b> Extra thin walled
62			ALA 8	Indwelling Arterial Catheter Set: <b>Adult 18G, 16cm</b> Spring Guidewire: <b>0.64mm x 33cm</b> Introducer needle: <b>18G x 7cm</b> Must supplied with a Guidewire advancer

## INTRAVENOUS CANNULAS:

### INTRAVENOUS CANNULA - COLLECTIVE REQUIREMENTS

The IVI cannula must consist of a triple bevelled needle through a cannula.

#### The **needle**

Must be flush with a tapered cannula and must pass easily through the skin.

Must be manufactured from stainless steel

#### The **cannula**

Must not flange and must be kink resistant.

Must re-insert and re-engage over needle easily whilst in use.

Must advance easily over the needle and must have an advancing hub/pusher

The hub must taper towards the cannula to prevent kinking when secured

The hub must be translucent so that flash-back can be easily observed

Must be manufactured from radio-opaque teflon; polytetrafluoroethylene or polyurethane

The proximal cap must lock on tightly to prevent blood spill on insertion

All the components must be pyrogen and latex free

Must be sterile and individually packed in a peel pouch that is easy to open

For single use only

To comply with **ISO 10555**

The following must be noted on the packaging:

Size and specification

Trade Name

CE Number

Method of sterilization

Manufacturing site

Lot Number

Manufacture Date

Expiry date

PACKAGING / UNIT OF MEASURE: **Box of 50 units**

**Price per Box**

ITEM	DESCRIPTION
30 306 01	<p>Intravenous cannula with introducer needle - <b>26G</b></p> <p><b>Purpose:</b> Intravenous access for fluid and drug administration</p> <p>Size: <b>26G</b> Length: <b>19 mm</b></p> <p>OD: <b>0.6 mm</b> Flow rate: <b>15 ml/min <math>\pm</math> 5%</b></p> <p>Colour: <b>Purple</b></p> <p>See <b>INTRAVENOUS CANNULA</b> - COLLECTIVE REQUIREMENTS</p>

ITEM	DESCRIPTION
30 306 02	<p>Intravenous cannula with introducer needle - <b>24G</b></p> <p><b>Purpose:</b> Intravenous access for fluid and drug administration</p> <p>Size: <b>24G</b> Length: <b>20 mm <math>\pm</math> 2 mm</b></p> <p>OD: <b>0.7 mm</b> Flow rate: <b>24 ml/min <math>\pm</math> 2 mm</b></p> <p>Colour: <b>Yellow</b></p> <p>See <b>INTRAVENOUS CANNULA</b> - COLLECTIVE REQUIREMENTS</p>

ITEM	DESCRIPTION
30 306 04	<p><b>Intravenous cannula</b> with introducer needle - <b>22G</b></p> <p><b>Purpose:</b> Intravenous access for fluid and drug administration</p> <p>Size: <b>22G</b> Length: <b>25 mm <math>\pm</math> 2 mm</b></p> <p>OD: <b>0.90 mm</b> Flow rate: <b>38 ml/min <math>\pm</math> 5%</b></p> <p>Colour: <b>Blue</b></p> <p>See <b>INTRAVENOUS CANNULA</b> - COLLECTIVE REQUIREMENTS</p>

ITEM	DESCRIPTION
30 306 05	<p><b>Intravenous cannula</b> with introducer needle - <b>20G</b></p> <p><b>Purpose:</b> Intravenous access for fluid and drug administration</p> <p>Size: <b>20G</b> Length: <b>30 mm <math>\pm</math> 2 mm</b></p> <p>OD: <b>1.1 mm</b> Flow rate: <b>60 ml/min <math>\pm</math> 5%</b></p> <p>Colour: <b>Pink</b></p> <p>See <b>INTRAVENOUS CANNULA</b> - COLLECTIVE REQUIREMENTS</p>

ITEM	DESCRIPTION
30 306 18	<p>Intravenous cannula with introducer needle with <b>injection port and fixation wings</b> - <b>18G</b></p> <p><b>Purpose:</b> Intravenous access for fluid and drug administration</p> <p>Size: <b>18G</b> Length: <b>30 mm <math>\pm</math> 2 mm</b></p> <p>OD: <b>1.3 mm</b> Flow rate: <b>105 ml/min <math>\pm</math> 5%</b></p> <p>Colour: <b>Green</b></p> <p><b>Fixation wings</b> must be smooth and pliable so as to cause minimal pressure on the patient's skin</p> <p><b>Injection ports</b> must engage a syringe without undue pressure being required</p> <p><b>Injection ports</b> must be capped</p> <p>See <b>INTRAVENOUS CANNULA</b> - COLLECTIVE REQUIREMENTS</p>

ITEM	DESCRIPTION
30306 19	<p>Intravenous cannula with introducer needle with <b>injection port and fixation wings - 16G</b>  <b>Purpose:</b> Intravenous access for fluid and drug administration</p> <p>Size: <b>16G</b> Length: <b>45 mm ± 2 mm</b>  OD: <b>1.7 mm</b> Flow rate: <b>170 ml/min ± 5%</b>  Colour: <b>Grey</b>  <b>Fixation wings</b> must be smooth and pliable so as to cause minimal pressure on the patient's skin  <b>Injection ports</b> must engage a syringe without undue pressure being required  <b>Injection ports</b> must be capped</p> <p>See <b>INTRAVENOUS CANNULA - COLLECTIVE REQUIREMENTS</b></p>

INTRAVENOUS CANNULA WITH NEEDLE LOCK DEVICE - COLLECTIVE REQUIREMENTS	
<p>The Intravenous Infusion cannula must consist of a triple bevelled needle through a cannula.</p> <p>The <b>needle</b>  Must be flush with a tapered cannula and must pass easily through the skin.  Must be manufactured from stainless steel</p> <p>The <b>cannula</b>  Must not flange and must be kink resistant.  Must re-insert and re-engage over needle easily whilst in use.  Must advance easily over the needle and must have an advancing hub/pusher  The hub must taper towards the cannula to prevent kinking when secured  The hub must be translucent so that flash-back can be easily observed  Must be manufactured from radio-opaque teflon; polytetrafluoroethylene or polyurethane</p> <p>The <b>needle lock device and locking system</b>  Must lock the needle securely after use.  Must not pull on the cannula when engaged  Must not interfere with the smooth advancement of the cannula  Must be automatic – i.e. no action required from clinician to engage safety device  Must be able to partially withdraw the needle without engaging the lock.  All the components must be pyrogen and latex free  Must be sterile and individually packed in a peel pouch that is easy to open  For single use only  To comply with <b>ISO 10555</b></p> <p>The following must be noted on the packaging:  Size and specification  Trade Name  CE Number  Method of sterilization  Manufacturing site  Lot Number  Manufacture Date  Expiry date  PACKAGING / UNIT OF MEASURE: <b>Box of 10 units</b>  <b>Price per Box</b></p>	

ITEM	DESCRIPTION
30 306 40	<p>Safety intravenous cannula with introducer needle, <b>injection port, fixation wings</b> and a <b>needle lock device 18G long</b>  <b>Purpose:</b> Intravenous access for fluid and drug administration</p> <p>Size: <b>18G</b> Length: <b>45 mm ± 2 mm</b></p>

	<p>OD: <b>1.3 mm</b> Flow rate: <b>95 ml/min ± 5%</b>  Colour: <b>Green</b>  <b>Fixation wings</b> must be smooth and pliable so as to cause minimal pressure on the patient's skin  <b>Injection ports</b> must engage a syringe without undue pressure being required  <b>Injection ports</b> must be capped</p> <p>See <b>INTRAVENOUS CANNULA WITH NEEDLE LOCK DEVICE - COLLECTIVE REQUIREMENTS</b></p>
--	--

ITEM	DESCRIPTION
30 306 41	<p>Safety intravenous cannula with introducer needle, <b>injection port</b>, <b>fixation wings</b> and a <b>needle lock device 16G</b>  <b>Purpose:</b> Intravenous access for fluid and drug administration</p> <p>Size: <b>16G</b> Length: <b>47 mm ± 2 mm</b>  OD: <b>1.7 mm</b> Flow rate: <b>170 ml/min ± 5%</b>  Colour: <b>Grey</b>  <b>Fixation wings</b> must be smooth and pliable so as to cause minimal pressure on the patient's skin  <b>Injection ports</b> must engage a syringe without undue pressure being required  <b>Injection ports</b> must be capped</p> <p>See <b>INTRAVENOUS CANNULA WITH NEEDLE LOCK DEVICE - COLLECTIVE REQUIREMENTS</b></p>

ITEM	DESCRIPTION
30 306 42	<p>Safety intravenous cannula with introducer needle, <b>injection port</b>, <b>fixation wings</b> and a <b>needle lock device 14G</b>  <b>Purpose:</b> Intravenous access for fluid and drug administration</p> <p>Size: <b>14G</b> Length: <b>45 mm ± 2 mm</b>  OD: <b>2.1 mm</b> Flow rate: <b>285 ml/min ± 5%</b>  Colour: <b>Orange</b>  <b>Fixation wings</b> must be smooth and pliable so as to cause minimal pressure on the patient's skin  <b>Injection ports</b> must engage a syringe without undue pressure being required  <b>Injection ports</b> must be capped</p> <p>See <b>INTRAVENOUS CANNULA WITH NEEDLE LOCK DEVICE - COLLECTIVE REQUIREMENTS</b></p>

### CENTRAL INTRAVENOUS LINES: Adults

CENTRAL VENOUS CATHETER - COLLECTIVE REQUIREMENTS
<p>The Central Venous Catheter set must consist of:</p> <p><b>A PUR-3 indwelling catheter that:</b></p> <ul style="list-style-type: none"> <li>Is flexible and softens in situ</li> <li>Is radio-opaque and has cm markings</li> <li>Has a pliant tapered, non-kinking and atraumatic tip that is moulded on smoothly.</li> <li>Has side holes for the number of lumens - that don't cause the catheter to kink</li> <li>Has 1 x <b>Catheter clamp</b> and 1 x <b>fastener</b> for the catheter clamp that fit securely without kinking catheter. The Clamp and fastener must have holes that are precisely aligned with no hard edges</li> <li>Is manufactured from Polyurethane 3 (PUR-3)</li> <li>Has an <b>integral suture wing</b></li> <li>Must have a low profile and be moulded for a flush fit</li> <li>Must have holes sized for easy suturing</li> <li>The integral suture wing hub must display product name, catheter size and length.</li> <li>Has an <b>integral extension line/s</b></li> <li>Must be transparent and marked with the lumen gauge and position if &gt;1 extension line</li> <li>Must have colour coded luer lock connection at the proximal end/s</li> <li>Must have extension line clamp/s that is secure but easy to slide on and off</li> </ul> <p><b>1 x marked Nitinol spring guidewire:</b></p>

**0.81 mm diameter (0.032")**

Manufactured from **Nitinol**

Must have rounded and atraumatic ends with a straight soft tip on one end and a "J" tip on the other end

Must be flexible and kink resistant and advance smoothly through all components.

Must be clearly marked – One solid line at 10 cm, double lines at 20 cm, triple lines at 30 cm.

Must be supplied with a guidewire advancer that is comfortable to hold for one hand insertion technique and has a see-through barrel for visualisation and a bulb on the end to secure wire.

**1 x introducer needle: 18 G x 6.35 cm**, extra thin walled, manufactured from medical grade stainless steel

**1 x 5 ml Raulerson** type spring-wire syringe or **Valved Y introductory system** with **5 ml** syringe.

**1 x Tissue dilator**: Must have a firm but atraumatic tip that does not have a flange

**1 x Pressure transduction** probe -optional

**1 x Information leaflet** included inside the individual packaging

All markings must be clear and must not rub off when cleaned with alcohol.

Unspecified components to be manufactured from medical grade plastic

Must be sterile and individually packed in a peel pouch that is easy to open

For single use only

To comply with **ISO 11070** and **ISO 10555-3**

The following must be noted on the packaging:

Size and specification

Priming volume and flow rate indicated

Trade Name

CE Number

Method of sterilization

Manufacturing site

Lot Number

Manufacture Date

Expiry date

PACKAGING / UNIT OF MEASURE: **Box of 10 units**

**Price per Box**

ITEM	DESCRIPTION
CVC 2	Central Venous Catheter Set: <b>Adult Single Lumen 14 G, 20 cm</b> <b>Purpose:</b> Indwelling central venous access  Size: <b>14 G x 20 cm</b> Nitinol spring guidewire: <b>60 cm - 70 cm</b> long  See <b>CENTRAL VENOUS CATHETER - COLLECTIVE REQUIREMENTS</b>

ITEM	DESCRIPTION
CVC 4	Central Venous Catheter Set: <b>Adult Double Lumen 7Fr 16 cm</b> <b>Purpose:</b> Indwelling central venous access  Size: <b>7Fr x 16 cm</b> Lumens: Distal: <b>16 G</b> , Proximal: <b>16 G</b> marked on 2 transparent integral extension lines Catheter marked with a single line at <b>10 cm</b> . Nitinol spring guidewire: <b>± 45 cm</b> long  See <b>CENTRAL VENOUS CATHETER - COLLECTIVE REQUIREMENTS</b>

ITEM	DESCRIPTION
CVC 5	<p>Central Venous Catheter Set: <b>Adult Double Lumen 7Fr 20 cm</b>  <b>Purpose:</b> Indwelling central venous access</p> <p>Size: <b>7Fr x 20 cm</b>  Lumens: Distal: <b>16 G</b>, Proximal: <b>16 G</b> marked on 2 transparent integral extension lines  Catheter marked with a single line at <b>10 cm</b>, double line at <b>20 cm</b>.  Nitinol spring guidewire: <b>60 – 70 cm</b> long</p> <p>See <b>CENTRAL VENOUS CATHETER</b> - COLLECTIVE REQUIREMENTS</p>

ITEM	DESCRIPTION
CVC 6	<p><b>Antecubital</b> Central Venous Catheter Set: <b>Adult Double Lumen 7Fr 60 cm</b>  <b>Purpose:</b> Indwelling central venous access via antecubital vein</p> <p>Size: <b>7Fr x 60 cm</b>  Lumens: Distal: <b>14 G</b>, Proximal: <b>18 G</b> marked on 2 transparent integral extension lines  Catheter marked with a single line at <b>10 cm</b>, double line at <b>20 cm</b>, triple line at <b>30 cm</b>  Nitinol spring guidewire: Size: <b>0.89 mm diameter (0.036") x 100 cm</b> PTFE coated</p> <p>See <b>CENTRAL VENOUS CATHETER</b> - COLLECTIVE REQUIREMENTS</p>

ITEM	DESCRIPTION
CVC 8	<p>Central Venous Catheter Set: <b>Adult Triple Lumen 7Fr 20 cm</b>  <b>Purpose:</b> Indwelling central venous access</p> <p>Size: <b>7Fr x 20 cm</b>  Lumens: Distal: <b>16 G</b>, Middle: <b>18 G</b>, Proximal: <b>18 G</b> marked on 3 transparent integral extension lines  Catheter marked with a single line at <b>10 cm</b>, double line at <b>20 cm</b>.  Nitinol spring guidewire: <b>60 cm – 70 cm</b> long</p> <p>See <b>CENTRAL VENOUS CATHETER</b> - COLLECTIVE REQUIREMENTS</p>

ITEM	DESCRIPTION
CVC 9	<p>Central Venous Catheter Set: <b>Adult Quad Lumen 8.5 Fr 16 cm</b>  <b>Purpose:</b> Indwelling central venous access for highly complex cases</p> <p>Size: <b>8.5 Fr x 16 cm</b>  Lumens: Distal: <b>16 G</b>, Middle: <b>14 G</b>, Middle: <b>18 G</b> Proximal: <b>18 G</b> marked on 4 transparent integral extension lines  Catheter marked with a single line at <b>10 cm</b>.  Nitinol spring guidewire: <b>± 45 cm</b> long</p> <p>See <b>CENTRAL VENOUS CATHETER</b> - COLLECTIVE REQUIREMENTS</p>

ITEM	DESCRIPTION
CVC 10	<p>Central Venous Catheter Set: <b>Adult Antimicrobial Double Lumen 7 Fr 20 cm</b>  <b>Purpose:</b> Long term indwelling central venous access</p> <p>Size: <b>7 Fr x 20 cm</b>  Lumens: Distal: <b>16 G</b>, Proximal: <b>16 G</b> marked on 2 transparent integral extension lines  Catheter must have antimicrobial impregnation or antimicrobial surface treatment.  Catheter marked with a single line at <b>10 cm</b>, double line at <b>20 cm</b>.  Nitinol spring guidewire: <b>60 cm – 70 cm</b> long</p> <p>See <b>CENTRAL VENOUS CATHETER</b> - COLLECTIVE REQUIREMENTS</p>

ITEM	DESCRIPTION
CVC 11	<p>Central Venous Catheter Set: <b>Adult Antimicrobial Triple Lumen 7 Fr 20 cm</b>  <b>Purpose:</b> Long term indwelling central venous access</p> <p>Size: <b>7 Fr x 20 cm</b>  Lumens: Distal: <b>16 G</b>, Middle: <b>18 G</b> Proximal: <b>18 G</b> marked on 3 transparent integral extension lines  Catheter must have antimicrobial impregnation or antimicrobial surface treatment.  Catheter marked with a single line at <b>10 cm</b>, double line at <b>20 cm</b>.  Nitinol spring guidewire: <b>60 cm – 70 cm</b> long</p> <p>See <b>CENTRAL VENOUS CATHETER - COLLECTIVE REQUIREMENTS</b></p>

ITEM	DESCRIPTION
CVC 14	<p><b>Acute Haemodialysis Central Catheter Set: Double Lumen 12 Fr, 20 cm</b>  <b>Purpose:</b> Indwelling central access for acute haemodialysis</p> <p>Size: <b>12 Fr. 20 cm</b>  Lumens: Distal: <b>12 G</b>, Proximal: <b>12 G</b></p> <p><b>1 x Double lumen straight PUR indwelling catheter:</b>  2 transparent integral large bore extension lines, 2 extension line lock clamps, colour-coded: red for arterial, blue for venous; injection site caps, rotating suture hub.  Catheter radio-opaque, softens in situ and clearly marked with cm markings: single line at <b>10 cm</b>.  Catheters may have <b>antimicrobial impregnation</b> or surface treatment.  Tip: pliant, tapered, non-kinking, atraumatic, moulded on smoothly.  Extension lines marked with lumen gauge and position and must have luer lock connections.  Catheter lock clamps secure well and clip on and off easily.  <b>Rotating</b> suture wing moulded for comfortable fit and holes sized for easy suturing. Integral suture wing hub must display product name, catheter size and length.</p> <p><b>1 x Marked spring-wire guide</b>  Size: <b>0.89 mm diameter (0.035") x 68.3 cm</b> with <b>Advancer / wire guide dispenser</b>  Wire has a "J" tip on one end, soft straight tip on the other, both tips rounded. Spring-wire guide to advance smoothly through all components. Advancer / guide-wire dispenser comfortable to hold for one hand insertion technique. See through barrel for visualisation, bulb on end to secure spring-wire.  Flexible and kink resistant and clearly marked – One solid line at 10 cm, double lines at 20 cm, triple lines at 30 cm.</p> <p><b>1 x introducer needle: 18 G x 6.35 cm</b>, extra thin walled.  <b>1 x Raulerson type spring-wire</b> insertion <b>syringe</b> or valved <b>Y introductory system</b> with <b>5 ml</b> syringe  <b>1 x Catheter 18 G x 6.36 cm</b>, radio-opaque over <b>20 G</b> introducer needle  <b>1 x Stepped tissue dilator:</b> firm but atraumatic tip, no flanging,  <b>1 x Pressure transduction</b> probe -optional  <b>1 x Information leaflet</b> included inside the individual packaging  All markings clear, do not rub off when cleaned with alcohol.</p> <p>Manufactured from: Polyurethane 3 (PUR-3): catheter; Nitinol: spring-wire guide; Needle: stainless steel. Other components: medical grade plastic.  All components are latex free.</p> <p>Sterile and individually packed in peel pouch that is easy to open  Single use only  To comply with <b>ISO 11070</b> and <b>ISO 10555-3</b></p>



	<p>The following must be noted on the packaging:</p> <p>Trade name</p> <p>Size and specification</p> <p>Priming volumes and flow rates indicated.</p> <p>Method of sterilization</p> <p>Manufacturing site</p> <p>CE number</p> <p>Lot number</p> <p>Expiry date</p> <p>PACKAGING / UNIT OF MEASURE: <b>Box of 10 units</b></p> <p><b>Price per Box</b></p>
--	---

## RAPID INFUSION LINES

ITEM	DESCRIPTION
RIL 2	<p>Rapid infusion catheter exchange set – <b>8.5 Fr</b></p> <p><b>Purpose:</b> Used to convert a smaller gauge (20 G and larger) intravenous cannula into a resuscitation line via a railroading technique</p> <p>ID: <b>8.5 Fr</b> Length: <b>6.35 cm</b></p> <p>Set consists of:</p> <p><b>Spring guide wire</b> ID: <b>64 mm</b> Length: <b>33.3 cm</b> with straight soft tips at both ends</p> <p><b>Catheter over dilator</b> assembly: Dilator to be tapered, catheter to sit flush on dilator.</p> <p>Catheter must not flange and must be kink resistant. Catheter to pass easily over the dilator</p> <p>Catheter to have a wing/ suture hole for definite skin securement</p> <p>Disposable <b>blade</b> size: <b>11</b></p> <p>Cannula manufactured from fluorinated ethylene propylene - radio-opaque</p> <p>Latex free</p> <p>Individually packed in peel pouch with view paper that is easy to open</p> <p>For single use only</p> <p>Following must be noted on the packaging:</p> <ul style="list-style-type: none"> <li>• Trade name</li> <li>• Size and specification</li> <li>• Method of sterilization</li> <li>• Manufacturing site</li> <li>• CE number</li> <li>• Lot number</li> <li>• Expiry date</li> </ul> <p>PACKAGING / UNIT OF MEASURE: <b>Box of 10 units</b></p> <p><b>Price per Box</b></p>

ITEM	DESCRIPTION
RIL 3	<p>Percutaneous Sheath introducer– <b>8.5 Fr</b></p> <p><b>Purpose:</b> Used to obtain large bore IVI access via the seldinger technique and using a large bore catheter</p> <p>ID: <b>8.5 Fr</b> Length: <b>9 cm</b></p> <p>Set consists of:</p> <p>Guide wire introducer <b>syringe</b> (5 ml) and <b>Introducer needle</b> (18 G)</p> <p><b>Spring guide wire</b> ID: <b>89 mm</b> Length: <b>45 cm</b> with straight soft tips at one end and J tip on the other. Graduated at 10; 20 and 30 cm</p> <p><b>Catheter over dilator</b> assembly: Dilator to be tapered, catheter to sit flush on dilator.</p> <p>Catheter must not flange and must be kink resistant. Catheter to pass easily over the dilator</p> <p>Catheter to have a wing/ suture hole for definite skin securement</p> <p>Disposable <b>blade</b> size: <b>11</b></p> <p>Cannula manufactured from fluorinated ethylene propylene - radio-opaque</p> <p>Latex free</p> <p>Individually packed in peel pouch with view paper that is easy to open</p> <p>For single use only</p> <p>To comply with <b>ISO 11070</b> and <b>ISO 10555</b></p> <p>Following must be noted on the packaging:</p> <ul style="list-style-type: none"> <li>• Trade name of needle</li> <li>• Size and specification</li> <li>• Method of sterilization</li> <li>• Manufacturing site</li> <li>• CE number</li> <li>• Lot number</li> <li>• Expiry date</li> </ul> <p>PACKAGING / UNIT OF MEASURE: <b>Box of 10 units</b></p> <p><b>Price per Box</b></p>

## CENTRAL INTRAVENOUS LINES: Paediatrics

### CENTRAL VENOUS CATHETER - Paediatric - COLLECTIVE REQUIREMENTS

The Central Venous Catheter set must consist of:

#### **A PUR-3 indwelling catheter that:**

Is flexible and softens in situ

Is radio-opaque and has cm markings

Has a pliant tapered, non-kinking and atraumatic tip that is moulded on smoothly.

Has side holes for the number of lumens (if more than single lumen) - that don't cause the catheter to kink

Has 1 x **Catheter clamp** and 1 x **fastener** for the catheter clamp that fits securely without kinking the catheter. The Clamp and fastener must have holes that are precisely aligned with no hard edges

Is manufactured from Polyurethane 3 (PUR-3)

Has an **integral suture wing**

Must have a low profile and be moulded for a flush fit

Must have holes sized for easy suturing

The integral suture wing hub must display product name, catheter size and length.

Has an **integral extension line/s**

Must be transparent and marked with the lumen gauge and position if >1 extension line

Must have colour coded luer lock connection at the proximal end/s

Must have extension line clamp/s that is secure but easy to slide on and off

#### **1 x marked spring guidewire with advancer / wire dispenser**

Manufactured from **Nitinol**

Must have rounded and atraumatic ends with a straight soft tip on one end and a "J" tip on the other end

Must be flexible and kink resistant and advance smoothly through all components.

Must be clearly marked – One solid line at 10 cm, double lines at 20 cm, triple lines at 30 cm.

Must be supplied with a guidewire advancer that is comfortable to hold for one hand insertion technique and has a see-through barrel for visualisation and a bulb on the end to secure wire.

Guide-wire introducer – tapered to fit in needle hub and facilitate spring guide-wire insertion

**1 x introducer needle** manufactured from medical grade stainless steel

**1 x Luer slip syringe**

**2 x Tissue dilator:** firm but atraumatic tip, no flanging, 2 different lengths

**1 x Information leaflet** included inside the individual packaging

All markings clear, do not rub off when cleaned with alcohol.

Unspecified components to be manufactured from medical grade plastic

Must be latex free, sterile and individually packed in a peel pouch that is easy to open

For single use only

To comply with **ISO 11070** and **ISO 10555-3**

The following must be noted on the packaging:

Size and specification

Priming volume and flow rate indicated

Trade Name

CE Number

Method of sterilization

Manufacturing site

Lot Number

Manufacture Date

Expiry date

**PACKAGING / UNIT OF MEASURE: Box of 10 units**

**Price per Box**

ITEM:	DESCRIPTION:
30 500 01	<p>Central Venous Catheter Set Paediatric: <b>Single Lumen 20 G, 12cm</b>  <b>Purpose:</b> Indwelling central venous access</p> <p>Catheter: <b>20 G x 12 cm</b>  Spring-wire guide: <b>0.64 mm</b> diameter (0.025") x <b>35 cm</b>  Introducer needle: <b>20 G x 3.81 ± 0.2 cm</b>, extra thin walled.  Luer slip syringe: <b>3 ml</b></p> <p>See <b>CENTRAL VENOUS CATHETER - Paediatric - COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION:
30 500 03	<p>Central Venous Catheter Set Paediatric: <b>Single Lumen 24 G, 12 cm</b>  <b>Purpose:</b> Indwelling central venous access</p> <p>Catheter: <b>24 G x 12cm</b>  Spring-wire guide: <b>0.46 mm</b> diameter (0.018") x <b>35 cm</b>  Introducer needle: <b>21 G x 3.81 ± 0.2 cm</b>, extra thin walled.  Luer slip syringe: <b>3 ml</b></p> <p>See <b>CENTRAL VENOUS CATHETER - Paediatric - COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION:
30 500 05	<p>Central Venous Catheter Set Paediatric: <b>Double Lumen, 4 Fr. 8 cm</b>  <b>Purpose:</b> Indwelling central venous access</p> <p>Catheter: <b>4 Fr. 8 cm</b>  Lumens: Distal: <b>22 G</b>, Proximal: <b>22 G</b>  Spring-wire guide: <b>0.46 mm</b> diameter (0.018") x <b>45 cm</b>  Introducer needle: <b>21 G x 3.81 ± 0.2 cm</b>, extra thin walled.  1 x Catheter <b>22 G x 4.45 cm</b> – radio-opaque (over a <b>25 G</b> introducer needle)  Luer slip syringe: <b>5 ml</b></p> <p>See <b>CENTRAL VENOUS CATHETER - Paediatric - COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION:
30 500 09	<p>Central Venous Catheter Set: <b>Paediatric: Triple Lumen, 4 Fr. 8cm</b>  <b>Purpose:</b> Indwelling central venous access</p> <p>Size: <b>4 Fr. 8 cm</b>  Lumens: Distal: <b>20 G</b>, Medial: <b>23 G</b>, Proximal: <b>23 G</b>  Spring-wire guide: <b>0.46 mm</b> diameter (0.018") x <b>45 cm</b>  Introducer needle: <b>21 G x 3.81 ± 0.2 cm</b>, extra thin walled.  1 x Catheter <b>22 G x 4.45 cm</b> – radio-opaque (over a <b>25 G</b> introducer needle)  Luer slip syringe: <b>5 ml</b></p> <p>See <b>CENTRAL VENOUS CATHETER - Paediatric - COLLECTIVE REQUIREMENTS</b></p>

## CENTRAL VENOUS CATHETER - Antimicrobial - Paediatric - COLLECTIVE REQUIREMENTS

The Central Venous Catheter set must consist of:

### **An antimicrobially modified flexible PUR-3 indwelling catheter that:**

Has antimicrobial impregnation or surface treatment.

Is flexible and softens in situ

Is radio-opaque and has cm markings

Has a pliant tapered, non-kinking and atraumatic tip that is moulded on smoothly.

Has side holes for the number of lumens (if more than single lumen) - that don't cause the catheter to kink

Has 1 x **Catheter clamp** and 1 x **fastener** for the catheter clamp that fits securely without kinking the catheter. The Clamp and fastener must have holes that are precisely aligned with no hard edges

Is manufactured from Polyurethane 3 (PUR-3)

Has an **integral suture wing**

Must have a low profile and be moulded for a flush fit

Must have holes sized for easy suturing

The integral suture wing hub must display product name, catheter size and length.

Has an **integral extension line/s**

Must be transparent and marked with the lumen gauge and position if >1 extension line

Must have colour coded luer lock connection at the proximal end/s

Must have extension line clamp/s that is secure but easy to slide on and off

### **1 x marked spring guidewire with advancer / wire dispenser**

Manufactured from **Nitinol**

Must have rounded and atraumatic ends with a straight soft tip on one end and a "J" tip on the other end

Must be flexible and kink resistant and advance smoothly through all components.

Must be clearly marked – One solid line at 10 cm, double lines at 20 cm, triple lines at 30 cm.

Must be supplied with a guidewire advancer that is comfortable to hold for one hand insertion technique and has a see-through barrel for visualisation and a bulb on the end to secure wire.

Guide-wire introducer – tapered to fit in needle hub and facilitate spring guide-wire insertion

**1 x introducer needle** manufactured from medical grade stainless steel

**1 x Luer slip syringe**

**2 x Tissue dilator:** firm but atraumatic tip, no flanging, 2 different lengths

**1 x Information leaflet** included inside the individual packaging

All markings clear, do not rub off when cleaned with alcohol.

Unspecified components to be manufactured from medical grade plastic

Must be latex free, sterile and individually packed in a peel pouch that is easy to open

For single use only

To comply with **ISO 11070** and **ISO 10555-3**

The following must be noted on the packaging:

Size and specification

Priming volume and flow rate indicated

Trade Name

CE Number

Method of sterilization

Manufacturing site

Lot Number

Manufacture Date

Expiry date

PACKAGING / UNIT OF MEASURE: **Box of 10 units**

**Price per Box**

ITEM:	DESCRIPTION:
30 500 13	<p>Central Venous Catheter Set: <b>Antimicrobial: Paediatric: Double Lumen, 4 Fr. 5cm</b></p> <p><b>Purpose:</b> Indwelling central venous access</p> <p>Size: <b>4 Fr. 5 cm</b></p> <p>Lumens: Distal: <b>22 G</b>, Proximal: <b>22 G</b></p> <p>Spring-wire guide: <b>0.46 mm diameter (0.018") x 45 cm</b></p> <p>Introducer needle: <b>21 G x 3.81 ± 0.2 cm</b>, extra thin walled.</p> <p>1 x Catheter <b>22 G x 4.45 cm</b> – radio-opaque (over a <b>25 G</b> introducer needle)</p> <p>Luer slip syringe: <b>5 ml</b></p> <p>See <b>CENTRAL VENOUS CATHETER - Antimicrobial - Paediatric - COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION:
30 500 14	<p>Central Venous Catheter Set: <b>Antimicrobial: Paediatric: Double Lumen, 4 Fr. 8cm</b></p> <p><b>Purpose:</b> Indwelling central venous access</p> <p>Size: <b>4 Fr. 8 cm</b></p> <p>Lumens: Distal: <b>22 G</b>, Proximal: <b>22 G</b></p> <p>Spring-wire guide: <b>0.46 mm diameter (0.018") x 45 cm</b></p> <p>Introducer needle: <b>21 G x 3.81 ± 0.2 cm</b>, extra thin walled.</p> <p>1 x Catheter <b>22 G x 4.45 cm</b> – radio-opaque (over a <b>25 G</b> introducer needle)</p> <p>Luer slip syringe: <b>5 ml</b></p> <p>See <b>CENTRAL VENOUS CATHETER - Antimicrobial - Paediatric - COLLECTIVE REQUIREMENTS</b></p>

## UMBILICAL CATHETERS

### FOR UMBILICAL CATHETERS: Multi-lumen– COLLECTIVE REQUIREMENTS

#### The catheters must:

Be lipid resistant, non-thrombogenic and must resist encrustations  
 Have zero dead space and luer lock hubs on 5cm extensions  
 Be colour coded  
 Have numerical depth markings every 1cm from at least 5-25 cm  
 Have a smooth, rounded atraumatic tip and soft rounded end holes  
 Not adhere to tissues or react to body tissues or fluids  
 Not release plasticiser

Must be manufactured from completely radiopaque, medical grade, transparent, thermo-sensitive polyurethane or silicone.  
 Must be Latex and DEHP free

Must be sterile and individually packed in peel pouch that is easy to open  
 For single use only  
 To comply with **ISO 10555**

The following must be noted on the packaging:

Trade name of product  
 Size and specification  
 Method of sterilization  
 Manufacturing site  
 CE number  
 Lot number  
 Expiry date

PACKAGING / UNIT OF MEASURE: **Box of 10 units**  
**Price per Box**

ITEM:	DESCRIPTION:
30 500 20	Catheter umbilical-single lumen <b>2.5 Fr</b> <b>Purpose:</b> Umbilical vein or artery catheterisation in neonates  Size: <b>2.5 Fr</b> Length: <b>20 – 40 cm</b> Flow rate: <b>2 ml/min +-10%</b>  See <b>SPECIFICATIONS FOR UMBILICAL CATHETERS – COLLECTIVE REQUIREMENTS</b>

ITEM:	DESCRIPTION:
30 500 24	Catheter umbilical - <b>dual lumen 3.5 Fr</b> <b>Purpose:</b> Umbilical vein or artery catheterisation in neonates  Size: <b>3.5 Fr</b> Length: <b>20-43 cm</b> 2 lumens – each to be in the range of <b>20 – 23 G</b>  See <b>SPECIFICATIONS FOR UMBILICAL CATHETERS: Multi-lumen– COLLECTIVE REQUIREMENTS</b>

ITEM:	DESCRIPTION:
30 500 25	Catheter umbilical - <b>dual lumen 4 Fr</b> <b>Purpose:</b> Umbilical vein or artery catheterisation in neonates  Size: <b>4 Fr</b> Length: <b>20 cm</b> 2 lumens – each to be in the range of <b>18 – 21 G</b>  See <b>SPECIFICATIONS FOR UMBILICAL CATHETERS: Multi-lumen– COLLECTIVE REQUIREMENTS</b>

ITEM:	DESCRIPTION:
30 500 26	<p>Catheter umbilical -<b>dual lumen 5 Fr</b></p> <p><b>Purpose:</b> Umbilical vein or artery catheterisation in neonates</p> <p>Size: <b>5 Fr</b> Length: <b>20 – 43 cm</b></p> <p>2 lumens – each to be in the range of <b>18G – 21 G</b></p> <p>See <b>SPECIFICATIONS FOR UMBILICAL CATHETERS: Multi-lumen–</b> COLLECTIVE REQUIREMENTS</p>

ITEM:	DESCRIPTION:
30 500 27	<p>Catheter umbilical -<b>triple lumen 5 Fr</b></p> <p><b>Purpose:</b> Umbilical vein or artery catheterisation in neonates</p> <p>Size: <b>5 Fr</b> Length: <b>20 - 43 cm</b></p> <p>3 lumens each to be in range of <b>18G – 21 G</b></p> <p>See <b>SPECIFICATIONS FOR UMBILICAL CATHETERS: Multi-lumen–</b> COLLECTIVE REQUIREMENTS</p>



## PICC LINES and INTRODUCING NEEDLES

### PERIPHERALLY INSERTED CENTRAL CATHETER – COLLECTIVE REQUIREMENTS

The **Catheter** must:

Have numerical depth markings every 1cm

Have a soft rounded end hole

Have an integral extension with a slide clamp

Have a measuring tape included

Have a lipid resistant, zero dead space, low profile, luer lock hub

Have an introducing needle: Breakaway **OR** Over-The-Needle (**OTN**) peel apart cannula **OR** Through the needle (**TTN**)

If **OTN** Introducer is used it must peel apart, have an air flow filter and it must allow for rapid visualisation of flashback.

If a **TTN** mechanism of insertion is used, the introducer needle must be removable

The Catheter must be manufactured from completely radiopaque, medical grade, transparent, thermo-sensitive polyurethane or silicone that:

Is non-reactive to body tissues and fluids;

Is non-thrombogenic and resists encrustations

Does not adhere to tissues or release plasticiser

Is Latex and DEHP free

If a **stylet** is used:

The stylet should end 1cm before end of catheter

The catheter must be able to be flushed with wire in situ.

Must be sterile and individually packed in a peel pouch that is easy to open

For single use only

To comply with **ISO 10555**

The following must be noted on the packaging:

Trade name of product

Size and specification

Method of sterilization

Manufacturing site

CE number

Lot number

Expiry date

PACKAGING / UNIT OF MEASURE: **Box of 10 units**

**Price per Box**

ITEM:	DESCRIPTION
30 500 28	<p>Peripherally inserted central catheter (PICC) For neonates &lt; <b>1000g Single lumen with stylet. 1.1Fr; 20-30 cm</b></p> <p><b>Purpose:</b> Peripherally inserted central catheter for secure, long term venous access</p> <p>Patient size: &lt; 1000g Catheter size: 1.1 Fr. (+/- 0.1Fr) Catheter length: 20-30 cm</p> <p>Introducing needle size: 24- 26 G</p> <p>With an integral introducing stiffening stylet</p> <p><b>SEE PERIPHERALLY INSERTED CENTRAL CATHETER – COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
30 500 29	<p>Peripherally inserted central catheter (PICC) <b>For Neonates &lt;1000g -Single lumen without stylet. 1.1Fr; 20-30 cm</b></p> <p><b>Purpose:</b> Peripherally inserted central catheter for secure, long term venous access</p> <p>Patient size: &lt;1000 g Catheter size: 1.1 Fr. (+/- 0.1Fr) Catheter length: 20-30 cm Introducing needle size: 24-26 G</p> <p>SEE <b>PERIPHERALLY INSERTED CENTRAL CATHETER – COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
30 500 30	<p>Peripherally inserted central catheter (PICC) <b>For Neonates &gt;1000g Single lumen with stylet. 2.0 Fr; 20-30cm</b></p> <p><b>Purpose:</b> Peripherally inserted central catheter for secure, long term venous access</p> <p>Patient Size: &gt;1000 g Catheter size: 2.0 Fr. (+/- 0.1Fr) Catheter length: 20-30 cm Introducing needle size: 22-26 G With an integral introducing stiffening stylet</p> <p>SEE <b>PERIPHERALLY INSERTED CENTRAL CATHETER – COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
30 500 31	<p>Peripherally inserted central catheter (PICC) <b>For neonates &gt; 1000g: Single lumen with stylet: 2.0 Fr; 30-40cm</b></p> <p><b>Purpose:</b> Peripherally inserted central catheter for secure, long term venous access</p> <p>Patient size: &gt;1000 g Catheter size: 2.0 Fr. (+/- 0.1Fr) Catheter length: 30-40 cm Introducing needle size: 22-26 G With an integral introducing stiffening stylet</p> <p>SEE <b>PERIPHERALLY INSERTED CENTRAL CATHETER – COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
30 500 32	<p>Peripherally inserted central catheter (PICC) <b>For Neonates &gt;1000g Single lumen without stylet. 2.0 Fr; 20-30cm</b></p> <p><b>Purpose:</b> Peripherally inserted central catheter for secure, long term venous access</p> <p>Patient size: &gt;1000 g Catheter size: 2.0 Fr. (+/- 0.1Fr) Catheter length: 20-30 cm Introducing needle size: 22-26 G</p> <p>SEE <b>PERIPHERALLY INSERTED CENTRAL CATHETER – COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
30 500 33	<p>Peripherally inserted central catheter (PICC) <b>For Neonates &gt;1000g Single lumen with stylet. 2.0 Fr; 40-50 cm</b></p> <p><b>Purpose:</b> Peripherally inserted central catheter for secure, long term venous access</p> <p>Patient Size: &gt; 1000 g Catheter size: 2.0 Fr. (+/- 0.1Fr) Catheter length: 40-50 cm Introducing needle size: 22-26 G</p> <p>SEE <b>PERIPHERALLY INSERTED CENTRAL CATHETER – COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
30 500 36	<p>Peripherally inserted central catheter (PICC) For <b>neonate &gt; 1000g Dual lumen without stylet: 20-40 cm</b>  <b>Purpose:</b> Peripherally inserted central catheter for secure, long term venous access</p> <p>Patient size: &gt; <b>1000 g</b> Catheter size: <b>1.7 Fr. (+/- 0.2Fr)</b> Catheter length: <b>20-40cm</b>  Introducing needle size: <b>20-24 G</b></p> <p><b>SEE PERIPHERALLY INSERTED CENTRAL CATHETER – COLLECTIVE REQUIREMENTS</b></p>

<b>INTRODUCING NEEDLE for PICC - COLLECTIVE REQUIREMENTS</b>	
<p>Consists of an Over-the-needle ( OTN) peel apart cannula  Must have an air flow filter  Must peel apart  Must ensure rapid visualisation of flashback</p> <p>Must be sterile and individually packed in a peel pouch that is easy to open  For single use only  To comply with <b>ISO 10555</b></p> <p>The following must be noted on the packaging:  Trade name of product  Size and specification  Method of sterilization  Manufacturing site  CE number  Lot number  Expiry date</p> <p><b>PACKAGING / UNIT OF MEASURE: Box of 10 units</b>  <b>Price per Box</b></p>	

ITEM:	DESCRIPTION
30 500 39	<p>Introducing Needle: OTN peel apart cannula for central peripherally inserted catheter – <b>26 G</b>  <b>Purpose:</b> For use with peripherally inserted central catheter</p> <p>Size: <b>26 G</b></p> <p><b>SEE INTRODUCING NEEDLE for PICC – COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
30 500 40	<p>Introducing needle: Break away for central peripherally inserted catheter  <b>Purpose:</b> For use with Peripherally inserted central catheter</p> <p>Size: <b>0.7 mm</b> external diameter  Splittable needle</p> <p>Sterile and individually packed in peel pouch  Single use only  To comply with <b>ISO 10555</b></p> <p>The following must be noted on the packaging:  Trade name of product  Size and specification  Method of sterilization  Manufacturing site  CE number  Lot number  Expiry date  <b>PACKAGING / UNIT OF MEASURE : Box of 10 units</b>  <b>Price per Box</b></p>

#### HICKMAN LINES AND PORTS

ITEM:	DESCRIPTION
HL1	<p><b>Hickman Line Peel Apart Introducer Kit – Paediatric 7 Fr</b>  <b>Purpose:</b> Long term indwelling catheter for the administration of chemotherapy</p> <p>Set must contain:  A dual lumen <b>Hickman line</b> made of radiopaque silicone.  Size: <b>7 Fr (2.3 mm OD); Length: 34 cm</b>  The catheter must have a tissue ingrowth cuff and 2 end caps:  <b>J-tip guidewire</b> with straightener: Size: <b>0.81 mm OD; Length: 50 cm</b>  Peel apart <b>introducer</b> with <b>vessel dilator</b>: Size: <b>7 Fr (2.5 mm) Length: 13 cm</b>  Needle: <b>19 G</b>  Syringe <b>≥ 10 ml</b>  <b>Tunneler</b></p> <p>All components must be latex free, sterile and individually packed in peel pouch that is easy to open  For single use only  To comply with <b>ISO 10555</b></p> <p>The following must be noted on the packaging:  Trade name  Size and specification  Method of sterilization  Manufacturing site  CE number  Lot number  Expiry date</p> <p><b>PACKAGING / UNIT OF MEASURE: Box of 10 units</b>  Price per box</p>

ITEM:	DESCRIPTION
HL 2	<p><b>Implantable Titanium Port</b> - with a <b>6.6 Fr</b> single lumen silicone catheter</p> <p><b>Purpose:</b> Long term indwelling catheter with port for the administration of chemotherapy</p> <p>MRI compatible ,Low profile  Port must have the following dimensions  Height: <b>10 mm</b>; Weight: <b>3.2 grams</b>  Diameter of base: <b>24.8 mm</b> Diameter of septum: <b>10.8 mm</b></p> <p>Clear locking connector for ease of visualisation  Single lumen silicone catheter: <b>6.6 Fr</b> Length: <b>750 mm</b></p> <p>Port must:  Be manufactured from Titanium  Must have open suture holes  Have an attachable polyurethane or silicone catheter</p> <p>All components must be latex free, sterile and individually packed in peel pouch that is easy to open  For single use only  To comply with <b>ISO 10555</b></p> <p>The following must be noted on the packaging:  Trade name  Size and specification  Method of sterilization  Manufacturing site  CE number  Lot number  Expiry date</p> <p>PACKAGING / UNIT OF MEASURE: <b>Box of 10 units</b>  Price per box</p>

ITEM:	DESCRIPTION
HL 3	<p><b>Implantable Radiolucent Power port</b> — with an <b>8 Fr</b> single lumen silicone catheter and 3-way valve  <b>Purpose:</b> Long term indwelling catheter with port for the administration of chemotherapy and able to accommodate radiopaque contrast media and without use for heparin flush</p> <p>MRI compatible, Radio lucent implantable port  Port must have the following dimensions  Height: <b>13.8 mm</b> Weight: <b>20.2 grams</b>  Diameter of base: <b>30 x 28.8 mm</b> Diameter of septum: <b>12.7 mm</b></p> <p>Must have plugged suture holes  Radiopaque marker for identification of placement  Catheter: <b>8.0 Fr</b> single lumen silicone catheter with 3-way valve at tip  All components must be latex free, sterile and individually packed in peel pouch that is easy to open</p> <p>To comply with <b>ISO 10555</b>  For single use only</p> <p>The following must be noted on the packaging:  Trade name  Size and specification  Method of sterilization  Manufacturing site  CE number  Lot number  Expiry date</p> <p>PACKAGING / UNIT OF MEASURE: <b>Box of 10 units</b>  Price per box</p>

ITEM:	DESCRIPTION
HL 4	<p><b>Implantable Titanium Miniport</b> – with a <b>4.5 Fr</b> single lumen polyurethane catheter</p> <p><b>Purpose:</b> Long term indwelling catheter with port for the administration of chemotherapy</p> <p>Port must have the following dimensions  Height: <b>8.7 mm</b> Weight: <b>3 grams</b>  Diameter of base: <b>22 x 18 mm</b> Diameter of septum: <b>7.6 mm</b>  Single lumen polyurethane catheter: OD: <b>4.5 Fr (1.5 mm)</b>; ID: <b>0.8 mm</b> Length: <b>800 mm</b></p> <p>Port must:  Be manufactured from Titanium  Must have open suture holes  Have an attachable polyurethane or silicone catheter</p> <p>All components must be latex free, sterile and individually packed in peel pouch that is easy to open  For single use only  To comply with <b>ISO 10555</b></p> <p>The following must be noted on the packaging:  Trade name  Size and specification  Method of sterilization  Manufacturing site  CE number  Lot number  Expiry date</p> <p><b>PACKAGING / UNIT OF MEASURE: Box of 10 units</b>  Price per box</p>

ITEM:	DESCRIPTION
HL 6	<p><b>Implantable Titanium Port</b> – with an <b>8.5 Fr</b> single lumen polyurethane catheter  <b>Purpose:</b> Long term indwelling catheter with port for the administration of chemotherapy</p> <p>Port must have the following dimensions  Height: <b>10.5 mm</b>; Weight: <b>4 grams</b>  Diameter of base: <b>26 x 22 mm</b>; Diameter of septum: <b>9.5 mm</b>  Single lumen polyurethane catheter: OD: <b>8.5 Fr (2.8 mm)</b>; ID: <b>1.6 mm</b>; Length <b>800 mm</b>  Port must:  Be manufactured from Titanium  Must have open suture holes  Have an attachable polyurethane or silicone catheter</p> <p>All components must be latex free, sterile and individually packed in peel pouch that is easy to open  For single use only  To comply with <b>ISO 10555</b></p> <p>The following must be noted on the packaging:  Trade name  Size and specification  Method of sterilization  Manufacturing site  CE number  Lot number  Expiry date</p> <p>PACKAGING / UNIT OF MEASURE: <b>Box of 10 units</b>  Price per box</p>

<b>HICKMAN PORT NEEDLE - COLLECTIVE REQUIREMENTS</b>	
<p>Consists of a <b>20 G</b> non-coring winged needle with a 90 degree bend in the shaft of needle</p> <p>Made from medical grade metal and plastic  All components must be latex free, sterile and individually packed in peel pouch that is easy to open  For single use only  To comply with <b>ISO 10555</b></p> <p>The following must be noted on the packaging:  Trade name  Size and specification  Method of sterilization  Manufacturing site  CE number  Lot number  Expiry date</p> <p>PACKAGING / UNIT OF MEASURE: <b>Box of 10 units</b>  Price per box</p>	

ITEM:	DESCRIPTION
HL 8	<p><b>Hickman Port needle – 25 mm</b>  <b>Purpose:</b> To access indwelling ports  Needle Size: <b>20 G</b>; Length: <b>25 mm (1.0")</b></p> <p>See <b>HICKMAN PORT NEEDLE - COLLECTIVE REQUIREMENTS</b></p>



ITEM:	DESCRIPTION
HL 9	<p><b>Hickman Port needle – 20 mm</b> with clampable extension set  <b>Purpose:</b> To access indwelling ports</p> <p>Needle Size: <b>20 G</b>; Length: <b>20 mm</b> (0.8")  Extension must be PVC free and have a positive flush needle free port for drug administration  Length: <b>200 +/- 10 mm</b></p> <p>See <b>HICKMAN PORT NEEDLE - COLLECTIVE REQUIREMENTS</b></p>

## INTRAOSSEOUS NEEDLES

INTRAOSSEOUS NEEDLES– COLLECTIVE REQUIREMENTS	
<p>The Needle</p> <p>Must have a sharp lancet point for easy bone penetration</p> <p>Must have a connector compatible with a Luer slip/Luer lock syringe</p> <p>Must have a positioning mark at least 1cm from the tip of the needle as a visual reference point of depth</p> <p>Must preferably have an adjustable guard that will help control the depth of the needle during insertion</p> <p>Must have a removable trocar with an ergonomically designed handle that fits into the palm of the user's hand for easy insertion.</p> <p>Needles and stylets must be manufactured from good quality stainless steel and must not kink</p> <p>Plastic hubs must be manufactured from medical grade plastic.</p> <p>All the components must be pyrogen and latex free</p> <p>Must be sterile and individually packed in a peel pouch that is easy to open</p> <p>For single use only</p> <p>The following must be noted on the packaging:</p> <p>Trade name of needle</p> <p>Size and specification</p> <p>Method of sterilization</p> <p>Manufacturing site</p> <p>CE number</p> <p>Lot number</p> <p>Expiry date</p> <p>PACKAGING / UNIT OF MEASURE <b>Box of 10 units</b></p> <p><b>Price per Box</b></p>	

ITEM:	DESCRIPTION
30 392 81	<p><b>Intraosseous needle with trocar 18G</b>  <b>Purpose:</b> For administration of drugs and fluid into a paediatric patient when venous access is not possible</p> <p>Needle size: <b>18G</b>  Length: <b>2-3 cm</b></p> <p>See <b>INTRAOSSEOUS NEEDLES– COLLECTIVE REQUIREMENTS</b></p>

## ARTERIAL LINES - Paediatrics

<b>SPRING GUIDEWIRE– COLLECTIVE REQUIREMENTS</b>	
<p>The guidewire must</p> <ul style="list-style-type: none"> <li>Have rounded and atraumatic ends</li> <li>Be flexible and kink resistant.</li> <li>Advance smoothly through all components.</li> </ul> <p>Must be manufactured from medical grade metal</p> <p>Must be sterile and individually packed in a peel pouch that is easy to open</p> <p>For single use only</p> <p>To comply with <b>ISO 11070</b></p> <p>The following must be noted on the packaging:</p> <ul style="list-style-type: none"> <li>Trade name of needle</li> <li>Size and specification</li> <li>Method of sterilization</li> <li>Manufacturing site</li> <li>CE number</li> <li>Lot number</li> <li>Expiry date</li> </ul> <p>PACKAGING / UNIT OF MEASURE: <b>Box of 10 units</b></p> <p><b>Price per Box</b></p>	

ITEM:	DESCRIPTION
GWP 1	<p>Spring Guidewire: <b>Neonatal 0.46 mm x 25 cm</b></p> <p><b>Purpose:</b> To assist with placement of <b>24 G</b> vascular access lines using the seldinger technique</p> <p>1 x Spring-wire guide: <b>0.46 mm</b> diameter x <b>25 cm</b></p> <p>See <b>SPRING GUIDEWIRE – COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
GWP 2	<p>Spring Guidewire: <b>Paediatric 0.53 mm X 35 cm</b></p> <p><b>Purpose:</b> To assist with placement of <b>20-22 G</b> vascular access lines using the seldinger technique</p> <p>1 x Spring-wire guide: <b>0.53 mm</b> diameter x <b>35 cm</b></p> <p>See <b>SPRING GUIDEWIRE – COLLECTIVE REQUIREMENTS</b></p>

**INDWELLING ARTERIAL CATHETER– COLLECTIVE REQUIREMENTS**

The set consists of:

**1 Indwelling Arterial Catheter:**

Must be manufactured from radio-opaque polyurethane that is kink resistant and has a non-flanging tip

Must have a smooth transition from the hub to the catheter.

The **hub** must:

Preferably be red

Have integral suture wings that are moulded for a flush fit and have holes sized for easy suturing

Have a clear extension line with a slide clamp that ends in a luer lock connection with a red colour coded cap

**1 x Spring guidewire:**

Must have straight soft tips on both ends that are rounded and atraumatic.

Must have a reference mark to indicate the tip of the wire at the tip of the introducer needle

Must be flexible and kink resistant.

Must advance smoothly through all components.

**1 x Introducer needle**

The hub must have a luer lock connection

All the components must be pyrogen and latex free

Must be sterile and individually packed in a peel pouch that is easy to open

For single use only

To comply with **ISO 11070** and **ISO 10555**

The following must be noted on the packaging:

- Size and specification
- Trade Name
- CE Number
- Method of sterilization
- Manufacturing site
- Lot Number
- Manufacture Date
- Expiry date

PACKAGING / UNIT OF MEASURE: **Box of 10 units**

**Price per Box**

ITEM:	DESCRIPTION
ALP 1	<p>Indwelling Arterial Catheter <b>Neonatal 24 G, 2.5 cm with integrated extension</b></p> <p><b>Purpose:</b> Indwelling arterial access catheter using seldinger technique</p> <p>Catheter: <b>24G x 2.5 cm</b> Spring guidewire: <b>0.46 mm x 25 cm</b> 1 Introducer needle: <b>26 G x 1.9 cm</b></p> <p>See <b>INDWELLING ARTERIAL CATHETER– COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
ALP 2	<p>Indwelling Arterial Catheter <b>Neonatal 24 G, 5 cm with integrated extension</b></p> <p><b>Purpose:</b> Indwelling arterial access catheter using seldinger technique</p> <p>Catheter: <b>24 G x 5 cm</b> Spring guidewire: <b>0.46 mm x 25 cm</b> 1 Introducer needle: <b>26 G x 1.9 cm</b></p> <p>See <b>INDWELLING ARTERIAL CATHETER– COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
ALP 4	<p>Indwelling Arterial Catheter <b>Paediatric 22 G, 5 cm with integrated extension</b>  <b>Purpose:</b> Indwelling arterial access catheter using seldinger technique</p> <p>Catheter: <b>22 G x 5 cm</b>  Spring guidewire: <b>0.53 mm x 35 cm</b>  1 Introducer needle: <b>22 G x 4 cm</b></p> <p>See <b>INDWELLING ARTERIAL CATHETER– COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
ALP 6	<p>Indwelling Arterial Catheter <b>Paediatric 22 G, 8 cm with integrated extension</b>  <b>Purpose:</b> Indwelling arterial access catheter using seldinger technique</p> <p>Catheter: <b>22 G x 8 cm</b>  Spring guidewire: <b>0.53 mm x 35 cm or 0.46 mm x 26 cm</b>  1 Introducer needle: <b>22 G x 4 - 4.2 cm</b></p> <p>See <b>INDWELLING ARTERIAL CATHETER– COLLECTIVE REQUIREMENTS</b></p>

## ARTERIAL LINES - Adult

### SPRING GUIDEWIRE WITH ADVANCER– COLLECTIVE REQUIREMENTS

The guidewire must  
 Have rounded and atraumatic ends with a straight soft tip on one end and a “J” tip on the other end  
 Be flexible and kink resistant.  
 Advance smoothly through all components.  
 Be supplied with a guide wire advancer

Must be manufactured from medical grade metal  
 Must be sterile and individually packed in a peel pouch that is easy to open  
 For single use only  
 To comply with **ISO 11070**

The following must be noted on the packaging:

Trade name of needle  
 Size and specification  
 Method of sterilization  
 Manufacturing site  
 CE number  
 Lot number  
 Expiry date

PACKAGING / UNIT OF MEASURE: **Box of 10 units**

**Price per Box**

ITEM:	DESCRIPTION
GWA 1	<p>Spring Guidewire: <b>Adult 45 cm</b>  <b>Purpose:</b> To assist with placement of vascular access lines using the seldinger technique</p> <p>1 x Spring guidewire: <b>0.64 mm</b> diameter x <b>45 cm</b></p> <p>See <b>SPRING GUIDEWIRE WITH ADVANCER – COLLECTIVE REQUIREMENTS</b></p>

**INDWELLING ARTERIAL CATHETER with CLEAR INTEGRAL EXTENSION LINE– COLLECTIVE REQUIREMENTS**

The set consists of:

**1 Indwelling Arterial Catheter:**

Must be manufactured from radio-opaque polyurethane that is kink resistant and has a non-flanging tip

Must have a smooth transition from the hub to the catheter.

The **hub** must:

Preferably be red

Have integral suture wings that are moulded for a flush fit and have holes sized for easy suturing

Have a clear extension line with a slide clamp that ends in a luer lock connection with a red colour coded cap

**1 x Spring guidewire:**

Must have straight soft tips on both ends that are rounded and atraumatic.

Must have a reference mark to indicate the tip of the wire at the tip of the introducer needle

Must be flexible and kink resistant.

Must advance smoothly through all components.

**1 x Introducer needle**

All the components must be pyrogen and latex free

Must be sterile and individually packed in a peel pouch that is easy to open

For single use only

To comply with **ISO 11070** and **ISO 10555**

The following must be noted on the packaging:

Size and specification

Trade Name

CE Number

Method of sterilization

Manufacturing site

Lot Number

Manufacture Date

Expiry date

PACKAGING / UNIT OF MEASURE: **Box of 10 units**

**Price per Box**

ITEM:	DESCRIPTION
ALA 1	<p>Indwelling Arterial Catheter with integral extension line <b>Adult 20 G, 5 cm</b> <b>Purpose:</b> Indwelling arterial access catheter using seldinger technique</p> <p>Catheter: <b>20 G x 5 cm</b> Spring guidewire: <b>0.53 mm x 35 cm</b> 1 Introducer needle: <b>20G x 4 cm Extra thin walled</b></p> <p>See <b>INDWELLING ARTERIAL CATHETER WITH CLEAR INTEGRAL EXTENSION LINE– COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
ALA 2	<p>Indwelling Arterial Catheter with integral extension line <b>Adult 20 G, 12 cm</b> <b>Purpose:</b> Indwelling arterial access catheter using seldinger technique</p> <p>Catheter: <b>20 G x 12 cm</b> Spring guidewire: <b>0.53 mm x 35 cm</b> 1 Introducer needle: <b>20G x 7 cm Extra thin walled</b></p> <p>See <b>INDWELLING ARTERIAL CATHETER WITH CLEAR INTEGRAL EXTENSION LINE– COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
ALA 3	<p>Indwelling Arterial Catheter with integral extension line <b>Adult 18 G, 12 cm</b>  <b>Purpose:</b> Indwelling arterial access catheter using seldinger technique</p> <p>Catheter: <b>18 G x 12 cm</b>  Spring guidewire: <b>0.64 mm x 33 cm</b>  1 Introducer needle: <b>18G x 5 cm Extra thin walled</b></p> <p>See <b>INDWELLING ARTERIAL CATHETER WITH CLEAR INTEGRAL EXTENSION LINE– COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
ALA 4	<p>Indwelling Arterial Catheter with integral extension line <b>Adult 18 G, 16 cm</b>  <b>Purpose:</b> Indwelling arterial access catheter using seldinger technique</p> <p>Catheter: <b>18 G x 16 cm</b>  Spring guidewire: <b>0.64 mm x 45 cm</b>  1 Introducer needle: <b>18G x 7 cm Extra thin walled</b></p> <p>See <b>INDWELLING ARTERIAL CATHETER WITH CLEAR INTEGRAL EXTENSION LINE– COLLECTIVE REQUIREMENTS</b></p>

INDWELLING ARTERIAL CATHETER– COLLECTIVE REQUIREMENTS	
<p>The set consists of:</p> <p><b>1 Indwelling Arterial Catheter:</b>  Must be manufactured from radio-opaque polyurethane that is kink resistant and has a non-flanging tip  Must have a smooth transition from the hub to the catheter.  The <b>hub</b> must:  Preferably be red  Have integral suture wings that are moulded for a flush fit and have holes sized for easy suturing</p> <p><b>1 x Spring guidewire:</b>  Must have straight soft tips on both ends that are rounded and atraumatic.  Must preferably have reference mark to indicate the tip of the wire at the tip of the introducer needle  Must be flexible and kink resistant.  Must advance smoothly through all components.</p> <p><b>1 x Introducer needle</b></p> <p>All the components must be pyrogen and latex free  Must be sterile and individually packed in a peel pouch that is easy to open  For single use only  To comply with <b>ISO 11070</b> and <b>ISO 10555</b></p> <p>The following must be noted on the packaging:</p> <ul style="list-style-type: none"> <li>• Size and specification</li> <li>• Trade Name</li> <li>• CE Number</li> <li>• Method of sterilization</li> <li>• Manufacturing site</li> <li>• Lot Number</li> <li>• Manufacture Date</li> <li>• Expiry date</li> </ul> <p><b>PACKAGING / UNIT OF MEASURE: Box of 10 units</b>  <b>Price per Box</b></p>	

ITEM:	DESCRIPTION
ALA 5	<p>Indwelling Arterial Catheter <b>Adult 20 G, 8 cm</b></p> <p><b>Purpose:</b> Indwelling arterial access catheter using seldinger technique</p> <p>Catheter: <b>20G x 8 cm</b>  Spring guidewire: <b>0.50 mm x 20 cm</b>  1 Introducer needle: <b>20 G x 3.2 cm</b></p> <p>See <b>INDWELLING ARTERIAL CATHETER– COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
ALA 7	<p>Indwelling Arterial Catheter <b>Adult 18 G, 12 cm</b></p> <p><b>Purpose:</b> Indwelling arterial access catheter using seldinger technique</p> <p>Catheter: <b>18 G x 12 cm</b>  Spring guidewire: <b>0.64 mm x 33 cm</b>  1 Introducer needle: <b>18 G x 5 cm Extra thin walled</b></p> <p>See <b>INDWELLING ARTERIAL CATHETER– COLLECTIVE REQUIREMENTS</b></p>

ITEM:	DESCRIPTION
ALA 8	<p>Indwelling Arterial Catheter <b>Adult Femoral 18 G, 16 cm</b></p> <p><b>Purpose:</b> Indwelling arterial access catheter using seldinger technique</p> <p>Catheter: <b>18 G x 16 cm</b>  Spring guidewire: <b>0.64 mm x 33 cm</b>  Must be supplied with a guidewire advancer  1 Introducer needle: <b>18 G x 7 cm</b></p> <p>See <b>INDWELLING ARTERIAL CATHETER– COLLECTIVE REQUIREMENTS</b></p>



# SECTION M: PRICING SCHEDULE: SBD 3.1

Name of bidder.....  
Closing Time 11:00

Bid number: **ZNB 5325/2022-H**  
Closing Date: **12/05/2022**

OFFER TO BE VALID FOR **180** DAYS FROM THE CLOSING DATE OF BID.

## DESCRIPTION: THE SUPPLY AND DELIVERY INTRAVENOUS, CENTRAL AND INTRAOSSEOUS ACCESS LINES AND INVASIVE MONITORING ACCESS FOR VARIOUS INSTITUTIONS. PERIOD: 3 YEAR

ITEM No.	DESCRIPTION	Packaging Unit	Price per Packaging Unit Year 1 (incl. VAT) as per specification	Price per Packaging Unit Year 2 (incl. VAT) as per specification	Price per Packaging Unit Year 3 (incl. VAT) as per specification	Total Price per Packaging Unit (incl. VAT) Y1, Y2 & Y3
30 306 01	INTRAVENOUS CANNULA WITH INTRODUCER NEEDLE - <b>26G</b>	Box of 50 units				
30 306 02	INTRAVENOUS CANNULA WITH INTRODUCER NEEDLE - <b>24 G YELLOW ± 19MM</b>	Box of 50 units				
30 306 04	INTRAVENOUS CANNULA WITH INTRODUCER NEEDLE <b>22G BLUE</b>	Box of 50 units				
30 306 05	INTRAVENOUS CANNULA WITH INTRODUCER NEEDLE <b>20G PINK ± 30MM</b>	Box of 50 units				
30 306 18	INTRAVENOUS CANNULA WITH INTRODUCER NEEDLE WITH INJECTION PORT AND FIXATION WINGS. <b>18G; GREEN; ± 30MM</b>	Box of 50 units				
30 306 19	INTRAVENOUS CANNULA WITH INTRODUCER NEEDLE WITH INJECTION PORT AND FIXATION WINGS <b>16G; GREY; ± 45MM</b>	Box of 50 units				
30 306 40	SAFETY INTRAVENOUS CANNULA WITH INTRODUCER NEEDLE ,INJECTION PORT , FIXATION WINGS AND A NEEDLE LOCK DEVICE <b>18G LONG;GREEN; ± 45MM</b>	Box of 50 units				
30 306 41	SAFETY INTRAVENOUS CANNULA WITH INTRODUCER NEEDLE ,INJECTION PORT , FIXATION WINGS AND A NEEDLE LOCK DEVICE <b>16G;GREY; ± 47MM</b>	Box of 50 units				
30 306 42	SAFETY INTRAVENOUS CANNULA WITH INTRODUCER NEEDLE ,INJECTION PORT , FIXATION WINGS AND A NEEDLE LOCK DEVICE <b>14G; ORANGE; ± 45MM</b>	Box of 50 units				

CVC 2	CENTRAL VENOUS CATHETER SET: <b>ADULT SINGLE LUMEN 14 G, 20CM</b>	Box of 10 units				
CVC 4	CENTRAL VENOUS CATHETER SET: <b>ADULT DOUBLE LUMEN, 7FR, 16 CM</b>	Box of 10 units				
CVC 5	CENTRAL VENOUS CATHETER SET: <b>ADULT DOUBLE LUMEN, 7FR, 20 CM</b>	Box of 10 units				
CVC 6	ANTECUBITAL CENTRAL VENOUS CATHETER SET: <b>DOUBLE LUMEN, 7FR, 60 CM</b>	Box of 10 units				
CVC 8	CENTRAL VENOUS CATHETER SET: <b>TRIPLE LUMEN, 7FR, 20CM</b>	Box of 10 units				
CVC 9	CENTRAL VENOUS CATHETER SET: <b>ADULT QUAD LUMEN, 8.5 FR, 16 CM</b>	Box of 10 units				
CVC 10	CENTRAL VENOUS CATHETER SET: <b>ADULT ANTIMICROBIAL: DOUBLE LUMEN, 7FR, 20 CM</b>	Box of 10 units				
CVC 11	CENTRAL VENOUS CATHETER SET <b>ADULT ANTIMICROBIAL: TRIPLE LUMEN, 7FR, 20CM</b>	Box of 10 units				
CVC 14	ACUTE HAEMODYALYSIS CENTRAL CATHETER SET: <b>DOUBLE LUMEN 12 FR, 20 CM</b>	Box of 10 units				
RIL 2	RAPID INFUSION CATHETER EXCHANGE SET – <b>8.5FR.</b>	Box of 10 units				
RIL 3	PERCUTANEOUS SHEATH INTRODUCER– <b>8.5FR.</b>	Box of 10 units				
30 500 01	CENTRAL VENOUS CATHETER SET PAEDIATRIC: <b>SINGLE LUMEN 20G, 12CM</b>	Box of 10 units				
30 500 03	CENTRAL VENOUS CATHETER SET <b>PAEDIATRIC: SINGLE LUMEN 24G, 12CM</b>	Box of 10 units				
30 500 05	CENTRAL VENOUS CATHETER SET: <b>PAEDIATRIC: DOUBLE LUMEN, 4 FR. 8CM</b>	Box of 10 units				
30 500 09	CENTRAL VENOUS CATHETER SET: <b>PAEDIATRIC: TRIPLE LUMEN, 4 FR. 8CM</b>	Box of 10 units				
30 500 13	CENTRAL VENOUS CATHETER SET: <b>ANTIMICROBIAL: PAEDIATRIC: DOUBLE LUMEN, 4 FR. 5CM</b>	Box of 10 units				
30 500 14	CENTRAL VENOUS CATHETER SET: <b>ANTIMICROBIAL: PAEDIATRIC: DOUBLE LUMEN, 4 FR. 8CM</b>	Box of 10 units				
30 500 20	UMBILICAL CATHETER - <b>SINGLE LUMEN 2.5 FR.</b>	Box of 10 units				
30 500 24	UMBILICAL CATHETER - <b>DUAL LUMEN 3.5 FR.</b>	Box of 10 units				

30 500 25	UMBILICAL CATHETER - <b>DUAL LUMEN 4 FR</b>	Box of 10 units				
30 500 26	UMBILICAL CATHETER - <b>DUAL LUMEN 5 FR.</b>	Box of 10 units				
30 500 27	UMBILICAL CATHETER - <b>TRIPLE LUMEN 5FR</b>	Box of 10 units				
30 500 28	PERIPHERALLY INSERTED CENTRAL CATHETER (PICC) FOR NEONATES < <b>1000G</b> SINGLE LUMEN <b>WITH STYLET</b>	Box of 10 units				
30 500 29	PERIPHERALLY INSERTED CENTRAL CATHETER (PICC) <b>FOR NEONATES &lt;1000G</b> -SINGLE LUMEN <b>WITHOUT STYLET</b>	Box of 10 units				
30 500 30	PERIPHERALLY INSERTED CENTRAL CATHETER (PICC) <b>FOR NEONATES &gt;1000G</b> SINGLE LUMEN <b>WITH STYLET – 20-30CM</b>	Box of 10 units				
30 500 31	PERIPHERALLY INSERTED CENTRAL CATHETER (PICC) <b>FOR NEONATES &gt;1000G</b> SINGLE LUMEN <b>WITH STYLET – 30-40CM</b>	Box of 10 units				
30 500 32	PERIPHERALLY INSERTED CENTRAL CATHETER (PICC) <b>FOR NEONATES &gt;1000G</b> SINGLE LUMEN <b>WITHOUT STYLET – 20-30CM</b>	Box of 10 units				
30 500 33	PERIPHERALLY INSERTED CENTRAL CATHETER (PICC) <b>FOR NEONATES &gt;1000G</b> SINGLE LUMEN <b>WITH STYLET – 40-50CM</b>	Box of 10 units				
30 500 36	PERIPHERALLY INSERTED CENTRAL CATHETER (PICC) - <b>DUAL LUMEN</b> WITH-OUT STYLET– <b>1.7 FR.</b>	Box of 10 units				
30 500 39	INTRODUCING NEEDLE: OVER-THE-NEEDLE PEEL APART CANNULA FOR CENTRAL PERIPHERALLY INSERTED CATHETER - <b>26G</b>	Box of 10 units				
30 500 40	INTRODUCING NEEDLE: BREAK AWAY FOR CENTRAL PERIPHERALLY INSERTED CATHETER	Box of 10 units				
HL 1	<b>HICKMAN LINE PEEL APART INTRODUCER KIT – PAEDIATRIC 7 FR</b>	Box of 10 units				
HL 2	<b>IMPLANTABLE PORT</b> - MRI COMPATIBLE LOW PROFILE WITH ATTACHABLE <b>6.6 FR.</b> SINGLE LUMEN SILICONE CATHETER	Box of 10 units				
HL 3	<b>IMPLANTABLE RADIOLUCENT POWER PORT</b> — WITH AN <b>8FR</b> SINGLE LUMEN SILICONE CATHETER AND 3-WAY VALVE	Box of 10 units				

HL 4	<b>IMPLANTABLE TITANIUM MINIPORT – WITH A 4.5FR SINGLE LUMEN POLYURETHANE CATHETER</b>	<b>Box of 10 units</b>				
HL 6	<b>IMPLANTABLE TITANIUM PORT – WITH AN 8.5FR SINGLE LUMEN POLYURETHANE CATHETER</b>	<b>Box of 10 units</b>				
HL 8	<b>HICKMAN PORT NEEDLE – 90 DEGREE NON-CORING 20 G – 25 MM</b>	<b>Box of 10 units</b>				
HL 9	<b>HICKMAN PORT NEEDLE – 90 DEGREE NON-CORING 20 G – 20 MM WITH CLAMPABLE EXTENSION SET</b>	<b>Box of 10 units</b>				
30 392 81	<b>INTRAOSSEOUS NEEDLE WITH TROCAR 18G</b>	<b>Box of 10 units</b>				
GWP 1	<b>SPRING-GUIDE WIRE: NEONATAL, 0.46 MM X 25 CM</b>	<b>Box of 10 units</b>				
GWP 2	<b>SPRING-GUIDE WIRE: PAEDIATRIC, 0.53 MM X 35 CM</b>	<b>Box of 10 units</b>				
ALP 1	<b>INDWELLING ARTERIAL CATHETER SET: NEONATAL ARTERIAL CATHETERISATION SET, 24G, 2.5 CM</b>	<b>Box of 10 units</b>				
ALP 2	<b>INDWELLING ARTERIAL CATHETER SET: NEONATAL ARTERIAL CATHETERISATION SET, 24G, 5 CM</b>	<b>Box of 10 units</b>				
ALP 4	<b>INDWELLING ARTERIAL CATHETER SET: PAEDIATRIC ARTERIAL CATHETERISATION SET, 22G, 5CM</b>	<b>Box of 10 units</b>				
ALP 6	<b>INDWELLING ARTERIAL CATHETER SET: PAEDIATRIC ARTERIAL CATHETERISATION SET, 22G, 8CM</b>	<b>Box of 10 units</b>				
GWA 1	<b>SPRING-GUIDE WIRE WITH ADVANCER: ADULT, 45 CM</b>	<b>Box of 10 units</b>				
ALA 1	<b>INDWELLING ARTERIAL CATHETER SET: ADULT ARTERIAL CATHETERISATION SET WITH INTEGRAL EXTENSION LINE, 20G, 5 CM</b>	<b>Box of 10 units</b>				
ALA 2	<b>INDWELLING ARTERIAL CATHETER SET: ADULT ARTERIAL CATHETERISATION SET WITH INTEGRAL EXTENSION LINE, 20G, 12 CM</b>	<b>Box of 10 units</b>				
ALA 3	<b>INDWELLING ARTERIAL CATHETER SET: ADULT ARTERIAL CATHETERISATION SET WITH INTEGRAL EXTENSION LINE, 18G, 12 CM</b>	<b>Box of 10 units</b>				
ALA 4	<b>INDWELLING ARTERIAL CATHETER SET: ADULT</b>	<b>Box of 10 units</b>				

	<b>ARTERIAL CATHETERISATION SET WITH INTEGRAL EXTENSION LINE, 18G, 16 CM</b>					
ALA 5	INDWELLING ARTERIAL CATHETER SET: <b>ADULT ARTERIAL CATHETERISATION SET, 20G, 8 CM</b>	Box of 10 units				
ALA 7	INDWELLING ARTERIAL CATHETER SET: <b>ADULT ARTERIAL CATHETERISATION SET, 18G, 12 CM</b>	Box of 10 units				
ALA 8	INDWELLING ARTERIAL CATHETER SET: <b>ADULT FEMORAL ARTERIAL CATHETERISATION SET, 18G, 16 CM</b>	Box of 10 units				

**NB.** Total Unit Price is the price that will be used to evaluate the bid.  
The annual unit price will be the applicable (contractual) price per year per item.  
The delivery must be in accordance with packaging as per specification  
The State reserves the right to award contracts to more than one contractor for the same item

Required by: KZN DEPARTMENT OF HEALTH

-At: VARIOUS INSTITUTIONS

Country of origin .....

Brand .....

Delivery period (on order) .....

**Failure to comply with the above shall invalidate the offer received.**

Note: All delivery costs must be included in the bid price, for delivery at prescribed destination

.....  
(Signature of Bidder)

.....  
Date

.....  
(Signature of Witness)

.....  
Date

## SECTION N: OBJECTIVE EVALUATION CRITERIA

Evaluation will be based on the following:

- Phase 1: Minimum Compulsory Requirements
- Phase 2: Technical Evaluation
- Phase 3: Price and Preference Points

### Phase 1: Minimum Compulsory Requirements

The Bidder shall complete and submit the following returnable schedules and documents:

NO.	SECTION/ SCHEDULE	COMPULSORY (YES / NO) NON- SUBMISSION WILL RENDER BIDDERS NON- RESPONSIVE	COMPULSORY (YES / NO) FOR BID EVALUATION PURPOSES	FOR OFFICIAL USE ONLY		
				YES	NO	N/A
Prospective Bidders MUST ensure that the following Sections of the bid document MUST be completed in ALL respects to qualify for the next stage of evaluation:						
1	Section A: Invitation To Bid (SBD1)	Yes				
2	Section B: Special Instructions And Notices To Bidders Regarding The Completion Of Bidding Forms	Yes				
3	Section C: Authority To Sign A Bid	Yes				
4	Section D: Bidder's Disclosure (SBD4)	Yes	Yes			
5	Section E: The National Industrial Participation Programme (SBD 5)	Yes				
6	Section F:Declaration that information on central supplier database is correct and up to date	Yes				
7	Section G: Preference Points Claim Form In Terms Of The Preferential Procurement Regulations 2017.	Yes				
8	Section H: Record Of Amendments To Bid Documents	Yes				
9	Section I: General Conditions Of Contract	Yes				
10	Section J: Special Conditions Of Contract	Yes				
11	Section K: Conditions Of Bid	Yes				
12	Section L: Specifications	Yes	Yes			
13	Section M: Pricing Schedule: (SBD 3.1)	Yes	Yes			
Prospective Bidders Must Provide The Following As Per The Mandatory Requirements:						
1.	Consortium/ Joint Venture/ Partnership Agreement, If Applicable.	Yes If Applicable	Yes			

NO.	SECTION/ SCHEDULE	COMPULSORY (YES / NO) NON- SUBMISSION WILL RENDER BIDDERS NON- RESPONSIVE	COMPULSORY (YES / NO) FOR BID EVALUATION PURPOSES	FOR OFFICIAL USE ONLY		
				YES	NO	N/A
2.	A Status Level Verification Certificate/Sworn Affidavit (For EMES& QSES) Must Be Submitted In Order To Qualify For Preference Points.	Yes	Yes			
3.	Letter Of Undertaking If Not The Manufacturer Of The item or items	Yes	Yes			

## Phase 2: Technical Evaluation

The unit offered must comply fully with or exceed all of the minimum specification requirements as per the Technical Specification. The prospective bidder will be required to provide a sample for evaluation purposes as required in terms of clause 14 of the special terms and conditions of the bid. For those samples which require **ISO 10555 and ISO 11070 or any other certification, a valid certificate must be submitted with the sample as well as scientific literature, where required.** The sample will be evaluated based on the collective requirements as per technical specification, for each item required.

## Phase 3: Price and Preference Points

KwaZulu-Natal Department of Health reserves the right to award contracts to more than one contractor for the same item. KwaZulu-Natal Department of Health reserves the right to award the same item to more than one supplier to address product availability and compatibility. Due diligence will be applied to ensure that pricing is affordable, market related and aligned to end-user requirements.

The value of this bid is estimated not to exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.

Points for this bid shall be awarded for:

- (c) Price; and
- (d) Status Level of Contributor.

The maximum points for this bid are allocated as follows:

CATEGORY	POINTS
PRICE	80
STATUS LEVEL OF CONTRIBUTOR	20
<b>Total points for Price and must not exceed</b>	<b>100</b>

Failure on the part of a bidder to submit proof of Status level of contributor together with the bid will be interpreted to mean that preference points for Status level of contribution are not claimed.

The department reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the department.