


BILL OF QUANTITIES - WADEVILLE STATION UPGRADE

	REFURBISHMENT OF WADEVILLE STATION	Unit	Quantity	Rate	Amount
ITEM NO	SECTION 1				
	PRELIMINARIES				
	<u>BUILDING AGREEMENT AND PRELIMINARIES</u>				
	The JBCC Series 2000 Principal Building Agreement (July 2007 edition 5.0) prepared by the Joint Building Contracts Committee, shall be the agreement, amended as hereinafter				
	The Preliminaries for use with the JBCC Series 2000 Principal Building Agreement (May 2005 edition) prepared by the Joint Building Contracts Committee, shall be deemed to be incorporated in these bills of quantities				
	Contractors are referred to the above-mentioned documents for the full intent and meaning of each clause thereof				
	These clauses are hereinafter referred to by clause number and heading only. Where standard clauses or alternatives are not entirely applicable to this contract such modifications, corrections or supplements as will apply are given under each relevant clause heading and such modifications, corrections or supplements shall take precedence notwithstanding anything contrary contained in the above-mentioned documents				
	SECTION A: PRINCIPAL BUILDING AGREEMENT				
	1 Clause 1.0 - Definitions and interpretation Interpretation (A1-A7)				
	SECTION B: GENERAL PRELIMINARIES				
	1. General Preliminaries to Include Appointment of Local CLO, site clearance of trees, shrubs, access vegetation and make good				
	2. Contractor is expected to work during the day and at night				
	SECTION NO. 2				
	<u>DEMOLITIONS ETC</u>				
	Allow R100 000.00 for demolitions as may be directed	Item			
	<u>RENOVATIONS</u>				
	Allow R 800 000.00 for renovations to office blocks	Item			-
	<u>SIGNAGE</u>				
	<u>External signage</u>				
	Allow R100 000.00 for external and internal signage as approved by the specialist	Item	1		-
	<u>Allow to supply and fit station signage</u>				
	Station name, to match the existing	No	4		-
	<u>Straight cutting</u>				

	PROFILED METAL SHEETING AND				
	ACCESSORIES				
	ON TICKET OFFICE, ABLUTIONS AND PLATFORM AREAS (Re-measure)				
	Roof covering with pitch not exceeding 25 degrees				
	0.58mm "Klip Lok 700" Z275 spelter galvanised				
	ribbed sheet steel with "Chromadek" finish on one	m ²	500		-
	side in single lengths and accessories, fixed to				
	timber/steel purlins using SL 700 approved clips and fasteners all in				
	accordance with manufacturer's recommendations and specifications.				
	TIMBER ROOF TRUSSES				
	Design, manufacture and deliver to site, plate nailed roof	m ²	580		-
	truss construction to ticket office 9.00 x 28.00mm				
	PLUMBING AND DRAINAGE				
	Drainage and Water Connection				
	Allow R100 000.00 on all UPVC Pipes for drainage at Ablutions and Kitchen on	item	1		-
	existing buildings and Sewer connection as per below				
	Sanitary plumbing and Manhole covers				
	Allow a sum of R100 000 to include 7.5% attendance and handling fee for all	Item	1		-
	sanitary Plumbing work on the public ablutions, Ticket office and the at the				
	Platform				
	Sewer connection				
	Cutting into sides of existing manhole chamber for and connecting 110mm pipe	Item			-
	including inserting 110mm channel junction and making good concrete benching				
	Structural steelwork				
	Allow 250 000.00 for replacement of missing steel purlins, etc and sand blasting	Item	1		-
	of rusted structural steelworks, side cladding, etc				
	STEEL ROLLER SHUTTERS				
	Roll-Up solid galvanised, SABS 1461, & epoxy coated M/S manually hand				
	chain operated push-up roller shutter for maximum opening 3000 x 3000mm				
	high with standard bottom rail, 75 x 0.8mm thick end-locked slats, 120mm				
	extra-wide tamper proof guides, 4.5mm end plates, closed shaft and 2 x				
	slidebolts, extruded with Aluminium Tbar & Astragal rubber weather seal.				
	Including galv. cover box and powder coated components incl. door curtain,				
	end plates, cover box, guides & T-bar. Door fixed to brick, concrete or				
	structural steel jambs and concrete or steel lintel over. Contractor to				
	provide cavity of 160mm x 120mm for recessing guides				
	Manual hand chain Push-up Roller Shutters, for openings not exceeding	no	4		-
	3000mm x 2500mm high.				
	Supply and install Burglar windows				
	600mm W x 600mm H Box windows guard constructed with 5mm of expanded				-
	metal and 50 x 50 x 6mm equal angles.				-
	1200mm W x 600mm H Box windows guard constructed with 5mm of expanded				-
	metal and 50 x 50 x 6mm equal angles.				-
	300mm W x 900mm H Box windows guard constructed with 5mm of expanded				-
	metal and 50 x 50 x 6mm equal angles.				-
	FENCE AND GATES				

	Construct brick wall boundary wall finished both sides with face brick including all necessary excavations, backfilling, cartaway, concrete blinding, reinforcement, piers and Anti-Cut & Grind (Impenetrable meshing) and anti climb feature of 3m high including spikes	m	280		-
	Supply and fit – replace heavy duty gate , with heavy duty industrial motor which allows to be operated manually also., allow all necessary fittings to be installed to the total completion of the job.	no	2		-
	<u>PAINTWORK</u>				
	Approved painting to structural steelworks, side cladding, etc	m ²	900		-
	Approved painting to external concrete/brick wall surfaces	m ²	600		-
	<u>SECTION 3</u>				
	<u>ELECTRICAL WORK</u>				
	Allow R 600 000.00 on Electrical Works and reticulation to include all power supply to the station and connection from municipal supply to include but not limited to High mast pole street light fitting, The luminaire to consists of a separate lamp, control gear and spigot compartment. The control gear housing to be separated from the lamp housing for thermal reasons. To be designed to operate 70/400W mercury vapour and 70/400W high- pressure sodium/metal halide lamp.	Sum			-
	<u>MECHANICAL WORK</u>				
	Allow R250 000.00 on Mechanical Works,Inclusive of Air conditioning and Fire water reticulation around the station to include Fire hydrants and signage.	Sum			-
	<u>PLATFORMS</u>				-
	Prepare platforms to receive Asphalt(Resurfacing) to include all Yellow Markings	m ²	300		-
	<u>PAVING/RE-SURFACING</u>				
	Re-surfacing of staircases, landing, platforms, etc	m ²	80		-
	<u>STEEL WORK</u>				
	Allow R100 000.00 for bullustrade and handrails to staircases and Platform furniture and dustbins, include 7.5% handling and managent fee, all works to be remeasured	Sum			-
	CONSTRUCTION COST				-
	FINAL SUMMARY				-
	SUB TOTAL				-
	ADD VAT @ 15%				-
	TOTAL AMOUNT				-