

PORT OF RICHARDS BAY



Document Title:

SCOPE OF WORK

Project Title:

TPT RICHARDS BAY APPLICATION FOR WATER USE LICENSE/ AUTHORISATION

REVISION 03: REQUEST FOR QUOTATION

SCOPE OF WORK

1 INTRODUCTION:

Transnet Port Terminals (TPT) provides services for the handling of imports, exports and storage of dry bulk and break bulk cargoes in the Port of Richards Bay on the north coast of KwaZulu-Natal. The terminal handles tens of millions of tons of cargo annually (import and export) and is a key link between marine and terrestrial cargo transport. The terminal currently handles a variety of products such as Alumina, Andalusite, Coking Coal, Chrome, Magnetite, Ferro Fines, Fertiliser, Metallurgical Coke, Petcoke, Rock Phosphate, Rutile, Salt, Sulphur, Titanium Slag, Vanadium Slag, Vermiculite, Wood Chips, Zircon, Granite Monoliths, Logs, Paper Rolls and Pig Iron.

Both dry bulk and breakbulk terminals store commodity in open stockpiles on surfaced slabs, which drain into first flush sedimentation ponds. These ponds were identified as triggering Section 21 (g) of the National Water Act (Act 36 of 1998)

2 SCOPE OF WORK:

The Richards Bay Transnet Port Terminal requires an experienced service provider to prepare the necessary studies for the application for a water use license in terms of section 19 of the National Water Act, (Act no 36 of 1998).

TPT has initiated the pre-application process for the activity which requires a water use license as per section 21 of the National Water Act 36 of 1998.

TPT and DWS have conducted a pre-application consultation with the Department of Water and Sanitation to determine the type of water use license and any other associated requirements, as determined by Department of Water and Sanitation

3 DELIVERABLES

- 3.1. Conduct a wetland delineation and associated risk assessment
- 3.2. Master Layout Plan showing all activities taking place on the entire site, inclusive of all waterways (which must clearly indicate the delineated

SCOPE OF WORK

sensitive areas (wetlands within a 500m radius, flood lines, riparian areas, etc.), flow direction in relation to the proposed project and the proposed / existing water uses)

3.3. Public Notices as required.

4. Relevant Service provider personnel shall be registered with SACNASP
5. Relevant Environmental Assessment Practitioners who shall be undertaking the wetland study and associated requirements, shall be EAPASA registered.
6. Service provider is required to provide electronic reports.

4 TRANSNET PORT TERMINALS OBLIGATIONS

- 4.1 TPT will provide adequate access to the Port to conduct assessments.
- 4.2 TPT will avail all documentation that would be required during the application process.

SCOPE OF WORK

ANNEXURE A:

**PRICING SCHEDULE FOR APPLICATION FOR WATER USE
LICENSE/AUTHORISATION**

ITEM NO	DESCRIPTION	QUANTITY	RATE	AMOUNT
1	Site Visit	1		
2	Wetland Delineation	1		
3	Risk Assessment	1		
4	Master Layout Plan	1		
5	Public Notices	1		
	SUBTOTAL 1			
	Total Tender Amount (including VAT and contingencies)			