



NOTES:


1. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE INDICATED.
2. DO NOT SCALE OFF DRAWING, USE DIMENSIONS ONLY.
3. ALL BRICKWORK TO BE IN ENGLISH BOND.
4. ALL CONCRETE TO BE CLASS 25/19.
5. MORTAR CLASS II TO BE USED.
6. WALLS ARE TO END ON A PIER OR RETURN.
7. AVERAGE MASONRY UNIT COMPRESSIVE STRENGTH TO BE GREATER THAN 5.0 MPa.
8. STRIP FOOTING BOTTOM MESH, 50mm COVER.
9. BRICKWORK TO BE FACEBRICK, TO SUIT EXISTING.




SECTION A-A
1 : 25



SECTION B-B
1 : 25




PLAN VIEW
1 : 25



TOP HEADER COURSE
1 : 10

BELOW GROUND COURSE
1 : 10



ISOMETRIC VIEW

DEPARTMENT	APPROVED	DESIGNATION	DATE



CONSULTING ENGINEERS

Royal HaskoningDHV
Enhancing Society Together

Building No. 5 Country Club Estate
21 Woodlands Drive Woodmead
2191
PO Box 867 Gallo Manor
2052
Tel No. +27 11 798 6000

SURVEYED	
DESIGNED	L. NAICKER
DRAWN	N. O'GORMAN
CHECKED	L. NAICKER
SERVICES CHECKED	
GEOTECHNICAL INVESTIGATION	
SERVITUDES	
APPROVED	DITHOLO PHOGOLE
Pr. Eng.No.	20060098
DATE	25 February 2025

JOHANNESBURG WATER (SOC) LTD

TURBINE HALL
65 NTEMI PILISO STREET
NEWTOWN
EGOLI 2001

TEL: (011) 688-1400
FAX: (011) 688-1529

CITY OF JOHANNESBURG

OLIFANTSVLEI WWTW: CONTRACT 1
INFRASTRUCTURES RENEWAL PLAN
VAN WYKRUST PUMP STATION & SUBSTATION C
PERIMETER WALL DETAIL

DESIGN MANAGER	SCALE	AMENDMENTS	APPROVED	DATE	DRAWING No.
	AS SHOWN	C01 ISSUED FOR TENDER	D. PHOGOLE	FEB 25	JW NUMBER JW14466-RHD-C1-06-D-C-0601
					CONSULTANT'S NUMBER BW1400-RHD-C1-06-D-C-0601
					FILE No
					C01