

Forklifts and electric stacker specifications

The end-user will inspect the forklifts before delivery and or awarding the contract.

Form of ownership of the forklifts evidence is required.

Load test certificate per forklift/stacker is required on delivery.

No forklift driver is required.

Diesel for day to day operation is on customer's account, Eskom Rotek Industries (ERI).

Forklifts Specifications:

Item Number One:-

Deliver & collect forklifts

Maintain, repair/service forklifts

Load testing of forklifts on sight when applicable, during the course of contract **duration of 60 months/5 years**

Quantity : 2x 3.5 ton forklifts

Wear and tear including damage repairs to be quoted as and when happens during contract duration

Diesel powered engine

Size/residual Capacity at Height 3500 kg

Forks 1.8m

Mast Lift Height V40 2 Stage 4000 mm

Mast Closed Height 2750 mm

90 Degree Stacking Aisle Width 2990 mm + Pallet + 200 mm Clearance

Height of Overhead Guard 2180 mm

Load Centre 780 mm

Mast Free Lift 140 mm

Load Back Rest 1220 mm

Tyres Solids

Valve Bank 3 Way Valve Bank

Weight Indicator

Side shift Integral Side shift

Multi-Function Display Included

Brakes Foot Activated

System of Active Stability

Rear Pillar Assist Grip Included

Reverse Buzzer Included

Rotating Beacon Included

Road Ordinance Lights Front & Rear

Auto Fork Levelling

Air Cleaner Cyclone Dual Air Cleaner

Steering Column Adjustable

Fire Extinguisher Included

Mirrors Included

Transparent roof cover

OTHER: Keep forklifts in a healthy mechanical condition at all times

Replace forklift if repair on issued forklift takes longer than 2 days to repair and return to service
Safety file required on delivery from the technician delivering forklifts : send to ERI SHEQ before delivery for approval
No oil leaks
No broken wires due to wear and tear
No exhaust smoking
Monthly inspections or statutory requirement/as per manufacturer's specifications
End-user from ERI to do pre-inspection of forklifts before delivery

Evidence required on delivery:
Test certificate
Load test certificate of forklifts
Technical maintenance/service history of forklifts
Confirmation of ownership of forklifts

Forklifts Specifications:

Item Number Two:-

Deliver & collect forklift
Maintain, repair/service forklift
Load testing of forklift on sight when applicable, during the course of contract **duration of 60 months/5 years**
Quantity : 1x 10 ton forklift
Wear and tear including damage repairs to be quoted as and when happens during contract duration
Diesel powered engine
Size/residual Capacity at Height 10000 kg
Forks 2.1m
Mast Lift Height V50 2 Stage 5000 mm
Mast Closed Height 2750 mm
90 Degree Stacking Aisle Width 4000 mm + Pallet + 200 mm
Height of Overhead Guard 2930 mm
Load Centre 1200 mm
Mast Free Lift 140 mm
Load Back Rest 1220 mm
Tyres Solids
Valve Bank 3 Way Valve Bank
Weight Indicator
Side shift side shifting hydraulic fork shifter E3A35
Multi Function Display Included
Brakes Foot Activated
System of Active Stability
Rear Pillar Assist Grip Included
Reverse Buzzer Included
Rotating Beacon Included
Road Ordinance Lights Front & Rear
Auto Fork Levelling
Air Cleaner Cyclone Dual Air Cleaner
Steering Column Adjustable
Fire Extinguisher Included
Mirrors Included
Transparent roof cover

OTHER: Keep forklifts in a healthy mechanical condition at all times
Replace forklift if repair on issued forklift takes longer than 2 days to repair and return to service
Safety file required on delivery from the technician delivering forklift : send to ERI SHEQ before delivery for approval
No oil leaks

No broken wires due to wear and tear
No exhaust smoking
Monthly inspections or statutory requirement/as per manufacturer's specifications
End-user from ERI to do pre-inspection of forklifts before delivery

Evidence required on delivery:

Test certificate
Load test certificate of forklift
Technical maintenance/service history of forklift
Confirmation of ownership of forklift

Item Number Three:-

Deliver & collect forklift
Maintain, repair/service forklift
Load testing of forklift on sight when applicable, during the course of contract
duration of 60 months/5 years

Quantity : 1x 16 ton forklift

Wear and tear including damage repairs to be quoted as and when happens during contract duration

Diesel powered engine

Size/residual Capacity at Height 16000 kg

Forks 2.4m

Mast Lift Height V50 2 Stage 5000 mm

Mast Closed Height 2750 mm

90 Degree Stacking Aisle Width 4000 mm + Pallet + 200 mm

Height of Overhead Guard 2930 mm

Load Centre 1200 mm

Mast Free Lift 140 mm

Load Back Rest 1220 mm

Tyres Solids

Valve Bank 3 Way Valve Bank

Weight Indicator

Side shift side shifting hydraulic fork shifter E3A35

Multi Function Display Included

Brakes Foot Activated

System of Active Stability

Rear Pillar Assist Grip Included

Reverse Buzzer Included

Rotating Beacon Included

Road Ordinance Lights Front & Rear

Auto Fork Levelling

Air Cleaner Cyclone Dual Air Cleaner

Steering Column Adjustable

Fire Extinguisher Included

Mirrors Included

Transparent roof cover

OTHER: Keep forklifts in a healthy mechanical condition at all times

Replace forklift if repair on issued forklift takes longer than 2 days to repair and return to service

Safety file required on delivery from the technician delivering forklift : send to ERI SHEQ before delivery for approval

No oil leaks

No broken wires due to wear and tear

No exhaust smoking

Monthly inspections or statutory requirement/as per manufacturer's specifications

End-user from ERI to do pre-inspection of forklifts before delivery

Evidence required on delivery:

Test certificate
Load test certificate of forklift
Technical maintenance/service history of forklift
Confirmation of ownership of forklift

Item Four

Deliver & collect **electric stacker x1**
Maintain, repair/service electric stacker
Load testing of electric stacker on sight when applicable, during the course of **contract duration of 60 months/5 years**
Wear and tear including damage repairs to be quoted as and when happens during contract duration
Lifting height between 4m and 5m
AC Drive Motor
Charing equipment to be supplied by service provider, if installation is required, the cost will be borne by the service provider including its maintenance/repairs
No driver is required

For illustration purpose on the photo below, not brand specific



Center Rider Stacker

Low-level picking. Dock work. Narrow-aisle stacking. The Center Rider Stacker handles all of these and more. The versatile design enables it to perform the work of a center rider, order picker, and counterbalanced forklift – all in one. This delivers the ultimate utility and value in operations where it can replace some or all existing equipment.

Special Features

2,500 lb. Lifting Capacity
AC Drive Motor
Power Steering

NOTE: Any minor deviations from the above specifications on all forklifts/electric stacker can be discussed.

Lucky Manzini

07 August 2024