



prasa

PASSENGER RAIL AGENCY
OF SOUTH AFRICA

REQUEST FOR QUOTATION (RFQ)

RFQ NUMBER: KZN/CRES/11/2023/003/Q

REQUEST FOR QUOTATION (RFQ): THE APPOINTMENT OF A SERVICE PROVIDER FOR THE SUPPLY AND DELIVERY TOOLS FOR THE FACILITIES MANAGEMENT DEPARTMENT FOR A PERIOD OF 36 MONTHS.

SECTION 1: SBD1

PART A INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF PASSENGER RAIL AGENCY (PRASA)

BID NUMBER:	KZN/CRES/11/2023/003/Q	CLOSING DATE:	6 DECEMBER 2023	CLOSING TIME:	12:00PM
DESCRIPTION	THE APPOINTMENT OF A SERVICE PROVIDER FOR THE SUPPLY AND DELIVERY TOOLS FOR THE FACILITIES MANAGEMENT DEPARTMENT FOR A PERIOD OF 36 MONTHS.				

BID RESPONSE DOCUMENTS SHALL BE ADDRESSED AS FOLLOWS:

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS):

**65 MASABALALA YENGWA AVENUE
PRASA REGIONAL OFFICE FOYER AREA
HELPDESK
PRASA SCM
KWAZULU NATAL**

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO

CONTACT PERSON	Qiniso Makaluza
TELEPHONE NUMBER	031 813 0376
E-MAIL ADDRESS	Qiniso.Makaluza@prasa.com

SUPPLIER INFORMATION

NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No:	MAAA.....

<p>2.1 ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?</p> <p><input type="checkbox"/>Yes <input type="checkbox"/>No</p> <p>[IF YES ENCLOSE PROOF]</p>	<p>2.2 ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?</p>	<p><input type="checkbox"/>Yes <input type="checkbox"/>No</p>
		<p>[IF YES, ANSWER THE QUESTIONNAIRE BELOW]</p>

QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

- IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? YES NO
- DOES THE ENTITY HAVE A BRANCH IN THE RSA? YES NO
- DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? YES NO
- DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? YES NO
- IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? YES NO

IF THE ANSWER IS “NO” TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.

PART B: TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED – (NOT TO BE RE-TYPED) OR IN THE MANNER**
- 1.3. **PRESCRIBED IN THE BID DOCUMENT.**
- 1.4. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE.”

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID NVALID.

SIGNATURE OF BIDDER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

(Proof of authority must be submitted e.g., company resolution)

DATE:

NB:

- *Quotation(s) must be addressed to PRASA before the closing date and time shown above.*
- *PRASA General Conditions of Purchase shall apply.*

SECTION 2

NOTICE TO BIDDERS

1. RESPONSES TO RFQ

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

Proposals must reach the PRASA before the closing hour on the date shown on SBD1 above and must be enclosed in a sealed envelope.

2 COMMUNICATION

Respondent/s are warned that a response will be liable for disqualification should any attempt be made either directly or indirectly to canvass any SCM Officer(s) or PRASA employee in respect of this RFQ between the closing date and the date of the award of the business.

3 BIDDERS COMPLAINTS PROCESS

3.1 Bidders are advised utilize this email address (SCM.Complaints@prasa.co.za) for lodging of complains to PRASA in relation to this bid process. The following minimum information about the bidder must be included in the complaint:

- 3.1.1 Bid/Tender Description
- 3.1.2 Bid/Tender Reference Number
- 3.1.3 Closing date of Bid/Tender
- 3.1.4 Supplier Name
- 3.1.5 Supplier Contact details
- 3.1.6 The detailed compliant

4 LEGAL COMPLIANCE

The successful Respondent shall be in full and complete compliance with any and all applicable national and local laws and regulations.

5 CHANGES TO QUOTATIONS

Changes by the Respondent to its submission will not be considered after the closing date and time.

6 PRICING

All prices must be quoted in South African Rand on a fixed price basis, including all applicable taxes.

7 BINDING OFFER

Any Quotation furnished pursuant to this Request shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

8 DISCLAIMERS

PRASA is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that PRASA reserves the right to:

- Modify the RFQ's goods / service(s) and request Respondents to re-bid on any changes;
- Reject any Quotation which does not conform to instructions and specifications which are detailed herein;
- Reject Quotations submitted after the stated submission deadline or at the incorrect venue;

Should a contract be awarded on the strength of information furnished by the Respondent, which after conclusion of the contract, is proved to have been incorrect, PRASA reserves the right to cancel the contract.

PRASA reserves the right to award business to the highest scoring bidder/s unless objective criteria justify the award to another Respondent.

Should the preferred fail to sign or commence with the contract within a reasonable period after being requested to do so, PRASA reserves the right to award the business to the next highest ranked Respondent provided that he/she is still prepared to provide the required goods at the quoted price.

9 LEGAL REVIEW

Proposed contractual terms and conditions submitted by a Respondent will be subjected to review and acceptance or rejection by PRASA's Legal Counsel, prior to consideration for an award of business.

NB: PRASA shall use their discretion in appointing in the number of service Provider/s based on offers received.

10 NATIONAL TREASURY'S CENTRAL SUPPLIER DATABASE

Respondents are required to self-register on National Treasury's Central Supplier Database (CSD) which has been established to centrally administer supplier information for all organs of state and facilitate the verification of certain key supplier information. PRASA is required to ensure that price quotations are invited and accepted from prospective bidders listed on the CSD. Business may not be awarded to a respondent who has failed to register on the CSD. Only foreign suppliers with no

local registered entity need not register on the CSD. The CSD can be accessed at <https://secure.csd.gov.za/>.

11 PROTECTION OF PERSONAL DATA

In responding to this bid, PRASA acknowledges that it may obtain and have access to personal data of the Respondents. PRASA agrees that it shall only process the information disclosed by Respondents in their response to this bid for the purpose of evaluating and subsequent award of business and in accordance with any applicable law.

Furthermore, PRASA will not otherwise modify, amend or alter any personal data submitted by Respondents or disclose or permit the disclosure of any personal data to any Third Party without the prior written consent from the Respondents. Similarly, PRASA requires Respondents to process any personal information disclosed by PRASA in the bidding process in the same manner.

12 EVALUATION METHODOLOGY

PRASA will utilise the following criteria in choosing a Supplier/Service Provider, if so required:

EVALUATION CRITERIA	WEIGHTING
Stage 1 – Compliance	
Mandatory Requirements	
Stage 2	
Price	80
Specific Goals	20
TOTAL	100
Stage 3	
Other Mandatory Requirements	

13 ADMINISTRATIVE RESPONSIVENESS

The test for administrative responsiveness will include completeness of response and whether all returnable and/or required documents, certificates; verify completeness of warranties and other bid requirements and formalities have been complied with. Incomplete Bids will be disqualified.

14 VALIDITY PERIOD

14.1 PRASA requires a validity period of **60 Working Days** from the closing date.

14.2 Respondents are to note that they may be requested to extend the validity period of their response, on the same terms and conditions, if the internal processes are not finalized within the

validity period. However, once the delegated authority has approved the process the validity of the successful respondent(s)' bid will be deemed to remain valid until finalization of the of award.),

15 PUBLICATION OF INFORMATION ON THE NATIONAL TREASURY E-TENDER PORTAL

Respondents are to note that, bid awards, amendments and cancellations will be published on the e-tender portal and or media used to advertise the bid. For the award of business, PRASA is required to publish the prices and preferences claimed of the successful and unsuccessful Respondents *inter alia* on the National Treasury e-Tender Publication Portal, (www.etenders.gov.za), on CIDB website for construction related RFQ's.

16 RETURNABLE DOCUMENTS

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below. There are three types of returnable documents as indicated below and Respondents are urged to ensure that these documents are returned with the quotation based on the consequences of non-submission as indicated below:

16.1. Mandatory Returnable Documents

Failure to provide Mandatory Returnable Documents at the Closing Date and time of this RFQ will result in a Respondent's disqualification. Respondents are therefore urged to ensure that all documents are returned with their Quotations.

SECTION 3

1 EVALUATION CRITERIA:

Bidders are to comply with the following requirements and failure to comply may lead to disqualification.

Stage 1 – Mandatory Requirements

If you do not submit/meet the following mandatory documents/requirements, you be will automatically disqualified.

Only bidders who comply with stage 1 will be evaluated further.

No.	Description of requirement	
a)	Section 1 - Invitation to Bid (SDB 1) <i>Must be completed & duly signed</i>	
b)	Section 4 - Pricing and Delivery Schedule <i>Must be completed</i>	
c)	Section 6 - Declaration of Interest (SDB 4) <i>Must be completed & duly signed</i>	
d)	Section 8 - Bill of Quantities (BOQ) <i>Must be completed on all line items.</i>	
e)	Joint Venture / Consortium agreement / Trust Deed/ Confirmation in writing of their intention to enter into a JV or consortium agreement signed by all parties should they be awarded business by PRASA through this RFQ process (if applicable) <i>Must be completed & duly signed</i>	
f)	The supplier must submit in writing (on a signed company letterhead) with this document, acknowledging that: 1. The supplier will supply and deliver tools as per the technical specifications listed in the BOQ. 2. Products supplied will be SABS approved. <i>Failure will lead to automatic disqualification.</i>	
g)	Bidders to fill and sign the closing /submission register on submission of tender documents, failure to comply will result in a disqualification from the tender process. <i>Must be completed & duly signed</i>	

Stage 2 – Price and Specific Goals

The following formula, shall be used to allocate scores to the interested bidders:

The maximum points for this tender are allocated as follows:

DETAILS	POINTS
PRICE	80
SPECIFIC GOALS	20
TOTAL POINTS FOR PRICE AND SPECIFIC GOALS	100

FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

POINTS AWARDED FOR PRICE

THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

$$PS = 80 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)$$

Where:

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3 POINTS AWARDED FOR SPECIFIC GOALS

3.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)	Evidence required for specific goals
Black Women	10		Certified copy of ID Document of the owner
Black Youth	5		Certified copy of ID Document of the owner
People in the rural areas	3		Municipality / Eskom bill or letter from induna / chief confirming residential address not older than 3 months
Black persons with disabilities	2		Certified copy of ID of the owner's and Doctor's note confirming the disability
TOTAL	20		

- A CIPC Registration Documents/CSD Registration Report will be used to verify the above evidence.
- Points will be awarded/allocated on a proportional/pro-rata basis.
- Formula: Number of Points allocated x Percentage (%) owned = Number of Points Claimed

Stage 3 –Other Mandatory Requirements

If you do not submit/meet the following mandatory documents/requirements, PRASA may request the bidder to submit the information within five (5) working days. Should this information not be provided, your bid proposal will be disqualified. The document will be requested from the most responsive bidders/s.

No.	Description of requirement	
a)	Supply of valid SARS Pin	
b)	CSD supplier registration number	

SECTION 4
PRICING AND DELIVERY SCHEDULE

Respondents are required to complete the attached Pricing Schedule **Annexure:**

- 1 Prices must be quoted in South African Rand, inclusive of all applicable taxes.
- 2 Price offer is firm and clearly indicate the basis thereof.
- 3 Pricing Bill of Quantity is completed in line with schedule if applicable.
- 4 Cost breakdown must be indicated.
- 5 Price escalation basis and formula must be indicated.
- 6 To facilitate like-for like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being declared non-responsive.
- 7 Please note that should you have offered a discounted price(s), PRASA will only consider such price discount(s) in the final evaluation stage on an unconditional basis.
- 8 Respondents are to note that if price offered by the highest scoring bidder is not market related, PRASA may not award the contract to the Respondent. PRASA may:
 - 9 Negotiate a market-related price with the Respondent scoring the highest points;
 - 10 If that Respondent does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the second highest points;
 - 11 If the Respondent scoring the second highest points does not agree to a market-related price, negotiate a market-related price with the Respondent scoring the third highest points;
 - 12 If a market-related price is not agreed with the Respondent scoring the third highest points, PRASA must cancel the RFQ.

I / We _____ (Insert Name
of _____ Bidding _____ Entity) _____ of

_____ code

(Full address) _____ conducting business under the style or title of:
_____ represented by:
_____ in my capacity as:
_____ being duly

authorised, hereby offer to undertake and complete the above-mentioned work/services at the prices quoted in the bills of quantities / schedule of quantities or, where these do not form part of the contract,
at a lumpsum, of

R _____ (amount in numbers);

_____ (amount in words) (Year1 +Year2+Year3)

Incl. VAT.

DELIVERY PERIOD: Suppliers are requested to offer their earliest delivery period possible.

Delivery will be effected within working days from date of order. (To be completed by Service provider)

SECTION 5

PRASA GENERAL CONDITIONS OF PURCHASE

General

PRASA and the Supplier enter into an order/contract on these conditions to supply the items (goods/services/works) as described in the order/contract.

Conditions

These conditions form the basis of the contract between PRASA and the Supplier. Notwithstanding anything to the contrary in any document issued or sent by the Supplier, these conditions apply except as expressly agreed in writing by PRASA.

No servant or agent of PRASA has authority to vary these conditions orally. These general conditions of purchase are subject to such further special conditions as may be prescribed in writing by PRASA in the order/contract.

Price and payment

The price or rates for the items stated in the order/contract may include an amount for price adjustment, which is calculated in accordance with the formula stated in the order/contract.

The Supplier may be paid in one currency other than South African Rand. Only one exchange rate is used to convert from this currency to South African Rand. Payment to the Supplier in this currency other than South African Rand, does not exceed the amounts stated in the order/contract. PRASA pays for the item within 30 days of receipt of the Suppliers correct tax invoice.

Delivery and documents

The Supplier's obligation is to deliver the items on or before the date stated in the order/contract. Late deliveries or late completion of the items may be subject to a penalty if this is imposed in the order/contract. No payment is made if the Supplier does not provide the item as stated in order/contract.

Where items are to be delivered the Supplier:

Clearly marks the outside of each consignment or package with the Supplier's name and full details of the destination in accordance with the order and includes a packing note stating the contents thereof; On dispatch of each consignment, sends to PRASA at the address for delivery of the items, an advice note specifying the means of transport, weight, number of volume as appropriate and the point and date of dispatch; Sends to PRASA a detailed priced invoice as soon as is reasonably practical after dispatch of the items, and states on all communications in respect of the order the order number and code number (if any).

Containers / packing material

Unless otherwise stated in the order/contract, no payment is made for containers or packing materials or return to the Supplier.

Title and risk

Without prejudice to rights of rejection under these conditions, title to and risk in the items passes to PRASA when accepted by PRASA.

Rejection

If the Supplier fails to comply with his obligations under the order/contract, PRASA may reject any part of the items by giving written notice to the Supplier specifying the reason for rejection and whether and within what period replacement of items or re-work are required.

In the case of items delivered, PRASA may return the rejected items to the Supplier at the Supplier's risk and expense. Any money paid to the Supplier in respect of the items not replaced within the time required, together with the costs of returning rejected items to the Supplier and obtaining replacement items from a third party, are paid by the Supplier to PRASA.

In the case of service, the Supplier corrects non-conformances as indicated by PRASA.

Warranty

Without prejudice to any other rights of PRASA under these conditions, the Supplier warrants that the items are in accordance with PRASA's requirements and fit for the purpose for which they are intended, and will remain free from defects for a period of one year (unless another period is stated in the Order) from acceptance of the items by PRASA.

Indemnity

The Supplier indemnifies PRASA against all actions, suits, claims, demands, costs, charges and expenses arising in connection therewith arising from the negligence, infringement of intellectual or legal rights or breach of statutory duty of the Supplier, his subcontractors, agents or servants, or from the Supplier's defective design, materials or workmanship.

The Supplier indemnifies PRASA against claims, proceedings, compensation and costs payable arising out of infringement by the Supplier of the rights of others, except an infringement which arose out of the use by the Supplier of things provided by PRASA.

Assignment and sub-contracting

The successful Respondent awarded the contract may only enter into a subcontracting arrangement with PRASA's prior approval. The contract will be concluded between the successful Respondent and PRASA, therefore, the successful Respondent and not the sub-contractor will be held liable for performance in terms of its contractual obligations.

Governing law

The order/contract is governed by the law of the Republic of South Africa and the parties hereby submit to the non-exclusive jurisdiction of the South African courts.

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

2.2.1 If so, furnish particulars:

.....
.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:

.....
.....

3 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

3.1 I have read and I understand the contents of this disclosure;

3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;

3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.

3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.

3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature	Date
.....
Position	Name of bidder

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included).

1.2 The applicable preference point system for this tender is the 80/20 preference point system.

(a) The lowest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and Specific Goals	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) “**tender**” means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) “**price**” means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) “**rand value**” means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) “**tender for income-generating contracts**” means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) “**the Act**” means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

POINTS AWARDED FOR PRICE

THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20

$$Ps = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right)$$

Where:

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmin = Price of lowest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the

purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

(a) an invitation for tender for income-generating contracts, that the 80/20 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

(b) any other invitation for tender, that the 80/20 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where the 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)	Evidence required for specific goals
Black Women	10		Central Supplier Database (CSD) Report to be utilized
Black Youth	5		Central Supplier Database (CSD) Report to be utilized
People in the rural areas	3		Municipality / Eskom bill or letter from induna / chief confirming residential address not older than 3 months
Black persons with disabilities	2		Certified copy of ID of the owner's and Doctor's note confirming the disability
TOTAL	20		

- **A CIPC Registration Documents/CSD Registration Report will be used to verify the above evidence.**
- **Points will be awarded/allocated on a proportional/pro-rata basis.**
- **Formula: Number of Points allocated x Percentage (%) owned = Number of Points Claimed.**

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

4.5. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole propriety
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –

(a)disqualify the person from the tendering process;

(b)recover costs, losses or damages it has incurred or suffered as a result of that person’s conduct;

(c)cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;

(d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and

(e) forward the matter for criminal prosecution, if deemed necessary.

.....

SIGNATURE(S) OF TENDERER(S)

SURNAME AND NAME:

DATE:

ADDRESS:

.....

.....

.....

.....

SECTION 7

SPECIFICATION/SCOPE OF WORK

The general nature of the scope for this project is envisaged to include the supply and delivery of Facilities Management tools, which includes all its departments, BBS, EL&P and cleaning for a period of 36 months as per the attached BOQ.

Supply and delivery of new tools and equipment.

All tools and equipment delivered must be SABS approved.

All tools and equipment must be as per the attached BOQ item specifications.

No tools and equipment will be accepted if it does not comply with the specifications.

Payment

Payment will only be made once the entire items on the BOQ have been successfully delivered and certified by the project manager.

Commencement and Duration of Contract

This is a 36-month as and when contract.

BOQ/ PRICING SCHEDULE

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
1	Industrial wet and dry vacuum	Max. power output: 1.5W Suction hose: 3m Weight kg: 12.1kg Container volume: 30lt	1			
2	High pressure washer	Operating pressure: 135bar Maximum pressure: 150bar Min. water throughput: 420lt/hr Maximum water throughput: 500lt/hr Max. water supply temperature: 40°C Weight: 21.2kg Sound power level: 86 dB(A) Power cable length: 5m Vibration level left: 1.3m/s ² Vibration level right: 1.3m/s ² Mains voltage: 230V High-pressure hose length: 9m	1			
3	Prunner	Rollomatic: E Cutting length: 30cm Weight: 7.86kg Capacity: cm ³ Performance: 1.4kW Tank volume: 0.53lt Weight: 7.9kg Anti vibration system: Standard AV-System Chain pitch: 1/4"P,3/8"P Oil tank volume: 220cm ³ EPA Certified fuel consumption: 0.765lt/hr Sound power level: 109dB(A)	1			
4	Petrol Chainsaw	Displacement: 121.6 cm ³ Power output: 5,6/7,6 kW/bhp Power-to-weight ratio: 1.8 kg/kW Saw chain pitch: 404"	1			
5	Brush cutter	Capacity: 38.9cm ³ Performance: 1.9kW Weight: 7.9kg Cutting circle diameter: 420mm Cutting Attachment: Brush knife 300-3 Fuel tank capacity: 0.58lt Colour: Orange,white FS 235 petrol brushcutter	1			
6	Leaf Blower BR420	Performance: 2,6kW Weight: 9,1kg Capacity: 56,5cm ³ Max. air throughput: 1.26m ³ /h Blowing force: 19N Tank volume: 1.5lt Max. air speed: 95m/s EPA Certified fuel consumption: 1.331lt/hr Sound pressure level: 101dB(A) Sound power level: 109dB(A)	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
7	Leaf Blower SH86	Capacity: 27.2cm ³ Weight: 4.4kg Performance: 0.8kW Blowing force: 15N Max. air throughput: 810m ³ /hr Tank volume: 0.44lt Max. air speed: 76m/s Sound power level:106 dB(A) Sound pressure level: 93dB(A) EPA Certified fuel consumption: 0.44-0.442lt/hr Sound power level: 104dB(A)	1			
8	Carpet Cleaner BRC 40/22 C	Area performance (deep cleaning / intermediate cleaning iCapsol): 500 / 900m ² /hr Air flow: 47lt/s Vacuum: 290/29(mbar/kPa) Spray pressure for intermediate cleaning: 3,5bar Spray pressure for deep cleaning: 7bar Spray rate for intermediate cleaning: 0.38lt/min Spray rate for deep cleaning: 2.5lt/min Working width, vacuuming: 48cm Tank of fresh/dirty water: 22/19lt Turbine capacity: 1200W Motor rating of brush motor: 400W Weight without accessories: 44.5kg Weight incl. packaging: 50,5kg Dimensions (L x W x H): 889 x 470 x 1118mm	1			
9	166-piece Tool Set (7386632)	Screwdriver & screwdriver bits, Combination pliers Hex keys, pliers & punches, Supplied in aluminium tool case, Size: 166-Piece, Weight: 13.4 kg & Dimensions: 505mm(L) x 285mm(W) x 275mm(H)	1			
10	Shifting spanner size 150	Carbon steel, with rust resistant black finish, Tension Spring Stabilizes Jaw and Knurl Adjusts Easily	1			
11	Pop rivets gun consenter and hand one	Heavy duty epoxy coated frame with nose cone spanner, 2.4-4.8mm	1			
12	Screw drivers set	Insulated Screwdrivers, Plastic Tray Sets, Screwdrivers, Sets, Toolboxes 4 x Insulated Phillips Screwdriver: PH.0, PH.1, PH.2, PH.3 7 x Insulated Slotted Screwdriver: 2.5, 3, 3.5, 4, 5.5, 6.5, 8 1 x Adjustable Non-Contact Wire Tracer	1			
13	Pipe wrench small 450mm	Pipe Wrench - 450mm straight plumbing wrench with adjustable jaw.	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
14	Extension cables 30meters	30 METER BLACK CABLE 1.5 MM, METAL BODY, DOUBLE 16A SOCKET	1			
15	Portable water pump	Engine Type: Over Head Valve Net Power (SAE J1349): 3.6kW (4.8HP) Fuel Consumption, L/h:1.4 Fuel Tank Capacity, L:3.1 Oil Capacity, L:0.58 Inlet/Outlet Port Diameter (inches): 50.8mm x 50.8mm Powering Engine: GP160	1			
16	Small jack hammer hilt	Breaker TE 300-AVR 230V #386054 Working direction: wall Single impact energy: 3.3J Full hammering frequency: 4080 impacts/minute Max. chiselling performance: 350 cm ³ /min Dimensions (LxWxH): 379 x 93 x 215 mm Triaxial vibration for chiselling in concrete: 11.0 m/s ² 1	1			
17	Cordless drill	18V XR Compact hammer drill driver in TSTAK Battery capacity: 1.5Ah colour: black and yellow Two speed setting, variable and reverse switch for maximum control. Carry case, with charger 2 x 1.5Ah rechargeable batteries	1			
18	Cordless Hammer drill	Cordless brushless SDS plus rotary Hammer Drill kit - 4AH Basic colours: yellow, black 18V, SDS chuck Carry case, with charger and rechargeable battery	1			
19	Wood planer (742139)	PL-850 Planer - Blue/Black (850W) planing depth=2.5 planing width=82 rebate capacity=11 Aluminium front and rear base. • Ergonomic soft grip handle design and large lock on button for more user comfort. • Planing depth dial for exact operation and cutting depth. • Dual side dust extraction. • No load speed: 17 000min-1.	1			
20	Angler grinder small electric	Cordl. angle grinder AG 4S-A22-125 case #2206610 22V cordless angle grinder with electronic speed control and brushless motor for everyday cutting and grinding with discs up to 5" or 125 mm Rated voltage: 21,6 V Disc diameter: 125 mm Max. cutting depth: 34 mm	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
21	Water pump pliers	Code: 121/315mm A3, Water Pump Pliers (315mm)	1			
22	Pipe wrench small and big to 600mm (317724)	THIS WRENCH HAS SERRATED JAWS, ONE OF WHICH IS PIVOTED ON THE HANDLE TO CREATE A STRONG GRIPPING ACTION ON THE WORK.	1			
23	Spirit level (540-112)	Type 70 Standard Duty Spirit Level (1200mm)	1			
24	Spirit level 450mm	Material: Aluminium Length: 450mm	1			
25	Spade	Spade No2 MHSS FG00500	1			
26	pick head	Size: 35mm, Colour: Black, Material: Carbon Steel	1			
27	Strap spanners	Strap wrench 285mm for 200mm diameter (Ø)	1			
28	Fiberglass Step Ladder (10 Ft.) for working height up to 14 Ft	Full Fibreglass Step Ladder Industrial Duty Rated Closed Height 3000mm(H) 10 Steps Ideal for Professional, Commercial or Home use Heavy Duty Yellow Fibreglass Stiles (GPR) Wide Extruded Fibreglass Treads Fibreglass Stiles and Treads are Non-Conductive Treads are Double Riveted for Extra Strength Bottom Treads are Braced for Extra Rigidity Anti-slip "Boots" for added Safety and Stability Options Include Stainless Steel Riverts Maximum Static Vertical Load – 175Kgs Load Rating 135Kgs	1			
29	Shifting spanner set 250mm	wrench adjustable/shifter 250mm	1			
30	Leak elector vibrations sound	Probe sensitivity is-60DDB. Applicable Battery: Lithium battery 3.7V, battery model 501518, battery capacity 100mAh (delivered with bBuilt in battery). Strong Penetrability: The water pipe detector has strong penetrability, whether it is water pipe, cement pipe or steel pipe, it can play a very good effect. Weight: Approx. 70g / 2.5oz Current Consumption: 12mA Applicable Battery: Lithium Battery 3.7V (Delivered with Built in Battery) Battery Model: 501518 Battery	1			
31	Wood saws	Hand Saw 899 550mm 11pt Fg017	1			
32	Drain rod plunge + spring	Drain Rod 8mm x 1m High Tensile Spring Steel	1			
33	Drain rods steel set	25 pieces 2m x 89mm drain rods, 89mm double corkscrew, 89mm Drop Scraper, 100mm Rubber Plunger, 100mm Wire Brush, Assemble Spanner, Rotating Handle, Bar Turning Handle, 89mm Root Auger	1			
34	Bush knife	Knife Cane Short Narrow FG02160	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
35	Slashers	Grass Slasher Poly Handle · Weight: 830mm · Length: 830mm · Width: 40mm · Height: 60mm · Hardened & tempered high-quality carbon steel blades	1			
36	Crowbar big	Wrecking Bar 20x450mm	1			
37	Wood chisel set (GC1045)	4 piece Wood Chisel Set	1			
38	Welding Machine	Code 6-10001381, Input voltage 230v single phase, input voltage frequency= 50/60Hz, rated input power= MMA 5.3KVA/TIG 3.3, Capacity KVA, Rated input current=MMA 24A/TIG 15A, No load Voltage= 55v, Output current= 10-160A, Rated Output Voltage= MMA 26.4V/TIG 16.4A, Duty cycle %= 60%, ARC-striking= High Frequency, Efficiency 85%, Power Factor= 0.93, Insulation Class= F, Protection Class+ IP21S	1			
39	Shifting spanner set 300mm	Adjustable Wrench (300mm)	1			
40	Pipe wrench small 200mm (GED645303)	For heavy duty applications, Cast handle, Drop forged hook, hardened and tempered, Selected carbon steel, Jaw teeth induction hardened, Malleable cast iron handle, Blue epoxy powder coated	1			
41	Pipe wrench small 300mm (GED645044)	Drop forged hook, hardened and tempered, Selected carbon steel, Jaw teeth induction hardened, Malleable cast iron handle, Blue epoxy powder coated	1			
42	Bolt Cutter (GB0501)	600mm Bolt Cutter	1			
43	Chain Block one ton	CHAIN BLOCK 1 TON X2.5M LIFT H/D - HEAVY DUTY	1			
44	Chain Block Two ton	CHAIN BLOCK 2 TON X3.0M LIFT H/D - HEAVY DUTY	1			
45	Slings and Shackle	13mm bow shackle Galvanised and Lifting web slings yellow 3ton two layers	1			
46	Castor and Ladder mobile platform	Scaffolding in a pinch, ideal for when space is an issue. The multitool of scaffolding, this mobile platform is easy to use built with heavy-duty in mind. Ready for small contractors. Industrial Duty Rated Load Rated for two men and hand tools Fits through a standard doorway in the lowered position Maximum extended platform height: 1.8m Height adjustment in 0.30m rises Heavy-duty extruded aluminum construction Aluminum frame platform with plywood deck 100mm rubber castors, 2 brake & 2 swivels	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
47	Pipe wrench small 150	Adjustable Wrench (150mm)	1			
48	Trista vice Tripod	Min working height 960mm (to top of base plate) Max working height 1350mm Including Vice	1			
49	Electric drill	Corded two-speed, high-rpm drill driver for metal applications Chuck clamping range: 2 - 13 mm No load RPM: gear 1: 1200 rpm; gear 2: 3300 rpm Maximum torque (soft/hard joint): 51 Nm (soft joint)	1			
50	Electric SDS drill with carry case	GBH 2-26 PROFESSIONAL ROTARY HAMMER WITH SDS PLUS In carrying case with auxiliary handle Impact rate at rated speed: 0 – 4,000 bpm Rated speed: 0 – 900 rpm Rated input power: 830 W Impact energy (according to EPTA 05/2016): 2.7 J Voltage, electrical: 230 V Weight: 2.7 kg Tool holder: SDS plus Drilling dia. concrete, hammer drill bits: 4 – 26 mm Opt. appl. range concrete, hammer drill bits: 8 – 16 mm Drilling diameter in concrete with core cutters: 16 – 68 mm Max. drilling diameter in metal: 13 mm Max. drilling diameter in wood: 30 mm	1			
51	8" Combination pliers	Set Type ESD Set Contents Cutters, Knife, Pliers, Screwdriver, Wrench Number of Pieces 20 Storage Type Case Insulating Material Nylon 11 Applications Any electrical application Working Voltage 1,000V Tested Voltage 10,000V Tool Case Dimension 488mm x 401mm x 150mm	1			
52	6" Snipe Nose Pliers	Set Type ESD Set Contents Cutters, Knife, Pliers, Screwdriver, Wrench Number of Pieces 20 Storage Type Case Insulating Material Nylon 11 Applications Any electrical application	1			
53	6" Diagonal Cutters	Chrome molybdenum steel / Hardness 38 -44 HRC Cutting edge - induction hardness 58 - 62 HRC General uses - mild steel hdc205h - Piano wire	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
54	38 Cable Shear	Max diameter cable 7mm Max cross section 38mm ² Overall length 215mm Head 60mm Not suitable for cutting steel wired armoured cables	1			
55	10" Groove Joint Piers	insulated Yes handle Multi-component grips knurled grip No nose Flat VDE approved No guarantee Lifetime warranty Lifetime length 366 mm	1			
56	VDE, Slotted Screwdriver Set, 7-Piece	Screwdriver Type VDE Number of Pieces 7 Tip Type Phillips, Slotted Tip Size Phillips: PH0' PH1' PH2, Slotted: 2.5' 4.5' 5.5' 6.5 mm	1			
57	13 x Allen Key Set Hand tool Long Arm	product type: Hex keys product Long Arm Hex Key Set 13 piece code 057-08AL SABS approved Yes material Chrome vanadium	1			
58	Wire stripper	Size: 6"/160mm Black finish and polish Insulated handle Stand high pressure: 1000V Packed by PP hanger Size: 8/200Mm Black Finish And Polish Insulated Handle Stand High Pressure: 1000V Packed By Pp Hange	1			
59	10Pc Torx-Security Set T9-T50 Cr-V Carded	10Pc Torx-Security Set T9-T50 Cr-V Carded Ean code 6009675086733 Gross weight (kg) 0.30 Product width in cm 10.50 Product depth in cm 24.00 Product height in cm 1.60	1			
60	Nut Driver Set - 1000V	Fully insulated for heavy for professional use up to 1000v AC working EN60900 Specially designed as a nut driver with a tube 6 Sizes: 13mm, 10mm, 8mm, 7mm, 6mm and 5mm New soft grip handle for maximum torque	1			
61	SFC 22-A Cordless Drill Driver	Maximum torque (soft/hard joint)28 Nm (soft joint), 55 Nm (hard joint)No load RPMgear 1: 600 rpm; gear 2: 1800 rpmChuck clamping range2 - 13 mmNumber of gears2Torque increments15Dimensions (LxWxH)202 x 92 x 234 mmTool body weight1.31 kgA-weighted emission sound pressure level69 dB (A) 1Triaxial vibration value for drilling into metal (ah,D)2.00 m/s ² 2Rated voltage21.6 V	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
62	AG 4S-A22 CORDLESS ANGLE GRINDER	Cordl. angle grinder AG 4S-A22-125 case #2206610, Rated voltage 21,6 V, Disc diameter 115 mm Max. cutting depth 34 mm No load RPM gear 1: 3400 rpm; gear 2: 3800 rpm; gear 3: 4400 rpm; gear 4: 5200 rpm; gear 5: 6300 rpm; gear 6: 7600 rpm Trigger type Lockable on / off Dimensions (LxWxH) 306 x 85 x 138 mm A-weighted emission sound pressure level 81.5 dB (A) 1 Triaxial vibration value for angle grinding (ah,AG) 4.7 m/s ² 2 Disclaimer Use the specified guard for the type of disc selected Weight according to EPTA Procedure 01/2003 3.11 kg	1			
63	TE 3000-AVR HEAVY-DUTY ELECTRIC JACKHAMMER	Working direction Floor Tool chuck type: TE-S Weight according to EPTA Procedure 01/2003: 14.5 kg, Single impact energy: 35 J Full hammering frequency 1860 impacts/minute Max. chiselling performance: 14200 cm ³ /min Dimensions (LxWxH): 731 x 574 x 146 mm, Triaxial vibration for chiselling in concrete: 4.8 m/s ² 1 Rated Input Power: 2100W	1			
64	Grinder GA9040SK01 230mm 2600W	Continuous rating input 2,600W Wheel diameter 230mm No load speed (r/min): 6,600r/min Dimensions (L x W x H): 503 x 250 x 140mm Net weight: 6.7kg Power supply cord: 2.5m	1			
65	TE 30-AVR ROTARY HAMMER	Weight according to EPTA Procedure 01/2003 4.2 kg Working mode Hammer drilling, Drilling, Chisel setting, Chiselling Hammer drilling diameter range 4 - 28 mm Optimum hammer drilling range 10 - 20 mm Single impact energy 3.6 J Hammer drilling RPM 1100 rpm Full hammering frequency 4500 impacts/minute Functionality Active Vibration Reduction (AVR), Chiselling, Removable chuck, Reverse mode, Depth gauge Triaxial vibration value for hammer drilling into concrete (ah,HD) 9.3 m/s ² 1 Triaxial vibration for chiselling in concrete 9.3 m/s ² 2 A-weighted emission sound pressure level 92 dB (A) 3 Dimensions (LxWxH) 371 x 113 x 225 mm	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
66	Hacksaw	Hacksaw Flush Adjust 390mm blade size 300 mm blade material Bi-Metal handle material CAST ALUMINIUM length 147 mm	1			
67	Hacksaw - 1000V	Heavy , ergonomical, professional metal hacksaw Non-slipping two component safety soft handle 300mm width blades	1			
68	Ball pen Hammer 900g	SKU 2b5a5f7b Ean code 6009515854874 Gross weight (kg) 1.21 Product width in cm 12.70 Product depth in cm 3.80 Product height in cm 37.50	1			
69	Ball pen hammer 700g	SKU 44929064 Gross weight (kg) 0.97 Ean code 6009515854867 Product width in cm 11.80 Product depth in cm 3.40 Product height in cm 36.80	1			
70	Measuring Wheels	Product width: 13cm Product depth: 33cm Product height: 53cm	1			
71	Bush Knife	Warranty Type Limited Item Depth (mm) 602 Item Height (mm) 14 Item Length (mm) 60.2 Item Width (mm) 62	1			
72	Slasher Knife	product type Slashers product Slasher Grass Poly Handle FG02300 product use Slashing grass and other regrowth colour Black model FG02300 width 60 mm height 830 mm SKU weight 0.5 kg	1			
73	4 Pound Hammer	Club Hammer Suregrip Handle 1.1kg code FG05213 material Steel and polypropylene handle material Suregrip length 100 mm width 50 mm height 300 mm SKU weight 1.44 kg	1			
74	Bridge Ellen Key 14mm	Item Depth (mm) 300 Item Height (mm) 680 Item Width (mm) 700	1			
75	Instant Gazebo 400	4.5m by 3m hipping Weight: 16 kg Frame Structure: Black powder coated steel Material: 420D + silver coated oxford fabric with water repellent Includes: Stability ropes, pegs and 1pc carry bag	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
76	Fish Tape steel	Product label FISH TAPE STEEL 50 METERS Product width in cm 29 Product depth in cm 32 Product height in cm 36.5	1			
77	Fish Tape Nylon	ITEM CODE -JA0020 MATERIAL – NYLON LENGTH – 30M	1			
78	Socket Set	SABS approved: Yes set quantity: 46 application size: 288 x 142 x 45mm socket type: Standard and deep drive type: 1/4 Drive socket points: 6 point operation: Manual	1			
79	Head Lamp LED	Product label Litepro Product width in cm 10.50 Product depth in cm 14.50 Product height in cm 15.50	1			
80	Extention cord	40m,16A 250V,3500Watts Max,3core 2.5mm ²	1			
81	Hydrolic crimper	Insulated Yes handle Multi-component grips knurled grip No nose Flat length 366 mm guarantee Lifetime	1			
82	Spades	Shovel Round Nose Heavy duty MB2 MHSS FG00415	1			
83	Wheel barrow	"ColourGreen Product Weight: 10.7 kg Product Dimensions1,445mm(L) x 620mm(W) x 515mm(H)	1			
84	Packaging strapping tool	Strap width: 13 - 19mm Strap thickness: 0.4 - 0.9mm Weight: 1.4 kg	1			
85	TOOL BAG FATMAX BACKPACK	Rating: Industrial Length: 360 mm Height: 460 mm Width: 270 mm	1			
86	Labeling machine	Fonts - 3, Font Styles - 10, Font Size - 3, Brother, Symbols - 253, Frames - 15, Deco Mode - 15 designs, Auto Designs - 9 plus random, Label Memory - 720 Characters (9 areas x 80 chars), Horizontal Alignment - Auto: left aligned; Preset: Centre aligned, Multiple Line Printing - Max 2 Lines, Vertical Text Printing - Yes, Print Preview - Yes, Languages - 20	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
87	Walkie talkie - SFE S618 UHF Licence free Portable Two-Way Radio	16 Channels 5 Watt RF Output Range 3 - 5 km Internal VOX Function with 10 levels QT and DQT Signalling, plus DTMF Encode Supplied with KRA-27M Antenna, KNB-63L Li-Ion Battery and KSC-35 Rapid Battery Charger	1			
88	Tape measure 5m	Size: 5M Model: STHT33194-8 Product Weight: 0.02 kg Product Dimensions: 145mm(L) x 90mm(W) x 40mm(H)	1			
89	Tape measure 8m	Size: 8M Product Weight: 0.03 kg Product Dimensions: 153mm(L) x 90mm(W) x 50mm(H)	1			
90	Cable Knife	5 blade position Retracable Stanley knife Blade storage inside handle Interlock nose locking system Knife supplied with three blades	1			
91	Fiberglass Extension Ladder 10.8m (28 Ft.)	Max-weight: 135kg Max-weight-type: Industrial Ladder Type: Fibreglass Ladder Ladder-style: Extension Ladder Castor & Ladder	1			
92	Fiberglass Step Ladder (10 Ft.) for working height up to 14 Ft	Full Fibreglass Step Ladder Industrial Duty Rated Closed Height 3000mm(H) 10 Steps Ideal for Professional, Commercial or Home use Heavy Duty Yellow Fibreglass Stiles (GPR) Wide Extruded Fibreglass Treads Fibreglass Stiles and Treads are Non-Conductive Treads are Double Riveted for Extra Strength Bottom Treads are Braced for Extra Rigidity Anti-slip "Boots" for added Safety and Stability Options Include Stainless Steel Riverts Maximum Static Vertical Load – 175Kgs Load Rating 135Kgs	1			
93	2x 5 Steps Aluminium Step ladder 1.32m open length	Number of Treads 2 x 5 Stiles Material Aluminium Tread Material Aluminium Open Length 1.32m Weight 8.4kg	1			
94	3 Piece File Set	product type: Files Afile D200F3 3 Piece File Set - Black/Blue (200mm) code: D200F3 pieces: 3	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
95	Whole saw set	product type: Holesaw drill bits TCHSK13J 13 Piece Hole Saw Set Tork Craft product use: Cutting set quantity: 13 bit diameter: 19mm, 22mm, 29mm, 35mm, 38mm, 44mm, 54mm, 57mm, 64mm maximum cutting depth: 38mm product material: High-speed steel	1			
96	Security LED Hand-Held Spotligh	product type: Hand-held spotlights product Leisurequip Security LED Hand-Held Spotlight - Black/Yellow colour Black/Yellow code MQ8431 bulb type LED lumens 100 battery life 24 hours batteries included No battery size D number of batteries 4 length 190 width 110	1			
97	Petrol Generator 2.5kW FBG2800CX	Engine: 4 stroke OHV Rated: 7HP Fuel: Unleaded Fuel tank: 15 Liter Voltage: 230V Frequency: 50Hz Power factor: 1,0 Rated output: 2.5kW Maximum output: 2.8kW	1			
98	Generator 5500W 4-Stroke Key Start	fuel tank capacity: 21lt engine displacement (cc): 389cc engine type: 4-stroke air-cooled power factor (watts): 5500W power (kVA): 6.9kVA max rated ouput - 1000m above Sea level: 6900kVA power outlets: 2 current (Amps): 21.7A runtime: 8 starting method: Key start battery charging: Yes	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
99	179 True RMS Compact Digital Multimeter	179 TRMS Digital Multimeter with temperature readings Voltage DC Accuracy $1 \pm(0.09\% + 2)$, Max. resolution 0.1 mV, Maximum 1000 V Voltage AC Accuracy $1 \pm(1.0\% + 3)$, Max. resolution 0.1 mV, Maximum 1000 V Current DC Accuracy $1 \pm(1.0\% + 3)$, Max. resolution 0.01 mA, Maximum 10 A Current AC Accuracy $1 \pm(1.5\% + 3)$, Max. resolution 0.01 mA, Maximum 10 A Resistance Accuracy $1 \pm(0.9\% + 1)$, Max. resolution 0.1 Ω , Maximum 50 M Ω Capacitance Accuracy $1 \pm(1.2\% + 2)$, Max. resolution 1 nF, Maximum 10,000 μ F Frequency Accuracy $1 \pm(0.1\% + 1)$, Max. resolution 0.01 Hz, Maximum 100 kHz Temperature Accuracy $1 \pm(1.0\% + 10)$, Max. resolution 0.1 $^{\circ}$ C, Range -40 $^{\circ}$ C / 400 $^{\circ}$ C	1			
100	TESTER EARTH LEAKAGE AC 230V TOP - 3 PIN ELCB SOCKET TESTER	<ul style="list-style-type: none"> • Socket • ELCB Tester/Polarity • Live on earth indication (LCD Display) • Identifies 6 wiring conditions • Earth tripping function • Floating earth detection • Ready-board compatible • LCD displays a floating earth when wiring is incorrect and brass knob is touched • Designed to SANS 10142 	1			
101	Digital Clamp Multimeter 302+ AC / DC High Precision	AC current Range 400.0 A, Accuracy 1.8% \pm 5 AC voltage Range 400/600, Accuracy 1.5% \pm 5 DC voltage Range 400/600, Accuracy 1.5% \pm 5 Resistance Range 4000 Ω , Accuracy 1% \pm 5 Continuity \leq 70 Ω Backlight display Yes Data hold Yes Jaw size 30 mm Safety rating CAT III 600 V Temperature 0 ~ 40 $^{\circ}$ C Screen refresh rate > 2 times / sec. Test leads TL75 Battery 2 AAA batteries Warranty 2 years	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
102	T150, LCD Voltage tester, 690V, Continuity Check, Battery Powered, CAT III 690V	Maximum Voltage 690V Continuity Check Yes Safety Category CAT III 690 V, CAT IV 600V Display Type LCD RCD Trip Test Yes IP Rating IP64 Battery Type AAA Power Source Battery Dimensions 260 x 70 x 38mm Weight 280g Height 38mm Length 260mm Model Number p T150 Width 70mm	1			
103	Insulation Tester (MIT320)	Tester Type Insulation & Continuity Tester Minimum Test Voltage 250V Maximum Test Voltage 1000V dc Maximum Insulation Resistance Measurement 999MΩ Display Type Digital Test Current 1mA Battery Life 5000 5-Second Tests Minimum Operating Temperature -10°C, Maximum Operating Temperature +60°C Power Source Battery Safety Category Level CAT III Battery Type AA Weight 980g, Safety Category Voltage 600V, Safety Category CAT III 600V, Model Number p MIT320	1			
104	Portable Cable fault locator - EZ-THUMP 12 kV, model V3	Compact, light, and rugged field instruments Battery and AC line operation Automatic end-of-cable and fault locating 4 kV or 12 kV output versions available Transflective colour display ARM prelocation Fault pinpointing (thumping)	1			
105	Voltage Tester	AC Operating Voltage: 120 - 250V	1			
106	Weeder fork	Removing weeds Colour Grey handle material: Plastic material: Steel Ideal for planting and transplanting Guarantee: 2-year	1			
107	Prunning Shears	Pruning shears product Garden Master Flower Pruner GP1503SGM product use: Trimming and pruning Colour: Black/Orange, handle material: Thermoplastic rubber finish: Tempered material Steel Length: 237mm, Width: 108mm Height: 24mm, SKU weight: 0.15kg	1			

ITEM NO	DESCRIPTION	SPECIFICATION	QTY	RATE YEAR 1	RATE YEAR 2	RATE YEAR 3
108	Garden master bypass pruner	Bypass Pruner - Black/Orange GP-1003, product use: Trimming and pruning, colour: Orange, Handle material: Rubber finish, Tempered material Steel, length: 280mm, width: 100mm, height: 33mm, SKU weight: 0.28kg, Weight 18.4 kg	1			
109	3 prong ladies fork	Product use: Turning soil Colour: Black Handle material: Polypropylene Weight: 1.5kg, Height: 1010mm, Length: 220mm, Width: 10mm Whole metal construction resistant to bending and breakages.	1			
110	Laser Distance Measure Tape	Laser diode: 650 nm, < 1 mW Measurement range: 0.08 – 120.00m, Laser class 2 Measurement accuracy, typical: ± 1.5 mm* (*plus use-dependent deviation), Measurement range of incline measurement: 0 – 360° (4 x 90°), Measuring accuracy (typical): ± 0.2°* (*plus use-dependent deviation), Measurement time, typical: < 0.5 s, Measurement time, max.: 4 s, Power supply: 1 x 3.6 V Li-Ion battery (3120 mAh) Automatic deactivation: 5 min Weight, approx.: 0.21 kg Units of measurement: m/cm/mm/ft/inch/ft-inch Memory capacity (values): 50 Dust and splash protection: IP 54 Tripod thread: 1/4", Digital viewfinder: integrated, Data transfer: Bluetooth™ 4.2 Low Energy, Laser colour: Red	1			
			Sub-Total			
			VAT @15%			
			Total			

Please note that the service provider shall calculate the total for the three years using the 1st, 2nd and 3rd year rates.

Total = R _____