



prasa
PASSENGER RAIL AGENCY
OF SOUTH AFRICA

REQUEST FOR QUOTATION (RFQ)

RFQ NUMBER: [A&WFIREM-NGR/11/24]

REQUEST FOR QUOTATION (RFQ) FOR THE *AS AND WHEN: FIRE EQUIPMENT WORKS MAINTENANCE CONTRACT IN THE NORTHERN GAUTENG REGION FOR A PERIOD OF 12 MONTHS*

SECTION 1: SBD1**PART A INVITATION TO BID****YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF PASSENGER RAIL AGENCY (PRASA)**

BID NUMBER:	A&WFIREM-NGR/11/24	CLOSING DATE:	21 NOVEMBER 2024	CLOSING TIME:	12:00PM
DESCRIPTION	AS AND WHEN: FIRE EQUIPMENT WORKS MAINTENANCE CONTRACT IN THE NORTHERN GAUTENG REGION FOR A PERIOD OF 12 MONTHS				

BID RESPONSE DOCUMENTS SHALL BE ADDRESSED AS FOLLOWS:

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS):

546 PAUL KRUGER c/o SCHEIDING STREET

PRASA CRES BUILDING

PRETORIA STATION PRECINCT

PRETORIA

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO

CONTACT PERSON	Kholani Mashele
TELEPHONE NUMBER	012 748 7571
E-MAIL ADDRESS	CresNGR.Quotation@prasa.com

SUPPLIER INFORMATION

NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No:	MAAA.....

2.1 ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]	2.2 ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER THE QUESTIONNAIRE BELOW]
---	--	--	--

QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
DOES THE ENTITY HAVE A BRANCH IN THE RSA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?	<input type="checkbox"/> YES <input type="checkbox"/> NO
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?	<input type="checkbox"/> YES <input type="checkbox"/> NO
IF THE ANSWER IS “NO” TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.	

PART B: TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED– (NOT TO BE RE-TYPED) OR IN THE MANNER**
- 1.3. **PRESCRIBED IN THE BID DOCUMENT.**
- 1.4. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE PRASA TO VERIFY THE TAXPAYER’S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE.

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

(Proof of authority must be submitted e.g. company resolution)

DATE:

NB:

- *Quotation(s) must be addressed to PRASA before the closing date and time shown above.*
- *PRASA General Conditions of Purchase shall apply.*

SECTION 2

NOTICE TO BIDDERS

1. RESPONSES TO RFQ

Responses to this RFQ [Quotations] must not include documents or reference relating to any other quotation or proposal. Any additional conditions must be embodied in an accompanying letter.

Proposals must reach PRASA before the closing hour on the date shown on SBD1 above and must be enclosed in a sealed envelope.

2 COMMUNICATION

Bidder/s are warned that a response will be liable for disqualification should any attempt be made either directly or indirectly to canvass any SCM Officer(s) or PRASA employee in respect of this RFQ between the closing date and the date of the award of the business.

3 BIDDERS COMPLAINTS PROCESS

3.1 Bidders are advised utilize this email address (Complaints@prasa.com) for lodging of complaints to PRASA in relation to this bid process. The following minimum information about the bidder must be included in the complaint:

- 3.1.1 Bid/Tender Description;
- 3.1.2 Bid/Tender Reference Number;
- 3.1.3 Closing date of Bid/Tender;
- 3.1.4 Supplier Name;
- 3.1.5 Supplier Contact details; and
- 3.1.6 The detailed complaint.

4 LEGAL COMPLIANCE

The successful Bidder shall be in full and complete compliance with any and all applicable national and local laws and regulations.

5 CHANGES TO QUOTATIONS

Changes by the Bidder to its submission will not be considered after the closing date and time.

6 PRICING

All prices must be quoted in South African Rand on a fixed price basis, including all applicable taxes.

7 BINDING OFFER

Any Quotation furnished pursuant to this RFQ shall be deemed to be an offer. Any exceptions to this statement must be clearly and specifically indicated.

8 DISCLAIMERS

PRASA is not committed to any course of action as a result of its issuance of this RFQ and/or its receipt of a Quotation in response to it. Please note that PRASA reserves the right to:

- Modify the RFQ's goods / service(s)/works and request Bidders to re-bid on any changes;
- Reject any Quotation which does not conform to instructions and specifications which are detailed herein; and
- Reject Quotations submitted after the stated submission deadline or at the incorrect venue.

Should a contract be awarded on the strength of information furnished by the bidder, which after conclusion of the contract, is proved to have been incorrect, PRASA reserves the right to cancel the contract.

PRASA reserves the right to award business to the highest scoring bidder/s unless objective criteria justify the award to another bidder.

Should the preferred bidder fail to sign or commence with the contract within a reasonable period after being requested to do so, PRASA reserves the right to award the business to the next highest ranked bidder provided that he/she/it is still prepared to provide the required goods at the quoted price.

9 LEGAL REVIEW

Proposed contractual terms and conditions submitted by a bidder will be subjected to review and acceptance or rejection by PRASA's Legal Counsel, prior to consideration for an award of business.

10 NATIONAL TREASURY'S CENTRAL SUPPLIER DATABASE

Bidders are required to self-register on National Treasury's Central Supplier Database (CSD) which has been established to centrally administer supplier information for all organs of state and facilitate the verification of certain key supplier information. PRASA is required to ensure that price quotations are invited and accepted from prospective bidders listed on the CSD. Business may not be awarded to a

bidder who has failed to register on the CSD. Only foreign suppliers with no local registered entity need not register on the CSD. The CSD can be accessed at <https://secure.csd.gov.za/>.

11 PROTECTION OF PERSONAL DATA

In responding to this bid, PRASA acknowledges that it may obtain and have access to personal data of the Bidders. PRASA agrees that it shall only process the information disclosed by Bidders in their response to this bid for the purpose of evaluating and subsequent award of business and in accordance with any applicable law.

Furthermore, PRASA will not otherwise modify, amend or alter any personal data submitted by Bidders or disclose or permit the disclosure of any personal data to any Third Party without the prior written consent from the Bidders. Similarly, PRASA requires Bidders to process any personal information disclosed by PRASA in the bidding process in the same manner.

12 EVALUATION METHODOLOGY

PRASA will utilise the following criteria in choosing a Supplier/Service Provider:

EVALUATION CRITERIA	WEIGHTING
Stage 1 – Compliance	
Stage 1A	Mandatory Requirements
Stage 1B	Other Mandatory Requirements
Stage 2	
Price	80
Specific Goals	20
TOTAL	100

13 ADMINISTRATIVE RESPONSIVENESS

The test for administrative responsiveness will include completeness of response and whether all returnable and/or required documents, certificates; verify completeness of warranties and other bid requirements and formalities have been complied with. Incomplete Bids will be disqualified.

14 VALIDITY PERIOD

14.1 PRASA requires a validity period of **60 Working Days** from the closing date.

14.2 Bidders are to note that they may be requested to extend the validity period of their response, on the same terms and conditions, if the internal processes are not finalized within the validity period. However, once the delegated authority has approved the process the validity of the successful bidder(s)' bid will be deemed to remain valid until finalization of the of award.).

15 PUBLICATION OF INFORMATION ON THE NATIONAL TREASURY E-TENDER PORTAL

Bidders are to note that, bid awards, amendments and cancellations will be published on the e-tender portal and or media used to advertise the bid. For the award of business, PRASA is required

to publish the prices and preferences claimed of the successful and unsuccessful Bidders *inter alia* on the National Treasury e-Tender Publication Portal, (www.etenders.gov.za), on CIDB website for construction related RFQ's. (Where applicable).

16 RETURNABLE DOCUMENTS

Returnable Documents means all the documents, Sections and Annexures, as listed in the tables below. There are three types of returnable documents as indicated below and Bidders are urged to ensure that these documents are returned with the quotation based on the consequences of non-submission as indicated below:

16.1. Mandatory Returnable Documents

Failure to provide Mandatory Returnable Documents at the Closing Date and time of this RFQ will result in a Bidder's disqualification. Bidders are therefore urged to ensure that all documents are returned with their Quotations.

SECTION 3

1 EVALUATION CRITERIA:

Stage 1A – Mandatory Requirements

If you do not submit the following mandatory documents/requirements, your bid will be automatically disqualified.

Only bidders who comply with stage 1A will be evaluated further.

No.	Description of requirement	
a)	Price Schedule and Pricing form (Section 4) To facilitate like-for like comparison bidders must submit pricing strictly in accordance with this price schedule/BOQ and not utilize a different format. Deviation from this pricing schedule will result in a bid being declared non-responsive.	
b)	Signed Joint venture agreement/ Consortium agreement/ Trust Deed (If applicable) JV must indicate the lead partner as per the CIDB standard for uniformity in Engineering and construction works contracts August 2019 and Construction Industry Development Regulations	
c)	Active CIDB grading level of 1SF or Higher (Bidders to ensure that their CIDB status is active on the system throughout the validity of the tender). (CRS numbers to be provided).	
d)	The contractor must submit proof of certified trade certificates for two (2) artisans (1475 SAQCC Fire Technician) staff qualified to carry out Fire Equipment related work.	
e)	The contractor must be registered with the South African qualification & certification committee (SAQCC) in the Fire Sector.	

Stage 1B – Other Mandatory Requirements

If you do not submit the following other-mandatory documents/requirements, PRASA may request the bidder to submit the information within three (3) working days. Should this information not be provided, your bid proposal will be disqualified.

Only bidders who comply with stage 1B will be evaluated further.

No.	Description of requirement	
a)	Completion of ALL RFP documentation (includes ALL declarations)	
b)	Valid Letter of Good Standing (COIDA) issued by Department of labour / (RMA) / (FEM).	
c)	Supply of valid SARS Pin	
d)	CSD supplier registration number	

2.1 Stage 2- Price and Specific Goals

The following formula, shall be used to allocate scores to the interested bidders:

The maximum points for this tender are allocated as follows:

DETAILS	POINTS
PRICE	80
SPECIFIC GOALS	20
TOTAL POINTS FOR PRICE AND SPECIFIC GOALS	100

FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

POINTS AWARDED FOR PRICE

THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$PS = 80 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

POINTS AWARDED FOR SPECIFIC GOALS

3.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals

stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system)	Ownership Level	Number of points claimed (80/20 system) (To be completed by the tenderer)	Evidence required for specific goals
Black Youth Owned	10	100% black youth owned		Certified Valid BBB-EE Certificate / Original Sworn-Affidavit for EME & QSE/ Certified copies of ID Documents of the Owners For JVs/Trust Deed/Consortiums: Certified Valid Consolidated BBB-EE Certificate for JVs/Consortiums.
	8	75% – 99% Black youth owned		
	6	60% – 74% black youth owned		
	3	51 – 59% black youth owned		
	0	0 – 50% black youth or irrelevant submission/No submission		
Black owned	10	100% Black owned		Certified Valid BBB-EE Certificate / Original Sworn-Affidavit for EME & QSE/ Certified copies of ID Documents of the Owners For JVs/Trust Deed/Consortiums:
	8	75% – 99% Black owned		
	6	60% – 74% Black owned		
	3	51 – 59% Black owned		

	0	0 – 50% Black owned or irrelevant submission/No submission		Certified Valid Consolidated BBB-EE Certificate for JVs/Consortiums.
TOTAL	20			

APPOINTMENTS OTHER THAN THE SUCCESSFUL BIDDER

- 1.1 PRASA may appoint a bidder other than the successful bidder under the following instances:
- (i) When a successful bidder, after having been informed of the acceptance of its Bid, fails to sign a contract within a prescribe period of time e.g. 14 (fourteen) days after being called upon to do so;
 - (ii) When a successful bidder has failed to provide the necessary security, bonds or guarantees within the time required to do so by PRASA;
 - (iii) When a successful bidder fails to meet a condition precedent for the award of business (e.g. to obtain the necessary funding); and
 - (iv) When final contract negotiations with a preferred bidder fails and a contract is not agreed upon.
- 1.2 PRASA will only award a bid to a bidder other than the highest scoring bidder provided that such bid is still within the bid validity period.
- 1.3 Only if the second ranked bidder is also unable/unwilling, PRASA may proceed to the third ranked bidder.

SECTION 5

PRICING AND DELIVERY SCHEDULE

Bidders are required to complete the attached Pricing Schedule **Annexure:**

- 1 Prices must be quoted in South African Rand, inclusive of all applicable taxes.
- 2 Price offer is firm and clearly indicate the basis thereof.
- 3 Pricing Bill of Quantity is completed in line with schedule if applicable (delete if not applicable).
- 4 Cost breakdown must be indicated.
- 5 Price escalation basis and formula must be indicated.
- 6 To facilitate like-for like comparison bidders must submit pricing strictly in accordance with this price schedule and not utilise a different format. Deviation from this pricing schedule could result in a bid being declared non-responsive.
- 7 Please note that should you have offered a discounted price(s), PRASA will only consider such price discount(s) in the final evaluation stage on an unconditional basis.
- 8 Bidders are to note that if price offered by the highest scoring bidder is not market related, PRASA may not award the contract to the Bidder. PRASA may:
- 9 Negotiate a market-related price with the Bidder scoring the highest points;

- ~~10 If that Bidder does not agree to a market-related price, negotiate a market-related price with the Bidder scoring the second highest points;~~
- 11 If the Bidder scoring the second highest points does not agree to a market-related price, negotiate a market-related price with the Bidder scoring the third highest points;
- 12 If a market-related price is not agreed with the Bidder scoring the third highest points, PRASA must cancel the RFQ.

I / We _____ (Insert Name of
Bidding _____ Entity) _____ of

_____ code

(Full address) conducting business under the style or title of:
_____ represented by:

_____ in my capacity as:
_____ being duly

authorised, hereby offer to undertake and complete the above-mentioned work/services at the prices quoted in the bills of quantities / schedule of quantities or, where these do not form part of the contract, at a lumpsum, of R

_____ (amount in
numbers);

_____ (amount in words) Incl. VAT.

DELIVERY PERIOD: Suppliers are requested to offer their earliest delivery period possible.

Delivery will be effected within working days from date of order. (To be completed by Service provider)

SECTION 5

PRASA GENERAL CONDITIONS OF PURCHASE

General

PRASA and the Supplier enter into an order/contract on these conditions to supply the items (goods/services/works) as described in the order/contract.

Conditions

These conditions form the basis of the contract between PRASA and the Supplier. Notwithstanding anything to the contrary in any document issued or sent by the Supplier, these conditions apply except as expressly agreed in writing by PRASA.

No servant or agent of PRASA has authority to vary these conditions orally. These general conditions of purchase are subject to such further special conditions as may be prescribed in writing by PRASA in the order/contract.

Price and payment

The price or rates for the items stated in the order/contract may include an amount for price adjustment, which is calculated in accordance with the formula stated in the order/contract.

The Supplier may be paid in one currency other than South African Rand. Only one exchange rate is used to convert from this currency to South African Rand. Payment to the Supplier in this currency other than South African Rand, does not exceed the amounts stated in the order/contract. PRASA pays for the item within 30 days of receipt of the Suppliers correct tax invoice.

Delivery and documents

The Supplier's obligation is to deliver the items on or before the date stated in the order/contract. Late deliveries or late completion of the items may be subject to a penalty if this is imposed in the order/contract. No payment is made if the Supplier does not provide the item as stated in order/contract.

Where items are to be delivered the Supplier:

Clearly marks the outside of each consignment or package with the Supplier's name and full details of the destination in accordance with the order and includes a packing note stating the contents thereof; On dispatch of each consignment, sends to PRASA at the address for delivery of the items, an advice note specifying the means of transport, weight, number of volume as appropriate and the point and date of dispatch; Sends to PRASA a detailed priced invoice as soon as is reasonably practical after dispatch of the items, and states on all communications in respect of the order the order number and code number (if any).

Containers / packing material

Unless otherwise stated in the order/contract, no payment is made for containers or packing materials or return to the Supplier.

Title and risk

Without prejudice to rights of rejection under these conditions, title to and risk in the items passes to PRASA when accepted by PRASA.

Rejection

If the Supplier fails to comply with his obligations under the order/contract, PRASA may reject any part of the items by giving written notice to the Supplier specifying the reason for rejection and whether and within what period replacement of items or re-work are required.

In the case of items delivered, PRASA may return the rejected items to the Supplier at the Supplier's risk and expense. Any money paid to the Supplier in respect of the items not replaced within the time required, together with the costs of returning rejected items to the Supplier and obtaining replacement items from a third party, are paid by the Supplier to PRASA.

In the case of service, the Supplier corrects non-conformances as indicated by PRASA.

Warranty

Without prejudice to any other rights of PRASA under these conditions, the Supplier warrants that the items are in accordance with PRASA's requirements, and fit for the purpose for which they are intended, and will remain free from defects for a period of one year (unless another period is stated in the Order) from acceptance of the items by PRASA.

Indemnity

The Supplier indemnifies PRASA against all actions, suits, claims, demands, costs, charges and expenses arising in connection therewith arising from the negligence, infringement of intellectual or legal rights or breach of statutory duty of the Supplier, his subcontractors, agents or servants, or from the Supplier's defective design, materials or workmanship.

The Supplier indemnifies PRASA against claims, proceedings, compensation and costs payable arising out of infringement by the Supplier of the rights of others, except an infringement which arose out of the use by the Supplier of things provided by PRASA.

Assignment and sub-contracting

The successful Bidder awarded the contract may only enter into a subcontracting arrangement with PRASA's prior approval. The contract will be concluded between the successful Bidder and PRASA, therefore, the successful Bidder and not the sub-contractor will be held liable for performance in terms of its contractual obligations.

Governing law

The order/contract is governed by the law of the Republic of South Africa and the parties hereby submit to the non-exclusive jurisdiction of the South African courts.

SECTION 6**SBD4****BIDDER'S DISCLOSURE****1. PURPOSE OF THE FORM**

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? **YES/NO**

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

.....
.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:

.....
.....

3 Bidder's declaration regarding PEPs/PIPs

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

PRASA requires bidders to disclose if they have Politically Exposed Persons ("PEP")² or Prominent Influential Persons ("PIP")³ and related individuals in their organisation and/or beneficial owners / shareholders who are PEP/PIP.

PRASA reserves the right not to enter into a business relationship with such person, official or entity, provided there are objective factors that justify the conclusion of such business relationship, and the decision is based on achieving the best interest of PRASA.⁴

3.1 Is the bidder a PEP/PIP? **YES/NO**

3.2 Does the bidder have an existing relationship with a PEP/PIP? **YES/NO**

3.3 Where a relationship with a PEP/PIP exists, the bidder is required to furnish particulars of the nature of the exposure, term of the office and description of activities relating to exposure, in table below.

Name of PEP/PIP & Nature of the Exposure/Influence	Term of the office	Description of activities relating to Exposure/Influence

3.4 Declaration:

I/We the undersigned _____ (Name) hereby certify that the PEP/PIP information furnished in this bid document is true and correct. We further certify that we understand that where it is found that we have made a false declaration or statement in this bid, PRASA may disqualify our bid or terminate a contract we may have with PRASA where we are successful in this tender.

Signature

Date

² Both foreign and domestic politically exposed person as specified in Schedule 3A and 3B of the Financial Intelligence Centre Act No. 38 of 2001 as amended. (refer to Annexure 2 of the PRASA Code of Conduct for dealing with Politically Exposed Persons, Prominent Influential Persons and Related Parties).

³ As reflected in Schedule 3C of the Financial Intelligence Centre Act No.38 of 2001 (refer to Annexure 2.1.2 of the PRASA Code of Conduct for dealing with Politically Exposed Persons, Prominent Influential Persons and Related Parties).

⁴ Clause 4.5 of the PRASA Code of Conduct for dealing with Politically Exposed Persons, Prominent Influential Persons and Related Parties.

Position

Name of bidder

4 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium⁵ will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2, 3 and 4 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

⁵ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

.....
Signature

.....
Date

.....
Position

.....
Name of bidder

SBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the **90/10** preference point system.
- b) The applicable preference point system for this tender is the **80/20** preference point system.
- c) Either the **90/10 or 80/20 preference point system** will be applicable in this tender. The lowest/highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	

SPECIFIC GOALS	
Total points for Price and Specific Goals	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.2. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$P_s = 80 \left(1 - \frac{P_t - P_{min}}{P_{min}} \right)$$

Where

P_s = Points scored for price of tender under consideration

P_t = Price of tender under consideration

P_{min} = Price of lowest acceptable tender

3.3. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.3.1. POINTS AWARDED FOR PRICE

A maximum of 80 points is allocated for price on the following basis:

80/20

$$Ps = 80 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
- (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system)	Ownership Level	Number of points claimed (80/20 system) (To be completed by the tenderer)	Evidence required for specific goals
Black Youth Owned	10	100% black youth owned		Certified Valid BBB-EE Certificate / Original Sworn-Affidavit for EME & QSE/ Certified copies of ID Documents of the Owners For JVs/Trust Deed/Consortiums: Certified Valid Consolidated BBB-EE Certificate for JVs/Consortiums.
	8	75% – 99% Black youth owned		
	6	60% – 74% black youth owned		
	3	51 – 59% black youth owned		
	0	0 – 50% black youth or irrelevant submission/No submission		
Black owned	10	100% Black owned		Certified Valid BBB-EE Certificate / Original Sworn-Affidavit for EME & QSE/ Certified copies of ID Documents of the Owners For JVs/Trust Deed/Consortiums: Certified Valid Consolidated BBB-EE Certificate for JVs/Consortiums.
	8	75% – 99% Black owned		
	6	60% – 74% Black owned		
	3	51 – 59% Black owned		
	0	0 – 50% Black owned or irrelevant submission/No submission		
TOTAL	20			

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

4.5. TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One-person business/sole propriety
- ☐ Close corporation
- ☐ Public Company
- ☐ Personal Liability Company
- ☐ (Pty) Limited
- ☐ Non-Profit Company
- ☐ State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary

.....
SIGNATURE(S) OF TENDERER(S)

SURNAME AND NAME:

DATE:

ADDRESS:

.....

.....

.....

SECTION 11

SPECIFICATION- AS AND WHEN: FIRE EQUIPMENT WORKS MAINTENANCE CONTRACT IN NORTH GAUTENG REGION

1. Scope of Work

- A. The contractor is expected to do the repairs, inspections, maintenance, refurbishments and new supply and installation at various sites in Gauteng North stations.
1. Respondents premises and service vehicles to be SABS 1475 approved and to be in possession of the required SABS 1475 certificate (Supplier expected to submit a copy before commencement of work).
 2. Respondents to have SANAS accreditation for hydro static pressure testing of carbon dioxide fire extinguishers. (Supplier expected to submit a copy before commencement of work).
 3. Respondent's technicians to be in possession of the required SAQCC certificates (Supplier expected to submit a copy before commencement of work).
 4. All extinguishers to be marked with the Prasa Cres symbol (on the handle and the body of the envelope).
 5. Supplier to issue comprehensive report and register per site after each service .

B. Compliance to legislation

1. The supplier is expected to comply with Provincial Ordinances and Local authority By-Laws and all relevant regulations framed thereunder.
2. SABS 0105 Part 1 (Portable fire Extinguisher), Part 11-1998 (Fire Hose reels) Code of practice for the classification, use and routine maintenance of firefighting appliances.
3. Specification SABS 1456 Part 1' 1989 for firefighting purposes. General requirements and methods of test.
4. Comply with the Safety Rules of S.S.C.S, as adopted from time to time.

Refurbishment Specification

- a. Interior inspection for rust
- b. Check the valve and stem
- c. Weigh cylinder to ensure correct weight
- d. Re- condition where necessary
- e. Re sea, calibrate and certify
- f. Replace instruction labels where necessary
- g. Replace head "o"-rings where necessary
- h. Certify units
- i. HPT label
- j. Nitrogen

Refurbishment shall include the following

- Recharging of the Extinguisher
- All spare parts to be included
- Repainting (Spray Paint) of extinguisher if required
- Hydrostatic Pressure Testing certificate
- Replacement of the Extinguisher Decal if required
- Resealing of the Extinguishers

2. Definitions

2.1 *PRASA-CRES*: One of the subsidiaries of Passenger Rail Agency of South Africa (PRASA) group responsible for managing the property portfolio of the group and the maintenance thereof.

2.2 *Facilities Manager*: A manager of PRASA-CRES responsible of building and infrastructure portfolio or any person authorised to act in that capacity.

2.3 *Normal Working Hours*: Hours of work as determined by a wage regulating measure or statutory enactment for any trade or activity, during which the basic minimum rate of pay is applicable and excludes all time for which a higher rate of pay is obligatory. Where no wage regulating measure is in force, the hours will be 07h00 to 17h00 Mondays to Fridays excluding a daily meal break.

2.4 *Contractor*: Successful tender who is appointed by PRASA-CRES and will be responsible to carry out the works as per this specification.

3 Contract Time Frame

3.1 The contract is for a period of 12 months (that will start on the date of signature of the LOA) but can be terminated when there is proof of underperformance or substandard performance, failure to adhere to the contract requirements.

4 Maintenance References

4.1 All fire equipment maintenance works will be in accordance with the following publications

- SABS 0400 other applicable Code of Practices
- SABS 1456
- SANS 1475
- OHS Act 85 of 1993 as amended
- Other applicable Municipal By-Laws and Regulations

5 Maintenance

~~5.1 All planned work will be carried out during normal working hours at the cost tendered for in the Bill of Quantities. Visits~~
to the premises will be as scheduled for the contractor to carry out maintenance work as per the specification. Sites have visitors' book which is to be properly completed by the Contractor on every visit and the reason for the visit recorded in the book.

5.2 The Contractor shall produce and issue to PRASA-CRES a written report or service sheet of any testing, inspection, examination, investigation and/or assessment undertaken and execution of any repairs by the Contractor. Reports will highlight

- the type of work or service done
- problems experienced
- results of inspection
- faults found and their priority thereof

Quotations for any corrective work required shall be submitted to PRASA-CRES and on the approval of such quotations the Contractor will correct or repair accordingly.

5.3 PRASA-CRES reserves the right to conduct an independent safety and quality audit to be carried out on the work completed by the contractor. The contractor shall provide his own quality controls to ensure compliance with the specifications and any changes to legislation or regulations applicable. Possible modernisation products to upgrade or to improve the reliability and performance of the installation will be brought to PRASA-CRES for consideration.

5.4 The contractor must submit a site register, that includes the following:

- The type of equipment serviced
- Recorded readings of the equipment
- Name of site and location of equipment
- Equipment Identification Number
- Pressure tested/manufacture date
- Service date and next service date
- Status or remarks

6 Contract Performance

6.1 The contractor will sign a service level agreement with the PRASA-CRES. The performance of the Contractor will be discussed on the monthly basis at meetings scheduled to sit at PRASA CRES offices. Performance Items to be discussed will include:

- the number of breakdowns for specific period
- the turnaround time to attend to emergency call-outs
- planned vs. actual progress

- ~~submission of reports, invoices and other administration duties~~

- payment of invoices

6.2 Services Measure and Expectations

Response Times for:

- Emergencies – 24Hours
- Planned – 72 Hours

6.3 Completion of works, upon the completion of work the service Provider must submit the following:

- Signed job card by the Project Manager or leader (job completion form)
- Guarantee/ Warranty certificates to cover a free maintenance period
- Material invoice
- Maintenance programs or plan for
- New installations for fire equipment related items.
- Maintenance manuals

6.4 Proof of Work done - the contractor will provide photos of before/during and after work completed with claim submitted. Photos can be submitted electronically.

6.5 Quality of Work and Workmanship:

- Works with poor workmanship will not be signed off and PRASA Cres reserve the right to hold payments until satisfied with the quality of the works.

7. General Information

7.1 The contractor shall be registered with the south African qualification & certification committee (SAQCC) Fire; Fire Protection Association (PFA) ; Fire Fighting Equipment Trader Association (FFETA) and Fire Detection Installers Association (FDIA).

7.2 The contractor shall be or have in his employment qualified Fire Technicians leading maintenance teams, proof of qualifications for maintenance team leaders shall be provided.

7.3 The Contractor must have the capacity to be able to work on more than one site at any given time.

7.4 Where day to day repairs are to be undertaken, the Contractor shall first estimate the labor and material cost based on the schedule of prices, before proceeding with the job.

7.5 All material removed to be returned to PRASA-CRES unless otherwise stated.

8 SAFETY AND PROVISION OF MATERIALS:

8.1 The contractor is responsible for supply of all material required to repair the faults as per job cards /work order.

8.2 All material used shall be of high standard (SABS approved)

8.3 The material item price shall be based on standard market related.

- 8.4 Prasa Cres Maintenance Manager / Supervisor reserve the right to query price of any material that is on the material list. He /she may request that the contractor justifies a copy of the material purchased, invoices or actual quotes from reputable suppliers.
- 8.5 Provision of a Safety File its a requirement and must be submitted prior to any work commences. The provisional amount of R6000.00 for a Safety File is included in the schedule of rates table, proof of cost will be required before the contractor claim the amount.
- 8.6 Contractor must provide medical certificates and all relevant document every year to update their file. Contractor must have a minimum of two teams available.

NB: The contractor material supplier must be a reputable material supplier and only market related material prices will be accepted by PRASA.

9 Non -Compliance:

- Safety – the contractor will at all times ensure that work is performed in accordance with all the prescribed legal prescripts.
- NB: No work is to be done without approval of Safety File and valid signed site access certificate being issued to the contractor. No Contractor will be allowed on site without having attended the safety Induction training and proof is to be submitted to the Project Manager
- Response time – if an appointed service provider as per the General provisions of the As and When fails to adhere to the priority levels as prescribed PRASA CRES Facilities department hereby reserves the right to **penalise the service provider a penalty fee of R 2000 per incident /site** will be imposed and if this provision is continually violated the contract will be terminated.
- Qualified personnel- It is a requirement that personnel performing/overseeing works issued to the contractor be qualified in specific Trade.
- In case PRASA Cres find that the contractor’s team is executing any fire equipment related activities **without a qualified fire technician the penalty of R1000 per incident /site** will be imposed.
- If during inspection, the workers are not found in proper PPE (Personnel protective equipment) a **penalty of R 200 per employee per day** will be imposed.
- Failure to submit a compliant safety file within 10 working days will result in contract termination.

10 Estimated Quantities

- The estimated quantities/hours/kilometres are only indicative, the actual could be more &/or less but should be within / not to exceed the overall contract price.

11 Material

- Rate per unit provided in the BOQ for material must include a % mark up.

12. Pricing Schedule

ITEM NO	WORK DESCRIPTION	QUANTITY	UNIT		
---------	------------------	----------	------	--	--

				RATE EXCL VAT	RATE INCL. VAT
1.	Service Existing fire extinguishers (STP DCP)				
1.2	Servicing of 2 kg DCP Extinguisher	1	Item		
1.3	Servicing of 4.5 kg DCP Extinguisher	1	Item		
1.4	Servicing of 9 kg DCP Extinguisher	1	Item		
1.5	Servicing of 13 kg DCP Extinguisher	1	Item		
2.	Service Existing fire extinguishers (CO²) or H0₂				
2.1	Servicing of 2 kg CO ² Extinguisher	1	Item		
2.2	Servicing of 5 kg CO ² Extinguisher	1	Item		
2.3	Servicing of 6.8 kg CO ² Extinguisher	1	Item		
2.4	Servicing of 9 kg CO ² Extinguisher	1	Item		
2.5	Servicing of 15 kg CO ² Extinguisher	1	Item		
2.6	Servicing of 21 kg CO ² Extinguisher	1	Item		
2.7	Servicing of 45 kg CO ² Extinguisher	1	Item		
2.8	Servicing of 9 L Water Extinguisher	1	Item		
3	Fire Hydrant				
3.1	Inspection of above ground fire hydrant	1	Item		
3.2	Flow & pressure test report for fire hydrants	1	Item		
3.3	Refinishing Fire hydrants stand pipe and valve	1	Item		
3.4	Repainting of fire hydrant marker pole	1	Item		
3.5	Repainting of fire hydrant	1	Item		
3.6	Supply new fire hydrant blank cap Heavy duty 2 1/2 " inches replacement iron fire hydrant cap with threads including chain. Pentagon in shape. Cap threads –2 1/2 " inches This cap will only connect to a male similar size	1	Item		
3.7	Service and test existing hydrant hose for defects.	1	Item		
3.8	Service and test existing hydrant hose nozzle for defects.	1	Item		
3.9	Supply and fit new hydrant hand wheel and nut. (809x65mm Right angle Hydrant with instantaneous connection. Right angle Hydrant with 100mm outlet)	1	Item		
3.10	Provide a six-monthly pressure test report for all fire hydrants.(Pressure Test) and (Flow Meter Test) all existing fire hydrants and provide a pressure report as well as a report listing all faults and recommendations for corrective action.	1	Item		
4	Fire Hose frames and hoses				
4.1	Wash and clear fire hose	1	Item		

4.2	Bind the couplings to fire hose	1	Item		
4.3	Replace fire hose couplings 2 and ½ Hose male couplings Inside diameter of male coupling – 2 and ½ inches <ul style="list-style-type: none"> • Outside Diameter of a male coupling – 3.06 inches (7.5 Threads per inch) • Service Test pressure : 400PSI • Proof Test Pressure : 800PSI • Burst Test Pressure: 1200PSI • The female coupling will only connect to a male coupling 2.5inches • Swivel female coupling : 2,5inches • Male coupling – 2,5 inches 	1	Item		
4.4	Replace fire hose reel nozzle Dual range nozzles perform over a wide range of water pressures then constant flow nozzles and give operator more GPM control with both a low flow and high flow rate. <ul style="list-style-type: none"> • Size – 1.0 “ inches • This nozzle will only connect to a 1.0 “ inches hose • Positions continuous twist from off to straight stream fog (2 cycles) • Material : Anodized Aluminium 	1	Item		
4.5	Repair leaking Fire hose reel gland	1	Item		
4.6	Service hose Reel	1	Item		
4.7	Replace gasket ,”o” rings and seals pressure test fire hose (65mm x 38mm)	1	Item		
5.	Recharge existing fire extinguishers (STP DCP)				
5.1	Recharge 2 kg STP extinguishers	1	/cylinder		
5.2	Recharge 4.5 kg STP extinguishers	1	/cylinder		
5.3	Recharge 9 kg STP extinguishers	1	/cylinder		
5.5	Recharge 15 kg STP extinguishers	1	/cylinder		
5.6	Recharge 23 kg STP extinguishers	1	/cylinder		
5.7	Recharge 45 kg STP extinguishers	1	/cylinder		
5.8	Recharge 50 kg STP extinguishers	1	/cylinder		
6	Recharge existing fire extinguishers (CO²)				
6.1	Recharge of 2 kg CO ² Extinguisher	1	/cylinder		
6.2	Recharge of 5 kg CO ² Extinguisher	1	/cylinder		
6.3	Recharge of 6.8 kg CO ² Extinguisher				

		1	/cylinder		
6.4	Recharge of 9 kg CO ² Extinguisher	1	/cylinder		
6.5	Recharge of 15 kg CO ² Extinguisher	1	/cylinder		
6.6	Recharge of 21 kg CO ² Extinguisher	1	/cylinder		
6.7	Recharge of 45 kg CO ² Extinguisher	1	/cylinder		
6.7	Recharge of 50 kg CO ² Extinguisher	1	/cylinder		
New equipment					
6.8	Supply and install of 2 kg DCP Extinguisher	1	Item		
6.9	Supply and install of 4.5 kg DCP Extinguisher	1	Item		
6.10	Supply and install of 9 kg DCP Extinguisher	1	Item		
6.11	Supply and install of 13 kg DCP Extinguisher	1	Item		
6.12	Supply and install of 2 kg CO ² Extinguisher	1	Item		
6.13	Supply and install of 5 kg CO ² Extinguisher	1	Item		
6.14	Supply and install of 6.5 kg CO ² Extinguisher	1	Item		
6.15	Supply and install of 9 kg CO ² Extinguisher	1	Item		
6.16	Supply and install of 13 kg CO ² Extinguisher	1	Item		
6.17	Supply and install of 13.2 kg CO ² Extinguisher	1	Item		
6.18	Supply of and install 15 kg CO ² Extinguisher	1	Item		
6.19	Supply and install of 23 kg CO ² Extinguisher	1	Item		
6.20	Supply and install of 45 kg CO ² Extinguisher	1	Item		
6.21	Supply and install of 50 kg CO ² Extinguisher	1	Item		
6.22	Supply and install of 9 L Water Extinguisher	1	Item		
6.23	<p>Supply and install new Hose reel complete with a fire hose reel steel cabinet and Hose reel shut off valves.</p> <p>Mass with Hose: 19.4 kg</p> <p>Disc Diameter: 575</p> <p>Height (Bracket): 575</p> <p>Wall Protection: Cabinet</p> <p>Hose: SANS 1086 PVC</p> <p>Hose Dimensions: ID 20mm x 30m pvc pipe hose reel</p> <p>Discharge rate 300kPa: 30L/min @ 300kPa</p>	1	1 Complete Set		

6.24	<p>Supply and install a tamper proof cabinet fitted with rubber seal keeps out dust and water. Material UV stabilized, ultra-high impact clear acrylic front, white UV stabilized ABS back and corrosion resistant polypropylene hinges. Transparency to enables instant inspection of the service record to accommodate different sizes as follows:</p>	1	1Item		
6.24	<p>Supply and install new Semi Rigid Fire Extinguisher (4.5Kg) Cabinet with single glass door:</p> <p>Dimensions:740x980x200mm),</p> <p><u>Fire extinguisher cabinet:</u></p> <ul style="list-style-type: none"> • Made of A1 grade DKP sheet metal • Type: Surface • Valve fitting on side top and back of the case • Housing for one fire extinguisher positioned horizontal or vertical • Cabinet to have installation, • ventilation and discharge outlets; • Painted with electrostatic powder paint which have 70-micron thickness • Standard colour is Red-RAL 3002 • 4mm and smoke colour • Doors opening to the right and left direction by rotating 180. • Fire and Hose warning writing on the door surface which have undeletable • Untearable and undeform able properties.; 	1	Item		
6.25	<p>Supply and install new Semi Rigid Fire Extinguisher (9kg STP) Cabinet with single glass door :</p> <p>Dimensions:740x980x200mm),</p> <p><u>Fire extinguisher cabinet:</u> Made of A1 grade DKP sheet metal;</p>	1	Item		

	<ul style="list-style-type: none"> • Surface; Valve fitting on side top and back of the case; • Housing for one fire extinguisher positioned horizontal or Vertical, • Cabinet to have installation • Ventilation and discharge outlets • Type: Surface • Painted with electrostatic powder paint which have 70-micron thickness • Standard colour is Red-RAL 3002 • 4mm and smoke colour • Doors opening to the right and left direction by rotating 180. • Fire and Hose warning writing on the door surface which have undeletable • Untearable and undeform able properties 				
6.26	<p>Supply and install new Semi Rigid Fire Extinguisher (5Kg) cabinet with single glass door:</p> <p>Dimensions:740x980x200mm),</p> <p><u>Fire extinguisher cabinet:</u></p> <ul style="list-style-type: none"> • Made of A1 grade DKP sheet metal; • Type: Surface; • Valve fitting on side top and back of the case; • Housing for one fire extinguisher positioned horizontal, • cabinet to have installation, ventilation and discharge outlets; • Painted with electrostatic powder paint which have 70-micron thickness • Standard colour is Red-RAL 3002; 	1			

	<ul style="list-style-type: none"> • 4mm and smoke colour; Doors opening to the right and left direction by rotating 180. • Fire and Hose warning writing on the door surface which have undeletable , • untearable and undeform able properties.; 				
			Item		
6.27	<p>Supply and install new Semi Rigid Fire Hose double steel door cabinet :</p> <p>Dimensions: (980x740x200mm),</p> <p><u>hydrant hose cabinet:</u></p> <ul style="list-style-type: none"> • Made of A1 grade DKP sheet Metal • Type : Surface • Valve fitting on side top and back of the case • Housing for one fire extinguisher positioned horizontal or vertical • cabinet to have installation • ventilation and discharge outlets • Painted with electrostatic powder paint which have 70-micron thickness • Standard colour is Red-RAL 3002 • 4mm and smoke colour • Doors opening to the right and left direction by rotating 180. • Fire and Hose warning writing on the door surface which have undeletable • Untearable and undeform able properties 	1	Item		
6.28	Supply and install new Semi Rigid Fire Hose double steel door :	1	Item		

	<p>Dimensions: (980x740x200mm);</p> <p><u>hydrant hose cabinet:</u></p> <ul style="list-style-type: none"> Made of A1 grade DKP sheet metal Type: Recessed Surface; Valve fitting on side top and back of the case Housing for one fire extinguisher positioned horizontal or vertical cabinet to have installation, ventilation and discharge outlets Painted with electrostatic powder paint which have 70-micron thickness Standard colour is Red-RAL 3002 4mm and smoke colour Doors opening to the right and left direction by rotating 180. Fire and Hose warning writing on the door surface which have undeletable Untearable and undeform able properties 				
6.29	<p>Supply and install new hose reel cabinet</p> <p>Swing type fire hose storage reel will hold 1 and ½ inches rubber, single or double jacket.</p> <ul style="list-style-type: none"> One-piece wall bracket (14 gauge) for easy mounting 180 degrees swing Baked red enamel finish Compact size : smaller reel hub to allow more Hose should be easy to remove by pulling towards fire area. 	1	Item		

	<ul style="list-style-type: none"> Instantly ready for action when completely removed and valve is open. 				
6.30	Supply and install new Layla with the technical requirements :Inside diameter -50mm,Coil diameter 400mm per 30m/length weight 210g/m,short length bursting 3500kpa,operating pressure 1700kpa	1	Item		
Item no	Repair, Supply, Inspections and maintenance of Booster and sprinkler system				
7.1	Service fire booster connection.	1	Item		
7.2	Service sprinkler booster system.	1	Item		
7.3	Supply and install new booster connector with corrosion resistant materials and utilizes 'O'-Ring Technology to ensure durable leak-proof operation. Internal valve design should provide efficient water flow at all normal operating pressures. Materials: Brass and Stainless steel; Thread: 80mm Nominal bore pipe thread (tapered); House Coupling: Male, Instantaneous; Weight 2Kg.	1	Item		
7.4	Supply and install new booster connection protective cap 4'' inches(100mm) connection cap Inside diameter between lugs – 4,5 inches (115mm) Number of Lugs – 2 Colour – may be all silver or silver and black Cap features weep hole Locking cap The female will only connect to a male of similar size Rated Pressure – 200PSI Enables quick connections of large diameter hose by fire department to supplement fire sprinkler.	1	Item		
7.5	Test existing fire hydrant booster to ensure all is in working order and provide a report of defects.(Pressure Test) and (Flow Meter Test) existing fire boosters and provide a pressure report as well as a report listing all faults and recommendations for corrective action.	1	Item		
7.6	Sprinkler systems to be flushed weekly and record rating per minute, pressure test to be recorded and a report to be submitted to Prasa on a weekly basis.	1	Item		
7.7	Supply and Install of Fire gate valve with the following dimensions: Flanged Resilient OS&Y Valve. Pre-Grooved Stem; Working Pressure 300PSI ; Temperature Range –.00 0-80 Celsius Degrees; Size:	1	Item		

	<ul style="list-style-type: none"> • L:178mm • H1(Close):348 • H2(Close):400mm • D:152MM • D1:120.7mm • C:16mm • DN:50mm <p><u>Material</u> Bonnet Gasket, Coborn Steel Zinc PLATED NU, flat washer carbon steel zinc plated; stud nut carbon steel zinc plated ; gland nut carbon steel zinc plated,</p>				
7.8.	<p>Supply and install Sprinkler</p> <p>Providing , fixing , testing and commissioning heavy grade piping. For 50mm and below, threaded UL Listed D.I fitting of required pressure shall be used and for higher size ERW fitting may be used. THE pipes being suspended from the ceilings by using hi- tech supports complete with necessary specials such as tees, bends, flanges, reducers, UPVC Sleeves ,for the wall crossing including making and repairing of the cut-out etc. Painting of pipe with a coat of primer and two coats of synthetic enamel paint of approved colour or make for above ground PIPING as per local fire service department requirement complete including supply and installation of all pipes clamps , anchors, fasteners etc. fabricated structural supports to be included. (Note: Pipes up to and 50mm diameter shall be threaded joints , above 50mm shall be welded joints)</p>	1	Item		
7.8.1	150mm Diameter	1	Item		
7.8.2	100mm Diameter	1	Item		
7.8.3	80mm Diameter	1	Item		
7.8.4	65mm Diameter	1	Item		
7.8.5	50mm Diameter	1	Item		
7.8.6	40mm Diameter	1	Item		
7.8.7	32mm Diameter	1	Item		
7.8.8	25mm Diameter	1	Item		
7.9	Flow test for the sprinkler system	1	Item		
7.10	Linear Heat sensor cable system detector	1			

	<p><u>The sensor cable should have the following features:</u></p> <ul style="list-style-type: none"> • Measures the temperature from -40°C to + 85°C range, and up to + 200 °C for short periods • Temperature resolution : 0.1oc (which enables to use such system for an accurate temperature monitoring in the are deployed) • Cable Jacket size : 18mm • Cable weight: approx. 0,45kg • Cable diameter: 18mm • 4-core flat conductor • Supply voltage : 15DVC via system controller • Constant sensor monitoring via control and evaluation unit • Strain relief • Aluminium Shield • Hybrid chip • Calibration free temperature sensor cable • Automatic contro9l of all sensors every 10 seconds • Bending radius : $\geq 30\text{cm}$ <p><u>The system controller should have the following features:</u></p> <ul style="list-style-type: none"> • Operating Temperature: -50C TO + 70OC range • Power Supply: 9.5V TO 36VDC • Current draw: typ. 175Ma (normal) / 212Ma (Alarm) , at 24V DC • Power consumption: Max 5W • Switching Voltage: 48V DC /32 V DC max • Switching current: 250Ma max (resistive load) • Input: 1 x external reset (5V TO 36 V DC) • Relay output : 1 Relay each for alarm , pre-alarm, frost alarm • 1 relay for fault (= active without power) 		Item		
--	---	--	------	--	--

	<p><u>NB. Additional requirements</u></p> <p>It should meet requirements of environmental classification III ISO 9001/2008 – Quality management system.</p> <p>OEM Authorisation certificate for the complete system will be required.</p>				
7.11	<p><u>Ionization smoke detectors:</u></p> <p>Ionization smoke detector It is intended for applications using ionization type chambers to detect smoke. When enabled ,VOUT is ¼ of Either DETECT input or V_{DD} depending on the status of the SELECT input.</p> <p><u>Features:</u></p> <ul style="list-style-type: none"> • Guard output for the Detector input • +/- 0,75PA Detect input Current • Microprocessor A/D compatible antilog output • Low qulescent current consumption (<10Ua) • Available in 8L PDIP or 8LN SOIC • 200V ESD protection (HBM) • Available in standard packaging • Supply voltage (V_{DD}): 12,5V • Supply voltage (V_{CC}): 6V • Detect input voltage range (V_{INDENT}): V_{DD}+ 0.3 • Select Input Voltage range(V_{INSEL}): V_{CC}+0.3 • Operating temperature (TA): -10 TO 60 °C • Storage Temperature (T_{STG}: -55 TO 125°C • Maximum junction Temperature (T_J: 150°C 	1	Item		
7.12	Line sounder system:	1	Item		

	<p>Installing a Loop Sounder System with short circuit isolation provides complete sounder circuit integrity. Suitable for use on both conventional and addressable fire alarm systems.</p> <p><u>Features</u></p> <ul style="list-style-type: none"> • Enhanced sounder circuit integrity and reliability • 45 sounder per loop • Current (monitor mode • 1.4Ma • Average current: @ 24V DC (active mode): 13Ma • Operating voltage (active mode): 9 to 11.3 V DC • Sound output at 1m@ 24V_{DC} -40 TO 70 °C <p><u>Single Loop Controller</u></p> <ul style="list-style-type: none"> • Auxiliary Voltage : 21.5 to 28.5 V DC • Auxiliary quiescent current (monitoring): 15Ma + monitor current drawn by sounder isolators • Auxiliary quiescent current: 50m A • Input Voltage : (monitoring): -30 V to +8V_{DC} • Input Voltage(active): +14 V TO + 30 D_{DC} • Fault contact current (max): 1 A • Fault contact maximum switching capability: 60VA • Temperature range: 0 to +50°C • Mounting: Wall-mounted enclosure , steel, grey paint finish • Enclosure dimensions: 230 (w) X 170(h) X 83 (d) mm • Connector maximum wire size: 2.5mm² (CSA) 				
--	--	--	--	--	--

	<p>Optical Flame Detector</p> <ul style="list-style-type: none"> • (125x80x57mm, 465Grams): The optical flame detector should accurately and quickly detect lively flame fires. • The detector rely on high quality sensors and signal analysis to quickly detect fire while rejecting false alarms. • These detectors are also compact and lightweight for easy installation; <p><u>Sounder and Isolator:</u></p> <ul style="list-style-type: none"> • Flame detector type: UV Sensor and IR sensor combination • Scope: 25m (UV,UVIR) triggering alarms in less than 10 seconds for 0,1m2 n-heptane fire • Cone Vision: 90⁰ minimum horizontal and vertical • Power : 10-28 Vdc nominal • Current output : 4-20Ma (stepped , sinking, non-isolated) • Relay Type: SPDT, 30V DC ,60Wmax • Automatic sensor test • Housing: Glass fibre reinforced polyester (PVR) • UV-resistant, non-flammable V-0 (ul-94) • PA66 rotating mount: UV -resistant , • stainless steel fixings • Pressure compensation elements: the PCE (Pressure Compensating element) avoids moisture accumulation created by air pressure changes. • Operating Temperature: -40 to + 70 Degrees Celsius 				
7.13	<u>Operating Led:</u>	1	Item		

	<ul style="list-style-type: none"> • Continuous green-Normal operation • Continuous yellow- auto-test default failure • Continuous red alarm 				
7.14	<p>Electrical pump set with the following dimensions :</p> <ul style="list-style-type: none"> • Rated Capacity (GPM) 100 ; • Suction flange 65mmdiameter; Discharge Flange diameter 50mm; • UN Listed Rated Net Pressure Range (PSI) 104-128 ; • FM Approved RATED Net Pressure Range (PSI) 106-130 ; • Approx. Speed (RPM). 3500; • Max Working Pressure (PSI) 230. • All Pumps are Hydrostatically Tested to the minimum 150% of its Maximum Working Pressure and can withstand Double the Max Working Pressure Listed and FM Approved Pumps Compliance to NFPA 20 Design and installation Requirements. 	1	Item		
7.15	<p>Evacuation speakers</p> <p>15W Emergency evacuation speakers made of robust indestructible ABS enclosure and alloy bracket offering maximum protection against shock and weather making them ideal for extreme conditions.</p> <p><u>Speaker Features:</u></p> <ul style="list-style-type: none"> • Dimensions: 222X162X232mm • Rated RATING: IP66 • Rated power: 15W/7W • Line Voltage: 100V • Frequency response: 400Hz – 5KHz • Sensitivity: 105± 3Db • Finished colour : White • Material : ABS Enclosure , Alloy Bracket • Net Weight: 1.4Kg • Gross Weight: 1.7Kg 	1	Item		
7.16	<p>Servicing of existing fire water storage tanks: Above ground Tanks for flammable should comply with the following maintenance standard compliance to NFPA30 , NFPA 30A and NFPA 31.</p>	1	Item		

	Rectangular constructed for the capacity of up to 550Gallon.				
Item no	Equipment Spare and Testing				
8.1	Hydrostatic test co ² according to SANAS requirements	1	/cylinder		
8.2	Pressurise with nitrogen	1	/cylinder		
8.3	Pressure test (STP DCP) extinguishers	1	Item		
8.4	Replace gauge (STP DCP)	1	Item		
8.5	Replace head assembly (STP DCP)	1	Item		
8.6	Replace head assembly (co ²)	1	Item		
8.7	Handle (STP DCP)	1	Item		
8.8	Handle (co ²)	1	Item		
8.9	Replace gland packing (hose reels)	1	Item		
8.10	Replace O rings (hose reels)	1	Item		
8.11	Replace O rings (extinguishers)	1	Item		
8.12	Fire extinguisher mounting bracket	1	Item		
8.13	Fire extinguisher hose and horn (co ²)	1	Item		
8.14	Replace hydrant lip washer	1	Item		
8.15	Relocate extinguisher, bracket and chevron board	1	Item		
8.16	Replace stem check (STP DCP)	1	Item		
8.17	Replace stem check (co ²)	1	Item		
8.18	Replace sypher tube (STP DCP)	1	Item		
8.19	Replace sypher tube (co ²)	1	Item		
8.20	Replace seal and plunger (co ²)	1	Item		
8.21	Replace hose reel runner	1	Item		
8.22	Replace hydrant clack washer.	1	Item		
8.23	Discharge hose for 4.5kg (STP DCP)	1	Item		
8.24	Discharge hose for 9.0kg (STP DCP)	1	Item		
8.25	Break glass keyboy	1	Item		
8.26	Super sound break glass box	1	Item		
8.27	Supply super sound canister with horn.	1	Item		
8.28	Supply super sound refill canister only.	1	Item		
8.29	Supply and install extinguisher bracket.	1	Item		
8.30	Supply and install break glass and key to cabinets.	1	Item		
8.31	Replace damaged hydrant booster Glycerine gauge.	1	Item		
8.32	Supply and install new 290 x 290 mm ABS signage	1	Item		
8.33	Supply and install new 190 x 190 mm ABS signage	1	Item		
8.34	Supply and install new chevron board	1	Item		

8.35	Supply and install double sided hanging frame signage with chain, (Chromadek) 190 x 380 mm.	1	Item		
8.36	Supply and install double sided hanging frame signage with chain, (Chromadek) 290 x 580 mm.	1	Item		
8.37	Outsource of specialized works percentage Mark-up	1	%		

Provisional Sum for Safety file

Item	Description	Unit	Amount (VAT Excl.)	Amount (VAT Incl.)
1	Provisional Sum for Safety File as per Annexure 1	Sum	R 5 217.39	R 6 000.00

ANNEXURE 1: Health Safety Requirements Template for Issuing of Site Access

CONTRACTOR SAFETY FILE CONTENTS LIST

The purpose of this checklist is to guide the contractors and their sub-contractors as to what documents are required for them to prepare a safety file that must be issues to PRASA Cres Regional Departments or Head Office for evaluation before a site access is issued.

This checklist was revised to cater for **COVID 19** requirements as per RSA Government Disaster Management Act as amended and its Regulations.

Human Coronaviruses are common throughout the world. There are many different coronaviruses identified in animals but only a small number of these can cause disease in humans.

On 7 January 2020, 'Severe Acute Respiratory Syndrome Coronavirus 2' (SARS-CoV-2) was confirmed as the causative agent of 'Coronavirus Disease 2019' or COVID-19. The majority of the case-patients initially identified were dealers and vendors at a seafood, poultry and live wildlife market in China. Since then, the virus has spread to more than 100 countries, including South Africa.

The spread of the disease is thought to happen mainly via respiratory droplets produced when an infected person coughs or sneezes, similar to how influenza and other respiratory pathogens spread. Thus far, the majority of cases have occurred in people with close physical contact to cases and healthcare workers caring for patients with COVID-19.

Current symptoms reported for patients with COVID-19 have included mild to severe respiratory illness with cough, sore throat, shortness of breath or fever.

The complete clinical picture with regard to COVID-19 is still not fully clear. Reported illnesses have ranged from infected people with little to no symptoms to people being severely ill and dying.

Name of the Contractor:

Project:

Safety File Assessor and Date:

#	Requirement(s)	Compliance Status (Yes / No)	Comment(s)
1	Scope of works and Project Duration		
2	Notification to DOL (If applicable and as defined in the 2014 Construction Regulations)		
3	Registration of the project with DOL for the construction permit if the total project value is more than R45 Million (If applicable and as defined in the 2014 Construction Regulations)		
4	Valid Letter of Good Standing		
5	Employee List and Certified Copies of their Identity Documents (RSA Citizens) or Passports or Work Permits for foreign Nationals (Employee register); Home address; Contact Numbers; Residential Address; Name of Next of kin with Contacts (Very critical issue for contact tracing)		
6	Approved Organizational Structure		
7	Approved S/HE Policy		
8	Approved COVID 19 Policy / Declaration		
9	Approved S/HE Plan		
10	Risk Assessments for the projects as per project scope approved by the Risk Assessor and they should cover COVID 19 related risk and mitigation measures.		
11	Proof of medical fitness of employees who will be working on the project and they should be from the Occupational Health Practitioner not a General Practitioner. <ul style="list-style-type: none">• Protocols for dealing with COVID 19 positive cases.• Screening of contractors employees including sub-contractor• The type of thermometer that will be utilised and its calibration status.		

#	Requirement(s)	Compliance Status (Yes / No)	Comment(s)
12	Statutory Appointments including competency certificates and CVs e.g. COVID 19 Compliance Officer; First Aider and etc (Signed by the appointer and accepted by appointee's include CV's and competency certificates)		
13	Tool inspections Checklists and Register		
14	PPE Matrix and Records include COVID 19 PPE Requirements and list of the PPE to be provided.		
15	Safe Working Procedures or Method Statements Including COVID-19 control measures. A list of the documents required here is identified as a minimum <ul style="list-style-type: none"> - Waste management protocol on how COVID 19 related waste will be managed. - Incident reporting procedure. - Emergency procedure. - COVID 19 case handling. 		
16	Tool box Talks Templates to include COVID 19 information for awareness purposes. Include induction material covering COVID 19		
17	Equipment Maintenance (Calibrations, Safe Working load certificates and Decontamination or Sanitation Records etc) if applicable		
18	Chemicals substances list; MSDSs for chemicals to be used (14 point format) including Proof of training on MSDS if applicable.		
19	Excavation plan (when applicable)		
20	Scaffolding plan (when applicable)		
21	Declaration of Sub-contractors (when applicable)		
22	Proof of Third Party Liability Cover		
	Conclusion / Statement of Compliance		