



**DEPARTMENT OF WATER AND SANITATION
REPUBLIC OF SOUTH AFRICA**

DUE AT 11:00 ON

(15 May 2025)

WTE038CE

**THE SUPPLY AND DELIVERY OF LOCAL CONTENT 20 MPA/19MM READY MIX CONCRETE
TO MIDMAR ACCESS ROAD NEAR MIDMAR DAM IN KWAZULU NATAL PROVINCE**

SUBMIT COMPLETED BID DOCUMENTS TO:

POSTAL ADDRESS:

Department Water and Sanitation
Supply Chain Management Office
Private Bag X2023
STANDERTON
2430

OR

TO BE DEPOSITED IN:

The bid box at the entrance of
Construction East Office Building
Grootdraai Dam
STANDERTON
2430

Physical Address:

Ermelo R 39 Road,
Grootdraai Dam close to Standerton
Construction East Office
2430

Compulsory Briefing Session

Date: 06 May 2025

Time: 13:30-14:30pm

**Venue: Midmar dam near Howick in the
KZN Province.**

BIDDER: (Company address and stamp)

COMPILED BY: CONSTRUCTION EAST

DEPARTMENT OF WATER AND SANITATION

WTE038CE

**THE SUPPLY AND DELIVERY OF LOCAL CONTENT 20 MPA/19MM READY MIX CONCRETE
TO MIDMAR ACCESS ROAD NEAR MIDMAR DAM IN KWAZULU NATAL PROVINCE**

CONTENTS

INVITATION TO BID (SBD 1)

SECTION 1: LEGALITIES

SECTION 2: PRICE QUOTATION DATA

SECTION 3: PRICING SCHEDULE

PART A INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE (NAME OF DEPARTMENT/ PUBLIC ENTITY)											
BID NUMBER:		WTE038CE		CLOSING DATE:		15 May 2025		CLOSING TIME:		11:00	
DESCRIPTION		THE SUPPLY AND DELIVERY OF LOCAL CONTENT 20 MPA/19MM READY MIX CONCRETE TO MIDMAR ACCESS ROADS NEAR MIDMAR DAM IN THE KWAZULU NATAL PROVINCE									
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)											
Department Water and Sanitation				OR		Ermelo R 39 Road Grootdraai Dam Close to Standerton in Mpumalnga Province					
Supply Chain Management Office				Construction East Office Building - The bid box at the entrance							
Private Bag X2023				Grootdraai Dam							
STANDERTON 2430				STANDERTON 2430							
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO						TECHNICAL ENQUIRIES MAY BE DIRECTED TO:					
CONTACT PERSON		Ms GN Noge				CONTACT PERSON		Mr: Jabu Nobela			
TELEPHONE NUMBER		0177201600/18				TELEPHONE NUMBER		060 980 5899			
FACSIMILE NUMBER		N/A				FACSIMILE NUMBER		N/A			
E-MAIL ADDRESS		nogen@dws.gov.za				E-MAIL ADDRESS		NobelaJ@dws.gov.za			
SUPPLIER INFORMATION											
NAME OF BIDDER											
POSTAL ADDRESS											
STREET ADDRESS											
TELEPHONE NUMBER		CODE						NUMBER			
CELLPHONE NUMBER											
FACSIMILE NUMBER		CODE						NUMBER			
E-MAIL ADDRESS											
VAT REGISTRATION NUMBER											
SUPPLIER COMPLIANCE STATUS		TAX COMPLIANCE SYSTEM PIN:				OR		CENTRAL SUPPLIER DATABASE No:		MAAA	
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES OFFERED?		<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]				ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES OFFERED?				<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER THE QUESTIONNAIRE BELOW]	
QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS											
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?										<input type="checkbox"/> YES <input type="checkbox"/> NO	
DOES THE ENTITY HAVE A BRANCH IN THE RSA?										<input type="checkbox"/> YES <input type="checkbox"/> NO	
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?										<input type="checkbox"/> YES <input type="checkbox"/> NO	
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?										<input type="checkbox"/> YES <input type="checkbox"/> NO	
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?										<input type="checkbox"/> YES <input type="checkbox"/> NO	
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.											

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:	
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2022 AND THE PREFERENTIAL PROCUREMENT REGULATIONS 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
1.4.	THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).
2. TAX COMPLIANCE REQUIREMENTS	
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
2.3	APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA .
2.4	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
2.5	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
2.6	WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
2.7	NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:

.....

CAPACITY UNDER WHICH THIS BID IS SIGNED:

.....

(Proof of authority must be submitted e.g. company resolution)

DATE:

.....

DEPARTMENT OF WATER AND SANITATION

WTE038CE

**THE SUPPLY AND DELIVERY OF LOCAL CONTENT 20 MPA/19MM READY MIX CONCRETE
TO MIDMAR ACCESS ROAD NEAR MIDMAR DAM IN KWAZULU NATAL PROVINCE**

SECTION 1: LEGALITIES

CONTENTS

1. Instructions to Suppliers
2. Declaration of Interest (SBD 4)
3. Preference Points Claim in terms of the Preferential Procurement Regulation, 2022 (SBD 6.1)
4. Instructions to Suppliers: Purchases (Annexure 7)
5. General conditions of contract

DEPARTMENT OF WATER AND SANITATION

WTE038CE

**THE SUPPLY AND DELIVERY OF LOCAL CONTENT 20 MPA/19MM READY MIX CONCRETE
TO MIDMAR ACCESS ROAD NEAR MIDMAR DAM IN KWAZULU NATAL PROVINCE**

1. INSTRUCTIONS TO BIDDERS

CONTENTS

1. Issuing of documents
2. Queries with respect to this bid
3. Completion of Bids
4. Submission of Bids
5. Signature on Bids
6. General Conditions of Contract
7. Bids to comply with documents
8. Telegraphic bids
9. The Department's right to decline any bid
10. Department is not liable for bidder's expenses
11. Payments made under this contract
12. Evaluation Criteria
13. Rejection of bids
14. Results of bids

INSTRUCTIONS TO BIDDERS

1. ISSUING OF DOCUMENTS

- a)
 1. A complete set of bid documents is issued to a list of prospective Bidders, sourced from National Treasury's Central Supplier Database.
 2. Bid documents for bids advertised on CIDB will be made available on written request via E-mail.
 3. A complete set of bid documents can be downloaded from E-Portal for the bids advertised on E-Portal
- b) Bidders must satisfy themselves that the document is complete and conform to the index of this document. Should any figures or writing be indistinct or should any pages be missing from this document or should this document or the drawing(s) contain any obvious errors, the Bidders must immediately notify the Department in order to have any discrepancy rectified or clarified before submitting his bid. Such clarification will be valid only if made by the Department by means of formal amendment as described hereunder prior to the date of submission of bids. The Department may issue amendments to clarify or modify the Bid Documents. A copy of each amendment will be issued to each bidder and shall be acknowledged on the form issued with the amendments. No claim whatsoever will be entertained for faults in the bid price resulting from the above-mentioned discrepancies.
- c) No alterations, omissions or additions shall be made to this document, but should it be deemed necessary to do so, the Bidder is at liberty to qualify his bid.
- d) All Bidders shall be deemed to have waived, renounced and abandoned any conditions printed or written upon any stationery used by them for the purpose of or in connection with the submission of bids which are in conflict with the conditions laid down in this document.

2. QUERIES WITH RESPECT TO THIS BID

Queries of a specific administrative nature should be directed to Ms. GN Noge in writing to:
CAC SCM Office, Department of Water and Sanitation at nogen@dws.gov.za or telephone number **017 720 1600/18**

Queries of a specific technical nature should be directed to Mr: Jabu Nobela or Masizole Gcasamba in writing to:
NobelaJ@dws.gov.za: 060 980 5899 or **GcasambaM@dws.gov.za 060 980 7843**

3. COMPLETION OF BIDS

- a) The bid must be signed on the Invitation to Bid form (SBD 1) annexed hereto with all blanks in the bid and the appendix filled in.
- b) All spaces in the bid forms and other annexures shall be completed in full.
- c) **Section 3 in the bid document and the Pricing Schedule must be fully completed and priced out by the bidder. Failure to do so will deem your bid invalid.**
- d) The bid documents shall not be separated in any way nor must any pages be detached from the original documents.

4. SUBMISSION OF BIDS

The Bid Document shall be completed, signed and submitted as follows:

- a) The original Bid, together with a covering letter and supporting documents, shall be sealed in an envelope endorsed:

“Original Bid: WTE038CE: THE SUPPLY ONLY OF LOCAL CONTENT 20 MPA/19MM READY-MIX CONCRETE TO MIDMAR ACCESS ROAD NEAR MIDMAR DAM IN KWAZULU NATAL PROVINCE

- b) Bids sealed and endorsed as above, will be deposited in the bid box at the entrance of the Department Water and Sanitation: Construction East Office Building, Grootdraai Dam, Standerton and not later than 11:00 on the date stipulated on the front cover of this document. And not later than 11:00 on the date stipulated on the front cover of this document.

- (c) In the case where a Bidder is only a supplier but not the actual manufacturer and will procure the products from a manufacturer or other supplier and did not submit a letter from that manufacturer/supplier confirming supply arrangement(s) in this regard by the closing time of the bid.

5. SIGNATURE ON BIDS

The Bid, if by an individual, must be signed by that individual or by someone on his behalf duly authorised thereto and proof of such authority must be produced. If the bid is by a Company it must be signed by a person duly authorised thereto by a Resolution of a Board of Directors a copy of which Resolution, duly certified by the Chairman of the Company is to be submitted with the bid.

If the bid is submitted by joint venture of more than one person and/or Companies and/or firms it shall be accompanied by the following:

- (a) The original or a notarially certified copy of the original document under which such joint venture was constituted which must define precisely inter alia the conditions under which the joint venture will function, its period of duration and the participation of the several constituent persons and/or companies and/or firms.
- (b) A certificate signed by or on behalf of each participating person and/or company and/or firm authorising the person who signed the bid to do so.

6. GENERAL CONDITIONS OF CONTRACT

The General Conditions of Contract (National Treasury 2010), as attached shall be regarded as an integral part of the contract documents.

7. BIDDERS TO COMPLY WITH DOCUMENTS

Where applicable, Bidders must allow in their Bids for all labour, material, machinery and everything necessary for the execution and completion of the Contract in accordance with the bid documents. No alterations may be made in the Invitation to Bid, Schedule of Quantities or other documents and the bid will be deemed to comply entirely with the terms of the documents.

8. TELEGRAPHIC BIDS

No bid forwarded by telegram, telex, facsimile will be considered.

9. THE DEPARTMENTS RIGHT TO DECLINE ANY BID

The Department does not bind itself to accept the lowest or any bid.

10. DEPARTMENT NOT LIABLE FOR BIDDER'S EXPENSES

The Department will not be held liable for any expenses incurred in preparing and submitting bids.

11. PAYMENTS UNDER THE CONTRACT

All payments due to the Bidder in terms of the contract will be done by means of Electronic Fund Transfer. Bid price must be firm.

12. EVALUATION CRITERIA

Bids will be evaluated in accordance with the new Preferential Procurement Regulations, 2022, using 80/20 preference points system as prescribed in the Preferential Procurement Policy Framework Act (PPPFA, Act 5 of 2000). The lowest acceptable bid in terms of value will score 80 points for price and a maximum of 20 points will be awarded for attaining the Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution.

Bid proposals will be evaluated based on the 80/20 preference points where a maximum of 80 points will be awarded in respect of price and a maximum of 20 points will be awarded for goals.

The evaluation of bids will be conducted in five (5) phases as follows:

- **Phase 1: Mandatory requirements**
- **Phase 2: Administrative Compliance**
- **Phase 3: Test results and Material Grading**
- **Phase 4: Technical Evaluation and Specification Compliance**
- **Phase 5: Preference Points system**

**Phase 1:
Mandatory Requirements**

Table 1

		Yes	No
1.	Complete, sign, and submit SBD1, SBD 3.1, SBD 4, and SBD 6.1.		
2.	Compulsory site briefing attendance		

**Phase 2
Administrative Compliance**

Bidders are required to submit and or complete the following documents which should form part of the bid submitted by closing date. Omission to complete and/or submit the listed documents will render your bid non responsive and the bid will not be considered for phase 2 of the evaluation

Table 2:

Bidders are required to comply with the following listed below

No	Criteria	Yes	No
1.	Companies must be registered with National Treasury's Central Supplier Database, must be compliant.		
2.	Tax compliant with SARS (to be verified through CSD and SARS).		
3.	Active registration with Company Intellectual Property Commission (to be verified through CSD and CIPC).		
4.	An original or Certified copy of B-BBEE Status Level Verification Certificate /Sworn affidavit must be submitted with the bidding document.		
5.	Sign and submit section 2 price quotation data (specification).		
6.	The stipulated minimum threshold percentage for local production and content for the different types of Cement must be 100% as per stipulated by the Department of Trade and Industry (DTI) is applicable. Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s) as per the specifications.		
7.	Complete, sign and submit annexure C		

Phase 3:**Test results and Material Grading:**

Bidders that passed phase 1 and phase 2 will be requested to submit the mix design as and when required by the department.

Table:3

No	Criteria	Yes	No
1.	Test results must comply with Standard Specifications		
2.	Grading, Test results and Concrete Mix Design must be submitted to the department on request.		

Phase 4:**Technical Evaluation and Specification Compliance**

Compliance requirements:

- Indicate by marking the relevant column, if you mark on both columns, it will be considered as non-compliance. A bidder who fails to comply with the specification requirements as described in section 2 of this document will be disqualified and not considered for further evaluation.

Table 4

Item No:	Quantity	Description (Spec / ToR)	Comply	
			Yes	No
1.	50 m ³	Supply & delivery of 20MPa/19mm Ready-Mix Concrete as per specifications		
2.	50 m ³	Transport		

Phase 5:**Preference Points system**

The bid will be awarded in terms of Regulation 4: Preferential Procurement Regulations, 2022 pertaining to the Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000).

Bid proposals will be evaluated based on the 80/20 preference points where a maximum of 80 points will be awarded in respect of price and a maximum of 20 points will be awarded for goals.

Points claimed will be according to a bidder's specific goals claimed as indicated in Table 5 below.

Table 5: Specific goals for the tender and points allocation are indicated as per the table below:

In terms of Regulation 4(2); 5(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this bid the bidder will be allocated points based on the bidder's goals claimed as per table 5. Bidder's goal claimed must be supported by proof/ documentation stated as per table 5 and the special conditions of this bid where applicable:

Table 5:

The specific goals allocated points in terms of this tender	Number of maximum points allocated (80/20 system)	Bidder's points claimed for specific goals (To be completed by Bidder)
Women Ownership	5	
Disability Ownership	5	
Youth Ownership	5	
Location of enterprise (local equals province) KwaZulu Natal Province	2	
B-BBEE status level contribution from level 1 to 2 which are QSE or EME	3	
TOTAL SCORED POINTS	20	

Specific goals” means specific goals as contemplated in section 2(1)(d) of the PPPFA Act which may include contracting with persons, or categories of persons, historically disadvantaged by unfair discrimination on the basis of race, gender and disability including the implementation of programmes of the Reconstruction of Development Programme as published in *Government Gazette* No. 16085 date 23 November 1994.

“Ownership” means the percentage ownership and control, exercised by individuals within an enterprise.

"Disability" means, in respect of a person, a permanent impairment of a physical, intellectual, or sensory function, which results in restricted, or lack of, ability to perform an activity in the manner, or within the range, considered normal for a human being.

- i. A blind person (in terms of the Blind Persons Act, 1968 (Act no.26 of 1968);
- ii. A deaf person, whose hearing is impaired to such an extent that he/she cannot use it as a primary means of communication;
- iii. A person who, as a result of permanent disability, requires a wheelchair, caliper or crutch to assist him/her to move from one place or another;
- iv. A person who requires an artificial limb; or
- v. A person who suffers from a mental illness (in terms of the Mental Health Act, 1973 (Act no. 18 of 1973).

"Youth" means, in respect of a person younger than 35 years of age.

"Location of enterprise" Local equals province. Where a project cuts across more than one province, the bidder may be located in any of the relevant provinces to claim and be allocated the points.

Women, disability, and youth will be measured by calculating the pro-rata percentage of ownership of the bidding company which meets the criterion. E.g., Company A has five shareholders each of whom own 20% of the company. Three of the five shareholders meet the criterion, i.e., they are women/disability/youth. Therefore, this bidder will obtain 60% of the points allowable for this goal.

Table 6: Documents required for verification of Bidder's claimed points

Documents/ information listed on the below table 6 must be submitted to support and verify points claimed as per table 5 above.

Table 6

Specific Goal	Requires Proof Documents
Women Ownership	Full CSD Report
Disability Ownership	Full CSD Report
Youth Ownership	Full CSD Report
Location of enterprise	Full CSD Report
B-BBEE status level contribution from level 1 to 2 which are QSE or EME	Valid B-BBEE certificate or Certify Copy in case of QSE/sworn affidavit Consolidated B-BBEE certificate in cases of Joint Ventures (JV) Full CSD Report for each bidder who formed a (JV)

Failure on the part of a bidder to submit proof of documentation required in terms of this tender to claim for specific goals with the bid, will be interpreted to mean that preference points for specific goals are not claimed and will not be allocated.

13. REJECTION OF BID

Bids not complying with the above-mentioned requirements and specifications may be regarded as incomplete and may not be considered.

14. RESULTS OF BIDS

Results of non-acceptance of bids will be sent to individual unsuccessful bidders in due course.

DEPARTMENT OF WATER AND SANITATION

INSTRUCTIONS TO BIDDERS: PURCHASES

1. The standard bidding forms should not be retyped or redrafted.
2. Should standard bid forms not be filled in by means of mechanical devices, for example typewriters, black ink must be used to fill in bids.
3. Bidders shall check the numbers of the pages and satisfy themselves that none are missing or duplicated. No liability shall be accepted in regard to claims arising from the fact that pages are missing or duplicated.
4. The specifications form an integral part of the bid document and bidders shall indicate in the space provided whether the items offered are to specification or not.
5. In respect of the paragraphs where the items offered are strictly to specification, bidders shall insert the words "as specified".
6. In cases where the items are not to specification, the deviations from the specifications shall be indicated.
7. The bid prices shall be given in the units shown and must be firm.
8. With the exception of basic prices, where required, all prices shall be quoted in South African currency.
9. Delivery basis:
 - (a) Supplies which are held in stock or are in transit or on order from South African manufacturers at the date of bid, shall be offered on a basis of delivery into consignee's store or on his site within the free delivery area of the bidder's centre, or carriage paid consignee's station if the goods are required elsewhere.
 - (b) Notwithstanding the provisions of paragraph 9(a), bid prices for supplies in respect of which installation/erection/assembly is a requirement, shall include ALL costs on a basis of delivered on site as specified.
10. Unless specifically provided for in the bid document, no bids transmitted by telegram, telex, facsimile, or similar apparatus shall be considered.
11. Bids received after the closing date and time are late and will as a rule not be accepted for consideration.
12. Bids will be opened in public, that is, bidders or their representatives may be present. If requested by any bidder, the names of bidders and if practical the total amount of each bid, will be read aloud.
13. The period for which offers are to remain valid and binding is indicated in the bid documents and is calculated from the closing date on the understanding that offers are to remain in force and binding until the close of business on the last day of the period calculated and if this day falls on a Saturday, Sunday or public holiday, the bid is to remain valid and binding until the close of business on the following working day.
14. These conditions (ANNEXURE 7) form part of the bid and failure to comply therewith may invalidate a bid.
15. Bidders are requested to promote local content optimally. Bidders who use locally manufactured components, products, equipment and systems, must complete the Declaration for Annexure C (Local Production and Content)
16. After public opening of bids, information relating to the examination, clarification and evaluation of bids and recommendations concerning awards will not be disclosed to bidders or other persons not officially concerned with the process, until the successful bidder is notified of the award. The bid documentation of bidders is considered to be confidential and will under no circumstances be made available to other bidders or other persons.

17. The financial standing of bidders and their ability to manufacture or to supply goods or to render a service may be examined before their bids are considered for acceptance.
18. The Department may, where a bid relates to more than one item, accept such bid in respect of any specific item or items and also accept part of the specified quantity of any specific item or items.
19. The Department is not obliged to accept any bid. The evaluation of a bid will be done in accordance with the Preferential Procurement Policy Framework Act, 2000 (Act no. 5 of 2000) and its regulations.
20. After approval of the bid, both parties must sign a written contract.
21. Failure of the successful bidder to sign the Contract Form in ink may result in the invalidation of their bid.

DEPARTMENT OF WATER AND SANITATION

WTE038CE

THE SUPPLY AND DELIVERY OF LOCAL CONTENT 20 MPA/19MM READY MIX CONCRETE
TO MIDMAR ACCESS ROAD NEAR MIDMAR DAM IN KWAZULU NATAL PROVINCE

SECTION 2: **PRICE QUOTATION DATA**

CONTENTS

1. STIPULATIONS

STIPULATIONS

1.	SERVICE
1.1	<p>The service to be rendered is:</p> <p>THE SUPPLY AND DELIVERY OF LOCAL CONTENT 20MPA/19MM READY MIX MIDMAR ACCESS ROAD NEAR MIDMAR DAM IN KWAZULU NATAL PROVINCE</p>
1.2	<p><u>Compulsory Briefing Session</u> <u>Date: 06 May 2025</u> <u>Time: 13:30-14:30pm</u> <u>Venue: Midmar dam near Howick in the KZN Province.</u></p>
2.	SITE
	The Midmar access road is located at Midmar dam near Howick in Kwazulu natal Province.
3.	LOCAL PRODUCTION AND CONTENT
	<ul style="list-style-type: none"> Only locally produced or locally manufactured with a stipulated minimum threshold for local production and content will be considered. The stipulated minimum threshold percentage for local production and content for the different types of Cement must be 100% local content as per stipulated by the Department of Trade and Industry (DTi) is applicable. The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid. Only the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 must be used to calculate local content. Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s) as per the specifications. Annexure C need to be complete and is available on the Department: Trade and Industry website. (www.thedti.gov.za).
4.	LETTER OF AUTHORITY ISSUED BY NRCS – TAKE NOTE ALL BELOW
	<ul style="list-style-type: none"> NRCS (National Regulatory Compliance Standard) administers a compulsory specification for cement. Cement must be approved by the NRCS before it may be sold or offered of sale. The product and the production plant must be certified as compliant by NRCS. Manufacturers must apply for a “Letter of Authority” before offering cement for sale. NRCS evaluates evidence of conformity to determine whether the requirements of the compulsory specifications are met. A “Letter of Authority” is issued by NRCS to compliant cement manufacturers in respect of conforming products authorising the sale of cement. NRCS letter of Authority must be submitted with the bid documents on closing date.
5.	STANDARDS, SPECIFICATIONS
5.1.	READY MIX CONCRETE SPECIFICATIONS
	<ul style="list-style-type: none"> All materials and admixtures must comply with SABS / SANS 878 specifications for concrete and will be monitored during the delivery period of the concrete. Concrete for the project will be used for road concrete structures (Walls, beams, slabs, platforms, headwalls, culverts, etc) Bidders to submit concrete mix design together with bid on or before due date. All grading of aggregates (sand and stone) must be made available for approval by the Engineer before the tender is awarded.

	<ul style="list-style-type: none">• The concrete mix design shall be approved by the Engineer on site or by the Client before the tender is awarded• The supplier may be requested by the Engineer or Client to adjust concrete mix designs from time to time depending on the conditions on site.• Maximum aggregate size allowable is 19mm for structural concrete.• Good quality River / Crusher sand to be used in mix to give a good, sound, smooth floatable finish to exposed concrete surfaces.• Test results must comply with Standard Specifications as set out under this Section 2: Specifications.• Tests for concrete shall be as per SANS 1200G clause 7.• All costs with respect to clause 7 shall be deemed to be included in the rates for concrete. <p>Concrete Mix design should meet the following criteria:</p> <table><tr><th>CONCRETE CLASS</th><th>WATER CEMENT RATIO</th><th>ON SITE SLUMP (mm)</th></tr><tr><td>20Mpa / 19mm (20/19)</td><td>0,38 - 0,68</td><td>75 – 100</td></tr><tr><td></td><td></td><td></td></tr><tr><th>CONCRETE CLASS</th><th>MINIMUM STRENGTH AT 28 DAYS MPa</th><th>TARGET AVERAGE 28 DAY COMPR. STRENGTH MPa</th></tr><tr><td>20Mpa / 19mm (20/19)</td><td>20</td><td>25</td></tr><tr><td></td><td></td><td></td></tr></table>	CONCRETE CLASS	WATER CEMENT RATIO	ON SITE SLUMP (mm)	20Mpa / 19mm (20/19)	0,38 - 0,68	75 – 100				CONCRETE CLASS	MINIMUM STRENGTH AT 28 DAYS MPa	TARGET AVERAGE 28 DAY COMPR. STRENGTH MPa	20Mpa / 19mm (20/19)	20	25			
CONCRETE CLASS	WATER CEMENT RATIO	ON SITE SLUMP (mm)																	
20Mpa / 19mm (20/19)	0,38 - 0,68	75 – 100																	
CONCRETE CLASS	MINIMUM STRENGTH AT 28 DAYS MPa	TARGET AVERAGE 28 DAY COMPR. STRENGTH MPa																	
20Mpa / 19mm (20/19)	20	25																	
5.2.	CEMENT SPECIFICATIONS <ul style="list-style-type: none">• The cement to be used in the concrete mix shall be stated in the Bid and shall comply with SANS 50197 and all its supporting specifications.• Only CEM I 52.5 or CEM I 42.5 (Portland Cements), CEM II A 52.5 or CEM II A 42.5 in accordance with SANS 50197-1 may be used• If Fly Ash (FA) is use it should comply to SANS 50450 and Ground Granulated Blast-Furnace Slag (GGBS) to comply to SANS 55167• only minimum of 30% of the cement shall be replaced with Fly Ash (FA) or Ground Granulated Blast-Furnace Slag (GGBS)• the Contractor wishes to use any other type/blend of cement, he shall obtain the Engineer's prior written approval. The tendered rates, however, shall be based on the use of the above-mentioned cements/blends only.• No cement may be used that does not conform to these specifications.• The type of cement and/or extender on which the Bid is awarded may not be changed during the Contract without prior notification and approval by the Client. <p>No imported cement shall be used in the concrete</p>																		
5.3.	COARSE AGGREGATES <p>Quality</p> <ul style="list-style-type: none">• Coarse aggregate shall be clean, sound, unweathered stone from an approved source crushed and well graded to the sizes specified for the applicable grades of concrete for which it will be used.• The crushed stone shall be reasonably free from dust, clay, soft, friable or decomposed pieces• Crushed stone particles shall be approximately round or cubical in shape and aggregates containing flats or flaky and elongated particles will not be accepted.• The coarse aggregate shall conform to and be tested in accordance with the requirements of SANS 1083• The 150 mm nominal size, which is not specified in SANS 1083, shall fall within the following grading limits:<ul style="list-style-type: none">i) Percentage passing the 150 mm sieve 90 to 100%.ii) Percentage passing the 75 mm sieve 0 to 25%. Percentage passing the 40 mm sieve 0 to 5%.• No plums may be used in any plain or reinforced concrete.• The weighted average loss after 5 cycles in the sodium sulphate test as described in ASTM C88-SST shall not be more than 10% by mass.																		

	<ul style="list-style-type: none"> The linear shrinkage when tested in accordance with clause 6.11 of SANS 1083 when using the fine aggregate intended for use on the Works shall not exceed 0,05%. In addition, the linear shrinkage of the coarse aggregate when using a fine aggregate known to have no shrinkage characteristics shall not exceed 0,035%.
5.4.	FINE AGGREGATES
	<p>Quality</p> <ul style="list-style-type: none"> The fine aggregate shall consist of hard, dense, durable, uncoated well shaped particles and shall be free from injurious amounts of dust, lumps, soft or flaky particles, shale, alkali, organic matter, clay, loam, mica or other deleterious matter. Sand shall be rejected if the total percentage by mass of all deleterious matter in a random sample exceeds 2% or if the percentage by mass of either shale, material with a specific gravity of less than 2, coal or clay exceeds 1%. The fine aggregate shall conform to and be tested in accordance with the requirements of SANS 1083, with the following additions; all tests except for the grading analysis being conducted and evaluated only on the minus 4,75 mm material: <ul style="list-style-type: none"> (i) Not more than 10% by mass of the fine aggregate shall be retained on the 5,0 mm sieve. Of the minus 5,0 mm fraction at least 90% by mass shall pass a 2,36 mm sieve, at least 90% by mass shall be retained on 150 micrometres sieve and not more than 4% by mass shall pass the 75 micrometres sieve. In addition not less than 3% shall pass the 150 micrometres sieve. (ii) The fineness modulus (F.M.) of the sand provided shall fall within the range 2,0 to 3,2. Throughout the duration of concreting shift the F.M. of the sand shall not vary by more than 0,1 on either side of the value existing at the commencement of the shift, but in no case shall the limits stated previously be exceeded. Furthermore, whenever the F.M. varies by more than 0,2 from the F.M. of the sand used in the trial mixes, the Engineer shall order that new mix proportions based on trial mixes using the sand with the new grading be performed. The cost of such additional trial mixes shall be borne by the Bidder. (iii) The shape of the particles shall be such that the percentage voids do not exceed 48%. (iv) The linear shrinkage when tested in accordance with clause 6.11 of SANS 1083, and when using the coarse aggregate approved for use in the Works shall not exceed 0,05%. In addition, the linear shrinkage characteristics of a mortar bar shall not exceed 0,06%.
5.5.	WATER
	<ul style="list-style-type: none"> The water used for concrete or cement mortar shall be clean and free from such acids, alkalis, organic matter, soluble salts and any impurities which in the opinion of the Engineer would make it unsuitable for use. If the water from local natural resources should contain at certain times objectionable quantities of impurities, the Bidder will be required to make arrangements to the satisfaction of the Engineer for ensuring its purity before use. The water shall comply with the requirements of SANS 51008.
5.6.	ADMIXTURES
	<ul style="list-style-type: none"> Admixtures such as air entraining or wetting agents may be used only with the written approval of the Engineer covering the type, amount and location of use. Admixtures shall be measured accurately and shall be introduced into the mixer in solution in the mixing water. Use of admixtures in the concrete shall in no way relieve the bidder of his responsibility for compliance with the requirements of these Specifications governing protection and curing of the concrete. The cost of using and testing such admixtures if permitted by the Engineer shall be borne by the bidder. If the use of air entraining agents is permitted by the Engineer test measurements shall be carried out by the bidder as and when required by the Engineer to determine – <ul style="list-style-type: none"> (i) the percentage of air entrained in the concrete (after elimination of aggregate larger than 19,0 mm); and

	<ul style="list-style-type: none"> (ii) the density of the concrete. Air Entraining Agents shall comply to the requirements of ASTM C260 and Water Reducing Additives shall comply to ASTM C494, type A. The additives shall be free of chlorides.
5.7.	SPECIAL NOTICE
	<ul style="list-style-type: none"> The winning bidder must submit concrete cube test results for 7 days and 28 days for any batch of concrete that is delivered on site. All specifications of Cement / Fly ash / Slagment must also be made available to the Department. The successful bidder must provide concrete tests and aggregate test results to the Department throughout the course of the contract as part of the successful bidder's quality plan. If the information supplied is not to the mentioned specifications and requirements of the Department, the bid will not be accepted. The Department can request minor adjustments to the given mix design (say percentages of used aggregate) to accommodate workability from time to time, this adjustment may not affect the bid price per cube of concrete after the award of the bid. Quality checks must be in place to ensure that the end product complies with the specifications. The strength and slump at point of placement shall be monitored for compliance. Any additional documents / test results that may have an influence on the characteristics / strength / workability of concrete must be submitted before the award of this Bid.
6.	SCOPE OF CONTRACT
	<p>The Bidder will be required to perform the following service as part of this contract:</p> <ul style="list-style-type: none"> The service to be rendered is: The Supply only of ready mix-concrete to Midmar access road near Midmar dam in Kwazulu natal Province according to specification to site as required by the Department. All sourcing, loading and delivery costs shall be included in the bid rates.
7.	DELIVERY/ COLLECTION
	<ul style="list-style-type: none"> Deliveries may be made during the following working hours 7h30 to 14h00 from Monday to Thursday but not on the following days or periods: <ul style="list-style-type: none"> (i) Fridays 17h00 to Mondays 07h00 (ii) All public holidays (iii) The last Thursday and Friday of the month The Bidder shall nominate a contract person with whom the Department will arrange and schedule collection. DWS will decline products that do not comply with the specification when it is collected. The declined material will not be accepted by the Department and problem must be resolved within 48 hours. The ownership of and risk for the product purchased will pass to the Department at the point of collection i.e. where a signed acceptance take place.
8.	TECHNICAL SUPPORT
	<p>Should any problem be reported to the supplier concerning the services, the following response times are expected:</p> <ul style="list-style-type: none"> Within 24 hours a representative of the supplier should be on site to resolve the problem. Within 24 hours there should be a solution to the problem or if not possible, replacement products should be on site within 48 hours at the supplier's expense. <p>ANY DEFECTED PRODUCT SHOULD BE REPLACED AT THE SUPPLIER'S EXPENSE.</p>

9.	QUANTITIES
	<ul style="list-style-type: none"> The quantity required cannot be guaranteed. However, the estimated quantity is given in the SBD 3.1. Orders will be placed as and when requirements become known.
10.	PROGRAMME OF WORKS
	<ul style="list-style-type: none"> Supply shall commence within 14 days after receipt of official DWS order and as per notification by end-user until the full quantity needed is collected.
11.	TRANSPORTATION
	<ul style="list-style-type: none"> Concrete should be sourced from not more than 50km radius from Midmar dam in howick.
12.	PAYMENT
	<ul style="list-style-type: none"> Payment will be made per cubic metre (m³) ready mixed concrete supplied to site. The Department reserves the right to check the quantities collected at any time. Payment will be made monthly on receipt of specified tax invoices. Payment will not be made for consignment unless supported by delivery notes and weight-bridge slips duly signed by the official checking the material. Payment will be done within 30 days of receipt and approval of original invoice by depositing the payment directly into the bank account of the successful bidder. No cash or cheque payment will be done. Payment for standing time exceeding three hours will only be made if such standing time is a result of the action of the Department. Bidders shall provide in their bid for all labour, plant, material, implements and vehicles necessary for the execution of the contract and all operating and maintenance costs in accordance with the bid documents.
13.	DELIVERY PERIOD AND BID PRICE
	<ul style="list-style-type: none"> All-inclusive bid prices are required, meaning VAT, delivery and any other cost mentioned in the specification for the Bidders account must be included in the unit price. Firm bid prices and delivery/collection periods must be submitted. "Firm" prices are deemed to be the prices which are only subject to the following statutory change <p>(a) VAT,</p> <p>(b) Any levy related to customs and excise (written proof must be given)</p> <ul style="list-style-type: none"> Adherence to bid delivery/collection period is of utmost importance.
14.	SAFETY AND ENVIRONMENTAL
	<ul style="list-style-type: none"> Bidders are required to adhere to the Departments Safety and Environmental policies.

Therewith I, _____ (Bidder's Name) declare that I have read, completed and understood the above specifications.

BIDDER'S SIGNATURE

DEPARTMENT OF WATER AND SANITATION

WTE038CE

**THE SUPPLY AND DELIVERY OF LOCAL CONTENT 20MPA/19MM READY MIX CONCRETE TO
MIDMAR ACCESS ROAD NEAR MIDMAR DAM IN KWAZULU NATAL PROVINCE**

SECTION 3: SBD 3.1 – PRICING SCHEDULE

CONTENTS

PREAMBLE TO THE SBD 3.1 – PRICING SCHEDULE
SBD 3.1 – PRICING SCHEDULE

PREAMBLE TO THE SBD 3.1 – PRICING SCHEDULE

1. GENERAL

The SBD 3.1 forms part of the Contract Documents and must be read and priced in conjunction with all the other documents which include the Conditions of Contract and all other Specifications in the bid document.

2. QUANTITIES REFLECTED IN THE PRICING SCHEDULE

The quantities given in the SBD 3.1 can be subject to change. **The Department reserves the right to only purchase one product per item or one item or none of the items in the pricing schedule.**

The validity of the contract will in no way be affected by differences between the quantities in the SBD 3.1 and the quantities finally certified for payment.

3. PRICING OF THE SCHEDULE

The rates to be filled in the SDB 3.1 should include all costs. All rates and amounts quoted in the SBD 3.1 shall be in Rand and shall include applicable taxes.

4. CORRECTION OF ENTRIES

Incorrect entries shall not be erased or obliterated with correction fluid, use of correction fluid will invalidate your bid, but must be crossed out neatly. The correct figures must be entered above or adjacent to the deleted entry, and the alteration must be initialled by the Bidder, failure to initial where the correction was done will invalidate your bid.

PRICING SCHEDULE

(Firm Prices)

WTE038CE

THE SUPPLY AND DELIVERY OF LOCAL CONTENT 20MPA/19MM READY MIX CONCRETE TO MIDMAR ACCESS ROAD NEAR MIDMAR DAM IN KWAZULU NATAL PROVINCE

THIS PRICING SCHEDULE MUST BE COMPLETED IN FULL – FAILURE TO COMPLY WILL INVALIDATE YOUR BID

CLOSING TIME 11:00	ON: (15 May 2025)	BID NO. WTE038CE
NAME OF BIDDER:		

OFFER TO BE VALID FOR 120 DAYS FROM CLOSING DATE OF BID

ITEM	DESCRIPTION	QUANTITY	UOM	UNIT PRICE	AMOUNT IN RSA CURRENCY
1.	Supply & delivery of 20MPa/19mm Ready-Mix Concrete as per specifications	50	m ³	R.....	R.....
2.	Transport	50	M ³	R.....	R.....
SUB TOTAL (VAT EXCL)					R.....
VAT @ 15%					R.....
TOTAL PRICE (VAT INCL)					R.....

- **Rates must include delivery**

Delivery basis.

-

- **Period required for delivery after receipt of order:**

- Manufacturer / Batchplant where Ready Mix Material will be sourced from

-

To Site

Midmar Access road Project in the KZN
Province(Near Howick)

**14 days after receipt of
Purchase Order on request from
end-user**

NOTE:

- All delivery costs must be included in the bid unit price.
- Failure to complete all the relevant information in SBD 3.1 will render your bid as non-responsive.

Any enquiries regarding bidding procedures may be directed to the –

Department Water and Sanitation
Supply Chain Management Office
Construction East,
PRIVATE BAG X2023
Standerton
2430.

Administrative information:

Ms. GN Noge / 0177201600/18, Email: nogen@dws.gov.za

Or

For Technical or site information –

Mr.Jabu Nobela
Email: NobelaJ@dws.gov.za
Tel: 060 980 5899

And / Or

Mr.MZ Gcasamba
Email: GcasambaM@dws.gov.za
Tel: 060 980 7843