RFP24-2025 Appointment of a service provider to provide a Turn-Key Solution Including Fit-Out for SARS Central Warehouse in Cape Town

2. Questions and Responses

No.	Topic	Question	Answer
1	Contract Term	What is the preferred length of the contract term?	The contract term will depend on the financial model proposed. Bidders are required to submit different financial models (lease, lease-to-own, purchase, etc.) as stated in the tender, each with their associated contract period.
2	Go-live	When is the expected go-live?	The expected go-live will be aligned with the timelines proposed in the bidder's turnkey programme. SARS requires practical readiness no later than the date specified in the tender, subject to final negotiations.
3	Payment terms	What are the payment terms (30, 60, 90 days)	Standard SARS payment terms apply: 30 days from invoice date.
4	High- Value storage	Size of vaulted high value goods area and spec for Vault?	The tender does not prescribe vault size or technical construction specifications. Bidders must propose a fit-forpurpose high-value vault solution, based on the operational requirements in the specification and aligned to recognised security standards.
5		Size of non-vaulted value goods area and spec for security and	This is to be proposed by the bidder as part of the turnkey design.

		access? Fences and gates, electric or manual locks etc.	Bidders must ensure security measures are compliant with the tender requirements and
			industry norms for high-risk
_			storage.
6	Hazardous		The tender does not specify
	products		exact sizes, as this must be
			based on bidder's warehouse
			design. Bidders must propose
		Hazardous or perishable items area	compliant spaces (fire-rated, bunded, ventilated,
		size and specification. Fire rated,	cooled/freezer where
		bunded, cooling/ freezing	applicable) in line with the
		requirements?	specifications.
7		roquiromonts:	Bidders must comply with the
			Occupational Health & Safety Act.
			Where required, emergency
			eye-wash stations and/or full
		Hazardous waste area showers:	safety showers must be
		does it refers to eye showers only as	included based on bidder's
		per regs similar to battery areas or	proposed layout and risk
		full showers for staff?	assessment.
8	Office space		The tender requires that the
			external (administration) office
			must be a separate structure
			from the warehouse. The
			internal NOE operational
			office may form part of the
		Can office be separated by walls	warehouse structure but must
		only or must it be a separate	be fully separated by walls and
		structure? More cost effective to be	access-controlled as stated in the tender.
9	Auction Area	in structure but separated by walls.	The specification requires that
9	Auction Alea		an auction and viewing area be
			provided.
			Size must be proposed by the
			bidder, based on the overall
		Public auction and viewing area	warehouse design and
		size?	operational flow.

10	Shutter doors		"Sealed" refers to security
			integrity, not cooling. Roller
		Sealed roller shutter access points	shutters must provide secure,
		to be clarified? Sealed for security	tamper-resistant access
		or cooling	control.
11	MHE		The tender does not prescribe
			battery type. Bidders may
			propose lithium, lead-acid or
			hybrid solutions, provided they
		Forklifts and reach trucks to be	are fit-for-purpose and aligned
		lithium or lead acid or both?	to safety requirements.
12	Waste removal		The tender requires bidders to
			submit a waste handling
			proposal suitable for a
			Customs environment. This includes:
			Storage of waste
			Segregation
			Disposal
			Hazardous waste
		Specify waste removal plan please?	compliance
		Skips, bins, hazardous material,	Security of the waste
		perishable, dry, wet waste, recycling	area Bidders must design and
		extent, and security to waste area?	propose the plan.
13	Waste		The tender requires bidders to
	destruction		comply with municipal and
			environmental legislation
			governing destruction waste.
			Specific permit requirements
			will depend on the bidder's
		Please provide spec requirements	proposed destruction facility
		to adhere to for destruction	and must be allowed for in the
		operation waste disposal permit.	bidder's proposal.
14	Office space		All SARS-specific
			requirements are stated in the tender.
		Please provide spec for any SARS	Bidders must design the office
		specific requirements referred to in	areas (external and internal) in
		turnkey office section and any other	line with the functional
		areas	requirements provided.
15	3. Scope of	Please send the specs for a SO2 and	The tender is for a single SARS
10	work	SO3 facility	Customs State Warehouse,
	VVOIR	303 lacinty	Gastoriis Gtate Wareriouse,

16	Physical Barriers Specifications		not multiple SO2/SO3 sites. All requirements are contained within the current specification. No additional SO2/SO3 specifications apply. The tender requires bidders to propose fit-for-purpose physical barriers (e.g.,
		Please provide specs/requirements for physical barriers	perimeter fencing, gates, access control) consistent with the security requirements. Bidders must design and include these in their turnkey solution.
17	SAPS & Private		Bidders must comply with all
	Security		applicable laws. Full
	Industry		specifications are not required
	Regulations	Provide specs for SAPS and Private	in the tender, but bidders must
		Security Industry regulations for	ensure compliance in their
		sensitive goods	design and operations.
18	Mechanical		Bidders must design ventilation according to:
	Ventilation		• SANS 10400
	Specification		• Fire engineer
			requirements
		Provide specifications for	Proposed warehouse
		mechanical ventilation to	No fixed design is prescribed
		warehouse	by SARS.
19	Number of On-	Waldilease	The tender does not prescribe
	Grade and		exact quantities. Bidders must
	Dock Doors		propose a suitable number of
			dock doors based on the
			warehouse size, operational
		Confirm number of on grade and	flow, and efficiency
		dock doors	requirements.
20	SARS Requirements in Point 3.1.4(ii)	Provide list of what the SARS requirements are as per point 3.1.4	All requirements under this section are contained in the tender specification. Bidders must interpret and design accordingly.

21	Spec & Size of Hazardous Area, High- Value Cages,		The tender intentionally does not prescribe fixed sizes. Bidders must propose: A hazardous goods area High-value secure
	Auction Area	Provide spec and size of the hazardous goods area, high value cages, auction and viewing area	cages • Auction/viewing area based on their layout and operational model, ensuring compliance with the specification.
22	Waste Disposal		Bidders must comply with
	Permits		municipal, provincial, and
			national environmental
			requirements. Permits
			required will depend on the
			destruction/waste
		Clarify what is required for waste	management solution
		disposal permits	proposed by the bidder.