

#### REPUBLIC OF SOUTH AFRICA

**DUE AT 11:00 ON** 

#### 01 OCTOBER 2025

#### WTE089CE

SUPPLY AND DELIVERY OF HEALTH AND SAFETY EQUIPMENT WITH LOCAL CONTNET ITEMS INCLUDED TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE.

#### SUBMIT COMPLETED BID DOCUMENTS TO:

POSTAL ADDRESS:

Department Water and Sanitation
Supply Chain Management Office
Private Bag X2023
STANDERTON
2430

TO BE DEPOSITED IN:
The bid box at the entrance of
Construction East Office Building
Grootdraai Dam
STANDERTON
2430

# **Physical Address:**

Ermelo R 39 Road, Grootdraai Dam close to Standerton Construction East Office 2430

#### **Compulsory Briefing Session**

Date: 23 September 2025

Time: 10am

Venue: Rietpooort reservoir For Majuba location near Amersfoort in the Mpumalanga Province

Co-ordinates: 27º07'11.27"S 29º44'36.12"E

BIDDER: (Company address and stamp)

#### WTE089CE

SUPPLY AND DELIVERY OF HEALTH AND SAFETY EQUIPMENT WITH LOCAL CONTNET ITEMS INCLUDED TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE.

#### **CONTENTS**

# **INVITATION TO BID (SBD 1)**

SECTION 1: LEGALITIES

SECTION 2: PRICE QUOTATION DATA

SECTION 3: PRICING SCHEDULE

# PART A INVITATION TO BID

			JIREMENTS OF THE (1					
BID NUMBER:	WTE089	_	CLOSING DATE: 01 C		2025		OSING TIME: 11:00	
SUPPLY AND DELIVERY OF HEALTH AND SAFETY EQUIPMENT WITH LOCAL CONTNET ITEMS INCLUDED TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE.								
BID RESPONSE DOC	UMENTS	MAY BE DEPOS	ITED IN THE BID BOX	SITUATED A	T (STREET ADDR	RESS)		
Department Water ar	Department Water and Sanitation OR Ermelo R 39 Road Grootdraai Dam Close to Standerton in Mpumalnga Province							
Supply Chain Manag	jement C	Office	Constructio	n East Office	Building - The b	oid box a	at the entrance	
Private Bag X2023			Grootdraai	Dam				
STANDERTON 2430	)		STANDER	TON 2430				
BIDDING PROCEDUR	E ENQU	RIES MAY BE DI	RECTED TO	TECHNICAL	L ENQUIRIES MA	Y BE DIF	RECTED TO:	
CONTACT PERSON		Mrs. Neethling I	Marianne	CONTACT	PERSON		Mr: Thapelo Malu	
TELEPHONE NUMBEI	R	0177201606/065	5 538 3901	TELEPHON	E NUMBER		017 720 1624/0 5852	60 980
FACSIMILE NUMBER		N/A		FACSIMILE	NUMBER		N/A	
E-MAIL ADDRESS		NeethlingM@dv	vs.gov.za	E-MAIL ADD	DRESS		Malubanet@dws.	gov.za
SUPPLIER INFORMA	TION							
NAME OF BIDDER								
POSTAL ADDRESS								
STREET ADDRESS								
TELEPHONE NUMBER	R	CODE			NUMBER			
CELLPHONE NUMBER	R				<u> </u>			
FACSIMILE NUMBER		CODE	<u>                                     </u>		NUMBER			
E-MAIL ADDRESS  VAT REGISTR	ATION							
NUMBER				<del>,</del>	<del></del>	1		
SUPPLIER COMPLIAN	NCE	TAX COMPLIANCE			CENTRAL SUPPLIER			
314103		SYSTEM PIN:		OR	DATABASE			
					No:	MAAA		
ARE YOU THE ACCREDI								
REPRESEN					J A FOREIGN BAS		□Yes	□No
IN SOUTH A		□Yes	□No	SUPPLIER FOR THE GOODS /SERVICES				
FOR THE G /SERVIC		[IF YES ENCLOS	SE PROOFI		OFFERED?		[IF YES, ANSWER THE QUESTIONNAIRE BELO	
OFFERED?			J V V J					
QUESTIONNAIRE TO	BIDDING	FOREIGN SUPP	PLIERS					
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?								
DOES THE ENTITY HAVE A BRANCH IN THE RSA?				)				
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?				)				
DOES THE ENTITY HA	AVE ANY	SOURCE OF INC	COME IN THE RSA?				☐ YES ☐ NO	)
IS THE ENTITY LIABL				4 DEC: !!D=:	45NT TO DEC!	'ED E&=	☐ YES ☐ NO	
SYSTEM PIN CODE F	IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.							

# PART B TERMS AND CONDITIONS FOR BIDDING

#### 1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

#### 2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

#### WTE089CE

SUPPLY AND DELIVERY OF HEALTH AND SAFETY EQUIPMENT WITH LOCAL CONTNET ITEMS INCLUDED TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE.

#### **SECTION 1: LEGALITIES**

# **CONTENTS**

- 1. Instructions to Suppliers
- 2. Declaration of Interest (SBD 4)
- 3. Preference Points Claim in terms of the Preferential Procurement Regulation, 2022 (SBD 6.1)
- 4. Instructions to Suppliers: Purchases (Annexure 7)
- 5. General conditions of contract

#### WTE089CE

SUPPLY AND DELIVERY OF HEALTH AND SAFETY EQUIPMENT WITH LOCAL CONTNET ITEMS INCLUDED TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE.

#### 1. <u>INSTRUCTIONS TO BIDDERS</u>

#### **CONTENTS**

- 1. Issuing of documents
- 2. Queries with respect to this bid
- 3. Completion of Bids
- 4. Submission of Bids
- 5. Signature on Bids
- 6. General Conditions of Contract
- 7. Bids to comply with documents
- 8. Telegraphic bids
- 9. The Department's right to decline any bid
- 10. Department is not liable for bidder's expenses
- 11. Payments made under this contract
- 12. Evaluation Criteria
- 13. Rejection of bids
- 14. Results of bids

#### **INSTRUCTIONS TO BIDDERS**

#### 1. ISSUING OF DOCUMENTS

- 1. A complete set of bid documents is issued to a list of prospective Bidders, sourced from National Treasury's Central Supplier Database.
  - 2. Bid documents for bids advertised on CIDB will be made available on written request via E-mail.
  - 3. A complete set of bid documents can be downloaded from E-Portal for the bids advertised on E-Portal
- (b) Bidders must satisfy themselves that the document is complete and conform to the index of this document. Should any figures or writing be indistinct or should any pages be missing from this document or should this document or the drawing(s) contain any obvious errors, the Bidders must immediately notify the Department in order to have any discrepancy rectified or clarified before submitting his bid. Such clarification will be valid only if made by the Department by means of formal amendment as described hereunder prior to the date of submission of bids. The Department may issue amendments to clarify or modify the Bid Documents. A copy of each amendment will be issued to each bidder and shall be acknowledged on the form issued with the amendments. No claim whatsoever will be entertained for faults in the bid price resulting from the abovementioned discrepancies.
- (c) No alterations, omissions or additions shall be made to this document, but should it be deemed necessary to do so, the Bidder is at liberty to qualify his bid.
- (d) All Bidders shall be deemed to have waived, renounced and abandoned any conditions printed or written upon any stationery used by them for the purpose of or in connection with the submission of bids which are in conflict with the conditions laid down in this document.
- (e) Only locally produced or locally manufactured dust masks, waste bins and wheely from or input will be considered for this bid. The stipulated minimum threshold for local production and content for dusk masks and waste bins is 100%.

#### 2. QUERIES WITH RESPECT TO THIS BID

Queries of a specific administartion nature should be directed to Ms. Marianne Neethling in writing to: Crpo of SCM Office, Department of Water and Sanitation at <a href="MeethlingM@dws.gov.za">NeethlingM@dws.gov.za</a> or telephonically on 017 720 1606/ 065 538 3901

Queries of a specific technical nature should be directed to Mr: T.Malubane in writing to: <a href="mailto:malubanet@dws.gov.za">malubanet@dws.gov.za</a>, CELL: 060 980 5852

#### 3. COMPLETION OF BIDS

- (a) The bid must be signed on the Invitation to Bid form (SBD 1) annexed hereto with all blanks in the bid and the appendix filled in.
- (b) All spaces in the bid forms and other annexures shall be completed in full.
- (c) Section 3 in the bid document and the Pricing Schedule must be fully completed and priced out by the bidder. Failure to do so will deem your bid invalid.
- (d) The bid documents shall not be separated in any way nor must any pages be detached from the original documents.

#### 4. SUBMISSION OF BIDS

The Bid Document shall be completed, signed and submitted as follows:

(a) The original Bid, together with a covering letter and supporting documents, shall be sealed in an envelope endorsed:

"Original Bid: WTE089CE:SUPPLY AND DELIVERY OF HEALTH AND SAFETY EQUIPMENT WITH LOCAL CONTNET ITEMS INCLUDED TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE.

and the name of the Bidder shall be clearly shown.

(b) Bids sealed and endorsed as above, will be deposited in the bid box at the entrance of the Department Water and Sanitation: Construction East Office Building, Grootdraai Dam, Standerton and not later than 11:00 on the date stipulated on the front cover of this document. and not later than 11:00 on the date stipulated on the front cover of this document.

#### 5. SIGNATURE ON BIDS

The Bid, if by an individual, must be signed by that individual or by someone on his behalf duly authorised thereto and proof of such authority must be produced. If the bid is by a Company it must be signed by a person duly authorised thereto by a Resolution of a Board of Directors a copy of which Resolution, duly certified by the Chairman of the Company is to be submitted.

If the bid is submitted by joint venture of more than one person and/or Companies and/or firms it shall be accompanied by the following:

- (a) The original or a notarially certified copy of the original document under which such joint venture was constituted which must define precisely inter alia the conditions under which the joint venture will function, its period of duration and the participation of the several constituent persons and/or companies and/or firms.
- (b) A certificate signed by or on behalf of each participating person and/or company and/or firm authorising the person who signed the bid to do so.

#### 6. GENERAL CONDITIONS OF CONTRACT

The General Conditions of Contract (National Treasury 2010), as attached shall be regarded as an integral part of the contract documents.

#### 7. BIDDERS TO COMPLY WITH DOCUMENTS

Where applicable, Bidders must allow in their Bids for all labour, material, machinery and everything necessary for the execution and completion of the Contract in accordance with the bid documents. No alterations may be made in the Invitation to Bid, Schedule of Quantities or other documents and the bid will be deemed to comply entirely with the terms of the documents.

#### 8. TELEGRAPHIC BIDS

No bid forwarded by telegram, telex, facsimile will be considered.

#### 9. THE DEPARTMENTS RIGHT TO DECLINE ANY BID

The Department does not bind itself to accept the lowest or any bid.

#### 10. DEPARTMENT NOT LIABLE FOR BIDDER'S EXPENSES

The Department will not be held liable for any expenses incurred in preparing and submitting bids.

#### 11. PAYMENTS UNDER THE CONTRACT

All payments due to the Bidder in terms of the contract will be done by means of Electronic Fund Transfer. Bid price must be firm.

#### 12. EVALUATION CRITERIA

Bids will be evaluated in accordance with the new Preferential Procurement Regulations, 2022, using 80/20 preference points system as prescribed in the Preferential Procurement Policy Framework Act (PPPFA, Act 5 of 2000. The lowest acceptable bid in terms of value will score 80 points for price and a maximum of 20 points will be awarded for attaining the Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution.

Bid proposals will be evaluated based on the 80/20 preference points where a maximum of 80 points will be awarded in respect of price and a maximum of 20 points will be awarded for goals.

The evaluation of bids will be conducted in four (4) phases as follows:

- Phase 1: Mandatory Requirements
- Phase 2: Administrative Compliance
- Phase 3: Technical Evaluation and Specification Compliance
- Phase 4: Preference Points system

#### **Phase: 1 Mandatory Requirements**

- Failure to complete, sign and submit the documents listed in table 1 below will render your bid non-responsive and will be disqualified.
- Failure to attend compulsory site briefing listed in table 1 below will render your bid non-responsive and will be disqualified

#### Table 1

No	Criteria	Yes	No
1.	Compulsory site briefing session attendance		
2.	Complete, sign, submit SBD 1, SBD 3.1, SBD 4, SBD 6.1		

#### **Phase 2: Administrative Compliance**

Bidders are required to submit and or complete the following documents which should form part of the bid submitted by closing date. Omission to complete and/or submit the listed documents will render your bid non responsive and the bid will not be considered for phase 2 of the evaluation

Table 2

Bidders are required to comply with the following listed below.

No	Criteria	Yes	No
	Companies must be registered and compliant with National Treasury's Central		
1.	Supplier Database.		
2.	Companies must be tax compliant with SARS (to be verified through CSD and SARS).		
3.	Companies must actively registered with Company Intellectual Property Commission (to be verified through CSD and CIPC).		
4.	Submit a certified copy of B-BBEE Status Level Verification Certificate /Sworn affidavit.		
	(failure to submit, the Bidder will forfeit the preferential points to be claimed)		
5.	Sign and submit Section 2 Price Quotation data (Specification),		
6.	The stipulated minimum threshold percentage for local production and content for the dusk masks, waste bins and wheely bin <b>must be 100%</b> as per stipulated by the Department of Trade and Industry (DTi) is applicable.  Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s) as per the specifications.		
7.	Sign and submit Annexure C (Local Production and Content), D and E with bidding document.		
8.	Complete, sign and submit LC Declaration Document in line with the PPR.doc 2022		

# Phase 3: Technical Evaluation and Specification Compliance

Compliance requirements:

Indicate by marking the relevant column, if you mark on both columns, it will be considered as non-compliance. A bidder who fails to comply with the specification requirements as described in section 2 of this document will be disqualified and not considered for further evaluation.

Table 3

Item	Quantity	Description (Spec / ToR)	Com	ıply
No:			Yes	No
1.	6 Each	Dust masks (Box of 20 item)		
2.	25 each	Sporty spectacles		
3.	2 Each	First aid kid metal wall box		
4.	10 Each	Universal ear muffs		
5.	75 Each	Re-usable mushroom tri flange corded earplug — blue similar approved to dromex		
6.	100 Each	Superior leather pig skin VIP gloves - Wrist		
7.	1 Each	Waist bin - green		
8.	5 Each	Barrier safety netting		
9.	2 Each	Water bearier		
10	2 Each	First aid box kept and controlled by safety sign		
.11	2 Each	Drinking water safety sign		
12.	1 Each	Ladies toilet safety sign		
13.	1 Each	Gents toilet safety sign		
14.	2 Each	Emergency assembly point safety sign		
15.	2 Each	General waste sign		
16.	2 Each	No smoking safety sign		
17.	1 Each	No drinking of this water water safety sign		
18.	2 Each	No littering safety sign		
19.	2 Each	Beware of fire hazards safety sign		
20.	2 Each	You are entering a mandatory PPE area safety		
21.	1 Each	Emergency evacuation procedure safety sign		
22.	2 Each	Designated smoking area safety sign		
23.	1 Each	Emergency telephone list sign		
24.	1 Each	Representative board sign		

25.	3 Each	Fire extinguisher safety sign	
26.	3 Each	Red arrow - Location of fire fighting equipment safety sign	
27.	1 Each	Poster - Basic condition of employment ACT 1997	
28.	1 Each	Poster – Employment equity ACT 1998	
29.	1 Each	Poster – Occupational health and safety ACT 1993	
30.	1 Each	Poster – Skills development ACT 1998	
31.	1 Each	Poster – Labour relation ACT 1995	
32.	1 Each	Construction site board sign	
33.	1 Each	No parking safety sign	
34.	50 Each	Safety googles	
35.	2 Each	Oil spill kit whelley bin	
36.	Sum	Transport cost to site	

#### Phase 4: Preference Points system

The bid will be awarded in terms of Regulation 4: Preferential Procurement Regulations, 2022 pertaining to the Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000).

Bid proposals will be evaluated based on the 80/20 preference points where a maximum of 80 points will be awarded in respect of price and a maximum of 20 points will be awarded for goals.

Points claimed will be according to a bidder's specific goals claimed as indicated in Table 4 below.

#### Table 4: Specific goals for the tender and points allocation are indicated as per the table below:

In terms of Regulation 4(2); 5(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this bid the bidder will be allocated points based on the bidder's goals claimed as per table 4. Bidder's goal claimed must be supported by proof/ documentation stated as per table 5 and the special conditions of this bid where applicable:

Table 4:

The specific goals allocated points in terms of this tender	Number of maximum points allocated (80/20 system)	Bidder's points claimed for specific goals (To be completed by Bidder)
Women Ownership	5	
Disability Ownership	5	
Youth Ownership	5	
Location of enterprise (local equals province) Mpumalanga Province	2	
B-BBEE status level contribution from level 1 to 2 which are QSE or EME	3	
TOTAL SCORED POINTS	20	

**Specific goals**" means specific goals as contemplated in section 2(1)(d) of the PPPFA Act which may include contracting with persons, or categories of persons, historically disadvantaged by unfair discrimination on the basis of

race, gender and disability including the implementation of programmes of the Reconstruction of Development Programme as published in *Government Gazette* No. 16085 date 23 November 1994.

"Ownership" means the percentage ownership and control, exercised by individuals within an enterprise.

"Disability" means, in respect of a person, a permanent impairment of a physical, intellectual, or sensory function, which results in restricted, or lack of, ability to perform an activity in the manner, or within the range, considered normal for a human being.

- i. A blind person (in terms of the Blind Persons Act, 1968 (Act no.26 of 1968);
- ii. A deaf person, whose hearing is impaired to such an extent that he/she cannot use it as a primary means of communication;
- iii. A person who, as a result of permanent disability, requires a wheelchair, caliper or crutch to assist him/her to move from one place or another;
- iv. A person who requires an artificial limb; or
- v. A person who suffers from a mental illness (in terms of the Mental Health Act, 1973 (Act no. 18 of 1973).

"Location of enterprise" Local equals province. Where a project cuts across more than one province, the bidder may be located in any of the relevant provinces to claim and be allocated the points.

**Women, disability, and youth** will be measured by calculating the pro-rata percentage of ownership of the bidding company which meets the criterion. E.g., Company A has five shareholders each of whom own 20% of the company. Three of the five shareholders meet the criterion, i.e., they are women/disability/youth. Therefore, this bidder will obtain 60% of the points allowable for this goal.

#### Table 5: Documents required for verification of Bidder's claimed points

Documents/ information listed on the below table 5 must be submitted to support and verify points claimed as per table 4 above.

Table 5

Specific Goal	Requires Proof Documents
Women Ownership	Full CSD Report
Disability Ownership	Full CSD Report
Youth Ownership	Full CSD Report
Location of enterprise	Full CSD Report
B-BBEE status level	Valid B-BBEE certificate/sworn affidavit
contribution from level 1 to 2 which are QSE or EME	Consolidated B-BBEE certificate in cases of Joint Ventures (JV)
	Full CSD Report for each bidder who formed a (JV)

Failure on the part of a bidder to submit proof of documentation required in terms of this tender to claim for specific goals with the bid, will be interpreted to mean that preference points for specific goals are not claimed and will not be allocated.

#### 13. REJECTION OF BID

Bids not complying with the above-mentioned requirements and specifications may be regarded as incomplete and may not be considered.

### 14. RESULTS OF BIDS

Results of non-acceptance of bids will be sent to individual unsuccessful bidders in due course.

<sup>&</sup>quot;Youth" means, in respect of a person younger than 35 years of age.

#### **ANNEXURE 7**

#### **DEPARTMENT OF WATER AND SANITATION**

#### **INSTRUCTIONS TO BIDDERS: PURCHASES**

- 1. The standard bidding forms should not be retyped or redrafted.
- 2. Should standard bid forms not be filled in by means of mechanical devices, for example typewriters, black ink must be used to fill in bids.
- 3. Bidders shall check the numbers of the pages and satisfy themselves that none are missing or duplicated. No liability shall be accepted in regard to claims arising from the fact that pages are missing or duplicated.
- 4. The specifications form an integral part of the bid document and bidders shall indicate in the space provided whether the items offered are to specification or not.
- 5. In respect of the paragraphs where the items offered are strictly to specification, bidders shall insert the words "as specified".
- 6. In cases where the items are not to specification, the deviations from the specifications shall be indicated.
- 7. The bid prices shall be given in the units shown and must be firm.
- 8. With the exception of basic prices, where required, all prices shall be quoted in South African currency.
- 9. Delivery basis:
  - (a) Supplies which are held in stock or are in transit or on order from South African manufacturers at the date of bid, shall be offered on a basis of delivery into consignee's store or on his site within the free delivery area of the bidder's centre, or carriage paid consignee's station if the goods are required elsewhere.
  - (b) Notwithstanding the provisions of paragraph 9(a), bid prices for supplies in respect of which installation/erection/assembly is a requirement, shall include ALL costs on a basis of delivered on site as specified.
- 10. Unless specifically provided for in the bid document, no bids transmitted by telegram, telex, facsimile, or similar apparatus shall be considered.
- 11. Bids received after the closing date and time are late and will as a rule not be accepted for consideration.
- 12. Bids will be opened in public, that is, bidders or their representatives may be present. If requested by any bidder, the names of bidders and if practical the total amount of each bid, will be read aloud.
- 13. The period for which offers are to remain valid and binding is indicated in the bid documents and is calculated from the closing date on the understanding that offers are to remain in force and binding until the close of business on the last day of the period calculated and if this day falls on a Saturday, Sunday or public holiday, the bid is to remain valid and binding until the close of business on the following working day.

- 14. These conditions (ANNEXURE 7) form part of the bid and failure to comply therewith may invalidate a bid.
- 15. Bidders are requested to promote local content optimally. Bidders who use locally manufactured components, products, equipment and systems, must complete the Department Declaration for Annexure C (Local Production and Content)
- 16. After public opening of bids, information relating to the examination, clarification and evaluation of bids and recommendations concerning awards will not be disclosed to bidders or other persons not officially concerned with the process, until the successful bidder is notified of the award. The bid documentation of bidders is considered to be confidential and will under no circumstances be made available to other bidders or other persons.
- 17. The financial standing of bidders and their ability to manufacture or to supply goods or to render a service may be examined before their bids are considered for acceptance.
- 18. The Department may, where a bid relates to more than one item, accept such bid in respect of any specific item or items and also accept part of the specified quantity of any specific item or items.
- 19. The Department is not obliged to accept any bid. The evaluation of a bid will be done in accordance with the Preferential Procurement Policy Framework Act, 2000 (Act no. 5 of 2000) and its regulations.
- 20. After approval of the bid, both parties must sign a written contract.
- 21. Failure of the successful bidder to sign the Contract Form in ink may result in the invalidation of their bid.

#### WTE089CE

SUPPLY AND DELIVERY OF HEALTH AND SAFETY EQUIPMENT WITH LOCAL CONTNET ITEMS INCLUDED TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE.

**SECTION 2:** PRICE QUOTATION DATA

# **CONTENTS**

1. STIPULATIONS

# **STIPULATIONS**

1.	SERVICE
1.1	The service to be rendered is the:
	SUPPLY AND DELIVERY OF HEALTH AND SAFETY EQUIPMENT WITH LOCAL CONTNET ITEMS INCLUDED TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE.  As more fully specified hereunder.
2.	SITE
	Compulsory Briefing Session  Date: 23 September 2025  Time: 10am  Venue: Rietpooort reservoir For Majuba location near Amersfoort in the Mpumalanga Province
	Majuba Resevoir is located approximately 1 km from Majuba power station in Mpumalanga province.
	Access to the site is via Unknown road either from Perdekop or Amersfoort Road, turn off toward Majuba power station drive approximately 3 km on a tare road from entrance of the power station.
	Coordinates : 27°07'05.93" S, 29°48'35.75" E
3.	STANDARDS, SPECIFICATIONS AND DEFINITIONS APPLICABLE
3.1	NOTE ITEMS LISTED BELOW MUST BE 100 % LOCALLY MANUFACTURED
3.2	Dust masks (Box of 20 item)
0.2	Dust masks (Box of 20 item)
	FFP 1 dust mask
	SANS approved
	• Box of 20
	NRCS approved
	Made with three-ply non-woven cloth material
	Adjustable nose piece
	Inner soft foam
	<ul> <li>Polypropylene material with low breathing resistance and high filtration and static, to effectively resist normal toxic and tiny micron particles against unpleasant organic acid vapours and dusts.</li> </ul>
3.3	Sporty spectacles
	Colour: Clear
	Polycarbonate mono lens
	Wide black vinyal temples
	Ergonomic design to fit snug with the face contour
	Compatible with repiratory equipment
	Anti-fog lens (clear and amber)  Anti-plans lens (crimes are as and area)
	Anti-glare lens (mirror, green and grey)     Septeb registered lens
	<ul> <li>Scratch resistance lens</li> <li>120º lateral vision</li> </ul>
	Clear anit-fog: DV 1 FN
	• EN 166 F CE
3.4	First aid kid metal wall box
	Size: standard
	Including contents:
	Item 1: Wound cleaner / antiseptic (100 ml)
	Item 2: Swabs for cleaning wound

_		
	•	Item 3: Cotton wool for padding ( 100 g)
	•	Item 4: Sterile gauze (minimum size 100 mm)
	•	Item 5: 1 pair of forceps for splinters
	•	Item 6: 1 pair of scissors (minimum size 100 mm)
	•	Item 7: 1 set of safety pins
	•	Item 8: 4 tringular bandages
	•	Item 9: 4 roller bandages (75 mm X 5 mm)
	•	Item 10: 4 roller bandages (100 mm X 5 mm)
	•	Item 11: 1 roll of elastic adhesive (25 mm X 3 m)
	•	Item 12: 1 non-allergenic adhesive strip (25 mm X 3 m)
	•	Item 13: Packet of adhesive dressing strips (minimum quality 10 assorted sizes)
	•	Item 14: 4 first aid dressing (75 mm X 100 mm)
	•	Item 15: 4 first aid dressing (150 mm X 200 mm)
	•	Item 16: 2 straight splints
	•	Item 17: 2 pairs large and 2 pairs medium disposal latex gloves
	•	Item 18: 2 CPR mouth pieces or similar devices
	•	Item 19: Biodide 6 g sachets
	•	Item 20: absorbent 40 g sachets
	•	Item 21: Eusol disinfectant 50 ml
	•	Item 22: household gloves large
	•	Item 23: household gloves medium
	•	Item 24: Biohazard bag yellow
3.5	Univer	rsal ear muffs
	•	Universal headband ear muffs
	•	Suitable for machining, grinding, steel cutting and woodwork
	•	High visibility red cups and black band
	•	Adjustable rotation cap for secure fit
	•	For use under hard hat or around neck
	•	H-28 db, M-21 db, L-13 db, SNR-24 db
	•	Standard: EN 352-1
3.6	Re-usa	able mushroom tri flange corded earplug – blue similar approved to dromex
	•	Re-usable ear plugs
	•	Soft detachable cord
	•	Easy to insect into your ear
	•	Hi visibility fluorescent green TPR
	•	Blue TPR (thermos plastic rubber)
3.7	Superi	ior leather pig skin VIP gloves - Wrist
	•	Made from the finest superior A-grade split leather
	•	Tough general handling glove with strong water repellence
	•	Made from extra thick pig leather for added durability
	•	Offers industry leading comfort and protection
	•	Wrist length
	•	One size fits all
3.8	Waist	bin - green
	•	To be manufactured from virgin high density polyethylene, ultra violet stabilized and is guaranteed for
		long service life
	•	To be suitable for recycling material
	•	To favour option for contruction site
	•	To have the rolling bin that will reduce workload and operator strain as it is moved to the lifting and or
		tipping device
	•	To have honeycomb reinforcing to increase strength, safety, and service life
	•	To be easily stackable, with lids assembled eight high for economical transport and warehousing
	•	To be ideal for all application, e.g construction industry, catering, medical waste, recycling projects,
		gardening, etc.

To have running wheels with solids rubber tyres, 200 mm in diameter enable the container to be I quietly and efficiently Height - 1190 mm Area – 590 mm X 760 mm  3.9 Barrier safety netting Roll Isre – 1 m width Roll length – 50 m 6 00 grams per m² / 3 kg per roll 2 % UV treated Double stitched barrier net that does not easly tear and can withstand high winds  3.10 Water bearier Roll length – 500 m Colour – red and white  3.11 First aid box kept and controlled by safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Custom green first aid box is kept and controlled by safety sign is to inform who is in charge of the aid box in the building  3.12 Drinking water safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The drinking water (6A6) safety sign has a white tap with water flowing into a cup on the green sign shaped safety sign The drinking water (6A6) safety sign has a white tap with water flowing into a cup on the green sign shaped safety sign The drinking water (6A6) safety sign has a white tap with water flowing into a cup on the green sign shaped safety sign The drinking water (6A6) safety sign has a white tap with water flowing into a cup on the green sign shaped safety sign The drinking water (6A6) safety sign has a white tap with water flowing into a cup on the green sign shaped safety sign The drinking water (6A6) safety sign has a white symbol of a standing lady on the green square shaped safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square shaped safety sign has a white symbol of a standing lady on the green square shaped safety sign be more durable to harsh weather conditions as it will be placed outside	
quietly and efficiently	
Height - 1190 mm     Area - 590 mm X 760 mm	nandied
3.9 Barrier safety netting  • Roll size – 1 m with  • Roll size – 1 m vide  • 2 % UV treated  • Double stitched barrier net that does not easly tear and can withstand high winds  3.10 Water bearier  • Roll length – 500 m  • Colour – red and white  3.11 First aid box kept and controlled by safety sign  • Size – 290 mm X 290 mm  • Texture – ABS plastic  • SANS approved safety sign  • Size – 290 mm X 290 mm  • Texture – ABS plastic  • SANS approved safety sign  • Size – 290 mm X 290 mm  • Texture – ABS plastic  • SANS approved safety sign  • The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green sushaped safety sign  • The drinking water safety sign should be in a highly visible area so that the person know which with drinkable and not toxic  3.13 Ladies toilet safety sign  • Size – 290 mm X 290 mm  • Texture – ABS plastic  • SANS approved safety sign  • The drinking water safety sign has a white symbol of a standing lady on the green square sh  3.14 Gents toilet safety sign  • Size – 290 mm X 290 mm  • Texture – ABS plastic  • SANS approved safety sign  • Size – 290 mm X 290 mm  • Texture – ABS plastic  • SANS approved safety sign  • Size – 290 mm X 290 mm  • Texture – ABS plastic  • SANS approved safety sign  • The driner – ABS plastic  • SANS approved safety sign  • The true – ABS plastic  • SANS approved safety sign  • The querier – ABS plastic  • SANS approved safety sign  • The curre – ABS plastic  • SANS approved safety sign  • The curre – ABS plastic  • SANS approved safety sign  • The reture – ABS plastic  • SANS approved safety sign  • The reture – ABS plastic  • SANS approved safety sign  • The emengency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign  • The reture – ABS plastic	
3.9 Barrier safety netting  • Roll size – 1 m width • Roll length – 50 m • 60 grams per m² / 3 kg per roll • 2 % UV treated • Double stitched barrier net that does not easly tear and can withstand high winds  3.10 Water bearier  • Roll length – 500 m • Colour – red and white  3.11 First aid box kept and controlled by safety sign • Size – 290 mm X 290 mm • Texture – ABS plastic • SANS approved safety sign • Size – 290 mm X 290 mm • Texture – ABS plastic • SANS approved safety sign • Size – 290 mm X 290 mm • Texture – ABS plastic • SANS approved safety sign • Size – 290 mm X 290 mm • Texture – ABS plastic • SANS approved safety sign • The drinking water (SAG) safety sign has a white tap with water flowing into a cup on the green side shaped safety sign • The drinking water (SAG) safety sign has a white symbol of a standing lady on the green side shaped safety sign • Texture – ABS plastic • SANS approved safety sign • Texture – ABS plastic • SANS approved safety sign • The drinking water (SAG) safety sign has a white symbol of a standing lady on the green square shaped safety sign • The tax of the safety sign • The ladies toilet (GAT0) safety sign has a white symbol of a standing lady on the green square shaped safety sign • The plants toilet (GAT1) safety sign has a white symbol of a standing lady on the green square shaped safety sign • The sture – ABS plastic • SANS approved safety sign • The sture – ABS plastic • SANS approved safety sign • The control of the green square shaped safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign • The memergency assembly point safety sign • The memergency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
Roll length – 50 m Double stitched barrier net that does not easly tear and can withstand high winds  3.10 Water bearier Roll length – 500 m Colour – red and white  Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign  Drinking water safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinking water safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinking water safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinking water safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinking water safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinking water safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinking water safety sign The drinking water safety sign should be in a highly visible area so that the person know which with shaped safety sign as a white symbol of a standing lady on the green square shaped safety sign as a white symbol of a standing lady on the green square shaped safety sign as a white symbol of a standing lady on the green square shaped safety sign as a white symbol of a standing lady on the green square shaped safety sign The memorgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign The memorgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green squ	
Roll length – 50 m Double stitched barrier net that does not easly tear and can withstand high winds  3.10 Water bearier Roll length – 500 m Colour – red and white  Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign  Drinking water safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinking water safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinking water safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinking water safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinking water safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinking water safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinking water safety sign The drinking water safety sign should be in a highly visible area so that the person know which with shaped safety sign as a white symbol of a standing lady on the green square shaped safety sign as a white symbol of a standing lady on the green square shaped safety sign as a white symbol of a standing lady on the green square shaped safety sign as a white symbol of a standing lady on the green square shaped safety sign The memorgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign The memorgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green squ	
Roll length – 50 m Go grams per m² / 3 kg per roll Go grams per m² / 3 kg per roll Cobustic per	
6 60 grams per m² / 3 kg per roll 2 % UV treated Double stitched barrier net that does not easly tear and can withstand high winds  3.10 Water bearier  Roll length – 500 m Colour – red and white  3.11 First aid box kept and controlled by safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Custom green first aid box is kept and controlled by safety sign is to inform who is in charge of the aid box in the building  3.12 Drinking water safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinkable and not toxic  3.13 Ladies toilet safety sign  The Ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh SaNS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh Texture – ABS plastic SANS approved safety sign The ladies toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh SANS approved safety sign The degence of the control of the cont	
2 % UV treated Double stitched barrier net that does not easly tear and can withstand high winds  3.10 Water bearier  Roll length – 500 m Colour – red and white  3.11 First aid box kept and controlled by safety sign  Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign  Custom green first aid box is kept and controlled by safety sign is to inform who is in charge of the aid box in the building The drinking water safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green sushaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which we drinkable and not toxic  3.13 Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh Size – 290 mm X 290 mm Texture – ABS plastic	
3.10 Water bearier  Roll length – 500 m Colour – red and white  3.11 First aid box kept and controlled by safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Custom green first aid box is kept and controlled by safety sign is to inform who is in charge of the aid box in the building  3.12 Drinking water safety sign SANS approved safety sign Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green st shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which with drinkable and not toxic  3.13 Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh for the current of the cu	
Roll length – 500 m     Colour – red and white  3.11 First aid box kept and controlled by safety sign     Size – 290 mm X 290 mm     Texture – ABS plastic     SANS approved safety sign     Size – 290 mm X 290 mm     Texture – ABS plastic     SANS approved safety sign     Size – 290 mm X 290 mm     Texture – ABS plastic     SANS approved safety sign     The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign     The drinking water safety sign should be in a highly visible area so that the person know which water drinkable and not toxic  3.13 Ladies toilet safety sign     Size – 290 mm X 290 mm     Texture – ABS plastic     SANS approved safety sign should be in a highly visible area so that the person know which water drinkable and not toxic  3.14 Cadies toilet safety sign     Size – 290 mm X 290 mm     Texture – ABS plastic     SANS approved safety sign     The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square shell to the safety sign     Size – 290 mm X 290 mm     Texture – ABS plastic     SANS approved safety sign     The texture – ABS plastic     SANS approved safety sign     The texture – ABS plastic     SANS approved safety sign     The texture – ABS plastic     SANS approved safety sign     The texture – ABS plastic     SANS approved safety sign     The texture – ABS plastic     SANS approved safety sign     The texture – ABS plastic     SANS approved safety sign	
3.11 First aid box kept and controlled by safety sign  Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Custom green first aid box is kept and controlled by safety sign is to inform who is in charge of the aid box in the building  3.12 Drinking water safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign at highly visible area so that the person know which we drinkable and not toxic  3.13 Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign should be in a highly visible area so that the person know which we drinkable and not toxic	
3.11 First aid box kept and controlled by safety sign  Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Custom green first aid box is kept and controlled by safety sign is to inform who is in charge of the aid box in the building  3.12 Drinking water safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which we drinkable and not toxic  3.13 Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh SANS approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Custom green first aid box is kept and controlled by safety sign is to inform who is in charge of the aid box in the building  3.12 Drinking water safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which with water flowing and not toxic  3.13 Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh  3.14 Gents toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  3.15 Emergency assembly point safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  3.15 Emergency assembly point safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The menrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Custom green first aid box is kept and controlled by safety sign is to inform who is in charge of the aid box in the building  3.12 Drinking water safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which water inkable and not toxic  3.13 Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square she size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square she safety sign Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square she safety sign The mergency assembly point safety sign Texture – ABS plastic SANS approved safety sign Texture – ABS plastic SANS approved safety sign The memergency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
SANS approved safety sign Custom green first aid box is kept and controlled by safety sign is to inform who is in charge of the aid box in the building  3.12 Drinking water safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which water inkable and not toxic  3.13 Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square she size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square she sakes approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square she sakes approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square she sakes approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
SANS approved safety sign Custom green first aid box is kept and controlled by safety sign is to inform who is in charge of the aid box in the building  3.12 Drinking water safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which water inkable and not toxic  3.13 Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square she size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square she sakes approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square she sakes approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square she sakes approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
3.12 Drinking water safety sign  • Size – 290 mm X 290 mm • Texture – ABS plastic • SANS approved safety sign has a white tap with water flowing into a cup on the green so shaped safety sign • The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign • The drinking water safety sign should be in a highly visible area so that the person know which water includes and not toxic  3.13 Ladies toilet safety sign • Size – 290 mm X 290 mm • Texture – ABS plastic • SANS approved safety sign • The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh  3.14 Gents toilet safety sign • Size – 290 mm X 290 mm • Texture – ABS plastic • SANS approved safety sign • The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  3.15 Emergency assembly point safety sign • Size – 290 mm X 290 mm • Texture – ABS plastic • SANS approved safety sign • The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  3.15 Emergency assembly point safety sign • The truce – ABS plastic • SANS approved safety sign • The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
3.12 Drinking water safety sign  • Size – 290 mm X 290 mm  • Texture – ABS plastic  • SANS approved safety sign  • The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign  • The drinking water safety sign should be in a highly visible area so that the person know which water drinkable and not toxic  3.13 Ladies toilet safety sign  • Size – 290 mm X 290 mm  • Texture – ABS plastic  • SANS approved safety sign  • The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square shaped safety sign  • Size – 290 mm X 290 mm  • Texture – ABS plastic  • SANS approved safety sign  • The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square shaped safety sign  • The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square shaped safety sign  • Size – 290 mm X 290 mm  • Texture – ABS plastic  • SANS approved safety sign  • Size – 290 mm X 290 mm  • Texture – ABS plastic  • SANS approved safety sign  • The gents toilet (GA11) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	e first
Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which waterinkable and not toxic  3.13 Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square shes size – 290 mm X 290 mm Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square shes sand approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square shes size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The emengency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which we drinkable and not toxic  3.13 Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
Texture – ABS plastic SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which water drinkable and not toxic  3.13 Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh  3.14 Gents toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  3.15 Emergency assembly point safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
SANS approved safety sign The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which water inkable and not toxic  3.13  Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square shaped safety sign Size – 290 mm X 290 mm Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square shaped safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
The drinking water (GA6) safety sign has a white tap with water flowing into a cup on the green so shaped safety sign The drinking water safety sign should be in a highly visible area so that the person know which water inkable and not toxic  3.13 Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square shaped safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square shaped safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square shaped safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
The drinking water safety sign should be in a highly visible area so that the person know which water drinkable and not toxic   Ladies toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square shaded to left (GA10) safety sign has a white symbol of a standing lady on the green square shaded to left (GA11) safety sign has a white symbol of a standing lady on the green square shaded to left (GA11) safety sign has a white symbol of a standing lady on the green square shaded to left (GA11) safety sign has a white symbol of a standing lady on the green square shaded to left (GA11) safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	quare
3.13 Ladies toilet safety sign  Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh  3.14 Gents toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  3.15 Emergency assembly point safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  3.15 Emergency assembly point safety sign Texture – ABS plastic SANS approved safety sign Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
3.13 Ladies toilet safety sign  Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh  3.14 Gents toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  3.15 Emergency assembly point safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	ater is
Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh  Gents toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  Texture – ABS plastic Size – 290 mm X 290 mm The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
<ul> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh</li> <li>3.14 Gents toilet safety sign</li> <li>Size – 290 mm X 290 mm</li> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh</li> <li>3.15 Emergency assembly point safety sign</li> <li>Size – 290 mm X 290 mm</li> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign</li> </ul>	
SANS approved safety sign The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh  Gents toilet safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  Texture – ABS plastic Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
The ladies toilet (GA10) safety sign has a white symbol of a standing lady on the green square sh  Gents toilet safety sign  Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  Emergency assembly point safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
3.14 Gents toilet safety sign  Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  3.15 Emergency assembly point safety sign Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
<ul> <li>Size – 290 mm X 290 mm</li> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh</li> <li>Size – 290 mm X 290 mm</li> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign</li> </ul>	aped
<ul> <li>Size – 290 mm X 290 mm</li> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh</li> <li>Size – 290 mm X 290 mm</li> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign</li> </ul>	
<ul> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh</li> <li>3.15 Emergency assembly point safety sign</li> <li>Size – 290 mm X 290 mm</li> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign</li> </ul>	
<ul> <li>SANS approved safety sign</li> <li>The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square shades.</li> <li>Size – 290 mm X 290 mm</li> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign</li> </ul>	
The gents toilet (GA11) safety sign has a white symbol of a standing lady on the green square sh  Emergency assembly point safety sign  Size – 290 mm X 290 mm Texture – ABS plastic SANS approved safety sign The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign	
<ul> <li>Size – 290 mm X 290 mm</li> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign</li> </ul>	aped
<ul> <li>Size – 290 mm X 290 mm</li> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign</li> </ul>	
<ul> <li>Texture – ABS plastic</li> <li>SANS approved safety sign</li> <li>The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign</li> </ul>	
<ul> <li>SANS approved safety sign</li> <li>The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign</li> </ul>	
<ul> <li>The emenrgency assembly point (GA26) safety sign has a white people symbol with arrows point inwards on the green square shaped safety sign</li> </ul>	
inwards on the green square shaped safety sign	ing
Sign to be more durable to bareh weather conditions as it will be pleased cutoids	
Sign to be more durable to harsh weather conditions as it will be placed outside	
3.16 General waste sign	
Size – 290 mm X 290 mm	
Texture – ABS plastic	
SANS approved safety sign	
<ul> <li>Keep area clean safety sign – this safety sign indicate that an area should be kept clear of debris.</li> </ul>	

3.17	No smoking safety sign
	Size – 290 mm X 290 mm
	Texture – ABS plastic
	SANS approved safety sign
	This sign is also used in areas where there are gases or flammable liquids as a prohibitory sign
3.18	No drinking of this water water safety sign
	Size – 290 mm X 290 mm
	Texture – ABS plastic
	SANS approved safety sign
3.19	No littering safety sign
	Size – 290 mm X 290 mm
	Texture – ABS plastic
	SANS approved safety sign
	This sign prohibits the discarding and littering of anytype of domestic or commercial waste materials.
3.20	Beware of fire hazards safety sign
	Size – 440 mm X 440 mm
	Texture – Chromadek
	SANS approved safety sign
	This sign highlights potential wellsprings of flammable material
3.21	You are entering a mandatory PPE area safety
	Size – 440 mm X 440 mm
	Texture – Chromadek
	SANS approved safety sign
	<ul> <li>You are entering mandatory PPE area – safety shoes, googles, gloves, ear protection and overalls</li> </ul>
	safety sign
3.22	Emergency evacuation procedure safety sign
	Size – 400 mm X 600 mm
	Texture – Chromadek
	SANS approved safety sign
	<ul> <li>Emergency evacuation procedure safety sign is to inform people what to do in an event of the alarm</li> </ul>
	being sounded in a building and to exit the premieses in an orderly manner
	This safety sign informs people to proceed to their emergency assembly point on the premises until the
	all clear is given
3.23	Designated smoking area safety sign
	• Size – 290 mm X 290 mm
	Texture – ABS plastic
	SANS approved safety sign  Also was a (Facilial and Yulu)
	2 language (English and Xulu)
3.24	Emergency telephone list sign
	• Size – 440 mm X 440 mm
	Texture – Chromadek
	SANS approved safety sign
3.25	Representative board sign
	Size – 925 mm X 1225 mm
	Texture – Chromadek
	SANS approved safety sign
3.26	Fire extinguisher safety sign
	Size – 290 mm X 290 mm
	Texture – ABS plastic

	SANS approved safety sign			
	- Or the approved salety sign			
3.27	3 · 3 · 1 · 1 · 3 · 3 · 1 · 1 · 1 · 1 ·			
	Size – 290 mm X 290 mm			
	Texture – ABS plastic			
	SANS approved safety sign			
3.28	Poster - Basic condition of employment ACT 1997			
	• Size – A1 (594 mm X 841 mm)			
3.29	Texture – poster to be laminated  Poster – Employment equity ACT 1998			
3.29	Size – A1 (594 mm X 841 mm)			
	Texture – poster to be laminated			
3.30	Poster – Occupational health and safety ACT 1993			
	Size – A1 (594 mm X 841 mm)			
	Texture – poster to be laminated			
3.31	Poster – Skills development ACT 1998			
	• Size – A1 (594 mm X 841 mm)			
	<ul> <li>Texture – poster to be laminated</li> <li>To include part 1 and part 2</li> </ul>			
	• To include part 1 and part 2			
3.32	Poster – Labour relation ACT 1995			
	Size – A1 (594 mm X 841 mm)			
	Texture – poster to be laminated			
3.33	Construction site board sign			
	Information that need to be written on the sign board will be communicated between the supplier and the			
	site agent before manufacturing			
	Size – 2440 mm width X 1220 mm height			
	3 mm aluminium sign reflective			
	<ul> <li>Sign to have galvanised steel frame at the back 25 mm X 25 mm square tubing</li> </ul>			
	Sign to be mounted on poles			
3.34	No parking safety sign			
	• Size – 440 mm X 440 mm			
	Texture – Chromadek     ANG and any and a state size.			
	SANS approved safety sign			
3.35	Safety googles			
	Safety google			
	Clear polycarbonate lens			
	Vente			
	Dust particle prevention			
	Duarable plastic			
3.36	Oil spill kit whelley bin			
	Complete oil spill kit wheeley bin for soil / water contamination.  Must at least include oil absorbent booms, PPE, soil absorbent material and spade			
	mast at loast molado on absorbent booms, i i E, son absorbent material and space			
4.	TECHNICAL SUPPORT			
	Should any problem be reported to the supplier concerning the services, the following response times are expected:			
	Within 24 hours a representative of the supplier should be on site to resolve the problem.			
	Within 24 hours there should be a solution to the problem or if not possible, replacement products     should be an aite within 48 hours at the supplier's expense.			
	should be on site within 48 hours at the supplier's expense.			
	ANY DEFECTED PRODUCT SHOULD BE REPLACED AT THE SUPPLIER'S EXPENSE.			

5.	SCOPE OF CONTRACT					
	(i) The Bidder will be required to perform the following service as part of this contract:					
	<ul> <li>Supply and delivery of health and safety equipment to majuba reservoir refurbishment project between Perderkop and Amersfoort in Mpumalanga province</li> </ul>					
	All sourcing, transportation and loading costs shall be included in the bid rates.					
6.	QUANTITIES					
	The quantity required cannot be guaranteed.					
	However, the estimated quantity is given in the SBD 3.1.					
	Orders will be placed as and when requirements become known.					
	Deliveries will be required when requested by the end-user.					
7.	PROGRAMME OF WORKS					
	Supply and delivery shall commence within 14 days after receipt of official DWS order and as per notification by end-user until the full quantity needed is delivered.					
8.	ROAD CONDITIONS AND DISTANCE					
0.	Bidders are advised to acquaint themselves with roads, road conditions, distances, etc. on and to the site, before bidding.					
9.	COSTS					
	Bidders shall provide in their bid for all labour, plant, material, implements and vehicles necessary for the execution of the contract and all operating and maintenance costs in accordance with the bid documents.					
10.	DELIVERY					
	Health and safety equipment will be delivered during the following working hours 07h00 to 15h00 from Monday to Thursday but not on the following days or periods: as per request from the Project or Site.					
	(i) Fridays 15h00 to Mondays 07h00 (ii) All public holidays					
	(iii) The last Thursday and Friday of the month					
	The Bidder shall nominate a contract person with whom the Department will arrange and schedule collection.					
	<ul> <li>DWS will decline products that do not comply with the specification when it is collected.</li> </ul>					
	<ul> <li>The declined material will not be accepted by the Department and problem must be resolved within 48 hours.</li> </ul>					
	The ownership of and risk for the product purchased will pass to the Department at the point of collection i.e. where a signed acceptance take place.					
11.	DELIVERY PERIOD					
	A firm delivery period is required. Adherence to bid delivery period is of utmost importance.					
12.	PAYMENT					
12.	Payment will be made per Sum of material supplied to site.					
	The Department reserves the right to check the quantities collected at any time.					
	Payment will be made monthly on receipt of specified tax invoices.					

	<ul> <li>Payment will not be made for consignment unless supported by delivery notes and weight-bridge sl duly signed by the official checking the material.</li> </ul>				
	<ul> <li>Payment will be done within 30 days of receipt and approval of original invoice by depositing the payment directly into the bank account of the successful bidder.</li> </ul>				
	<ul> <li>No cash or cheque payment will be done. No upfront payment to be done.</li> </ul>				
	<ul> <li>Payment for standing time exceeding three hours will only be made if such standing time is a result of the action of the Department.</li> </ul>				
	<ul> <li>Bidders shall provide in their bid for all labour, plant, material, implements and vehicles necessary for the execution of the contract and all operating and maintenance costs in accordance with the bid documents.</li> </ul>				
13.	DELIVERY PERIOD AND BID PRICE				
	<ul> <li>All-inclusive bid prices are required, meaning VAT, delivery and any other cost mentioned in the specification for the Bidders account must be included in the unit price.</li> <li>Firm bid prices and delivery/collection periods must be submitted.</li> <li>"Firm" prices are deemed to be the prices which are only subject to the following statutory change VAT,</li> <li>(b) Any levy related to customs and excise (written proof must be given)</li> <li>Adherence to bid delivery/collection period is of utmost importance.</li> </ul>				
	Authoretice to bid delivery/collection period is of difficult importance.				
	SAFETY AND ENVIRONMENTAL				
14.					

Therewith I,	(Bidder's Name) declare that I have read,
completed and understood the above specifications.	
BIDDER'S SIGNATURE	

#### WTE089CE

SUPPLY AND DELIVERY OF HEALTH AND SAFETY EQUIPMENT WITH LOCAL CONTNET ITEMS INCLUDED TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE.

SECTION 3: SBD 3.1 – PRICING SCHEDULE

**CONTENTS** 

PREAMBLE TO THE SBD 3.1 - PRICING SCHEDULE

#### PREAMBLE TO THE SBD 3.1 - PRICING SCHEDULE

#### 1. GENERAL

The SBD 3.1 forms part of the Contract Documents and must be read and priced in conjunction with all the other documents which include the Conditions of Contract and all other Specifications in the bid document.

#### 2. QUANTITIES REFLECTED IN THE PRICING SCHEDULE

The quantities given in the SBD 3.1 can be subject to change. The Department reserves the right to only purchase one product per item or one item or none of the items in the pricing schedule.

The validity of the contract will in no way be affected by differences between the quantities in the SBD 3.1 and the quantities finally certified for payment.

#### 3. PRICING OF THE SCHEDULE

The rates to be filled in the SDB 3.1 should include all costs. All rates and amounts quoted in the SBD 3.1 shall be in Rand and shall include applicable taxes.

#### 4. CORRECTION OF ENTRIES

Incorrect entries shall not be erased or obliterated with correction fluid, use of correction fluid will invalidate your bid, but must be crossed out neatly. The correct figures must be entered above or adjacent to the deleted entry, and the alteration must be initialled by the Bidder, failure to initial where the correction was done will invalidate your bid.

#### **PRICING SCHEDULE**

# (Firm Prices)

#### WTE089CE

SUPPLY AND DELIVERY OF HEALTH AND SAFETY EQUIPMENT WITH LOCAL CONTNET ITEMS INCLUDED TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE.

THIS PRICING SCHEDULE MUST BE COMPETED IN FULL – FAILURE TO COMPLY WILL INVALIDATE YOUR BID

CLOSING TIME 11:00	ON: 01 OCTOBER 2025	BID NO.: WTE089CE
NAME OF BIDDER:		

#### OFFER TO BE VALID FOR 120 DAYS FROM CLOSING DATE OF BID

ITEM	DESCRIPTION	QTY	UNIT PRICE	AMOUNT R c
1.	Dust masks (Box of 20 item)	6 Each	REach	R
2.	Sporty spectacles	25 each	REach	R
3.	First aid kid metal wall box	2 Each	REach	R
4.	Universal ear muffs	10 Each	REach	R
5.	Re-usable mushroom tri flange corded earplug – blue similar approved to dromex	75 Each	REach	R
6.	Superior leather pig skin VIP gloves - Wrist	100 Each	REach	R
7.	Waist bin - green	1 Each	REach	R
8.	Barrier safety netting	5 Each	REach	R
9.	Water bearier	2 Each	REach	R
10.	First aid box kept and controlled by safety sign	2 Each	REach	R
11.	Drinking water safety sign	2 Each	REach	R
12.	Ladies toilet safety sign	1 Each	REach	R
13.	Gents toilet safety sign	1 Each	REach	R
14.	Emergency assembly point safety sign	2 Each	REach	R
15.	General waste sign	2 Each	REach	R
16.	No smoking safety sign	2 Each	REach	R

	No drinking of this water water	1 Each		
17.	safety sign		REach	R
18.	No littering safety sign	2 Each	REach	R
19.	Beware of fire hazards safety sign	2 Each	REach	R
20.	You are entering a mandatory PPE area safety	2 Each	REach	R
21.	Emergency evacuation procedure safety sign	1 Each	REach	R
22.	Designated smoking area safety sign	2 Each	REach	R
23.	Emergency telephone list sign	1 Each	REach	R
24.	Representative board sign	1 Each	REach	R
25.	Fire extinguisher safety sign	3 Each	REach	R
26.	Red arrow - Location of fire fighting equipment safety sign	3 Each	REach	R
27.	Poster - Basic condition of employment ACT 1997	1 Each	REach	R
28.	Poster – Employment equity ACT 1998	1 Each	REach	R
29.	Poster – Occupational health and safety ACT 1993	1 Each	REach	R
30.	Poster – Skills development ACT 1998	1 Each	REach	R
31.	Poster – Labour relation ACT 1995	1 Each	REach	R
32.	Construction site board sign	1 Each	REach	R
33.	No parking safety sign	1 Each	REach	R
34.	Safety googles	50 Each	REach	R
35.	Oil spill kit whelley bin	2 Each	REach	R
36.	Transport cost to site	Sum	RSum	R
		R		
			15% VAT	R
			TOTAL (INCL. VAT)	R

Delivery basis.
(See note hereunder)

**To Site**Majuba reservoir refurbishment project site In Mpumalanga Province

	- Period required for delivery after receipt of order:	14 days	
NOTE:			
NOTE:	All delivery costs must be included in the bid price.		

ery costs must be included in the bid price

Failure to complete all the relevant information in SBD 3.1 will render your bid as non-responsive.

Any enquiries regarding bidding procedures may be directed to the -

Department Water and Sanitation Supply Chain Management Office Construction East, PRIVATE BAG X2023 Standerton 2430.

Administrative information:

Ms: Marriane Neethling / 0177201606/065 538 3901, Email: Neethling M@dws.gov.za

or

For Technical or site information:Mr: Thapelo Malubane - malubanet@dws.gov.za, Cell: 060 980 5852

**Pricing Schedule: Purchase**