



Business Management System

Supply Chain Management

Warehouse

Scope of work for PPE Hand Protection

Short Text	Long Text	Quantity requested	Unit of Measure
GLOVE WLDR:10;LG 300 MM;PIG SKIN;BEIGE	GLOVE, WELDER: GARMENT SIZE: 10; LENGTH: 300 MM; MATERIAL: PIG SKIN; COLOR: BEIGE; CUFF TYPE: PLAIN; GARMENT CLOSING METHOD: ELASTICATED; SPECIFICATION: UNIQUE IDENTIFIER 240-44175132; TYPE: TIG; MECHANICAL ABRASION EN LEVEL 1; CUT EN LEVEL 1; TEAR EN LEVEL 2; PUNCTURE EN LEVEL 1; HEAT SUITABLE FOR MINIMAL APPLICATION; COLD SUITABLE FOR MINIMAL APPLICATION; TO BE USED AS A GENERAL HANDLING GLOVE FOR RIGGING AND TIG WELDING; NOT TO BE USED WITH CHEMICALS	11 360	PAA
GLOVE ELECT:1000 V;6;LG 350 MM;KHAKI	GLOVE, ELECTRICAL: POTENTIAL: 1000 V; SIZE: 6; LENGTH: 350 MM; MATERIAL: PROTERA ATPV 8 CAL/CM2; COLOR: KHAKI; CUFF: CLUTE; TYPE: ARC FLASH; CLASS: 2; SUPPL P/N: 600916168382; COMPLY WITH ARC PPE SPECIFICATIONS 240-70044736	8	EA
GLOVE ELECT:1000 V;7;LG 350 MM;KHAKI	GLOVE, ELECTRICAL: POTENTIAL: 1000 V; SIZE: 7; LENGTH: 350 MM; MATERIAL: PROTERA ATPV 8 CAL/CM2; COLOR: KHAKI; CUFF: CLUTE; TYPE: ARC FLASH; CLASS: 2; SUPPL P/N: 6009161831699; COMPLY WITH ARC PPE SPECIFICATIONS 240-70044736	8	EA
GLOVE ELECT:1000 V;8;LG 350 MM;KHAKI	GLOVE, ELECTRICAL: POTENTIAL: 1000 V; SIZE: 8; LENGTH: 350 MM; MATERIAL: PROTERA ATPV 8 CAL/CM2; COLOR: KHAKI; CUFF: CLUTE; TYPE: ARC FLASH; CLASS: 2; SUPPL P/N: 6009161831705; COMPLY WITH ARC PPE SPECIFICATIONS 240-70044736	6	EA
GLOVE ELECT:1000 V;9;LG 350 MM;KHAKI	GLOVE, ELECTRICAL: POTENTIAL: 1000 V; SIZE: 9; LENGTH: 350 MM; MATERIAL: PROTERA ATPV 8 CAL/CM2; COLOR: KHAKI; CUFF: CLUTE; TYPE: ARC FLASH; CLASS: 2; SUPPL P/N: 6009161831712; COMPLY WITH ARC PPE SPECIFICATIONS 240-70044736	38	EA
GLOVE ELECT:1000 V;10;LG 350 MM;KHAKI	GLOVE, ELECTRICAL: POTENTIAL: 1000 V; SIZE: 10; LENGTH: 350 MM;	46	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.



Business Management System

Supply Chain Management

Warehouse

Scope of Work for PPE Hand Protection

	MATERIAL: PROTERA ATPV 8 CAL/CM2; COLOR: KHAKI; CUFF: CLUTE; TYPE: ARC FLASH; CLASS: 2; SUPPL P/N: 6009161831729; COMPLY WITH ARC PPE SPECIFICATIONS 240-70044736		
GLOVE ELECT:1000 V;11;LG 350 MM;KHAKI	GLOVE, ELECTRICAL: POTENTIAL: 1000 V; SIZE: 11; LENGTH: 350 MM; MATERIAL: PROTERA ATPV 8 CAL/CM2; COLOR: KHAKI; CUFF: CLUTE; TYPE: ARC FLASH; CLASS: 2; SUPPL P/N: 6009161831736; COMPLY WITH ARC PPE SPECIFICATIONS 240-70044736	6	EA
GLOVE ELECT:1000 V;12;LG 350 MM;KHAKI	GLOVE, ELECTRICAL: POTENTIAL: 1000 V; SIZE: 12; LENGTH: 350 MM; MATERIAL: PROTERA ATPV 8 CAL/CM2; COLOR: KHAKI; CUFF: CLUTE; TYPE: ARC FLASH; CLASS: 2; SUPPL P/N: 6009161831743; COMPLY WITH ARC PPE SPECIFICATIONS 240-70044736	4	EA
GLOVE:MECHANIX;LARGE (10);LG 230 MM	GLOVE: TYPE: MECHANIX; SIZE: LARGE (10); LENGTH: 230 MM; CUFF LENGTH: 30 MM; MATERIAL: MESH/SYNTHETIC LEATHER; COLOR: GREY; CUFF: HOOK/ LOOP; SPECIFICATION: EN388; SPECIAL FEATURES: FULLY VENTILATED; MANUF P/N: MGV-00-010	4 537	EA
GLOVE:MECHANIX;MEDIUM (9);LG 230 MM	GLOVE: TYPE: MECHANIX; SIZE: MEDIUM (9); LENGTH: 230 MM; CUFF LENGTH: 20 MM; MATERIAL: MESH/SYNTHETIC LEATHER; COLOR: GREY; CUFF: HOOK/ LOOP; SPECIFICATION: EN388; SPECIAL FEATURES: FULLY VENTILATED; MANUF P/N: MGV-00-009	2 878	EA
GLOVE:MACHANIX;XXL; (12);LG 230 MM;30 MM	GLOVE: TYPE: MACHANIX; SIZE: XXL; (12); LENGTH: 230 MM; CUFF LENGTH: 30 MM; MATERIAL: MESH/SYNTHETIC LEATHER; COLOR: GREY; CUFF: HOOK/LOOP; SPECIFICATION: EN388; SPECIAL FEATURES: FULLY VENTILATED; MANUF P/N: MGV-00-012	2 617	EA
GLOVE:MECHANIX;XXXL (13);LG 230 MM;30 MM	GLOVE: TYPE: MECHANIX; SIZE: XXXL (13); LENGTH: 230 MM; CUFF LENGTH: 30 MM; MATERIAL: MESH/SYNTHETIC LEATHER; COLOR: GREY; CUFF: HOOK/ LOOP; SPECIFICATION: EN388; SPECIAL FEATURES: FULLY VENTILATED; MANUF P/N: MGV-00-013	1 015	EA
GLOVE:MECHANIX;X LARGE (11);LG 230 MM	GLOVE: TYPE: MECHANIX; SIZE: X LARGE (11); LENGTH: 230 MM; CUFF LENGTH: 30 MM; MATERIAL: MESH/SYNTHETIC LEATHER; COLOR: GREY;	3 387	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.



Business Management System

Supply Chain Management

Warehouse

Scope of Work for PPE Hand Protection

	CUFF: HOOK/ LOOP; SPECIFICATION: EN388; SPECIAL FEATURES: FULLY VENTILATED; MANUF P/N: MGV-00-011		
GLOVE:MECHANIX;S(8);LG 230 MM;20 MM	GLOVE: TYPE: MECHANIX; SIZE: S(8); LENGTH: 230 MM; CUFF LENGTH: 20 MM; MATERIAL: MESH/SYNTHETIC LEATHER; COLOR: GREY; CUFF: HOOK/ LOOP; SPECIFICATION: EN388; SPECIAL FEATURES: FULLY VENTILATED; MANUF P/N: MGV-00-008	1 208	EA
GLOVE SRGCL:FIRST-AID;M;NITRILE;BLUE	GLOVE, SURGICAL: TYPE: FIRST-AID; SIZE: M; MATERIAL: NITRILE; COLOR: BLUE; UNIT PACKAGE QUANTITY: 1 PR; UNIT PACKAGE TYPE: SEALED PLASTIC SACHET; SPECIFICATION: ISO 13485; CUFF LENGTH: 4 IN; PACKAGING: GLOVES TO BE PACKET 5 PRE PACKED PAIRS INTO 1 CLEAR SEALED PLASTIC POCKET; EACH POCKET TO BE MARKET WITH THE SIZE AND EXPIRY DATE	7 678	EA
GLOVE SRGCL:FIRST-AID;L;NITRILE;BLUE	GLOVE, SURGICAL: TYPE: FIRST-AID; SIZE: L; MATERIAL: NITRILE; COLOR: BLUE; UNIT PACKAGE QUANTITY: 1 PR; UNIT PACKAGE TYPE: SEALED PLASTIC SACHET; SPECIFICATION: ISO 13485; CUFF LENGTH: 4 IN; PACKAGING: GLOVES TO BE PACKET 5 PRE PACKED PAIRS INTO 1 CLEAR SEALED PLASTIC POCKET, MARK EACH POCKET WITH SIZE AND EXPIRY DATE	9 233	EA
GLOVE WLDR:10.5;LG 265 MM;LEATHER CR	GLOVE, WELDER: GARMENT SIZE: 10.5; LENGTH: 265 MM; MATERIAL: LEATHER CR; COLOR: GRAY; CUFF TYPE: PLAIN; GARMENT CLOSING METHOD: SLIP ON; CUFF LENGTH: 60 MM; SPECIFICATION: EN388/3143; TYPE: DOUBLE PALM; CUFF MATERIAL: LEATHER CR	2 078	EA
GLOVE CHEM PROTCTV:UNSUP;9 (M);LG 33 CM	GLOVE, CHEMICAL PROTECTIVE: TYPE: UNSUP; SIZE: 9 (M); LENGTH: 33 CM; MATERIAL: NITRILE; COLOR: GREEN; CUFF TYPE: STRAIGHT; CUFF LENGTH: 12 CM; SPECIFICATION: EN374; EMBOSSED FINISH FOR A BETTER GRIP;	65 277	EA
GLOVE:PIG SKIN;10MCF	GLOVE: MATERIAL: PIGSKIN; CUFF: 10MCF; PART NO: VIP33; VENDORS ARE RESPONSIBLE FOR ENSURING THAT THEY ARE PERFORMING AGAINST THE COR	232 194	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.



Business Management System

Supply Chain Management

Warehouse

Scope of Work for PPE Hand Protection

GLOVE:CUT&HEAT RESISTANT;8(S);LG 230 MM	GLOVE: TYPE: CUT&HEAT RESISTANT; SIZE: 8(S); LENGTH: 230 MM; CUFF LENGTH: 80 MM; MATERIAL: 100% TAEKI5 FIBER & BLACK HCT NITRILE COATING ON PALM; COLOR: GREY/BLACK; SPECIFICATION: EN388 AND EN407; SPECIAL FEATURES: CUT LEVEL 5; REFERENCE NO: STYLE 57#; CUT LEVEL 5; HIGH ABRASION; CONTACT HEAT LEVEL 1; LINT FREE; UV RESISTANT AND WASABLE	3 340	EA
GLOVE SRGCL:MEDIC,DISP;L;NITRILE;BLUE	GLOVE, SURGICAL: TYPE: MEDIC,DISP; SIZE: L; MATERIAL: NITRILE; COLOR: BLUE; UNIT PACKAGE QUANTITY: 100; UNIT PACKAGE TYPE: BOX; SPECIFICATION: ISO 9001-2008; CUFF LENGTH: 4 IN; EXAMINATION; NON-STERILE; SINGLE USE ONLY	22 386	EA
GLOVE:CANDY STRIPE;L;LG 270 MM;70 MM	GLOVE: TYPE: CANDY STRIPE; SIZE: L; LENGTH: 270 MM; CUFF LENGTH: 70 MM; MATERIAL: PIG SKIN; COLOR: YELLOW	12 877	EA
GLOVE:POLKA DOT;50 MM;WOOL	GLOVE: TYPE: POLKA DOT; CUFF LENGTH: 50 MM; MATERIAL: WOOL	3 309	EA
GLOVE WLDR:10.5;LG 375 MM;LEATHER CR	GLOVE, WELDER: GARMENT SIZE: 10.5; LENGTH: 375 MM; MATERIAL: LEATHER CR; COLOR: GRAY; CUFF TYPE: PLAIN; GARMENT CLOSING METHOD: SLIP ON; CUFF LENGTH: 190 MM; SPECIFICATION: EN388/3143; TYPE: DOUBLE PALM; CUFF MATERIAL: LEATHER CR	3 200	EA
GLOVE SRGCL:POWDERED;L;LATEX;WHITE;100	GLOVE, SURGICAL: TYPE: POWDERED; SIZE: L; MATERIAL: LATEX; COLOR: WHITE; UNIT PACKAGE QUANTITY: 100; UNIT PACKAGE TYPE: BOX; SPECIFICATION: ISO 9001-2008; EXAMINATION; NON-STERILE; SINGLE USE ONLY	50	EA
GLOVE:CUT RESISTANT;6;LG 25 CM;50 MM	GLOVE: TYPE: CUT RESISTANT; SIZE: 6; LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: GREY/BLACK/WHITE; CUFF: ELASTICATED; SPECIFICATION: EN388-4331; UNIQUE IDENTIFIER 240-44175132; SPECIAL FEATURES: CUT LEVEL 3; MANUF P/N: 34-450; LIGHTWEIGHT; PALM COATED; LINER: BLACK/WHITE; PALM: 1.2 MM; MICRO-FOAM NITRILE COATED GLOVE; REINFORCEMENT BETWEEN THUMB AND FOREFINGER; APPLICATIONS: MAINTENANCE	1 190	PAA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.



Business Management System

Supply Chain Management

Warehouse

Scope of Work for PPE Hand Protection

GLOVE:CUT RESISTANT;8 (M);LG 25 CM;50 MM	GLOVE: TYPE: CUT RESISTANT; SIZE: 8 (M); LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: GREY/BLACK/WHITE; CUFF: ELASTICATED; SPECIFICATION: EN388-4331; UNIQUE IDENTIFIER 240-44175132; SPECIAL FEATURES: CUT LEVEL 3; MANUF P/N: 34-450; LIGHTWEIGHT; PALM COATED; LINER: BLACK/WHITE; PALM: 1.2 MM; MICRO-FOAM NITRILE COATED GLOVE; REINFORCEMENT BETWEEN THUMB AND FOREFINGER; APPLICATIONS: MAINTENANCE	10 280	PAA
GLOVE:CUT RESISTANT;9;LG 25 CM;50 MM	GLOVE: TYPE: CUT RESISTANT; SIZE: 9; LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: GREY/BLACK/WHITE; CUFF: ELASTICATED; SPECIFICATION: EN388-4331; UNIQUE IDENTIFIER 240-44175132; SPECIAL FEATURES: CUT LEVEL 3; MANUF P/N: 34-450; LIGHTWEIGHT; PALM COATED; LINER: BLACK/WHITE; PALM: 1.2 MM; MICRO-FOAM NITRILE COATED GLOVE; REINFORCEMENT BETWEEN THUMB AND FOREFINGER; APPLICATIONS: MAINTENANCE	15 711	PAA
GLOVE:CUT RESISTANT;10;LG 25 CM;50 MM	GLOVE: TYPE: CUT RESISTANT; SIZE: 10; LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: GREY/BLACK/WHITE; CUFF: ELASTICATED; SPECIFICATION: EN388-4331; UNIQUE IDENTIFIER 240-44175132; SPECIAL FEATURES: CUT LEVEL 3; MANUF P/N: 34-450; LIGHTWEIGHT; PALM COATED; LINER: BLACK/WHITE; PALM: 1.2 MM; MICRO-FOAM NITRILE COATED GLOVE; REINFORCEMENT BETWEEN THUMB AND FOREFINGER; APPLICATIONS: MAINTENANCE	20 104	PAA
GLOVE:CUT RESISTANT;11;LG 25 CM;50 MM	GLOVE: TYPE: CUT RESISTANT; SIZE: 11; LENGTH: 25 CM; CUFF LENGTH: 50 MM; MATERIAL: MICROFOAM NITRILE; COLOR: BLACK/DARK GREY; CUFF: ELASTICATED; SPECIFICATION: EN388-4331; UNIQUE IDENTIFIER 240-44175132; SPECIAL FEATURES: CUT LEVEL 3; MANUF P/N: 34-450; LIGHTWEIGHT; PALM COATED; LINER: BLACK/WHITE; PALM: 1.2 MM; MICRO-FOAM NITRILE COATED GLOVE; REINFORCEMENT BETWEEN THUMB AND FOREFINGER; APPLICATIONS: MAINTENANCE	12 190	PAA
GLOVE WLDR:S;LG 8 IN;LEATHER;GREEN;GP	GLOVE, WELDER: GARMENT SIZE: S; LENGTH: 8 IN; MATERIAL: LEATHER; COLOR: GREEN; CUFF TYPE: STITCHED; SPECIFICATION: EN3 88;	600	PAA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.



Business Management System

Supply Chain Management

Warehouse

Scope of Work for PPE Hand Protection

	UNIQUE IDENTIFIER 240-44175132; TYPE: GENERAL PURPOSE; FULLY LINED; SABS APPROVED; PHYSICAL PROPERTIES: ALL COW LEATHER GLOVE WITH FULL COTTON LINING THAT CAN WITHSTAND HEAT BETWEEN 140-175 DEGREES CELSIUS; STANDARDS EN 388; MECHANICAL ABRASION EN LEVEL 3 CUT; EN LEVEL 1 TEAR EN LEVEL 4; PUNCTURE EN LEVEL 3; HEAT BURNING BEHAVIOUR EN LEVEL 4; CONTACT HEAT EN LEVEL 2; CONVECTIVE HEAT EN LEVEL 4; MOLTEN METAL DROPS EN LEVEL 4; COLD SUITABLE FOR GENERAL APPLICATION; USES TO BE USED AS GENERAL WELDING GLOVES CHEMICALS NOT SUITED FOR CHEMICALS		
GLOVE WLDR:M;LG 8 IN;LEATHER;GREEN;GP	GLOVE, WELDER: GARMENT SIZE: M; LENGTH: 8 IN; MATERIAL: LEATHER; COLOR: GREEN; CUFF TYPE: STITCHED; SPECIFICATION: EN3 88; UNIQUE IDENTIFIER 240-44175132; TYPE: GENERAL PURPOSE; FULLY LINED; SABS APPROVED; PHYSICAL PROPERTIES: ALL COW LEATHER GLOVE WITH FULL COTTON LINING THAT CAN WITHSTAND HEAT BETWEEN 140-175 DEGREES CELSIUS; STANDARDS EN 388; MECHANICAL ABRASION EN LEVEL 3 CUT; EN LEVEL 1 TEAR EN LEVEL 4; PUNCTURE EN LEVEL 3; HEAT BURNING BEHAVIOUR EN LEVEL 4; CONTACT HEAT EN LEVEL 2; CONVECTIVE HEAT EN LEVEL 4; MOLTEN METAL DROPS EN LEVEL 4; COLD SUITABLE FOR GENERAL APPLICATION; USES TO BE USED AS GENERAL WELDING GLOVES CHEMICALS NOT SUITED FOR CHEMICALS	200	PAA
GLOVE WLDR:L;LG 8 IN;LEATHER;GREEN;GP	GLOVE, WELDER: GARMENT SIZE: L; LENGTH: 8 IN; MATERIAL: LEATHER; COLOR: GREEN; CUFF TYPE: STITCHED; SPECIFICATION: EN3 88; UNIQUE IDENTIFIER 240-44175132; TYPE: GENERAL PURPOSE; FULLY LINED; SABS APPROVED; PHYSICAL PROPERTIES: ALL COW LEATHER GLOVE WITH FULL COTTON LINING THAT CAN WITHSTAND HEAT BETWEEN 140-175 DEGREES CELSIUS; STANDARDS EN 388; MECHANICAL ABRASION EN LEVEL 3 CUT; EN LEVEL 1 TEAR EN LEVEL 4; PUNCTURE EN LEVEL 3; HEAT BURNING BEHAVIOUR EN LEVEL 4; CONTACT HEAT EN LEVEL 2; CONVECTIVE HEAT EN LEVEL 4; MOLTEN	1 544	PAA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.



Business Management System

Supply Chain Management

Warehouse

Scope of Work for PPE Hand Protection

	METAL DROPS EN LEVEL 4; COLD SUITABLE FOR GENERAL APPLICATION; USES TO BE USED AS GENERAL WELDING GLOVES CHEMICALS NOT SUITED FOR CHEMICALS		
GLOVE WLDR:L;LG 16 IN;LEATHER;GREEN;GP	GLOVE, WELDER: GARMENT SIZE: L; LENGTH: 16 IN; MATERIAL: LEATHER; COLOR: GREEN; CUFF TYPE: STITCHED; SPECIFICATION: EN388; UNIQUE IDENTIFIER 240-44175132; TYPE: GENERAL PURPOSE; FULLY LINED; SABS APPROVED; PHYSICAL PROPERTIES: ALL COW LEATHER GLOVE WITH FULL COTTON LINING THAT CAN WITHSTAND HEAT BETWEEN 140-175 DEGREES CELSIUS; STANDARDS EN 388; MECHANICAL ABRASION EN LEVEL 3 CUT; EN LEVEL 1 TEAR EN LEVEL 4; PUNCTURE EN LEVEL 3; HEAT BURNING BEHAVIOUR EN LEVEL 4; CONTACT HEAT EN LEVEL 2; CONVECTIVE HEAT EN LEVEL 4; MOLTEN METAL DROPS EN LEVEL 4; COLD SUITABLE FOR GENERAL APPLICATION; USES TO BE USED AS GENERAL WELDING GLOVES CHEMICALS NOT SUITED FOR CHEMICALS	2 609	PAA
GLOVE SRGCL:MEDIC,DISP;S;NITRILE;BLUE	GLOVE, SURGICAL: TYPE: MEDIC,DISP; SIZE: S; MATERIAL: NITRILE; COLOR: BLUE; UNIT PACKAGE QUANTITY: 100; UNIT PACKAGE TYPE: BOX; SPECIFICATION: ISO9001-2008; CUFF LENGTH: 4 IN	735	EA
GLOVE HEAT PROTCTV:ONE SIZE FITS ALL	GLOVE, HEAT PROTECTIVE: GARMENT SIZE: ONE SIZE FITS ALL; MATERIAL: COTTON POLYESTER; LENGTH: 400 MM; COLOR: YELLOW; CUFF TYPE: OPEN; GARMENT CLOSING METHOD: SLIP ON; CUFF LENGTH: 200 MM; REFERENCE NO: G160; CASTONG PARA-ARAMID; RESISTING HEAT 600 DEG CEL FOR 30 TO 40 SECONDS	179	PAA
GLOVE:HOUSEHOLD;S;LG 300 MM;130 MM	GLOVE: TYPE: HOUSEHOLD; SIZE: S; LENGTH: 300 MM; CUFF LENGTH: 130 MM; MATERIAL: LATEX INDUSTRIAL; COLOR: YELLOW; CUFF: ROLLED; SPECIFICATION: EN420	1 349	EA
GLOVE:HOUSEHOLD;M;LG 300 MM;130 MM	GLOVE: TYPE: HOUSEHOLD; SIZE: M; LENGTH: 300 MM; CUFF LENGTH: 130 MM; MATERIAL: LATEX INDUSTRIAL; COLOR: YELLOW; CUFF: ROLLED; SPECIFICATION: EN420	2 920	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.



Business Management System

Supply Chain Management

Warehouse

Scope of Work for PPE Hand Protection

GLOVE:HOUSEHOLD;L;LG 300 MM;130 MM	GLOVE: TYPE: HOUSEHOLD; SIZE: L; LENGTH: 300 MM; CUFF LENGTH: 130 MM; MATERIAL: LATEX INDUSTRIAL; COLOR: YELLOW; CUFF: ROLLED; SPECIFICATION: EN420	2 680	EA
GLOVE:INDUSTRIAL;L;LG 400 MM;190 MM	GLOVE: TYPE: INDUSTRIAL; SIZE: L; LENGTH: 400 MM; CUFF LENGTH: 190 MM; MATERIAL: RUBBER HEAVY DUTY; COLOR: BLACK; CUFF: ROLLED; SPECIFICATION: EN420; SPECIAL FEATURES: CRINKLE PALM	5 719	EA
GLOVE:INDUSTRIAL;M;LG 300 MM;120 MM	GLOVE: TYPE: INDUSTRIAL; SIZE: M; LENGTH: 300 MM; CUFF LENGTH: 120 MM; MATERIAL: RUBBER NATURAL; COLOR: BLACK; CUFF: ROLLED; SPECIFICATION: EN420; SPECIAL FEATURES: CRINKLE PALM	14 379	EA
GLOVE:INDUSTRIAL;L;LG 300 MM;120 MM	GLOVE: TYPE: INDUSTRIAL; SIZE: L; LENGTH: 300 MM; CUFF LENGTH: 120 MM; MATERIAL: RUBBER NATURAL; COLOR: BLACK; CUFF: ROLLED; SPECIFICATION: EN240; SPECIAL FEATURES: CRINKLE PALM	2 650	EA
GLOVE:INDUSTRIAL;XL;LG 300 MM;120 MM	GLOVE: TYPE: INDUSTRIAL; SIZE: XL; LENGTH: 300 MM; CUFF LENGTH: 120 MM; MATERIAL: RUBBER NATURAL; COLOR: BLACK; CUFF: ROLLED; SPECIFICATION: EN420; SPECIAL FEATURES: CRINKLE PALM	1 842	EA
GLOVE WLDR:L;LG 400 MM;GREEN;STITCHED	GLOVE, WELDER: GARMENT SIZE: L; LENGTH: 400 MM; MATERIAL: COW SPLIT LEATHER FULLY COTTON LINED; COLOR: GREEN; CUFF TYPE: STITCHED; GARMENT CLOSING METHOD: SLIP ON; CUFF LENGTH: 20 CM; SPECIFICATION: EN388-1994; EN407-1994; TYPE: GENERAL PURPOSE	1 768	PAA
GLOVE:ANTI VIBRATION;S;LG 9.5 IN;4.5 IN	GLOVE: TYPE: ANTI VIBRATION; SIZE: S; LENGTH: 9.5 IN; CUFF LENGTH: 4.5 IN; MATERIAL: NYLON; COLOR: BLACK; CUFF: SEAMLESS LINED; SPECIAL FEATURES: VIBRATION REDUCTION; REFERENCE NO: S10VIBL; PADDED WITH A LAYER OFF VABRATION DAMPENING POLYMER; SPECIALLY COMPOUNDED, FORMED CHLOROPRENE COATED	148	PAA
GLOVE:ANTI VIBRATION;M;LG 9.5 IN;4.5 IN	GLOVE: TYPE: ANTI VIBRATION; SIZE: M; LENGTH: 9.5 IN; CUFF LENGTH: 4.5 IN; MATERIAL: NYLON; COLOR: BLACK; CUFF: SEAMLESS LINED; SPECIAL FEATURES: VIBRATION REDUCTION; REFERENCE NO: S10VIBL; PADDED WITH A LAYER OFF VABRATION DAMPENING POLYMER;	721	PAA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.



Business Management System

Supply Chain Management

Warehouse

Scope of Work for PPE Hand Protection

	SPECIALLY COMPOUNDED, FORMED CHLOROPRENE COATED		
GLOVE:ANTI VIBRATION;L;LG 9.5 IN;4.5 IN	GLOVE: TYPE: ANTI VIBRATION; SIZE: L; LENGTH: 9.5 IN; CUFF LENGTH: 4.5 IN; MATERIAL: NYLON; COLOR: BLACK; CUFF: SEAMLESS LINED; SPECIAL FEATURES: VIBRATION REDUCTION; REFERENCE NO: S10VIBL; PADDED WITH A LAYER OFF VABRATION DAMPENING POLYMER; SPECIALLY COMPOUNDED, FORMED CHLOROPRENE COATED	631	PAA
GLOVE:ANTI VIBRATION;XL;LG 9.5 IN;4.5 IN	GLOVE: TYPE: ANTI VIBRATION; SIZE: XL; LENGTH: 9.5 IN; CUFF LENGTH: 4.5 IN; MATERIAL: NYLON; COLOR: BLACK; CUFF: SEAMLESS LINED; SPECIAL FEATURES: VIBRATION REDUCTION; REFERENCE NO: S10VIBL; PADDED WITH A LAYER OFF VABRATION DAMPENING POLYMER; SPECIALLY COMPOUNDED, FORMED CHLOROPRENE COATED	183	PAA
GLOVE:PRECISION;M (8);LG 225 MM;70 MM	GLOVE: TYPE: PRECISION; SIZE: M (8); LENGTH: 225 MM; CUFF LENGTH: 70 MM; MATERIAL: NYLON SPANDEX; NBR; COLOR: BLACK; CUFF: FULLY COATED KNITWRIST; SPECIFICATION: EN 388:2016 + A1:2018 A TO E; SPECIAL FEATURES: MICRO-FOAM FOR CONTROLLED GRIP; THK 1 MM; REF: MAXIFLEX ULTIMATE AD-APT 42-876	350	PAA
GLOVE:PRECISION;XL (10);LG 235 MM;70 MM	GLOVE: TYPE: PRECISION; SIZE: XL (10); LENGTH: 235 MM; CUFF LENGTH: 70 MM; MATERIAL: NYLON SPANDEX; NBR; COLOR: BLACK; CUFF: FULLY COATED KNITWRIST; SPECIFICATION: EN 388:2016 + A1:2018 A TO E; SPECIAL FEATURES: MICRO-FOAM FOR CONTROLLED GRIP; THK 1 MM; REF: MAXIFLEX ULTIMATE AD-APT 42-876	350	PAA
GLOVE:PRECISION;XXXL (12);LG 245 MM	GLOVE: TYPE: PRECISION; SIZE: XXXL (12); LENGTH: 245 MM; CUFF LENGTH: 75 MM; MATERIAL: NYLON SPANDEX; NBR; COLOR: BLACK; CUFF: FULLY COATED KNITWRIST; SPECIFICATION: EN 388:2016 + A1:2018 A TO E; SPECIAL FEATURES: MICRO-FOAM FOR CONTROLLED GRIP; THK 1 MM; REF: MAXIFLEX ULTIMATE AD-APT 42-876	350	PAA
GLOVE CHEM PROTCTV:UNSUP;8 (S);LG 33 CM	GLOVE, CHEMICAL PROTECTIVE: TYPE: UNSUP; SIZE: 8 (S); LENGTH: 33 CM; MATERIAL: NITRILE; COLOR: GREEN; CUFF TYPE: STRAIGHT; CUFF LENGTH: 12 CM; SPECIFICATION: EN374; EMBOSSED FINISH FOR A	1 895	EA

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.



Business Management System

Supply Chain Management

Warehouse

Scope of Work for PPE Hand Protection

	BETTER GRIP		
GLOVE CHEM PROTCTV:UNSUP;11(XL);LG 33 CM	GLOVE, CHEMICAL PROTECTIVE: TYPE: UNSUP; SIZE: 11(XL); LENGTH: 33 CM; MATERIAL: NITRILE; COLOR: GREEN; CUFF TYPE: STRAIGHT; CUFF LENGTH: 12 CM; SPECIFICATION: EN374; EMBOSSED FINISH FOR A BETTER GRIP	522	EA
GLOVE SRGCL:MEDIC,DISP;M;NITRILE;BLUE	GLOVE, SURGICAL: TYPE: MEDIC,DISP; SIZE: M; MATERIAL: NITRILE; COLOR: BLUE; UNIT PACKAGE QUANTITY: 100 PR; UNIT PACKAGE TYPE: SEALED PLASTIC SACHET; SPECIFICATION: ISO 13485; CUFF LENGTH: 4 IN	1 950	EA
GLOVE SRGCL:MEDIC,DISP;XL;NITRILE;BLUE	GLOVE, SURGICAL: TYPE: MEDIC,DISP; SIZE: XL; MATERIAL: NITRILE; COLOR: BLUE; UNIT PACKAGE QUANTITY: 100 PR; UNIT PACKAGE TYPE: BOX; SPECIFICATION: ISO 13485; CUFF LENGTH: 4 IN	347	EA

Complied By: Cynthia Tsotetsi

Signature.....*C. Tsotetsi*.....

Date...25/07/2022.....

Approved By: Boitshoko Mokolobate

Signature.....*B. Mokolobate*.....

Date...25/07/2022.....

Controlled Disclosure

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

No part of this document may be reproduced without the expressed consent of the copyright holder, Eskom Rotek Industries SOC Ltd.