

## **REPUBLIC OF SOUTH AFRICA**

**DUE AT 11:00 ON** 

## **05 NOVEMBER 2025**

## WTE168CE

SUPPLY AND DELIVERY OF LOCAL CONTENT READY MIX CONCRETE TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE

## **SUBMIT COMPLETED BID DOCUMENTS TO:**

OR

TO BE DEPOSITED IN:

Grootdraai Dam

**STANDERTON** 

2430

The bid box at the entrance of

Construction East Office Building

## **POSTAL ADDRESS:**

Department Water and Sanitation Supply Chain Management Office Private Bag X2023 STANDERTON 2430

## **Physical Address:**

Ermelo R 39 Road, Grootdraai Dam close to Standerton Construction East Office 2430

## **Compulsory Briefing Session**

<u>Date</u>: 24.10.2025 <u>Time</u>: 10:00am

Venue: Majuba Resevoir near Amersfoort in the Mpumalanga Province.

Co-ordinates: 27º07'11.27"S 29º44'36.12"E

BIDDER: (Company address and stamp)

**COMPILED BY: CONSTRUCTION EAST** 

## WTE168CE

SUPPLY AND DELIVERY OF LOCAL CONTENT READY MIX CONCRETE TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE

## **CONTENTS**

INVITATION TO BID (SBD 1)

SECTION 1: LEGALITIES

SECTION 2: PRICE QUOTATION DATA

SECTION 3: PRICING SCHEDULE

# PART A INVITATION TO BID

YOU ARE HEREBY INV	/ITED TO	BID FOR REQU	JIREMENTS OF THE (N	IAME OF DEP	PARTMENT/ PUBL	IC ENTITY	)	
	NTE1680		CLOSING DATE: 05 N		2025		ING TIME:	11:00
DESCRIPTION F								
BID RESPONSE DOCU	MENTS	MAY BE DEPOS	ITED IN THE BID BOX	SITUATED AT	T (STREET ADDR	ESS)		
Department Water and	d Sanita	tion OR	Ermelo R 39	Road Groot	draai Dam Close	to Stande	erton in Mpur	nalnga Province
Supply Chain Manage	ement O	ffice	Construction	n East Office	Building - The b	oid box at	the entrance	
Private Bag X2023			Grootdraai					
STANDERTON 2430			STANDER	TON 2430				
BIDDING PROCEDURE	ENQUI	RIES MAY BE DII	RECTED TO	TECHNICAL	ENQUIRIES MAY	BE DIRE	CTED TO:	
CONTACT PERSON		Mrs. Neethling I	Marianne	CONTACT F	PERSON			elo Malubane
TELEPHONE NUMBER		0177201606/065	5 538 3901	TELEPHONI	E NUMBER		017 720 5852	1624/060 980
FACSIMILE NUMBER		N/A		FACSIMILE	NUMBER		N/A	
E-MAIL ADDRESS		NeethlingM@dv	vs.gov.za	E-MAIL ADD	RESS		Malubane	et@dws.gov.za
SUPPLIER INFORMATI	ION							
NAME OF BIDDER								
POSTAL ADDRESS								
STREET ADDRESS					I			
TELEPHONE NUMBER		CODE			NUMBER			
CELLPHONE NUMBER					I			
FACSIMILE NUMBER		CODE			NUMBER			
E-MAIL ADDRESS								
VAT REGISTRA NUMBER	ATION							
SUPPLIER COMPLIANC	CE	TAX			CENTRAL			
STATUS		COMPLIANCE SYSTEM PIN:		OR	SUPPLIER DATABASE			
		010121			No:	MAAA		
ARE YOU THE ACCREDIT	ED			ADE VOL	A FOREIGN BAS	ED		
REPRESENTA					SUPPLIER FOR T		∃Yes	□No
IN SOUTH AF FOR THE GO		□Yes	□No		GOODS /SERVIC		EVEC ANOVA	/CD TUE
SERVICE	-	[IF YES ENCLOS	SE PROOF]		OFFERED?	-	F YES, ANSW UESTIONNAI	
OFFERED	OFFERED?							
QUESTIONNAIRE TO B	BIDDING	FOREIGN SUPP	PLIERS					
IS THE ENTITY A RESID	DENT O	F THE REPUBLIC	OF SOUTH AFRICA (F	RSA)?			☐ YE	S NO
DOES THE ENTITY HAV	VE A BR	ANCH IN THE R	SA?				☐ YES	S NO
DOES THE ENTITY HAV	VE A PE	RMANENT ESTA	BLISHMENT IN THE R	SA?			☐ YE	S NO
DOES THE ENTITY HAV	VE ANY	SOURCE OF INC	COME IN THE RSA?				☐ YE	S NO
IF THE ANSWER IS "N	IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?  IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.							

## PART B TERMS AND CONDITIONS FOR BIDDING

#### 1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

#### 2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PA	RTICULARS MAY RENDER THE BID INVALID.
SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	

## WTE168CE

SUPPLY AND DELIVERY OF LOCAL CONTENT READY MIX CONCRETE TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE

## **SECTION 1: LEGALITIES**

## **CONTENTS**

- 1. Instructions to Suppliers
- 2. Declaration of Interest (SBD 4)
- 3. Preference Points Claim in terms of the Preferential Procurement Regulation, 2022 (SBD 6.1)
- 4. Instructions to Suppliers: Purchases (Annexure 7)
- 5. General conditions of contract

## WTE168CE

# SUPPLY AND DELIVERY OF LOCAL CONTENT READY MIX CONCRETE TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE

## 1. <u>INSTRUCTIONS TO BIDDERS</u>

## **CONTENTS**

- 1. Issuing of documents
- 2. Queries with respect to this bid
- 3. Completion of Bids
- 4. Submission of Bids
- 5. Signature on Bids
- 6. General Conditions of Contract
- 7. Bids to comply with documents
- 8. Telegraphic bids
- 9. The Department's right to decline any bid
- 10. Department is not liable for bidder's expenses
- 11. Payments made under this contract
- 12. Evaluation Criteria
- 13. Rejection of bids
- 14. Results of bids

#### **INSTRUCTIONS TO BIDDERS**

#### 1. ISSUING OF DOCUMENTS

(a) 1. A complete set of bid documents is issued to a list of prospective Bidders, sourced from National Treasury's

Central Supplier Database.

- 2. Bid documents for bids advertised on CIDB will be made available on written request via E-mail.
- 3. A complete set of bid documents can be downloaded from E-Portal for the bids advertised on E-Portal
- (b) Bidders must satisfy themselves that the document is complete and conform to the index of this document. Should any figures or writing be indistinct or should any pages be missing from this document or should this document or the drawing(s) contain any obvious errors, the Bidders must immediately notify the Department in order to have any discrepancy rectified or clarified before submitting his bid. Such clarification will be valid only if made by the Department by means of formal amendment as described hereunder prior to the date of submission of bids. The Department may issue amendments to clarify or modify the Bid Documents. A copy of each amendment will be issued to each bidder and shall be acknowledged on the form issued with the amendments. No claim whatsoever will be entertained for faults in the bid price resulting from the abovementioned discrepancies.
- (c) No alterations, omissions or additions shall be made to this document, but should it be deemed necessary to do so, the Bidder is at liberty to qualify his bid.
- (d) All Bidders shall be deemed to have waived, renounced and abandoned any conditions printed or written upon any stationery used by them for the purpose of or in connection with the submission of bids which are in conflict with the conditions laid down in this document.
- (e) Only locally produced or locally manufactured cement products from local raw material or input will be sidered for this bid. The stipulated minimum threshold for local production and content for Cement Sector is 100%

#### 2. QUERIES WITH RESPECT TO THIS BID

Queries of a specific administartion nature should be directed to Ms M Neethling. in writing to: Crpo of SCM Office, Department of Water and Sanitation at <a href="MeethlingM@dws.gov.za">NeethlingM@dws.gov.za</a> or telephonically on 017 720 1606/065 538 3901

Queries of a specific technical nature should be directed to Mr: T.Malubane in writing to: <a href="mailto:malubanet@dws.gov.za">malubanet@dws.gov.za</a> 0609805852

## 3. COMPLETION OF BIDS

- (a) The bid must be signed on the Invitation to Bid form (SBD 1) annexed hereto with all blanks in the bid and the appendix filled in.
- (b) All spaces in the bid forms and other annexures shall be completed in full.
- (c) Section 3 in the bid document and the Pricing Schedule must be fully completed and priced out by the bidder. Failure to do so will deem your bid invalid.
- (d) The bid documents shall not be separated in any way nor must any pages be detached from the original documents.

#### 4. SUBMISSION OF BIDS

The Bid Document shall be completed, signed and submitted as follows:

(a) The original Bid, together with a covering letter and supporting documents, shall be sealed in an envelope endorsed: "Original Bid: WTE168CE: SUPPLY AND DELIVERY OF LOCAL CONTENT READY MIX CONCRETE TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE.

and the name of the Bidder shall be clearly shown.

(b) Bids sealed and endorsed as above, will be deposited in the bid box at the entrance of the Department Water and Sanitation: Construction East Office Building, Grootdraai Dam, Standerton and not later than 11:00 on the date stipulated on the front cover of this document. and not later than 11:00 on the date stipulated on the front cover of this document.

## 5. SIGNATURE ON BIDS

The Bid, if by an individual, must be signed by that individual or by someone on his behalf duly authorised thereto and proof of such authority must be produced. If the bid is by a Company it must be signed by a person duly authorised thereto by a Resolution of a Board of Directors a copy of which Resolution, duly certified by the Chairman of the Company is to be submitted.

If the bid is submitted by joint venture of more than one person and/or Companies and/or firms it shall be accompanied by the following:

- (a) The original or a notarially certified copy of the original document under which such joint venture was constituted which must define precisely inter alia the conditions under which the joint venture will function, its period of duration and the participation of the several constituent persons and/or companies and/or firms.
- (b) A certificate signed by or on behalf of each participating person and/or company and/or firm authorising the person who signed the bid to do so.

## 6. GENERAL CONDITIONS OF CONTRACT

The General Conditions of Contract (National Treasury 2010), as attached shall be regarded as an integral part of the contract documents.

## 7. BIDDERS TO COMPLY WITH DOCUMENTS

Where applicable, Bidders must allow in their Bids for all labour, material, machinery and everything necessary for the execution and completion of the Contract in accordance with the bid documents. No alterations may be made in the Invitation to Bid, Schedule of Quantities or other documents and the bid will be deemed to comply entirely with the terms of the documents.

#### 8. TELEGRAPHIC BIDS

No bid forwarded by telegram, telex, facsimile will be considered.

## 9. THE DEPARTMENTS RIGHT TO DECLINE ANY BID

The Department does not bind itself to accept the lowest or any bid.

## 10. DEPARTMENT NOT LIABLE FOR BIDDER'S EXPENSES

The Department will not be held liable for any expenses incurred in preparing and submitting bids.

#### 11. PAYMENTS UNDER THE CONTRACT

All payments due to the Bidder in terms of the contract will be done by means of Electronic Fund Transfer. Bid price must be firm.

## 12. EVALUATION CRITERIA

Bids will be evaluated in accordance with the new Preferential Procurement Regulations, 2022, using 80/20 preference points system as prescribed in the Preferential Procurement Policy Framework Act (PPPFA, Act 5 of 2000. The lowest acceptable bid in terms of value will score 80 points for price and a maximum of 20 points will be awarded for attaining the Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution.

Bid proposals will be evaluated based on the 80/20 preference points where a maximum of 80 points will be awarded in respect of price and a maximum of 20 points will be awarded for goals.

## 13. Award Condition: Objective Criteria

- In terms of section 2(1) (f) of the PPPFA, the state may award a contract to a tenderer that did not score the highest points.
- With the above provision, a tender may be awarded to a bidder offering goods that meet the local content requirements than the tenderer scoring the highest points.
- A letter from the local manufacturer confirming local production and content outlining types and sizes of the items to be provided must be submitted.
- The stipulated minimum threshold percentage for local production and content of cement is 100% as stipulated by the
  Department of Trade, Industry and Competition (the dtic) is applicable.
- An exemption letter from the dtic must be obtained as per the exemption process followed by the dtic for items or
  materials that are imported and in cases whereby local content requirements cannot be met for various reasons (see
  exemption process followed by the dtic).

The evaluation of bids will be conducted in four (4) phases as follows:

- Phase 1: Mandatory Requirements
- Phase 2: Administrative Compliance
- Phase 3: Technical Evaluation and Specification Compliance
- Phase 4: Preference Points system

## **Phase: 1 Mandatory Requirements**

- Failure to complete, sign and submit the documents listed in table 1 below <u>will</u> render your bid non-responsive and will be disqualified.
- Failure to attend compulsory site briefing listed in table 1 below will render your bid non-responsive and will be disqualified.

Table 1

No	Criteria	Yes	No
1.	Compulsory site briefing session attendance		
2.	Complete, sign, submit SBD 1, SBD 3.1, SBD 4.		
3.	Concrete mix design 15 MPa/19mm, 20 MPa/19mm and 30 MPa/19mm concrete to be submitted as according to specification with bidding document at closing date		

## **Phase 2: Administrative Compliance**

Table 2

Bidders are required to <u>comply</u> with the following listed below

No	Criteria	Yes	No
1.	Complete, sign, and submit SBD 6.1 according to PPR 2022		
	(failure to submit, the Bidder will forfeit the preferential points to be claimed)		
	Companies must be registered and compliant with National Treasury's Central		
2.	Supplier Database.		
3.	Companies must be tax compliant with SARS (to be verified through CSD and SARS).		
4.	Companies must be actively registered with Company Intellectual Property Commission (to be verified through CSD and CIPC).		
5.	Submit a certified copy of B-BBEE Status Level Verification Certificate / Sworn affidavit must be submitted with the bidding documents.		
	(failure to submit, the Bidder will forfeit the preferential points to be claimed		
6.	The stipulated minimum threshold percentage for local production and content for the different types of <b>Cement must be 100</b> % as per stipulated by the Department of Trade and Industry (DTi) is applicable.		
	Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s) as per the specifications.		
7.	NRCS letter of Authority must be submitted with the bid documents on closing date.		
8.	Complete, sign and submit annexure C and D		
9.	Complete, sign and submit LC Declaration Document in line with the PPR.doc 2022		

## Phase 3:Technical Evaluation and Specification Compliance

Compliance requirements:

• Indicate by marking the relevant column, if you mark on both columns, it will be considered as non-compliance. A bidder who fails to comply with the specification requirements will be disqualified and not considered for further evaluation.

Table 3

Item	Quantity	Description (Spec / ToR)	Comply	
No:			Yes	No
1.	50 m <sup>3</sup>	Supply of 15 MPa/19mm ready mix concrete		
2.	50 m <sup>3</sup>	Supply of 20 MPa/19mm ready mix concrete		
3.	120 m <sup>3</sup>	Supply of 30 MPa/19mm ready mix concrete		
4.	220 m <sup>3</sup>	Transport cost of concrete to site		

Note: Table 3 of phase 3 must be completed in full and section 2(Price qoutation data) must be signed

## Phase 4:Preference Points system

The bid will be awarded in terms of Regulation 4: Preferential Procurement Regulations, 2022 pertaining to the Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000).

Bid proposals will be evaluated based on the 80/20 preference points where a maximum of 80 points will be awarded in respect of price and a maximum of 20 points will be awarded for goals.

Points claimed will be according to a bidder's specific goals claimed as indicated in Table 4 below.

#### Table 4: Specific goals for the tender and points allocation are indicated as per the table below:

In terms of Regulation 4(2); 5(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this bid the bidder will be allocated points based on the bidder's goals claimed as per table 4. Bidder's goal claimed must be supported by proof/ documentation stated as per table 5 and the special conditions of this bid where applicable

Table:4

The specific goals allocated points in terms of this tender	Number of maximum points allocated (80/20 system)	Bidder's points claimed for specific goals (To be completed by Bidder)
Women Ownership	5	
Disability Ownership	5	
Youth Ownership	5	
Location of enterprise (local equals province) Mpumalanga Province	2	
B-BBEE status level contribution from level 1 to 2 which are QSE or EME	3	
TOTAL SCORED POINTS	20	

**Specific goals**" means specific goals as contemplated in section 2(1)(d) of the PPPFA Act which may include contracting with persons, or categories of persons, historically disadvantaged by unfair discrimination on the basis of race, gender and disability including the implementation of programmes of the Reconstruction of Development Programme as published in *Government Gazette* No. 16085 date 23 November 1994.

"Disability" means, in respect of a person, a permanent impairment of a physical, intellectual, or sensory function, which results in restricted, or lack of, ability to perform an activity in the manner, or within the range, considered normal for a human being.

- i. A blind person (in terms of the Blind Persons Act, 1968 (Act no.26 of 1968);
- ii. A deaf person, whose hearing is impaired to such an extent that he/she cannot use it as a primary means of communication;
- iii. A person who, as a result of permanent disability, requires a wheelchair, caliper or crutch to assist him/her to move from one place or another;
- iv. A person who requires an artificial limb; or
- v. A person who suffers from a mental illness (in terms of the Mental Health Act, 1973 (Act no. 18 of 1973).

**"Location of enterprise"** Local equals province. Where a project cuts across more than one province, the bidder may be located in any of the relevant provinces to claim and be allocated the points.

<sup>&</sup>quot;Ownership" means the percentage ownership and control, exercised by individuals within an enterprise.

<sup>&</sup>quot;Youth" means, in respect of a person younger than 35 years of age.

**Women, disability, and youth** will be measured by calculating the pro-rata percentage of ownership of the bidding company which meets the criterion. E.g., Company A has five shareholders each of whom own 20% of the company. Three of the five shareholders meet the criterion, i.e., they are women/disability/youth. Therefore, this bidder will obtain 60% of the points allowable for this goal.

## Table 5: Documents required for verification of Bidder's claimed points

Documents/ information listed on the below table 5 must be submitted to support and verify points claimed as per table 4 above.

Table 5

Specific Goal	Requires Proof Documents
Women Ownership	Full CSD Report
Disability Ownership	Full CSD Report
Youth Ownership	Full CSD Report
Location of enterprise	Full CSD Report
B-BBEE status level	Valid B-BBEE certificate/sworn affidavit
contribution from level 1 to 2 which are QSE or EME	Consolidated B-BBEE certificate in cases of Joint Ventures (JV)
	Full CSD Report for each bidder who formed a (JV)

Failure on the part of a bidder to submit proof of documentation required in terms of this tender to claim for specific goals with the bid, will be interpreted to mean that preference points for specific goals are not claimed and will not be allocated.

## 13. REJECTION OF BID

Bids not complying with the above-mentioned requirements and specifications may be regarded as incomplete and may not be considered.

#### 14. RESULTS OF BIDS

Results of non-acceptance of bids will be sent to individual unsuccessful bidders in due course.

#### **INSTRUCTIONS TO BIDDERS: PURCHASES**

- 1. The standard bidding forms should not be retyped or redrafted.
- 2. Should standard bid forms not be filled in by means of mechanical devices, for example typewriters, black ink must be used to fill in bids.
- 3. Bidders shall check the numbers of the pages and satisfy themselves that none are missing or duplicated. No liability shall be accepted in regard to claims arising from the fact that pages are missing or duplicated.
- 4. The specifications form an integral part of the bid document and bidders shall indicate in the space provided whether the items offered are to specification or not.
- 5. In respect of the paragraphs where the items offered are strictly to specification, bidders shall insert the words "as specified".
- 6. In cases where the items are not to specification, the deviations from the specifications shall be indicated.
- 7. The bid prices shall be given in the units shown and must be firm.
- 8. With the exception of basic prices, where required, all prices shall be quoted in South African currency.
- 9. Delivery basis:
  - (a) Supplies which are held in stock or are in transit or on order from South African manufacturers at the date of bid, shall be offered on a basis of delivery into consignee's store or on his site within the free delivery area of the bidder's centre, or carriage paid consignee's station if the goods are required elsewhere.
  - (b) Notwithstanding the provisions of paragraph 9(a), bid prices for supplies in respect of which installation/erection/assembly is a requirement, shall include ALL costs on a basis of delivered on site as specified.
- 10. Unless specifically provided for in the bid document, no bids transmitted by telegram, telex, facsimile, or similar apparatus shall be considered.
- 11. Bids received after the closing date and time are late and will as a rule not be accepted for consideration.
- 12. Bids will be opened in public, that is, bidders or their representatives may be present. If requested by any bidder, the names of bidders and if practical the total amount of each bid, will be read aloud.
- 13. The period for which offers are to remain valid and binding is indicated in the bid documents and is calculated from the closing date on the understanding that offers are to remain in force and binding until the close of business on the last day of the period calculated and if this day falls on a Saturday, Sunday or public holiday, the bid is to remain valid and binding until the close of business on the following working day.
- 14. These conditions (ANNEXURE 7) form part of the bid and failure to comply therewith may invalidate a bid.
- 15. Bidders are requested to promote local content optimally. Bidders who use locally manufactured components, products, equipment and systems, must complete the Department Declaration for Annexure C (Local Production and Content)
- 16. After public opening of bids, information relating to the examination, clarification and evaluation of bids and recommendations concerning awards will not be disclosed to bidders or other persons not officially concerned with the process, until the successful bidder is notified of the award. The bid documentation of bidders is considered to be confidential and will under no circumstances be made available to other bidders or other persons.

- 17. The financial standing of bidders and their ability to manufacture or to supply goods or to render a service may be examined before their bids are considered for acceptance.
- 18. The Department may, where a bid relates to more than one item, accept such bid in respect of any specific item or items and also accept part of the specified quantity of any specific item or items.
- 19. The Department is not obliged to accept any bid. The evaluation of a bid will be done in accordance with the Preferential Procurement Policy Framework Act, 2000 (Act no. 5 of 2000) and its regulations.
- 20. After approval of the bid, both parties must sign a written contract.
- 21. Failure of the successful bidder to sign the Contract Form in ink may result in the invalidation of their bid.

## WTE168CE

SUPPLY AND DELIVERY OF LOCAL CONTENT READY MIX CONCRETE TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE

SECTION 2: PRICE QUOTATION DATA

## **CONTENTS**

1. STIPULATIONS

## **STIPULATIONS**

	STIFULATIONS
1.	SERVICE
1.1	The service to be rendered is the:
	SUPPLY AND DELIVERY OF LOCAL CONTENT READY MIX CONCRETE TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE  As more fully specified hereunder.
2.	SITE
	Compulsory Briefing Session  Date: 24.10.2025  Time: 10:00am  Venue: Amersfoort Community Hall in the Mpumalanga Province
	Majuba Resevoir is located approximately 1 km from Majuba power station in Mpumalanga province.
	Access to the site is via Unknown road either from Perdekop or Amersfoort Road, turn off toward Majuba power station drive approximately 3 km on a tare road from entrance of the power station.
	Coordinates : 27°07'05.93" S, 29°48'35.75" E
3.	STANDARDS, SPECIFICATIONS AND DEFINITIONS APPLICABLE
3.	STANDARDS, SPECIFICATIONS AND DEFINITIONS AFFLICABLE
3.1	CEMENT SPECIFICATIONS
	<ul> <li>The cement to be used in the concrete mix shall be as stated in the Bid and shall comply with SANS 50197 and all its supporting specifications.</li> <li>Only CEM I 52.5 or CEM I 42.5 (Portland Cements), CEM II A 52.5 or CEM II A 42.5 in accordance with SANS 50197-1 may be used</li> <li>A minimum of 30% of the cement shall be replaced with Fly Ash (FA) or Ground Granulated Blast-Furnace Slag (GGBS)</li> <li>Fly Ash (FA) to comply to SANS 50450 and Ground Granulated Blast-Furnace Slag (GGBS) to comply to SANS 55167</li> <li>If the Supplier wishes to use any other type/blend of cement, he shall obtain the Engineer's prior written approval. The tendered rates, however, shall be based on the use of the above-mentioned cements/blends only.</li> <li>No cement may be used that does not conform to these specifications.</li> <li>The type of cement and/or extender on which the Bid is awarded may not be changed during the Contract without prior notification and approval by the Client/Engineer.</li> <li>No imported cement shall be used in the concrete</li> </ul>
3.2	CONCRETE MIX DESIGNS
	The concrete mix design shall be approved by the Engineer on site or by the Contractor before the tender is awarded. Bidders to supply their concrete mix designs for 15/19 Mpa, 20/19 mpa and 30/19 Mpa concrete with the tender. The supplier may be requested by the Engineers or Client to adjust mix designs from time to time depending on the conditions on site.  Water cement ratio for 15 Mpa, 20 Mpa and 30 Mpa on site is expected to range between 0,4 and 0,75.
3.3	ADMIXTURES, PLASTICIZERS AND RETARDERS
0.0	ADMINITORES, I EACTICIZERO AND RETARDERO
	<ul> <li>All specifications for admixtures, plasticizers and retarders to be made available to the Department or Engineer for approval after award of Bid before they can be used.</li> </ul>

### GRADING OF AGGREGATES AND TEST RESULTS  All grading and test results of aggregates must be made available to the Department or Engineer after award the Bid.  3.5 FLY ASH / SLAGMENT  All specifications of Cement / Fly ash / Slagment must also be made to the Department or Consulting Enginee after award of the Bid.  4. TECHNICAL SPECIFICATIONS  • All concrete aggregates and Cement must comply with SABS (SANS 878) specifications. Concrete I Design must be made available to the client after award of bid. All necessary Quality checks must be place to ensure that the end product complies with the specifications.  • Concrete for the project will be used for concrete structures.  • Minimum compressive strength of concrete on 28 days must be as specified on the mix design. Proor mentioned results must be made available to the Department after award of Bid.  • Maximum aggregates ize allowable is 19mm.  • Good quality River / Crusher sand to be used in mix to give a good, sound, smooth floatable finish exposed concrete surfaces.  • Approved add mixtures must be used to reduce water and to control slump and workability.  • The slump will be given on site.  5. LOCAL PRODUCTION AND CONTENT  • Only locally produced or locally manufactured with a stipulated minimum threshold for local production and content will be considered.  • The stipulated minimum threshold percentage for local production and content for the different typ of Cement must be 100% as per stipulated by the Department of Trade and Industry (DTT) is applicable.  • The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid.  • Only the South African Bureau of Standards (SABS) approved technical specification number SAI 1286:2011 must be used to calculate local content.  • Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s as per the specifications.  4. LETTER OF AUTHOR		
All grading and test results of aggregates must be made available to the Department or Engineer after award the Bid.  3.5 FLY ASH / SLAGMENT  All specifications of Cement / Fly ash / Slagment must also be made to the Department or Consulting Enginee after award of the Bid.  4. TECHNICAL SPECIFICATIONS  • All concrete aggregates and Cement must comply with SABS (SANS 878) specifications. Concrete Design must be made available to the client after award of bid. All necessary Quality checks must be place to ensure that the end product complies with the specifications. • Concrete for the project will be used for concrete structures. • Minimum compressive strength of concrete on 28 days must be as specified on the mix design. Proor mentioned results must be made available to the Department after award of Bid. • Maximum aggregates its allowable is 19mm. • Good quality River / Crusher sand to be used in mix to give a good, sound, smooth floatable finish exposed concrete surface allowable is 19mm. • Good quality River / Crusher sand to be used in mix to give a good, sound, smooth floatable finish exposed concrete surface allowable is 19mm. • Approved add mixtures must be used to reduce water and to control slump and workability. • The stump will be given on site.  5. LOCAL PRODUCTION AND CONTENT  • Only locally produced or locally manufactured with a stipulated minimum threshold for local production and content for the different typ of Cement must be 100% as per stipulated by the Department of Trade and industry (DTT) is applicable. • The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid. • Only the South African Bureau of Standards (SABS) approved technical specification number SA1 1286:2011 must be used to calculate local content. • Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s as per the specifications.  4. LETTER OF		
the Bid.  All specifications of Cement / Fly ash / Slagment must also be made to the Department or Consulting Enginee after award of the Bid.  TECHNICAL SPECIFICATIONS  • All concrete aggregates and Cement must compty with SABS (SANS 878) specifications. Concrete I Design must be made available to the client after award of bid. All necessary Quality checks must be place to ensure that the end product complies with the specifications.  • Concrete for the project will be used for concrete structures.  • Minimum compressive strength of concrete on 28 days must be as specified on the mix design. Proor mentioned results must be made available to the Department after award of Bid.  • Maximum aggregate size allowable is 19mm.  • Good quality River / Crusher sand to be used in mix to give a good, sound, smooth floatable finish exposed concrete surfaces.  • Approved add mixtures must be used to reduce water and to control slump and workability.  • The shump will be given on site.  5. LOCAL PRODUCTION AND CONTENT  • Only locally produced or locally manufactured with a stipulated minimum threshold for local production and content for the different typ of Cement must be 10%; as per stipulated by the Department of Trade and Industry (DTI) is applicable.  • The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid.  • Only the South African Bureau of Standards (SABS) approved technical specification number SAT 1286:2011 must be used to calculate local content.  • Please make yourself aware of the stipulated minimum threshold percentage of the specifications as per the specifications.  • NRCS (National Regulatory Compliance Standard) administers a compulsory specification for cemer Cement must be approved by the NRCS before it may be sold or offered of sale.  • NRCS (valuates evidence of conformity to determine whether the requirements of the compulsory specifications are met.  •	3.4	GRADING OF AGGREGATES AND TEST RESULTS
All specifications of Cement / Fly ash / Slagment must also be made to the Department or Consulting Enginee after award of the Bid.  4. TECHNICAL SPECIFICATIONS  • All concrete aggregates and Cement must comply with SABS (SANS 878) specifications. Concrete I Design must be made available to the client after award of bid. All necessary Quality checks must be place to ensure that the end product complies with the specifications. • Concrete for the project will be used for concrete structures. • Minimum compressive strength of concrete on 28 days must be as specified on the mix design. Proo mentioned results must be made available to the Department after award of Bid. • Maximum aggregate size allowable is 19mm. • Good quality River / Crusher sand to be used in mix to give a good, sound, smooth floatable finish exposed concrete surfaces. • Approved add mixtures must be used to reduce water and to control slump and workability. • The slump will be given on site.  5. LOCAL PRODUCTION AND CONTENT  • Only locally produced or locally manufactured with a stipulated minimum threshold for local production and content will be considered. • The stipulated minimum threshold percentage for local production and content for the different typ of Cement must be 100% as per stipulated by the Department of Trade and Industry (DTI) is applicable. • The exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid. • Only the South African Bureau of Standards (SABS) approved technical specification number SA1 1286:2011 must be used to calculate local content. • Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s as per the specifications.  4. LETTER OF AUTHORITY ISSUED BY NRCS – TAKE NOTE ALL BELOW  • NRCS (National Regulatory Compliance Standard) administers a compulsory specification for cemer ement must be approved by the NRCS before it may be sold or offered of sale. • The product and the production plant must be certified as compliant		All grading and test results of aggregates must be made available to the Department or Engineer after award of the Bid.
4. TECHNICAL SPECIFICATIONS   • All concrete aggregates and Cement must comply with SABS (SANS 878) specifications. Concrete I Design must be made available to the client after award of bid. All necessary Quality checks must be place to ensure that the end product complies with the specifications.  • Concrete for the project will be used for concrete structures.  • Minimum compressive strength of concrete on 28 days must be as specified on the mix design. Proor mentioned results must be made available to the Department after award of Bid.  • Maximum aggregate size allowable is 19mm.  • Good quality River / Crusher sand to be used in mix to give a good, sound, smooth floatable finish exposed concrete surfaces.  • Approved add mixtures must be used to reduce water and to control slump and workability.  • The slump will be given on site.  5. LOCAL PRODUCTION AND CONTENT   • Only locally produced or locally manufactured with a stipulated minimum threshold for local production and content for the different typ of Cement must be 100% as per stipulated by the Department of Trade and Industry (DTI) is applicable.  • The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid.  • Only the South African Bureau of Standards (SABS) approved technical specification number SAT 1286:2011 must be used to calculate local content.  • Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s as per the specifications are met.  • Manufacturers must apply for a "Letter of Authority" before offering cement for sale.  • NRCS (National Regulatory Compliance Standard) administers a compulsory specification for cemer cement must be approved by the NRCS before it may be sold or offered of sale.  • The product and the production plant must be certified as compliant by NRCS.  • Manufacturers must apply for a "Letter of Authority" before offering cement for	3.5	FLY ASH / SLAGMENT
All concrete aggregates and Cement must comply with SABS (SANS 878) specifications. Concrete I Design must be made available to the client after award of bid. All necessary Quality checks must be place to ensure that the end product complies with the specifications.  Concrete for the project will be used for concrete structures.  Minimum compressive strength of concrete on 28 days must be as specified on the mix design. Proo mentioned results must be made available to the Department after award of Bid.  Maximum aggregate size allowable is 19mm.  Good quality River / Crusher sand to be used in mix to give a good, sound, smooth floatable finish exposed concrete surfaces.  Approved add mixtures must be used to reduce water and to control slump and workability.  The slump will be given on site.  LOCAL PRODUCTION AND CONTENT  Only locally produced or locally manufactured with a stipulated minimum threshold for local production and content will be considered.  The stipulated minimum threshold percentage for local production and content for the different typ of Cement must be 100% as per stipulated by the Department of Trade and Industry (DTI) is applicable.  The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid.  Only the South African Bureau of Standards (SABS) approved technical specification number SAT 1286:2011 must be used to calculate local content.  Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s as per the specifications.  A. LETTER OF AUTHORITY ISSUED BY NRCS – TAKE NOTE ALL BELOW  NRCS (National Regulatory Compliance Standard) administers a compulsory specification for cemer Cement must be approved by the NRCS before it may be sold or offered of sale.  NRCS evaluates evidence of conformity to determine whether the requirements of the compulsory specifications are met.  NRCS evaluates evidence of conformity t		All specifications of Cement / Fly ash / Slagment must also be made to the Department or Consulting Engineer after award of the Bid.
Design must be made available to the client after award of bid. All necessary Quality checks must be place to ensure that the end product complies with the specifications.  Concrete for the project will be used for concrete structures.  Minimum compressive strength of concrete on 28 days must be as specified on the mix design. Proo mentioned results must be made available to the Department after award of Bid.  Maximum aggregate size allowable is 19mm.  Good quality River / Crusher sand to be used in mix to give a good, sound, smooth floatable finish exposed concrete surfaces.  Approved add mixtures must be used to reduce water and to control slump and workability.  The slump will be given on site.  LOCAL PRODUCTION AND CONTENT  Only locally produced or locally manufactured with a stipulated minimum threshold for local production and content will be considered.  The stipulated minimum threshold percentage for local production and content for the different typ of Cement must be 100% as per stipulated by the Department of Trade and Industry (DTi) is applicable.  The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid.  Only the South African Bureau of Standards (SABS) approved technical specification number SA1 1286:2011 must be used to calculate local content.  Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s as per the specifications.  LETTER OF AUTHORITY ISSUED BY NRCS – TAKE NOTE ALL BELOW  NRCS (National Regulatory Compliance Standard) administers a compulsory specification for cemer cement must be approved by the NRCS before it may be sold or offered of sale.  NRCS evaluates evidence of conformity to determine whether the requirements of the compulsory specifications are met.  NRCS evaluates evidence of conformity to determine whether the requirements of the compulsory specifications are met.  A "Letter of Author	4.	TECHNICAL SPECIFICATIONS
Only locally produced or locally manufactured with a stipulated minimum threshold for local production and content will be considered.     The stipulated minimum threshold percentage for local production and content for the different typ of Cement must be 100% as per stipulated by the Department of Trade and Industry (DTi) is applicable.     The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid.     Only the South African Bureau of Standards (SABS) approved technical specification number SAI 1286:2011 must be used to calculate local content.     Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s as per the specifications.  4. LETTER OF AUTHORITY ISSUED BY NRCS – TAKE NOTE ALL BELOW       NRCS (National Regulatory Compliance Standard) administers a compulsory specification for cemer Cement must be approved by the NRCS before it may be sold or offered of sale.     The product and the production plant must be certified as compliant by NRCS.     Manufacturers must apply for a "Letter of Authority" before offering cement for sale.     NRCS evaluates evidence of conformity to determine whether the requirements of the compulsory specifications are met.     A "Letter of Authority" is issued by NRCS to compliant cement manufacturers in respect of conforming products authorising the sale of cement.  ADDITIONAL DOCUMENTS  Any additional documents / test results that may have an influence on the characteristics / strength / workability		<ul> <li>Design must be made available to the client after award of bid. All necessary Quality checks must be in place to ensure that the end product complies with the specifications.</li> <li>Concrete for the project will be used for concrete structures.</li> <li>Minimum compressive strength of concrete on 28 days must be as specified on the mix design. Proof of mentioned results must be made available to the Department after award of Bid.</li> <li>Maximum aggregate size allowable is 19mm.</li> <li>Good quality River / Crusher sand to be used in mix to give a good, sound, smooth floatable finish to exposed concrete surfaces.</li> <li>Approved add mixtures must be used to reduce water and to control slump and workability.</li> </ul>
Only locally produced or locally manufactured with a stipulated minimum threshold for local production and content will be considered.     The stipulated minimum threshold percentage for local production and content for the different typ of Cement must be 100% as per stipulated by the Department of Trade and Industry (DTi) is applicable.     The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid.     Only the South African Bureau of Standards (SABS) approved technical specification number SAI 1286:2011 must be used to calculate local content.     Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s as per the specifications.  4. LETTER OF AUTHORITY ISSUED BY NRCS – TAKE NOTE ALL BELOW       NRCS (National Regulatory Compliance Standard) administers a compulsory specification for cemer Cement must be approved by the NRCS before it may be sold or offered of sale.     The product and the production plant must be certified as compliant by NRCS.     Manufacturers must apply for a "Letter of Authority" before offering cement for sale.     NRCS evaluates evidence of conformity to determine whether the requirements of the compulsory specifications are met.     A "Letter of Authority" is issued by NRCS to compliant cement manufacturers in respect of conforming products authorising the sale of cement.  ADDITIONAL DOCUMENTS  Any additional documents / test results that may have an influence on the characteristics / strength / workability	5	LOCAL PRODUCTION AND CONTENT
production and content will be considered.  The stipulated minimum threshold percentage for local production and content for the different typ of Cement must be 100% as per stipulated by the Department of Trade and Industry (DTi) is applicable.  The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid.  Only the South African Bureau of Standards (SABS) approved technical specification number SAT 1286:2011 must be used to calculate local content.  Please make yourself aware of the stipulated minimum threshold percentage of the specific item(s as per the specifications.  LETTER OF AUTHORITY ISSUED BY NRCS – TAKE NOTE ALL BELOW  NRCS (National Regulatory Compliance Standard) administers a compulsory specification for cemer Cement must be approved by the NRCS before it may be sold or offered of sale.  The product and the production plant must be certified as compliant by NRCS.  Manufacturers must apply for a "Letter of Authority" before offering cement for sale.  NRCS evaluates evidence of conformity to determine whether the requirements of the compulsory specifications are met.  A "Letter of Authority" is issued by NRCS to compliant cement manufacturers in respect of conforming products authorising the sale of cement.	J.	LOCAL PRODUCTION AND CONTENT
<ul> <li>4. LETTER OF AUTHORITY ISSUED BY NRCS – TAKE NOTE ALL BELOW</li> <li>NRCS (National Regulatory Compliance Standard) administers a compulsory specification for cemer</li> <li>Cement must be approved by the NRCS before it may be sold or offered of sale.</li> <li>The product and the production plant must be certified as compliant by NRCS.</li> <li>Manufacturers must apply for a "Letter of Authority" before offering cement for sale.</li> <li>NRCS evaluates evidence of conformity to determine whether the requirements of the compulsory specifications are met.</li> <li>A "Letter of Authority" is issued by NRCS to compliant cement manufacturers in respect of conforming products authorising the sale of cement.</li> <li>ADDITIONAL DOCUMENTS</li> <li>Any additional documents / test results that may have an influence on the characteristics / strength / workability</li> </ul>		<ul> <li>production and content will be considered.</li> <li>The stipulated minimum threshold percentage for local production and content for the different types of Cement must be 100% as per stipulated by the Department of Trade and Industry (DTi) is applicable.</li> <li>The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid.</li> <li>Only the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 must be used to calculate local content.</li> </ul>
<ul> <li>NRCS (National Regulatory Compliance Standard) administers a compulsory specification for cemer</li> <li>Cement must be approved by the NRCS before it may be sold or offered of sale.</li> <li>The product and the production plant must be certified as compliant by NRCS.</li> <li>Manufacturers must apply for a "Letter of Authority" before offering cement for sale.</li> <li>NRCS evaluates evidence of conformity to determine whether the requirements of the compulsory specifications are met.</li> <li>A "Letter of Authority" is issued by NRCS to compliant cement manufacturers in respect of conforming products authorising the sale of cement.</li> <li>ADDITIONAL DOCUMENTS</li> </ul>		
<ul> <li>NRCS (National Regulatory Compliance Standard) administers a compulsory specification for cemer</li> <li>Cement must be approved by the NRCS before it may be sold or offered of sale.</li> <li>The product and the production plant must be certified as compliant by NRCS.</li> <li>Manufacturers must apply for a "Letter of Authority" before offering cement for sale.</li> <li>NRCS evaluates evidence of conformity to determine whether the requirements of the compulsory specifications are met.</li> <li>A "Letter of Authority" is issued by NRCS to compliant cement manufacturers in respect of conforming products authorising the sale of cement.</li> <li>ADDITIONAL DOCUMENTS</li> </ul>	4	LETTER OF ALITHORITY ISSUED BY NDCS _ TAKE NOTE ALL BELOW
<ul> <li>Cement must be approved by the NRCS before it may be sold or offered of sale.</li> <li>The product and the production plant must be certified as compliant by NRCS.</li> <li>Manufacturers must apply for a "Letter of Authority" before offering cement for sale.</li> <li>NRCS evaluates evidence of conformity to determine whether the requirements of the compulsory specifications are met.</li> <li>A "Letter of Authority" is issued by NRCS to compliant cement manufacturers in respect of conforming products authorising the sale of cement.</li> <li>ADDITIONAL DOCUMENTS</li> <li>Any additional documents / test results that may have an influence on the characteristics / strength / workability</li> </ul>	4.	LLITER OF AUTHORITI 1930ED BT NRC3 - TARE NOTE ALL BELOW
Any additional documents / test results that may have an influence on the characteristics / strength / workability		<ul> <li>Cement must be approved by the NRCS before it may be sold or offered of sale.</li> <li>The product and the production plant must be certified as compliant by NRCS.</li> <li>Manufacturers must apply for a "Letter of Authority" before offering cement for sale.</li> <li>NRCS evaluates evidence of conformity to determine whether the requirements of the compulsory specifications are met.</li> <li>A "Letter of Authority" is issued by NRCS to compliant cement manufacturers in respect of conforming</li> </ul>
Any additional documents / test results that may have an influence on the characteristics / strength / workability	5.	ADDITIONAL DOCUMENTS
		Any additional documents / test results that may have an influence on the characteristics / strength / workability of

6.	QUALITY CHECKS
	Quality checks must be in place to ensure that the end product complies with the specifications. The strength and slump at point of placement shall be monitored for compliance.
	and dramp at point of placement chair be membered for compilation.
7.	TECHNICAL SUPPORT
	Should any problem be reported to the supplier concerning the services, the following response times are expected:
	<ul> <li>Within 24 hours a representative of the supplier should be on site to resolve the problem.</li> <li>Within 24 hours there should be a solution to the problem or if not possible, replacement products should be on site within 48 hours at the supplier's expense.</li> </ul>
	ANY DEFECTED PRODUCT SHOULD BE REPLACED AT THE SUPPLIER'S EXPENSE.
8.	SCOPE OF CONTRACT
	The Bidder will be required to perform the following service as part of this contract:
	Supply and delivery of ready mix concrete15/19 Mpa, 20/19 Mpa and 30/19 Mpa to Majuba reservoir refurbishment project between Perderkop and Amersfoort in Mpumalanga province
	All sourcing, transportation and loading costs shall be included in the bid rates.
9.	QUANTITIES
	The quantity required cannot be guaranteed.
	However, the estimated quantity is given in the SBD 3.1.
	Orders will be placed as and when requirements become known.
	Deliveries will be required when requested by the end-user.
10.	PROGRAMME OF WORKS
	Supply and delivery shall commence within <u>14days</u> after receipt of official DWS order and as per notification by end-user until the full quantity needed is delivered.
11.	ROAD CONDITIONS AND DISTANCE
	Bidders are advised to acquaint themselves with roads, road conditions, distances, etc. on and to the site, before bidding.
12.	COSTS
	Bidders shall provide in their bid for all labour, plant, material, implements and vehicles necessary for the execution of the contract and all operating and maintenance costs in accordance with the id documents.
13.	DELIVERY
	Ready mix concrete will be delivered during the following working hours 07h00 to 15h00 from Monday to Thursday but not on the following days or periods: as per request from the Project or Site.
	(i) Fridays 15h00 to Mondays 07h00 (ii) All public holidays (iii) The last Thursday and Friday of the month
	(iv) The period between 10 December 2024 and 06 January
	10

	<ul> <li>The Bidder shall nominate a contract person with whom the Department will arrange and schedule collection.</li> </ul>
	DWS will decline products that do not comply with the specification when it is collected.
	<ul> <li>The declined material will not be accepted by the Department and problem must be resolved within 48 hours.</li> </ul>
	The ownership of and risk for the product purchased will pass to the Department at the point of collection i.e. where a signed acceptance take place.
14.	DELIVERY PERIOD
	A firm delivery period is required. Adherence to bid delivery period is of utmost importance.
	A limit delivery period is required. Adherence to bid delivery period is of difficult importance.
15.	PAYMENT
	<ul> <li>Payment will be made per cubic metre (m³) ready mix concrete supplied to site.</li> <li>The Department reserves the right to check the quantities collected at any time.</li> </ul>
	Payment will be made monthly on receipt of specified tax invoices.
	<ul> <li>Payment will not be made for consignment unless supported by delivery notes and weight-bridge slips duly signed by the official checking the material.</li> </ul>
	<ul> <li>Payment will be done within 30 days of receipt and approval of original invoice by depositing the payment directly into the bank account of the successful bidder.</li> </ul>
	No cash or cheque payment will be done. No upfront payment to be done.
	<ul> <li>Payment for standing time exceeding three hours will only be made if such standing time is a result of the action of the Department.</li> </ul>
	<ul> <li>Bidders shall provide in their bid for all labour, plant, material, implements and vehicles necessary for the execution of the contract and all operating and maintenance costs in accordance with the bid documents.</li> </ul>
40	
16.	DELIVERY PERIOD AND BID PRICE
	<ul> <li>All-inclusive bid prices are required, meaning VAT, delivery and any other cost mentioned in the specification for the Bidders account must be included in the unit price.</li> <li>Firm bid prices and delivery/collection periods must be submitted.</li> </ul>
	"Firm" prices and delivery/sellication periods must be submitted.      "Firm" prices are deemed to be the prices which are only subject to the following statutory change.
	(a) VAT,
	(b) Any levy related to customs and excise (written proof must be given)  Adherence to bid delivery/collection period is of utmost importance.
47	CAFETY AND FAIVIDONIMENTAL
17.	SAFETY AND ENVIRONMENTAL
	Bidders are required to adhere to the Departments Safety and Environmental policies.
Theoremit	(Didded News) declare that I have read
Therewit complete	h I, (Bidder's Name) declare that I have read, ed and understood the above specifications.
BIDDER'	S SIGNATURE

## WTE168CE

# SUPPLY AND DELIVERY OF LOCAL CONTENT READY MIX CONCRETE TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE

SECTION 3: SBD 3.1 – PRICING SCHEDULE

**CONTENTS** 

PREAMBLE TO THE SBD 3.1 - PRICING SCHEDULE

#### PREAMBLE TO THE SBD 3.1 - PRICING SCHEDULE

#### 1. GENERAL

The SBD 3.1 forms part of the Contract Documents and must be read and priced in conjunction with all the other documents which include the Conditions of Contract and all other Specifications in the bid document.

#### 2. QUANTITIES REFLECTED IN THE PRICING SCHEDULE

The quantities given in the SBD 3.1 can be subject to change. The Department reserves the right to only purchase one product per item or one item or none of the items in the pricing schedule.

The validity of the contract will in no way be affected by differences between the quantities in the SBD 3.1 and the quantities finally certified for payment.

#### 3. PRICING OF THE SCHEDULE

The rates to be filled in the SDB 3.1 should include all costs. All rates and amounts quoted in the SBD 3.1 shall be in Rand and shall include applicable taxes.

## 4. CORRECTION OF ENTRIES

Incorrect entries shall not be erased or obliterated with correction fluid, use of correction fluid will invalidate your bid, but must be crossed out neatly. The correct figures must be entered above or adjacent to the deleted entry, and the alteration must be initialled by the Bidder, failure to initial where the correction was done will invalidate your bid.

**BID NO.: WTE168CE** 

**AMOUNT** 

R

## PRICING SCHEDULE

(Firm Prices)

## WTE168CE

# SUPPLY AND DELIVERY OF LOCAL CONTENT READY MIX CONCRETE TO MAJUBA RESERVOIR REFURBISHMENT PROJECT BETWEEN PERDERKOP AND AMERSFOORT IN MPUMALANGA PROVINCE

NAME OF BIDDER: ....

QTY

OFFER TO BE VALID FOR 120 DAYS FROM CLOSING DATE OF BID.

**UNIT PRICE** 

THIS PRICING SCHEDULE MUST BE COMPETED IN FULL - FAILURE TO COMPLY WILL INVALIDATE YOUR BID.

**ON: 05 NOVEMBER 2025** 

**CLOSING TIME 11:00** 

**DESCRIPTION** 

Where is the Product sourced from?

**ITEM** 

1.	Supply of 15 MPa/19mm ready mix concrete	50 m <sup>3</sup>	R	per m³	
					R
2.	Supply of 20 MPa/19mm ready mix concrete	50 m <sup>3</sup>	R	per m³	
				ро	R
3.	Supply of 30 MPa/19mm ready mix	120 m <sup>3</sup>			
	concrete		R	per m <sup>3</sup>	R
4.	Transport cost of concrete to site	220 m <sup>3</sup>			
			R	per m³	R
			SUB-TOTAL (EXC	CL. VAT)	_
				-	R
			1:	5% VAT	R
			TOTAL (INC	L. VAT)	R
-	Delivery basis (See note hereunder)				<b>To Site</b> reservoir project site In malanga Province
-	- Period required for delivery after receipt of order:				
-	- Name of Manufacturer,				

## NOTE:

- All delivery costs must be included in the bid price.
- Failure to complete all the relevant information in SBD 3.1 will render your bid as non-responsive.

Any enquiries regarding bidding procedures may be directed to the -

Department Water and Sanitation Supply Chain Management Office Construction East, PRIVATE BAG X2023 Standerton 2430.

Administrative information:

Ms M Neethling / 0177201606/065 538 3901, Eamil: NeethlingM@dws.gov.za

or

For Technical or site information:Mr: Thapelo Malubane -malubanet@dws.gov.za 0609805852

Pricing Schedule: Purchase