

THE SOUTH AFRICAN NATIONAL BIODIVERSITY INSTITUTE (SANBI)

Contract No: SANBI: G562/2025

REQUEST FOR BIDS FOR THE APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

PROCUREMENT DOCUMENT

December 2025			
Issued by:	Prepared by:		
The South African National Biodiversity Institute Private Bag X101 Silverton 0184 Gauteng	South African National Biodiversity Institute Private Bag X101 Silverton 0184 Gauteng		
Contact:	Contact:		
Supply Chain Management	Mr T. Mupudzi		
Tel: 012 002 5201 Fax: N/A E-mail: sanbi.tenders@sanbi.org.za	Tel: +27 12 002 5201 Fax: N/A E-mail: t.mupudzi@sanbi.org.za		
Name of tenderer:			
Address:			
Tel no.:	Fax no.:		
Email:			

INDEX

PART T **TENDER INFORMATION**

Part T1 T1.1 T1.2	Tendering procedures Tender notice and invitation to tender Tender data	
Part T2	Returnable documents	
T2.1 T2.2	List of returnable documents	
PART C	THE CONTRACT	
Part C1	Agreement and contract data	
C1.1	Form of offer and acceptance	
C1.2 C1.3	Contract data	
C1.3	Form of Construction Guarantee Occupational Health & Safety Agreement 37(2)	
Part C2	Pricing data	
C2.1	Pricing instructions	69
C2.2	Bill of Quantities	
Part C3	Scope of works	
C3.1	Description of the works	77
C3.2	Design and Construction	
C3.3	Drawings Annexure A: Set of Drawings (provided separately)	81
Part C4	Site information	
C4.1	Site information	82
C4.2	Annexure F: Occupational Health and Safety Specification for Contractors who are	
C4.3	on Contract with SANBIAnnexure G: General Environmental Specification	
C4.3 C4.4	Annexure H: Geotechnical Information	
○ 1.¬	, an example in Costo similar mannation	

PART T: TENDER INFORMATION Part T1: Tendering Procedures

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

Advertising date:	9 December 2025	Closing date:	26 January 2026
Closing time:	11:00	Validity period:	90 days

T1.1 Tender Notice and Invitation to Tender

- It is estimated that tenderers should have a CIDB contractor grading of 3CE or higher.
- Tender documents will be available as from 9 December 2025 and will be available ONLINE ONLY on the SANBI website www.sanbi.org (click on "Opportunities").

A **compulsory** site briefing session will take place on site on 19 January 2026 starting from 10:00 at the Thohoyandou National Botanical Graden. Only one representative per service provider will be allowed to attend the scheduled compulsory site briefing session. Bidders are encouraged to direct all technical and bidding procedure enquiries to the email addresses below.

Department: Supply Chain Management
Email: sanbi.tenders@sanbi.org.za
cc: t.mupudzi@sanbi.org.za

Cut-off date for enquiries: 20 January 2026

Any queries regarding the tender document or any related matter prior to submission of tenders must be directed to:

SANBI Representative (Technical Queries Only)	Mr T. Mupudzi Tel: +27 12 002 5201 E-mail: <u>t.mupudzi@sanbi.org.za</u>
SANBI Supply Chain Management:	sanbi.tenders@sanbi.org.za

The closing time and date for the receipt of Tenders is 11:00 on 26 January 2026

The Tenders will **NOT** be opened in public (please note that the two-envelope system is being followed). Requirements for sealing, addressing, delivery, opening, and assessment of Tenders are stated in the Tender Data.

PART T: TENDER INFORMATION Part T1: Tendering Procedures

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

T1.2 Tender Data

The conditions of tender are the Standard Conditions of Tender as contained in Annex C of the CIDB Standard for Uniformity in Engineering and Construction Works Contracts – August 2019. (See www.cidb.org.za).

The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the Standard Conditions of Tender.

Each item of data given below is cross-referenced to the clause in the Standard Conditions of Tender to which it mainly applies.

Clause number	Tender Data	
C.1.1	The Employer is: The South African National Biodiversity Institute Biodiversity Centre 2 Cussonia Avenue Brummeria Pretoria Private Bag X101 Silverton 0184	
C.1.2	The Tender Documents issued by the Employer comprise the following documents: PART T: TENDER INFORMATION Part T1: Tendering procedures T1.1 - Tender notice and invitation to tender T1.2 - Tender data Part T2: Returnable documents T2.1 - List of returnable documents T2.2 - Returnable documents/Schedules	
	PART C: THE CONTRACT Part C1: Agreements and Contract data C1.1 - Form of offer and acceptance C1.2 - Contract data C1.3 - Form of Construction Guarantee C1.4 - Occupational Health & Safety Agreement 37(2)	
	Part C2: Pricing Data C2.1 - Pricing Instructions	

Clause number	Tender Data
	C2.2 - Bill of Quantities
	Part C3: Scope of Works C3.1 - Description of the works C3.2 - Design and Construction C3.3 - Drawings Annexure A: Set of Drawings (provided separately)
	Part C4: Site Information C4.1 - General site information C4.2 - Annexure F: Occupational Health and Safety Specification for Contractors who are on Contract with SANBI C4.3 - Annexure G: General Environmental Specification C4.4 - Annexure H: Geotechnical Information (N/A)
C.1.4	The employer's agent is:
	South African National Biodiversity Institute Contact Person: Tanaka Mupudzi Tel: 012 843 5194
	E-mail: t.mupudzi@sanbi.org.za
C.2.1	Only those tenderers who score the minimum score in respect of the quality criteria stated in C.3.11.1 of this Tender Data shall be considered responsive and have their tenders evaluated further.
	(a) CIDB registration Only those tenderers who are registered with the CIDB, or are capable of being so prior to the evaluation of submissions, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations, for a 3CE or higher class of construction work, are eligible to have their tenders evaluated.
	Joint ventures are eligible to submit tenders provided that:
	every member of the joint venture is registered with the CIDB;
	2. the lead partner has a contractor grading designation in the 3CE or higher class of construction work; and
	3. the combined contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a contractor grading designation determined in accordance with the sum tendered for a 3CE or higher class of construction work or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations.
C.2.6	Failure to apply instructions contained in addenda may render a tenderer's offer non-responsive in terms of clause C.3.8.
C.2.7	The arrangements for a compulsory clarification meeting are as stated in the Tender Notice and Invitation to Tender.
C.2.8	The last date for request for clarifications will be on the 20 January 2026.
C.2.12	Replace contents
	Alternative offers will not be permitted
C.2.13.6	A two-envelope procedure will be followed as described in clause C.2.13.7.
C.2.13.7	Tenderers shall note the specific requirements for packaging of their tender documents and include only the following:

Clause number	Tender Data			
	Tenderers shall note the specific requirements for packaging of their tender documents and include only the following:			
	Two (2) original documents marked Original Document A "FINANCIAL ENVELOPE and Original Document B "TECHNICAL ENVELOPE".			
	Original Document A "FINANCIAL ENVELOPE": pack of original documents with pricing included e.g. Form of Offer and Acceptance, bill of quantities, costing models and cash flows.			
	 "Original Document B "TECHNICAL ENVELOPE": pack of original documents <u>excluding</u> pricing e.g. Form of Offer and Acceptance, bill of quantities, costing models and cash flows and a USB with a copy of "Original Document B" TECHNICAL ENVELOPE excluding pricing e.g. Form of Offer and Acceptance, bill of quantities, costing models and cash flows. 			
	Financial or pricing details should ONLY be included in the printed document pack marked ' ORIGINAL Document A ', and not in the Original Document B or the PDF file(s) of the document(s) on the USB.			
	NB: Failure to submit in the prescribed manner WILL lead to the bid being disqualified. The Service Provider is to ensure that the provided USB includes the proposal, is readable and is not corrupt. Failure to comply will lead to the bid being considered non-responsive. Please put the USB in the envelope marked Original Document B TECHNICAL ENVELOPE (Original Document B and USB in one envelope).			
	INCLUSION OF ANY PRICING INFORMATION ANYWHERE ON THE USB WILL LEAD TO THE BID BEING DISQUALIFIED.			
	The Original Document A will be placed in one envelope and the Original Document B and the USB will be placed in another envelope. The two envelopes shall be placed together in an outer envelope sealed and bearing the following:			
	 The address as stated in C.2.15.1 below The identification details as stated in C.2.15.1 below Name of the Tenderer The words "Not be opened before the Tender opening" 			
	The Technical and Financial envelopes should also contain the details of the last three bullets on them. The financial envelope must contain the words NOT TO BE OPENED WITH THE TECHNICAL ENVELOPE			
C.2.13.9	Telephonic, telegraphic, telex, facsimile or e-mailed tender offers will not be accepted.			
C.2.15.1	The Employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:			
	Location of Tender box: Biodiversity Centre, Pretoria National Botanical Garden, 2 Cussonia Ave, Brummeria, Pretoria, Gauteng Province			
	Identification details: Tender number: SANBI: G562/2025			
	Title of Tender: APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU			
C.2.15.2	The closing time for submission of tender offers is as stated in the Tender Notice and Invitation to Tender.			
C.2.16.1	The tender offer validity period is 90 days.			

Clause number	Tender Data
C2.16.3	Where a tenderer, at any time after the opening of his tender offer but prior to entering into a contract based on his tender offer:
	(1) withdraws his tender;
	(2) gives notice of his inability to execute the contract in terms of his tender; or
	(3) fails to comply with a request made in terms of C.2.17 or C.2.18
	such tenderer shall be barred from tendering on any of the Employer's future tenders for a period to be determined by the Employer, but not less than six (6) months, from the date of tender closure. The Employer may fully or partly exempt a tenderer from the provisions of this condition if he is of the opinion that the circumstances justify the exemption
C.2.17	Provide clarification of a tender offer to a request to do so from the employer during the evaluation of tender offers.
C.2.18	Any additional information requested under this clause must be provided within 5 working days of the date of request.
	The tenderer shall, when requested by the Employer to do so, submit the names of all management and supervisory staff that will be employed to supervise the Labour-Intensive portion of the works together with satisfactory evidence that such staff members satisfy the eligibility requirements
C.2.22	Tender Documents will not be returned to tenderers
C.2.23	 The Tenderer is required to submit with his Tender the following (failure to provide below documentation will result in the Tender being rejected): 1) A copy of the Central Suppliers Database (CSD) registration report. 2) A printed copy of the Active Contractor's Listing off the CIDB website (www.cidb.org.za). 3) Letter of Good Standing from the Office of the Compensation Commissioner as required by the Compensation for Occupational Injuries and Diseases Act (COIDA). The letter should be issued by the Department of Labour. 4) In the case of a Joint Venture/Consortium the CSD report, indicating the compliance tax status, must be submitted for each member of the Joint Venture/Consortium." 5) The signed compulsory site briefing certificate 6) Plant documentation: Equipment owned by Contractor: registration documents must be provided. or Equipment to be rented (if any): letter of intent to hire with preferred rental companies (registration documents must be attached) 7) A professional Construction Health & Safey Officer with more than 5 years' experience with a Valid Professional Registration with SACPCMP. CV for proposed professional CHS Officer indicating: • Previous work experience of similar projects in the last five years • Total number of years' working experience in construction Certified copies of Qualifications or artisan's certification or other recognised training courses completed
C.3.1.1	The Employer shall respond to clarifications received up to 7 working days before the tender closing time.
C.3.2	The Employer shall issue addenda until 5 working days before the tender closing time.
C.3.5.1	The two-envelope system will be followed for this Tender.
C.3.7	In the event of disqualification, the Employer may, at his sole discretion, impose a specified period during which tender offers will not be accepted from the offending tenderer and report same to the CIDB and National Treasury.
C.3.11.1	The procedure for the evaluation of responsive tenders is stated in Annexure A .

Clause	
number	Tender Data
C.3.13	In addition to the requirements of the Condition of Tender, offers will only be accepted if:
0.0	a) the tenderer submits a copy of the CSD registration report or registration number (refer to T2.1.13);
	b) the tenderer is registered with the Construction Industry Development Board in an appropriate contractor grading designation (refer to T2.1.12);
	 the tenderer or any of its directors/shareholders is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector;
	 d) the tenderer has completed the Compulsory Enterprise Questionnaire and there are no conflicts of interest which may impact on the tenderer's ability to perform the contract in the best interests of the employer or potentially compromise the tender process and persons in the employ of the state are permitted to submit tenders or participate in the contract (refer to T2.1.16);
	e) the tenderer is registered and in good standing with the compensation fund issued by the Department of Labour (Letter of good standing with COIDA);
	f) the employer is reasonably satisfied that the tenderer has in terms of the Construction Regulations, 2014, issued in terms of the Occupational Health and Safety Act, 1993, the necessary competencies and resources to carry out the work safely.
	g) A copy of the CSD report, indicating tax compliance status.
	h) Plant documentation
	Equipment owned by Contractor: registration documents must be provided.
	or
	Equipment to be rented (if any): letter of intent to hire with preferred rental companies (registration documents must be attached)
	i) A professional Construction Health & Safey Officer with more than 5 years' experience with a Valid Professional Registration with SACPCMP.
	CV for proposed professional CHS Officer indicating:
	Previous work experience of similar projects in the last five years
	Total number of years' working experience in construction
	 Certified copies of Qualifications or artisan's certification or other recognised training courses completed

CONTRACT NO.: SANBI: G562/2025

Annexure A

This annexure contains all the criteria that the Employer shall use to evaluate tenders. In accordance with clause C.3.11 of the Standard conditions of tender. No other factors, methods or criteria shall be used. The tenderer shall provide all the information requested in the forms included in Part T2.2 – Returnable schedules.

Tenders shall be evaluated in three stages as follows

- Stage 1 Evaluation of Eligibility and Administrative compliance
- Stage 2 Evaluation of Functionality
- Stage 3 Evaluation of Tender Price and Preference

1 Stage 1: Eligibility and Administrative compliance

The first stage will determine whether bids are compliant with all mandatory and disqualifiable submission requirements. Bidders that are deemed compliant will be eligible for further evaluation.

The criteria as identified in Clauses C.2.23 and C.3.13 in the Tender Data will be used to determine the tenders' eligibility.

For administrative compliance, the tenderers must complete all the returnable forms in Part T2.2, the Bill of Quantities and the Offer section in Part C1.1.

2 Stage 2: Functionality

The tenderers who complied with the eligibility and administrative criteria in stage 1 are considered for further evaluation on their capability to execute the project.

In this stage tenderers, will be evaluated on functionality according to the criteria listed below. Tenderers who fail to score a minimum of 70 points out of a possible 100 points on functionality criteria will not be eligible for further consideration.

Scoring quality

The functionality (quality) evaluation criteria are listed below. Maximum points for each criterion are in bold while points for each sub-criterion are indicated in brackets.

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS
HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

FUNCTIONALITY CRITERIA			
ID	CRITERIA	POINTS	
	PLEASE NOTE:		
	 Supporting documents required to support the claims below must be submitted as proof including corresponding orders/appointment letters, completion certificates and reference letters for projects. Bidders must submit all the requested documents as proof to be awarded the points. 		
	 The submitted documents for the projects (appointment, completion and reference letters) must be valid and verifiable. 		
	 The submitted CVs must be valid and verifiable and original copies of the CVs and any certificates may be requested before appointment. 		
	 SANBI reserves the right to verify the information provided and the bidder shall be notified of such. Additional supporting documents may be requested and should be submitted within the stipulated timeframes. 		
	 SANBI may also conduct site visits to verify the submitted projects. The bidder must make adequate means to enable the verification process. 		
	Both appointment letters and reference letters must be on the employer's letterhead, dated and signed by the employer.		
	Failure by the bidder to provide the requested documents and make adequate means to conduc site visits for verification within stipulated timeframes shall disqualify the bidder for further evaluation.		

Implementation method and project plan or	programme	25
(a) Project methodology		
	delivering this project, the methodology and approach docation of works (this should include the PMBOK ant project life cycle stages).	
Include the team organogram of the	people who will be working on the project.	
Include the approach to time and qua-	ality management of the project.	
lucked a list of subscribes tons (if our	A 4 - 1 - 1 - 4 1 - 1 - 4 4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
	 to be utilised for various disciplines and how the work considering reasonable response times. 	
will be dispatched to subcontractors	considering reasonable response times.	
will be dispatched to subcontractors Sub-Criteria	considering reasonable response times.	
will be dispatched to subcontractors Sub-Criteria No Methodology	considering reasonable response times. Points 0	
will be dispatched to subcontractors Sub-Criteria No Methodology Poor Methodology	Points 0 3	
will be dispatched to subcontractors Sub-Criteria No Methodology Poor Methodology Average Methodology	Points 0 3 6	

The programme should:				
 Indicate the sequence of work exe 	ecution.			
 Provide the milestones and resour 	rces linked to the activ	ity.		
Be practical, realistic and include a	all activities linked to t	ne project.		
Sub-Criteria	Points			
No Programme	0			
Poor Programme	2			
Average Programme	4			
Above Average Programme	6			
Good Programme	8			
Comprehensive (Exceptional) Programme	10			(10)
scope of works and value completed in Sub-Criteria	, ,·	S.	rding work of si	
Sub-Criteria	n the last ten (10) year		rding work of si	(30)
·	n the last ten (10) year	S.	rding work of si	
Sub-Criteria No valid and positive reference letter	n the last ten (10) year	S.	rding work of si	
Sub-Criteria No valid and positive reference letter	n the last ten (10) year	ints	rding work of si	
Sub-Criteria No valid and positive reference letter One valid and positive reference letter	Po 6	ints	rding work of si	
Sub-Criteria No valid and positive reference letter One valid and positive reference letter Two valid and positive reference letters	Po 0 6	ints	rding work of si	
Sub-Criteria No valid and positive reference letter One valid and positive reference letter Two valid and positive reference letters Three valid and positive reference letters	Po 0 6 12 18 24	ints	rding work of si	
Sub-Criteria No valid and positive reference letter One valid and positive reference letter Two valid and positive reference letters Three valid and positive reference letters Four valid and positive reference letters Five valid and positive reference letters or more • List of at least five other similar verifiable letters, completion certificates and tele and value completed in the last ten (10)	the last ten (10) year Po 0 6 12 18 24 30 ole projects of similar vertical phonic references ind only years.	ints	ppointment	(30)
Sub-Criteria No valid and positive reference letter One valid and positive reference letter Two valid and positive reference letters Three valid and positive reference letters Four valid and positive reference letters Five valid and positive reference letters Five valid and positive reference letters or more • List of at least five other similar verifiable letters, completion certificates and tele and value completed in the last ten (10) Sub-Criteria	the last ten (10) year Po 0 12 18 24 30 ole projects of similar vertical phonic references ind only years. Points	ints	ppointment	(30)
Sub-Criteria No valid and positive reference letter One valid and positive reference letter Two valid and positive reference letters Three valid and positive reference letters Four valid and positive reference letters Five valid and positive reference letters Five valid and positive reference letters or more • List of at least five other similar verifiable letters, completion certificates and tele and value completed in the last ten (10) Sub-Criteria No project	the last ten (10) year Po 0 6 12 18 24 30 ole projects of similar vertical phonic references ind only years. Points 0	ints	ppointment	(30)
Sub-Criteria No valid and positive reference letter One valid and positive reference letter Two valid and positive reference letters Three valid and positive reference letters Four valid and positive reference letters Five valid and positive reference letters Five valid and positive reference letters or more • List of at least five other similar verifiable letters, completion certificates and tele and value completed in the last ten (10) Sub-Criteria No project	the last ten (10) year Po 0 12 18 24 30 ole projects of similar vertical phonic references ind only years. Points	ints	ppointment	(30)
Sub-Criteria No valid and positive reference letter One valid and positive reference letter Two valid and positive reference letters Three valid and positive reference letters Four valid and positive reference letters Five valid and positive reference letters Five valid and positive reference letters or more • List of at least five other similar verifiable letters, completion certificates and tele and value completed in the last ten (10) Sub-Criteria	the last ten (10) year Po 0 6 12 18 24 30 ole projects of similar vertical phonic references ind only years. Points 0	ints	ppointment	(30)

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

• Failure to	complete and sign the schedule of the	tenderer's experience will result in	the bidder
	nese points.	,	
Contractor's Re	esources - Personnel		30
Proposed persor	nnel:		
	proposed key personnel to be full-time of the Agent indicating:	on site (at least two (2) — Contract	s Manager
0	Previous work experience of similar	projects	
0	Total number of years' working expe	erience in construction	
0	Individual experience on similar work	k in last five years	
0	Certified copies of qualifications certification or other recognised train		personnel's
0	Valid professional registration (Pr.CF Manager (SACPCMP) and OHS per		r Contracts
		,	
0	The Site Agent must have a nati environment	onal diploma (NQF6 or higher) i	n the built
	environment		n the built
			n the built
	environment		n the built
Γhese resource	environment s must be full-time on site for the du		n the built
Γhese resource	environment s must be full-time on site for the du		
These resource	environment s must be full-time on site for the du	ration of the project.	
Contracts Mana	environment s must be full-time on site for the du ger Sub-Criteria	ration of the project. Points	
CV experience	environment s must be full-time on site for the du ger Sub-Criteria of less than 5 years	Points	
CV experience CV experience CV experience	environment s must be full-time on site for the du eger Sub-Criteria of less than 5 years of more than 5 years	Points 0 5	
CV experience CV experience CV experience CV experience CV experience	environment s must be full-time on site for the du ger Sub-Criteria of less than 5 years of more than 5 years of more than 10 years	Points 0 5 10	
CV experience CV experience CV experience CV experience CV experience	environment s must be full-time on site for the du ger Sub-Criteria of less than 5 years of more than 5 years of more than 10 years	Points 0 5 10	(15
Contracts Mana CV experience CV experience CV experience CV experience CV experience	environment s must be full-time on site for the du ger Sub-Criteria of less than 5 years of more than 5 years of more than 10 years of more than 15 years	Points 0 5 10 15	(15
CV experience	environment s must be full-time on site for the du ger Sub-Criteria of less than 5 years of more than 5 years of more than 10 years of more than 15 years	Points 0 5 10 15 Points	(15
CV experience	environment s must be full-time on site for the du ger Sub-Criteria of less than 5 years of more than 5 years of more than 10 years of more than 15 years of more than 5 years	Points 0 5 10 15 Points 0	(15
CV experience	environment s must be full-time on site for the du ger Sub-Criteria of less than 5 years of more than 5 years of more than 15 years of more than 15 years of more than 5 years of more than 5 years	Points 0 5 10 15 Points 0 5 5 5 5 5 5 5 6 6 7 7 7 8 8 8 9 8 9 9 5 9 5 9 9 9 9 9 9 9 9 9 9	(15

The minimum number of evaluation points for functionality proposal is 70 points in order to progress to stage 3 of the evaluation

3 Stage 3: Tender Price and Preference

The tenderers who complied with the functionality criteria in stage 2 are considered for further evaluation in terms of their Tender Price and Preference points.

3.1 Correction of arithmetical errors

Pursuant to clause C.3.9 of the standard conditions of tender as amended in the Tender Data, correction of arithmetical errors shall be undertaken.

3.2 Calculation of score for Tender Price

The score for Tender Price shall be calculated using the following formula:

$$N_F = W_f \times \left[1 - \left(\frac{P_t - P_{min}}{P_{min}}\right)\right]$$

Where:

N_F = the score for Tender Price awarded for the tender under consideration

W_f = the weighting given to financial offer, determined as follows:

- 90 where the Tender Price, inclusive of VAT, of all responsive tender offers received has a value in excess of R50 000 000,00; or
- 80 where the Tender Price, inclusive of VAT, of one or more responsive tender offers has a value that equals or is less than R50 000 000,00.

Pt = Tender Price of the tender under consideration

 P_{min} = Tender Price of the lowest responsive tender

In the event that the calculated value of N_F is negative, the allocated score shall be 0

3.3 Financial and Preference

After calculation of the scores for Tender Price and for Preference, a combined score will be calculated as follows:

NT = NF + NP

Where:

NT = Total score for tender under consideration

NF = Score for Tender Price

NP = Score for Preference

The tender with the highest score should be recommended for appointment.

SANBI reserves the right, at its sole discretion to award this tender to a bidder that did not score the highest total number of points, only in accordance with section 2(1)(f) of the PPPFA (Act 5 of 2000)as per below objective criterion:

• Not to appoint any service provider that has demonstrated unsatisfactory performance in any previous or current contract with SANBI or any other organ of state.

The South African National Biodiversity Institute APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU CONTRACT NO.: SANBI: G562/2025

• SANBI reserves the right to obtain and consider additional information regarding a bidder's past performance, even if such information is not included in the bid's returnable documents.

Annexure C

Standard Conditions of Tender

C.1 General

C.1.1 Actions

- C.1.1.1 The employer and each tenderer submitting a tender offer shall comply with these conditions of tender. In their dealings with each other, they shall discharge their duties and obligations as set out in C.2 and C.3, timeously and with integrity, and behave equitably, honestly and transparently, comply with all legal obligations and not engage in anticompetitive practices.
- C.1.1.2 The employer and the tenderer and all their agents and employees involved in the tender process shall avoid conflicts of interest and where a conflict of interest is perceived or known, declare any such conflict of interest, indicating the nature of such conflict. Tenderers shall declare any potential conflict of interest in their tender submissions. Employees, agents and advisors of the employer shall declare any conflict of interest to whoever is responsible for overseeing the procurement process at the start of any deliberations relating to the procurement process or as soon as they become aware of such conflict and abstain from any decisions where such conflict exists or recuse themselves from the procurement process, as appropriate.
- Note:
 1) A conflict of interest may arise due to a conflict of roles which might provide an incentive for improper acts in some circumstances. A conflict of interest can create an appearance of impropriety that can undermine confidence in the ability of that person to act properly in his or her position even if no improper acts result.
 - Conflicts of interest in respect of those engaged in the procurement process include direct, indirect or family interests in the tender or outcome of the procurement process and any personal bias, inclination, obligation, allegiance or loyalty which would in any way affect any decisions taken.
- C.1.1.3 The employer shall not seek, and a tenderer shall not submit a tender without having a firm intention and the capacity to proceed with the contract.

C.1.2 Tender Documents

The documents issued by the employer for the purpose of a tender offer are listed in the tender data.

C.1.3 Interpretation

- C.1.3.1 The tender data and additional requirements contained in the tender schedules that are included in the returnable documents are deemed to be part of these conditions of tender.
- C.1.3.2 These conditions of tender, the tender data and tender schedules which are required for tender evaluation purposes, shall form part of any contract arising from the invitation to tender.
- C.1.3.3 For the purposes of these conditions of tender, the following definitions apply:
 - a) conflict of interest means any situation in which:
 - i) someone in a position of trust has competing professional or personal interests which make it difficult to fulfill his or her duties impartially;
 - ii) an individual or tenderer is in a position to exploit a professional or official capacity in some way for their personal or corporate benefit; or
 - iii) incompatibility or contradictory interests exist between an employee and the tenderer who employs that employee.
 - b) **comparative offer** means the price after the factors of a non-firm price and all unconditional discounts it can be utilised to have been taken into consideration;
 - corrupt practice means the offering, giving, receiving or soliciting of anything of value to influence the action of the employer or his staff or agents in the tender process;
 - d) fraudulent practice means the misrepresentation of the facts in order to influence the tender process or the award of a contract arising from a tender offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels;

C.1.4 Communication and employer's agent

Each communication between the employer and a tenderer shall be to or from the employer's agent only, and in a form that can be readily read, copied and recorded. Communications shall be in the English language. The employer shall not take any responsibility for non-receipt of communications from or by a tenderer. The name and contact details of the employer's agent are stated in the tender data.

C.1.5 Cancellation and Re-Invitation of Tenders

- C.1.5.1 An employer may, prior to the award of the tender, cancel a tender if
 - a) due to changed circumstances, there is no longer a need for the engineering and construction works specified in the invitation;
 - b) funds are no longer available to cover the total envisaged expenditure; or
 - c) no acceptable tenders are received.
 - d) there is a material irregularity in the tender process.
- C.1.5.2 The decision to cancel a tender invitation must be published in the same manner in which the original tender invitation was advertised
- C.1.5.3 An employer may only with the prior approval of the relevant treasury cancel a tender invitation for the second time.

C.1.6 Procurement procedures

C.1.6.1 General

Unless otherwise stated in the tender data, a contract will, subject to C.3.13, be concluded with the tenderer who in terms of C.3.11 is the highest ranked or the tenderer scoring the highest number of tender evaluation points, as relevant, based on the tender submissions that are received at the closing time for tenders.

C.1.6.2 Competitive negotiation procedure

- C.1.6.2.1 Where the tender data require that the competitive negotiation procedure is to be followed, tenderers shall submit tender offers in response to the proposed contract in the first round of submissions. Notwithstanding the requirements of C.3.4, the employer shall announce only the names of the tenderers who make a submission. The requirements of C.3.8 relating to the material deviations or qualifications which affect the competitive position of tenderers shall not apply.
- C.1.6.2.2 All responsive tenderers or at least a minimum of not less than three responsive tenderers that are highest ranked in terms of the evaluation criteria stated in the tender data shall be invited to enter into competitive negotiations based on the principle of equal treatment, keeping confidential the proposed solutions and associated information.

Notwithstanding the provisions of C.2.17, the employer may request that tenders be clarified, specified and fine-tuned in order to improve a tenderer's competitive position provided that such clarification, specification, fine-tuning or additional information does not alter any fundamental aspects of the offers or impose substantial new requirements which restrict or distort competition or have a discriminatory effect.

- C.1.6.2.3 At the conclusion of each round of negotiations, tenderers shall be invited by the employer to revise their tender offer based on the same evaluation criteria, with or without adjusted weightings. Tenderers shall be advised when they are to submit their best and final offer.
- C.1.6.2.4 The contract shall be awarded in accordance with the provisions of C.3.11 and C.3.13 after tenderers have been requested to submit their best and final offer.

C.1.6.3 Proposal procedure using the two stage-system

C.1.6.3.1 Option 1

Tenderers shall in the first stage submit technical proposals and, if required, cost parameters around which a contract may be negotiated. The employer shall evaluate each responsive submission in terms of the method of evaluation stated in the tender data, and in the second stage negotiate a contract with the tenderer scoring the highest number of evaluation points and award the contract in terms of these conditions of tender.

C.1.6.3.2 Option 2

- C.1.6.3.2.1 Tenderers shall submit in the first stage only technical proposals. The employer shall invite all responsive tenderers to submit tender offers in the second stage, following the issuing of procurement documents.
- C.1.6.3.2.2 The employer shall evaluate tenders received during the second stage in terms of the method of evaluation stated in the tender data and award the contract in terms of these conditions of tender.

C.2 Tenderer's obligations

C.2.1 Eligibility

- C.2.1.1 Submit a tender offer only if the tenderer satisfies the criteria stated in the tender data and the tenderer, or any of his principals, is not under any restriction to do business with employer.
- C.2.1.2 Notify the employer of any proposed material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used by the employer as the basis in a prior process to invite the tenderer to submit a tender offer and obtain the employer's written approval to do so prior to the closing time for tenders.

C.2.2 Cost of tendering

- C.2.2.1 Accept that, unless otherwise stated in the tender data, the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements.
- C.2.2.2 The cost of the tender documents charged by the employer shall be limited to the actual cost incurred by the employer for printing the documents. Employers must attempt to make available the tender documents on its website so as not to incur any costs pertaining to the printing of the tender documents.

C.2.3 Check documents

Check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission.

C.2.4 Confidentiality and copyright of documents

Treat as confidential all matters arising in connection with the tender. Use and copy the documents issued by the employer only for the purpose of preparing and submitting a tender offer in response to the invitation.

C.2.5 Reference documents

Obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, conditions of contract and other publications, which are not attached but which are incorporated into the tender documents by reference.

C.2.6 Acknowledge addenda

Acknowledge receipt of addenda to the tender documents, which the employer may issue, and if necessary, apply for an extension to the closing time stated in the tender data, in order to take the addenda into account.

C.2.7 Clarification meeting

Attend, where required, a clarification meeting at which tenderers may familiarize themselves with aspects of the proposed work, services or supply and raise questions. Details of the meeting(s) are stated in the tender data.

CONTRACT NO.: SANBI: G562/2025

C.2.8 Seek clarification

Request clarification of the tender documents, if necessary, by notifying the employer at least five (5) working days before the closing time stated in the tender data.

C.2.9 Insurance

Be aware that the extent of insurance to be provided by the employer (if any) might not be for the full cover required in terms of the conditions of contract identified in the contract data. The tenderer is advised to seek qualified advice regarding insurance.

C.2.10 Pricing the tender offer

- C.2.10.1 Include in the rates, prices, and the tendered total of the prices (if any) all duties, taxes except Value Added Tax (VAT), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable fourteen (14) days before the closing time stated in the tender data.
- C.2.10.2 Show VAT payable by the employer separately as an addition to the tendered total of the prices.
- C.2.10.3 Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data.
- C.2.10.4 State the rates and prices in Rand unless instructed otherwise in the tender data. The conditions of contract identified in the contract data may provide for part payment in other currencies.

C.2.11 Alterations to documents

Do not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations.

C.2.12 Alternative tender offers

- C.2.12.1 Unless otherwise stated in the tender data, submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted as well as a schedule that compares the requirements of the tender documents with the alternative requirements that are proposed.
- C.2.12.2 Accept that an alternative tender offer must be based only on the criteria stated in the tender data or criteria otherwise acceptable to the employer.
- C.2.12.3 An alternative tender offer must only be considered if the main tender offer is the winning tender.

C.2.13 Submitting a tender offer

- C.2.13.1 Submit one tender offer only, either as a single tendering entity or as a member in a joint venture to provide the whole of the works identified in the contract data and described in the scope of works, unless stated otherwise in the tender data.
- C.2.13.2 Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing legibly in non-erasable ink.
- C.2.13.3 Submit the parts of the tender offer communicated on paper as an original plus the number of copies stated in the tender data, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.

- C.2.13.4 Sign the original and all copies of the tender offer where required in terms of the tender data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the tender offer.
- C.2.13.5 Seal the original and each copy of the tender offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- C.2.13.6 Where a two-envelope system is required in terms of the tender data, place and seal the returnable documents listed in the tender data in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- C.2.13.7 Seal the original tender offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the tender data.
- C.2.13.8 Accept that the employer will not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.
- C.2.13.9 Accept that tender offers submitted by facsimile or e-mail will be rejected by the employer, unless stated otherwise in the tender data.

C.2.14 Information and data to be completed in all respects

Accept that tender offers, which do not provide all the data or information requested completely and, in the form required, may be regarded by the employer as non-responsive.

C.2.15 Closing time

- C.2.15.1 Ensure that the employer receives the tender offer at the address specified in the tender data not later than the closing time stated in the tender data. Accept that proof of posting shall not be accepted as proof of delivery.
- C.2.15.2 Accept that, if the employer extends the closing time stated in the tender data for any reason, the requirements of these conditions of tender apply equally to the extended deadline.

C.2.16 Tender offer validity

- C.2.16.1 Hold the tender offer(s) valid for acceptance by the employer at any time during the validity period stated in the tender data after the closing time stated in the tender data.
- C.2.16.2 If requested by the employer, consider extending the validity period stated in the tender data for an agreed additional period with or without any conditions attached to such extension.
- C.2.16.3 Accept that a tender submission that has been submitted to the employer may only be withdrawn or substituted by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn or substituted. If the validity period stated in C.2.16 lapses before the employer evaluating tender, the contractor reserves the right to review the price based on Consumer Price Index (CPI).
- C.2.16.4 Where a tender submission is to be substituted, a tenderer must submit a substitute tender in accordance with the requirements of C.2.13 with the packages clearly marked as "SUBSTITUTE".

C.2.17 Clarification of tender offer after submission

Provide clarification of a tender offer in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the competitive position of tenderers or substance of the tender offer is sought, offered, or permitted.

Note: Sub-clause C.2.17 does not preclude the negotiation of the final terms of the contract with a preferred tenderer following a competitive selection process, should the Employer elect to do so.

CONTRACT NO.: SANBI: G562/2025

C.2.18 Provide other material

C.2.18.1 Provide, on request by the employer, any other material that has a bearing on the tender offer, the tenderer's commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment.

Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the employer's request, the employer may regard the tender offer as non-responsive.

C.2.18.2 Dispose of samples of materials provided for evaluation by the employer, where required.

C.2.19 Inspections, tests and analysis

Provide access during working hours to premises for inspections, tests and analysis as provided for in the tender data.

C.2.20 Submit securities, bonds and policies

If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.

C.2.21 Check final draft

Check the final draft of the contract provided by the employer within the time available for the employer to issue the contract.

C.2.22 Return of other tender documents

If so instructed by the employer, return all retained tender documents within twenty-eight (28) days after the expiry of the validity period stated in the tender data.

C.2.23 Certificates

Include in the tender submission or provide the employer with any certificates as stated in the tender data.

C.3 The employer's undertakings

C.3.1 Respond to requests from the tenderer

- C.3.1.1 Unless otherwise stated in the tender Data, respond to a request for clarification received up to five (5) working days before the tender closing time stated in the Tender Data and notify all tenderers who collected tender documents.
- C.3.1.2 Consider any request to make a material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used to prequalify a tenderer to submit a tender offer in terms of a previous procurement process and deny any such request if as a consequence:
 - a) an individual firm, or a joint venture as a whole, or any individual member of the joint venture fails to meet any of the collective or individual qualifying requirements;
 - b) the new partners to a joint venture were not prequalified in the first instance, either as individual firms or as another joint venture; or
 - c) in the opinion of the Employer, acceptance of the material change would compromise the outcome of the prequalification process.

C.3.2 Issue Addenda

If necessary, issue addenda that may amend or amplify the tender documents to each tenderer during the period from the date that tender documents are available until three (3) working days before the tender closing time stated in the Tender Data. If, as a result a tenderer applies for an extension to the closing time stated in the Tender Data, the Employer may grant such extension and, shall then notify all tenderers who collected tender documents.

C.3.3 Return late tender offers

Return tender offers received after the closing time stated in the Tender Data, unopened, (unless it is necessary to open a tender submission to obtain a forwarding address), to the tenderer concerned.

C.3.4 Opening of tender submissions

- C.3.4.1 Unless the two-envelope system is to be followed, open valid tender submissions in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data. Tender submissions for which acceptable reasons for withdrawal have been submitted will not be opened.
- C.3.4.2 Announce at the meeting held immediately after the opening of tender submissions, at a venue indicated in the tender data, the name of each tenderer whose tender offer is opened and, where applicable, the total of his prices, number of points claimed for its specific goals and time for completion for the main tender offer only.
- C.3.4.3 Make available the record outlined in C.3.4.2 to all interested persons upon request.

C.3.5 Two-envelope system

- C.3.5.1 Where stated in the tender data that a two-envelope system is to be followed, open only the technical proposal of valid tenders in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data and announce the name of each tenderer whose technical proposal is opened.
- C.3.5.2 Evaluate functionality of the technical proposals offered by tenderers, then advise tenderers who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of tenderers, who score in the functionality evaluation more than the minimum number of points for functionality stated in the tender data, and announce the score obtained for the technical proposals and the total price and any points claimed on specific goals status level.

C.3.6 Non-disclosure

Not disclose to tenderers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

C.3.7 Grounds for rejection and disqualification

Determine whether there has been any effort by a tenderer to influence the processing of tender offers and instantly disqualify a tenderer (and his tender offer) if it is established that he engaged in corrupt or fraudulent practices.

C.3.8 Test for responsiveness

- C.3.8.1 Determine, after opening and before detailed evaluation, whether each tender offer properly received:
 - a) complies with the requirements of these Conditions of Tender,
 - b) has been properly and fully completed and signed, and
 - c) is responsive to the other requirements of the tender documents.
- C.3.8.2 A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:
 - a) detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Scope of Work,
 - significantly change the Employer's or the tenderer's risks and responsibilities under the contract, or

 affect the competitive position of other tenderers presenting responsive tenders, if it were to be rectified

Reject a non-responsive tender offer, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

C.3.9 Arithmetical errors, omissions and discrepancies

- C.3.9.1 Check responsive tenders for discrepancies between amounts in words and amounts in figures. Where there is a discrepancy between the amounts in figures and the amount in words, the amount in words shall govern.
- C.3.9.2 Check the highest ranked tender or tenderer with the highest number of tender evaluation points after the evaluation of tender offers in accordance with C.3.11 for:
 - a) the gross misplacement of the decimal point in any unit rate;
 - b) omissions made in completing the pricing schedule or bills of quantities; or
 - c) arithmetic errors in:
 - (i) line item totals resulting from the product of a unit rate and a quantity in bills of quantities or schedules of prices; or
 - (ii) the summation of the prices.
- C.3.9.3 Notify the tenderer of all errors or omissions that are identified in the tender offer and either confirm the tender offer as tendered or accept the corrected total of prices.
- C.3.9.4 Where the tenderer elects to confirm the tender offer as tendered, correct the errors as follows:
 - a) If bills of quantities or pricing schedules apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.
 - b) Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern, and the tenderer will be asked to revise selected item prices (and their rates if bills of quantities apply) to achieve the tendered total of the prices.

C.3.10 Clarification of a tender offer

Obtain clarification from a tenderer on any matter that could give rise to ambiguity in a contract arising from the tender offer.

C.3.11 Evaluation of tender offers

The Standard Conditions of Tender standardize the procurement processes, methods and procedures from the time that tenders are invited to the time that a contract is awarded. They are generic in nature and are made project specific through choices that are made in developing the Tender Data associated with a specific project.

Conditions of tender are by definition the document that establishes a tenderer's obligations in submitting a tender and the employer's undertakings in soliciting and evaluating tender offers. Such conditions establish the rules from the time a tender is advertised to the time that a contract is awarded and require employers to conduct the process of offer and acceptance in terms of a set of standard procedures.

The CIDB Standard Conditions of Tender are based on a procurement system that satisfies the following system requirements:		
Requirement	Qualitative interpretation of goal	
Fair	The process of offer and acceptance is conducted impartially without bias, providing simultaneous and timely access to participating parties to the same information.	
Equitable	Terms and conditions for performing the work do not unfairly prejudice the interests of the parties.	

Transparent	The only grounds for not awarding a contract to a tenderer who satisfies all requirements are restrictions from doing business with the employer, lack of capability or capacity, legal impediments and conflicts of interest.
Competitive	The system provides for appropriate levels of competition to ensure cost
	effective and best value outcomes.
Cost effective	Cost effective

The activities associated with evaluating tender offers are as follows:

- a) Open and record tender offers received
- b) Determine whether or not tender offers are complete
- c) Determine whether or not tender offers are responsive
- d) Evaluate tender offers
- e) Determine if there are any grounds for disqualification
- f) Determine acceptability of preferred tenderer
- g) Prepare a tender evaluation report
- h) Confirm the recommendation contained in the tender evaluation report

C.3.11.1 General

The employer must appoint an evaluation panel of not less than three persons conversant with the proposed scope of works to evaluate each responsive tender offer using the tender evaluation methods and associated evaluation criteria and weightings that are specified in the tender data.

C.3.12 Insurance provided by the employer

If requested by the proposed successful tenderer, submit for the tenderer's information the policies and / or certificates of insurance which the conditions of contract identified in the contract data, require the employer to provide.

C.3.13 Acceptance of tender offer

Accept the tender offer; if in the opinion of the employer, it does not present any risk and only if the tenderer:

- a) is not under restrictions, or has principals who are under restrictions, preventing participating in the employer's procurement;
- b) can, as necessary and in relation to the proposed contract, demonstrate that he or she possesses the professional and technical qualifications, professional and technical competence, financial resources, equipment and other physical facilities, managerial capability, reliability, experience and reputation, expertise and the personnel, to perform the contract;
- c) has the legal capacity to enter into the contract;
- d) is not; insolvent, in receivership, under Business Rescue as provided for in chapter 6 of the Companies Act No. 2008, bankrupt or being wound up, has his/her affairs administered by a court or a judicial officer, has suspended his/her business activities or is subject to legal proceedings in respect of any of the foregoing;
- e) complies with the legal requirements, if any, stated in the tender data; and
- f) is able, in the opinion of the employer, to perform the contract free of conflicts of interest.

C.3.14 Prepare contract documents

- C.3.14.1 If necessary, revise documents that shall form part of the contract and that were issued by the employer as part of the tender documents to take account of:
 - a) addenda issued during the tender period,
 - b) inclusion of some of the returnable documents and

The South African National Biodiversity Institute

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

- c) other revisions agreed between the employer and the successful tenderer.
- C.3.14.2 Complete the schedule of deviations attached to the form of offer and acceptance, if any.

C.3.15 Complete adjudicator's contract

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties to complete formalities for appointing the selected adjudicator at the same time as the main contract is signed.

C.3.16 Registration of the award

An employer must, within twenty-one (21) working days from the date on which a contractor's offer to perform a construction works contract is accepted in writing by the employer, register and publish the award on the CIDB Register of Projects.

C.3.17 Provide copies of the contracts

Provide to the successful tenderer the number of copies stated in the Tender Data of the signed copy of the contract as soon as possible after completion and signing of the form of offer and acceptance.

C.3.18 Provide written reasons for actions taken

Provide upon request written reasons to tenderers for any action that is taken in applying these conditions of tender but withhold information which is not in the public interest to be divulged, which is considered to prejudice the legitimate commercial interests of tenderers or might prejudice fair competition between tenderers.

PART T 2: Returnable Documents

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

T2.1 **List of Returnable Documents**

RETURNABLE SCHEDULES REQUIRED FOR TENDER EVALUATION PURPOSES

Tender document name	Number of pages issued	Returnable document
Resolution of Board of Directors (T2.1.01)	1 Page	■ Yes □ No
Resolution of Board of Directors to enter into consortia or JV's (T2.1.02) (If Applicable)	2 Pages	■ Yes □ No
Special Resolution of Consortia or JV's (T2.1.03) (If Applicable)	3 Pages	■ Yes □ No
Schedule of proposed sub-contractors (T2.1.04)	1 Page	■ Yes □ No
Capacity of Tenderer (T2.1.05)	3 Pages	■ Yes □ No
Preference Point System (T2.1.06)	6 Pages	■ Yes □ No
Schedule of Key Personnel (T2.1.07)	1 Pages	■ Yes □ No
Compensation of Occupational Injuries and Disease Act (COIDA) (T2.1.08)	1 Page	■ Yes □ No

OTHER DOCUMENTS REQUIRED FOR TENDER EVALUATION PURPOSES 2.

Tender document name	Number of pages issued	Returnable document
Declaration of Interest (T2.1.10)	2 Pages	■ Yes □ No
Medical Certificate for the confirmation of permanent disabled status (T2.1.11)	1 Page	■ Yes □ No
Proof of registration with Construction Industry Development Board (T2.1.12)	1 Page	■ Yes □ No
Copy of CSD Registration Certificate (T2.1.14)	1 Page	■ Yes □ No
Financial Reference (T2.1.15)	1 Page	■ Yes □ No
Equipment Datasheets (T2.1.20)	1 Page	■ Yes □ No

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

Proof of Liability Insurance (T2.1.19)	1 Page	■ Yes □ No

3. RETURNABLE SCHEDULES THAT WILL BE INCORPORATED INTO THE CONTRACT

Tender document name	Number of pages issued	Returnable document
Record of Addenda to tender documents (T2.1.16)	1 Page	■ Yes □ No
Compulsory Enterprise Questionnaire (T2.1.17)	3 Pages	■ Yes □ No

OTHER DOCUMENTS THAT WILL BE INCORPORATED INTO THE CONTRACT

Tender document name	Number of pages issued	Returnable document
Applicable Form of Guarantee	3 Pages	■ Yes □ No
Priced Bill of Quantities	5 Pages	■ Yes □ No

C1.1 Form of Offer and Acceptance
C1.2 Contract Data
C1.3 Form of Guarantee

RETURNABLE DOCUMENT CHECKLIST

This form has been created as an aid to ensure a tenderer's compliance with the completion of the returnable schedules and subsequent placement in the correct **Technical** and **Financial** envelopes.

A TECHNICAL ENVELOPE (Original Document B) (1 COPY)

Reference No	Document Description	Tick if completed	
T2.1.01	Resolution of Board of Directors		
T2.1.02	Resolution of Board of Directors to enter into consortia or JV's (If Applicable)		
T2.1.03	Special Resolution of Consortia or JV's (If Applicable)		
T2.1.04	Schedule of proposed sub-contractors		
T2.1.05	Capacity of Tenderer		
T2.1.06	Preference Point System		
T2.1.07	Resources to be employed in terms of organization and staffing		
T2.1.08	Estimated Monthly Expenditure		
T2.1.10	Declaration of Interest		
T2.1.11	Medical Certificate for the confirmation of permanent disabled status		
T2.1.12	Proof of registration with Construction Industry Development Board (T2.1.12)		
T2.1.13	Original Valid Tax Clearance Certificate		
T2.1.14	CSD Registration Certificate		
T2.1.15	Financial Reference		
T2.1.16	Record of Addenda to Tender Documents		
T2.1.17	Compulsory Enterprise Questionnaire		
T2.1.18	Compensation of Occupational Injuries and Disease Act (COIDA)		
T2.1.19	Proof of Liability Insurance		
T2.1.20	SMME PLAN		

B FINANCIAL ENVELOPE (ORIGINAL DOCUMENT A)

The entire original tender document must be submitted in this envelope including the forms as listed below:

Reference No	Document Description	Tick if completed		
Form C1.1	Form of Offer and Acceptance			
Form C1.2	Contract Data – Part 1			
Form C2.2	Priced Bill of Quantities			

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS
HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

PART 2: RETURNABLE DOCUMENTS

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

T2.2 Returnable documents/Schedules

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS
HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

RESOLUTION OF BOARD OF DIRECTORS T2.1.01:

	RESOLUTION of a meeting of the Board of *Directors / Members / Partners of:					
		(legally correct full I				of the Enterprise)
He	ld at					(place)
Or	١					(date)
RE	SOL	VED that:				
1.		wing project:				Biodiversity Institute in respect of the
	Bid	/ Tender Number:			(Bid /	Tender Number as per Bid / Tender Document)
2.	*Mr/	/Mrs/Ms:				
	in *h	nis/her Capacity as:				(Position in the Enterprise)
	be,	and is hereby, authorised to espondence in connection with and all documentation, result	o sign the B n and relating	id / Tender to the Bid /	, and a Tender,	ny and all other documents and/or as well as to sign any Contract, and Tender to the Enterprise mentioned
		Name	(Capacity		Signature
	1					
_	2					
-	3					
	3 4					

RESOLUTION OF BOARD OF DIRECTORS TO ENTER INTO T2.1.02: **CONSORTIA OR JOINT VENTURES**

RE	RESOLUTION of a meeting of the Board of *Directors / Members / Partners of:		
	(Legally correct full name and registration number, if applicable, of the Enterpris		
Hel	ld at	(place)	
On		(date)	
RE	SOLVED that:		
1.	The Enterprise submits a Bid /Tender, in consortium/Joint Venture with the following	ng Enterprises:	
	(List all the legally correct full names and registration numbers, if application forming the Consortium/Joint Venture)		
	to the South African National Biodiversity Institute in respect of the following project	ot:	
	(Project description as per Bid /Tender Document)		
	Bid / Tender Number: (Bid / Tender Number	r as per Bid / Tender Document)	
2.	*Mr/Mrs/Ms:		
	in *his/her Capacity as:	(Position in the Enterprise)	
	and who will sign as follows:		
	be, and is hereby, authorised to sign a consortium/joint venture agreement with the 1 above, and any and all Other documents and/or correspondence in connection consortium/joint venture, in respect of the project described under item 1 above.		
3.	The Joint Venture formation/arrangement will be in the following proportions:		
	Name of Contractor	Proportion (%)	

The South African National Biodiversity Institute

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

- The Enterprise accepts joint and several liability with the parties listed under item 1 above for the due fulfilment of the obligations of the joint venture deriving from, and in any way connected with, the Contract to be entered into with the Employer in respect of the project described under item 1 above.
- The Enterprise chooses as its domicilium citandi et executandi for all purposes arising from this joint venture agreement and the Contract with the Employer in respect of the project under item 1 above:

Physical address:	
Postal address:	
Telephone number:	(code)
Fax number:	(code)

	Name	Capacity	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			

Note:

- * Delete which is not applicable.
- NB. This resolution must be signed by all the Directors / Members / Partners of the Bidding Enterprise.
- Should the number of Directors / Members / Partners exceed the space available above, additional names and signatures must be supplied on a separate page.

ENT	FR	DD	ICF	STA	MAD
L / W /	I_ II % I	F # % #			\/ V / / /

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

T2.1.03: SPECIAL RESOLUTION OF CONSORTIA OR JOINT VENTURES

RESOLUTION of a meeting of the duly authorised representatives of the following legal entities who have entered

into a consortium/joint venture to jointly bid for the project mentioned below: (legally correct full names and registration numbers, if applicable, of the Enterprises forming a Consortium/Joint Venture) 1. 2. 3. 4. 5. 6. 7. 8. Held at(place) **RESOLVED that:** A. The above-mentioned Enterprises submit a Bid in Consortium/Joint Venture to the South African National Biodiversity Institute in respect of the following project: (Project description as per Bid /Tender Document) *Mr/Mrs/Ms:

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS
HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO.: SANBI: G562/2025

	in *his/her Capacity as:(Position in the Enterprise)
	and who will sign as follows:
	The Enterprises constituting the Consortium/Joint Venture, notwithstanding its composition, shall conduct all business under the name and style of:
	The Enterprises to the Consortium/Joint Venture accept joint and several liabilities for the due fulfilment of the obligations of the Consortium/Joint Venture deriving from, and in any way connected with, the Contract entered into with the Employer in respect of the project described under item A above.
D.	Any of the Enterprises to the Consortium/Joint Venture intending to terminate the consortium/joint venture agreement, for whatever reason, shall give the Employer 30 day's written notice of such intention. Notwithstanding such decision to terminate, the Enterprises shall remain jointly and severally liable to the Employer for the due fulfilment of the obligations of the Consortium/Joint Venture as mentioned under item D above.
Ξ.	No Enterprise to the Consortium/Joint Venture shall, without the prior written consent of the other Enterprises to the Consortium/Joint Venture and of the Employer, cede any of its rights or assign any of its obligations under the consortium/joint venture agreement in relation to the Contract with the Employer referred to herein.
Ξ.	The Enterprises choose as the <i>domicilium citandi et executandi</i> of the Consortium/Joint Venture for all purposes arising from the consortium/joint venture agreement and the Contract with the Employer in respect of the project under item A above:
	Physical address:
	(code)
	Postal address:
	(code)
	Telephone number:(code)

Fax number:(code)

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS
HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

	Name	Capacity	Signature
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			

Note:

- * Delete which is not applicable.
- NB. This resolution must be signed by all the Duly Authorised Representatives of the Legal Entities to the Consortium Joint Venture
- Should the number of Duly Authorised Representatives of the Legal Entities joining forces in this Bid exceed the space available above, additional names and signatures must be supplied on a separate page.
- Resolutions, duly completed and signed, from the separate Enterprises who participate in this Consortium/Joint Venture must be attached to the Special Resolution.

The South African National Biodiversity Institute

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

T2.1.04: SCHEDULE OF PROPOSED SUBCONTRACTORS

	APPOINTMENT OF A CONTRACTOR FOR THE
	CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF
PROJECT TITLE:	THE GUEST HOUSES AND CURATORS HOUSE AT THE
	THOHOYANDOU NATIONAL BOTANICAL GARDEN IN
	THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

We notify you that it is our intention to employ the following Subcontractors for work in this contract.

If we are awarded a contract, we agree that this notification does not change the requirement for us to submit the names of proposed Subcontractors in accordance with requirements in the contract for such appointments. If there are no such requirements in the contract, then your written acceptance of this list shall be binding between us.

	Name and address of proposed Subcontractor	Nature and extent of work	Previous experience with Subcontractor
1			
2			
3			
4			
			<u> </u>

Name of representative	Signature	Capacity	Date	

|--|

The South African National Biodiversity Institute

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

T2.1.05: CAPACITY OF TENDERER

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

1. WORK CAPACITY: (The Tenderer is requested to furnish the following particulars, attach additional pages if more space is required. Failure to furnish the particulars may result in the Tender being disregarded.)

Skilled artisans employed		Unskilled employees employed	
Categories of artisans	Number	Categories of employees	Number

1.1. Provide full particulars of:

Machinery	Plant	Workshops

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

2. PARTICULARS OF COMMITMENTS WHICH THE TENDERER HAS PREVIOUSLY COMPLETED AND PRESENTLY ENGAGED WITH:

2.1. Current projects:

	Project	Place (town)	Reference / Contact person	Contact Tel. No.	Contract amount	Contract period	Date of commencement	Scheduled date of completion
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

2.2. Previous projects:

	Project	Place (town)	Reference / Contact person	Contact Tel. No.	Contract amount	Contract period	Date of commencement	Scheduled date of completion	Actual date of completion
1									
2									
3									
4									
5									
6									
7									
8									
	Name of Tenderer			Sig	ınature			Date	

T2.1.06: PREFERENCE POINT SYSTEM

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 90/10 preference point system.
- b) The applicable preference point system for this tender is the 80/20 preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for

specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$80/20$$
 or $90/10$ $Ps = 80\left(1-rac{Pt-P\,min}{P\,min}
ight)$ or $Ps = 90\left(1-rac{Pt-P\,min}{P\,min}
ight)$ Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$Ps = 80\left(1 + \frac{Pt - P max}{P max}\right)$$
 or $Ps = 90\left(1 + \frac{Pt - P max}{P max}\right)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Categories of persons historically disadvantaged by unfair discrimination on the basis of race Information will be verified on CSD report.		10		

CONTRACT NO.: SANBI: G562/2025

Points will be allocated based on the percentage of ownership per goal		
- 100% black ownership = 10 points		
Categories of persons historically disadvantaged by unfair discrimination on the basis of gender.	10	
Information will be verified on CSD report.		
Points will be allocated based on the percentage of ownership per goal		
- 100% female ownership = 10 points		
	20	

DECLARATION WITH REGARD TO COMPANY/FIRM

Name of company/firm

- 4.4. Company registration number:
- 4.5. TYPE OF COMPANY/ FIRM
 - Υ Partnership/Joint Venture / Consortium
 - Y One-person business/sole propriety
 - Υ Close corporation
 - Y Public Company
 - Y Personal Liability Company
 - Υ (Pty) Limited
 - Y Non-Profit Company
 - Y State Owned Company

[TICK APPLICABLE BOX]

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

- (a) disqualify the person from the tendering process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME: DATE:	
ADDRESS:	

CONTRACT NO.: SANBI: G562/2025

T2.1.07: RESOURCES TO BE EMPLOYED IN TERMS OF ORGANIZATION AND STAFFING

The Tenderer shall list below the key personnel (including first nominee and the second choice alternate), whom he proposes to employ on the Contract should his tender be accepted, both at his headquarters and on the Site, to direct and for the execution of the work, together with their qualifications, experience, positions held and their nationalities.

DESIGNATION	NAME AND NATIONALITY OF: (i) NOMINEE (ii) ALTERNATE	SUMMARY OF QUALIFICATIONS, EXPERIENCE AND PRESENT OCCUPATION
<u>HEADQUARTERS</u>		
Partner/Director		
Project manager		
Other key staff		
(give designation)		

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

DESIGNATION	NAME AND NATIONALITY OF: (i) NOMINEE (ii) ALTERNATE	SUMMARY OF QUALIFICATIONS, EXPERIENCE AND PRESENT OCCUPATION
SITE OFFICE		
Site Agent		
Site Engineer/Technician		
Construction supervisor		
(give designation)		
Other key staff		
(give designation)		

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

T2.1.08: ESTIMATED MONTHLY EXPENDITURE

	APPOINTMENT OF A CONTRACTOR FOR THE
	CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF
PROJECT TITLE:	THE GUEST HOUSES AND CURATORS HOUSE AT THE
	THOHOYANDOU NATIONAL BOTANICAL GARDEN IN
	THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

The Tenderer shall state below the estimated value of work to be completed every month, based on his preliminary programme and his tendered unit rates.

The amounts for contingencies and Contract Price Adjustment must not be included *OR the amount for contingencies must not be included.

MONTH	VALUE
1	R
2	R
3	R
4	R
5	R
6	R
7	R
8	R
9	R
10	R
	COMPLETION OF CONTRACT
TOTAL	R

T2.1.10: DECLARATION OF INTEREST

	APPOINTMENT OF A CONTRACTOR FOR THE
	CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF
PROJECT TITLE:	THE GUEST HOUSES AND CURATORS HOUSE AT THE
	THOHOYANDOU NATIONAL BOTANICAL GARDEN IN
	THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

Any person, including persons in the employ of the South African National Biodiversity Institute; or persons acting on behalf of the South African National Biodiversity Institute performing business as a sole proprietor or in partnership; or persons acting in the capacity of a trustee/s of a trust; or any legal entity, including legal entities and trusts, of which the members, directors, shareholders, trustees and/or beneficiaries are in the employ of the South African National Biodiversity Institute or act on behalf of the South African National Biodiversity Institute, may make an offer or offers in terms of this tender invitation.

In view of the possible allegations of favouritism, should the resulting tender, or part thereof, be awarded to persons employed by the South African National Biodiversity Institute; or to persons who act on behalf of the South African National Biodiversity; or to persons connected or related to them, the bidder / tenderer or the bidder / tenderer's duly authorized representative shall disclose herein any relationship and/or kinship, including blood relation, which he/she; his/her employer; the bidder / tenderer's management; members; directors; partners; shareholders; trustees; and/or beneficiaries may have with any person or persons in the employ of the South African National Biodiversity Institute and/or with any person or persons acting on behalf of the South African National Biodiversity Institute and who may directly or indirectly be involved in, and/or may be in a position to influence the adjudication and/or evaluation and/or award of this bid / tender.

In order to give effect to the above, the following questionnaire shall be completed and submitted with the tender. Failure to furnish the information requested in the questionnaire below may render the tender submission not to be considered at all.

(In answering the questions below, indicate the applicable answer with a ✓ and cross the other out)

1.	Is the bidder / tenderer and/or the duly authorized representative in the employ of the South African National Biodiversity Institute?
	☐ YES ☐ NO
	If yes, State the full particulars of such person/s, together with their current position held as an employee of the South African National Biodiversity Institute.
2.	Is the bidder / tenderer and/or the duly authorized representative in the employ of the person/s or legal entity acting on behalf of the South African National Biodiversity Institute, and who may directly or indirectly be involved in, and/or may be in a position to influence, the adjudication and/or evaluation and/or award of this tender?
	☐ YES ☐ NO
	If yes, State the full particulars of such person/s, together with their current position held as an employee of such person/s or legal entity acting on behalf of the South African National Biodiversity Institute.

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO.: SANBI: G562/2025

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

3.

bidder's / tenderer's employees, management and/or beneficiaries have any relationship (famil persons in the employ of the South African Na person/s or legal entity acting on behalf of the S	derer's duly authorised representative, and/or any lit, partners, members, directors, shareholders, filly, friend, business- or financial interest) with a perational Biodiversity Institute and/or in the employ South African National Biodiversity Institute, and way be in a position to influence, the adjudication	trustees erson, or y of the who may
☐ YES ☐ NO		
relationship and the current position/status of su	between whom the relationship exists, the nature uch employee/s of the South African National Biod y acting on behalf of the South African National Biod	diversity
hereby certify that the information, furnished abo	bid / tender documents on behalf of the bidder / te ove, is correct in all respects. I accept and understa , may act against me and the bidder / tenderer, joi lse.	and that
Duly signed at on the	his the day of (mor	nth)
(year)		
Full name of signatory	Name of Bidder / Tenderer	
Capacity of Signatory	 Signature	
, , , ,		
COMMISSIONER OF OATHS		

CONTRACT NO.: SANBI: G562/2025

T2.1.11: MEDICAL CERTIFICATE FOR THE CONFIRMATION OF PERMANENT DISABLED STATUS

PROJECT TITLE:	APPOINTMENT OF CONSTRUCTION OF THE GUEST HOUS THOHOYANDOU NOT THOHOYANDOU	THE INTERNA	RATORS HOU	FENCING OF
CONTRACT NO:	SANBI: G562/2025			
l,	(surna	ame and name), Id	entity number,	
	do hereby declare th	at I am a registere	d medical practition	oner, with my
practice number being	,	practicing at		
	(Physical and posta	al addresses) decla	are that I have exa	amined Mr/Mrs
	, identity num	ber of		
and have found the said pe	rson to be permanently disa	bled		
or having a recurring disabi	lity.			
	stricted, or lack of, ability to man being." – As per Prefere is as follows:			
Thus signed at	on this		of	
			FICIAL STAMP O CAL PRACTITIO	
Signature				
Date				

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

T2.1.12: PROOF OF REGISTRATION WITH CONSTRUCTION INDUSTRY DEVELOPMENT BOARD

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

The Tenderer shall provide a printed copy of the Active Contractor's Listing off the CIDB website.www.cidb.org.za. In the case of a joint venture, a printed copy of the Active Contractor's listing must be provided for each member of the joint venture.

Name of Contractor:

Contractor Grading Designation:

CIDB Contractor Registration Number:

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

T2.1.14: COPY OF CSD REGISTRATION CERTIFICATE

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

A copy of Central Suppliers Database (CSD) Registration Certificate must be included for evaluation purposes.

T2.1.15: FINANCIAL REFERENCES

	APPOINTMENT OF	- A	CONTRACTOR	FOR THE
	CONSTRUCTION OF	THE INT	ERNAL ROAD AN	ID FENCING OF
PROJECT TITLE:	THE GUEST HOUSE	ES AND	CURATORS H	OUSE AT THE
	THOHOYANDOU N	ATIONA	L BOTANICAL	GARDEN IN
	THOHOYANDOU			
CONTRACT NO:	SANBI: G562/2025			

Notes to tenderer:

- 1. The tenderer shall attach to this form a letter from the bank in which it is declared how he conducts his account. The contents of the bank's letter must state the credit rating that the bank, in addition to the information required below, accords to the tenderer for the business envisaged by this tender. Failure to provide the required letter with the tender submission may render the tenderer's offer unresponsive in terms of tender condition C3.8.
- 2. The tenderer's banking details as they appear below shall be completed.
- 3. In the event that the tenderer is a joint venture enterprise, details of all the members of the joint venture shall be similarly provided and attached to this form.

Details of Company's Bank

DESCRIPTION OF BANK DETAIL	BANK DETAILS APPLICABLE TO TENDERER'S HEAD OFFICE
Name of bank	
Branch name	
Branch code	
Street address	
Postal address	
Name of manager	
Telephone number	
Fax number	
Account number	

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

Name of Tenderer

RECORD OF ADDENDA TO TENDER DOCUMENTS T2.1.16:

	APPOINTMENT OF A CONTRACTOR FOR THE
	CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF
PROJECT TITLE:	THE GUEST HOUSES AND CURATORS HOUSE AT THE
	THOHOYANDOU NATIONAL BOTANICAL GARDEN IN
	THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

I / We confirm that the following communications received from the South African National Biodiversity Institute before the submission of this tender offer, amending the tender documents, have been taken into account in

this tender offer: (Attach additional pages if more space is required)				
	Date	Title o	r Details	
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
Name of Tenderer Signature Date				
I / We	I / We confirm that no communications were received from the South African National Biodiversity Institute before the submission of this tender offer, amending the tender documents.			

Signature

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

Date

municipal entity

T2.1.17: COMPULSORY ENTERPRISE QUESTIONNAIRE

	PROJECT TITLE:		CTION OF ST HOUSE	THE INTER	CONTRACTOR RNAL ROAD AN CURATORS H BOTANICAL	ND FENCING	THE
	CONTRACT NO:	SANBI: G562	/2025				
	The following particulars mon				ture, separate ente	erprise question	nnaires
S	Section 1: Name of e	nterprise:					
S	Section 2: VAT regist	ration number	, if any:				
S	Section 3: CIDB regis	stration numbe	r, if any:				
S	Section 4: Particulars	s of sole propri	etors and pa	rtners in par	tnerships		
	Name*		Identity number*		Personal inc	come tax num	ıber*
*	Complete only if sole prop	rietor or partner	ship and attac	ch separate p	age if more than 3	partners.	
S	Section 5: Particulars	s of companies	and close c	orporations			
C	Company registration numb	oer:					
C	Close corporation number:						
T	Гах reference number:						
		the service of t					
lı n	ndicate by marking the rele manager, principal shareho within the last 12 months, in	evant boxes with older or stakeho	n a cross, if ar older in a con	npany or clos			
	□ a member of any mu	ınicipal council		□ an emp	oloyee of any pro	ovincial depart	tment,
	□ a member of any pro	vincial legislatu	re		national or provincial pu constitutional institution within		
	 a member of the Na National Council of F 		y or the	the Public Finance Management (Act No 1 of 1999)			_
	□ a member of the bo	pard of directors	of any	□ a memb	ber of an account	ing authority o	of any

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

national or provincial public entity

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

□ an official of any municipality or municipal □ an employee of Parliament or a provincial entity

If any of the above boxes are marked, disclose the following:

Name of institution, public		ervice (tick e column)	
and position held	Current	Within last 12 months	
	office, board or organ of state	Name of institution, public appropriate office, board or organ of state	

^{*}Insert separate page if necessary.

Section 7: Record of spouses, children and parents in the service of the state

Indicate by marking the relevant boxes with a cross, if any spouse, child or parent or a sole proprietor, partner in a partnership or director, manager, principal shareholder or stakeholder in a company or close corporation is currently, or has been within the last 12 months, in the service of any of the following:

a member of any municipal council a member of any provincial legislature	an employee of any provincial department, national or provincial public entity or constitutional institution within the meaning of
a member of the National Assembly or the National Council of Province	the Public Finance Management Act, 1999 (Act No 1 of 1999)
a member of the board of directors of any municipal entity	a member of an accounting authority of any national or provincial public entity
an official of any municipality or municipal entity	an employee of Parliament or a provincial legislature

Name of angues shild or parent	Name of institution, public office, board or organ of		service (tick te column)
Name of spouse, child or parent	state and position held	Current	Within last 12 months

^{*}Insert separate page if necessary.

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

The undersigned, who warrants that he/she is duly authorised to do so on behalf of the enterprise:

- (i) authorises the Employer to obtain a tax clearance certificate from the South African Revenue Services that my/our tax matters are in order;
- (ii) confirms that neither the name of the enterprise or the name of any partner, manager, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears on the Register of Tender Defaulters established in terms of the Prevention and Combating of Corrupt Activities Act, 2004;
- (iii) confirms that no partner, member, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise, has within the last five years been convicted of fraud or corruption;
- (iv) confirms that I/we are not associated, linked or involved with any other tendering entities submitting tender offers and have no other relationship with any of the Tenderers or those responsible for compiling the Scope of Work that could cause or be interpreted as a conflict of interest; and
- (v) confirms that the contents of this questionnaire are within my personal knowledge and are to the best of my belief both true and correct.

Signed:	Date:
Name:	Position:
Enterprise name:	

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

T2.1.18: COMPENSATION OF OCCUPATIONAL INJURIES AND DISEASE ACT (COIDA)

	APPOINTMENT (OF A	CONTRACTOR	FOR	THE
	CONSTRUCTION OF	F THE INTE	ERNAL ROAD AN	ID FENCING	OF
PROJECT TITLE:	THE GUEST HOUS				THE
	THOHOYANDOU I	NATIONAL	BOTANICAL	GARDEN	IN
	THOHOYANDOU				
CONTRACT NO:	SANBI: G562/2025				

Letter of Good Standing from the office of the Compensation Commissioner as required by the Compensation for Occupational Injuries and Diseases Act (COIDA) must be included for evaluation purposes. The letter should be issued by the Department of Labour.

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

T2.1.19: PROOF OF LIABILITY INSURANCE

	APPOINTMENT OF A CONTRACTOR FOR THE
	CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF
PROJECT TITLE:	THE GUEST HOUSES AND CURATORS HOUSE AT THE
	THOHOYANDOU NATIONAL BOTANICAL GARDEN IN
	THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

The tender shall append their Proof of Liability Insurance behind this page.

PART C: THE CONTRACT Part C1: Agreement and Contract Data

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

C1.1 Form of Offer and Acceptance

The Employer, identified in the Acceptance signature block, has solicited offers to enter into a contract for the APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN.

The tenderer, identified in the Offer signature block, has examined the documents listed in the Tender Data and addenda thereto as listed in the Returnable Schedules, and by submitting this Offer has accepted the Conditions of Tender.

The tenderer, identified in the Offer signature block, has examined the draft contract as listed in the Acceptance section and agreed to provide this Offer.

By the representative of the tenderer, deemed to be duly authorised, signing this part of this Form of Offer and Acceptance the tenderer offers to perform all of the obligations and liabilities of the **Contractor** under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the Contract Data.

THE OFFERED 1	TOTAL OF THE PRICES INCLUSIVE OF VAT IS:
(in words)	Rand;
R	(in figures)
THE OFFERED F	PRICES ARE AS STATED IN THE PRICING SCHEDULE
returning one copperiod of validity	e accepted by the Employer by signing the Acceptance part of this Form of Offer and Acceptance and by of this document including the Schedule of Deviations (if any) to the tenderer before the end of the stated in the Tender Data, or other period as agreed, whereupon the tenderer becomes the party named r in the conditions of contract identified in the Contract Data.
Signature(s)	
Name(s)	
Capacity	
For the Tenderer:	
Name & signature of witness	

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

Acceptance

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the tenderer's Offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the conditions of contract identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the Employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the Contract are contained in

Part C1 Agreements and Contract Data [which includes this Agreement]

Part C2 Pricing Data

Part C3 Scope of Work

Part C4 Site Information

and drawings and documents or parts thereof, which may be incorporated by reference into Parts C1 to C4 above.

Deviations from and amendments to the documents listed in the Tender Data and any Addenda thereto listed in the Tender Schedules, as well as any changes to the terms of the Offer agreed by the Tenderer and the Employer during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Agreement. No amendments to or deviations from the said documents are valid unless contained in this Schedule, which must be duly signed by the authorised representative(s) of both parties.

The Tenderer shall within the time required to submit documentation in accordance with clause 5.3.2 of the Contract Data (C1.2) after receiving a completed copy of this Agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) to arrange the delivery of any bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the Conditions of Contract identified in the Contract Data at, or just after, the date this Agreement comes into effect. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this Agreement.

Notwithstanding anything contained herein, this Agreement comes into effect on the date when the Tenderer receives one fully completed original copy of this document, including the Schedule of Deviations (if any). Unless the Tenderer (now Contractor) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the contents of this Agreement, this Agreement shall constitute a binding Contract between the parties.

Signature(s)		
Name(s)		
Capacity		
For the Employer:		
Name &	(Insert name and address of organisation)	
		Date

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

Schedule of Deviations

1	Subject
	Details
2	Subject
	Details
3	Subject
0	Details
	Details
1	
4	Subject
	Details
_	
5	Subject
	Details

By the duly authorised representatives signing this Schedule of Deviations, the Employer and the Tenderer agree to and accept the foregoing Schedule of Deviations as the only deviations from and amendments to the documents listed in the Tender Data and Addenda thereto as listed in the Tender Schedules, as well as any confirmation, clarification or change to the terms of the offer agreed by the Tenderer and the Employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the Tender Documents and the receipt by the Tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the Contract between the parties arising from this Agreement.

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

FOR THE TENDERE	R:	
Signature(s)		
Name(s)		
Capacity		
	[Name and address of organisation]	
Name and signature of witness		Date
FOR THE EMPLOYE	R:	
Signature(s)		
Name(s)		
Capacity		
	[Name and address of organisation]	
Name and signature of witness		Date

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

CONFIRMATION OF RECEIPT

The Tenderer (now Contractor), identified in the Offer part of this Agreement, hereby confirms receipt from the Employer, identified in the Acceptance part of this Agreement, of one fully completed original copy of this Agreement, including the Schedule of Deviations (if any) today:

The [day]	
of	[month]
20[year]	
at	[place]
For the Contractor:	
To the Community	Signature
	Name
	Capacity
Signature and name of witness:	Signature
	Name

PART C: THE CONTRACT Part C1: Agreement and Contract Data

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

C.1.2 Contract Data

C.1.2 Contract Data

The Conditions of Contract are the *General Conditions of Contract for Construction Works (Third Edition, 2nd print, 2015)* published by the South African Institution of Civil Engineering. Copies of these conditions of contract may be obtained from the South African Institution of Civil Engineering (Tel: 011-805 5947).

Each item of data given below is cross-referenced to the clause in the Conditions of Contract to which it mainly applies.

Part 1: Data provided by the Employer

Clause	Data
1.1.1.13	Clause 1.1.1.13: Defects Liability Period
	The Defects Liability Period is 12 months, measured from the date of the Certificate of Completion
1.1.1.14	Clause 1.1.1.14: Due Completion Date
	The time for achieving Practical Completion is as follows:
	2 Months after the Commencement date
1.1.1.15	The name of the Employer is The South African National Biodiversity Institute , represented by Mr Tanaka Mupudzi and/or such persons or person duly authorised thereto be the Employer in writing.
1.2.1.2	The Employer's address for receipt of communications is:
	Delivery Address: Attention: Deputy Director: Supply Chain Management Pretoria National Botanical Garden Biodiversity Centre, 2 Cussonia Avenue Brummeria, Pretoria
	Postal Address: Attention: Deputy Director: Supply Chain Management South African National Biodiversity Institute Private Bag X101 Silverton, Gauteng 0184
1.1.1.16	The name of the Engineer is SANBI

CONTRACT NO.: SANBI: G562/2025

1.2.1.2	The address of the Engineer is:		
	2 Cussonia Avenue, Brummeria, Pretoria,		
	0184 Pretoria		
1.1.1.26	Clause 1.3.: Pricing Strategy		
	The Pricing Strategy is a re-measurement contract.		
3.1.3	Clause 3.1.3: Specific Approval of the Employer Required		
	The Engineer is required to obtain the specific approval of the Employer before executing any of the following functions or duties:		
	1 Clause 6.3: Variations		
	2 Clause 5.11.1: Suspension of the Works		
	3 Clause 5.12: Extension of Time for Practical Completion		
3.2.3	Clause 3.2.3: Specific Approval of the Employer Required		
	The Employer's Agent is required to obtain the specific approval of the Employer before executing any of the following functions or duties:		
	1 Clause 6.3: Variations		
	2 Clause 5.11.1: Suspension of the Works		
	3 Clause 5.12: Extension of Time for Practical Completion		
5.3.1	Clause 5.3.1: Commencement of the Works		
	The documentation required before commencement with Works execution are:		
	Health and Safety Plan (Refer to Clause 4.3)		
	Initial programme (Refer to Clause 5.6)		
	Security (Refer to Clause 6.2)		
	Insurance (Refer to Clause 8.6) Cash flow projection		
	Cash now projection		
5.3.2	Clause 5.3.2: Timeframe to deliver documentation		
	The time to submit the documentation required before commencement with Works execution is twenty-one (21) days.		
5.3.3	Clause 5.3.3: Time to instruct commencement of the Works		
	Add the following to Clause 5.3.3 after the last sentence:		
	"The Contractor shall not commence working until they have an approved project specific health and safety plan in terms of the Occupational Health and Safety Act, 1993: Construction Regulations, 2014 and complied with the initial requirements thereof."		
5.4.2	The access and possession of Site shall not be exclusive to the Contractor but as set out in the Site Information.		
5.8.1	Clause 5.8.1: Non-Working Times		
	The non-working days are Saturdays and Sundays.		
L			

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

	The special non-working days are:					
	All gazetted public holidays falling outside the year end break.					
	2. The ye	ear-end break				
5.12.2.	Clause 5.12.2.: Some reasons for extension of time					
	Clause 5.12.2.2: Abnormal climatic conditions.					
	Add the following:					
	Regardless of the cause of any delay an extension of time will only be considered if it can be shown that the activity delayed is on the critical path indicated on the Programme of Works (Clause 5.6.1).			hown that the		
	No extension of time will be granted in respect of any delays attributed to normal climatic conditions. Normal Climatic Conditions shall be deemed to include normal rainfall and associated wet conditions and materials, strong winds and extremes of temperature. However, in the event that delays to critical activities exceed the number of working days listed below for each month, then abnormal climatic conditions shall be deemed to exist, and an extension of time shall be granted in accordance with the provisions of that Clause.			nd materials, es exceed the e deemed to		
					e of the delays to be antic prevents or disrupts wor	
	January	3 days	May	1 days	September	1 days
	February	6 days	June	1 days	October	2 days
	March	7 days	July	1 days	November	2 days
	April	5 days	August	1 days	December	4 days
	evidence, which	shall be submitted	d timeously as ea	ch day or half-day	ed by substantiating fact delay is experienced. Sh vill be added to the Time	ould an
		r any other reason			extension of time for <u>abn</u> n or less per day shall be	
5.13.1	Clause 5.13.1:	Penalty for Delay	,			
	The penalty for	failing to complete	the Works is R35	600 per day.		
5.14.1	Clause 5.14.1:	Practical complet	tion			
	The requiremer	nts for achieving Pr	actical Completio	n are:		
		a state of readines to the Employer/pu		ourpose and occup	pation without danger/und	due
5.14.2	Clause 5.14.2:	Issue of Certifica	te of Practical C	ompletion		
	Replace "the E	mployer's Agent" <i>ir</i>	the second and	third lines with the	following:	
	", the Contracto	r shall notify the Er	mployer's Agent,	who shall inspect t	he Works and the Emplo	yer's Agent"
5.14.4		Certificate of Cor		,		, ,
	Replace "the E	mployer's Agent" in	the third line of t	he first paragraph	with:	
	", the Contracto	r shall notify the E	mployer's Agent,	who shall inspect t	he works and the Employ	/er's Agent"

5.16.3	Clause 5.16.3: Latent defect liability
	The latent defect period is five (5) years for building works.
6.2	Clause 6.2: Security
	The Form of Guarantee is to contain the wording of the pro-forma document as per the contract document. The liability of the guarantee shall be for 10% of the Approved Contract Sum.
6.8.2	Clause 6.8.2: Contract Price Adjustment
	Contract Price Adjustment is not applicable
6.8.3	Clause 6.8.3: Variation in Cost of Special Materials
	Price adjustments for variations in the costs of special materials are not allowed
6.10.1.5	Clause 6.10.1.5: Interim Payments - Materials on Site
	No percentage advance on materials on site but not yet built into the Permanent Works is allowed for, or will be paid.
6.10.3	Clause 6.10.3: Retention Money
	The percentage retention on the amounts due to the Contractor is 10% (ten percent). The limit of retention is 10% of the Contract Sum, including allowances for contingencies. This reduces to 5% upon the issue of the Certificate of Completion. The remaining 5% retention will be released upon the issue of the Final - Approval Certificate upon lapse of the defects liability period.
	Security plus Retention amount will not exceed 15% of the Contract Sum
6.10.4	Clause 6.10.4: Delivery, dissatisfaction with and payment of payment certificate
	Replace "28 days" in the second last sentence with "30 days"
6.10.6	Clause 6.10.6: Set-Off and Delayed Payments
	A guarantee in lieu of retention is not permitted
6.10.6.2	Clause 6.10.6.2: Set-Off and Delayed Payments
	Replace the words "prime overdraft rate certified by the Contractor's banker" with the words "interest rate as determined by the Minister of Finance, from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No. 1 of 1999), will apply"
6.10.8	Clause 6.10.8: Contractor's completion statement
	Replace "28 days" in the last sentence with "30 days"
6.10.9	Clause 6.10.9: Final payment certificate
	Replace "28 days" in the last sentence with "30 days"
6.12	Clause 6.12: Additional
	Add Clause 6.12 as follows: In respect of any amount owed by the Contractor to the Employer, the Contractor shall pay the Employer interest at the rate as determined by the Minister of Finance, from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No. 1 of 1999), will apply
8.6.1	Clause 8.6.1: Insurance
	Add the following:

_	
	Damage to the Works
	(a) Without in any way limiting the Contractor's obligations in terms of the Contract, the Contractor shall bear the full risk of damage to and/or destruction of the Works by whatever cause during construction of the Works and hereby indemnifies and holds harmless the Employer against any such damage. The Contractor shall take such precautions and security measures and other steps for the protection and security of the Works, as he may deem necessary.
	(b) The Contractor shall at all times proceed immediately to remove or dispose of any debris arising from damage to or destruction of the Works and to rebuild, restore, replace and/or repair the Works.
	(c) The Employer shall carry the risk of damage to or destruction of the Works and material paid for by the Employer that is the result, whether direct or indirect or proximate or remote, of the excepted risks as set out in Clause 8.6.2.
	(d) Where the Employer bears the risk in terms of this Contract, the Contractor shall, if requested to do so, reinstate any damage or destroyed portions of the Works and the costs of such reinstatement shall be measured and valued in terms of Clause 6.7 hereof.
8.6.1.1.2	Clause 8.6.1.1.2: Insurance
	The value of the materials supplied by the Employer to be included in the insurance sum is -Nil.
8.6.1.1.3	Clause 8.6.1.1.3: Insurance
	The amount to cover professional fees for repairing damage and loss to be included in the insurance sum is -Nil.
8.6.1.3	Clause 8.6.1.3: Insurance
	The limit of indemnity for liability insurance is R10 000 000.00 for any single claim – the number of claims to be unlimited during the construction.
8.6.1.5	Clause 8.6.1.5: Additional Insurance
	Additional Insurance is required for the following:
	a) Where the contract involves manufacturing and/or fabrication of the works or part thereof at premises other than the Site, the Contractor shall satisfy the Employer that all materials and equipment for incorporation in the works are adequately insured during manufacture and/or fabrication. In the event of the Employer having an insurable interest in such works during manufacture or fabrication then such interest shall be noted by endorsement to the Contractor's Policies of Insurance.
10.1.5	Clause 10.1.5: Employer's Agent's ruling on Contractor's Claim
	Add the following to Clause 10.1.5 before the last sentence:
	"If the Employer's Agent does not respond in accordance with the foregoing procedure and timetable, either Party may consider that the claim has been rejected by the Employer's Agent and either Party may submit the dispute by issuing a Dispute Notice in terms of Clause 10.3.1.'
10.3.1	Clause 10.3: Dispute Notice
	Replace Clause 10.3.1.1 with the following
	"The dispute arises from any ruling.":
10.5, 10.6, 10.7	Clause 10.5, 10.6, 10.7: Dispute Resolution
10.7	Dispute resolution shall be by Arbitration .

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

11	Clause 12: Confidentiality
	The Contractor shall treat the details of the Works comprised in this Contract as private and confidential (save in so far as may be necessary for the purposes hereof) and shall not publish or disclose the same or any particulars thereof in any trade or technical paper elsewhere without prior written consent of the Engineer.
12	Clause 13: Amendments in writing
	No amendments of this Contract or of any provisions or terms hereof and no waiver or relaxation or suspension of any of the provisions or terms of this Contract shall be of any force or effect unless reduced to writing and signed by both the parties hereto.

PART 2: DATA PROVIDED BY THE CONTRACTOR

Clause			
1.1.1.9	The Contractor is		
1.2.1.2	The Contractor's address for receipt of communications is:		
	Physical address:	Postal address:	
	Telephone:		
	Fax:		
	Email:		

PART C: THE CONTRACT Part C1: Agreement and Contract Data

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

C1.3 FORM OF CONSTRUCTION GUARANTEE

C1.3.1 PRO FORMA PERFORMANCE GUARANTEE

GUARANTOR DETAILS	AND DEFINITIONS	
"Guarantor" means:		
Physical address:		
"Employer" means:		
"Contractor" means:		
"Engineer" means:		
"Works" means:		
"Site" means:		
	agreement made in terms of the Form of Offer and Acceptance and such amendments act as may be agreed in writing between the parties.	
"Contract Sum" means:	The accepted amount inclusive of tax of R	
Amount in words:		
"Guaranteed Sum" mear	ns: The maximum aggregate amount of R	
Amount in words:		
"Expire Date" means:		
CONTRACT DETAILS		
Engineer issues: Interim Payment Certificates, Final Payment Certificate and the Certificate Completion of the Works as defined in the Contract.		
PERFORMANCE GUARANTEE		
1 The Guarantor'	s liability shall be limited to the amount of the Guaranteed Sum.	

- The Guarantor's period of liability shall be from and including the date of issue of this Performance Guarantee and up to and including the Expiry Date or the date of issue by the Engineer of the Certificate of Completion of the Works or the date of payment in full of the Guaranteed Sum, whichever occurs first. The Engineer and/or the Employer shall advise the Guarantor in writing of the date on which the Certificate of Completion of the Works has been issued.
- 3 The Guarantor hereby acknowledge that:
- any reference in this Performance Guarantee to the Contract is made for the purpose of convenience and shall not be construed as any intention whatsoever to create an accessory obligation or any intention whatsoever to create a suretyship;
- 3.2 its obligation under this Performance Guarantee is restricted to the payment of money.
- Subject to the Guarantor's maximum liability referred to in 1, the Guarantor hereby undertakes to pay the Employer the sum certified upon receipt of the documents identified in 4.1 to 4.3:
- 4.1 A copy of a first written demand issued by the Employer to the Contractor stating that payment of a sum certified by the Engineer in an Interim or Final Payment Certificate has not been made in terms of the Contract and failing such payment within seven (7) calendar days, the Employer intends to call upon the Guarantor to make payment in terms of 4.2;
- 4.2 A first written demand issued by the Employer to the guarantor at the Guarantor's physical address with a copy to the Contractor stating that a period of seven (7) days has elapsed since the first written demand in terms of 4.1 and the sum certified has still not been paid;
- 4.3 A copy of the aforesaid payment certificate which entitles the Employer to receive payment in terms of the Contract of the sum certified in 4.
- Subject to the Guarantor's maximum liability referred to in 1, the Guarantor undertakes to pay to the Employer the Guaranteed Sum or the full outstanding balance upon receipt of a first written demand from the Employer to the Guarantor at the Guarantor's physical address calling up this Performance Guarantee, such demand stating that:
- 5.1 the Contract has been terminated due to the Contractor's default and that this Performance Guarantee is called up in terms of 5; or
- 5.2 a provisional or final sequestration or liquidation court order has been granted against the Contractor and that the Performance Guarantee is called up in terms of 5; and
- 5.3 the aforesaid written demand is accompanied by a copy of the notice of termination and/or the provisional/final sequestration and/or the provisional liquidation court order.
- It is recorded that the aggregate amount of payments required to be made by the Guarantor in terms of 4 and 5 shall not exceed the Guarantor's maximum liability in terms of 1.
- Where the Guarantor has made payment in terms of 5, the Employer shall upon the date of issue of the Final Payment Certificate submit an expense account to the Guarantor showing how all monies received in terms of this Performance Guarantee have been expended and shall refund to the Guarantor any resulting surplus. All monies refunded to the Guarantor in terms of this Performance Guarantee shall bear interest at the prime overdraft rate of the Employer's bank compounded monthly and calculated from the date payment was made by the Guarantor to the Employer until the date of refund.
- Payment by the Guarantor in terms of 4 or 5 shall be made within seven (7) calendar days upon receipt of the first written demand to the Guarantor.

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

- 9 Payment by the Guarantor in terms of 5 will only be made against the return of the original Performance Guarantee by the Employer.
- The Employer shall have the absolute right to arrange his affairs with the Contractor in any manner which the Employer may deem fit and the Guarantor shall not have the right to claim his release from this Performance Guarantee on account of any conduct alleged to be prejudicial to the Guarantor.
- The Guarantor chooses the physical address as stated above for the service of all notices for al purposes in connection herewith.
- This Performance Guarantee is neither negotiable nor transferable and shall expire in terms of 2, where after no claims will be considered by the Guarantor. The original of this Guarantee shall be returned to the Guarantor after it has expired.
- This Performance Guarantee, with the required demand notices in terms of 4 or 5, shall be regarded as a liquid document for the purposes of obtaining a court order.
- Where this Performance Guarantee is issued in the Republic of South Africa the Guarantor hereby consents in terms of Section 45 of the Magistrate's Courts Act No 32 of 1944, as amended, to the jurisdiction of the Magistrate's Court of any district having jurisdiction in terms of Section 28 of the said Act, notwithstanding that the amount of the claim may exceed the jurisdiction of the Magistrate's Court.

Signed at	
Date	
Guarantor's signatory: (1)	
Capacity	
Guarantor's signatory: (2)	

PART C: THE CONTRACT Part C1: Agreement and Contract Data

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

oungtional Health and Safoty Agreement 27(2)

C1.4 Occupational Health and Safety Agreement 37(2)					
AGREEMENT MADE AND ENTERED INTO BETWEEN THE					
(Hereinafter called the "EMPLOYER")					
(Contractor / Mandatary / Company / CC Name)					
IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT, ACT NO. 85 OF 1993 AS AMENDED					
I,, representing					
in its own right, do hereby undertake to ensure, as far as is reasonably practicable, that all work will be performed, and all equipment, machinery or plant used in such a manner as to comply with the provisions of the Occupational Health and Safety Act (OHSA) and the Regulations promulgated there under.					
I furthermore confirm that I am / we are registered with the Compensation Commissioner and that all registration and assessment monies due to the Compensation Commissioner have been fully paid or that I / we are insured with an approved licensed compensation insurer.					
COID ACT Registration Number:					
Or Compensation Insurer: Policy No.:					
I undertake to appoint, where required, suitable competent persons, in writing, in terms of the requirements of OHSA and the Regulations and to charge him / them with the duty of ensuring that the provisions of OHSA and Regulations as well as the Council's Special Conditions of Contract, Way Leave, Lock-Out and Work Permit Procedures are adhered to as far as reasonably practicable.					
I further undertake to ensure that any Sub-contractors employed by me will enter into an Occupational Health and Safety Agreement separately, and that such Sub-contractors comply with the conditions set.					
I hereby declare that I have read and understand the appended Occupational Health and Safety Conditions and undertake to comply therewith at all times.					
I hereby also undertake to comply with the Occupational Health and Safety Specification and Plan.					

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

Signed at	this		day of	. 20
WITNESS	•••	MANDATORY		
Signed at	thic		day of	20
Signed at	u 115		uay or	. 20
WITNESS		FOR AND ON BE	HALF OF THE EM	1PLOYER

OCCUPATIONAL HEALTH AND SAFETY CONDITIONS

- 1. The Chief Executive Officer of the Contractor shall assume the responsibility in terms of Section 16(1) of the Occupational Health and Safety Act (as amended). Should the Contractor assign any duty in terms of Section 16(2), a copy of such assignment shall immediately be provided to the representative of the Employer as defined in the Contract.
- 2. All work performed on the Employer's premises shall be performed under the supervision of the construction supervisor who understand the hazards associated with any work that the Contractor performs on the site in terms of Construction Regulations 2003.
- 3. The Contractor shall appoint a Competent Person who shall be trained on any occupational health and safety aspect pertaining to them or to the work that is to be performed.
- 4. The Contractor shall ensure that he familiarises himself with the requirements of the Occupational Health and Safety Act and that he, his employees, and any sub-contractors, comply with them.
- 5. Discipline in the interests of occupational health and safety shall be strictly enforced.
- 6. Personal protective equipment shall be issued by the Contractor as required and shall be worn at all times where necessary.
- 7. Written safe work procedures and appropriate precautionary measures shall be available and enforced, and all employees shall be made conversant with the contents of these practices.
- 8. No substandard equipment/machinery/articles or substances shall be used on the site.
- 9. All incidents referred to in terms of Section 24 of the Occupational Health and Safety Act shall be reported by the Contractor to the Department of Labour and the Employer.
- The Employer hereby obtains an interest in the issue of any formal inquiry conducted in terms of Section 32 of the Occupational Health and Safety Act and into any incident involving a Contractor and/or his employees and/or his Sub-Contractor/s.

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

- 11. No use shall be made of any of the Employer's machinery / plant / equipment / substance / personal protective equipment or any other article without prior arrangement and written approval.
- 12. No alcohol or any other intoxicating substance shall be allowed on the site. Any person suspected of being under the influence of alcohol or any other intoxicating substance shall not be permitted access to, or allowed to remain on the site.
- 13. Prior to commencement of any work, verified copies of all documents mentioned in the agreement, must be presented to the Employer.

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

PART C: THE CONTRACT Part C2: Pricing Data

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

PART C: THE CONTRACT Part C2: Pricing Data

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

C2.1 Notes to Tenderer

C2.1.1 Project Description

The scope of work includes but is not limited to the following:

- Clear, remove and grub the rubbish, debris, vegetation, hedges, boulders, shrubs and trees
- Construct an internal road approximately 195 m including all stormwater infrastructure
- Excavate trenches for the installation of the fence at the Curators house and the guest house
- Formwork and pour concrete around the fence posts
- Install1 swing gate
- Infrastructure repair works on existing guest house such as crack repairs, plastering and painting

All the detailed scope of works are as listed in the bill of quantities

• Note that all products should be CSIR and SABS approved.

C2.1.2. General Notes

- 2.1 The tenderer's attention is drawn to, inter alia, the following as contained in this document:
- 2.1.1 The General Conditions of Contract for Construction Works (2015) published by the South African Institution of Civil Engineering, are applicable to this contract.
- 2.1.2 The Bills of Quantities have been drawn up in accordance with the "Standard System of Measuring Building Work Seventh Edition (Revised 2015)" published by the Association of South African Quantity Surveyors
- 2.1.3 The General Preambles for Trades (2017 edition), as published by the Association of South African Quantity Surveyors, shall be deemed to be incorporated in the bills of quantities and no claims arising from brevity of description of items, fully described in the said General Preambles, will be entertained
- 2.1.4 "Supplementary Preambles" are incorporated in the bills of quantities to satisfy the requirements of the project and shall take precedence over the provisions of the said General Preambles

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

- 2.1.5 Descriptions in the Bills of Quantities are abbreviated and comply generally with those in the said General Preambles
- 2.1.6 The units of measurement described in the Bills of Quantities are metric units. Abbreviations which may be used in the Bills of Quantities are as follows:

mm	=	millimetre	m	=	linear metre
m2	=	square metre	m3	=	cubic metre
km	=	kilometre	ha	=	hectare
h	=	hour	kg	=	kilogram
t	=	ton	L	=	litre
kl	=	kilolitre	kN	=	kiloweton
MN	=	meganewton	MPa	=	megapascal
kW	=	kilowatt	%	=	percent
No	=	number	sum	=	lump sum

PC Sum = Prime Cost Sum Prov Sum = Provisional Sum

APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

PART C: THE CONTRACT Part C2: Pricing Data

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

C2.2 Bills of Quantities

BILLS OF QUANTITIES FOR THE CONSTRUTION OF AN INTERNAL ROAD AND FENCING PRICING INSTRUCTIONS 1. Measuring System	
1. Measuring System	
1.1) The Bills of Quantities have been drawn up in accordance with the Standard System of Measuring Building Work (as amended) published and issued by the Association of South African Quantity Surveyors (Seventh Edition), 2015.	
1.2) The quantities are provisional and will be re-measured upon completion of the works. The Contractor shall not use these quantities for ordering of materials. The Contractor must immediately notify the Quantity Surveyor if discrepancies are found between the quantities and/or descriptions in these Bills of Quantities and the Contractor's quantities measured from construction drawings and specifications.	
2. General Pricing Notes	
2.1) For the purposes of this Bill of Quantities, the following words shall have the meanings hereby assigned to them: Unit: The unit of measurement for each item of work as defined in the Standardised, Project or Particular Specifications Quantity: The number of units of work for each item Rate: The payment per unit of work at each which the Tenderer tenders to do the work Amount: The quantity of an item multiplied by the tendered rate of the (same) item Sum: An amount tendered for an item, the extent of which is described in the Bill of Quantities, the Specifications or elsewhere, but of which the quantity of work is not measured in units	
2.2) The units of measurements indicated in the bill of Quantities are metric units. The following abbreviations may appear in the Bill of Quantities: mm = millimetre m = metre km = kilometre m"² = sq metre ha = hectare m"³ = cubic metre m"³-km = cubic metre-kilome No. = number Sum = Lump Sum = litre kW = kilowatt kN = kilonewton kg = kilogram kPa = kilopascal t = tonne (1000kg) % = percent MN = meganewton MN-m = meganewton-metre MPa = megapascal PC Sum = Prime Cost Sum (Cost of material supplied excluding vat, profit and labour, but including transport and delivery costs) Prov Sum = Provisional Sum	
2.3) The short descriptions of the items of payment given in the bill of quantities are only for the purposes of identifying the items. Detail regarding the extent of the work entailed under each item is provided in the Scope.	
2.4) Unless otherwise stated, items are measured net in accordance with the drawings and no allowance is made for waste.	

- 2.5) The prices and rates to be inserted in the Bills of Quantities are to be the full inclusive for the work described under the several items. Such prices and rates shall cover all costs and expenses that may be required in and for the execution of the work described, and shall cover the cost of all general risks, liabilities and obligations set forth or implied in the documents on which the tender is based, as well as overhead charges and profit. Reasonable prices shall be inserted as these will be used as a basis for assessment of payment for additional work that may have to be carried out.
- 2.6) A price or rate is to be entered against each item in the Bills of Quantities, whether the quantities are stated or not. An item against which no price is entered will be considered to be covered by the other prices or rates in the Bills of Quantities.
- 2.7) Except where rates only are required, insert all amounts to be included in the total tendered price in the 'amount' column and show the corresponding total tendered price.
- 2.8) It will be assumed that prices included in the Bills of Quantities are based on Acts, Ordinances, Regulations, By laws, International Standards and National Standards that were published 28 days before the closing date for tenders. (Refer to www.stanza.org.za or www.iso.org for information on standards).
- 2.9) The quantities contained in the Bill of Quantities may not be final and do not necessarily represent the actual amount of work to be done. The Bills of Quantities is not intended for the ordering of materials. Any ordering of materials, based on the Bills of Quantities, is at the Contractor's risk.
- 2.10) The quantities of work as measured and accepted and certified for payment in accordance with the conditions of contract, and not the quantities stated in the Bill of Quantities, will be used to determine payments to the Contractor. The validity of the Contract shall in no way be affected by difference between the quantities in the Bill of Quantities and the quantities certified for payment. The Ordering of materials is not to be based on the Bill of Quantities, but only on information issued for construction purposes.
- 2.11) The contract sum must include for Value Added Tax (VAT). All rates, provisional sums, etc. in the Bills of Quantities are net (exclusive of VAT) with VAT calculated and added to the total value thereof in the Final Summary.
- 2.12) This is a Fixed Rate Contract with re-measurable quantities and no escalation will be considered
- 2.13) The descriptions provided trades must be read in conjunction with the Engineer's Drawings, Details, Schedules and Specifications and the tenderer must price accordingly.

3. Structure and locations of Bills of Quantities

SECTION NO. 1: PRELIMINARIES SECTION NO. 2: EXTERNAL WORKS FINAL SUMMARY - TO BE CARRIED TO FORM OF OFFER AND ACCEPTANCE

4. General

	6.1) The drawings listed in the Scope of Works used for the setting up these Bills of Quantities are kept by the quantity surveyor and can be viewed at any time during office hours up until the completion of the works.			
	5. Proprietary Names / Trade Names			
	7.1) Reference to any particular trademark, name, patent, design, type, specific origin or producer is purely to establish a standard for requirements. Products or articles of an equivalent standard may be substituted, subject to the Principal Agent's approval.			
	SECTION 1			
	BILL NO. 1			
	PRELIMINARY AND GENERAL			[
1	Overall allowance for works that are not computed in the trades listed.	um 1		
	Carried to Summary			
	SECTION NO. 2 BILL NO. 1			
	SITE WORKS			
	SUPPLEMENTARY PREAMBLES			
	Nature of ground			
	A soils investigation has been carried out on site by the engineer and the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult character are indicated these are separately measured			
	Carting away of excavated material			<u> </u>
	Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site			
	<u>Subterranean water</u>			
	No information regarding subterranean water is available. The tenderer must acquaint himself of the presence and depth of subterranean water and allow therefore in his prices.			
	Filling and layer work materials			
	References such as 'G1', 'G2', etc and 'C1', 'C2', etc in descriptions of filling and layer work materials refer to corresponding references in the document 'Guidelines for Road Construction Materials. TRH 14:1985' compiled by the Committee of State Road Authorities and the properties set out therein for each kind shall be applicable to the respective materials described hereinafter			
	Testing			

1			I	1	I	1
	Descriptions & prices for earth filling, compaction, etc. are deemed to include for all necessary density and other testing required in accordance with the SABS 1200 series and Engineer's specifications					
	SITE CLEARANCE ETC					
	Site clearance					
1	Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200 mm girth, bush, etc.	m²		50		
2	Stripping average 150 mm thick layer of top soil and depositing material in prescribed stock piles on site	m²		250		
	REMOVAL OF TREES ETC					
	Cutting down and removing, grubbing up roots and filling in holes					
3	Tree exceeding 200 mm and not exceeding 500 mm girth	No		2		
4	Tree exceeding 500 mm and not exceeding 1000 mm girth	No		2		
	BUDGETARY ALLOWANCES					
	The following Budgetary Allowances are for work to be executed by the Main Contractor or specialist suppliers and priced at Bill rates or rates to be agreed and to be used as directed by the Principal Agent and to be deducted in whole or in part if not required					
5	Provide the sum of R50 000.00 (Fifty Thousand Rands) for additional general work still to be designed and will/may be carried out by the contractor	Item		1	50 000.00	50 000.00
	SECTION NO. 2 BILL NO. 2					
	STORMWATER DRAINAGE, SUB-SOIL DRAINAGE, ETC.					
	SUPPLEMENTARY PREAMBLES					
	Concrete pipes: interlocking joints					
	Pipes shall be jointed with interlocking joints with rubber collars or socket and spigot joints with rubber rings.					
	uPVC pipes and fittings					
	Soil, waste pipes of 63 mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be PVC-U fittings all with similar push-in type joints					
	Exposed concrete surfaces					
	Exposed surfaces of concrete storm water channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catch pits, inspection chambers, etc. shall be finished smooth with plaster.					
	Laying, backfilling, bedding, etc. of pipes					
	Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturer's instructions.					

Where no manufacturer's instructions exist pipes shall be laid in accordance with Clauses 5.1 and 5.2 of each of the following: SABS 1200 L: Medium pressure pipelines LD: Sewers LE: Storm water drainage

Pipe trenches, etc. shall be backfilled in accordance with Clauses 3, 5.5, 5.6, 5.7 and 7 of SABS 1200 DB: Earthworks (Pipe trenches) Pipes shall be bedded in accordance with Clauses 3.1 to 3.4.1, 5.1 to 5.3 and 7 of SABS 1200 LB: Bedding (Pipes) Unless otherwise described bedding of rigid pipes shall be Class B bedding.

Selected granular bedding and cradle material in 150 mm layers 100 mm below pipe and 200 mm above the pipe, compacted to 90% MOD AASHTO. Selected backfill blanket is above the bedding in 150 mm layers compacted to 90% MOD AASHTO. Approved backfill 150 mm layers compacted to 90% MOD AASHTO.

General

Descriptions of pipes laid in and including trenches and of inspection chambers, catchpits, etc shall be deemed to include excavation, bedding, selected backfilling material, risk of collapse, working space, compaction to a minimum of 95% Mod AASHTO density in layers of 150 mm and disposal of surplus material from site

As-built drawings

Where required, the contractor shall prepare an updated set of asbuilt drawings. At completion of the contract the contractor shall hand these drawings to the principal agent for reproducing onto the originals for handing over to the employer (provision for allowance of as-built drawings elsewhere)

STORM WATER DRAINAGE

Concrete Stormwater Channel

1

30Mpa/19 mm V shaped concrete drainage channel 150 mm thick with overall canal size 5000 mm wide x 150 mm deep, cast in alternate panels, finished smooth on all exposed surfaces to a uniform dense finish with closed cell expanded polyethylene filler and polyurethane sealant expansion joints at 2 m centres, 150 mm bottom layer to be ripped and re-compacted to 93% Modified AASHTO density, 150 mm top layer of G7 imported material to 93% Modified AASHTO density including all necessary excavation, risk of collapse, backfilling, carting away, cutting into paving, formwork, reinforcement, 395 mesh, dowels, etc.. Channels including slopes, overall shape etc. as per engineers drawings

m

2

30Mpa/19 mm V shaped concrete drainage channel 150 mm thick with overall canal size 1165 mm wide x 190 mm deep at extreme, cast in alternate panels, finished smooth on all exposed surfaces to a uniform dense finish with closed cell expanded polyethylene filler and polyurethane sealant expansion joints at 2 m centres, 150 mm bottom layer to be ripped and re-compacted to 93% Modified AASHTO density, 150 mm top layer of G7 imported material to 93% Modified AASHTO density including all necessary excavation, risk of collapse, backfilling, carting away, cutting into paving, formwork, reinforcement, 395 mesh, dowels, etc.. Channels including slopes, overall shape etc. as per engineers drawings

81

195

	Stone pitched Stormwater Channel			
3	71-127 mm Compacted stone V shaped drainage channel 150 mm thick with 1:3 slope, 150mm bottom layer to be ripped and recompacted to 93% Modified AASHTO density, 150 mm top layer of G7 imported material to 93% Modified AASHTO density including all necessary excavation, backfilling, carting away, cutting into paving, mortar etc Channels including slopes, overall shape etc. as per engineers drawings	m	125	0.00
4				
	Bidim A4 geofabric filter blanket of 2,1 mm thickness under 2 kPa with 150 mm side and 300 mm end laps including stitching over compacted surface underneath compacted stone (stone measured elsewhere)	m²	187	
	Sundries			
5	Extra over channel for 90 degree angle	No	17	
6	Extra over channel for forming of 20 MPa concrete silt trap size 300 x 200 mm high in channel including class B grate, all necessary formwork, reinforcing etc.	No	2	
	· · · ·	No	2	
7	Extra over channel for closed end	No	4	
8	Extra over channel for open end into catchpit (catchpit elsewhere measured)	No	3	
	Excavate and Build Catchpits and grid inlets			
9	Excavate in compacted earth for building up grid inlet, size approximately 1800 x 1800 mm not exceeding 1 m deep internally with 230 mm brick wall sides in engineering bricks built on and including 150 mm thick, 25 MPa in-situ concrete base with ref. 245 mesh reinforcement, on 1:5 cement mortar, benching to bottom in 15 MPa concrete finished off smooth with a steel trowel and fitted with & including 25 MPa reinforced (mesh ref. 395) concrete dished cover slab approximately 1800 x 1600 mm finished with steel trowel, including 520 x 790 mm heavy duty grating and frame, frame cast into 1:10 sloping reinforced concrete surround with step irons to SABS 1247 fixed to brickwork at 300c/c including leaving or forming opening in brickwork for 2 No. 375/450 mm diameter outlets including all excavations, backfilling, de-watering, risk of collapse, formwork, reinforcing, etc. all as per engineers detail and specification	No	2	
10	Ditto exceeding 1 m but not exceeding 2 m deep	No	1	
	Concrete Pipes			
	Supply, handle, lay, joint, precast concrete pipe complete with spigots & socket with rubber ring seal, etc, and bed pipes on class A/B rigid pipe bedding compacted to 90% MOD. AASHTO, etc. all as per Engineers detail and specifications			
11	375 mm Diameter class 100D pre-cast concrete pipe laid in trenches not exceeding 1 m deep, including excavation (normal, soft rock and hard rock), bedding, backfilling and compaction and disposal of surplus material	m	5	
12	Ditto exceeding 1 m but not exceeding 2 m deep	m	8	
	Excavate and Build Manholes, Kerb Inlets, etc.			
1	, ,		T T	II -

Excavate in compacted earth for building up manhole, size approximately 1600 x 1750 mm not exceeding 2 m deep internally with 220 mm brick wall sides in engineering bricks built on and including 175 mm thick, 25 MPa in-situ concrete base with ref. 888 mesh reinforcement, on 15 cement mortar, benching to bottom in 1875, mm thick 15 MPa concrete finished off smooth with a steel trowel and fitted with 8. including 25 MPa reinforced concrete roof slab and 600 mm diameter heavy duty type 27 manhole cover and frame, frame cast into concrete surround with step irons to 5485 1247 fixed to brickwork at 3000. Findusing leaving of forming opening in brickwork for 2 No. 375 mm diameter outlets including all excavations, backfilling, formower, reinforcing, etc. all as per engineers detail and specification Municipal Connection 14 Excavate, carefully create opening in existing stormwater manhole not exceeding 2 m deep, connect new stormwater pipe with fittings and make good 8UDGETARY ALLOWANCES The following Budgetary Allowances are for work to be executed by the Main Contractor or specialist suppliers and priced at 8illi rates or rates to be agreed and to be used as directed by the Principal Agent and to be deducted in whole or in part if not required 15 Provide the sum of R50 000.00 (Fifty Thousand Rands) for road crossing and connecting to existing stormwater 16 ROADWORKS, PAVING, APRONS, FENCING ETC 80ADWORKS, PAVING, APRONS, FENCING ETC 80ADWORKS, PAVING, APRONS, FENCING ETC 80ADWORKS, PAVING, BAMIPS & APRONS SUPPLEMENTARY PERAMBLES Nature of ground A soils investigation has been carried out on site by the engineer and the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'carth' described in the above report and where conditions of a more difficult character are included the star. Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks						_
Excavate, carefully create opening in existing stormwater manhole not exceeding 2 m deep, connect new stormwater pipe with fittings and make good **BUDGETARY ALLOWANCES** The following Budgetary Allowances are for work to be executed by the Main Contractor or specialist suppliers and priced at Bill rates or rates to be agreed and to be used as directed by the Principal Agent and to be deducted in whole or in part if not required **Provide the sum of R50 000.00 (Fifty Thousand Rands) for road crossing and connecting to existing stormwater litem 1 50 000.00 **SECTION NO. 2 BILL NO. 3** **ROADWORKS, PAVING, APRONS, FENCING ETC** **ROADWORKS, PAVING, RAMPS & APRONS** **SUPPLEMENTARY PREAMBLES** **Nature of ground** A soils investigation has been carried out on site by the engineer and the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult character are indicated these are separately measured Contractor is to provide natural ground levels as required by the engineer before construction, during and at completion and pricing below should include for this. **Carting away of excavated material** Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site	13	approximately 1600 x 1750 mm not exceeding 2 m deep internally with 220 mm brick wall sides in engineering bricks built on and including 175 mm thick, 25 MPa in-situ concrete base with ref. 888 mesh reinforcement, on 1:5 cement mortar, benching to bottom in 187.5 mm thick 15 MPa concrete finished off smooth with a steel trowel and fitted with & including 25 MPa reinforced concrete roof slab and 600 mm diameter heavy duty type 2A manhole cover and frame, frame cast into concrete surround with step irons to SABS 1247 fixed to brickwork at 300c/c including leaving or forming opening in brickwork for 2 No. 375 mm diameter outlets including all excavations, backfilling, formwork, reinforcing, etc. all as per engineers detail and specification	No	1		
exceeding 2 m deep, connect new stormwater pipe with fittings and make good No 1 BUDGETARY ALLOWANCES The following Budgetary Allowances are for work to be executed by the Main Contractor or specialist suppliers and priced at Bill rates or rates to be agreed and to be used as directed by the Principal Agent and to be deducted in whole or in part if not required Provide the sum of R50 000.00 (Fifty Thousand Rands) for road crossing and connecting to existing stormwater Item 1 50 000.00 SECTION NO. 2 BILL NO. 3 ROADWORKS, PAVING, APRONS, FENCING ETC ROADWORKS, PAVING, ARMPS & APRONS SUPPLEMENTARY PREAMBLES Nature of ground A soils investigation has been carried out on site by the engineer and the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult character are indicated these are separately measured Contractor is to provide natural ground levels as required by the engineer before construction, during and at completion and pricing below should include for this. Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site		Municipal Connection				
The following Budgetary Allowances are for work to be executed by the Main Contractor or specialist suppliers and priced at Bill rates or rates to be agreed and to be used as directed by the Principal Agent and to be deducted in whole or in part if not required 15 Provide the sum of R50 000.00 (Fifty Thousand Rands) for road crossing and connecting to existing stormwater ltem 1 50 000.00 SECTION NO. 2 BILL NO. 3 ROADWORKS, PAVING, APRONS, FENCING ETC ROADWORKS, PAVING, ARMPS & APRONS SUPPLEMENTARY PREAMBLES Nature of ground A soils investigation has been carried out on site by the engineer and the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult character are indicated these are separately measured Contractor is to provide natural ground levels as required by the engineer before construction, during and at completion and pricing below should include for this. Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site	14	exceeding 2 m deep, connect new stormwater pipe with fittings and	No	1		
the Main Contractor or specialist suppliers and priced at Bill rates or rates to be agreed and to be used as directed by the Principal Agent and to be deducted in whole or in part if not required 15 Provide the sum of R50 000.00 (Fifty Thousand Rands) for road crossing and connecting to existing stormwater Item 1 50 000.00 SECTION NO. 2 BILL NO. 3 ROADWORKS, PAVING, APRONS, FENCING ETC ROADWORKS, PAVING, RAMPS & APRONS SUPPLEMENTARY PREAMBLES Nature of ground A soils investigation has been carried out on site by the engineer and the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult character are indicated these are separately measured Contractor is to provide natural ground levels as required by the engineer before construction, during and at completion and pricing below should include for this. Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site		BUDGETARY ALLOWANCES				
crossing and connecting to existing stormwater Item 1 50 000.00 50 000.00 SECTION NO. 2 BILL NO. 3 ROADWORKS, PAVING, APRONS, FENCING ETC ROADWORKS, PAVING, RAMPS & APRONS SUPPLEMENTARY PREAMBLES Nature of ground A soils investigation has been carried out on site by the engineer and the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult character are indicated these are separately measured Contractor is to provide natural ground levels as required by the engineer before construction, during and at completion and pricing below should include for this. Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site		the Main Contractor or specialist suppliers and priced at Bill rates or rates to be agreed and to be used as directed by the Principal Agent				
ROADWORKS, PAVING, APRONS, FENCING ETC ROADWORKS, PAVING, RAMPS & APRONS SUPPLEMENTARY PREAMBLES Nature of ground A soils investigation has been carried out on site by the engineer and the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult character are indicated these are separately measured Contractor is to provide natural ground levels as required by the engineer before construction, during and at completion and pricing below should include for this. Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site	15		Item	1	50 000.00	50 000.00
ROADWORKS, PAVING, RAMPS & APRONS SUPPLEMENTARY PREAMBLES Nature of ground A soils investigation has been carried out on site by the engineer and the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult character are indicated these are separately measured Contractor is to provide natural ground levels as required by the engineer before construction, during and at completion and pricing below should include for this. Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site		SECTION NO. 2 BILL NO. 3				
Supplementary preambles Nature of ground A soils investigation has been carried out on site by the engineer and the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult character are indicated these are separately measured Contractor is to provide natural ground levels as required by the engineer before construction, during and at completion and pricing below should include for this. Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site		ROADWORKS, PAVING, APRONS, FENCING ETC				
A soils investigation has been carried out on site by the engineer and the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult character are indicated these are separately measured Contractor is to provide natural ground levels as required by the engineer before construction, during and at completion and pricing below should include for this. Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site		ROADWORKS, PAVING, RAMPS & APRONS				
A soils investigation has been carried out on site by the engineer and the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult character are indicated these are separately measured Contractor is to provide natural ground levels as required by the engineer before construction, during and at completion and pricing below should include for this. Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site		SUPPLEMENTARY PREAMBLES				
the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult character are indicated these are separately measured Contractor is to provide natural ground levels as required by the engineer before construction, during and at completion and pricing below should include for this. Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site		Nature of ground				
engineer before construction, during and at completion and pricing below should include for this. Carting away of excavated material Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site		the report is available upon request. Descriptions of excavations shall be deemed to include all ground conditions classifiable as 'earth' described in the above report and where conditions of a more difficult				
Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site		engineer before construction, during and at completion and pricing				
include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site and disposing of same from site		Carting away of excavated material				
Subterranean water		include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building				
· · · · · · · · · · · · · · · · · · ·		<u>Subterranean water</u>				

No information regarding subterranean water is available. The tenderer must acquaint himself of the presence and depth of subterranean water and allow therefore in his prices.		
Filling and layer work materials		
References such as 'G1', 'G2', etc and 'C1', 'C2', etc in descriptions of filling and layer work materials refer to corresponding references in the document 'Guidelines for Road Construction Materials. TRH 14: 1985' compiled by the Committee of State Road Authorities and the properties set out therein for each kind shall be applicable to the respective materials described hereinafter		
Testing		
Prices for filling are to include for all necessary density and other tests		
<u>General</u>		
Where kerb-stones, blocks, etc are laid in ground descriptions shall be deemed to include necessary excavation, filling in and ramming		
EXCAVATION, FILLING, ETC. OTHER THAN BULK		
Excavation in compacted earth not exceeding 2m deep		
Ground beams	m³	2
Reduce levels	m³	350
Extra over all excavations for carting away		
Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor	m³	350
Compaction of surfaces		
Compaction of ground surface under floors etc including scarifying for a depth of 150 mm, breaking down oversize material, adding suitable material where necessary and compacting to 90% Mod AASHTO density	m²	1 300
Keeping excavations free of water		
Keeping excavations free of all water other than subterranean water	Sum	1
G5 Earth filling supplied by the contractor and compacted to 95% Mod AASHTO density	Ju. 11	
Under floors, steps, ramps, pavings, etc	m³	250
G7 Earth filling supplied by the contractor and compacted to 93% Mod AASHTO density		
Under floors, steps, ramps, pavings, etc	m³	250
C4 Cemented natural gravel earth filling (TRH14) UCS 700-1500 kPa supplied by the contractor compacted to 97% Mod AASHTO density		
Under floors, steps, ramps, pavings, etc	m³	250

	WEED KILLERS, INSECTICIDES, ETC			
	Weedkiller (active ingredients metalaclor 102,8 g/l, terbitilasien 248,6 g/l and atrasien 248,6 g/l) mixed in the proportion of 100 ml weedkiller to 100 l water and applied at a rate of 10 l/m×½			
	Soil insecticide in accordance with SANS 5859			
	Approved brand of anti-termite soil poison and weedkiller to be applied by a Registered Company and guaranteed for ten years			
9	Under paving and concrete aprons	m²	1 300	
	CONCRETE			
	REINFORCED CONCRETE CAST AGAINST COMPACTED SURFACES			
	Concrete 30 MPa/19 mm			
10	Ground anchor beams	m³	2	
	REINFORCEMENT			
	Mild steel reinforcement to structural concrete work			
11	Various (8 - 20 mm) diameter bars	t	0.01	
	High tensile steel reinforcement to structural concrete work			
12	Various (8 - 32 mm) diameter bars	t	0.17	
	PAVING, KERBING AND CHANNELLING			
	Rates for paving must include all cutting including circular cutting			
	Concrete rectangular paver colour grey, size approximately 200 x 150 x 80 mm thick (SANS 1058:2012) laid in herringbone pattern, in accordance with SANS 1200 MJ and CMA Concrete Block Paving Manuals, with a minimum longitudinal fall of 1% on a transverse fall of at least 2% on and including 20 mm compacted sand bed with fine jointing sand and cement mix swept and vibrated into joints, all laid on sub-grade conforming to SANS 1200 D Degree of Accuracy 1 (layerworks elsewhere measured). Paving to be inspected and resanded after three months. All in accordance with the Civil Engineer's layout drawings and specifications			
13	Paving to roads and parking areas	m²	1 300	
	KERBS to SANS 927			
	Figure 7 barrier precast concrete kerb size approximately 280 x 180 x 75 mm, including in-situ concrete (class 25 MPa/19 mm stone) haunching behind kerbing at joints, with pointing on all exposed sides, including all necessary excavation, backfilling, carting away, continuous concrete haunching on curves, concrete haunching in blobs on straights, etc. Jointed & pointed in joint sealant with 10 mm soft board and polyurethane sealant with approved primer			
14	Laid flat	m	99	
15	Laid flat circular on plan, exceeding 4m radius	m	7	

	Figure 8c mountable precast concrete kerb size approximately 300 x 200 x 100 mm, including in-situ concrete (class 25 MPa/19 mm stone) haunching behind kerbing at joints, with pointing on all exposed sides, including all necessary excavation backfilling, carting away, continuous concrete haunching on curves, concrete haunching in blobs on straights, etc. Jointed & pointed in joint sealant with 10 mm soft board and polyurethane sealant with approved			
16	Laid flat	m	238	
17	Laid flat circular on plan, exceeding 4 m radius	m	332	
	Precast concrete light duty edge beam size approximately 150 x 125 mm, including in-situ concrete (class 25 MPa/19 mm stone) haunching behind kerbing at joints, with pointing on all exposed sides, including all necessary excavation backfilling, carting away, continuous concrete haunching on curves, concrete haunching in blobs on straights, etc.			
18	Laid flat	m	122	
19	Laid flat circular on plan, exceeding 4m radius	m	185	
	SUNDRY ITEMS			
	Prepare and paint with SANS approved road marking paint in white / yellow / red sheen road marking paint on concrete paving / kerbs			
20	Line 100 mm wide, broken or continuous	m	75	
21	White numeral or letter approximately 510 mm x 1260 mm (measured at extremes) $$	No	20	
22	White traffic arrow approximately 1000 mm x 4000 mm (measured at extremes)	No	10	
23	Paraplegic Sign approximately 2500 mm x 5000 mm (measured at extremes)	No	2	
	PERMANENT ROAD SIGNS			
	Provision and application of retro-reflective material. Sign faces with painted or galvanised (as stated) background, with painted symbols, characters, legend and borders, and with signboards constructed from: Sheet steel 1,6 mm thick, of area: Sign supports steel tubing 76 mm diameter x 3 mm thick x 2500 mm long. Excavation and backfilling and concreting for sign supports with stockpile material			
24	R1.4 - Four-way Stop sign size approximately 900 mm diameter	No	7	
25	W203 - Gentle Curve (Left) Arrow triangle sign size approximately 900 x 900 x 900 mm	No	2	
26	W202 - Gentle Curve (Right) Arrow triangle sign size approximately $900 \times 900 \times 900 \text{mm}$	No	3	
27	W410 - Dead End / Road Closed Chevron sign size approximately 2700 mm wide	No	2	
			1	

	FENCING			
29	Digging up and removing rubbish, debris, vegetation, hedges, etc and up to 1 m Max to the outside perimeter of the fence	m ²	150	
30	Excavation in earth not exceeding 2 m deep Holes	m^3	5	
31	Extra over trench and hole excavations in earth for excavation in			
	Soft rock	m ³	0.10	
	Hard rock	m ³	0.10	
32	30 MPa/19 mm concrete	3		
	Base	m ³	5	
	TEST BLOCKS			
33	Prepare a set of three 150 x 150 x 150 concrete strength test tubes, label and send them to an approved laboratory for testing, pay all charges and submit a report to the Representative or Agent. Only			
	successful tests will be paid (Provisional)	No.	10	
34	Supply, delivery and installation of welded mesh fence(2.4 m) including all posts & accessories (complete installation)	m	150	
35	Swing gate 2.4 m H x 3.0 m W - Complete with hinge posts and locking mechanism	No.	1	
	SECTION 3			
	SECTION 3 BILL NO. 1			
	SECTION 3 BILL NO. 1 PROVISIONAL SUMS			
	BILL NO. 1			
	BILL NO. 1			
	PROVISIONAL SUMS The following Provisional Sums are all NET amounts and are for work to be executed complete by Nominated/Selected Sub-Contractors or by the Contractor himself. Provisional Sums may be omitted or reduced at the Employers's sole discretion and the contractor shall not be entitled to claim for any loss by way of reductions or omissions of any discount, or percentage relating to Provisional Sums or P.C.			

	N.B. Any builder's work that the Contractor may be called upon to do so in connection with any such special works or services will be measured and valued at schedule rates as executed.				
	BUILDING WORKS				
1	Provide the sum of R20 000.00 (Twenty Thousand Rand) for the crack repair of damaged wall using mesh wire supply and plastering executed complete	Item	1	20 000.00	
2	Provide the sum of R70 000.00 (Seventy Thousand Rand) for painting 150 square metres - Prepare surface, apply one coat suitable plaster primer to entire surface, one coat acrylic polvin paint and finish with two coats of super acrylic polvin matt paint in compliance with SANS				
	specifications	Item	1	70 000.00	
3	Provide the sum of R35 000.00 (Thirty Five Thousand Rand) for the structual repair of a damaged retaining wall executed complete	Item	1	35 000.00	
4	Provide the sum of R150 000.00 (One Hundred and Fifty Thousand Rand) for the installation of wooden screening fence at the guest houses (50 m) executed complete	Item	1	150 000.00	
5	Provision for appointment of an OHS Consultant for the Client	Prov Sum	1	100 000.00	
	Overheads, charges and profit on 5.3.1	%	100 000		
6	Provide the sum of R50 000.00 (Fifty Thousand Rand) for additional painting on various walls	Item	1	50 000.00	
1	Preliminaries				
2	External works				
3	Provisional Sums				
4	SUB-TOTAL EXCLUDING VAT	ST			
5	10% Contengicies				
	ADD: VALUE ADDED TAX @ 15%	TAX			
	TOTAL INCLUDING VAT CARRIED THROUGH TO FORM OF OFFER				

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

PART C: THE CONTRACT Part C3: Scope of Work

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
	SANBI: G562/2025

C3.1	DESCRIPTION OF THE WORKS	<u>Page</u> 84
C3.2	DESIGN & CONSTRUCTION	85
C3.3	DRAWINGS	104

Status

Should any requirement or provision in the parts of the Scope of Work conflict with any requirement of any Standardised Specification, Particular Specification or any drawings, the order of precedence, unless otherwise specified, is:

Drawings

Scope of Work

Standardised Specifications

PART C: THE CONTRACT Part C3: Scope of Work

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

C 3.1. Description of the Works

C3.1.1 Background

The Thohoyandou National Botanical Garden (TNBG) is located approximately 420 km northeast of Pretoria and 70 km east of Makhado. The site is in the major urban centre of Thohoyandou and ideally placed close to the University of Venda, and falls within an area of high biodiversity value, namely the Soutpansberg Mountain Range.

C3.1.2 Scope of Works

The scope of works per phase includes, but is not necessarily limited to, the following:

Note: All works to be carried out according to SANS standards

- Clear, remove and grub the rubbish, debris, vegetation, hedges, boulders, shrubs and trees
- o Construct an internal road approximately 195 m including all stormwater infrastructure
- o Excavate trenches for the installation of the fence at the Curators house and the guest house
- Formwork and pour concrete around the fence posts
- Install 1 swing gate
- Infrastructure repair works on existing guest house such as crack repairs, plastering and painting

C3.1.3 Location of the Works

The project is located at the Thohoyandou National Botanical Garden, Thohoyandou, Limpopo.

Part C3: Scope of Work

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

C3.2. Design & Construction

This project is for the appointment of a contractor for construction of the internal road and fencing of the guest houses and curators house at the Thohoyandou National Botanical Garden for the South African National Biodiversity Institute.

C3.2.1 Initial Basic Structural Information: (To be provided)

C3.2.2 Site Camp

No major site camp is envisioned for this project, and should there be a need, the area must be kept to an absolute minimum. There are open areas around the botanical garden which may be used for a small site camp. No large containers will be allowed for offices or storage. Water and electricity area available on site. Security of the site and materials is the sole responsibility of the Contractor.

C3.2.3 Equipment / Plan

No large plant is envisioned for the project. The majority of work should be labour intensive with hand operated tools. Should there be a need to bring large machinery on to the work site, it should be as per the arrangement with the Employer or Employer's representative. Any damage or disturbance of the site/infrastructure by large machinery will have to be remediated at the cost of the Contractor.

PART C: THE CONTRACT

Part C3: Scope of Work

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

C3.3. **DRAWINGS**

C3.3.1 **Drawings List:**

The drawings are contained in Annexure H and provided separately.

PART C: THE CONTRACT Part C4: Site Information

PROJECT TITLE:	APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU
CONTRACT NO:	SANBI: G562/2025

C4.1. **General Site Information**

The proposed construction is to take place within Thohoyandou National Botanical Garden, Thohoyandou, Limpopo.



FIGURE 1: SITE LOCALITY PLAN - AERIAL PHOTO OF THE TNBG

C4.2. Annexure F

OCCUPATIONAL HEALTH AND SAFETY SPECIFICATIONS FOR CONTRACTORS WHO ARE ON CONTRACT WITH SANBI

C4.2.1 Scope

This specification establishes general requirements to enable SANBI and the Contractors to satisfy the requirements of Occupational Health and Safety Act, 1993 (Act No. 85 of 1993) and the Construction Regulations, 2014 as amended.

The Construction Regulations, 2014, require an Employer to stop any Contractor from executing construction work which is not in accordance with the Contractor's health and safety plan for the site or which poses to be a threat to the health and safety of persons.

This specification establishes generic health and safety requirements for health and safety as stated in the scope of work associated with a contract and

- provides the overarching framework within which the Contractor is required to demonstrate compliance with certain requirements for occupation health and safety established by the Occupational Health and Safety Act of 1993;
- establishes the manner in which the Contractor is to manage the risk of health and safety incidents in the execution of the contract; and
- establishes the manner in which the Employer's health and safety agent will interact with the Contractor.

C4.2.2 Requirements

C4.2.2.1 General requirement

The Contractor shall:

- · create and maintain a safe and healthy work environment,
- execute the works in a manner that complies with all the requirements of the Act and all its
 associated regulations, and in so doing, minimize the risk of incidents occurring; and
- respond to the notices issued by the SANBI's Health and Safety Agent as follows:
 - Improvement Notice: improve health and safety performance over time so that repeat notices are not issued;
 - Contravention Notice: rectify contravention as soon as possible;
 - Prohibition Notice: terminate affected activities with immediate effect and only recommence activities when it is safe to do so.

Any incident occurring as a result of the contractors 'negligence which may affect SANBI employees will be claimed against the contractor.

C4.2.3 Administration

C4.2.3.1 Application and Notification of intention to commence construction work Application for construction work permit

A client who intends to have construction work carried out, must at least 30 days before that work is to be carried out apply to the provincial director in writing for a construction work permit to perform construction work if the intended construction work will:

- exceed 180 days;
- · will involve more than 1800 person days of construction work; or
- the works contract is of a value equal to or exceeding thirteen million rand or Construction Industry Development Board (CIDB) grading level 6.

An application must be done in a form similar to Annexure 1 in the Regulation and a site-specific number assigned by the Provincial Director must be displayed on site.

C4.2.3.1.2 Notification of construction work

A contractor who intends to carry out any construction work other than work contemplated in regulation 3(1), must at least 7 days before that work is to be carried out notify the provincial director in writing in a form similar to Annexure 2 if the intended construction work will:

- include excavation work;
- include working at a height where there is risk of falling;
- · include the demolition of a structure; or
- include the use of explosives to perform construction work.

The Contractor shall ensure that no work commences on an electrical installation which requires a new supply or an increase in electricity supply before the person who supplies or contracts or agrees to supply electricity to that electrical installation has been notified of such work.

The Contractor shall ensure that no asbestos work is carried out before the Provincial Director of the Department of Labour has been notified in writing.

C4.2.3.2 Copy of the Act

The Contractor shall ensure that a copy of the Act and relevant regulations is available on site for inspection by any person engaged in any activity on the site.

Good standing with the compensation fund or a licensed compensation insurer

The Contractor shall, before commencing with any works on the site, provide the SANBI with proof of
good standing with the compensation fund or with a licensed compensation insurer.

C4.2.3.3 Emergency procedures

The Contractor shall submit for acceptance to the SANBI 's Health and Safety Agent an emergency procedure which include but are not limited to fire, spills, accidents to employees, exposure to hazardous substances, which:

- identifies the key personnel who are to be notified of any emergency;
- · sets out details including contact particulars of available emergency services; and
- the actions or steps which are to be taken during an emergency.

The Contractor shall within 24 hours of an emergency taking place notify the SANBI's Health and Safety Agent in writing of the emergency and briefly outline what happened and how it was dealt with.

C4.2.3.4 Health and safety file

The Contractor shall maintain on site a health and safety file which contains copies of the following;

C4.2.3.4.1 Documents required before the contractor commences with construction activities

- the Contractor's health and safety policy, signed by the chief executive officer, which outlines
 the Contractor's objectives and how they will be achieved and implemented by the Contractor
- the notification made to the Provincial Director of Labour, and if relevant, the notification of the person who supplies or contracts or agrees to supply electricity to that electrical installation;
- the letters of appointment, as relevant, of the construction supervisor for the site in respect of
 construction works covered by the Construction Regulations and the registered person
 responsible for the electrical installation covered by the Electrical Installations Regulations;
- a copy of the certificate of registration of the registered person responsible for the electrical installation covered by the Electrical Installations Regulations where applicable;
- the approval of the design of the part of an electrical installation which has a voltage in excess of 1 kV by a person deemed competent in terms of the Electrical Installations Regulations;
- proof of registration of the electrical contractor who undertakes the electrical installation in terms of the Electrical Installations Regulations where applicable;
- the preliminary hazard identification undertaken by a competent person;
- the organogram which outlines the roles and responsibilities of the construction supervisor's assistants and safety officers; and
- the contractor's health and safety plan;
- the emergency procedures;
- the procedure for the replacement of lost, stolen, worn or damage personal protective clothing and
- proof that the contractor is registered and in good standing with the compensation fund or with a licensed compensation insurer;

C4.2.3.4.2 Documents required after construction activities have commenced

- the letters of appointments, if relevant, of:
 - persons who are required to assist the construction supervisor;
 - safety officers;
 - health and safety representatives;
 - replacement construction supervisor, and
 - assistants of construction supervisor.
- any revisions to the organogram which outlines the roles and responsibilities of the construction supervisor's assistants and safety officers;
- each and every subcontract agreement;
- proof that every subcontractor is registered and in good standing with the compensation fund or with a licensed compensation insurer;

- proof of all subcontractor's induction training whenever it is conducted;
- copies of the minutes of the Contractor's subcontractors health and safety meetings;
- copies of each of the Contractor's subcontractors' health and safety policy, signed by the Chief
 executive officer, which outlines the Contractor's objectives and how the will be achieved and
 implemented by the Contractor;
- the health and safety plans of all the Contractor's subcontractors who are required to provide such plans;
- a comprehensive and updated list of all the subcontractors employed on site by the contractor, indicating the type of work being performed by such sub-contractors;
- the outcomes of the monthly audits for compliance with the approved health and safety plan
 of each and every sub-contractor working on the site;
- any report made to an inspector by the health and safety committee;
- the minutes of all health and safety meetings and any recommendations made to the Contractor by the health and safety committee;
- the findings of all audit reports made regarding the implementation of the Contractor's or a subcontractor's health and safety plan;
- the inputs of the safety officer, if any, into the health and safety plan;
- details of induction training conducted whenever it is conducted including the list of attendees;
- proof of the following where suspended platforms are used:
 - a certificate of system design issued by a professional engineer, professional certificated engineer or a professional engineering technologist;
 - proof of competency of erectors;
 - proof of compliance of operational design calculations with requirements of the system design certificate;
 - proof of performance test results;
 - sketches indicating the completed system with the operational loading capacity of the platform;
 - procedures for and records of inspections having been carried out;
 - procedures for and records of maintenance work having been carried out;
 - proof that the prescribed documentation has been forwarded to the provincial director;
- letters of appointments for competent persons to supervise the activities which law requires to be so supervised;
- A copy of risk assessments made by competent person;
- records of the register of inspections made by a competent person immediately before and during the placement of concrete or any other load on formwork;
- the names of the first aiders on site and copies of the first aid certificates of competency;
- the names of the persons the persons who are in possession of valid certificate of competency in first aid and copies of such certificates;
- details of all incidents together with the Contractor's report on such incident; and
- the record of inspections carried out by the designers of structures to ensure compliance with designs.

The health and safety file shall be made available for inspection by any inspector, subcontractor, the Project Manager, the SANBI's Health and Safety Agent or employee of the Contractor upon the request of such persons.

The Contractor shall hand over the health and safety file to the SANBI's Health and Safety Agent upon completion of the contract and if relevant, a certificate of compliance accompanied by a test report for the electrical installation in accordance with the provisions of the Electrical Installation Regulations.

C4.2.3.5 Health and safety committee

The Contractor shall convene health and safety meetings whenever more than two health and safety representatives have been appointed for the site. These meetings shall be attended by all health and safety representatives and persons nominated by the Contractor. Such meetings shall be convened at least once every month to:

- make recommendations to the Contractor regarding any matter affecting the health or safety of persons on the site; and
- discuss any incident on the site in which or in consequence of which any person was injured, became ill or died.

The Contractor shall consult with the health and safety committee on the development, monitoring and review of the risk assessment.

The Contractor shall ensure that minutes of the health and safety committee meetings are kept.

SANBI Health and Safety Agent shall be invited to attend such meetings as an observer.

C4.2.3.6 Inspections, formal enquires and incidents

The Contractor shall inform the relevant safety representative:

- beforehand of inspections, investigations or formal inquiries of which he has been notified by an inspector and
- as soon as reasonably practicable of the occurrence of an incident on the site.

The Contractor shall record all incidents and notify the SANBI's Health and Safety Agent of any incident, except in the case of a traffic accident on a public road, as soon as possible after it has occurred and reports such incidence to an inspector.

The Contractor shall investigate all incidents and issue the SANBI's Health and Safety Agent with copies of such investigations.

C4.2.3.7 Personal protective equipment and clothing

The Contractor shall ensure that:

- all workers are issued with the necessary personal protective clothing;
- all workers are identifiable at all times by having the company for which they work for printed on the back or front of their overalls; and
- clear procedures are in place for the replacement of lost, stolen, worn or damage personal protective clothing.

C4.2.4 Appointments

C4.2.4.1 **Health and safety representatives**

The Contractor shall appoint in writing one health and safety representative for every 50 employees working on the site, whenever there are more than 20 employees on the site, to:

- review the effectiveness of health and safety measures;
- identify potential hazards and potential major incidents;
- · in collaboration with his employer, examine the causes of incidents;
- investigate complaints by any employee of the Contractor relating to that employee's health or safety on the site;
- make representations to the Contractor on matters arising from a), b), c) or d) or on general
 matters affecting the health or safety of the employees at the workplace;
- inspect the site with a view to, the health and safety of employees, at regular intervals;
- participate in consultations with inspectors at the workplace and accompany inspectors on inspections of the workplace; and
- participate in any internal health or safety audit.

The Contractor shall provide the health and safety representatives with the necessary assistance, facilities and training to carry out the functions established in 4.3.1

C4.2.4.2 Appointment of construction supervisor and safety officers

The Contractor shall, prior to commencing the work, appoint a full-time competent employee in writing as the construction supervisor for the site, with the duty of supervising the performance of the work falling within the scope of the contract and may appoint one or more competent employees to assist the appointed construction supervisor.

The Contractor may, having considered the size of the project, the degree of dangers likely to be encountered or the accumulation of hazards or risks on the site, appoint a full time or part-time construction safety officer in writing, who has in the Contractor's opinion the necessary competencies and resources, to assist the Contractor in the control of all safety related aspects on the site.

The Contractor shall compile and maintain an organogram which outlines the roles and responsibilities of the construction supervisor's assistants and safety officers.

C4.2.4.3 Competent persons

The Contractor shall appoint in writing competent persons to supervise or inspect, as relevant, any of the following:

- formwork and support work operations;
- excavation work;
- demolition work;
- · scaffolding work operations;
- suspended platform work operations;
- material hoists;
- operation of batch plants;
- explosive power tools;
- vehicles and mobile equipment;

- fire equipment; and
- the stacking and storage of articles on the site.

The Contractor shall appoint in writing competent persons to:

- induct employees in health and safety; and
- · prepare a fall protection plan.

C4.2.5 Creating and maintaining a safe and healthy work environment

C4.2.5.1 **General**

The Contractor shall with respect to the site and the construction works that are contemplated:

- cause a preliminary hazard identification to be performed by a competent person before commencing any physical construction activity;
- evaluate the risks associated with such work constituting a hazard to the health and safety of such employees and the steps that need to be taken to comply with the Act; and as far as is reasonably practicable, prevent the exposure of such employees to the hazards concerned or, where prevention is not reasonably practicable, minimize such exposure.

The Contractor shall ensure that:

- all reasonably practicable steps are taken to prevent the uncontrolled collapse of any new or
 existing structure or any part thereof, which may become unstable or is in a temporary state
 of weakness or instability due to the carrying out of construction work;
- · no structure or part of a structure is loaded in a manner which would render it unsafe; and
- account of information, if any, provided by the designer of the structure is taken into account in the risk assessment;

Note: The information provided by the designer should outline known or anticipated dangers or hazards relating to the works and make available all information required for the safe execution of the work. It should provide as relevant, geotechnical information (or make reference to reports provided in the site information), the loading the structure is designed to withstand, the methods and sequence of construction.

The Contractor shall carry out regular inspections and audits to ensure that the works are being performed in accordance with the requirements of this specification

C4.2.5.2 Risk assessment

The Contractor shall before the commencement of any work on site and during construction work, cause a risk assessment to be performed by a competent person appointed in writing. Such an assessment shall as a minimum:

- identify the risks and hazards to which persons may be exposed to;
- analyse and evaluate the identified risks and hazards;
- document a plan of safe work procedures, including the use of any personal protective
 equipment or clothing and the undertaking of periodic "toolbox talks" or inductions before
 undertaking hazardous work, to mitigate, reduce or control the risks and hazards that have
 been identified;
- · provide a monitoring plan; and
- provide a review plan.

C4.2.5.3 Health and safety plans

The Contractor shall prior to commencing the works to which this specification applies, submit to SANBI's Health and Safety Agent for approval a suitable and sufficiently documented health and safety plan, based on this specification and the risk assessment that is conducted.

The health and safety plan must be specific to the current project and shall as a minimum provide:

- the information about hazards associated with the task to be performed; and
- an outline of the manner in which the Contractor intends complying with the requirements of this specification.
- The arrangements to ensure the safety of all SANBI staff affected by the activities of the project/work.
- The manner in which hazards will be communicated to all staff/including SANBI employees.

C4.2.5.4 Responsibilities towards employees and visitors

The Contractor shall as far as is reasonably practicable, cause every employee to be made conversant with the hazards to his health and safety attached to any work which he has to perform, any article or substance which he has to produce, process, use, handle, store or transport and any plant or machinery which he is required or permitted to use, as well as with the precautionary measures which should be taken and observed with respect to those hazards or safe work procedures. Safety for SANBI employees must be considered throughout the project life cycle.

The Contractor shall provide suitable on-site signage to alert workers and visitors to health and safety requirements. Such signage shall include but not be limited to:

- unauthorized entrance prohibited;
- signage to indicate what personal protective equipment is to be worn; and
- activity related signs.

The Contractor shall not permit any person who is or who appears to be under the influence of intoxicating liquor or drugs, to enter or remain at a workplace.

C4.2.6 Subcontractors

The Contractor may only subcontract work in terms of a written subcontract and shall only appoint a subcontractor should he be reasonably satisfied that such a subcontractor has the necessary competencies and resources to safely perform the work falling within the scope of the contract.

The Contractor shall provide any sub-contractor who is submitting a tender or appointed to perform a sub-contract falling within the scope of the contract, with the relevant sections of this specification and any work specific information which might be pertinent to the sub-contract.

C4.2.7 First aid, emergency equipment and procedures

The Contractor shall where more than five employees are employed at a workplace, provide a first aid box or boxes at or near the workplace which shall be available and accessible for the treatment of injured persons at that workplace. Such first aid boxes shall contain suitable first aid equipment.

The Contractor shall ensure that where there are more than 10 employees employed on the site that for every group of up to 50 employees at that workplace, at least one person is readily available during normal working hours, who is in possession of a valid certificate of competency in first aid.

C4.2.8 Facilities for workers

The Contractor shall provide and keep clean and fit for use at or within reasonable access of the site:

- at least one shower facility for every 15 workers
- at least one sanitary facility for every 30 workers;
- changing facilities for each sex; and
- sheltered eating areas.

2.5.4.2 A contractor shall provide reasonable and suitable living accommodation for the workers at construction sites which are remote from their homes and where adequate transportation between the site and their homes, or other suitable living accommodation, is not available

C4.2.9 Waste management

Construction will result in waste generation although in different scales depending on the nature and size of the project.

The goal for construction waste management is primarily the reduction of waste generated. Waste reduction is the responsibility of all on site, as it relates to materials procurement, handling, storage and use. Waste generated during construction will be reused, recycled or disposed to landfill.

Waste collection during building works will be appropriately managed through the staged nature of construction and the use of known quantities of materials. The majority of recyclable material that could be recovered during construction is likely to be off cuts and discards of concrete reinforcement (steel), metal off cuts, drainage pipes, telecommunication and electrical cabling, plastics, paint and timber.

No uncontrolled hazardous materials or dangerous goods will be stored on site.

Principal contractor will be required to provide waste management plan before construction work commences.

C4.2.10 Points to remember - Legal

C4.2.10.1 Requirements

- · Application for construction work permit
- Notice of construction work
- Letter of good standing from the Department of Labour/ Insurance
- Risk assessment and safe working procedures
- Appointment letter of Principal contractor and other legal appointments
- Health and safety plan
- Valid medical certificates of fitness for employees
- Fall protection plan
- Health and safety inductions.
- Notice boards and display of site-specific number assigned to the project.
- Management of plant & noise
- Management of premises
- Management of plant, labour & materials on site
- Management of safety file

C4.3. Annexure G

GENERAL ENVIRONMENTAL SPECIFICATIONS

Index to Environmental Specifications

<u>Clause</u>	Description
E1	Location of camp and depot
E2	Demarcation of the site
E3	Refuse
E4	Protection of fauna and flora
E5	Defacement of natural features
E6	Protection of archaeological and palaeontological Sites
E7	Effluent and storm-water management
E8	Run off from construction camps
E9	Discharge of construction water
E10	Servicing/fuelling of construction equipment
E11	Fuels and chemicals
E12	Dust control
E13	Noise control
E14	Materials use, handling, storage and transport
E15	Use of cement/concrete
E16	Fuel storage and use
E17	Hazardous materials
E18	Transport of materials outside the site
E19	Fire
E20	Removal of topsoil
E21	Stabilisation of steep slopes
E22	Site Rehabilitation
E23	Landscaping and preparation for re-vegetation

E1 Location of camp and depot

The Contractor's Camp and Materials Storage Area shall be located at a position approved by the Responsible Person. No site staff other than security personnel shall be housed on site. The Contractor's Camp and Materials Storage Area shall be kept neat and tidy and free of litter.

E2 Demarcation of the site

It is important that activities are conducted within a limited area to facilitate control and to minimise the impact on the existing natural environment, existing tenants and other construction activities in the vicinity and public thoroughfares.

The Contractor shall demarcate the boundaries of the site in order to restrict his construction activities to the site. The method of demarcation and the location of the demarcated area shall be determined by the Contractor and approved by the Responsible Person before any work being undertaken. The Contractor shall ensure that all plant, labour and materials remain within the boundaries of the site. Failure to do so may result in the Contractor being required to fence the boundaries of the site at his/her own expense to the satisfaction of the Responsible Person.

If additional areas (e.g. for lay down, rest areas) are required, these must be approved in writing by the Responsible Person. The Contractor is advised that it may take approximately one week to obtain such permission from the Responsible Person.

Suitable temporary fencing may need to be erected during construction to minimise the risk of injury to the public, and animals.

E3 Refuse

Refuse refers to all solid waste, including construction debris (e.g. wrapping materials, timber, cans etc.) waste and surplus food, food packaging etc.

The Contractor shall institute an on-site waste management system that is acceptable to the Responsible Person to prevent the spread of refuse within and beyond the site. The Contractor is reminded that wind velocities on the construction site can be high.

All waste shall be collected and contained immediately. The Contractor shall institute a weekly clean up of the site if so instructed by the Responsible Person. This daily/weekly clean up shall be for the Contractor's account.

The Contractor shall not dispose of any waste and/or construction debris by burning or burying. The use of waste bins and skips is recommended. The bins shall be provided with lids and an external closing mechanism to prevent their contents from blowing out. The Contractor shall ensure that all waste is deposited by his employees in the waste bins for removal by the Contractor. Bins shall not be used for any purposes other than waste collection and shall be emptied on a regular basis. All waste shall be disposed of off site at approved landfill sites.

Hazardous waste, including waste oil and other chemicals (e.g. paints, solvents) shall be stored in (an) enclosed area(s), and shall be clearly marked. If deemed necessary by the Responsible Person, the Contractor shall obtain the advice of a specialist waste expert concerning the storage of hazardous waste. Such waste shall be disposed of off site by a specialist waste contractor, at a permitted hazardous waste disposal site.

E4 Protection of fauna and flora

All fauna within and around the site shall be protected. Birds and animals shall not be caught or killed by any means, including poisoning, trapping, shooting or setting of snares. Offenders may be prosecuted in terms of the Animals Protection Act 71 of 1962.

E5 Defacement of natural features

Defacement of any features outside of the construction site shall not occur without the prior written permission of the Responsible Person. Any features defaced by the Contractor shall be restored to the satisfaction of the Responsible Person.

E6 Protection of archaeological and palaeontological Sites

If any possible palaeontological /archaeological material is found during excavations, the Contractor shall stop work immediately and inform the Responsible Person. The Responsible person will inform the South African Heritage Resource Agency (SAHRA) and arrange for a palaeontologist/archaeologist to inspect, and if necessary excavate, the material, subject to acquiring the requisite permits from the National Monuments Council. Costs incurred will be for the Employer's account.

E7 Effluent and storm-water management

The Contractor must ensure that pollution of the ground or surface water does not occur as a result of site activities. Pollution could result from the accidental release of contaminated run-off from construction camps, discharge of contaminated construction water, chemicals, oils, fuels, sewage, run-off from stockpiles, solid waste, litter, etc.

E8 Run off from construction camps

The Contractor shall ensure that polluted run-off (excluding silt "pollution"), such as run-off from construction camps where equipment is cleaned and/or serviced, fuel stores, workshops, etc. is not discharged overland. The Contractor shall erect an earth/brick berm 0,5 m high around such areas and shall collect all run-off from these areas and store it in a conservancy tank for removal from the site. The Contractor shall ensure that silt-laden water is not discharged directly into any surface watercourses (i.e. vleis, etc.), and shall take suitable measures to prevent this.

Natural run-off shall be diverted away from any camps towards the storm-water drains where these are available. Special care must be taken in areas susceptible to erosion, e.g. steep slopes. The Contractor shall ensure that excessive quantities of sand, silt and silt-laden water do not enter the storm-water drain system, or any surface watercourse. The Contractor shall take appropriate measures, e.g. the erection of silt traps, or drainage retention areas, to prevent silt and sand entering drainage or watercourses. Any partial or complete blockage of the storm-water drainage system shall be cleared by the Contractor at his / her own expense.

E9 Discharge of construction water

Construction water refers to all water dirtied as a result of construction activities.

The Contractor may discharge silt laden water overland and allow this water to filter into the ground. However, s/he shall ensure that he does not cause erosion as a result of any overland discharge.

The Contractor may not discharge cement-laden water overland, i.e. washings from trowels, wheelbarrows and the like.

Trucks delivering concrete shall not wash the trucks or the chutes on the site. All washing operations shall take place off site at a location where wastewater can be disposed of in the correct manner.

E10 Servicing/fuelling of construction equipment

Servicing and fuelling should preferably occur off site.

However, if these activities occur on site, the Contractor shall ensure that all servicing of vehicles and equipment takes place in designated areas agreed upon by the Responsible Person. All waste shall be collected and disposed of off site at an appropriately licensed landfill site. All equipment that leaks onto the ground shall be repaired immediately or removed.

Similarly, no vehicles or machines shall be refuelled on site except at designated refuelling locations, unless otherwise agreed with the Responsible Person. The Contractor shall not change oil or lubricants

CONTRACT NO.: SANBI: G562/2025

anywhere on site except at designated locations, except if there is a breakdown or an emergency repair. In such instances, the Contractor shall ensure that he has Drizit pads (or equivalent) and/or drip trays available to collect any oil, fluid, etc.

E11 Fuels and chemicals

The Contractor shall take all reasonable precautions to prevent the pollution of the ground and/or water resources by fuels and chemicals as a result of his activities.

The Contractor shall keep the necessary materials and equipment on site to deal with ground spills of any of the materials used or stored on site.

The Contractor shall ensure that no oil, petrol, diesel, etc. is discharged onto the ground. Pumps and other machinery requiring oil, diesel, which is intended to remain in one position for longer than two days shall be placed on drip trays. The drip trays shall be emptied regularly and the contaminated water disposed of off site at a facility capable of handling such wastewater. Drip trays shall be cleaned before any possible rain events that may result in the drip trays overflowing, and before long week ends and holidays.

The Contractor shall remove all oil-, petrol-, and diesel-soaked sand immediately and shall dispose of it as hazardous waste.

Should the Responsible Person/ECO and/or the relevant authorities deem it necessary to institute a programme for the removal of contaminated ground resulting from the non-compliance of the controls detailed above, these costs will be for the Contractor's account. Remedial action shall be approved by the ECO and relevant authorities, if appropriate.

E12 Dust control

The Contractor shall be responsible for the continued control of dust arising from his/her operations, through measures including, but not limited to, spraying of water on bare areas, rotovating straw bales into the soil surface and the scheduling of dust-generating activities to times when wind velocity is low. Overhead sprayers shall not be used in windy conditions, due to water loss through evaporation. The use of water carts is preferred.

The Contractor shall inform the Responsible Person 48 hours in advance of anticipated "unavoidable" dust-generating activities. The Responsible Person and/or ECO may inform adjacent land users, tenants and communities about the possibility of dust pollution, and the approximate duration of the problem.

E13 Noise control

The Contractor shall take all reasonable precautions to minimise noise generated on site as a result of his operations, especially when working in areas or on activities that may impact on neighbouring land users.

The Contractor shall comply with the applicable regulations with regard to noise.

The Contractor shall inform the Responsible Person 48-hours in advance of anticipated "unavoidable" noise-generating activities. The Responsible Person and/or Environmental Officer may inform adjacent land users, tenants and communities about the possibility of noise pollution and the approximate duration of the problem.

E14 Materials use, handling, storage and transport

Procedure for material handling must be discussed with and approved by the Responsible Person prior to commencement of this activity.

E15 Use of cement/concrete

The Contractor is advised that cement and concrete are regarded as highly hazardous to the natural environment on account of the very high pH of the material, and the chemicals contained therein. Therefore the Contractor shall ensure that:

- concrete is mixed on mortar boards, and not directly on the ground;
- visible remains of concrete, either solid, or from washings, are physically removed immediately and disposed of as waste. Washing visible signs into the ground is not acceptable; and
- all aggregate is also removed.

E16 Fuel storage and use

Tanks containing fuels shall have lids and shall remain firmly shut. Only clean, empty tanks may be stored on the bare ground. Fuel stores shall be placed on a bunded sealed base - the bunds shall have a volume of 110% of the volume of the largest tank in the storage area. Any waste-water or spilled fuel collected within the bund shall be disposed of as hazardous waste.

The Contractor shall take all the necessary precautions to prevent fires or spills. No smoking shall be allowed in the vicinity of the fuel stores. Failure to adhere to this specification shall be cause for a spot fine being imposed on the offender.

The Contractor shall ensure that there is adequate fire-fighting equipment at the fuel stores.

E17 Hazardous materials

The Contractor shall comply with all relevant national, regional and local legislation with regard to the transport, use and disposal of hazardous materials. If necessary, the Contractor shall obtain the advice of the manufacturer with regard to the safe handling of hazardous materials. Any claims against the Contractor shall be for his/her account.

The Contractor shall provide the Responsible Person with a list of hazardous substances on site, together with storage procedures for these materials.

The Contractor shall ensure that there is an emergency procedure to deal with accidents and incidents (e.g. spills) arising from hazardous substances. The Contractor shall report major incidents (spills in excess of 50 litres) to the Responsible Person immediately.

The Contractor shall maintain a register of spills or incidents involving hazardous materials, as well as measures taken.

The Contractor shall ensure that information on all hazardous substances is available to all personnel on site. The Contractor shall furthermore be responsible for the training of all personnel on site who will be handling the material about its proper use, handling and disposal.

E18 Transport of materials outside the site

The Contractor shall comply with all the applicable local, regional and national by-laws with regard to road safety and the transport of materials, especially hazardous and/or toxic materials. Any claims against the Contractor shall be for his account.

The Responsible Person shall provide the Environmental Officer with a schedule of the proposed transportation of significant quantities of hazardous material onto the site, before commencing work on site. The Environmental Officer may request further details or notifications of specific material movements if considered necessary.

E19 Fire

The Contractor shall take all the necessary precautions to ensure that fires are not started as a result of his/her activities on site, and shall also comply with the requirements of the Occupational Health and Safety Act 85 of 1993.

No open fires shall be permitted on or off site. Closed fires or stoves shall only be permitted at designated safe sites in the construction camps. Fires shall also not be permitted near any potential sources of combustion, such as fuel stores, stockpiles of plant material etc.

The Contractor is advised that sparks generated during welding, cutting of metal or gas cutting can cause fires. Every possible precaution shall therefore be taken when working with this equipment near potential sources of combustion. Such precautions include having an approved fire extinguisher immediately available at the site of any such activities.

The Contractor shall be liable for any expenses incurred by any organisations called to assist with fighting fires, and for any costs relating to the rehabilitation of burnt areas.

E20 Removal of topsoil

Following removal of vegetation from the site, all topsoil shall be removed (up to a maximum of 30-cm depth) and stock-piled for re-use in subsequent rehabilitation and landscaping activities. The stockpiles shall not be higher than 2-m in order to minimise composting. The stockpiles of topsoil shall be located in an area agreed with the Responsible Person.

E21 Stabilisation of steep slopes

The disturbance of steep slopes, for example by the removal of vegetation, may result in slope instability and erosion by rain and surface run off. The Contractor shall ensure that slopes that are disturbed during construction are stabilised to prevent erosion occurring. Where re-vegetation of slopes is undertaken, this shall be in accordance with the specification provided in EP6.

Slopes that are susceptible to accidental damage during construction shall be protected to reduce the risk of disturbance.

Any erosion that does occur must be reinstated at the Contractor's cost.

E22 Site Rehabilitation

The Contractor shall be responsible for rehabilitating any areas cleared or disturbed for construction purposes that are to be incorporated into open space or buffer zones. The Contractor shall re-vegetate such areas in accordance with the specification provided below.

The Contractor shall stabilise, by straw rot ovation or other means, any areas that are cleared or disturbed for construction purposes which are not going to be incorporated into open space or buffer zones (i.e. areas that will be subsequently developed by another party).

All construction equipment and excess aggregate, gravel, stone, concrete, bricks, temporary fencing and the like shall be removed from the site upon completion of the work. No discarded materials of whatsoever nature shall be buried on the site or on any other land not owned by ACSA.

E23 Landscaping and preparation for re-vegetation

Areas that require reshaping shall be cut, filled and compacted so as to follow the contours of the surrounding landscape. Topsoil removed from the area initially shall be replaced. Care must be taken not to mix the topsoil with the subsoil during shaping operations. Should a crust form on the soil

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU

CONTRACT NO.: SANBI: G562/2025

before re-vegetation is commenced, the Contractor shall, at his own cost, loosen the crust by scarifying to a depth of 150-mm.

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

The South African National Biodiversity Institute
APPOINTMENT OF A CONTRACTOR FOR THE CONSTRUCTION OF THE INTERNAL ROAD AND FENCING OF THE GUEST HOUSES AND CURATORS HOUSE AT THE THOHOYANDOU NATIONAL BOTANICAL GARDEN IN THOHOYANDOU


CONTRACT NO.: SANBI: G562/2025

C4.4. **Annexure H**


DRAWINGS


Please note the following important notes:


- The road to be constructed has a width of 5m with no shoulders on either side
- No electrical posts or electrical infrastructure will be installed as part of the contract
- A portion of the road is already paved hence construction works will start from the admin block to the guest house parking.



SETTING-OUT COORDINATES							
POINT	Υ	Х	LEVEL				
P1	54892.119	2540955.640	593.995				
P2	54801.998	2540934.697	603.363				
P3	54784.255	2540942.398	603.741				
P4	54782.439	2540935.499	603.824				
P5	54778.905	2540930.586	605.178				
P6	54770.472	2540926.152	606.625				
P7	54612.138	2540954.910	599.266				
P8	54611.985	2540957.343	599.314				
P9	54611.827	2540959.905	599.365				
P10	54612.603	2540947.400	599.500				
P11	54596.140	2540946.351	599.830				
P12	54586.160	2540945.715	600.048				
P13	54576.181	2540945.079	600.150				
P14	54575.706	2540952.524	600.003				
P15	54575.385	2540957.554	600.125				
P16	54593.598	2540958.714	599.745				







ROAD A LONGSECTION

HORIZONTAL SCALE 1:500 VERTICAL SCALE 1:100 DISTORTED SCALE 1:5

		CLIENT PLAN NUMBER	APPROVED BY	Y COUNCIL / CLIENT		DATE	INITIAL	CODE	REVISION DESCRIPTION	
DO NOT SCALE DRAWING IF IN DOUBT, REFER TO DRAWING OFFICE						20-03-23	B.M.	А	ISSUED FOR INFORMATION	
		REFERENCE DRAWINGS			O. DATE					
	NUMBER	DRAWING DESCRIPTION	CITY ENGINEER / CLIENT	REG. NO.						1
			AMENDMENTS CODE							_
			- A-Y /: REPORT/DESIGN/TENDER /A: BY CLIENT 0-99 /: CONSTRUCTION /B: BY ARCHITECT							
			Z /: AS BUILT	/B : BY ARCHITECT /C : BY MECHANICAL OR ELECTRICAL /D : BY BVi						
				/E : BY OTHER ()						




CLIENT


Covi	GREEN	BUILDING COUNCIL SA EUBER ORGANISATION - 2012	
BVi Consulting Engineers Gaute	eng Pty (Ltd)		
Visit or contact us online a	at www.bvigroup.co.za		
PROVINCE OFFICE	**	E-MAIL	
Gauteng — Pretoria — +27 12	940 1111 —	pta@bvigp.co.za	


PROJECT		APPROVED BY	Y BVi		
THOHOYANDOU	ENGINEER	/TECHNOLOGIST	REG. No	O. DATE	
DRAWING TITLE	SCALE	1: 500	DRAWN	M.A TEMBE	
	DESIGNED	м.а темве	CHECKED	B. MATYEKA	34398-01
ROAD A LONG SECTION		PLAN NUMBER	REV. NO.	DATE SAVED	ᆣ
AND CROSS SECTIONS	34398-	01-110-01-02	Α	27/03/2023 MassiquiniT	10-01-01-RR01

P:\34398-01\16 Drawings\16.4 Civil\16.4.4-Construction\110 - Roads\34398-01-110-01-01-RR01.dwg

SETT	ING-OUT	COORDIN	ATES
POINT	Υ	Х	LEVE
P1	54892.119	2540955.640	593.995
P2	54801.998	2540934.697	603.363
P3	54784.255	2540942.398	603.74
P4	54782.439	2540935.499	603.824
P5	54778.905	2540930.586	605.178
P6	54770.472	2540926.152	606.625
P7	54612.138	2540954.910	599.266
P8	54611.985	2540957.343	599.314
P9	54611.827	2540959.905	599.365
P10	54612.603	2540947.400	599.500
P11	54596.140	2540946.351	599.830
P12	54586.160	2540945.715	600.048
P13	54576.181	2540945.079	600.150
P14	54575.706	2540952.524	600.003
P15	54575.385	2540957.554	600.125
P16	54593.598	2540958.714	599.745







ROAD B LONGSECTION

HORIZONTAL SCALE 1:500 VERTICAL SCALE 1:100 DISTORTED SCALE 1:5


		CLIENT PLAN NUMBER	APPROVED E	BY COUNCIL / CLIENT		DATE	INITIAL	CODE	REVISION DESCRIPTION	
DO NOT SCALE DRAWING IF IN DOUBT, REFER TO DRAWING OFFICE						20-03-23	B.M	A	ISSUED FOR INFORMATION	
		REFERENCE DRAWINGS								
	NUMBER	DRAWING DESCRIPTION	CITY ENGINEER / CLIENT	REG. NO.	DATE					
	34398-01-120-01-01	34398-01-120-01-01 STORMWATER GENERAL LAYOUT		AMENDMENTS CODE						Bi
			A-Y /: REPORT/DESIGN/TENDER	∏ /A : BY CLIENT						Sc
			0-99 / : CONSTRUCTION	/B : BY ARCHITECT						30
			Z /: AS BUILT	/C : BY MECHANICAL OR /D : BY BVi	ELECTRICAL					
			_	/E : BY OTHER ()						



CLIENT

	ACES A BE	3 L
	GREEN BUILDING COUNCIL MEMBER ORGANISATION - SET	
bvi	ENGINEERING PROCUREMENT	
	MANAGEMENT	
BVi Consulting Engineers Gaute	eng Pty (Ltd)	
Visit or contact us online a	at www.bvigroup.co.za	_
PROVINCE OFFICE	≅ E-MAIL	
Gauteng — Pretoria — +27 12	940 1111 — pta@bvigp.co.za	

PROJECT		APPROVED B	Y BVi				
THOHOYANDOU	- FNCINIEED	TECHNOLOGIST	REG. N	 O. DATE	_		
	ENGINEER	!/TECHNOLOGIST	REG. N	J. DATE	_		
DRAWING TITLE	SCALE	1: 500	DRAWN	м.а темве	63		
DOAD DIONO CEOTION	DESIGNED	M.A TEMBE	CHECKED	B. MATYEKA	34398-0		
ROAD B LONG SECTION		PLAN NUMBER	REV. NO.	DATE SAVED			
AND CROSS SECTIONS	34398-	01-110-01-03	Α	27/03/2023 MassiquiniT	34398-01-110-01-01-RR01		
P:\34398-01\16 Drawings\16.4 Civil\16.4.4-Construction\110 - Roads\34398-01-110-01-01-RR01.dwg							




Plot Date: 15/08/2023

TYPICAL ROAD SECTION AND LAYERWORKS - 5.0m ROADS (CLASS 5a)


SCALE 1: 25

	CLIENT PLAN NUMBER	APPROVED BY COUNCIL / CLIENT	DATE INITIAL CODE RE	REVISION DESCRIPTION CLIENT	→ CESA ♣ ₽	PROJECT	APPROVED BY BVi	
DO NOT SCALE DRAWING IF IN DOUBT, REFER TO DRAWING OFFICE	REFERENCE DRAWINGS	CITY ENGINEER / CLIENT REG. NO. DAT	15-02-23 F.S. A ISSUED FOR INF	SANBI	GREEN BUILDING COUNCIL 34 MEMBER ORGANISATION - 2012	THOHOYANDOU	ENGINEER/TECHNOLOGIST REG. NO.	DATE
	NUMBER DRAWING DESCRIPTION	AMENDMENTS CODE		SAIV DI Riodiversity for Life	PROCUREMENT MANAGEMENT	DRAWING TITLE		A TEMBE
		A-Y /: REPORT/DESIGN/TENDER /A: BY CLIENT 0-99 /: CONSTRUCTION /B: BY ARCHITECT		South African National Biodiversity I	nstitute BVi Consulting Engineers Gauteng Pty (Ltd) Registration no. 1998/000322/07	TYDICAL DOAD DETAIL		MATYEKA DATE SAVED
		Z /: AS BUILT /C: BY MECHANICAL OR ELECTRIC/ /D: BY BVI /E: BY OTHER ()	AL		Visit or contact us online at www.bvigroup.co.za PROVINCE OFFICE E-MAIL Gauteng Pretoria +27 12 940 1111 pta@bvigp.co.za	TYPICAL ROAD DETAIL		/08/2023 assiquiniT
	·	·		·	·		P:\34398-01\16 Drawings\16.4 Civil\16.4.4-Construction\110 - Roads\ACAD-34398-01	-01-110-01-01-RR01.dwg




300mm MOUNTABLE KERB DETAIL

SCALE 1:10



300mm MOUNTABLE KERB ON CURVED SECTIONS DETAIL

NOT TO SCALE



EDGE BEAM DETAIL

CLIENT PLAN NUMBER


REFERENCE DRAWINGS

NUMBER

DRAWING DESCRIPTION


DO NOT SCALE DRAWING

IF IN DOUBT, REFER TO DRAWING OFFICE



DETAIL OF EDGE BEAM SCALE 1:25

REVISION DESCRIPTION



300mm MOUNTABLE KERBS ALONG STRAIGHT SECTIONS

CITY ENGINEER / CLIENT

A-Y /: REPORT/DESIGN/TENDER

0-99 / : CONSTRUCTION

Z /: AS BUILT

APPROVED BY COUNCIL / CLIENT

AMENDMENTS CODE

REG. NO.

/A: BY CLIENT

/D : BY BVi

/E : BY OTHER (

/B : BY ARCHITECT

/C : BY MECHANICAL OR ELECTRICAL

DATE INITIAL CODE

DATE

4-08-23 B.M. A ISSUED FOR INFORMATION

CLIENT South African National Biodiversity Institute PROVINCE Gauteng — Pretoria — +27 12 940 1111 — pta@bvigp.co.za

BVi Consulting Engineers Gaute	ENGINEERING PROCUREMENT MANAGEMENT PAGE CES A ENGINE COUNCIL MEMBER ORGANISATION - BOTS COUNCIL ME
Registration no. 1998/000322/07	ong r ty (Ltd)
Visit or contact us online a	t www.bvigroup.co.za

THOHOYANDOU				
	ENGINEER	//TECHNOLOGIST	REG. N	O. DAT
DRAWING TITLE	SCALE	AS SHOWN	DRAWN	M.A TEMBE
	DESIGNED	м.а темве	CHECKED	B. MATYEKA
TYPICAL ROAD KERB		PLAN NUMBER	REV. NO.	DATE SAVED
DETAILS	34398-	-01-113-01-01	A	14/08/2023 MassiguiniT

APPROVED BY BVi

P:\34398-01\16 Drawings\16.4 Civil\16.4.4-Construction\110 - Roads\ACAD-34398-01-113-01-01.dwg

DATE

MassiquiniT

DATE SAVED

PROJECT

TO 5m WIDE \otimes Bellmouths (see note 2) \otimes Straights and curves ROAD WIDER THAN 5m SEE NOTE 1 AND UP TO 6m WIDE \otimes Bellmouths (see note 2) \otimes Straights and curves ROAD WIDER THAN 6m \otimes Bellmouths (see note 2) \otimes **BUS AND TAXI BAYS** WHERE VEHICLES CROSSING THE KERB IS DISCOURAGED \otimes WHERE VEHICLES CROSSING THE KERB IS PROHIBITED \otimes \otimes JOINT BETWEEN ASPHALT AND BLOCK PAVING TEMPORALLY EDGE RESTRAINT IN ASPHALT PAVING TO BE REMOVED WHEN ROAD IS EXTENDED \otimes NOTES: 1. AN EDGE BEAM SHALL BE CONSTRUCTED ON THE HIGH SIDE OF ROADS WITH A SINGLE CROSS-FALL 2. AT THE INTERSECTION OF ROADS WITH DIFFERENT ROAD WIDTHS, THE BELL MOUTHS SHALL BE CONSTRUCTED WITH KERBS PRESCRIBED FOR THE BELL MOUTHS OF THE WIDER ROADS NOTES:

TABLE A: KERBS TO BE USED FOR ROAD CONSTRUCTION

300 MOUNT. 400 MOUNT. 500 MOUNT.

KERB

TYPE OF KERB

SEE NOTE 1

KERB

EDGE BEAM FIG.7 KERB FIG.3 KERB WITH CHANNEL WITH CHANNEL

APPLICATION

ROADS UP

Straights and curves

1. KERBS-GENERAL

1.1 REFER TO TABLE A FOR THE USAGE OF KERBS 1.2 THE 20mm LIP ON ALL KERBS IS APPLICABLE TO ALL PAVED ROADS EXCEPT WHERE BLOCK OR CONCRETE PAVING IS USED

2. CAST IN-SITU CONCRETE

2.1 CONCRETE TO BE CLASS 20/19

2.2 CONCRETE TO BE CURED FOR A MINIMUM PERIOD OF 7 DAYS

2.3 ALL CONCRETE TO BE USED FOR SLOPING KERBS OR EDGE BEAMS SHALL HAVE A SLUMP NOT GREATER THAN 60mm 2.4 WHERE THERE IS A DIFFERENCE BETWEEN THE TOP OF THE SUBBASE AND THE BOTTOM OF

THE CAST IN-SITU KERBS OF LESS THAN 75mm, SUCH DIFFERENCE SHALL BE MADE UP WITH THE SAME CONCRETE AS SPECIFIED FOR THE KERB, OTHERWISE COMPACTED SUB-BASE MATERIAL SHALL BE USED


2.5 THE USE OF A MACHINE TO PLACE CAST IN-SITU KERBS MUST FIRST BE APPROVED BY THE ENGINEER

3. PRECAST KERBS


3.1 ALL PRECAST KERBS SHALL COMPLY WITH THE REQUIREMENTS OF SABS 927:1969 3.2 THE BEDDING MATERIAL ON WHICH PRECAST KERBING IS CONSTRUCTED SHALL BE ACCORDING

TO THE STANDARD SPECIFICATION FOR MUNICIPAL CIVIL ENGINEERING WORKS


ZONE 5



ZONE 2 SCALE 1:150



ZONE 1





Gauteng — Pretoria — +27 12 940 1111 — pta@bvigp.co.za

PROVINCE OFFICE

1	PROJECT		APPROVED BY	Y BVi		
3A	THOHOYANDOU	ENGINEER	V/TECHNOLOGIST	REG. No	O. DATE	 :
	DRAWING TITLE	SCALE	1: 500	DRAWN	M.A TEMBE	
	ROAD MARKINGS AND	DESIGNED	M.A TEMBE	CHECKED	B. MATYEKA	
_	ROAD SIGN LAYOUT		PLAN NUMBER	REV. NO.	DATE SAVED	
	SHEET 1 OF 2	34398-	-01-114-01-01	A	14/08/2023 MassiquiniT	A1


P:\34398-01\16 Drawings\16.4 Civil\16.4.4-Construction\110 - Roads\ACAD-34398-01-114-01-01-RR01.dwg

+ 900 + GENTLE CURVE (LEFT) W203 SCALE 1 : 25 → 900 ⊢ GENTLE CURVE (RIGHT) W202 SCALE 1 : 25

ZONE 3

KEY PLAN SCALE 1:1500

ZONE 3
SCALE 1:150




A WAY STOP SIGN
POSITION TO BE
DETERMINED
ON SITE

ROAD B

RM1 (9m LONG)

ZONE 5





CLIENT



PDA IFAT		4 PPP 0.1 (FP P)	(D) (
PROJECT		APPROVED BY	Y BVI		
THOHOYANDOU					_
	ENGINEER	N/TECHNOLOGIST	REG. N	D. DATE	
DRAWING TITLE	scale 1: 500		DRAWN	M.A TEMBE	ACAD:
ROAD MARKINGS AND	DESIGNED	M.A TEMBE	CHECKED	B. MATYEKA	34398-0
DOAD CICKLI AVOLIT		PLAN NUMBER	REV. NO.	DATE SAVED	1
ROAD MARKINGS AND ROAD SIGN LAYOUT SHEET 2 OF 2	34398-	01-114-01-02	Α	14/08/2023 MassiquiniT	ACAD-34398-01-114-01-01-RR01
P:\34398-	-01\16 Drawings\16	6.4 Civil\16.4.4-Construction\110 - R	oads\ACAD-3	4398-01-114-01-01-RR01.	dwg


Plot Date: 14/08/2023

ZONE 4


ZONE 3

KEY PLAN SCALE 1:1500 ZONE 5

ZONE 2




0.9 1.0 1.1 1.3 1.3 GRAPH FOR THE DEPTH OF THE FOUNDATION



SCALE 1:5


FRONT ELEVATION TYPICAL ERECTION BRACKETS





TYPICAL WELDING DETAIL

POSITIONING OF REGULATORY AND WARNING SIGNS

SCALE 1:50









REINFORCEMENT FOR STANDARD ROAD SIGNS

SCALE 1:25







TYPICAL PLACING DETAILS -
SHARP CURVE CHEVRONS W405/W406

SHARP CURVE CHEVRON SPACING RADIUS OF CURVE SPACING R(m) S(m) 60 8-15 150 15-25 300 25 25 600

NOTES:


1. WHEN SHARP CURVE CHEVRON SIGNS ARE USED AROUND A LONG CURVE THEY SHOULD BE ARRANGED SO THAT AT LEAST THREE SIGNS CAN BE SEEN BY THE DRIVER AT ANY TIME

2. IT IS RECOMMENDED THAT THE FIRST SIGN TO BE POSITIONED SHOULD BE PLACED ON THE APPROXIMATE LINE OF SIGHT OF DRIVERS APPROACHING ON THE TANGENT TO THE CURVE SUBSEQUENT SIGNS SHOULD THEN BE SPACED A DISTANCE "S" BACKWARDS AND FORWARDS FROM THIS SIGN ALONG THE CURVE SO THAT THE LAST SIGN IN EACH DIRECTION IS POSITIONED APPROXIMATELY AT THE TANGENT POINT TO THE CURVE

1:5 SLOPE -CLASS 20/19 CONCRETE -(OR AS SPECIFIED BY THE **ENGINEER**) ø12mm ANCHOR PIN 300mm LONG THROUGH POST GRAVEL LAYER 500

SIGN FOUNDATION DETAIL

SCALE 1:10



ATTACHMENT DETAIL FOR SIGN BOARDS

POSITIONING OF HAZARD MARKER SIGNS

CLIENT PLAN NUMBER APPROVED BY COUNCIL / CLIENT DATE INITIAL CODE REVISION DESCRIPTION CLIENT DO NOT SCALE DRAWING 4-08-23 B.M. A ISSUED FOR INFORMATION IF IN DOUBT, REFER TO DRAWING OFFICE REFERENCE DRAWINGS DATE REG. NO. CITY ENGINEER / CLIENT DRAWING DESCRIPTION NUMBER AMENDMENTS CODE /A: BY CLIENT A-Y /: REPORT/DESIGN/TENDER South African National Biodiversity Institut /B : BY ARCHITECT 0-99 / : CONSTRUCTION Z /: AS BUILT /C : BY MECHANICAL OR ELECTRICAL /D : BY BVi

/E : BY OTHER (

e e		Sulting Engineer	ENGINEERING	BUILDING COUNCIL SA REUBER ORGANISATION - BOTS
	PROVINCE	Visit or contact of OFFICE	s online at www.bvigroup.co.za	E-MAIL

Gauteng — Pretoria — +27 12 940 1111 — pta@bvigp.co.za

PROJECT	PROJECT APPROVED B				
THOHOYANDOU	ENGINEER/TECHNOLOGIST		REG. NO	O. DATE	
DRAWING TITLE	SCALE	AS SHOWN	DRAWN	м.а темве	
TVDIOAL DOAD MADICINIOO	DESIGNED	M.A TEMBE	CHECKED	B. MATYEKA	
TYPICAL ROAD MARKINGS		PLAN NUMBER	REV. NO.	DATE SAVED	
AND ROAD SIGN DETAILS	 34398-	-01-114-02-01	A	14/08/2023 MassiguiniT	

P:\34398-01\16 Drawings\16.4 Civil\16.4.4-Construction\110 - Roads\ACAD-34398-01-114-02-01.dwg

TRAFFIC SIGNS MANUAL

NOTES:

SIGNS:

2. ALL TRAFFIC SIGN FACES TO BE OF CLASS 1 ENGINEERING GRADE RETRO REFLECTIVE MATERIAL AND MUST COMPLY WITH SABS 1519-1990

3. STEEL PLATES FOR ROAD SIGNS SHALL BE 1.4mm THICK CROMADEK G275 GALVANIZED STEEL PLATE, WHICH HAS BEEN TREATED ON BOTH SIDES WITH AN EPOXY PRIMER FOLLOWED BY A SILICON POLYESTER TOP COAT 4. THE TOTAL DRY THICKNESS OF THE TREATMENT SHALL BE AT LEAST 0.025mm 5. COLOR CODES TO CONFORM WITH THE NEW REVISED COLOR CODES AS SPECIFIED IN THE LATEST EDITION OF THE SOUTH AFRICAN ROAD

1. ANY DISCREPANCY TO BE BROUGHT TO THE ATTENTION OF THE ENGINEER

POSTS:

1. FINISH:

ALL TYPES SHALL BE STRAIGHT, FREE FROM HAMMER MARKS, BURRS AND ROUGHNESS BEND OR WARPED ITEMS SHALL BE RETURNED FOR REPLACEMENT ON THE CONTRACTORS EXPENSE ONLY NEW MATERIALS, FREE FROM DEFECTS AND RUST SHALL BE USED

2. GALVANIZING: POSTS SHALL BE HOT DIPPED ZINC COATED (GALVANIZED) IN ACCORDANCE WITH THE REQUIREMENTS OF SABS 763

3. SPECIFICATIONS:

"D" SECTION POLES THE SECTION OF THE SIGN POLES SHALL BE OF A D-SECTION OBTAINED BY ROLLING FLAT MILD STEEL PLATE OF 2mm WALL THICKNESS TO THE DESIRED FORM, AND SEAM-WELDING IT ALONG THE ENTIRE LENGTH THE D-SECTION EXTRUDED FROM STANDARD PIPE SECTION IS NOT ACCEPTABLE

4. THE D-SECTION MUST HAVE A FLAT BASE OF APPROXIMATELY 63mm MEASURED EXTERNALLY AND THE CIRCULAR PART AN EXTERNAL DIAMETER OF 76mm. THE HEIGHT FROM THE FLAT BASE TO THE TOP OF THE CIRCLE MUST BE 76mm MEASURED EXTERNALLY


5. HOLES OF 12mm DIAMETER ARE TO BE DRILLED THROUGH THE POST RECTANGULARLY ALONG THE CENTER OF THE FLAT BASE.EACH POST IS TO BE BLANKED OFF AT THE TOP BY MEANS OF A MILD STEEL PLATE, WITH THE SAME FORM AS THE D-SECTION AND AT LEAST 3mm THICK. WELDED TO THE TOP. THE WELDING JOINT MUST BE WATERTIGHT AND SMOOTHED OFF AFTER WELDING


ROAD MARKINGS:

1. ALL ROAD PAINT MARKINGS AS SPECIFIED IN THE LATEST EDITION OF THE SOUTH AFRICAN ROAD TRAFFIC MANUAL


2. WHERE EXISTING ROAD MARKINGS WILL BE IN CONFLICT WITH ANY NEW MARKINGS, THE OLD MARKINGS MUST FIRST BE REMOVED BY MEANS OF SANDBLASTING BEFORE THE APPLICATION OF THE NEW MARKINGS 3. ALL MARKINGS MUST BE CHECKED AND APPROVED AT PRE-MARKING STAGE

BEFORE ANY PAINTING TAKES PLACE ATTENTION IS DRAWN TO 5.3.3. OF THE 1200 MM STANDARD SPECIFICATIONS 4. ALL ROAD MARKING PAINT TO BE MANUFACTURED ACCORDING TO SABS STANDARD: SABS 731 - 1987







TYPE 1: SMALL SIDE DRAIN ALLOWING ERF ACCESS SCALE 1: 25





TYPE 2: SMALL SIDE DRAIN WITH NO ERF ACCESS SCALE 1: 25




TYPE 3: SMALL SIDE DRAIN ALLOWING ERF ACCESS SCALE 1: 25










	CLIENT PLAN NUMBER	APPROVED BY COUNCIL / CLIENT	DATE INITIAL CODE	REVISION DESCRIPTION	CLIENT	♦ CESA <u>₽</u> P	PROJECT	APPROV	ED BY BVi	
DO NOT SCALE DRAWING IF IN DOUBT, REFER TO DRAWING OFFICE			20-03-23 B.M. A ISSI	SUED FOR INFORMATION	_	CES Vision Complete Con	THOHOYANDOU			
	REFERENCE DRAWINGS	CITY ENGINEER / CLIENT REG. NO. DATE			SANBI 🥦 🌏 🦎	• ENGINEERING		ENGINEER/TECHNOLOGIST	REG. NO.	D. DATE
	NUMBER DRAWING DESCRIPTION		_		DAINDI MARTINI	PROCUREMENT MANAGEMENT	DRAWING TITLE	SCALE AS SHOWN	DRAWN	M.A TEMBE
		AMENDMENTS CODE			Biodiversity for Life	MANAGEMENT	DIOWING TITLE			
		A-Y /: REPORT/DESIGN/TENDER /A: BY CLIENT			South African National Biodiversity Institute	BVi Consulting Engineers Gauteng Pty (Ltd)		DESIGNED M.A TEMBE	CHECKED	B. MATYEKA
		0-99 / : CONSTRUCTION /B : BY ARCHITECT			South Afficant National Biodiversity institute	Registration no. 1998/000322/07	CTODAMMATED DETAILS	PLAN NUMBER	REV. NO.	DATE SAVED
		Z /: AS BUILT /C: BY MECHANICAL OR ELECTRICAL /D: BY BVI				Visit or contact us online at www.bvigroup.co.za	STORMWATER DETAILS			27/03/2023
		/E:BYOTHER()				PROVINCE OFFICE E-MAIL		34398-01-123-01-	011 A li	27/03/2023 MassiquiniT
		U/E:BY OTHER()				Gauteng — Pretoria — +27 12 940 1111 — pta@bvigp.co.za		0.000 01 120 01	۱' ۱' ا'۲	musorquilli i



AT ROAD SURFACE

CLASS 'B' BEDDING

(LOAD FACTOR = 1.9)

-(5)

-(4)

SHAPE BOTTOM OF TRENCH CONCENTRIC WITH PIPE WALL

D/4 100 MIN. 200 MAX.

(D + 200) MIN.

CLASS 'A' BEDDING

(LOAD FACTOR = 3.0) N.T.S.


		,		NTIONS IN			
Ø	= 90°	i = 1:1	.5 h =	= 300mm	& H =	600mm	1
NORM. PIPE Ø	w	B	(L)	NORM. PIPE Ø	W	B	(L)
225	725	1000	1580	675	1175	1240	2320
300	800	1000	1650	750	1250	1350	2520
375	875	1000	1720	825	1325	1460	2720
450	950	1000	1800	900	1400	1575	2940
525	1025	1010	1890	1050	1550	1800	3360
600	1100	1125	2100	1200	1700	2025	3780

NOTES:

- (2) HEAD WALL, WING WALL AND APRON SLAB IN 25/38 (CLASS 'B') CONCRETE.
- 3 ALL EXPOSED CORNERS 10 x 10 CHAMFERED.

	DIM	ENSI	0 N S		REINFORCING							
В	Н	S	0	К	BAR A	L	CUT- LENGHT	BEND	BAR C	BEND		
1 x 600	300	775	980	130	Y12 - 225	900	1100		4Y10 - 250			
2 x 600	450	1630	1840	130	Y12 - 225	1760	1950] (8Y10 - 250	.		
3 x 600	600	2480	2690	130	Y12 - 225	2610	2800		11Y10 - 250			
1 x 750	300	940	1150	130	Y12 - 180	1060	1250] '	5Y10 - 250	£ _		
2 x 750	450	1960	2170	130	Y12 - 180	2090	2300] ₈	9Y10 - 250	culvert length exceed 10m		
3 x 750	600	2980	3190	130	Y12 - 180	3110	3300	ends	13Y10 - 250	t p		
1 x 900	300	1100	1310	150	Y12 - 160	1230	1450] s	5Y10 - 250	culvert		
2 x 900	450 600	2280	2490	150	Y12 - 160	2410	2600	Lalternative	10Y10 - 250			
3 x 900	900	3460	3670	150	Y12 - 160	3590	3800	_ #	15Y10 - 250	with		
1 x 1200	450	1420	1630	175	Y12 - 160	1550	1750	🕏	8Y10 - 200			
2 x 1200	600 900	2920	3130	175	Y12 - 160	3050	3150	hook	18Y10 - 200			
3 x 1200	1200	4420	4630	175	Y12 - 160	4550	4750		22Y10 - 200			
1 x 1500	600	1770	1980	175	Y12 - 130	1900	2100	Place	9Y10 - 200			
2 x 1500	900 1200	3620	3830	175	Y12 - 130	3750	3950] =	18Y10 - 200	L Ler Unit		
3 x 1500	1500	5470	5680	175	Y12 - 130	5600	5800		27Y10 - 200			
1 x 1800	600 - 900	2080	2290	200	Y12 - 125	2210	2450	+	13Y10 - 180	+		
2 x 1800	1500 - 1800	4230	4440	200	Y12 - 125	4350	4600		28Y10 - 150			
1 x 2400	900 - 1200	2710	2920	225	Y16 - 170	2840	3200		19Y10 - 150			
2 x 2400	1800 - 2400	5500	5710	225	Y16 - 170	5630	6000		37Y10 - 150			
1 x 3000	900 - 3000	3320	3530	250	Y16 - 150	3450	3800		23Y10 - 150			

- 1 ALL CONCRETE MUST BE CLASS 25/38 UNLESS OTHERWISE SPECIFIED.
- 2 CONCRETE COVER 40mm Min.
- 3 PRECAST REINFORCED BOX CULVERTS MUST COMPLY WITH SABS 986 AS WELL AS ADDITIONAL TEST LOADS AS SPECIFIED.



TYPE 1

DETAIL : CROSS EXPANSION-JOINTS IN SLAB

GENERAL DETAIL FOR THE LAYING OF CONCRETE PIPES

NOTES:

MIN. (mm) (mm)

575 475

850 | 660 | 560

925 750 650

1000 835 735

1425 1170 1070

1000 900

525 1125 920 820

675 1315 1090 990

825 1540 1250 1150 900 1650 1330 1230

1050 1875 1500 1400

1200 2200 1650 1550

1350 2350 1800 1650

225

300

375

450

750


(D + 200) MIN

CONCRETE ENCASEMENT

750

1200

- 1 SIMBOLS
- W = SPECIFIED TRENCH WIDTH
- D = OUTSIDE DIAMETER OF PIPE
- S = HIGHT OF FILLING BEFORE TRENCH IS DUG AND PIPE IS LAYED, ACCEPT WHERE NATURAL GROUND IS HIGHER THAN DIMENSION 'S' ABOVE THE SPECIFIED INVERT LEVEL OF THE PIPE.
- $\mathsf{B} = \mathsf{MINIMUM}$ COVER UNDER FINAL ROAD— OR STREET SURFACE FOR THE GIVEN CLASS OF BEDDING.
- ② CONCRETE SUBBASE OR CONCRETE ENCASEMENT OF 20/38/CLASS'C' CONCRETE
- 3 BEDDING LAYER FROM 100mm MIN. THICKNESS COMPACTED TO 93% MOD AASHTO DENSITY WITH GRANULAR MATERIAL OF LESS THAN 13.2mm GRADING, 80% GREATER THAN 0.4mm AND PLASTICITY INDEX > 6
- (4) ENCASEMENT LAYER COMPACTED IN 150mm LAYERS TO 93% MOD AASHTO DENSITY WITH SELECTED MATERIAL OF LESS THAN 37,5mm (WHERE 5% CEMENT BY MASS IS ADDED : AT STREET CROSSINGS IF SPECIFIED BY THE ENGINEER ON SITE.)
- 5 BACKFILL (OR LAYER WORK AT ROAD SURFACES)



TYPICAL CROSS SECTION: SINGLE UNIT

GENERAL DETAIL FOR THE LAYING OF PRECAST BOX CULVERTS

		CLIENT PLAN NUMBER	APPROVED BY	COUNCIL / CLIENT	DATE	INITIAL	CODE	REVISION DESCRIPTION	CLIENT
DO NOT SCALE DRAWING IF IN DOUBT, REFER TO DRAWING OFFICE					20-03-23	B.M.	A	ISSUED FOR INFORMATION	
		REFERENCE DRAWINGS							SANRI
	NUMBER	DRAWING DESCRIPTION	CITY ENGINEER / CLIENT	REG. NO. DATE					SANBI 🦭 🛂 🦠
		***	AMENDA	MENTS CODE					Biodiversity for Life
			A-Y /: REPORT/DESIGN/TENDER	II /A: BY CLIENT					
			0-99 / : CONSTRUCTION	/B : BY ARCHITECT					South African National Biodiversity Institut
			Z /: AS BUILT	/C : BY MECHANICAL OR ELECTRICAL					
				/D: BY BVi					



PROJECT		APPROVED B	3Y BVi				
THOHOYANDOU	ENGINEER/TECHNOLOGIST		REG. NO. DAT				
DRAWING TITLE	SCALE	AS SHOWN	DRAWN	M.A TEMBE	1		
	DESIGNED	M.A TEMBE	CHECKED	B. MATYEKA	34398		
CULVERT DETAIL		PLAN NUMBER	REV. NO.	DATE SAVED	9		
COLVERT DETAIL	34398-	01-123-01-02	А	27/03/2023 MassiquiniT	120-01-01-RA		