

Plantbeskerming Fire Register 2022							
Number	TYPE	SIZE	Location	SERVICE	P/TEST	REFILL	NEXT P/TEST
1	DCP	1.5 kg	Insects - Quarantine	07/2022	2019		2024
2	DCP	4.5 kg	Insects - Passage	07/2022	2019		2024
3	DCP	4.5 kg	Insects - Offices	07/2022	2020		2025
4	DCP	4.5 kg	Insects - Offices	07/2022	2019		2024
5	DCP	4.5 kg	Bees - Library	07/2022	2020		2025
6	DCP	4.5 kg	Bees - Passage	07/2022	2019		2024
7	DCP	1.5 kg	Bees - Chris	07/2022	2019		2024
8	DCP	4.5 kg	Bees - Mike	07/2022	2020		2025
9	DCP	4.5 kg	Bees - Workshop	07/2022	2019		2024
10	DCP	9 kg	Bees - Garage	07/2022	2019		2024
11	DCP	9 kg	Bees - Honey room	07/2022	2019		2024
12	H		Bees - Outside	07/2022			
13	DCP	4.5 kg	Insects - Carport	07/2022	2019		2024
14	CO2	2 kg	IGKW	07/2022	2017		2027
15	CO2	2 kg	IGKW - Ian's Office	07/2022	2018		2028
16	CO2	2 kg	IGKW – Office 40	07/2022	2018	Yes	2028
16 A	CO2	2 kg	Soilborne	07/2022	2022	Yes	2032
17	CO2	2 kg	IGKW - Pieter's Office – Room 27	07/2022	2018		2028
18	CO2	2 kg	Soilborne disease	07/2022	2017		2027
19	CO2	2 kg	Computer room – Soilborne	07/2022	2018		2028
20	DCP	1.5 kg	Soilborne disease - A21	07/2022	2019		2024
21	CO2	2 kg	IGKW - Hein's office 18	07/2022	2018		2028
22	DCP	1.5 kg	Soilborne disease - Lab 17	07/2022	2019		2024
23	DCP	4.5 kg	Soilborne disease - Passage	07/2022	2020		2025
24	DCP	1.5 kg	Soilborne disease - Lab 13	07/2022	2019		2024
25	DCP	1.5 kg	Soilborne disease - Lab 17	07/2022	2019		2024
26	DCP	9 kg	Soilborne disease - Passage	07/2022	2019		2024

27	H		Soilborne disease - Outside	07/2022			
28	DCP	9 kg	Soilborne disease - Parking	07/2022	2019		2024
29	CO ₂	2 kg	IGKW – Office 29	07/2022	2018		2028
30	DCP	4.5 kg	Soilborne disease - Parking	07/2022	2019		2024
31	DCP	9 kg	Farm - Autoclave	07/2022	2019		2024
32	DCP	9 kg	Farm - Toilet	07/2022	2019		2024
33	DCP	2.5 kg	Farm - Cloak room	07/2022	2019		2024
34	DCP	1.5 kg	Dap's Office	07/2022	2019		2024
34 A	DCP	1.5 kg	Dap's Office	07/2022	2019		2024
35	HR	30m	Dap's Office outside	07/2022			
36	DCP	9 kg	Library	07/2022	2019		2024
37	DCP	9 kg	Storeroom	07/2022	2019		2024
38	DCP	4.5 kg	Storeroom	07/2022	2019		2024
39	HR	30m	Receptions' courtyard	07/2022			
40	DCP	1.5 kg	Conference room	07/2022	2019		2024
41	DCP	1.5 kg	Conference room	07/2022	2019		2024
42	DCP	1.5 kg	Conference room	07/2022	2020		2025
43	DCP	1.5 kg	Conference room	07/2022	2019		2024
44	DCP	4.5 kg	Conference room	07/2022	2019		2024
45	CO ₂	2 kg	Receptions' passage	07/2022	2017		2027
Number	TYPE	SIZE	Location	SERVICE	P/TEST	REFILL	
46	CO ₂	2 kg	Server room	07/2022	2017		2027
47	DCP	4.5 kg	Receptions' toilet	07/2022	2019		2024
48	DCP	9 kg	Dining Room	07/2022	2019		2024
49	DCP	4.5 kg	Kitchen	07/2022	2019		2024
50	HR	30m	Kitchen outside	07/2022			
51	Hosebox		Pathogens outside	07/2022			
52	H		Pathogens outside	07/2022			

53	DCP	2.5 kg	Pathogens - Small lab		07/2022	2019		2024
54	DCP	9 kg	Pathogens - Carport		07/2022	2019		2024
55	CO ₂	2 kg	Pathogens - Big lab		07/2022	2021		2031
56	DCP	4.5 kg	Pathogens - Kitchen		07/2022	2019		2024
57	CO ₂	2 kg	Pathogens - Passage		07/2022	2017		2027
58	CO ₂	2 kg	Pathogens - Passage		07/2022	2017		2027
59	DCP	4.5 kg	Pathogens - Quarantine	New Supply		2022		2027
60	DCP	4.5 kg	Soilborne disease - Chemical lab		07/2022	2019		2024
61	DCP	9 kg	Soilborne disease - Carport/dam		07/2022	2019		2024
62	DCP	4.5 kg	Workshop		07/2022	2019		2024
63	DCP	4.5 kg	Workshop		07/2022	2019		2024
64	DCP	9 kg	Workshop		07/2022	2019		2024
65	DCP	4.5 kg	Workshop		07/2022	2019		2024
66	HR	30m	Workshop - Outside	No Water				
67	DCP	4.5 kg	Workshop - Garage		07/2022	2019		2024
68	DCP	2.5 kg	Bees – Bakkie (Kantoor)		07/2022	2019		2024
69	DCP	1.5 kg	Toyota Ettios		07/2022	2019		2024
70	DCP	1.5 kg	4 x 4		07/2022	2019		2024
71	DCP	1.5 kg	Bakkie	Not Service		2019		2024
72	DCP	1.5 kg	Toyota Hilux		07/2022	2019		2024
73	HR	30m	Soilborne disease outside		07/2022			
74								
75	DCP	1.5 kg	Venture		07/2022	2019		2024
76	DCP	1.5 kg	Toyota Corolla		07/2022	2019		2024
77	DCP	1.5 kg	Nissan double Cab	Missing		2019		2024
78	DCP	1.5 kg	Ekstra brandblusser Dap's office		07/2022	2019		2024
79	HR	30m	Pathogens - Outside		07/2022			
80								
81	DCP	9 kg	Pathogens – gas		07/2022	2021		2026

82	DCP	9 kg	Bees – gas		07/2022	2019		2024
----	-----	------	------------	--	---------	------	--	------