



## NEC3 Term Service Contract (TSC3)

Between **ESKOM HOLDINGS SOC Ltd**  
(Reg No. 2002/015527/30)

and **[Insert at award stage]**  
(Reg No. \_\_\_\_\_)

for **Occupational Hygiene and Safety Services**

---

<b>Contents:</b>	<b>No</b>	<b>of</b>
	<b>pages</b>	
<b>Part C1 Agreements &amp; Contract Data</b>	<b>[•]</b>	
<b>Part C2 Pricing Data</b>	<b>[•]</b>	
<b>Part C3 Scope of Work</b>	<b>[•]</b>	

---

**CONTRACT No. [Insert at award stage]**

---

## **PART C1:      AGREEMENTS & CONTRACT DATA**

---

<b>Contents:</b>	<b>No      of pages</b>
<b>C1.1 Form of Offer and Acceptance</b>	<b>[•]</b>
<b>C1.2a Contract Data provided by the <i>Employer</i></b>	<b>[•]</b>
<b>C1.2b Contract Data provided by the <i>Contractor</i></b>	<b>[•]</b>
<b>C1.3 Proforma Guarantees</b>	<b>[•]</b>

---

# C1.1 Form of Offer & Acceptance

## 1.1 Offer

The Employer, identified in the Acceptance signature block, has solicited offers to enter into a contract for the procurement of:

### Occupational Hygiene and Safety Services

The tenderer, identified in the Offer signature block, has examined the documents listed in the Tender Data and addenda thereto and by submitting this Offer has accepted the Conditions of Tender.

By the representative of the tenderer, deemed to be duly authorised, signing this part of this Form of Offer and Acceptance the tenderer offers to perform all of the obligations and liabilities of the *Contractor* under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the *conditions of contract* identified in the Contract Data.

Options A	The offered total of the Prices exclusive of VAT is	R [•]
	Value Added Tax @ 15% is	R [•]
	The offered total of the amount due inclusive of VAT is <sup>1</sup>	R [•]
	(in words) [•]	

This Offer may be accepted by the Employer by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this document including the Schedule of Deviations (if any) to the tenderer before the end of the period of validity stated in the Tender Data, or other period as agreed, whereupon the tenderer becomes the party named as the *Contractor* in the *conditions of contract* identified in the Contract Data.

Signature(s)

Name(s) \_\_\_\_\_

Capacity \_\_\_\_\_

**For the tenderer:** \_\_\_\_\_

(Insert name and address of organisation)

Name & signature of witness \_\_\_\_\_ Date \_\_\_\_\_

Tenderer's CIDB registration number:

<sup>1</sup> This total is required by the *Employer* for budgeting purposes only. Actual amounts due will be assessed in terms of the *conditions of contract*.

## 1.2 Acceptance

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the tenderer's Offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the *conditions of contract* identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the Employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

- Part C1        Agreements and Contract Data, (which includes this Form of Offer and Acceptance)
- Part C2        Pricing Data
- Part C3        Scope of Work: Service Information

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the Employer during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.

The tenderer shall within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the *conditions of contract* identified in the Contract Data at, or just after, the date this agreement comes into effect. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed and signed original copy of this document, including the Schedule of Deviations (if any).

Signature(s)

Name(s)

Capacity

**for        the  
Employer**

\_\_\_\_\_  
(Insert name and address of organisation)

Name        &  
signature    of  
witness

Date

Note: If a tenderer wishes to submit alternative tenders, use another copy of this Form of Offer and Acceptance.

### 1.3 Schedule of Deviations to be completed by the *Employer* prior to contract award

Note:

1. This part of the Offer & Acceptance would not be required if the contract has been developed by negotiation between the Parties and is not the result of a process of competitive tendering.
2. The extent of deviations from the tender documents issued by the Employer prior to the tender closing date is limited to those permitted in terms of the Conditions of Tender.
3. A tenderer's covering letter must not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid be the subject of agreement reached during the process of Offer and Acceptance, the outcome of such agreement shall be recorded here and the final draft of the contract documents shall be revised to incorporate the effect of it.

No.	Subject	Details
1	[•]	[•]
2	[•]	[•]
3	[•]	[•]
4	[•]	[•]
5	[•]	[•]
6	[•]	[•]
7	[•]	[•]

By the duly authorised representatives signing this Schedule of Deviations below, the Employer and the tenderer agree to and accept this Schedule of Deviations as the only deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Tender Schedules, as well as any confirmation, clarification or changes to the terms of the Offer agreed by the tenderer and the Employer during this process of Offer and Acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Form shall have any meaning or effect in the contract between the parties arising from this Agreement.

**For the tenderer:**

**For the Employer**

Signature \_\_\_\_\_

\_\_\_\_\_

Name \_\_\_\_\_

\_\_\_\_\_

Capacity \_\_\_\_\_

\_\_\_\_\_

On behalf of *(Insert name and address of organisation)*

*(Insert name and address of organisation)*

Name & signature of witness \_\_\_\_\_

\_\_\_\_\_

Date \_\_\_\_\_

\_\_\_\_\_

# C1.2 TSC3 Contract Data

## Part one - Data provided by the *Employer*

Clause	Statement	Data
1	<b>General</b>	
	The <i>conditions of contract</i> are the core clauses and the clauses for main Option:  dispute resolution Option and secondary Options	<b>A: Priced contract with price list</b> <b>W1: Dispute resolution procedure</b>  <b>X1: Price adjustment for inflation</b> <b>X2 Changes in the law</b> <b>X13 Performance bond</b> <b>X17: Low service damages</b> <b>X18: Limitation of liability</b> <b>X19: Task Order</b>  <b>Z: Additional conditions of contract</b>
	of the NEC3 Term Service Contract April 2013 <sup>2</sup> (TSC3)	
10.1	The <i>Employer</i> is (name):  Address	<b>Eskom Holdings SOC Ltd (reg no: 2002/015527/30), a state owned company incorporated in terms of the company laws of the Republic of South Africa</b>  <b>Registered office at Megawatt Park, Maxwell Drive, Sandton, Johannesburg</b>
10.1	The <i>Service Manager</i> is (name):  Address  Tel  e-mail	<b>Medupi Power Station, Steenbokpan Road</b>  <b>014 762</b>
11.2(2)	The Affected Property is	<b>Medupi Power Station</b>
11.2(13)	The <i>service</i> is	<b>Occupational Hygiene and Safety Services</b>
11.2(14)	The following matters will be included in the Risk Register	<b>All risks will be proactively identified, registered, and addressed during the risk register meeting that will take place as agreed between the parties</b>

<sup>2</sup> Available from Engineering Contract Strategies Tel 011 803 3008 Fax 086 539 1902 [www.ecs.co.za](http://www.ecs.co.za)

11.2(15)	The Service Information is in	<b>Part 3: Scope of Work and all documents and drawings to which it makes reference.</b>
12.2	The <i>law of the contract</i> is the law of	<b>the Republic of South Africa</b>
13.1	The <i>language of this contract</i> is	<b>English</b>
13.3	The <i>period for reply</i> is	<b>5 working days</b>
<b>2</b>	<b>The Contractor's main responsibilities</b>	
21.1	The <i>Contractor</i> submits a first plan for acceptance within	<b>4 weeks of the Contract Date</b>
<b>3</b>	<b>Time</b>	
30.1	The <i>starting date</i> is.	<b>TBC</b>
30.1	The <i>service period</i> is	<b>18 Months</b>
<b>4</b>	<b>Testing and defects</b>	
40.3	The <i>Contractor</i> notifies the <i>Service Manager</i>	<b>24 hours for a test or inspection to be done</b>
42.2	The <i>Contractor</i> corrects notified Defects within	<b>7 days of receiving the notification</b>
<b>5</b>	<b>Payment</b>	
50.1	The <i>assessment interval</i> is	<b>between the 25th day of each successive month.</b>
51.1	The <i>currency of this contract</i> is the	<b>South African Rand</b>
51.2	The period within which payments are made is	<b>30 calendar days after reception of a valid tax invoice for contracts valued below R50 000 0000.00 (Fifty Million Rands) excluding VAT. 60 calendar days after reception of a valid tax invoice for contracts valued R50 000 0000.00 (Fifty Million Rands) excluding VAT and above</b>
51.4	The <i>interest rate</i> is	<b>the publicly quoted prime rate of interest (calculated on a 365 day year) charged by from time to time by the Standard Bank of South Africa Limited (as certified, in the event of any dispute, by any manager of such bank, whose appointment it shall not be necessary to prove) for amounts due in Rands</b>
<b>6</b>	<b>Compensation events</b>	<b>As per NEC3 TSC Core clause 6</b>
<b>7</b>	<b>Use of Equipment Plant and Materials</b>	<b>As per NEC3 TSC Core clause 7</b>
<b>8</b>	<b>Risks and insurance</b>	
80.1	These are additional <i>Employer's</i> risks	<b>All risks will be proactively identified, registered, and addressed during the risk register meeting that will take place as agreed between the parties.</b>
<b>9</b>	<b>Termination</b>	<b>As per NEC3 TSC Core clause 9</b>

<b>10</b>	<b>Data for main Option clause</b>	
<b>A</b>	<b>Priced contract with price list</b>	
20.5	The <i>Contractor</i> prepares forecasts of the final total of the Prices for the whole of the <i>service</i> at intervals no longer than	<b>4 weeks.</b>
<b>11</b>	<b>Data for Option W1</b>	
W1.1	The <i>Adjudicator</i>	the person selected from the ICE-SA Division (or its successor body) of the South African Institution of Civil Engineering Panel of Adjudicators by the Party intending to refer a dispute to him. (see <a href="http://www.ice-sa.org.za">www.ice-sa.org.za</a> ). If the Parties do not agree on an Adjudicator the Adjudicator will be appointed by the Arbitration Foundation of Southern Africa (AFSA).
	Address	1st Floor, Maisels Chamber, 4 Protea Place, Sandton
	Tel No.	011 320 0600
	Fax No.	011 320 0533
	e-mail	info@arbitration.co.za
W1.2(3)	The <i>Adjudicator nominating body</i> is:	the Chairman of ICE-SA a joint Division of the South African Institution of Civil Engineering and the Institution of Civil Engineers (London) (see <a href="http://www.ice-sa.org.za">www.ice-sa.org.za</a> ) or its successor body.
W1.4(2)	The <i>tribunal</i> is:	arbitration
W1.4(5)	The <i>arbitration procedure</i> is	the latest edition of Rules for the Conduct of Arbitrations published by The Association of Arbitrators (Southern Africa) or its successor body.
	The place where arbitration is to be held is	South Africa
	The person or organisation who will choose an arbitrator	the Chairman for the time being or his nominee of the Association of Arbitrators (Southern Africa) or its successor body.
	- if the Parties cannot agree a choice or - if the arbitration procedure does not state who selects an arbitrator, is	
<b>12</b>	<b>Data for secondary Option clauses</b>	
<b>X1</b>	<b>Price adjustment for inflation</b>	<b>Suggested CPA</b>
X1.1	The <i>base date</i> for indices is	Month prior tender closing date. CPA will apply from months 13
	The proportions used to calculate the	propor ..... linked to index for ..... Index

e	Price Adjustment Factor are:	tion	prepared by								
		[0,15] non-adjustable									
		1.00									
<b>X2</b>	<b>Changes in the law</b>	<b>There is no reference to Contract Data in this Option and terms in italics are identified elsewhere in this Contract Data.</b>									
<b>X13</b>	<b>Performance bond</b>										
X13.1	The amount of the performance bond is	<b>R [This clause is depended on the outcome of financial analysis viability]</b>									
<b>X17</b>	<b>Low service damages</b>										
X17.1	The <i>service level table</i> is in	<table border="1"> <thead> <tr> <th>Description</th> <th>Penalty</th> </tr> </thead> <tbody> <tr> <td>Defective equipment after 3months of service</td> <td>The <i>Contractor</i> to fix at their own cost</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </tbody> </table>		Description	Penalty	Defective equipment after 3months of service	The <i>Contractor</i> to fix at their own cost				
Description	Penalty										
Defective equipment after 3months of service	The <i>Contractor</i> to fix at their own cost										
<b>X18</b>	<b>Limitation of liability</b>										
X18.1	The <i>Contractor's</i> liability to the <i>Employer</i> for indirect or consequential loss is limited to	<b>R0.0 (zero Rand)</b>									
X18.2	For any one event, the <i>Contractor's</i> liability to the <i>Employer</i> for loss of or damage to the <i>Employer's</i> property is limited to	<b>the amount of the deductibles relevant to the event</b>									
X18.3	The <i>Contractor's</i> liability for Defects due to his design of an item of Equipment is limited to	<b>The greater of</b> <b>the total of the Prices at the Contract Date and</b> <b>the amounts excluded and unrecoverable from the <i>Employer's</i> insurance) plus the applicable deductibles</b>									
X18.4	The <i>Contractor's</i> total liability to the <i>Employer</i> , for all matters arising under or in connection with this contract, other than the excluded matters, is limited to	<b>the total of the Prices other than for the additional excluded matters.</b> <b>The <i>Contractor's</i> total liability for the additional excluded matters is not limited.</b> <b>The additional excluded matters are amounts for which the <i>Contractor</i> is liable under this contract for</b>									

		<b>Defects due to his design, plan and specification, Defects due to manufacture and fabrication outside the Affected Property, loss of or damage to property (other than the <i>Employer's</i> property, Plant and Materials), death of or injury to a person and infringement of an intellectual property right.</b>
X18.5	The <i>end of liability date</i> is	<b>12 months after the end of the <i>service period</i>.</b>
<b>X19</b>	<b>Task Order</b>	
X19.2	Task Order delay damages for late delivery after the agreed task order completion date is	<b>R 1 000.00 per day until delivery completion</b>
X19.5	The <i>Contractor</i> submits a Task Order programme to the <i>Service Manager</i> within	<b>5 days of receiving the Task Order</b>
<b>Z</b>	<b>The <i>additional conditions of contract</i> are</b>	<b>Z1 to Z14 always apply.</b>

**Z1 Cession delegation and assignment**

- Z1.1 The *Contractor* does not cede, delegate or assign any of its rights or obligations to any person without the written consent of the *Employer*.
- Z1.2 Notwithstanding the above, the *Employer* may on written notice to the *Contractor* cede and delegate its rights and obligations under this contract to any of its subsidiaries or any of its present divisions or operations which may be converted into separate legal entities as a result of the restructuring of the Electricity Supply Industry.

**Z2 Joint ventures**

- Z2.1 If the *Contractor* constitutes a joint venture, consortium or other unincorporated grouping of two or more persons or organisations then these persons or organisations are deemed to be jointly and severally liable to the *Employer* for the performance of this contract.
- Z2.2 Unless already notified to the *Employer*, the persons or organisations notify the *Service Manager* within two weeks of the Contract Date of the key person who has the authority to bind the *Contractor* on their behalf.
- Z2.3 The *Contractor* does not alter the composition of the joint venture, consortium or other unincorporated grouping of two or more persons without the consent of the *Employer* having been given to the *Contractor* in writing.

**Z3 Change of Broad Based Black Economic Empowerment (B-BBEE) status**

- Z3.1 Where a change in the *Contractor's* legal status, ownership or any other change to his business composition or business dealings results in a change to the *Contractor's* B-BBEE status, the *Contractor* notifies the *Employer* within seven days of the change.
- Z3.2 The *Contractor* is required to submit an updated verification certificate and necessary supporting documentation confirming the change in his B-BBEE status to the *Service Manager* within thirty days of the notification or as otherwise instructed by the *Service Manager*.

- Z3.3 Where, as a result, the *Contractor's* B-BBEE status has decreased since the Contract Date the *Employer* may either re-negotiate this contract or alternatively, terminate the *Contractor's* obligation to Provide the Service.
- Z3.4 Failure by the *Contractor* to notify the *Employer* of a change in its B-BBEE status may constitute a reason for termination. If the *Employer* terminates in terms of this clause, the procedures on termination are P1, P2 and P4 as stated in clause 92, and the amount due is A1 and A3 as stated in clause 93.

#### **Z4 Confidentiality**

- Z4.1 The *Contractor* does not disclose or make any information arising from or in connection with this contract available to Others. This undertaking does not, however, apply to information which at the time of disclosure or thereafter, without default on the part of the *Contractor*, enters the public domain or to information which was already in the possession of the *Contractor* at the time of disclosure (evidenced by written records in existence at that time). Should the *Contractor* disclose information to Others in terms of clause 25.1, the *Contractor* ensures that the provisions of this clause are complied with by the recipient.
- Z4.2 If the *Contractor* is uncertain about whether any such information is confidential, it is to be regarded as such until notified otherwise by the *Service Manager*.
- Z4.3 In the event that the *Contractor* is, at any time, required by law to disclose any such information which is required to be kept confidential, the *Contractor*, to the extent permitted by law prior to disclosure, notifies the *Employer* so that an appropriate protection order and/or any other action can be taken if possible, prior to any disclosure. In the event that such protective order is not, or cannot, be obtained, then the *Contractor* may disclose that portion of the information which it is required to be disclosed by law and uses reasonable efforts to obtain assurances that confidential treatment will be afforded to the information so disclosed.
- Z4.4 The taking of images (whether photographs, video footage or otherwise) of the Affected Property or any portion thereof, in the course of Providing the Service and after the end of the *service period*, requires the prior written consent of the *Service Manager*. All rights in and to all such images vests exclusively in the *Employer*.
- Z4.5 The *Contractor* ensures that all his subcontractors abide by the undertakings in this clause.

#### **Z5 Waiver and estoppel: Add to core clause 12.3:**

- Z5.1 Any extension, concession, waiver or relaxation of any action stated in this contract by the Parties, the *Service Manager* or the *Adjudicator* does not constitute a waiver of rights, and does not give rise to an estoppel unless the Parties agree otherwise and confirm such agreement in writing.

#### **Z6 Health, safety and the environment: Add to core clause 27.4**

- Z6.1 The *Contractor* undertakes to take all reasonable precautions to maintain the health and safety of persons in and about the execution of the *service*. Without limitation the *Contractor*: accepts that the *Employer* may appoint him as the "Principal Contractor" (as defined and provided for under the Construction Regulations 2014 (promulgated under the Occupational Health & Safety Act 85 of 1993) ("the Construction Regulations") for the Affected Property; warrants that the total of the Prices as at the Contract Date includes a sufficient amount for proper compliance with the Construction Regulations, all applicable health & safety laws and regulations and the health and safety rules, guidelines and procedures provided for in this contract and generally for the proper maintenance of health & safety in and about the execution of the *service*; and undertakes, in and about the execution of the *service*, to comply with the Construction

Regulations and with all applicable health & safety laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the *Contractor's* direction and control, likewise observe and comply with the foregoing.

Z6.2 The *Contractor*, in and about the execution of the *service*, complies with all applicable environmental laws and regulations and rules, guidelines and procedures otherwise provided for under this contract and ensures that his Subcontractors, employees and others under the *Contractor's* direction and control, likewise observe and comply with the foregoing.

**Z7 Provision of a Tax Invoice and interest. Add to core clause 51**

Z7.1 Within one week of receiving a payment certificate from the *Service Manager* in terms of core clause 51.1, the *Contractor* provides the *Employer* with a tax invoice in accordance with the *Employer's* procedures stated in the Service Information, showing the amount due for payment equal to that stated in the payment certificate.

Z7.2 If the *Contractor* does not provide a tax invoice in the form and by the time required by this contract, the time by when the *Employer* is to make a payment is extended by a period equal in time to the delayed submission of the correct tax invoice. Interest due by the *Employer* in terms of core clause 51.2 is then calculated from the delayed date by when payment is to be made.

Z7.3 The *Contractor* (if registered in South Africa in terms of the companies Act) is required to comply with the requirements of the Value Added Tax Act, no 89 of 1991 (as amended) and to include the *Employer's* VAT number 4740101508 on each invoice he submits for payment.

**Z8 Notifying compensation events**

---

Z8.1 Delete the last paragraph of core clause 61.3 and replace with:

If the *Contractor* does not notify a compensation event within eight weeks of becoming aware of the event, he is not entitled to a change in the Prices.

---

**Z9 Employer's limitation of liability**

Z9.1 The *Employer's* liability to the *Contractor* for the *Contractor's* indirect or consequential loss is limited to R0.00 (zero Rand)

Z9.2 The *Contractor's* entitlement under the indemnity in 82.1 is provided for in 60.1(12) and the *Employer's* liability under the indemnity is limited to compensation as provided for in core clause 63 and X19.11 if Option X19 Task Order applies to this contract.

**Z10 Termination: Add to core clause 91.1, at the second main bullet point, fourth sub-bullet point, after the words "against it":**

Z10.1 or had a business rescue order granted against it.

**Z11 Ethics**

For the purposes of this Z-clause, the following definitions apply:

**Affected Party** means, as the context requires, any party, irrespective of whether it is the *Contractor* or a third party, such party's employees, agents, or Subcontractors or Subcontractor's employees, or any one or more of all of these parties' relatives or friends,

- Coercive Action** means to harm or threaten to harm, directly or indirectly, an Affected Party or the property of an Affected Party, or to otherwise influence or attempt to influence an Affected Party to act unlawfully or illegally,
- Collusive Action** means where two or more parties co-operate to achieve an unlawful or illegal purpose, including to influence an Affected Party to act unlawfully or illegally,
- Committing Party** means, as the context requires, the *Contractor*, or any member thereof in the case of a joint venture, or its employees, agents, or Subcontractors or the Subcontractor's employees,
- Corrupt Action** means the offering, giving, taking, or soliciting, directly or indirectly, of a good or service to unlawfully or illegally influence the actions of an Affected Party,
- Fraudulent Action** means any unlawfully or illegally intentional act or omission that misleads, or attempts to mislead, an Affected Party, in order to obtain a financial or other benefit or to avoid an obligation or incurring an obligation,
- Obstructive Action** means a Committing Party unlawfully or illegally destroying, falsifying, altering or concealing information or making false statements to materially impede an investigation into allegations of Prohibited Action, and
- Prohibited Action** means any one or more of a Coercive Action, Collusive Action Corrupt Action, Fraudulent Action or Obstructive Action.

- Z11.1 A Committing Party may not take any Prohibited Action during the course of the procurement of this contract or in execution thereof.
- Z11.2 The *Employer* may terminate the *Contractor's* obligation to Provide the Services if a Committing Party has taken such Prohibited Action and the *Contractor* did not take timely and appropriate action to prevent or remedy the situation, without limiting any other rights or remedies the *Employer* has. It is not required that the Committing Party had to have been found guilty, in court or in any other similar process, of such Prohibited Action before the *Employer* can terminate the *Contractor's* obligation to Provide the Services for this reason.
- Z11.3 If the *Employer* terminates the *Contractor's* obligation to Provide the Services for this reason, the amounts due on termination are those intended in core clauses 92.1 and 92.2.
- Z11.4 A Committing Party co-operates fully with any investigation pursuant to alleged Prohibited Action. Where the *Employer* does not have a contractual bond with the Committing Party, the *Contractor* ensures that the Committing Party co-operates fully with an investigation.

**Z12 Insurance**

**Z 12 .1 Replace core clause 83 with the following:**

**Insurance cover 83**

- 83.1 When requested by a Party, the other Party provides certificates from his insurer or broker stating that the insurances required by this contract are in force.
- 83.2 The *Contractor* provides the insurances stated in the Insurance Table A from the *starting date* until the earlier of Completion and the date of the termination certificate.

**INSURANCE TABLE A**

Insurance against	Minimum amount of cover or minimum limit of indemnity

Loss of or damage caused by the <i>Contractor</i> to the <i>Employer's</i> property	The replacement cost where not covered by the <i>Employer's</i> insurance.  The <i>Employer's</i> policy deductible as at Contract Date, where covered by the <i>Employer's</i> insurance.
Loss of or damage to Plant and Materials	The replacement cost where not covered by the <i>Employer's</i> insurance.  The <i>Employer's</i> policy deductible as at Contract Date, where covered by the <i>Employer's</i> insurance.
Loss of or damage to Equipment	The replacement cost where not covered by the <i>Employer's</i> insurance.  The <i>Employer's</i> policy deductible as at Contract Date, where covered by the <i>Employer's</i> insurance.
The <i>Contractor's</i> liability for loss of or damage to property (except the <i>Employer's</i> property, Plant and Materials and Equipment) and liability for bodily injury to or death of a person (not an employee of the <i>Contractor</i> ) arising from or in connection with the <i>Contractor's</i> Providing the Service	<b><u>Loss of or damage to property</u></b> The replacement cost  <b><u>Bodily injury to or death of a person</u></b> The amount required by the applicable law.
Liability for death of or bodily injury to employees of the <i>Contractor</i> arising out of and in the course of their employment in connection with this contract	The amount required by the applicable law

**Z 12.2 Replace core clause 86 with the following:**

**Insurance by the Employer**

86

86.1 The *Employer* provides the insurances stated in the Insurance Table B

**INSURANCE TABLE B**

<b>Insurance against or name of policy</b>	<b>Minimum amount of cover or minimum lir of indemnity</b>
Assets All Risk	Per the insurance policy document
Contract Works insurance	Per the insurance policy document

Environmental Liability	Per the insurance policy document
General and Public Liability	Per the insurance policy document
Transportation (Marine)	Per the insurance policy document
Motor Fleet and Mobile Plant	Per the insurance policy document
Terrorism	Per the insurance policy document
Cyber Liability	Per the insurance policy document
Nuclear Material Damage and Business Interruption	Per the insurance policy document
Nuclear Material Damage Terrorism	Per the insurance policy document

**Z13 Nuclear Liability**

- Z13.1 The *Employer* is the operator of the Koeberg Nuclear Power Station (KNPS), a nuclear installation, as designated by the National Nuclear Regulator of the Republic of South Africa, and is the holder of a nuclear licence in respect of the KNPS.
- Z13.2 The *Employer* is solely responsible for and indemnifies the *Contractor* or any other person against any and all liabilities which the *Contractor* or any person may incur arising out of or resulting from nuclear damage, as defined in Act 44 of 1999, save to the extent that any liabilities are incurred due to the unlawful intent of the *Contractor* or any other person or the presence of the *Contractor* or that person or any property of the *Contractor* or such person at or in the KNPS or on the KNPS site, without the permission of the *Employer* or of a person acting on behalf of the *Employer*.
- Z13.3 Subject to clause Z13.4 below, the *Employer* waives all rights of recourse, arising from the aforesaid, save to the extent that any claims arise or liability is incurred due or attributable to the unlawful intent of the *Contractor* or any other person, or the presence of the *Contractor* or that person or any property of the *Contractor* or such person at or in the KNPS or on the KNPS site, without the permission of the *Employer* or of a person acting on behalf of the *Employer*.
- Z13.4 The *Employer* does not waive its rights provided for in section 30 (7) of Act 44 of 1999, or any replacement section dealing with the same subject matter.
- Z13.5 The protection afforded by the provisions hereof shall be in effect until the KNPS is decommissioned.

**Z14 Asbestos**

For the purposes of this Z-clause, the following definitions apply:

- AAIA** means approved asbestos inspection authority.
- ACM** means asbestos containing materials.
- AL** means action level, i.e. a level of 50% of the OEL, i.e. 0.1 regulated asbestos fibres per ml of air measured over a 4 hour period. The value at which proactive actions is required in order to control asbestos exposure to prevent exceeding the OEL.
- Ambient Air** means breathable air in area of work with specific reference to breathing zone, which is defined to be a virtual area within a radius of approximately 30cm from the nose inlet.
- Compliance Monitoring** means compliance sampling used to assess whether or not the personal exposure of workers to regulated asbestos fibres is in compliance with the Standard's requirements

for safe processing, handling, storing, disposal and phase-out of asbestos and asbestos containing material, equipment and articles.

<b>OEL</b>	means occupational exposure limit.
<b>Parallel Measurements</b>	means measurements performed in parallel, yet separately, to existing measurements to verify validity of results.
<b>Safe Levels</b>	means airborne asbestos exposure levels conforming to the Standard's requirements for safe processing, handling, storing, disposal and phase-out of asbestos and asbestos containing material, equipment and articles.
<b>Standard</b>	means the <i>Employer's</i> Asbestos Standard 32-303: Requirements for Safe Processing, Handling, Storing, Disposal and Phase-out of Asbestos and Asbestos Containing Material, Equipment and Articles.
<b>SANAS</b>	means the South African National Accreditation System.
<b>TWA</b>	means the average exposure, within a given workplace, to airborne asbestos fibres, normalised to the baseline of a 4 hour continuous period, also applicable to short term exposures, i.e. 10-minute TWA.

- Z14.1 The *Employer* ensures that the Ambient Air in the area where the *Contractor* will Provide the Services conforms to the acceptable prescribed South African standard for asbestos, as per the regulations published in GNR 155 of 10 February 2002, under the Occupational Health and Safety Act, 1993 (Act 85 of 1993) ("Asbestos Regulations"). The OEL for asbestos is 0.2 regulated asbestos fibres per millilitre of air as a 4-hour TWA, averaged over any continuous period of four hours, and the short term exposure limit of 0.6 regulated asbestos fibres per millilitre of air as a 10-minute TWA, averaged over any 10 minutes, measured in accordance with HSG248 and monitored according to HSG173 and OESSM.
- Z14.2 Upon written request by the *Contractor*, the *Employer* certifies that these conditions prevail. All measurements and reporting are effected by an independent, competent, and certified occupational hygiene inspection body, i.e. a SANAS accredited and Department of Employment and Labour approved AAIA. The *Contractor* may perform Parallel Measurements and related control measures at the *Contractor's* expense. For the purposes of compliance the results generated from Parallel Measurements are evaluated only against South African statutory limits as detailed in clause Z14.1. Control measures conform to the requirements stipulated in the AAIA-approved asbestos work plan.
- Z14.3 The *Employer* manages asbestos and ACM according to the Standard.
- Z14.4 In the event that any asbestos is identified while Providing the Services, a risk assessment is conducted and if so required, with reference to possible exposure to an airborne concentration of above the AL for asbestos, immediate control measures are implemented and relevant air monitoring conducted in order to declare the area safe.
- Z14.5 The *Contractor's* personnel are entitled to stop working and leave the contaminated area forthwith until such time that the area of concern is declared safe by either Compliance Monitoring or an AAIA approved control measure intervention, for example, per the emergency asbestos work plan, if applicable.
- Z14.6 The *Contractor* continues to Provide the Services, without additional control measures presented, on presentation of Safe Levels. The contractually agreed dates to Provide the Services, including the Completion Date, are adjusted accordingly. The contractually agreed dates are extended by the notification periods required by regulations 3 and 21 of the Asbestos Regulations, 2001.
- Z14.7 Any removal and disposal of asbestos, asbestos containing materials and waste, is done by a registered asbestos contractor, instructed by the *Employer* at the *Employer's* expense, and conducted in line with South African legislation.



# C1.2 Contract Data

**Part two - Data provided by the Contractor**

Clause	Statement	Data
10.1	The <i>Contractor</i> is (Name): Address Tel No. Fax No.	
11.2(8)	The <i>direct fee percentage</i> is	%
	The <i>subcontracted fee percentage</i> is	%
11.2(14)	The following matters will be included in the Risk Register	
11.2(15)	The Service Information for the <i>Contractor's</i> plan is in:	
21.1	The plan identified in the Contract Data is contained in:	
24.1	The key people are: 1 Name: Job: Responsibilities: Qualifications: Experience: 2 Name: Job: Responsibilities: Qualifications: Experience:	
		<b>CV's (and further key person's data including CVs) are in .</b>
<b>A</b>	<b>Priced contract with price list</b>	
11.2(12)	The <i>price list</i> is in	
11.2(19)	The tendered total of the Prices is	<b>R</b>

## PART 2: PRICING DATA

### TSC3 Option A

<b>Document reference</b>	<b>Title</b>	<b>No of pages</b>
C2.1	Pricing assumptions: Option A	2
C2.2	The <i>price list</i>	[•]

## C2.1 Pricing assumptions: Option A

### How work is priced and assessed for payment

Clause 11 in NEC3 Term Service Contract (TSC3) core clauses and Option A states:

**Identified and defined terms** 11.2

(12) The Price List is the *price list* unless later changed in accordance with this contract.

(17) The Price for Services Provided to Date is the total of

- the Price for each lump sum item in the Price List which the *Contractor* has completed and
- where a quantity is stated for an item in the Price List, an amount calculated by multiplying the quantity which the *Contractor* has completed by the rate.

(19) The Prices are the amounts stated in the Price column of the Price List. Where a quantity is stated for an item in the Price List, the Price is calculated by multiplying the quantity by the rate.

This confirms that Option A is a priced contract where the Prices are derived from a list of items of service which can be priced as lump sums or as expected quantities of service multiplied by a rate or a mix of both.

### Function of the Price List

Clause 54.1 in Option A states: "Information in the Price List is not Service Information". This confirms that instructions to do work or how it is to be done are not included in the Price List but in the Service Information. This is further confirmed by Clause 20.1 which states, "The *Contractor* Provides the Service in accordance with the Service Information". Hence the *Contractor* does **not** Provide the Service in accordance with the Price List. The Price List is only a pricing document.

### Link to the *Contractor's* plan

Clause 21.4 states "The *Contractor* provides information which shows how each item description on the Price List relates to the operations on each plan which he submits for acceptance". Hence when compiling the *price list*, the tendering contractor needs to develop his first clause 21.2 plan in such a way that operations shown on it can be priced in the *price list* and result in a satisfactory cash flow in terms of clause 11.2(17).

### Preparing the *price list*

Before preparing the *price list*, both the *Employer* and tendering contractors should read the TSC3 Guidance Notes pages 14 and 15. In an Option A contract, either Party may have entered items into the *price list* either as a process of offer and acceptance (tendering) or by negotiation depending on the nature of the *service* to be provided. Alternatively the *Employer*, in his Instructions to Tenderers or in a Tender Schedule, may have listed some items that he requires the *Contractor* to include in the *price list* to be prepared and priced by him.

It is assumed that in preparing or finalising the *price list* the *Contractor*:

- Has taken account of the guidance given in the TSC3 Guidance Notes relevant to Option A;
- Understands the function of the Price List and how work is priced and paid for;
- Is aware of the need to link operations shown in his plan to items shown in the Price List;

- Has listed and priced items in the *price list* which are inclusive of everything necessary and incidental to Providing the Service in accordance with the Service Information, as it was at the time of tender, as well as correct any Defects not caused by an *Employer's* risk;
- Has priced work he decides not to show as a separate item within the Prices or rates of other listed items in order to fulfil the obligation to complete the *service* for the tendered total of the Prices.
- Understands there is no adjustment to items priced as lump sums if the amount, or quantity, of work within that item later turns out to be different to that which the *Contractor* estimated at time of tender. The only basis for a change to the (lump sum) Prices is as a result of a compensation event.

#### **1.4 Format of the *price list***

(From the example given in an Appendix within the TSC3 Guidance Notes)

Entries in the first four columns in the *price list* in section C2.2 are made either by the *Employer* or the tendering contractor.

If the *Contractor* is to be paid an amount for the item which is not adjusted if the quantity of work in the item changes, the tendering contractor enters the amount in the Price column only, the Unit, Expected Quantity and Rate columns being left blank.

If the *Contractor* is to be paid an amount for an item of work which is the rate for the work multiplied by the quantity completed, the tendering contractor enters the rate which is then multiplied by the Expected Quantity to produce the Price, which is also entered.

If the *Contractor* is to be paid a Price for an item proportional to the length of time for which a service is provided, a unit of time is stated in the Unit column and the expected length of time (as a quantity of the stated units of time) is stated in the Expected Quantity column.

## C2.2 the *price list*

## PART 3: SCOPE OF WORK

<b>Document reference</b>	<b>Title</b>	<b>No of pages</b>
	This cover page	1
C3.1	<i>Employer's Service Information</i>	
C3.2	<i>Contractor's Service Information</i>	
	Total number of pages	

## C3.1: EMPLOYER'S SERVICE INFORMATION

### Contents

<b>Part 3: Scope of Work</b> .....	<b>23</b>
<b>C3.1: Employer's service Information</b> .....	<b>24</b>
<b>3 Description of the service</b> .....	<b>26</b>
3.1 Executive overview.....	26
3.2 <i>Employer's</i> requirements for the <i>service</i> .....	26
3.3 Interpretation and terminology .....	28
<b>4 Management strategy and start up.</b> .....	<b>28</b>
4.1 The <i>Contractor's</i> plan for the <i>service</i> .....	29
4.2 Management meetings.....	29
4.3 <i>Contractor's</i> management, supervision and key people .....	29
4.4 Provision of bonds and guarantees.....	29
4.5 Documentation control .....	29
4.6 Invoicing and payment .....	29
4.7 Contract change management.....	30
4.8 Records of Defined Cost to be kept by the <i>Contractor</i> .....	30
4.9 Things provided at the end of the <i>service period</i> for the <i>Employer's</i> use .....	30
4.9.1 Equipment.....	30
4.9.2 Information and other things .....	30
4.10 Management of work done by Task Order .....	30
<b>5 Health and safety, the environment and quality assurance</b> .....	<b>32</b>
5.1 Health and safety risk management.....	32
5.1.1 Introduction .....	<b>Error! Bookmark not defined.</b>
5.1.2 Section 37(2) (Legal) Agreement.....	32
5.1.3 COID .....	32
5.1.4 Legislative Compliance .....	32
5.1.5 Eskom Life-saving Rules .....	33
5.1.6 Induction training.....	33
5.1.7 Risk Assessments.....	33
5.1.8 Vehicle Management .....	34
5.1.9 Personal Protective Equipment Requirements .....	34
5.1.10 Incident Management .....	35
5.1.11 Emergency Management.....	35
5.1.12 Non-Conformance and Compliance .....	35
5.1.13 OHS FILES .....	35

5.1.14	Work Stoppage .....	36
5.1.15	Eskom's Right to Terminate the Contract .....	36
5.2	Environmental constraints and management.....	36
5.3	Quality assurance requirements .....	37
5.3.1	Contract execution .....	37
5.3.2	<i>Contractor</i> Quality Performance Monitoring Phase .....	37
5.3.3	<i>Contractor</i> Quality Audit.....	37
<b>6</b>	<b>Procurement</b> .....	Error! Bookmark not defined.
<b>7</b>	<b>Procurement</b> .....	<b>38</b>
7.1	People .....	38
7.1.1	Minimum requirements of people employed.....	38
7.1.2	BBBEE and preferencing scheme .....	38
7.2	Subcontracting .....	39
7.2.1	Preferred subcontractors .....	39
7.2.2	Subcontract documentation, and assessment of subcontract tenders .....	39
7.2.3	Limitations on subcontracting .....	39
7.3	Plant and Materials.....	39
7.3.1	Specifications .....	39
7.3.2	Correction of defects .....	40
7.3.3	Tests and inspections before delivery .....	40
7.3.4	Plant & Materials provided "free issue" by the <i>Employer</i> .....	40
<b>8</b>	<b>Working on the Affected Property</b> .....	<b>40</b>
8.1	<i>Employer's</i> site entry and security control, permits, and site regulations .....	40
8.2	People restrictions, hours of work, conduct and records .....	40
8.3	Health and safety facilities on the Affected Property .....	40
8.4	Health and safety facilities on the Affected Property .....	41
8.5	Cooperating with and obtaining acceptance of Others .....	41
8.6	Records of <i>Contractor's</i> Equipment .....	41
8.7	Equipment provided by the <i>Employer</i> .....	41
8.8	Site services and facilities .....	41
8.8.1	Provided by the <i>Employer</i> .....	41
8.8.2	Provided by the <i>Contractor</i> .....	41
8.9	Control of noise, dust, water and waste .....	41
8.10	Hook ups to existing works.....	41
8.11	Tests and inspections .....	41
8.11.1	Description of tests and inspections .....	41
8.11.2	Materials facilities and samples for tests and inspections .....	42
<b>9</b>	<b>List of drawings</b> .....	<b>42</b>
9.1	Drawings issued by the <i>Employer</i> .....	42
<b>10</b>	<b>Appendix A</b> .....	Error! Bookmark not defined.

### 3 Description of the service

#### 3.1 Executive overview

The Scope covers all Occupational Hygiene and Safety equipment's used at Medupi plant systems, including requirements of maintenance for specialised PPE. This will include the replacement of damaged equipment's, supply of accessories and buying new ones.

#### 3.2 Employer's requirements for the service

##### 3.2.1 Routine services

Calibration of OHS equipment's and maintenance of special PPE at Medupi Power Station as specified below. The services to be provided as per SAP PM and SAP CM for the following required services:

- a) Calibration, Maintenance and Supply of Alcohol testing machine
- b) Calibration, Maintenance and Supply of Environmental test machines
- c) Calibration and maintenance and supply of Lux meter
- d) Calibration and maintenance and supply of Sound Level meter
- e) Calibration and maintenance and supply of Acoustic calibrator
- f) Calibration and maintenance and supply of Radiation Detector
- g) Calibration and maintenance and supply of Personal noise dosimeter
- h) Calibration and maintenance and supply of Indoor Air quality meter
- i) Calibration and maintenance and supply of Gas tester
- j) Calibration and maintenance and supply of personal sampling
- k) Calibration and maintenance and supply of Calibrator
- l) Calibration and maintenance and supply of prescribed safety googles
- m) Calibration and maintenance and supply of Customised hearing devices

##### 3.2.2 Occupational Hygiene Services Equipment

Instrument Name	Instrument	Quantity	Serial Number	Model Number	Calibration Frequency
Goldilux	Lux meter	1	11123/1574	11123	2 yearly
SLIK	Equipment stand	1	C155	C155	N/A
SVANTEK 971	Sound Level Meter Type1	1	44488	7545	2 yearly
SVANTEK 34	Acoustic calibrator	1			2 yearly
GammaRAE II R	Personal Radiation Detector and Dosimeter	1	248-003388	047-0501-000	2 yearly
3M (Quest)	WBGT Index	1	TQM090016	Questemp 44	Annually
3M (Quest)	WBGT Index	1	TQN090011	Questemp 44	Annually
3M (Quest)	WBGT Index	1	TQN090009	Questemp 44	Annually
3M (Quest)	WBGT Index	1	TQN090012	Questemp 44	Annually
SVANTEK	Personal Noise Dosimeters	5	50223	SV 104IS	2 yearly
			50073	SV 104IS	2 yearly
			50221	SV 104IS	2 yearly
			50220	SV 104IS	2 yearly
			50222	SV 104IS	2 yearly
Gillian	Gillibrator	1	20160320161	783-0012-01	2 yearly
TSI	Indoor Air Quality Meter	1	T75451525003	7545	Annually
Dräger	Gas tester	1	ARFM- 0107	X-am 7000	6 monthly
Dräger	Gas tester	1	ARBM -0475	X-am 7000	6 monthly
Dräger	Gas tester	1	ARFM - 0104	X-am 7000	6 monthly

Dräger	Gas tester	1	ARFM - 0105	X-am 7000	6 monthly
Dräger	Gas tester	1	ARFM - 0103	X-am 7000	6 monthly
Dräger	Gas tester	1	AREM - 0424	X-am 7000	6 monthly
Dräger	Personal Sampling Pump	1	ARFL - 0012	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFG - 0004	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFJ - 0177	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFL- 0005	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFJ- 0121	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFH- 0072	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFL- 0037	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFL -0052	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFH- 0098	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFJ-0187	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFL- 0028	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFL -0033	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFL- 0026	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFJ- 4511	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFJ- 4457	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARBK- 2829	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARBK- 0869	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARBK- 0861	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFL- 0022	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFJ- 4545	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARBK- 0868	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFJ - 0168	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFJ-0168	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFL-0004	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFJ-0016	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFFL-0046	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARBK-0841	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARFH-0072	X-am 5600	6 monthly
Dräger	Personal Sampling Pump	1	ARHE-0134	X-am 5600	6 monthly

### 3.2.3 Protective service

Instrument Name	Instrument	Quantity	Serial Number	Model Number	Calibration Frequency
Dräger	Alcohol Test	1	ART0065	5000	6 monthly
Dräger	Alcohol Test	1	ARC0069	5000	6 monthly
Dräger	Alcohol Test	1	ARTC068	5000	6 monthly
Dräger	Alcohol Test	1	ARTC0061	5000	6 monthly
Dräger	Alcohol Test	1	ARTC0061	5000	6 monthly
Dräger	Alcohol Test	1	ARRH013	6820	6 monthly
Dräger	Alcohol Test	1	ARRH0379	6820	6 monthly
Dräger	Alcohol Test	1	ARRH0140	6820	6 monthly
Dräger	Alcohol Test	1	ARRK0624	6820	6 monthly
Dräger	Alcohol Test	1	ARRK0608	6820	6 monthly
Dräger	Alcohol Test	1	ARRK0610	6820	6 monthly
Dräger	Alcohol Test	1	ARRK0628	6820	6 monthly
Panasonic VDR-D310	Speed camera	1	136/8500	20280	Annual
Trunvelo Lidar	Speed camera	1	136/8500	20280	Annual

### 3.2.4 Second scope

- a) Supply and delivery including maintenance of special prescribed goggles for Medupi Power station employees on an annually basis and as per and when required.

- b) Fitting and moulding of custom-made ear plugs including maintenance on an annually basis and as per when required.

**3.2.5 Deliverables**

**3.2.5.1 Calibration, Supply and Testing activities**

Shall be done as per the scope of work, changes to the SOW will made as and when required and between the Service Manager and the Contractor.

**3.2.6 Service and Standards**

The *Contractor* shall perform all services necessary to ensure that equipment is calibration and maintained in accordance with agreed standards and procedures.

**3.2.7 Training and certificate**

The *Contractor* will be expected to offer training on the use and maintenance of the equipment supplied and issue certificate after training. The *Contractor* is also expected to conduct station wide awareness on special events or days

**3.2.8 Contract Requirements**

- i. The *Contractor* shall provide its own transport.
- ii. The *Contractor* shall provide its own PPE.
- iii. The *Contractor* shall provide adequate skilled personnel for the job execution.
- iv. The *Contractor* shall compile a detailed report on the works completed and it must be submitted electronically within seven days from the date of completion to the Employer. The report shall contain the following:
  - a) Date and time of the test
  - b) Name of the test conducted
  - c) Tests results (Reports shall be made available no later than one week after testing)
  - d) Comments/Recommendation
  - e) Conclusion

**3.3 Interpretation and terminology**

The following abbreviations are used in this Service Information:

<b>Contractor:</b>	Service Provider contracted for providing specific service to Eskom, Medupi Power Station
<b>Employer:</b>	Eskom, or Eskom Medupi Power Station

The following abbreviations are used in this Service Information:

Abbreviation	Explanation
ADF	Ash Dump Facility
ADI	Ash Dump Irrigation
KPI	Key Performance Indicator
KPA	Key Performance Area

**Management strategy and start up.**

### 3.4 The Contractor's plan for the service

The Contractor shall comply with the requirements stated in TSC 3 clause 21. The Contractor shall provide work schedule for every Task Order received.

### 3.5 Management meetings

Regular meetings of a general nature may be convened and chaired by the Service Manager as follows:

Title and purpose	Approximate time & interval	Location	Attendance by:
Monthly Contractual meeting, Overall Contract progress, assessments, Contract risk discussion and feedback	Monthly	Medupi Power Station	Contract Managers, Site Manager, Contract Site Manager, Gx Contract Supervisors, Secretary

Meetings of a specialist nature may be convened as specified elsewhere in this Service Information or if not so specified by persons and at times and locations to suit the Parties, the nature and the progress of the service. Records of these meetings shall be submitted to the Service Manager by the person convening the meeting within five days of the meeting.

All meetings shall be recorded using minutes or a register prepared and circulated by the person who convened the meeting. Such minutes or register shall not be used for the purpose of confirming actions or instructions under the contract as these shall be done separately by the person identified in the conditions of contract to carry out such actions or instructions.

### 3.6 Contractor's management, supervision and key people

The Contractor shall submit the organogram within four weeks of contract date.

### 3.7 Provision of bonds and guarantees

The form in which a bond or guarantee required by the conditions of contract (if any) is to be provided by the Contractor is given in Part 1 Agreements and Contract Data, document C1.3, Sureties.

The Employer may withhold payment of amounts due to the Contractor until the bond or guarantee required in terms of this contract has been received and accepted by the person notified to the Contractor by the Service Manager to receive and accept such bond or guarantee. Such withholding of payment due to the Contractor does not affect the Employer's right to termination stated in this contract.

### 3.8 Documentation control

All contractual communications will be in the form of properly compiled letters or a message in the email itself. The Contractor must comply with the requirements of Eskom document Management system. All documents provided to the Contractor shall remain part of the Employer asset at the end of the contract. All QCP, failure report and any other documents required for this service must be submitted to the Service Manager electronically or hard copy.

### 3.9 Invoicing and payment

Within one week of receiving a payment certificate from the Service Manager in terms of core clause 51.1, the Contractor provides the Employer with a tax invoice showing the amount due for payment equal to that stated in the Service Manager's payment certificate.

Invoices can be submitted using emails to [invoiceseskomlocal@eskom.co.za](mailto:invoiceseskomlocal@eskom.co.za)

- Ensure that the Eskom order number is clearly indicated on your invoice together with the line number on the order you are billing for.
- All Electronic invoices must be sent in PDF format only.
- Each PDF file should contain one invoice; or one debit note; or one credit note only as Eskom's SAP system does not support more than one PDF being linked into workflow at a time.
- Your E-mail may contain more than one PDF file (e.g. 2 invoices on 2 separate PDF files in one e-mail)
- For Foreign invoices, suppliers will still be required to physically deliver hard copies of original documents to the respective documentation management centers even though you have e-mailed those invoices
- A PDF file that was created directly from a system meets the definition of original document and is allowed (including saving documents from excel to PDF, word to PDF etc.)
- An Invoice that was printed and then scanned to PDF by the Vendor is not acceptable as this is not an original tax invoice by SARS definition but a copy.
- The following wording needs to appear on the invoice: "Your invoice is encrypted in order to comply with SARS requirements that invoices and statements sent electronically are tamperproof."
- If there is Cost Price Adjustment (CPA) on your invoice we recommend that you issue a separate invoice for CPA so that if there are any issues on the CPA the rest of the invoice can be paid while resolving the CPA issues.
- You do require a goods receipt (GR) number to submit your invoices. When the GR number is received you can then send the GR number to the FSS contact center at FSS@eskom.co.za or 011 800 5060.
- All queries and follow up on invoice payments should be made by contacting the FSS Contact Centre:  
**Tel: 011 800 5060**

Name and address of the Contractor and the Service Manager;  
The contract number and title;  
Contractor's VAT registration number;  
The Employer's VAT registration number 4740101508;  
Description of service provided for each item invoiced based on the Price List;  
Total amount invoiced excluding VAT, the VAT and the invoiced amount including VAT;

### **3.10 Contract change management**

Refer to NEC TSC Core clause 6, in the event any change to the Contract needs to be managed.  
*Employer* will use the forms with Eskom header for instruction to the *Contractor*.

### **3.11 Records of Defined Cost to be kept by the Contractor**

The *Contractor* is required to keep record and submit proof of all the actuals, in order to be verified at the completion of the Payment Certificate and assessment, should the *Service Manager* request to do so.

### **3.12 Things provided at the end of the service period for the Employer's use**

#### **3.12.1 Equipment**

Any equipment (assets) bought during the service period will be transferred to the *Employer* at the end of the service period.

#### **3.12.2 Information and other things**

In the event that the information and other things are required, it will be discussed by the two Parties, and the provision of information and other things will be mutually agreed upon

### **3.13 Management of work done by Task Order**

- A Task Order starting with 45\* series number will be issued to the Contractor at the beginning of every month for the service.
- In the case of emergency repairs outside the SOW, a different Task Order will be sent to the *Contractor* for the works. Respond to the issued Task Order must be dealt with as per secondary option X19 of the agreement.

## 4 Health and safety, the environment and quality assurance

### 4.1 Health and safety risk management

#### 4.1.1 Requirement

- a) The *Contractor* shall comply with Eskom Occupational Health and Safety, Environmental, Risk and Quality requirements, standards and policies.
- b) The *Contractor* shall ensure compliance to all Eskom mandatory standards and statutory requirements.
- c) The *Contractor* shall ensure that they use correct PPE (safety goggles, safety gloves, overalls, reflective vest, dust masks, earplugs, hardhat, safety boots) at all times.
- d) The *Contractor* shall provide valid medical certificates.
- e) The *Employer* shall submit the test request to Ops 24 hours before the *Contractor* conducts a test.
- f) The *Employer* shall ensure that a plant in operation PTW is in place prior commencement of work.
- g) The *Contractor* shall ensure that induction is done prior to commencement of work.
- h) The *Contractor* shall obtain LAR and conduct risk assessment prior to commencement of work.
- i) All safety regulations pertaining to the process shall be adhered to and the *Contractor* shall also ensure that it sends its safety file for approval with all the required documentation as per safety file checklist to Risk Department.
- j) The *Contractor* shall have a safety file with all the required documents as per Eskom Safety file checklist.
- k) The *Contractor* shall ensure that the vehicle to be used on site conforms to Eskom safety standards.

#### 4.1.2 Section 37(2) (Legal) Agreement

A section 37(2) agreement must be signed between Eskom and the main *Contractor* at the time of submitting the safety file. The main *Contractor* must ensure that a section 37(2) agreement is compiled between the main *Contractor* and all their appointed *Contractors* for the contract. The original copy of the section 37(2) agreement must be retained by the *Contractor*, and a copy must be retained by the *Service Manager*. A copy of all the agreements must form part of the respective *Contractor's* OHS file.

#### 4.1.3 COID

The Appointed *Contractor* and all his/her appointed *Contractors* shall be registered with an appropriate employment compensation commissioner and have available a valid letter of good standing (LoG) from such commissioner. The obligation lies with the *Contractors* to ensure that the LoG remain valid throughout the contract period. A copy of the LoG must be filed in the *Contractor* OHS files.

#### 4.1.4 Legislative Compliance

The Appointed *Contractor* will comply with all the legislation pertaining to this contract being:  
The Main *Contractor* and all appointed *Contractors* will comply with all the legislation pertaining to this project being:

- The Constitution of the Republic of South Africa (particularly Section 24 of the Bill of Rights).
- Occupational Health and Safety Act 1993 (Act 85 of 1993) and its Regulations.
- National Environmental Management Act 1998 (Act 107 of 1998).
- Environment Conservation Act 1989 (Act 73 of 1989).
- National Water Act 1998 (Act 36 of 1998).
- Civil and Building Work Act.
- National Road Traffic Act 93 of 1996.

- Compensation for Occupational Injuries and Diseases Act.
- SANS Standards –*Contractor* shall use the relative standards applicable to the project.

#### 4.1.5 Eskom Life-saving Rules

1. Eskom places a high value on health and safety and urges every organization that undertakes work for Eskom to do the same.
2. Eskom has developed five life-saving guidelines that will apply to all Eskom Medupi Power Station employees, agents, consultants, and *Contractors*. Any Eskom employee or employee of a Main *Contractor* or appointed *Contractor* who fails to follow these rules would be deemed a serious violation. These rules are in place to protect any employee, labour broker, or *Contractor* working from significant injury or death.
3. If any contractual work (including delivery of any product) is to be undertaken on Eskom Medupi Power Station premises, the rules shall be obeyed by any *Contractor* and their employees.

**The rules are:**

<b>RULE</b>	<b>DESCRIPTION OF RULE</b>
Rule 1	<b>OPEN, ISOLATE, TEST, EARTH, BOND, AND/OR INSULATE BEFORE TOUCH</b> (That is plant, any plant operating above 1000 V)
Rule 2	<b>HOOK UP AT HEIGHTS</b> Working at height is defined as any work performed above a stable work surface or where a person puts himself/herself in a position where he/she exposes himself/herself to a fall from or into.
Rule 3	<b>BUCKLE UP</b> No person may drive any vehicle on Eskom business and/or on Eskom premises: Unless the driver and all passengers are wearing seat belts.
Rule 4	<b>BE SOBER</b> No person is allowed to be under the influence of intoxicating liquor or drugs while on duty
Rule 5	<b>PERMIT TO WORK</b> Where an authorisation limitation exists, no person shall work without the required permit to work.

Eskom Medupi Power station will take a zero-tolerance approach to these rules.

Noncompliance to Life-saving rules is regarded serious misconduct and will result in serious disciplinary action, which may include dismissal.

This is to ensure that everyone who works on or visits Eskom Medupi Power Station facility returns home to their families safely.

#### 4.1.6 Induction training

1. The Appointed *Contractor* shall ensure that all his / her employees, appointed *Contractors* and their employees have undergone the Eskom OHS induction training prior to commencing work on site.
2. Attendance registers must be completed of any induction training given, which must indicate that they have received and understood the induction training.
3. Prior to attending the induction training, all employees must undergo a pre-employment medical examination and found fit for duty. A copy of the certificate of fitness must be kept in the OHS file on site for the duration of the contract.
4. All employees and visitors on site shall carry the proof of induction training in the form of access cards.
5. It is the *Contractor's* responsibility to keep records of induction training.

#### 4.1.7 Risk Assessments

It is a legal requirement in terms of Section 8 (2)(d) of the OHS Act for an employer to carry out risk assessments, to establish which risks and hazards are attached to the health and safety of persons due to any work which is performed, any article or substance which is, handled, stored, transported. A risk assessment is defined as an identification of the hazards associated with the scope of work and an estimate of the extent of the risks involved, considering whatever precautions are already being taken. It is essentially a three-stage process:

- identification of all hazards;
- evaluation of the risks;
- Measures to control the risks.

Risk assessments are required to be maintained. This means that significant changes to a process or activity, or any new process or activity should be subjected to a risk assessment and that if new hazards come to light during the work process, then these should also be subjected to risk assessments. Risk assessments for long term processes should be periodically reviewed and updated. Method statements or written safe work procedures are an effective method as information and record of the way jobs / tasks must be performed. Daily or issue based or task specific or on the job risk assessments must be conducted at the place where work is to be performed/ conducted to allow managers and employees to assess any inherent risks that could have been overlooked during the initial risk assessment or any changes that might have occurred in a period of absence. For example, if a job / task is extended over a day or halted due to inclement weather.

#### 4.1.8 Vehicle Management

1. It is the responsibility of the driver to ensure:
  - a. Their passengers wear seat belts whilst the vehicle is in motion.
  - b. Comply with all traffic road rules, safety, direction and speed signs.
  - c. Ensure that vehicle loads are properly secured prior to moving off.
  - d. Ensure that vehicles are not overloaded.
2. No persons may be transported at the back of the bakkie.
3. Drivers are required to conduct the route risk assessment prior to travelling/driving.
4. No drivers or operators may text, talk on cell phones or two-way radios whilst driving.
5. All drivers shall have a valid medical fitness certificate.
6. The First aid box with valid contents and fire extinguishers must be included in the vehicle, be services annually and inspected monthly. Drivers must be trained on how to use the First aid box and fire extinguishers.
7. Two triangles must be included in the vehicle and the emergency number be displayed at the back of the vehicle.
8. Each Project site that is enclosed by demarcation will have system/ process to manage vehicle access to site.
9. *Contractor* must maintain their vehicles in a roadworthy condition and a vehicle license must be valid at all times and this is applicable to yellow plant.
10. Drivers of light vehicles must avoid stopping or parking in the vicinity of machines. At least 30 (thirty) meters must be left clear between such a vehicle and such a machine.
11. *Contractor* vehicles can be subject to inspections by the Client/Agent's representative. Vehicles which are not roadworthy will not be permitted to be used on site.
12. Drivers/operators shall be responsible for the travel-worthiness of all loads conveyed by them. Precautions shall be taken to secure all loads properly. Loads projecting from vehicles shall be securely loaded and in daytime a red flag and during darkness a red light or red reflective material shall be attached to the extreme end of such projecting materials.

#### 4.1.9 Personal Protective Equipment Requirements

1. The Main *Contractor* must provide a detailed programme that includes the issuing, maintenance and replacement of PPE for all his employees and appointed *Contractors* on site.
2. All *Contractors* shall comply with the requirements of GSR 2 of the OHS Act and PPE Specification Standard 240-44175132.
3. The risk based PPE matrix must be compiled detailing the types of PPE that is required to be issued to employees performing the respective tasks.
4. If there are exceptional circumstances in which certain activities necessitate the use of additional PPE, a risk assessment must be done, in which such PPE requirements will be determined and issued.
5. All *Contractors* shall ensure that their visitors wear and use the correct PPE whilst on worksites.
6. Where PPE is required and visitors are not in possession of, then it is the individual *Contractor's* responsibility to provide the PPE.
7. All PPE purchased and used by all *Contractor* employees including visitors must comply with the relevant SANS standards.

8. Where deemed as a requirement (as per risk assessment), then high visibility vests shall be worn.
9. Monthly inspection records of PPE must be kept in the Safety file
10. The *Contractor* shall provide training to his/her employees on the correct use, care and maintenance of PPE and keep the record.

#### 4.1.10 Incident Management

All incidents shall be investigated in terms of OHS Act General Administrative Regulations 8 and 9, using Medupi Power Station Procedure 32-95 OHS incident management as a reference, and where injuries as contemplated in sections 24 and 25 have been sustained, be reported to the Department of Employment and Labour.

*Contractors* shall use the Medupi Power Station Flash report to report incidents immediately or before end of shift. The standard General Administrative Regulation Annexure 1 "Recording of an Incident form" for all incident investigation reports. The objective of incident investigation should not only be a legal requirement but should establish why and how the incident occurred and find out the real root cause of the incident and to decide on precautionary measures that are required to address the root cause to prevent any further recurrences of the same or similar incidents. The following must be taken into consideration to ensure compliance to Eskom Incident Management Procedure:

- All incident to be reported before end of the shift
- Ensure compliance to Medupi Power Station Incident Management Process
- Ensure compliance to Eskom Incident Management Procedure (32-95)
- All incidents must be investigated within seven (7) working days
- Appointed incident investigation chairperson must have the necessary competency to fulfil that function

#### 4.1.11 Emergency Management

The art of emergency preparedness and response is to minimise the effects of any emergency and to restore normal activities as soon as possible. The *Contractor* must develop and align their own Emergency response plan with Medupi Power Station's to address any emergency which might arise at any given point in time. The *Contractor* to familiarise themselves with the Medupi Power Station emergency response plan and procedure. Periodic emergency drills must be undertaken to test the effectiveness of their plan. This must be recorded and provided on request.

#### 4.1.12 Non-Conformance and Compliance

1. Any non-compliance to any health and safety requirement in this OHS specification is subject to discipline in terms of the Medupi Power Station Procurement and Supply Chain Management Procedure.
2. Main *Contractors* are required to implement a non-conformance procedure (if not already in place) for issuing to *Contractors* for transgressions. The procedure can include "quality" related non-conformance issues. Similarly, appointed *Contractors* must implement a non-conformance procedure.
3. The procedure for the issuing and closing off of non-conformance reports shall be strictly adhered to.
4. *Contractor* project management must monitor the close out of non-conformances issued, in not doing so; any recommendations made may not be implemented.
5. Where non-conformances are issued by Medupi Power Station then one of the close-out steps of the procedure will be for the offender to be called by the responsible project manager to explain the non-conformance issued and what plan is in place to prevent a recurrence of the non-conformance.
6. Should the *Contractor* fail to provide adequate PPE (as per PPE standards) to their employees for the tasks being performed and/or to visitors; failure to enforce the wearing of such PPE will be viewed as a transgression of the legislative and Medupi Power Station requirements.

#### 4.1.13 OHS FILES

1. OHS file means documents or records in permanent form, containing the information about the safety and health management system from inception, execution to completion of works.
2. All *Contractors* are required to keep the OHS file on every project site. If there is more than one site per project, a file per site shall be kept at that site. *Contractors* may keep additional files at their head office as additional records. The OHS file shall be maintained by all the *Contractors* on their project sites and shall be available on request for audit and inspection purposes.

3. The OHS file shall consist of the OHS documentation/information in line with the OHS requirements/specification, legal and other requirements.
4. The sequence of filing the documentation must be kept in the same sequence as listed in this OHS requirements /specification and the OHS plan.
5. Each record shall be separated by partitions to afford easy identification and access. Each partition must be labelled.
6. On completion of the work/project, the main *Contractor* must hand over a consolidated health and safety file to the project manager.
7. In case where the project is extended, should the documentation in the OHS files become cumbersome, the older documentation must be archived in boxes which shall be correctly labelled and be available for auditing purposes. The archived documentation must be handed over at the completion of the project.

#### **4.1.14 Work Stoppage**

1. Any person may stop any activity where an unsafe act or unsafe condition that poses or may pose an imminent threat to the safety and health of an individual or create a risk of degradation of the environment. This includes any unauthorised work or service performed by, or legally or contractually non-compliant acts or omissions by, any contractor contracted to work at that site.
2. Work stoppages that are initiated due to OHS concerns, non-compliance, or poor performance related to the contractor's works or services shall not warrant any financial compensation claim lodged against Medupi Power Station where the contractor has not met the requirements defined legally or contractually.
3. Where stoppages are carried out, the required non-conformance report shall be raised.
4. All work stoppages ideally should be investigated and documented by contract custodians.

#### **4.1.15 Eskom's Right to Terminate the Contract**

The *Contractor* shall at all times comply with Medupi Power Station's occupational health and safety (OHS), legal and other requirements as amended for the duration of the contract. In addition, the *Contractor* shall comply with the requirements contained in the SHE Specification. Medupi Power Station reserves the right to terminate the contract in the event that the *Contractor* has built up a history of poor performance or non-conformance in relation to matters of Medupi Power Station OHS and legal compliance. No work may commence until the health and safety file has been approved by Medupi Power Station OHS personnel.

## **4.2 Environmental constraints and management**

### **3.3.1 Environmental Management**

- The *Contractor* shall have a documented and implemented environmental management system e.g., environmental policy, operational procedures relating to their activities, aspects/impacts register etc.
- The *Contractor* shall prepare an environmental management plan relating to their activities that will be carried out. The environmental management plan shall be based on, amongst others, Eskom Medupi Power Station's OEMP and any other applicable environmental legislation.
- The environmental management plan must include all the aspects and impacts relating to the activity and address the principle of continual improvement.
- The *Contractor* employees shall be inducted on the environmental requirements as per these documents.
- The *Contractor* shall comply with all Eskom Medupi Power Station environmental requirements such as policies, standards, and procedures.
- Non-conformance and incident reporting and investigations shall be done by the *Contractor*, such reports must include but not limited to the following information:
  - ✓ The cause of the non-conformance/incident
  - ✓ The proposed actions to correct and prevent recurrence.
- Eskom Medupi Power Station shall issue non-conformances where there are deviations from Eskom Medupi Power Station Procedures and any other environmental requirements.
- The *Contractor* shall allocate funds for the implementation of environmental requirements.

- The *Contractor* shall provide waste receptacles for their Laydown area and ensure that once the waste receptacles are full are taken to the designated waste area

### 4.3 Quality assurance requirements

#### 4.3.1 Contract execution

The *Contractor* shall submit the following documents within 30 days or as per stated timeline after the contract date, prior to the commencement of work, for acceptance by Eskom:

- The *Contractor* shall complete a QCP before contract award. This shall be reviewed and signed off by Eskom within 30 days or as per stated timeline after contract award.
- The *Contractor* shall complete a quality control plan and ITP(s) for review and acceptance by Eskom prior to the commencement of any work, inclusive of subcontracted work, within 30 days or as per stated timeline after contract award.
- The subcontractor QCP/ ITP shall be submitted for review and comment by the *Contractor* supplier and by Eskom within 30 days or as per stated timeline after the award of the tender. All *Contractor* and Eskom comments shall be resolved prior to commencing work.
- The equipment lists and an indication of pressurised components and systems.

Note: These plans are to be compiled in line with Eskom's requirements and will have to be discussed with, and approved by, Eskom prior to any work commencing.

- Correspondence shall be directed to the *Service Manager*, and periodic quality review meetings shall be convened by Eskom with the *Contractor*.
- The mandatory quality review meetings are to be convened by the nominated project quality manager or his/her representative for the contract.
- Monthly quality performance and management reports are to be prepared by the supplier during contract execution. The content of these reports shall be agreed by Eskom when submitted to Eskom on a monthly basis.

#### 4.3.2 *Contractor* Quality Performance Monitoring Phase

During the contract execution phase, suppliers shall be monitored by Eskom for performance on quality-related aspects.

The outcomes of such monitoring will enable Eskom to take any appropriate actions pertaining to the *Contractor*.

The monitoring shall be carried out periodically by Eskom or at predetermined intervals during the execution of a contract using agreed key performance indicators. The monitored key performance areas include the following:

- CQP and QCP /ITP
- Delivery
- Design
- Cost
- Management system

Subsequent key performance indicators associated with these areas will include the following:

- Nonconformity monitoring
- Audit and assessment evaluation scoring
- Management system compliance and accreditation
- Achievement of delivery targets as per contractual agreements
- Process improvements
- Correction and corrective action response and closure

#### 4.3.3 *Contractor* Quality Audit

1. Quality audits and related quality performance reviews are intended to provide an objective evaluation of compliance with performance expectations defined in this specification, in the *Contractor* contract quality plan (CQP), and in any other project Service Information specification.

2. Quality audits and related quality performance reviews include, but are not limited to, any quality or other project functional area audits, assessments, verification of compliance reviews, surveillance, inspections, or other interim or final assessments of scope of work deliverables provided by the *Contractor* or Subcontractor.
  3. Quality audits and related quality performance reviews shall be carried out by trained, accredited, and experienced personnel in accordance with procedures documented in the CQP.
  4. The *Contractor* shall submit, for Eskom review, documented processes for conducting project scope of work quality audits and related quality performance reviews. *Contractor* quality audits and related quality performance review processes shall be designed to address evaluation of progress towards completion of project functional area deliverables as well as final deliverable quality.
- The *Contractor* shall provide a schedule of anticipated quality audits covering all functional areas and related quality performance reviews at the time of first post-contract award CQP submission

## 5 Procurement

### 5.1 People

#### 5.1.1 Minimum requirements of people employed

The *Contractor* to submit organogram. All non-skilled people shall be hired from local.

#### 5.1.2 BBBEE and preferencing scheme

The company shall maintain or improve upon their current B-BBEE Contribution level for the duration of the contract. The supplier will be required to submit a new B-BBEE certificate within 3 months, should ownership of the company change during the life of the contract.

#### 5.1.3 Supplier Development and Localisation (SD&L)

##### 1. Skills Development Requirement

The SD&L Matrix is not an evaluation criterion; however, tenderer are encouraged to make proposals before they are eligible for award in accordance with develop the skills in line with the SOW as illustrated on a below table. Skills development candidates should be from the Lephalale Municipality area.

Skill type	Eskom Target	Entry Level	Output	Tenders' Proposal

##### 2. SDL&I Bond

- Eskom shall be permitted to retain 2.5% (two and half percent) of the invoices (excluding VAT) as security for the fulfilment by the tenderers of their SD&L obligations.
- Once Eskom has verified that tenderers have fulfilled their SD & L obligations, the 2.5% retained shall be approved for reimbursement by Eskom to suppliers within 90 (ninety) days of verification by Eskom.

##### 3. Reporting and Monitoring

- The suppliers shall on a monthly/quarterly basis submit a report to Eskom in accordance with Data Collection Template on their compliance with the SDL&I obligations described above.
- Eskom shall review the SDL&I reports submitted by the suppliers within 60 (sixty) days of receipt of the reports and notify the suppliers in writing if their SDL&I obligations have not been met.
- Upon notification by Eskom that the suppliers have not met their SDL&I obligations, the suppliers shall be required to implement corrective measures to meet those SDL&I obligations before the commencement of the following report, failing which Retention clauses shall be invoked.
- Every contract shall be accompanied by the SDL&I Implementation Schedule which must be completed by the suppliers and returned to SDL&I representative for acceptance 28 days after contract award. This will be used as a reference document for monitoring, measuring and reporting on the supplier's progress in delivering on their stated SDL&I commitments

## 5.2 Subcontracting

### 5.2.1 Preferred subcontractors

The *Contractor* may not use a Subcontractor unless a written request is made to the *Employer* and approval is given. All terms and conditions applicable to the *Contractor*, will also apply to the approved Subcontractors e.g. legal requirements, appointments, authorisations, safety, quality and therefore all relevant documentation must be submitted in order for the *Employer* to consider the Subcontractor for approval.

Additionally, the prices listed in the price list will remain unchanged if any Subcontractors are used.

### 5.2.2 Subcontract documentation, and assessment of subcontract tenders

**NOTE 1: Tenders shall submit the following Mandatory Returnables for Subcontracting:**

1. Subcontracting agreement (signed by both parties) with subcontractor company registration documents (CK, CSD, B-BBEE certificate or sworn affidavit).
2. Copies of sub-contracting contracts (agreements) or copies of letters from the tenderer to the sub-contractors, stating the intent to sub-contract. Both documents should be signed by the Tenderer and the Sub-contractor(s) earmarked.
3. B-BBEE certificate from SANAS accredited rating agency or Sworn Affidavit from National Treasury / DTI certified by commissioner of oath will be used to verify supplier's status
4. Sub-contracting agreements can only be concluded with one of the following entities;
  - an EME or QSE which is 51% owned by black people living in rural or underdeveloped area or townships;

### 5.2.3 Limitations on subcontracting

Activities, as a proportion of the local procurement content, which may be subcontracted to designated black owned enterprises must be submitted in a table below.

Procurement from Designated Group	Eskom Target	Tenderer Proposal
Black Owned	15%	

## 5.3 Plant and Materials

### 5.3.1 Specifications

Plant and materials provided by the *Contractor* and the preventative maintenance thereof will be the responsibility of the *Contractor*.

### 5.3.2 Correction of defects

This will be governed by as per core clause 4, testing and defects.

### 5.3.3 Tests and inspections before delivery

This will be governed by as per core clause 4, testing and defects.

### 5.3.4 Plant & Materials provided “free issue” by the *Employer*

Both parties shall agree if there is any Plant and Material that the *Contractor* require to execute work. All other Plant and Materials are to be provided by the *Contractor*.

## 6 Working on the Affected Property

### 6.1 *Employer’s* site entry and security control, permits, and site regulations

Medupi Power Station is declared a Nation Key Point (NKP), all regulations, Laws and procedures related to NKP must be strictly adhered to.

The Entry to site is only approved once the following is adhered to:

1. The *Contractor’s* Safety file is to be approved by the *Employer’s* Safety department.
2. Site-specific induction is to be done by all personnel.
3. All contract employees must have access permits to the site
4. Acceptance of this tender is subject to the condition that both the contracting company’s management and its employees will provide Eskom with a clear criminal record not older than thirty (30) days from a reputable screening company. If the principal *Contractor* appoints a subcontractor, the same provisions and measures will apply to the subcontractor. Acceptance of the tender is also subject to the condition that the *Contractor* will implement all such security measures for the safe performance of the work as required in the scope of the contract. Should the awarded *Contractor* fail to comply with the criminal record check process requirements and/or critical staff identified as part of the contract, failing the screening requirements, the *Employer* may terminate the contract

### 6.2 People restrictions, hours of work, conduct and records

#### 6.2.1 Restriction

The *Contractor* is restricted to the working area only

#### 6.2.2 Hours of Work

1. Normal working hours is Eskom working hours:
  - a. Monday to Thursday **07:00 - 16:15**
  - b. Fridays **07:00 - 12:00 (No lunch break)**

### 6.3 Health and safety facilities on the Affected Property

There is a medical station on site and a fire and rescue service for assistance with serious incidents and treatment of all serious injuries during normal working hours. Emergency services are available during normal working hours by dialling 6911 from any site phone or else 014 762 2555 Fire and Emergency Preparedness also available after hours by dialling 6911 from any site phone or else

contacting the Electrical Operating Desk (EOD) at 014 762 6911 (all hours). However, the Contractor is expected to handle all minor incidents in-house by providing a first aider and a first aid kit.

## **6.4 Health and safety facilities on the Affected Property**

There is a medical station on site and a fire and rescue service for assistance with serious incidents and treatment of all serious injuries during normal working hours. Emergency services are available during normal working hours by dialling 6911 from any site phone or else 014 762 2555 Fire and Emergency Preparedness also available after hours by dialling 6911 from any site phone or else contacting the Electrical Operating Desk (EOD) at 014 762 6911 (all hours). However, the Contractor is expected to handle all minor incidents in-house by providing a first aider and a first aid kit.

## **6.5 Cooperating with and obtaining acceptance of Others**

Proper co-ordination and work planning must be done when working in any area where others are performing work or activities. Interfacing may be required with the site maintenance personnel and others.

## **6.6 Records of Contractor's Equipment**

- The *Contractor* to declare all equipment and tools via a pre-set-up list at the main entrance, where removal permit will be issued by Security personnel.
- *Contractor* needs to have a list of inventory of their equipment on site.
- Proof of site entrance needs to be provided before equipment can be removed from

## **6.7 Equipment provided by the Employer**

*Employer* will provide overhead cranes and forklift as and when required.

## **6.8 Site services and facilities**

### **6.8.1 Provided by the Employer**

Sanitary services, water, compressed air and electricity shall be provided by Eskom at fixed points on the plant. There is also a tuck-shop on site, but both only operate on weekdays and are for the *Contractor's* own cost.

### **6.8.2 Provided by the Contractor**

The *Contractor* is to supply all the personal protective equipment, transport, accommodation, tools, equipment and consumables to perform all the required tasks on site.

## **6.9 Control of noise, dust, water and waste**

The *Contractor* will always be required to use appropriate PPE to mitigate and minimise exposure to noise and dust. Ear protection shall be worn whenever *Contractor* enters a plant with a noise level of 85 decibels(db) and above or working with machines that produce noise level of 85 db. The *Contractor* must always wear dust mask whenever they work in the dust environment. The *Contractor* must treat water as scarce resource and recycle where possible. The *Employer* advocates the appropriate disposal of waste to enhance recycling.

## **6.10 Hook ups to existing works**

Hooking up on heights is a non-negotiable lifesaving rule of Eskom, Medupi Power Station applies Zero Tolerance to non-compliance of the rule or any other lifesaving rule. The same disciplinary process and procedure will be followed when any of the lifesaving rules have been breached.

## **6.11 Tests and inspections**

### **6.11.1 Description of tests and inspections**

