

Pricing schedule - Sealing Strip Machine System including of scope components & material

SEALING STRIP MACHINE:	Weight/length/roll/hour – to be completed	Estimated Pricing excl Vat
Provide a full design for a Sealing Strip Machine to manufacture sealing strips from 0.3mm to 2.0mm including various profiles and material width. The design must be accompanied with full specifications, material type, methodology including measurements/dimensions including all manufacturing information. The design shall remain the property of ERI TGS.		
Manufacture a Sealing Strip Machine to make/manufacture various sealing strips profiles from 0.3mm to 2.0mm thick material. Refer to the scope of works for the different type of profiles - price per machine		
Provide four (4) sets of additional rollers per profile as per the attached scope of work (for example L, U and J profile)		
Delivery of Sealing Strip Machine to Rosherville TGS Workshop		
Installation of Sealing Strip Machine in the TGS Workshop , with cabling up to 5m per machine, including all material & consumables to install.		
Testing and Commissioning of Sealing Strip Machine - Supplier must have their own material available during the testing of the machines. The supplier must be able to manufacture 2 sets of each profile to ensure that the machine is working within the required specifications and tolerances required by TGS.		

Hands on Training in the operations of the machine including "know how" in terms of manufacturing sealing strips. Training for Technicians & Artisans - per month normal working hours including training material.		
Service, support and Maintenance for a period of 3 Years (Price per service) Suppliers to confirm service intervals.		
Call out fees (office hours) – per hour		
Call out fees (after hours) – per hour		
Traveling cost for call outs – per hour		
Supply of material for 36 months duration – as and when required: Material type – refer to scope of works	Weight/per meter/per roll – mandatory to be filled-in and completed on the pricing schedule.	
Profile: 0.3mm thick x 12mm width		
Profile: 0.3mm thick x 16mm width		
Profile: 0.5 mm thick x 12 mm width		
Profile: 0.5 mm thick x 12 mm width		
Caulking wire to be made to suit normal sizes – 1x1.9mm		
Caulking wire to be made to suit normal sizes – 1x2mm		
Caulking wire to be made to suit normal sizes – 2x2mm		
Caulking wire to be made to suit normal sizes – 2x2.5mm		
Caulking wire to be made to suit normal sizes – 2x2.8mm		
Caulking wire to be made to suit normal sizes – 2x3mm		
Caulking wire to be made to suit normal sizes – 3x3mm		




Profile: 2 mm thick x 18mm width		
Profile: 2 mm thick x 20mm width		
Total estimated amount for the Sealing Strip		
Machine and material		

NB - A detailed signed project **plan/schedule** to be submitted with the tender indicating the timelines of the project from receipt of purchase order till commissioning and handover.

Not available.

Works Engineer – Ngidi Xolani

A handwritten signature in black ink, appearing to read 'Ngidi Xolani'. It is written in a cursive, fluid style with a long, sweeping line.

18/01/2024