



SECTION 11 - 11




SECTION 6 - 6


Note: R.C. Core Walls:
All r.c. core walls are to be constructed in separate lifts of maximum 850mm high (10 brick courses). The Contractor must ensure that each lift (brickwork and concrete core) has cured and is stable to carry the next lift above.




SECTION 1 - 1




SECTION 2 - 2




SECTION 3 - 3




SECTION 4 - 4




SECTION 5 - 5




SECTION 7 - 7




SECTION 8 - 8



SECTION 9 - 9



END PLATE DETAIL



SECTION 10 - 10

Slip Joint Specification:
Note: All load bearing brickwork and concrete interfaces to receive a Slip Joint of which consists of the following:
2 layers of 9 ply mullion on a smooth rendered surface on top of the load bearing brickwork.

This Drawing is to be read in conjunction with the latest Architectural Drawings and any discrepancies to be reported to the Architect and/or Structural Engineer.

REV.	DESCRIPTION	BY	DATE
T1	FOR TENDER		11/04/2023
P1	PRELIMINARY FOR PRICING		21/10/2024

Professional Person: M. NAB, PEng, ECQA Registration No: 200870211



SAKHISIZWE ARCHITECTS

PROJECT: 19/1/9/1/59 TB (22)
PROPOSED MSINSINI POLICE STATION IN KZN

DETAILS: POLICE STATION BUILDING : MAIN BUILDING EAVES LEVEL SLAB & BEAM DETAILS

DISCIPLINE: STRUCTURAL ENGINEERING



SUITE 104, ESEBENVIEW BUILDING, STRATHMORE PARK, 305 MESSIAH ROAD, DURBAN, 4001
e-mail: admin@mapafrica.co.za
FAX (031) 3062020 TEL (031) 3095831

DESIGNED:	S.N.	COPYRIGHT RESERVED	SCALES:
DRAWN:	S.N.		1:30 1:20 1:10
APPROVED:	M.N.	PL	DATE: 21/10/2024

DRAWING No.: 589 / 105 FOR TENDER REV. T1