

PART A INVITATION TO BID

BID NUMBER:	LDPWRI-B/20463	CLOSING DATE:	8 DECEMBER 2025	CLOSING TIME:	11:00
DESCRIPTION	SUPPLY, DELIVERY AND OFFLOADING OF ROAD SIGNS FOR A PERIOD OF 3 YEARS (36 MONTHS) IN FOUR DISTRICTS IN THE LIMPOPO PROVINCE.				
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)					
DEPARTMENT OF PUBLIC WORKS, ROADS AND INFRASTRUCTURE					
CORNER RIVER AND BLAAUWBERG STREETS					
LADANNA					
0699					
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO			TECHNICAL ENQUIRIES MAY BE DIRECTED TO:		
CONTACT PERSON	MR MOTSOPYE N		CONTACT PERSON	Mr Gafane J	
TELEPHONE NUMBER	015 284 7126		TELEPHONE NUMBER	015 284 7527	
FACSIMILE NUMBER			FACSIMILE NUMBER		
E-MAIL ADDRESS	MotsopyeNJ@dpw.limpopo.gov.za		E-MAIL ADDRESS	Gafanem@dpw.limpopo.gov.za	
SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No:	MAAA
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES ENCLOSE PROOF]		ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES OFFERED?	<input type="checkbox"/> Yes <input type="checkbox"/> No [IF YES, ANSWER THE QUESTIONNAIRE BELOW]	
QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS					
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?				<input type="checkbox"/> YES <input type="checkbox"/> NO	
DOES THE ENTITY HAVE A BRANCH IN THE RSA?				<input type="checkbox"/> YES <input type="checkbox"/> NO	
DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?				<input type="checkbox"/> YES <input type="checkbox"/> NO	
DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?				<input type="checkbox"/> YES <input type="checkbox"/> NO	
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?				<input type="checkbox"/> YES <input type="checkbox"/> NO	
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.					

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:	
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
1.4.	THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).
2. TAX COMPLIANCE REQUIREMENTS	
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
2.3	APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA .
2.4	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
2.5	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
2.6	WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
2.7	NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:

.....

CAPACITY UNDER WHICH THIS BID IS SIGNED:

.....

(Proof of authority must be submitted e.g. company resolution)

DATE:

.....

PRICING SCHEDULE – NON-FIRM PRICES (PURCHASES)

NOTE: PRICE ADJUSTMENTS WILL BE ALLOWED AT THE PERIODS AND TIMES SPECIFIED IN THE BIDDING DOCUMENTS.

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name of Bidder.....	Bid number... LDPWRI-B/20463
Closing Time 11:00	Closing date... 8 December 2025

OFFER TO BE VALID FOR.....**120**...DAYS FROM THE CLOSING DATE OF BID.

ITEM NO.	QUANTITY	DESCRIPTION	BID PRICE IN RSA CURRENCY **(ALL APPLICABLE TAXES INCLUDED)
<hr/>			
-	Required by:	
-	At:	
-	Brand and model	
-	Country of origin	
-	Does the offer comply with the specification(s)?		*YES/NO
-	If not to specification, indicate deviation(s)	
-	Period required for delivery	
-	Delivery:		*Firm/not firm

** "all applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

*Delete if not applicable

PRICE ADJUSTMENTS

A NON-FIRM PRICES SUBJECT TO ESCALATION

1. IN CASES OF PERIOD CONTRACTS, NON FIRM PRICES WILL BE ADJUSTED (LOADED) WITH THE ASSESSED CONTRACT PRICE ADJUSTMENTS IMPLICIT IN NON FIRM PRICES WHEN CALCULATING THE COMPARATIVE PRICES
2. IN THIS CATEGORY PRICE ESCALATIONS WILL ONLY BE CONSIDERED IN TERMS OF THE FOLLOWING FORMULA:

$$Pa = (1 - V)Pt \left(D1 \frac{R1t}{R1o} + D2 \frac{R2t}{R2o} + D3 \frac{R3t}{R3o} + D4 \frac{R4t}{R4o} \right) + VPt$$

Where:

Pa	=	The new escalated price to be calculated.
(1-V)Pt	=	85% of the original bid price. Note that Pt must always be the original bid price and not an escalated price.
D1, D2...	=	Each factor of the bid price eg. labour, transport, clothing, footwear, etc. The total of the various factors D1, D2...etc. must add up to 100%.
R1t, R2t.....	=	Index figure obtained from new index (depends on the number of factors used).
R1o, R2o	=	Index figure at time of bidding.
VPt	=	15% of the original bid price. This portion of the bid price remains firm i.e. it is not subject to any price escalations.

3. The following index/indices must be used to calculate your bid price:

Index..... Dated..... Index..... Dated..... Index..... Dated.....
 Index..... Dated..... Index..... Dated..... Index..... Dated.....

4. FURNISH A BREAKDOWN OF YOUR PRICE IN TERMS OF ABOVE-MENTIONED FORMULA. THE TOTAL OF THE VARIOUS FACTORS MUST ADD UP TO 100%.

FACTOR (D1, D2 etc. eg. Labour, transport etc.)	PERCENTAGE OF BID PRICE

B PRICES SUBJECT TO RATE OF EXCHANGE VARIATIONS

1. Please furnish full particulars of your financial institution, state the currencies used in the conversion of the prices of the items to South African currency, which portion of the price is subject to rate of exchange variations and the amounts remitted abroad.

PARTICULARS OF FINANCIAL INSTITUTION	ITEM NO	PRICE	CURRENCY	RATE	PORTION OF PRICE SUBJECT TO ROE	AMOUNT IN FOREIGN CURRENCY REMITTED ABROAD
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		

2. Adjustments for rate of exchange variations during the contract period will be calculated by using the average monthly exchange rates as issued by your commercial bank for the periods indicated hereunder: (Proof from bank required)

AVERAGE MONTHLY EXCHANGE RATES FOR THE PERIOD:	DATE DOCUMENTATION MUST BE SUBMITTED TO THIS OFFICE	DATE FROM WHICH NEW CALCULATED PRICES WILL BECOME EFFECTIVE	DATE UNTIL WHICH NEW CALCULATED PRICE WILL BE EFFECTIVE

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise,

employed by the state?

YES/NO

- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

CONFIDENTIAL DOCUMENT

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

.....
.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:

.....
.....

3 DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

CONFIDENTIAL DOCUMENT

3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature	Date
.....
Position	Name of bidder

**PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL
PROCUREMENT REGULATIONS 2022**

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **To be completed by the organ of state**

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 80/20 preference point system.
- b) The applicable preference point system for this tender is the 80/20 preference point system.
- c) The 80/20 preference point system will be applicable in this tender. The lowest/highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 **To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

CONFIDENTIAL DOCUMENT

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) “**tender**” means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) “**price**” means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) “**rand value**” means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) “**tender for income-generating contracts**” means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) “**the Act**” means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} \text{80/20} & \text{or} & \text{90/10} \\ \\ Ps = 80 \left(1 - \frac{Pt - Pmin}{Pmin} \right) & \text{or} & Ps = 90 \left(1 - \frac{Pt - Pmin}{Pmin} \right) \end{array}$$

Where

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmin = Price of lowest acceptable tender

3.2.1. POINTS AWARDED FOR PRICE

Where

P_{max} = Price of highest acceptable tender

4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system.

CONFIDENTIAL DOCUMENT

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Enterprises owned by People with Disabilities (Attach Disability certificate issued by health professionals)	2	
Enterprises owned by Women (Attach Central Supplier Database (CSD).)	7	
Small, Medium and Micro Enterprises (SMMEs). (Attach Central Supplier Database (CSD).)	2	
Enterprises owned by Youth. (Attach Central Supplier Database (CSD).)	4	
Enterprises located in Limpopo Province (Attach Municipal Utility Bills or Lease Agreement or Proof of Residence from Tribal Authority/Municipal Council)	5	

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

4.5. TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One-person business/sole propriety
- ☐ Close corporation
- ☐ Public Company
- ☐ Personal Liability Company
- ☐ (Pty) Limited
- ☐ Non-Profit Company
- ☐ State Owned Company

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

CONFIDENTIAL DOCUMENT

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

<div>.....</div> <div>SIGNATURE(S) OF TENDERER(S)</div>	
SURNAME AND NAME:
DATE:
ADDRESS:



LIMPOPO

PROVINCIAL GOVERNMENT
REPUBLIC OF SOUTH AFRICA

DEPARTMENT OF PUBLIC WORKS, ROADS & INFRASTRUCTURE

LDPWRI-ROADS/! SUPPLY, DELIVERY AND OFFLOADING OF ROAD SIGNS FOR A PERIOD OF 36 MONTHS IN MOPANI, SEKHUKHUNE, VHEMBE AND WATERBERG DISTRICTS IN THE LIMPOPO PROVINCE:

1. BRIEF BACKGROUND

The Department have the responsibility of providing the road signs to the road network to inform and warn road users. When road signs get damaged or lose their reflectiveness, they are always replaced to keep the road network safe and informative. The road signs are required for the installation by through the departmental road maintenance teams across the Limpopo Province on an as and when a need arise basis.

1.2 DESCRIPTION OF CONTRACT

This contract is for the procurement of road traffic signs for the Limpopo Department of Public Works, Road & Infrastructure Government.

The supplier will be responsible for supply, delivery and offloading.

1.2.1 The delivery points of the road traffic signs will be as follows:

DISTRICT	DELIVERY POINT
MOPANI DISTRICT:	Giyani Cost Center
	Tzaneen Cost Centre
SEKHUKHUNE DISTRICT	Groblersdal Cost Centre
	Mecklenberg Cost Centre
VHEMBE DISTRICT	Thohoyandou Cost Centre
	Makhado Cost Centre
WATERBERG DISTRICT	Modimolle Cost Centre

DISTRICT	DELIVERY POINT
	Thabazimbi Cost Centre
	Lephalale Cost Centre
	Mokopane Cost Centre

1.2.2 Rate of delivery

After the road traffic signs are ordered, the supplier must deliver them within 30 working days. Deviations from this period of deliverance will only be permitted with the District Roads Engineer's permission. If a supplier cannot deliver the product within the agreed upon period, the product may be procured from another supplier and any difference in price may be recovered from the original supplier.

Delivery of the material may take place only from 08:00 to 16:00 from Mondays to Fridays. Deliveries made outside the hours stated above will not be certified for payment, even if a delivery Note is signed.

*Note: own labour must be supplied for offloading.

The signing of the delivery note does not mean that the quality or quantity of the material has been accepted but serves merely as proof that material has been delivered.

Procedure

Where applicable the following shall apply:

- (i) The supplier will be provided with detailed design(s).
- (ii) The design shall detail the different colours, classes of material, letter styles, letter sizes, types and sizes of borders and arrows, intermediate spaces between elements of the sign face (borders, arrows, route numbers, names, symbols, etc.), total length, total height and total area for every combination of background and legend classes of material and the design shall comply with the South African Road Traffic Signs Manual.

- (iii) All orders shall be issued on standard purchase order forms from the Department and they will clearly indicate the date of the order and the expected date of delivery.
- (iii) Payment can only be effected once the invoice, delivery note, and order have been correlated. The Invoice shall be quantified and priced according to the payment items of the contract. The invoice must be prepared, with all the relevant information as the original order.

2.1. SPECIFICATIONS FOR ROAD TRAFFIC SIGNS.

The signs shall be of the standard regulatory, warning, guidance and information signs as detailed on the drawings and shall be fabricated in accordance with the South African Road Traffic Signs Manual (SARTSM), except where otherwise indicated on the drawings and the project specifications. All materials shall comply with the specifications as set out in following SANS documents:

- SANS 1519-1:2014 for Retro-reflective sheeting,
 - SANS 1519-2: 2004 for Road signs performance requirements and
 - SA Road Traffic Signs Manual Volume 1 and 4
- a) Structural steel.**
- The structural steel must comply with the requirements of BS4360 for the type of steel specified.
 - Channels, square tubes, angle irons and other steel members on the reverse side of the sign boards and steel tubes for sign supports shall be coated in accordance with sub- clause 5603(a) from COTO.
- b) Bolts, nuts and rivets.**
- Steel bolts and nuts shall comply with SABS 135 or SABS 1143.
 - All steel bolts, nuts and washers shall have a hot-dip (galvanized) zinc coating which complies with the requirements of SABS 763 for coating on type C2 articles.

- Blind rivets used for fixing road sign boards to square-tubing framework shall be at least 4.65mm rivets manufactured from coated material that will not cause corrosion through electrolytic action.
- c) Steel plate and steel profiles.**
- Steel plate for road signs shall be 1.4mm thick pre painted galvanized steel plate which has been treated on both sides with an epoxy primer followed by a silicon polyester topcoat.
 - The reverse side of STOP sign R1 and all its derivatives shall be painted white.
 - The reverse side of all other signs shall be dark grey.
 - Standard sign profiles shall be 200mm sections with a thickness of 1.0mm manufactured from pre-painted galvanized mild steel substrate.
- d) Other plate material.**
- Temporary road works delineators' signs TW401 and TW402 shall be manufactured from flexible material and shall comply with the requirements of SABS 1555.
- e) Retro-reflective material**
- Retro –reflective material shall be Diamond/Engineer Grade Class iii.
- f) Sizes of the road signs.**
- The road signs will be for the 100-120km/h speed limit.
 - All signs except where indicated otherwise shall be 1200mm.
 - All signs must be supported by steel square tubing, channels steel or angle steel.

3. TESTING MATERIALS AND WORKMANSHIP

3.1. TESTS ON RETRO-REFLECTIVE MATERIAL FOR USE ON ROAD SIGNS

a) Sampling

- The Supplier will provide access to, and assist the District Roads Engineer, to take two sets of random samples of the various retro-reflective and non-reflective materials to be used on the contract for testing. The District Roads Engineer reserves the right to submit such samples to full or partial testing in accordance with SANS 1519 and/or

CKS 191, or to retain such samples as contract samples in accordance with subclause 14.8 of VST 36.

- The District Roads Engineer may at any time during the course of the contract take further samples of retro-reflective and non-reflective materials as considered necessary for testing.

b) Durability

For the purposes of this contract, the durability categories stipulated in SANS 1519 shall be interpreted as follows: retro-reflective and non-reflective material shall be of durability category A for seven year, grade materials or durability category B for material exceeding seven year grades.

c) Acceptance criteria

- Subject to the compliance with all other testing in accordance with SABS 1519, the retro-reflective and non-reflective material can be deemed to comply with the requirements of SANS 1519 paragraph 3.2.4(b) where: (paragraphs refer to SANS 1519):
 - i) Evidence of accelerated natural weathering in accordance with Par. 5.5 from testing authorities recognized by the Client shows compliance with the relevant requirements of 3.2.1(c), 3.2.2(b) and 3.2.3 if tested under Southern African climatic conditions; or;
 - ii) Evidence of natural weathering in the field under Southern African climatic conditions for at least 50% of the material's design life from testing authorities recognized by the Client shows no sign (after appropriate tests and examination) of being unable to comply with the requirements should they be exposed for the full design period, or;
 - iii) Specimens that have been exposed to the test in Par 5.5 for at least half the required period, show no indications (after appropriate tests and examination) of being unable to comply with the requirements should they be exposed for the full test period. In the case of material submitted for approval on the basis of (c)(i) above, the Official may require a performance guarantee as security for the satisfactory performance of the material.

- iv) The guarantee shall be subject to the Client's approval and such conditions as may be deemed necessary. The cost of providing a guarantee as well as the stamp duty thereon shall be for the contractor's account.
- v) Approval granted on the basis of (c)(ii) above will be withdrawn for further use if failures occur before completion of the full test period of natural weathering.
- vi) Approval granted on the basis of (c)(iii) above will be withdrawn for further use if failures occur before completion of the full test period of accelerated natural weathering described under paragraph 5.5 (SANS 1519).

d) Field testing

The Client reserves the right to test road signboards and/or the material thereon using suitable portable equipment. Such results shall be considered sufficient to rule on the acceptance of materials used on this contract.

All costs involved with testing shall be for the Client's account unless the supplier disputes the Client's results

3.2. LIFE SPAN OF ROAD SIGNS

The Client requires a sign life of the signboard of at least the warranty life of the highest-class retro reflective material on the sign, from the date of manufacture of the sign. Should a sign not last the prescribed period, the following remedial actions shall be taken:

- (i) If failure due to natural causes occurs within three years after manufacture, the sign shall be re-manufactured by the supplier and delivered to the site where it was taken from, at no cost to the Client.
- (ii) If failure due to natural causes occurs within a period of three to seven years after manufacture, the supplier shall restore the sign to acceptable functionality at no cost to the Client.

4. PRICING SCHEDULE

The unit rates of road traffic sign boards shall include the following:

- Supply,
- Delivery;

- Labour; and
- All other unspecified costs.

ITEM 1 and ITEM 2

a) Road signboards with painted or coloured semi-matt background.

Symbols, lettering and borders in semi matt black or in Class 1 retro reflective material, where the signboard is made of galvanized mild steel profiles or Galvanized steel plate (1.0mm thick – chromadek or approved equivalent)

ITEM 3 Fastening clamps (Galvanised Unistrut or approved equivalent):

Diameter	Unit:
Pole diameter 75 mm and less	Number
Pole diameter 75 mm - 100 mm	Number
Pole diameter 100 mm - 125 mm	Number
Pole diameter 125 mm - 150 mm	Number

The unit of measurement shall be the number of fastening clamps.

The tendered rate shall include full compensation for supplying and delivering the fastening clamps, complete with bolts and washers as per the manufacturer's specification.

ITEM 4

Pre-cut symbols, lettering, numbers, arrows or emblems in semi-matt black vinyl or retro-reflective material with a pressure sensitive adhesive backing:

Material	Unit:
Semi-matt black vinyl	square meter (m ²)
Class I material - (all colours)	square meter (m ²)
Class II material - (all colours)	square meter (m ²)

Class III material - (all colours)	square meter (m ²)
Class IV material - (all colours)	square meter (m ²)

The unit of measurement shall be the square meter area of the smallest rectangle that would cover the individual items(s) ordered. The tendered rate shall include full compensation for cutting, supplying and delivering of the symbols, lettering, numbers, arrows or emblems complete as specified.

- **ITEM 5**

Triangular signs complete as per specifications, manufactured from pre-painted galvanized steel plate (Chromadek or approved equivalent) with a fully reflectorized background in Class I retro reflective material.

Size	Unit:
600 mm sides	Number
900 mm sides	Number
1200 mm sides	Number
1500 mm sides	Number

The unit of measurement shall be per complete delivered sign.

- **ITEM 6**

Circular and octagonal signs complete as per specifications, manufactured from pre-painted galvanized steel plate (Chromadek or approved equivalent) with a fully reflectorized background in Class I retro reflective material.

Size	Unit:
600 mm diameter	Number
900 mm diameter	Number
1200 mm diameter	Number

The unit of measurement shall be per complete delivered sign.

- **ITEM 7**

Danger Plate (W401/TW401)

Rectangular signs complete as per specifications, manufactured from pre-painted galvanized steel plate (Chro-madek or approved equivalent) with a fully reflectorized background in Class I retro reflective material

Size	Unit:
600mm x 150mm	Number
800mm x 200mm	Number
1200mm x 300mm	Number

The unit of measurement shall be per complete delivered sign

- **ITEM 8**

Chevrons (W405)

Square signs complete as per specifications, manufactured from pre-painted galvanized steel plate (Chromadek or approved equivalent) with a fully reflectorized background in Class I retro reflective material

Size	Unit:
450mm x 450mm	Number
600mm x 600mm	Number
900mm x 900mm	Number
Pole diameter 125 mm - 150 mm	Number

The unit of measurement shall be per complete delivered sign

- **ITEM 9**

Guardrail (V-Reflectors)

V- Shaped reflective plates shall be manufactured from 1.5mm thick mild steel plate. The outer surface shall be coated with engineering-grade retro-reflective material which complies with the provisions of SABS 1519.

Size	Unit
75mm X 75mm	Number

The unit of measurement shall be per complete delivered reflector

- **ITEM 10**

Reference Km Markers (add poles / galvanised/ wood)

Standard size of reference marker board to be 420x300 x1.4mm thick pre-painted galvanized mild steel plate. All marker boards shall be manufactured using Class 1 white retroreflective material on a green semi-matt background.

Size

420 x 300 x 1.4

Unit:

Number

The unit of measurement shall be per complete delivered sign

- **ITEM 16**

Road Stud Design

The shape of the shank must be designed to stop tilting, rotation and sinking. The length designed in such a way that the shank does not sink through into the loose material below, causing rotation.

Rust Protection (Galvanised Cast Iron)

The studs body should be 'hot dip' galvanised as this is the strongest method with which to protect metal from rusting

Solar Powered Road Studs

The studs that use solar power and illuminates at night time, either flashing or none flashing.

Colours

Supplier must be able to supply all colours (a) white / white, b) white / red, c) red / red and d) red / yellow).

Reflectivity

Road studs must be 23 / 23 Glass reflective elements both sides.

▪ **ITEM 17 SAFETY ROLLER BARRIER**

Safety Roller Barrier Transition Zones, stopper boards, all bolts, nuts, washers and reinforcing plates, must comply aspects with requirements of SATAS (SANS 51317)

Safety Roller Barrier must comply with and have valid SATAS (SANS 51317-5)

Safety Roller Barrier steel components including nuts and bolts must be hot dip galvanized and comply in all aspects with the requirements of SATAS (SANS 121)

Safety Rollers barrier shock absorbing rollers must have UV Protection coat for protection from continuous exposure to sunlight.

NO	PRODUCT	STANDARD	UNIT
	Post (SS400)	Φ139.8 X2200L X4.5T	EA
	Post (SS400)	Φ139.8 X780L X4.5T	EA
	Inner Post (SS400)	@125 X10L X4.3T	EA
	Shock Absorbing Roller	Φ370 X210	EA
	P.P Pipe	Φ165 X210 X8T 50 X1250L	EA
	Reflective Band	123X100X5,995X3.0T	EA
	Safety Rail (SS400)	108X75X900X5.0T	M
	Sleeve Rail (SS400)	108X75X300X5.0T	EA
	Sleeve Rail (SS400)	Φ245 X8T	EA
	Stopper Board	\$20 X200L	EA
	H-Bolt/Nut/H-Washer	\$16 X40L	EA
	H-Bolt/Nut/H-Washer	\$139.8 TYPE	EA
	Post Cap	80 X50	EA
	Pipe SS400	123X100X5,995X3.0T	EA

SCHEDULE OF QUANTITIES

Notes:

- i. The base month is November 2025 (or the month prior to the month in which the closing date of the tender falls).
- ii. Year 2 and Year 3 prices will be adjusted from base year and in accordance with the Contract Price Adjustment (CPA) formula [SBD 3.2].
- iii. Bidder shall complete the schedule of quantities in full, and in areas (districts) where there is no intention to bid, it must be indicated as such (and no space shall be left open).
- iv. The Department reserves the right to negotiate the price.

- v. The awarding of the Tender shall be limited to only one municipality per bidder. However, the Department reserves the right to award one bidder more than one District on condition that there are no sufficient recommendable bidders.
- vi. All signs must have channel stiffeners at the back for clamps.

4.1. MOPANI DISTRICT

5. Item No.	Description	Unit	Unit Rate
1	Road signboards with Class 1 retro-reflective background. Symbols, lettering and borders in Semimatt black or in Class 1 retro reflective material, where the sign board is constructed from:	-	-
a)	Galvanized steel plate (1.4mm thick- chromadek or approved equivalent)	-	-
i	area not exceeding 2m ²	m ²	
ii	area exceeding 2m ² but not 5m ²	m ²	
iii	Area exceeding 5m ² but not 10m ²	m ²	
iv	area exceeding 10m ²	m ²	
b)	Galvanized steel profiles (1.0mm thick, 200mm high chromadek or approved equivalent):	-	-
i	area not exceeding 2m ²	m ²	
ii	area exceeding 2m ² but not 5m ²	m ²	
iii	Area exceeding 5m ² but not 10m ²	m ²	
iv	area exceeding 10m ²	m ²	
2	Road signboards with Class 1 retro-reflective background. Symbols, lettering and borders in Semimatt black or in Class 1 retro reflective material, where the sign board is constructed from:	-	-
	Galvanized steel plate (1.4mm thick- chromadek or approved equivalent)	-	-
a)	Background of retro-reflective material:	-	-
i	Class III	m ²	
ii	Class IV	m ²	
3	Fastening Clamps (Galvanized Unitrust or approved equivalent):	-	-
a)	Pole diameter 75mm and less	No.	
b)	Pole diameter 75mm - 100mm	No.	
c)	Pole diameter 100mm - 125mm	No.	
d)	Pole diameter 125mm - 150mm	No.	
4	Pre-cut symbols, lettering, numbers, arrows or emblems in semi-matt black vinyl or retro-reflective material with a pressure sensitive adhesive backing	-	-

a)	Semi-matt black vinyl	m ²	
b)	Class I material (all colours)	m ²	
c)	Class II material (all colours)	m ²	
d)	Class IV material (all colours)	m ²	
Sub Total			
Item No.	Description	Unit	Unit Rate
5	Triangular Signs (W-Series) Complete:	-	-
a)	600mm sides	No.	
b)	900mm sides	No.	
c)	1200mm sides	No.	
d)	1500mm sides	No.	
5-1	Triangular Signs (TW-Series) Mounted on stand:	-	-
a)	600mm sides	No.	
b)	900mm sides	No.	
c)	1200mm sides	No.	
d)	1500mm sides	No.	
6	Circular and octagonal signs (R-series) Complete:	-	-
a)	600mm diameter	No.	
b)	900mm diameter	No.	
c)	1200mm diameter	No.	
6-1	Circular and octagonal signs (TR-series) Mounted on stand:	-	-
a)	600mm diameter	No.	
b)	900mm diameter	No.	
c)	1200mm diameter	No.	
7	Danger Plates (W401 & W402)	-	-
a)	600mmx150mm	No.	
b)	800mmx 200mm	No.	
c)	1200mmx300mm	No.	
d)	Square tubing of 50mmx50mm x1800mm with base of pin of 300mm long x10mm diameter for danger plates	No.	
8	Chevrons (W405 & W406)	-	-
a)	450mmx450mm	No.	
b)	600mmx600mm	No.	
c)	900mmx900mm	No.	
9	Guardrail Reflectors;	-	-
a)	75mm x 75mm	No.	
Sub Total			

Item No.	Description	Unit	Unit Rate
10	Reference km markers	-	-
a)	420mm x 300mm	No.	
11	Red Safety Flag 3M Reflective (Complete with handle stick)	-	-

a)	600mm x 600mm	No.	
12	Road Traffic Cones	-	-
a)	450mm	No.	
b)	750mm	No.	
13	Barrier Tape	-	-
a)	500m	No.	
14	Delineators (TW401 & TW402) single on stands	-	-
a)	600mmx150mm	No.	
b)	800mmx 200mm	No.	
c)	1200mmx300mm	No.	
d)	Square tubing of 50mmx50mm x1800mm with base of pin of 300mm long x10mm diameter for danger plates	No.	
15	Delineators (TW401 & TW402)double sided on stands	-	-
a)	600mmx150mm	No.	
b)	800mmx 200mm	No.	
c)	1200mmx300mm	No.	
16	Specifications for road studs, epoxy and guard rail reflectors.	-	-
a)	Galvanized cast iron studs with anchor shank	No.	
b)	Aluminium studs with anchor shank	No.	
c)	Plastic studs with anchor shank	No.	
d)	Solar studs: plastic, aluminium or galvanized with or without anchor shank	No.	
e)	Epoxy	L	
17	SAFETY ROLLER BARRIER SYSTEM		
	PRODUCT	STANDARD	UNIT
a.	Post (SS400)	Φ139.8 X2200L X4.5T	EA
b.	Post (SS400)	Φ139.8 X780L X4.5T	EA
c.	Inner Post (SS400)	@125 X10L X4.3T	EA
d.	Shock Absorbing Roller	Φ370 X210	EA
e.	P.P Pipe	Φ165 X210 X8T 50 X1250L	EA
f.	Reflective Band	123X100X5,995X3.0T	EA
g.	Safety Rail (SS400)	108X75X900X5.0T	M
h.	Sleeve Rail (SS400)	108X75X300X5.0T	EA
i.	Sleeve Rail (SS400)	Φ245 X8T	EA
j.	Stopper Board	\$20 X200L	EA
k.	H-Bolt/Nut/H-Washer	\$16 X40L	EA
l.	H-Bolt/Nut/H-Washer	\$139.8 TYPE	EA
m.	Post Cap	80 X50	EA
n.	Pipe SS400	123X100X5,995X3.0T	EA
18	Testing of material and workmanship	Prov Sum	
Sub Total			
Total			
VAT-15%(Where Applicable)			

Grand Total(Tender Amount – Mopani District)

4.2 SEKHUKHUNE DISTRICT

Item No.	Description	Unit	Unit Rate
1	Road signboards with Class 1 retro-reflective background. Symbols, lettering and borders in Semimatt black or in Class 1 retro reflective material, where the sign board is constructed from:	-	-
a)	Galvanized steel plate (1.4mm thick- chromadek or approved equivalent)	-	-
i	area not exceeding 2m ²	m ²	
ii	area exceeding 2m ² but not 5m ²	m ²	
iii	Area exceeding 5m ² but not 10m ²	m ²	
iv	area exceeding 10m ²	m ²	
b)	Galvanized steel profiles (1.0mm thick, 200mm high chromadek or approved equivalent):	-	-
i	area not exceeding 2m ²	m ²	
ii	area exceeding 2m ² but not 5m ²	m ²	
iii	Area exceeding 5m ² but not 10m ²	m ²	
iv	area exceeding 10m ²	m ²	
2	Road signboards with Class 1 retro-reflective background. Symbols, lettering and borders in Semimatt black or in Class 1 retro reflective material, where the sign board is constructed from:	-	-
	Galvanized steel plate (1.4mm thick- chromadek or approved equivalent)	-	-
a)	Background of retro-reflective material:	-	-
i	Class III	m ²	
ii	Class IV	m ²	
3	Fastening Clamps (Galvanized Unitrust or approved equivalent):	-	-
a)	Pole diameter 75mm and less	No.	
b)	Pole diameter 75mm - 100mm	No.	
C)	Pole diameter 100mm - 125mm	No.	
d)	Pole diameter 125mm - 150mm	No.	
4	Pre-cut symbols, lettering, numbers, arrows or emblems in semi-matt black vinyl or retro-reflective material with a pressure sensitive adhesive backing	-	-
a)	Semi-matt black vinyl	m ²	
b)	Class I material (all colours)	m ²	

c)	Class II material (all colours)	m ²	
d)	Class IV material (all colours)	m ²	
		Sub Total	
Item No.	Description	Unit	Unit Rate
5	Triangular Signs (W-Series) Complete:	-	-
a)	600mm sides	No.	
b)	900mm sides	No.	
c)	1200mm sides	No.	
d)	1500mm sides	No.	
5-1	Triangular Signs (TW-Series) Mounted on stand:	-	-
a)	600mm sides	No.	
b)	900mm sides	No.	
c)	1200mm sides	No.	
d)	1500mm sides	No.	
6	Circular and octagonal signs (R-series) Complete:	-	-
a)	600mm diameter	No.	
b)	900mm diameter	No.	
c)	1200mm diameter	No.	
6-1	Circular and octagonal signs (TR-series) Mounted on stand:	-	-
a)	600mm diameter	No.	
b)	900mm diameter	No.	
c)	1200mm diameter	No.	
7	Danger Plates (W401 & W402)	-	-
a)	600mmx150mm	No.	
b)	800mmx 200mm	No.	
c)	1200mmx300mm	No.	
d)	Square tubing of 50mmx50mm x1800mm with base of pin of 300mm long x10mm diameter for danger plates	No.	
8	Chevrons (W405 & W406)	-	-
a)	450mmx450mm	No.	
b)	600mmx600mm	No.	
c)	900mmx900mm	No.	
9	Guardrail Reflectors;	-	-
a)	75mm x 75mm	No.	
		Sub Total	

Item No.	Description	Unit	Unit Rate
10	Reference km markers	-	-
a)	420mm x 300mm	No.	
11	Red Safety Flag 3M Reflective (Complete with handle stick)	-	-
a)	600mm x 600mm	No.	
12	Road Traffic Cones	-	-

a)	450mm	No.	
b)	750mm	No.	
13	Barrier Tape	-	-
a)	500m	No.	
14	Delineators (TW401 & TW402) single on stands	-	-
a)	600mmx150mm	No.	
b)	800mmx 200mm	No.	
c)	1200mmx300mm	No.	
d)	Square tubing of 50mmx50mm x1800mm with base of pin of 300mm long x10mm diameter for danger plates	No.	
15	Delineators (TW401 & TW402)double sided on stands	-	-
a)	600mmx150mm	No.	
b)	800mmx 200mm	No.	
c)	1200mmx300mm	No.	
16	Specifications for road studs, epoxy and guard rail reflectors.	-	-
a)	Galvanized cast iron studs with anchor shank	No.	
b)	Aluminium studs with anchor shank	No.	
c)	Plastic studs with anchor shank	No.	
d)	Solar studs: plastic, aluminium or galvanized with or without anchor shank	No.	
e)	Epoxy	L	
17	SAFETY ROLLER BARRIER SYSTEM		
a.	PRODUCT	STANDARD	
b.	Post (SS400)	Φ139.8 X2200L X4.5T	EA
c.	Post (SS400)	Φ139.8 X780L X4.5T	EA
d.	Inner Post (SS400)	@125 X10L X4.3T	EA
e.	Shock Absorbing Roller	Φ370 X210	EA
f.	P.P Pipe	Φ165 X210 X8T 50 X1250L	EA
g.	Reflective Band	123X100X5,995X3.0T	EA
h.	Safety Rail (SS400)	108X75X900X5.0T	M
i.	Sleeve Rail (SS400)	108X75X300X5.0T	EA
j.	Sleeve Rail (SS400)	Φ245 X8T	EA
k.	Stopper Board	\$20 X200L	EA
l.	H-Bolt/Nut/H-Washer	\$16 X40L	EA
m.	H-Bolt/Nut/H-Washer	\$139.8 TYPE	EA
n.	Post Cap	80 X50	EA
	Pipe SS400	123X100X5,995X3.0T	EA
18	Testing of material and workmanship	Prov Sum	
Sub Total			
Total			
VAT-15%(Where Applicable)			
Grand Total(Tender Amount – Sekhukhune District)			

4.3 VHEMBE DISTRICT

Item No.	Description	Unit	Unit Rate
1	Road signboards with Class 1 retro-reflective background. Symbols, lettering, and borders in Semimatt black or in Class 1 retro reflective material, where the sign board is constructed from:	-	-
a)	Galvanized steel plate (1.4mm thick- chromadek or approved equivalent)	-	-
i	area not exceeding 2m ²	m ²	
ii	area exceeding 2m ² but not 5m ²	m ²	
iii	Area exceeding 5m ² but not 10m ²	m ²	
iv	area exceeding 10m ²	m ²	
b)	Galvanized steel profiles (1.0mm thick, 200mm high chromadek or approved equivalent):	-	-
i	area not exceeding 2m ²	m ²	
ii	area exceeding 2m ² but not 5m ²	m ²	
iii	Area exceeding 5m ² but not 10m ²	m ²	
iv	area exceeding 10m ²	m ²	
2	Road signboards with Class 1 retro-reflective background. Symbols, lettering and borders in Semimatt black or in Class 1 retro reflective material, where the sign board is constructed from:	-	-
	Galvanized steel plate (1.4mm thick- chromadek or approved equivalent)	-	-
a)	Background of retro-reflective material:	-	-
i	Class III	m ²	
ii	Class IV	m ²	
3	Fastening Clamps (Galvanized Unitrust or approved equivalent):	-	-
a)	Pole diameter 75mm and less	No.	
b)	Pole diameter 75mm - 100mm	No.	
C)	Pole diameter 100mm - 125mm	No.	
d)	Pole diameter 125mm - 150mm	No.	
4	Pre-cut symbols, lettering, numbers, arrows or emblems in semi-matt black vinyl or retro-reflective material with a pressure sensitive adhesive backing	-	-
a)	Semi-matt black vinyl	m ²	
b)	Class I material (all colours)	m ²	
c)	Class II material (all colours)	m ²	
d)	Class IV material (all colours)	m ²	
Sub Total			
Item No.	Description	Unit	Unit Rate

5	Triangular Signs (W-Series) Complete:	-	-
a)	600mm sides	No.	
b)	900mm sides	No.	
c)	1200mm sides	No.	
d)	1500mm sides	No.	
5-1	Triangular Signs (TW-Series) Mounted on stand:	-	-
a)	600mm sides	No.	
b)	900mm sides	No.	
c)	1200mm sides	No.	
d)	1500mm sides	No.	
6	Circular and octagonal signs (R-series) Complete:	-	-
a)	600mm diameter	No.	
b)	900mm diameter	No.	
c)	1200mm diameter	No.	
6-1	Circular and octagonal signs (TR-series) Mounted on stand:	-	-
a)	600mm diameter	No.	
b)	900mm diameter	No.	
c)	1200mm diameter	No.	
7	Danger Plates (W401 & W402)	-	-
a)	600mmx150mm	No.	
b)	800mmx 200mm	No.	
c)	1200mmx300mm	No.	
d)	Square tubing of 50mmx50mm x1800mm with base of pin of 300mm long x10mm diameter for danger plates	No.	
8	Chevrons (W405 & W406)	-	-
a)	450mmx450mm	No.	
b)	600mmx600mm	No.	
c)	900mmx900mm	No.	
9	Guardrail Reflectors;	-	-
a)	75mm x 75mm	No.	
Sub Total			

Item No.	Description	Unit	Unit Rate
10	Reference km markers	-	-
a)	420mm x 300mm	No.	
11	Red Safety Flag 3M Reflective (Complete with handle stick)	-	-
a)	600mm x 600mm	No.	
12	Road Traffic Cones	-	-
a)	450mm	No.	
b)	750mm	No.	
13	Barrier Tape	-	-
a)	500m	No.	
14	Delineators (TW401 & TW402) single on stands	-	

			-
a)	600mmx150mm	No.	
b)	800mmx 200mm	No.	
c)	1200mmx300mm	No.	
d)	Square tubing of 50mmx50mm x1800mm with base of pin of 300mm long x10mm diameter for danger plates	No.	
15	Delineators (TW401 & TW402)double sided on stands	-	-
a)	600mmx150mm	No.	
b)	800mmx 200mm	No.	
c)	1200mmx300mm	No.	
16	Specifications for road studs, epoxy and guard rail reflectors.	-	-
a)	Galvanized cast iron studs with anchor shank	No.	
b)	Aluminium studs with anchor shank	No.	
c)	Plastic studs with anchor shank	No.	
d)	Solar studs: plastic, aluminium or galvanized with or without anchor shank	No.	
e)	Epoxy	L	
17	SAFETY ROLLER BARRIER SYSTEM		
	PRODUCT	STANDARD	
a.	Post (SS400)	Φ139.8 X2200L X4.5T	EA
b.	Post (SS400)	Φ139.8 X780L X4.5T	EA
c.	Inner Post (SS400)	@125 X10L X4.3T	EA
d.	Shock Absorbing Roller	Φ370 X210	EA
e.	P.P Pipe	Φ165 X210 X8T 50 X1250L	EA
f.	Reflective Band	123X100X5,995X3. OT	EA
g.	Safety Rail (SS400)	108X75X900X5.0T	M
h.	Sleeve Rail (SS400)	108X75X300X5.0T	EA
i.	Sleeve Rail (SS400)	Φ245 X8T	EA
j.	Stopper Board	\$20 X200L	EA
k.	H-Bolt/Nut/H-Washer	\$16 X40L	EA
l.	H-Bolt/Nut/H-Washer	\$139.8 TYPE	EA
m.	Post Cap	80 X50	EA
n.	Pipe SS400	123X100X5,995X3.0T	EA
18	Testing of material and workmanship	Prov Sum	
Sub Total			
Total			
VAT-15%(Where Applicable)			
Grand Total (Tender Amount – Vhembe District)			

4.4 WATERBERG DISTRICT

Item No.	Description	Unit	Unit Rate
1	Road signboards with Class 1 retro-reflective background. Symbols, lettering, and borders in Semimatt black or in Class 1 retro reflective material, where the sign board is constructed from:	-	-
a)	Galvanized steel plate (1.4mm thick- chromadek or approved equivalent)	-	-
i	area not exceeding 2m ²	m ²	
ii	area exceeding 2m ² but not 5m ²	m ²	
iii	Area exceeding 5m ² but not 10m ²	m ²	
iv	area exceeding 10m ²	m ²	
b)	Galvanized steel profiles (1.0mm thick, 200mm high chromadek or approved equivalent):	-	-
i	area not exceeding 2m ²	m ²	
ii	area exceeding 2m ² but not 5m ²	m ²	
iii	Area exceeding 5m ² but not 10m ²	m ²	
iv	area exceeding 10m ²	m ²	
2	Road signboards with Class 1 retro-reflective background. Symbols, lettering and borders in Semimatt black or in Class 1 retro reflective material, where the sign board is constructed from:	-	-
	Galvanized steel plate (1.4mm thick- chromadek or approved equivalent)	-	-
a)	Background of retro-reflective material:	-	-
i	Class III	m ²	
ii	Class IV	m ²	
3	Fastening Clamps (Galvanized Unitrust or approved equivalent):	-	-
a)	Pole diameter 75mm and less	No.	
b)	Pole diameter 75mm - 100mm	No.	
C)	Pole diameter 100mm - 125mm	No.	
d)	Pole diameter 125mm - 150mm	No.	
4	Pre-cut symbols, lettering, numbers, arrows or emblems in semi-matt black vinyl or retro-reflective material with a pressure sensitive adhesive backing	-	-
a)	Semi-matt black vinyl	m ²	
b)	Class I material (all colours)	m ²	
c)	Class II material (all colours)	m ²	
d)	Class IV material (all colours)	m ²	
Sub Total			
Item No.	Description	Unit	Unit Rate

5	Triangular Signs (W-Series) Complete:	-	-
a)	600mm sides	No.	
b)	900mm sides	No.	
c)	1200mm sides	No.	
d)	1500mm sides	No.	
5-1	Triangular Signs (TW-Series) Mounted on stand:	-	-
a)	600mm sides	No.	
b)	900mm sides	No.	
c)	1200mm sides	No.	
d)	1500mm sides	No.	
6	Circular and octagonal signs (R-series) Complete:	-	-
a)	600mm diameter	No.	
b)	900mm diameter	No.	
c)	1200mm diameter	No.	
6-1	Circular and octagonal signs (TR-series) Mounted on stand:	-	-
a)	600mm diameter	No.	
b)	900mm diameter	No.	
c)	1200mm diameter	No.	
7	Danger Plates (W401 & W402)	-	-
a)	600mmx150mm	No.	
b)	800mmx 200mm	No.	
c)	1200mmx300mm	No.	
d)	Square tubing of 50mmx50mm x1800mm with base of pin of 300mm long x10mm diameter for danger plates	No.	
8	Chevrons (W405 & W406)	-	-
a)	450mmx450mm	No.	
b)	600mmx600mm	No.	
c)	900mmx900mm	No.	
9	Guardrail Reflectors;	-	-
a)	75mm x 75mm	No.	
Sub Total			

Item No.	Description	Unit	Unit Rate
10	Reference km markers	-	-
a)	420mm x 300mm	No.	
11	Red Safety Flag 3M Reflective (Complete with handle stick)	-	-
a)	600mm x 600mm	No.	
12	Road Traffic Cones	-	-
a)	450mm	No.	
b)	750mm	No.	
13	Barrier Tape	-	-
a)	500m	No.	
14	Delineators (TW401 & TW402) single on stands	-	

			-
a)	600mmx150mm	No.	
b)	800mmx 200mm	No.	
c)	1200mmx300mm	No.	
d)	Square tubing of 50mmx50mm x1800mm with base of pin of 300mm long x10mm diameter for danger plates	No.	
15	Delineators (TW401 & TW402) double sided on stands	-	-
a)	600mmx150mm	No.	
b)	800mmx 200mm	No.	
c)	1200mmx300mm	No.	
16	Specifications for road studs, epoxy and guard rail reflectors.	-	-
a)	Galvanized cast iron studs with anchor shank	No.	
b)	Aluminium studs with anchor shank	No.	
c)	Plastic studs with anchor shank	No.	
d)	Solar studs: plastic, aluminium or galvanized with or without anchor shank	No.	
e)	Epoxy	L	
17	SAFETY ROLLER BARRIER SYSTEM		
	PRODUCT	STANDARD	
o.	Post (SS400)	Φ139.8 X2200L X4.5T	EA
p.	Post (SS400)	Φ139.8 X780L X4.5T	EA
q.	Inner Post (SS400)	@125 X10L X4.3T	EA
r.	Shock Absorbing Roller	Φ370 X210	EA
s.	P.P Pipe	Φ165 X210 X8T 50 X1250L	EA
t.	Reflective Band	123X100X5,995X3. OT	EA
u.	Safety Rail (SS400)	108X75X900X5.0T	M
v.	Sleeve Rail (SS400)	108X75X300X5.0T	EA
w.	Sleeve Rail (SS400)	Φ245 X8T	EA
x.	Stopper Board	\$20 X200L	EA
y.	H-Bolt/Nut/H-Washer	\$16 X40L	EA
z.	H-Bolt/Nut/H-Washer	\$139.8 TYPE	EA
aa.	Post Cap	80 X50	EA
bb.	Pipe SS400	123X100X5,995X3.0T	EA
18	Testing of material and workmanship	Prov Sum	
Sub Total			
Total			
VAT-15%(Where Applicable)			
Grand Total (Tender Amount – Waterberg District)			

Signed:.....

Bidder:.....

Capacity:.....

5 CONTRACT PRICE ADJUSTMENT

Price adjustments will be allowed annually and the following formula shall apply:

$$Pa = (1 - V)Pt \left(D1 \frac{R1t}{R1o} + D2 \frac{R2t}{R2o} + D3 \frac{R3t}{R3o} + D4 \frac{D4t}{D4o} \right) + VPt$$

Where:

Pa	=	The new escalated price to be calculated.
(1-V)Pt	=	85% of the original bid price. note that Pt must always be the original bid price and not an escalated price.
D1, D2..	=	Each factor of the bid price eg. labour, transport, clothing, footwear, etc. The total of the various factors D1,D2...etc. must add up to 100%.
R1t, R2t.....	=	Index figure obtained from new index (depends on the number of factors used).
R1o, R2o	=	Index figure at time of bidding.
VPt	=	15% of the original bid price. This portion of the bid price remains firm i.e. it is not subject to any price escalations.

6 DURATION OF THE CONTRACT

- The contract will run for a period of 03 years (36 months).

EVALUATION CRITERIA

Received bids will be evaluated on compliance to specification, administrative compliance, price and preferential point system. The awarding of the tender shall be limited to only one district per bidder. Responsive tenders will be evaluated according to the Preferential Procurement Regulations, 2022.

STAGE 1: PRE- QUALIFICATION CRITERIA

Evaluation criteria:
<p>Stage 1: ADMINISTRATIVE COMPLIANCE</p> <p>The following documents are to be submitted with the bid:</p> <ul style="list-style-type: none"> ▪ Tax compliant CSD detailed report. ▪ Certified copy of company registration certificate (eg, ck, cm, etc) ▪ Original certified id copies of shareholders/directors ▪ Letter from a health professional not more than 12 months old from date issue (in case of persons living with disabilities) ▪ Proof of business address/lease agreement <p>The following documents are to be submitted with the bid, non-compliance will lead to disqualification:</p> <ul style="list-style-type: none"> ▪ duly completed and signed power of attorney / authority for signatory ▪ joint venture agreement shall be duly completed and signed ▪ bid document shall be submitted in its original form, ▪ Non- completion and/ or Non- signing of the following essential standard bidding documents (SBD)/forms: <ul style="list-style-type: none"> ▪ SBD 1 ▪ SBD 3.2 ▪ SBD 4 ▪ SBD 6.1 ▪ Non completion of pricing schedules. Non completion and/or Non-alignment with specified variables of rate adjustment table (SBD 3.2) ▪ failure to duly sign and complete certificate of non-collusion. ▪ completion of the bid document (or returnable schedules) using pencil is a disqualification. ▪ failure to complete the bid document in full of a permanent black ink pen (not typed)

Note : non adherence to the pre-qualification criteria will disqualification of the BID

STAGE 2:. Evaluation on functionality

The minimum score for functionality is 65%, and a bidder who scores below this minimum shall be deemed unqualified and shall not be considered for further evaluation in terms of the preference point systems.

Scoring of Functionality:

1= Poor, 2= Fair/average, 3= Good, 4= Very Good, 5= Excellent

ITEM	CRITERIA	SUB CRITERIA	TOTAL SCORE
1	Company/Entity's Registration	<p>Not registered with CIDB (SK Grade) (0)</p> <p>Grade 1 SKPE or 2 SK (10)</p> <p>Grade 2 SKPE or 3 SK (25)</p> <p>Grade 3 SKPE, 4 SK and above (40)</p> <p><i>Note: proof of CIDB SK Grade registration must be provided.</i></p>	
2	Company's Experience	<p>No appointment letter and purchase order (0)</p> <p>1-3 appointment letter and purchase order (10)</p> <p>3-5 appointment letter and purchase order (25)</p> <p>5 and above appointment letter and purchase order (45)</p> <p>Note: Attach Appointment letters and purchase orders in supply and delivery of construction materials .</p>	

3.	Financial Capability	<p>The responding bidder must show capacity to deliver a sustainable service. Financial Guarantee letter from an accredited financial institution must be provided.</p> <p>Failure to provide any financial guarantee (0)</p> <p>Supplying a R500 000.00 and above financial guarantee (25)</p> <p>Supplying a R750 000.00 and above financial guarantee =(40)</p>	
TOTAL		125	

STAGE 3: Evaluation in terms of the 80/20 Preference Point System:

Responsive tenders will be evaluated further, using the 80/20 preference point system.

Stage 3: Calculation of points for specific goals status

Preamble: SPECIFIC GOALS

1. In terms of Regulations 4(2); 5(2); 6(2) and 7(2) of the Preferential; Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals in table 1 below as may be supported by proof/documentation stated in the conditions of this tender.
2. In cases where organs of intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the offer
 - a. an invitation for the tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - b. any other invitation for tender, that either 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system, then the organ of state must indicate the points allocated for specific goals for both the 80/20 and 90/10 preference system.
 - c.

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Enterprises owned by People with Disabilities (Attach Disability certificate issued by Health Professionals)	2	
Enterprises owned by Women (Attach Central Supplier Database (CSD)	7	
Small, Medium and Micro Entreprises (SMMEs). Attach Central Supplier Database (CSD)	2	
Enterprises owned by Youth. Attach Central Supplier Database (CSD)	4	
Enterprises located in Limpopo Province (Attach Municipal Utility Bill or Lease Agreement or Proof of Residence from Tribal Authority / Municipal Council)	5	

SPECIAL CONDITIONS:

8.1 Award of the bid

8.1.1. This contract will be awarded in terms of the Preferential Procurement Policy Framework Act, (Act No. 5 of 2000) and its Regulations as well as the Limpopo Preferential Procurement Policy, 2005.

8.1.2. Limpopo Department of Public Works, Roads and Infrastructure, Roads and Infrastructure reserves the right to:-

- a. Request further information from any bidder after the closing date,
- b. Verify information and documentation of the respective bidder,

- 8.1.3. The Service Provider will submit monthly progress reports to the Programme Manager, within four (4) days after the end of each month and the final report four (4) weeks before the project end date. Failure to submit the required reports on time will result in penalties.
- 8.1.4. The Programme Manager shall do the ongoing performance management of the Service agreement.
- 8.1.5. All the conditions specified in the General Conditions of Contract (GCC) will apply and where the conditions in the special conditions of contract contradicts the conditions in the general conditions of contract the special conditions of contract will prevail.
- 8.1.6 Please take note that LDPWRI is not bound to select any of the firms submitting proposals. LDPWRI reserves the right not to award any of the bids and not to award the contract to the lowest bidding price.
- 8.1.7 Bidders must score a minimum of 65% (The minimum qualifying score that must be obtained for functionality in order for a Bid to be considered further should not be generic). It should be determined separately for each bid on a case-by-case basis.
- 8.1.9 Failure to comply with Tax matters may result in the invalidation of the bid.
- 8.1.10 A foreign recommended bidder with neither South African tax obligation nor history of doing business in South Africa must complete Standard Bidding Document (SBD 1) and the information must be submitted to SARS on the following email governmentinstitute@sars.gov.za to issue a confirmation of the tax obligation letter in terms of paragraph 3.6 of the instruction note no 9 of 2017/18.
- 8.1.11 Bidder shall complete the schedule of quantities in full, and in areas (districts) where there is no intention to bid, it must be indicated as such (and no space shall be left open).
- 8.1.12 The Department reserves the right to negotiate the price.
- 8.1.13 *The awarding of the Tender shall be limited to only one municipality per bidder. However, the Department reserves the right to award one bidder more than one District on condition that there are no sufficient recommendable bidders.*
- 8.1.14 The awarding of the bid shall be per district and the awarding will be limited to one district per bidder.
- 8.1.15 Signed agreement between service providers in the case of a joint venture/Consortium
- 8.1.16 Letter of authority to sign documents on behalf of the company/joint venture/Consortium.
- 8.1.17 Before any work can commence the service level agreement must be signed by both parties (LDPWRI and the successful bidder) and an official order must be issued and should there be any dispute regarding the finalisation of the agreement, the LDPWRI reserves the right to cancel the contract with no cost implications for the LDPWRI.
- 8.1.18 The evaluation of Bids can only be done on the basis of information required by the LDPWRI.
- 8.1.19 Prospective suppliers and / or public entities interested in pursuing opportunities with the DPWRI and within the South African government, should be registered on the National Treasury Central Supplier Database.

- 8.1.20 Prospective suppliers and / or public entities must provide the LDPWRI with their CSD registration number on submission of their bid proposals including those of sub-contractors and/ or joint venture companies.
- 8.1.21 Any supplier who is not registered on CSD during an award stage of the tender will not be considered.
- 8.1.22 Successful bidders will be required to confirm project lead team members upon contracting (project lead and team members are not allowed to be used in more than one bid)
- 8.1.23 Bidders failing to meet administrative-compliance, pre-qualification, functionality requirements will automatically be disqualified and not be evaluated on Stage 3.

9. Bid Price Qualification

- 9.1 All bid prices must be specified on each item in figures. Price in figures must be acceptable in general accounting language.
- 9.2 Prices quoted must include delivery costs. Furthermore, the bid prices must be in RSA currency and inclusive of Value Added Tax (VAT).
- 9.3 Bid prices must be 'NETT'. Therefore, bidders intending to quote a price less a discount on the unit basis must first deduct the discount and then insert the 'NETT' Price.
- 9.4 Prices will remain firm for the first twelve (12) months of the contract period. Formal applications for price adjustments, based on the formula prescribed in the Treasury Regulations, and will only be considered after the first twelve months of the contract period.
- 9.5 Price adjustment applications shall be considered on six (06) monthly intervals. Despite any other worded stipulation, no adjustment will be considered before twelve months of contract period have expired.
- 9.6 All price adjustment applications should be substantiated by documentary proof in respect of each factor.