#### TMT-DBE-23/24-SAFEOS-ECCL47

## **BILLS OF QUANTITIES**

#### **INDEX TO BILLS OF QUANTITIES**

<u>Bill No</u>		Page No
	SECTION NO. 1: SANGQU PRIMARY SCHOOL	1
1	PRELIMINARIES	2
	Building Agreement And Preliminaries	2
	Section A: Jbcc Principal Building Agreement	3
	Definitions	3
	A1 Definitions And Interpretation	3
	Objective And Preparation	3
	A2 Offer, Acceptance And Performance	3
	A3 Documents	3
	A4 Design Responsibility	3
	A5 Employers Agents.	3
	A6 Site Representative	3
	A7 Compliance With Regulations	3
	A8 Works Risk	3
	A9 Indemnities	4
	A10 Works Insurances	4
	A11 Liability Insurances	4
	A12 Effecting Insurances	4
	A14 Security	4
	Execution	4
	A15 Preperation For And Execution Of The Works	4
	A16 Access To The Works	4
	A17 Contract Instructions	4
	A18 Setting Out Of The Works	5

A19 Assignment	5
A20 Nominated Sub-contractors	5
A21 Selected Subcontractors	5
A22 Employer's Direct Contractors	5
A23 Contractor's Domestic Subcontractors	5
Completion	5
A24 Practical Completion	5
A25 Work's Completion	5
A26 Final Completion	5
A27 Latent Defects Liability Period	6
A28 Sectional Completion	6
A29 Revision Of Date For Practical Completion	6
A30 Penalty For Non-completion	6
Payment	6
A31 Interim Payment To The Contractor	6
A32 Adjustment To The Contract Value	7
A33 Recovery Of Expense And Loss.	7
A34 Final Account And Final Payment	7
A35 Payment To Other Parties	7
Cancellation	7
A36 Cancellation By Employer - Contractor's Default	7
A37 Cancellation By Employer - Loss And Damage	7
A38 Cancellation By Contractor - Employer's Default	7
A39 Cancellation - Cessation Of The Works	7
Dispute	7
A40 Dispute Settlement	7

Substitute Provisions	7
A41 State Clauses	7
Contract Variables	8
The Schedule (C1.2 Contract Data)	8
A42 Pre-tender Information	8
Section B: Jbcc Preliminaries	8
B1.0 Definitions And Interpretation	8
B2.0 Documents	8
B3.0 The Site	9
B4.0 Management Of Contract	9
B5.0 Samples, Shop Drawings And Manufacturers' Instructions	10
B6.0 Temporary Works And Plant	10
B7.0 Temporary Services	11
B8.0 Prime Cost Amounts	11
9.0 Attendance On N/s Subcontractors	11
B10.0 Financial Aspects	12
B11. General	12
Section C: Specific Preliminaries	13
C1 Contract Drawings	13
C2 General Preambles	13
C3 Proprietary Branded Products	13
C4 Contractor's Responsibility	14
C5 Overtime	14
C6 As Built Drawings	14
C7 Contract Instructions	14
C8 Labour Record	15

	C9 Plant Record	15
	C10 Encroachment	15
	C11 Method Statement	15
	C12 Unauthorised Persons/workmen On Premises	15
	C13 Mode Of Procedure	15
	C14 Location Of Temporary Buildings And Temporary Services	16
	C15 Office Accommodation	16
	C16 Storage Facilities	16
	C17 Removal And Making Good Of Temporary Works, Etc, On Completion	16
2 <b>F</b>	HEALTH AND SAFETY	18
	Model Preambles	18
	Supplementary Preambles	18
	Occupational Health And Safety	18
3 <b>F</b>	RENOVATIONS	21
	Supplementary Preambles	21
	Making Good Of Existing Work	21
	Bathroom Fittings	22
	Sanitary Fittings	22
	Traps Etc	22
	Tap Stands	22
	Preambles	22
4 <b>C</b>	GARDEN AND BALUSTRADE WALLS	24
	Preambles	24
	Earthworks (Provisional)	24
	Concrete, Formwork & Reinforcement	25
	Expansion Joints:	25

	Test Cubes	25
	Masonry	25
	Facings Externally:	25
	Painting	25
5 <b>V</b>	7-DRAINS	27
	Preambles	27
	Supplementary Preambles	27
	Excavation Etc	28
	Filling Etc Other Than Bulk	28
	Dampproofing Of Walls And Floors	28
	Stormwater Drainage (Provisional)	28
	Test Cubes	29
	Reinforcement (Cpap Work Group No. 114)	29
6 <b>C</b>	ONCRETE WALKWAYS & RAMPS	31
	Preambles	31
	Preambles	31 31
	Earthworks (Provisional)	31
	Earthworks (Provisional)	31 32
	Earthworks (Provisional)	31 32 32
	Earthworks (Provisional)	31 32 32 32
7 <b>S</b>	Earthworks (Provisional)  Concrete, Formwork & Reinforcement  Test Cubes  Smooth Formwork (Degree Of Accuracy ii) (Cpap Work Group No. 111)  Reinforcement (Cpap Work Group No. 114)	31 32 32 32 32
7 <b>S</b>	Earthworks (Provisional)  Concrete, Formwork & Reinforcement  Test Cubes  Smooth Formwork (Degree Of Accuracy ii) (Cpap Work Group No. 111)  Reinforcement (Cpap Work Group No. 114)  Dampproofing Of Walls And Floors.	31 32 32 32 32 32
7 <b>S</b>	Earthworks (Provisional)  Concrete, Formwork & Reinforcement  Test Cubes  Smooth Formwork (Degree Of Accuracy ii) (Cpap Work Group No. 111)  Reinforcement (Cpap Work Group No. 114)  Dampproofing Of Walls And Floors.	31 32 32 32 32 32 34
7 <b>S</b>	Earthworks (Provisional)  Concrete, Formwork & Reinforcement  Test Cubes  Smooth Formwork (Degree Of Accuracy ii) (Cpap Work Group No. 111)  Reinforcement (Cpap Work Group No. 114)  Dampproofing Of Walls And Floors.  FOAKAWAYS & CULVERTS.  Preambles	31 32 32 32 32 34 34

8	GRADE R FENCING	39
	Preambles	39
	The Following In Security Fencing	39
9	PROVISIONAL SUMS	43
	Budgetary Allowances	43
	Provisional Sums	43
	Budgetary Allowances	43
	Budgetary Allowances	43
	SECTION SUMMARY	44
	SECTION NO. 2: NCOTI PRIMARY SCHOOL	45
1	PRELIMINARIES	46
	Building Agreement And Preliminaries	46
	Section A: Jbcc Principal Building Agreement	47
	Definitions	47
	A1 Definitions And Interpretation	47
	Objective And Preparation	47
	A2 Offer, Acceptance And Performance	47
	A3 Documents	47
	A4 Design Responsibility	47
	A5 Employers Agents	47
	A6 Site Representative	47
	A7 Compliance With Regulations	47
	A8 Works Risk	47
	A9 Indemnities	48
	A10 Works Insurances.	48
	A11 Liability Insurances	48

A12 Effecting Insurances	48
A14 Security	48
Execution	48
A15 Preperation For And Execution Of The Works	48
A16 Access To The Works	48
A17 Contract Instructions	48
A18 Setting Out Of The Works	49
A19 Assignment	49
A20 Nominated Sub-contractors	49
A21 Selected Subcontractors	49
A22 Employer's Direct Contractors	49
A23 Contractor's Domestic Subcontractors	49
Completion	49
A24 Practical Completion	49
A25 Work's Completion	49
A26 Final Completion.	49
A27 Latent Defects Liability Period	50
A28 Sectional Completion	50
A29 Revision Of Date For Practical Completion	50
A30 Penalty For Non-completion	50
Payment	50
A31 Interim Payment To The Contractor	50
A32 Adjustment To The Contract Value	51
A33 Recovery Of Expense And Loss	51
A34 Final Account And Final Payment	51
A35 Payment To Other Parties	51

Cancellation	51
A36 Cancellation By Employer - Contractor's Default	51
A37 Cancellation By Employer - Loss And Damage	51
A38 Cancellation By Contractor - Employer's Default	51
A39 Cancellation - Cessation Of The Works	51
Dispute	51
A40 Dispute Settlement	51
Substitute Provisions	51
A41 State Clauses	51
Contract Variables	52
The Schedule (C1.2 Contract Data)	52
A42 Pre-tender Information	52
Section B: Jbcc Preliminaries	52
B1.0 Definitions And Interpretation	52
B2.0 Documents	52
B3.0 The Site	53
B4.0 Management Of Contract	53
B5.0 Samples, Shop Drawings And Manufacturers' Instructions	54
B6.0 Temporary Works And Plant	54
B7.0 Temporary Services	55
B8.0 Prime Cost Amounts	55
9.0 Attendance On N/s Subcontractors	55
B10.0 Financial Aspects	56
B11. General	56
Section C: Specific Preliminaries	57
C1 Contract Drawings	57

	C2 General Preambles	57
	C3 Proprietary Branded Products	57
	C4 Contractor's Responsibility	58
	C5 Overtime	58
	C6 As Built Drawings	58
	C7 Contract Instructions	58
	C8 Labour Record	59
	C9 Plant Record	59
	C10 Encroachment	59
	C11 Method Statement	59
	C12 Unauthorised Persons/workmen On Premises	59
	C13 Mode Of Procedure	59
	C14 Location Of Temporary Buildings And Temporary Services	60
	C15 Office Accommodation	60
	C16 Storage Facilities	60
	C17 Removal And Making Good Of Temporary Works, Etc, On Completion	60
2 <b>F</b>	HEALTH AND SAFETY	62
	Model Preambles	62
	Supplementary Preambles	62
	Occupational Health And Safety	62
3 F	RENOVATIONS	65
	Preambles	65
	Supplementary Preambles	65
	Making Good Of Existing Work	65
	Bathroom Fittings	66
	Rainwater Disposal	66

	Sanitary Fittings	66
	Traps Etc	66
	Sanitary Plumbing	66
	On Existing Internal Floated Plaster Surfaces	67
4 (	GARDEN AND BALUSTRADE WALLS	69
	Preambles	69
	Earthworks (Provisional)	69
	Concrete, Formwork & Reinforcement	70
	Expansion Joints:	70
	Test Cubes	70
	Masonry	70
	Facings Externally:	70
	Painting	70
5 <b>\</b>	/ – DRAINS	72
	Preambles	72
	Supplementary Preambles	72
	Excavation Etc	73
	Filling Etc Other Than Bulk	73
	Dampproofing Of Walls And Floors	73
	Stormwater Drainage (Provisional)	73
	Test Cubes	74
	Reinforcement (Cpap Work Group No. 114)	74
6 <b>C</b>	CONCRETE APRONS, WALKWAYS & RAMPS	76
	Preambles	76
	Earthworks (Provisional)	76
	Concrete, Formwork & Reinforcement	77

	Expansion Joints:	77
	Test Cubes	77
	Smooth Formwork (Degree Of Accuracy ii) (Cpap Work Group No. 111)	77
	Reinforcement (Cpap Work Group No. 114)	77
	Dampproofing Of Walls And Floors	77
7	GRADE R FENCING	79
	Preambles	79
	The Following In Security Fencing	79
8	PROVISIONAL SUMS	83
	Provisional Sums	83
	Budgetary Allowances	83
	SECTION SUMMARY	84
	SECTION NO. 3: KIMBILI PRIMARY SCHOOL	85
1	PRELIMINARIES	86
	Building Agreement And Preliminaries	86
	Section A: Jbcc Principal Building Agreement	87
	Section A: Jbcc Principal Building Agreement	87 87
	Definitions	87
	Definitions	87 87
	Definitions  A1 Definitions And Interpretation.  Objective And Preparation.	87 87 87
	Definitions  A1 Definitions And Interpretation.  Objective And Preparation  A2 Offer, Acceptance And Performance	87 87 87
	Definitions A1 Definitions And Interpretation. Objective And Preparation A2 Offer, Acceptance And Performance A3 Documents	87 87 87 87
	Definitions  A1 Definitions And Interpretation.  Objective And Preparation  A2 Offer, Acceptance And Performance  A3 Documents  A4 Design Responsibility	87 87 87 87 87
	Definitions  A1 Definitions And Interpretation.  Objective And Preparation  A2 Offer, Acceptance And Performance  A3 Documents  A4 Design Responsibility  A5 Employers Agents.	87 87 87 87 87

A9 Indemnities	88
A10 Works Insurances	88
A11 Liability Insurances	88
A12 Effecting Insurances	88
A14 Security	88
Execution	88
A15 Preperation For And Execution Of The Works	88
A16 Access To The Works	88
A17 Contract Instructions	88
A18 Setting Out Of The Works	89
A19 Assignment	89
A20 Nominated Sub-contractors	89
A21 Selected Subcontractors	89
A22 Employer's Direct Contractors	89
A23 Contractor's Domestic Subcontractors	89
Completion	89
A24 Practical Completion	89
A25 Work's Completion	89
A26 Final Completion	89
A27 Latent Defects Liability Period	90
A28 Sectional Completion	90
A29 Revision Of Date For Practical Completion	90
A30 Penalty For Non-completion	90
Payment	90
A31 Interim Payment To The Contractor	90
A32 Adjustment To The Contract Value.	91

# SECTION NO. 1 SANGQU PRIMARY SCHOOL

SECTION NO. 1
SANGQU PRIMARY SCHOOL
BILL NO. 1
PRELIMINARIES

#### **BUILDING AGREEMENT AND PRELIMINARIES**

- 1. The Principal Building Agreement shall be the JBCC Series Edition 4.1, March 2005 as recommended by the Joint Building Contracts Committee and as amended by this Tender Enquiry.
- 2. The Preliminaries shall be JBCC Series 2000, May 2005 for use with the Principal Building Agreement as recommended by the joint Building Contracts Committee and as amended by this Tender Enquiry shall be deemed to be incorporated herein.
- 3. The tenderor is deemed to have referred to the abovementioned documents for the full intent and meaning of each clause. The clauses in the abovementioned documents are hereinafter referred to by clause number and heading only.
- 4. Where standard clauses or alternatives are not entirely applicable to this contract, such modifications, corrections or additions as are necessary, are given as far as possible under each relevant clause heading. Additional Preliminary clauses are contained in Section C hereof.
- 5. No claim whatsoever shall be entertained in respect of errors or omissions in pricing due to brevity of descriptions of items which are fully described when read in conjunction with the relevant clauses of the said Principal Building Agreement, Preliminaries and Preambles.
- 6. The Tenderers shall allow opposite each of the clauses whatever costs and charges he may consider necessary forthe carrying out, complying with and due observance of the provisions, conditions and requirements set out herein. Only priced items will be considered in respect of any adjustment of this Section. Any items left unpriced will be understood to be provided free of charge and no claim for any extras arising out of the Tenderer's omission to price any item will be entertained.
- 7. Where modifications or amendments as described are made, such modifications and/or amendments shall supercede any conflicting provisions in the relevant clauses of the Standard Preliminaries or the Principal Building Agreement and the Tenderer shall make due allowance for whatever costs and charges he may consider necessary for the carrying out and observance of the provisions of the clauses as modified and/or amended.
- 8. Where any item is not relevant to this specific contract, such item is marked N/A.
- 9. If Alternative A as set out in clause B10.3 hereinafter is to be used for the adjustment of the preliminaries, each item priced is to be allocated to one or more of the three categories by insertion of "F","V","T" as the case may be against the price in the "rate" column immediately preceding the "amount" column, where "F" denotes a fixed amount (amount not to be varied), "V" denotes an amount variable in proportion to value, and "T" denotes an amount proportionate to time.

Carried to Collection	R	

Section No. 1 Bill No. 1 Preliminaries

	SECTION A: JBCC PRINCIPAL BUILDING AGREEMENT		
	DEFINITIONS		
	A1 DEFINITIONS AND INTERPRETATION		
	Clause 1.0:		
1	Fixed: Value related: Time related:0	Item	
	OBJECTIVE AND PREPARATION		
	A2 OFFER, ACCEPTANCE AND PERFORMANCE		
	Clause 2.0		
2	Fixed: Value related: Time related:	Item	
	A3 DOCUMENTS		
	<u>Clause 3.0</u>		
	Clause 3.1 is deleted and substituted with: 'This tender is for a Government Contract. No Payment Guarantee will be provided.'		
	Clause 3.3 is deleted and substituted with:		
	The principal agent shall complete the schedule and arrange for formal signing of the agreement once the priced bill of quantities/lump sum document, security, insurances and waiver of lien, where acceptable, have been provided and effected'		
3	Fixed: Value related: Time related:	Item	
	A4 DESIGN RESPONSIBILITY		
	Clause 4.0		
4	Fixed: Value related: Time related:	Item	
	A5 EMPLOYERS AGENTS		
	Clause 5.0		
5	Fixed: Value related: Time related:	Item	
	A6 SITE REPRESENTATIVE		
	Clause 6.0		
6	Fixed: Value related: Time related:	Item	
	A7 COMPLIANCE WITH REGULATIONS		
7	Fixed: Value related: Time related:	Item	
	Clause 7.0		
8	Fixed: Value related: Time related:	Item	
	A8 WORKS RISK		
	Clause 8.0		
9	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 1 Bill No. 1		
	Preliminaries		
	3		

	A9 INDEMNITIES		
	Clause 9.0		
	Clause 9.1.1 is deleted and substituted with:		
	Claims from other parties consequent upon death of bodily injury or illness of any person or physical loss or damage to any property, other than the works, arising out or due to the execution of the works or occupation of the site by the contractor or his sub contractors'.		
10	Fixed: Value related: Time related:	Item	
	A10 WORKS INSURANCES		
	<u>Clause 10.0</u>		
11	Fixed: Value related: Time related:	Item	
	A11 LIABILITY INSURANCES		
	<u>Clause 11.0</u>		
12	Fixed: Value related: Time related:	Item	
	A12 EFFECTING INSURANCES		
	<u>Clause 12.0</u>		
13	Fixed: Value related: Time related:	Item	
	A13. No clause		
14	Fixed: Value related: Time related:	Item	
	A14 SECURITY		
	<u>Clause 14.0</u>		
15	Fixed: Value related: Time related:	Item	
	EXECUTION		
	A15 PREPERATION FOR AND EXECUTION OF THE WORKS		
	<u>Clause 15.0</u>		
16	Fixed: Value related: Time related:	Item	
	A16 ACCESS TO THE WORKS		
	<u>Clause 16.0</u>		
17	Fixed: Value related: Time related:	Item	
	A17 CONTRACT INSTRUCTIONS		
	<u>Clause 17.0</u>		
18	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 1		
	Bill No. 1 Preliminaries		
	4		

	A18 SETTING OUT OF THE WORKS			
	<u>Clause 18.0</u>			
	The contractor shall notify the principal agent if any encroachments of adjoining foundations, buildings, structures, pavements, boundaries, etc., exist in order that the necessary arrangements may be made for the rectification of any such encroachments. Should incorrect information be given to the contractor in terms of 18.1 and 18.2, which causes the incorrect setting out of the works, the contractor shall not be liable for such incorrect setting out			
19	Fixed: Value related: Time related:	Item		
	A19 ASSIGNMENT			
	Clause 19.0			
20	Fixed: Value related: Time related:	Item		
	A20 NOMINATED SUB-CONTRACTORS			
	Clause 20.0			
21	Fixed: Value related: Time related:	Item		
	A21 SELECTED SUBCONTRACTORS			
	Clause 21.0			
22	Fixed: Value related: Time related:	Item		
	A22 EMPLOYER'S DIRECT CONTRACTORS			
	Clause 22.0			
23	Fixed: Value related: Time related:	Item		
	A23 CONTRACTOR'S DOMESTIC SUBCONTRACTORS			
	Clause 23.0			
24	Fixed: Value related: Time related:	Item		
	COMPLETION			
	A24 PRACTICAL COMPLETION			
	<u>Clause 24.0</u>			
25	Fixed: Value related: Time related:	Item		
	A25 WORK'S COMPLETION			
	<u>Clause 25.0</u>			
26	Fixed: Value related: Time related:	Item		
	A26 FINAL COMPLETION			
	<u>Clause 26.0</u>			
27	Fixed: Value related: Time related:	Item		
	Carried to Collection	R		
	Section No. 1			
	Bill No. 1			
	Preliminaries 5			
- 1	<b>0</b>	i.	n l	

	A27 LATENT DEFECTS LIABILITY PERIOD		
	Clause 27.0		
	Clause 27.0 is amended by the addition of the following clauses:		
	"27.3 Any water leakage into the building, whether in the roof, external wall or other element of the building susceptible to water leakage shall, unless proven to be a design defect, or as a result of obvious storm damage, be classified as a latent defect in terms of clause 1.0 Definitions and Interpretations".		
	"27.4 The Contractor shall attend to defects during the Defects Liability Period on a progressive basis, to the satisfaction of the Principal Agent and will not be permitted to wait until the end of the Defect Liability Period or until the amount of defects accummulates in order to attend to a comprehensive list of defects"		
28	Fixed: Value related: Time related:	Item	
	A28 SECTIONAL COMPLETION		
	<u>Clause 28.0</u>		
29	Fixed: Value related: Time related:	Item	
	A29 REVISION OF DATE FOR PRACTICAL COMPLETION		
	<u>Clause 29.0</u>		
30	Fixed: Value related: Time related:	Item	
	A30 PENALTY FOR NON-COMPLETION		
	<u>Clause 30.0</u>		
31	Fixed: Value related: Time related:	Item	
	PAYMENT		
	A31 INTERIM PAYMENT TO THE CONTRACTOR		
	<u>Clause 31.0</u>		
	The inclusion of materials and goods stored off site in the amount authorised for payment in terms of clause 31.3 shall be at the sole discretion of the principal agent and such inclusion shall only be considered upon the provision, by the contractor, of an approved guarantee issued by a registered commercial bank.		
	Where prices are submitted by the contractor or nominated/selected sub- contractor during the progress of the works in respect of contract instructions or in regard to a claim under the terms of the contract and notwithstanding the fact that such prices may be used in an interim payment certificate, there is to be no presumption of acceptance. Should the principal agent wish to accept any such prices prior to the issue of the final certificate, it will be in writing.		
32	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 1		
	Bill No. 1		
	Preliminaries		
	6		

	A32 ADJUSTMENT TO THE CONTRACT VALUE		
	<u>Clause 32.0</u>		
33	Fixed: Value related: Time related:	Item	
	A33 RECOVERY OF EXPENSE AND LOSS		
	<u>Clause 33.0</u>		
34	Fixed: Value related: Time related:	Item	
	A34 FINAL ACCOUNT AND FINAL PAYMENT		
	<u>Clause 34.0</u>		
35	Fixed: Value related: Time related:	Item	
	A35 PAYMENT TO OTHER PARTIES		
	<u>Clause 35.0</u>		
36	Fixed: Value related: Time related:	Item	
	CANCELLATION		
	A36 CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT		
	Clause 36.0		
37	Fixed: Value related: Time related:	Item	
	A37 CANCELLATION BY EMPLOYER - LOSS AND DAMAGE		
	Clause 37.0		
38	Fixed: Value related: Time related:	Item	
	A38 CANCELLATION BY CONTRACTOR - EMPLOYER'S DEFAULT		
	Clause 38.0		
39	Fixed: Value related: Time related:	Item	
	A39 CANCELLATION - CESSATION OF THE WORKS		
	Clause 39.0		
40	Fixed: Value related: Time related:	Item	
	<u>DISPUTE</u>		
	A40 DISPUTE SETTLEMENT		
	Clause 40.0		
41	Fixed: Value related: Time related:	Item	
	SUBSTITUTE PROVISIONS		
	A41 STATE CLAUSES		
	Clause 41.0		
42	Fixed: Value related: Time related:	Item	
	Carried to Collection	n R	
	Section No. 1		
	Bill No. 1		
	Preliminaries 7		
	1		

CONTRACT VARIABLES			
<del></del>			
pertaining to this contract.			
Fixed: Value related: Time related:	Item		
SECTION B: JBCC PRELIMINARIES			
<b>B1.0 DEFINITIONS AND INTERPRETATION</b>			
B1.1 Definitions and interpretation			
Fixed: Value related: Time related:	Item		
B2.0 DOCUMENTS			
<b>B2.1 Checking of documents</b>			
Notwithstanding the issue of the tender drawings, it will remain the			
the Principal Agent during normal working hours in order to acquaint himself			
Fixed: Value related: Time related:	Item		
B2.2 Provisional bills of quantities			
Prime Cost Amounts, Budgetary Allowances, Provisional Amounts, etc.,			
Quantities, etc., or loss of profit related thereto.			
Fixed: Value related: Time related:	Item		
B2.3 Availability of construction documentation			
Fixed: Value related: Time related:	Item		
B2.4 Interests of agents			
Fixed: Value related: Time related:	Item		
B2.5 Priced documents			
Fixed: Value related: Time related:	Item		
B2.6 Tender submission			
a period of 20 (Twenty) weeks from the closing date of tenders.			
Fixed: Value related: Time related:	Item		
	R		
Preliminaries			
8			
	Fixed: Value related: Time related:  SECTION B: JBCC PRELIMINARIES  B1.0 DEFINITIONS AND INTERPRETATION  B1.1 Definitions and interpretation  Fixed: Value related: Time related:  B2.0 DOCUMENTS  B2.1 Checking of documents  Notwithstanding the issue of the tender drawings, it will remain the responsibility of the Tenderer to study all available drawings at the offices of the Principal Agent during normal working hours in order to acquaint himself with all the cost implications of the design, programming, phasing, etc.  Fixed: Value related: Time related:  B2.2 Provisional bills of quantities  Prime Cost Amounts, Budgetary Allowances, Provisional Amounts, etc., contained herein may be omitted or reduced at the Principal Agent's sole discretion and the Contractor shall not be entitled to claim for any loss by way of reduction or omission of any discount, or percentage relating to Prime Cost Amounts, Budgetary Allowances, Provisional Amounts, Provisional Quantities, etc., or loss of profit related thereto.  Fixed: Value related: Time related:  B2.3 Availability of construction documentation  Fixed: Value related: Time related:  B2.4 Interests of agents  Fixed: Value related: Time related:  B2.5 Priced documents  Fixed: Value related: Time related:  B2.6 Tender submission  Notwithstanding anything contained in this clause, Tenders shall be valid for a period of 20 (Twenty) weeks from the closing date of tenders.  Fixed: Value related: Time related:  Carried to Collection Section No. 1  Bill No. 1  Preliminaries	THE SCHEDULE (C1.2 CONTRACT DATA)  A42 PRE-TENDER INFORMATION  Clause 42.0  Tenderers are referred to the document C1.2 Contract Data for variables pertaining to this contract.  Fixed:	THE SCHEDULE (C1.2 CONTRACT DATA)  A42 PRE-TENDER INFORMATION  Clause 42.0  Tenderers are referred to the document C1.2 Contract Data for variables pertaining to this contract.  Fixed:

	B3.0 THE SITE		
	B3.1 Defined works area		
	The area of the works to be occupied by the contractor, any restriction on the area and the limit of access or exit will be pointed out to the contractor by the principal agent on handing over of the site.		
	Workmen employed on the site are to be restricted to the immediate area of the site and access thereto.		
	The Tenderer shall make all necessary provision in all rates to take into account these requirements as no claims for extras arising from these matters will be subsequently entertained or admitted.		
51	Fixed: Value related: Time related:	Item	
	B3.2 Geotechnical investigation		
52	Fixed: Value related: Time related:	Item	
	B3.3 Inspection of the site		
53	Fixed: Value related: Time related:	Item	
	B3.4 Existing premises occupied		
54	Fixed: Value related: Time related:	Item	
	B3.5 Previous work - dimensional accuracy		
55	Fixed: Value related: Time related:	Item	
	B3.6 Previous work - defects		
56	Fixed: Value related: Time related:	Item	
	B3.7 Services - known		
57	Fixed: Value related: Time related:	Item	
	B3.8 Services - unknown		
58	Fixed: Value related: Time related:	Item	
	B3.9 Protection of trees		
59	Fixed: Value related: Time related:	Item	
	B3.10 Articles of value		
60	Fixed: Value related: Time related:	Item	
	B3.11 Inspection of adjoining properties		
61	Fixed: Value related: Time related:	Item	
	B4.0 MANAGEMENT OF CONTRACT		
	B4.1 Management of the works		
62	Fixed: Value related: Time related:	Item	
	Carried to Collection	n R	
	Section No. 1		
	Bill No. 1		
	Preliminaries		
	9		

	P4.2. Dragramma for the works		
63	B4.2 Programme for the works  Fixed: Value related: Time related:	Item	
	B4.3 Progress meetings		
64	Fixed: Value related: Time related:	Item	
	B4.4 Technical meetings		
65	Fixed: Value related: Time related:	Item	
	B4.5 Labour and plant records		
66	Fixed: Value related: Time related:	Item	
	B5.0 SAMPLES, SHOP DRAWINGS AND MANUFACTURERS'		
	INSTRUCTIONS		
	B5.1 Samples of materials		
67	Fixed: Value related: Time related:	Item	
	B5.2 Workmanship samples		
68	Fixed: Value related: Time related:	Item	
	B5.3 Shop drawings		
69	Fixed: Value related: Time related:	Item	
	B5.4 Compliance with manufacturers instructions		
70	Fixed: Value related: Time related:	Item	
	B6.0 TEMPORARY WORKS AND PLANT		
	B6.1 Deposits and fees		
71	Fixed: Value related: Time related:	Item	
	B6.2 Enclosure of the works		
	The contractor shall erect, maintain and remove at completion, hoardings, safety screens, barriers, access gates, covered gangways and the like as necessary for the enclosure of the works and elements thereof all for the protection of the public and others.		
72	Fixed: Value related: Time related:	Item	
	B6.3 Advertising		
73	Fixed: Value related: Time related:	Item	
	B6.4 Plant, equipment, sheds and offices		
74	Fixed: Value related: Time related:	Item	
	B6.5 Main notice board		
75	Fixed: Value related: Time related:	Item	
		_	
	Section No. 1	R	
	Bill No. 1		
	Preliminaries		
	10		

B6.6 Subcontractors\rquote notice board		
Fixed: Value related: Time related:	Item	
B7.0 TEMPORARY SERVICES		
B7.1 Location		
Fixed: Value related: Time related:	Item	
	1.011	
B7.2 Water  The contractor shall provide water for the works in accordance with		
The contractor shall provide water for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).	Itam	
Fixed: Value related: Time related:	Item	
B7.3 Electricity		
The contractor shall provide electricity for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
B7.4 Telecommunication facilities		
The contractor shall provide telephones on site for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
B7.5 Ablution facilities		
The contractor shall provide toilet facilities on site for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
B8.0 PRIME COST AMOUNTS		
B8.1 Responsibility for prime cost amounts		
Fixed: Value related: Time related:	Item	
	item	
9.0 ATTENDANCE ON N/S SUBCONTRACTORS		
B9.1 General attendance		
Fixed: Value related: Time related:	Item	
B9.2 Special attendance		
Fixed: Value related: Time related:	Item	
B9.3 Commissioning - fuel, water and electricity		
Fixed: Value related: Time related:	Item	
Carried to Collection	on R	
Section No. 1		
Bill No. 1		
Preliminaries		
11		

	B10.0 FINANCIAL ASPECTS		
	B10.1 Statutory taxes, duties and levies		
86	Fixed: Value related: Time related:	Item	
	B10.2 Payment for preliminaries		
87	Fixed: Value related: Time related:	Item	
	B10.3 Adjustment of preliminaries		
88	Fixed: Value related: Time related:	Item	
	B10.4 Payment certificate cash flow		
89	Fixed: Value related: Time related:	Item	
	B11. GENERAL		
	B11.1 Protection of the works		
90	Fixed: Value related: Time related:	Item	
	B11.2 Protection / isolation of existing / sectionally occupied works		
91	Fixed: Value related: Time related:	Item	
	B11.3 Security of the works		
92	Fixed: Value related: Time related:	Item	
	B11.4 Notice before covering work		
93	Fixed: Value related: Time related:	Item	
	11.5 Disturbance		
94	Fixed: Value related: Time related:	Item	
J-		item	
0.5	B11.6 Environmental disturbance	lto no	
95	Fixed: Value related: Time related:	Item	
	B11.7 Works cleaning and clearing		
96	Fixed: Value related: Time related:	Item	
	B11.8 Vermin		
97	Fixed: Value related: Time related:	Item	
	B11.9 Overhand work		
98	Fixed: Value related: Time related:	Item	
	B11.10 Instruction manuals and guarantees		
99	Fixed: Value related: Time related:	Item	
	B11.11 As built information		
00	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 1		
	Bill No. 1 Proliminarios		
	Preliminaries 12		

	B11.12 Tenant installations		
101	Fixed: Value related: Time related:	Item	
	SECTION C: SPECIFIC PRELIMINARIES		
	Section C contains specific preliminary items which apply to this contract except where N/A (Not Applicable) appears against an item.		
	C1 CONTRACT DRAWINGS		
	The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer to acquaint himself with the nature and extent of the works and the manner in which they are to be executed. Should any part of the drawings not be clearly intelligible to the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent.		
102	Fixed: Value related: Time related:	Item	
	C2 GENERAL PREAMBLES		
	The document "Specification of Materials and Methods to be used (PW371)" is obtainable on request from the head office and all regional offices of the Departtment, and shall be read in conjunction with the bills of quantities / lump sum document and be referred to for the full descriptions of work to be done and materials to be used.		
103	Fixed: Value related: Time related:	Item	
	C3 PROPRIETARY BRANDED PRODUCTS		
	The contractor shall take delivery of, handle, store, use, apply and/or fix all proprietary branded products in strict accordance with the manufacturer's instructions after consultation with the manufacturer's authorised representative.		
	All materials, fittings, finishings, etc., specified hereinafter under a trade name, catalogue number or reference, must be exactly as described. The Architect's approval in writing must be obtained for the use of any alternative to the specification before the submission of tenders otherwise the specified materials, fittings, finishings, etc., will be assumed to have been allowed for in the tender.		
	The Contractor must take delivery of, handle, store, use, apply and/or fix all proprietary branded products in strict accordance with the manufacturer's instructions after consultation with the manufacturer's authorised representative.		
104	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 1	K	
	Bill No. 1		
	Preliminaries		
	13		

	C4 CONTRACTOR'S DESPONSIBILITY			
	C4 CONTRACTOR'S RESPONSIBILITY  The Employer, the Principal Agent and the other professional consultants shall not be responsible for any act or omission on the part of the Contractor which may result in any patent or latent defects, in materials or workmanship, breach or neglect of any local regulations. The Contractor shall at all times be responsible for any such neglect, deviation or wrong act, whether the same is discovered before or after the final certificate, or any other Certificate, has been approved			
105	Fixed: Value related: Time related:	Item		
	C5 OVERTIME			
	Should overtime be required to be worked for any reason whatsoever, the costs of such overtime are to be borne by the contractor unless the principal agent has specifically authorised in writing, prior to the execution thereof, that costs for such overtime are to be borne by the employer.			
106	Fixed: Value related: Time related:	Item		
	C6 AS BUILT DRAWINGS			
	The position of construction breaks and the extent of individual concrete pours are to be recorded by the contractor on the structural engineer's drawings and are to be submitted to the principal agent and the structural engineer for their records.			
	Three full sets of as-built drawings shall be submitted to the Principal Agent no later than fourteen days after practical completion			
107	Fixed: Value related: Time related:	Item		
	C7 CONTRACT INSTRUCTIONS			
	Contract instructions issued on site are to be recorded in triplicate in a site instruction book which is to be maintained on site by the Contractor. The Contractor shall supply and have available at the site of the works at all times, the following site books:			
	a) Contract Instruction Book			
	Receiving and recording instructions in a suitable A4 size triplicate book kept on site. Instructions issued shall be recorded by the Architect or other Employer's Agents to whom the Architect has delegated authority to in the book.			
	Only instructions issued in such book shall be recognised.			
	b) Daily Record Book			
	The Contractor shall record in triplicate in a suitable A4 size triplicate book kept at the site, a daily record of work done, all site visits by the Principal Agent and other professional personnel and all events affecting the Works, such as progress, issue of plans, breakdown of machinery, etc. The labour, plant and material on site shall be recorded as well as work performed. Entries must be made by the Contractor and must be signed and forwarded to the Principal Agent for his counter-signature on a daily basis. Copies of these records shall be for the Architect, Quantity Surveyor and Contractor.			
	Carried to Collection	R		
	Section No. 1			
	Bill No. 1			
	Preliminaries 14			
- 1	• •		ı	

108	Fixed: Value related: Time related:	Item	
	C8 LABOUR RECORD		
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number and description of tradesmen and labourers employed by him and all subcontractors on the works each day		
109	F: V: T:	Item	
	C9 PLANT RECORD		
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number, type and capacity of all plant, excluding hand tools, currently used on the works.		
110	F: V: T:	Item	
	C10 ENCROACHMENT		
	During the course of the building operations, the Contractor shall be held entirely responsible for any encroachment onto any adjoining properties, buildings, etc., or servitudes and the cost of any remedial measures as required by the Principal Agent shall be borne by the Contractor		
111	F: V: T:	Item	
	C11 METHOD STATEMENT		
	The Tenderer shall produce, when required to do so by the Principal Agent, a Method Statement outlining the methods of construction and labour and plant resources that he proposes to use in the execution of the Works. Any approval given or observation made by the Principal Agent shall not relieve the Contractor of his sole responsibility to adopt the methods of construction and to provide the labour and plant resources necessary for the due and proper timeous execution of the Works.		
112	F: V: T:	Item	
	C12 UNAUTHORISED PERSONS/WORKMEN ON PREMISES		
	The Contractor shall at all times strictly exclude all unauthorised persons from the Works and the site and shall set up notice boards to that effect.		
	No workmen or labourers (except security guards) are to be allowed under any circumstances to sleep or deposit any kit on the premises. The Contractor must provide any necessary independent shelter or shed required for any labour or watchmen on site, to the approval of the Employer.		
113	F: V: T:	Item	
	C13 MODE OF PROCEDURE		
	Notwithstanding anything to the contrary contained herein the Principal Agent at all times reserves the right to direct the order in which the various parts of the Contract are to be executed. The Contractor shall give priority to any individual section or portion of the Works that, in the opinion of the Principal Agent, requires to be expedited.		
	Carried to Collection	R	
	Section No. 1	13	
	Bill No. 1		
	Preliminaries		
	15		

114	Should it appear, in the Principal Agent's opinion, that work in any area is not being executed in accordance with the requirements of the Contract Programme, the Contractor shall provide additional manpower and resources and shall work additional overtime and do everything else required to bring the work back to programme to the satisfaction of the Principal Agent and to the Contractor's cost  F:	Item	
115	during the construction and maintenance period  There is no guarantee given or implied that Site conditions will be such that the Contractor will be able to erect such temporary works, roads, hardhats, offices, stores and temporary accommodation within the site boundaries and it shall be the Contractor's responsibility to adopt whatever measures he deems necessary in this regard and to obtain all necessary permission and pay all costs in connection therewith  F:	ltem	
	C15 OFFICE ACCOMMODATION  The contractor shall provide, maintain and remove on practical completion air conditioned office accommodation with suitable tables and chairs for meetings to be held on the site. Such offices shall be kept clean and fit for use at all times [12.2.18]		
116	F: V: T:	Item	
	C16 STORAGE FACILITIES		
	The Contractor shall provide a Container for storage of materials.		
117	F:	Item	
118	F: V: T:	Item	
	Corried to Collection		
	Section No. 1 Bill No. 1 Preliminaries	R	

SECTION NO. 1  SANGQU PRIMARY SCHOOL  BILL NO. 1  PRELIMINARIES  COLLECTION		Page No	
	Brought Forward from Page	2	
	Brought Forward from Fage	3	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		11	
		12	
		13	
		14	
		15	
		16	
Section No. 1	Carried To Section Summary	R	
Bill No. 1			
Preliminaries	17		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 1					
	SANGQU PRIMARY SCHOOL					
	BILL NO. 2					
	HEALTH AND SAFETY					
	MODEL PREAMBLES					
	The tenderer is referred to the "Model Preambles for Trades 2008" for supplementary and comprehensive expansion of descriptions, appropriate provision for which shall be deemed to have been included in all relevant rates.					
	SUPPLEMENTARY PREAMBLES					
	Supplementary preambles and/or specifications are incorporated in these bills of quantities to satisfy the requirements of this project. Such supplementary preambles and/or specifications shall take precedence over the provisions of the General Preambles.					
	The contractor's prices for all items throughout these bills of quantities shall take account of and include where applicable for all of the obligations, requirements and specifications given in the General Preambles and in any supplementary preambles and/or specifications.					
	Prior to pricing the principal contractor must familiarize him/herself with the Occupational Health and Safety Act No. 85 Of 1993, Construction Regulations 2014, other relevant Regulations and Standards as well as project specific Health & Safety specifications.					
	OCCUPATIONAL HEALTH AND SAFETY					
	General					
1	Preparation of Contractor's site specific Health and Safety Plan	Item				
2	Submission of the Health and Safety File	Item				
3	Principal Contractor's initial obligations in respect of the OHS Act and Construction Regulations	Item				
4	Principal Contractor's time related obligations in respect of the OHS Act and Construction Regulations for the entire construction period	Item				
5	Provision of full time Health and Safety Officer for the entire construction period	Item				
6	Induction training of all personnel	Item				
7	Provision of first aid boxes	Item				
	Carried to Collection			R		
	Section No. 1			ĸ		
	Bill No. 2					
	Health And Safety					
	18					

		Unit	Quantity	Rate	Amount
8	SANS approved weld mesh type temporary barrier fencing 1,8m high covered with a net fixed to and				
	including 100mm diameter gum poles set securely min 300mm deep in ground at max 3m spacing including excavation, backfilling, etc	m	150		
9	Extra over mesh fence for pedestrian gate size 1.8 x 1,8m high	No	1		
	Provision for Personal Protective Equipment and				
10	Reflective vests.	Item			
11	Hard hats	Item			
12	Protective footwear	Item			
13	Ear plugs	Item			
14	Dust masks	Item			
	Medical certificates and medical surveillance				
15	Initial (baseline) medical examinations for all personnel	Item			
16	Exit Examinations for all personnel	Item			
	Noise Monitoring				
17	Establishment of noise zones	Item			
18	Audiograms	Item			
	Covid-19 Compliance Measures				
19	The Contractor is required to price for Covid 19 compliance and the pricing thereof shall be deemed to include all the mandatory requirements	Item			
	morado di ino mandatory roquiromorito	пеш			
	Carried to Collection			R	
	Section No. 1 Bill No. 2				
	Health And Safety				
	19				

SECTION NO. 1 SANGQU PRIMARY SCHOO BILL NO. 2 HEALTH AND SAFETY COLLECTION	Brought Forward from Page	Page No 18 19	
	arried To Section Summary	R	
Section No. 1 Bill No. 2 Health And Safety	20		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 1 SANGQU PRIMARY SCHOOL BILL NO. 3					
	RENOVATIONS					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	SUPPLEMENTARY PREAMBLES					
	View site					
	Before submitting his tender the tenderer shall visit the site and satisfy himself as to the nature and extent of the work to be done and the value of the materials contained in the buildings or portions of the buildings to be demolished. No claim for any variations of the contract sum in respect of the nature and extent of the work or of inferior or damaged materials will be entertained					
	General					
	Water supply pipes and other piping in ground that may be encountered and found necessary to disconnect or cut, shall be effectually stopped off or grubbed up and removed, and any new connections that may be necessary shall be made with proper fittings to the satisfaction of the principal agent					
	MAKING GOOD OF EXISTING WORK					
	Making good VIP pedestals					
1	Secure loosely fitted pit pedestals by bolting down securely or applying an cement/ epoxy based industrial adhesive	No	9			
	Taking out and removing piping, sanitary fittings, etc including disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)					
2	Remove VIP 200 pit pedestals, prepare suface to receive new VIP 450 pit pedestal (new pedestal measured elsewhere)	No	2			
3	PVC urinal traps	No	2			
3	i vo uma naps	NO	2			
	Carried to Collection			R		
	Section No. 1					
	Bill No. 3 Renovations					
	21					

		Unit	Quantity	Rate	Amount	
	Making good falling VIP pedestal steel doors					
4	Secure overhead timber beams to walls using expansion bolts, resecure and realign steel doors and make good plaster and paint	No	1			
	BATHROOM FITTINGS					
	Stainless steel bathroom fittings					
5	Free standing She Bin: manufactured from Grade 304 1,2mm Stainless Steel, satin finished with surface treatment. The container to have an approximately 20 litre capacity	No	5			
	SANITARY FITTINGS					
	Rust and corrosion resistant, UV-resistant polyethylene pedestals, urinals, basins, etc.					
6	VIP 450 Pit pedestal complete with integral tlap four times plugged to floor with and including 6 x 75mm masonry anchors.	No	2			
	TRAPS ETC	. 10	_			
	Traps					
7	40mm Chromium plated bottle trap	No	2			
•	TAP STANDS		_			
	Two 20mm brass bib-taps in tap stands formed of 110mm diameter PVC pipes encased in concrete and cast into the ground complete with connecting to existing tanks with 12m long 20mm HDPE pipes in and including trenches backfilled					
8	700mm High tap stands complete	No	2			
	PREAMBLES					
	TREAMBLEO					
	Carried to Collection			R		
	Section No. 1					
	Bill No. 3					
	Renovations 22					
	22		I			

SECTION NO. 1 SANGQU PRIMARY SCHOO BILL NO. 3 RENOVATIONS COLLECTION	L  Brought Forward from Page	Page No 21 22	
Ca Section No. 1 Bill No. 3 Renovations	arried To Section Summary	R	
	23		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 1					
	SANGQU PRIMARY SCHOOL					
	BILL NO. 4 GARDEN AND BALUSTRADE WALLS					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	EARTHWORKS (PROVISIONAL)					
	Excavate in pickable material not exceeding 2m deep below natural or reduced ground level:					
1	Surface trenches.	m³	37			
	Extra over excavation in pickable material for column bases, trenches, lift pits, sumps, etc for excavation:					
2	Soft rock.	m³	4			
3	Hard rock.	m³	1			
4	Allow for risk of collapse to sides of excavations to column bases, trenches, etc. from ground level to not exceeding 1,5m deep.	m²	149			
5	Allow for keeping excavations entirely free from water or mud.	Item				
	Earth filling obtained from the excavations and/or prescribed stock piles on site, compacted to 98% Mod AASHTO density					
6	Backfilling to trenches, holes, etc.	m³	7			
7	Scarify in-situ material for a depth of 150mm and compact to obtain 98% modified AASHTO dry density.	m²	62			
	Earth filling supplied by the contractor, compacted to 98% Mod AASHTO density					
8	Under floors, steps, pavings, etc.	m³	7			
	Carried to Collection			R		
	Section No. 1					
	Bill No. 4					
	Garden And Balustrade Walls 24					
I	24		1		I	l

		Unit	Quantity	Rate	Amount	
	CONCRETE, FORMWORK & REINFORCEMENT					
	25MPa Mass concrete in:					
9	Wall footings cast against excavated surfaces.	m³	12			
	Expansion Joints:					
10	12mm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.	m	125			
	TEST CUBES					
	Test Cubes					
11	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	6			
	MASONRY					
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in class II mortar					
12	One brick wall.	m²	87			
13	Leave or form 115 x 75mm high weep hole through one brick wall.	No	13			
	2,5mm Galvanised brick reinforcement					
14	150mm Wide reinforcement built in horizontally	m	248			
	Facings Externally:					
	"Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):					
15	Extra over ordinary brickwork for facing in stretcher bond and pointing as described.	m²	74			
16	Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.	m	124			
		111	124			
	PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:					
17	Clinker brick facings (Externally).	m²	74			
	Carried to Collection			R		
	Section No. 1					
	Bill No. 4					
	Garden And Balustrade Walls 25					
I	20		1		[	

SECTION NO. 1 SANGQU PRIMARY SCHOOL BILL NO. 4 GARDEN AND BALUSTRADE WALLS COLLECTION	Brought Forward from Page	Page No 24 25	
	ction Summary	R	
Section No. 1 Bill No. 4 Garden And Balustrade Walls	26		

	Unit	Quantity	Rate	Amount
SECTION NO. 1				
SANGQU PRIMARY SCHOOL				
BILL NO. 5				
<u>V-DRAINS</u>				
PREAMBLES				
The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities				
SUPPLEMENTARY PREAMBLES				
Nature of ground:				
The nature of the ground is assumed to be loose sandy material, therefore 'earth', but possibly interspersed with 'soft rock' or 'hard rock'				
Carting away of excavated material:				
Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site				
Filling:				
Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material				
Testing:				
Prices for filling are to include for all necessary density tests in accordance with SABS 1200D				
Cost of tests:				
The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)				
Carried to Collection			R	
Section No. 1				
Bill No. 5				
V-drains				
27				.]

EXCAVATION ETC  Excavation in earth not exceeding 2m deep  1 Reduced levels under pavings  Extra over all excavations for carting away  2 Surplus material from excavations and/or stock piles on site, to a dumping site to be located by the contractor  FILLING ETC OTHER THAN BULK  Earth filling (3r material) supplied by the contractor, compacted to 95% Mod AASHTO density  3 Under floors, steps, pavings, etc.  Coarse river sand filling supplied by the contractor  Compaction of surfaces  5 Compaction of ground surface under floors etc. including scarriving for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density  Prescribed density tests on filling  Modified AASHTO Density test  No 3  DAMPPROOFING OF WALLS AND FLOORS  One laver 250 micron green polyethylene waterproof sheeting (SANS 935-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL)  Precast or in-situ concrete (2S MPa) open stormwater channels having Variance in 10s, finished smooth and with angles rounded, cast in maximum 300mm lengths, and reinforced as necessary for handling if precast, including laving to falsis, bedding and pointing in (3:1) cement mortar:  Channels izez 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Figure 1 of 10s of			Unit	Quantity	Rate	Amount
Excavation in earth not exceeding 2m deep  Reduced levels under pavings Extra over all excavations for carting away  Surplus material from excavations and/or stock piles on site, to a dumping site to be located by the contractor m³ 12  FILLING ETC OTHER THAN BULK Earth filling (G7 material) supplied by the contractor, compacted to 95% Mod AASHTO density  Under floors, steps, pavings, etc.  Coarse river sand filling supplied by the contractor Under pavings etc.  Compaction of ground surfaces under floors etc. including scartiying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density  Prescribed density tests on filling  Modified AASHTO Density test  DAMPPROOFING OF WALLS AND FLOORS One laver 250 micron green polvethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL) Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  Channels size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Extra for angle.  Carried to Collection Section No. 1  Bill No. 5  V-drains						
Excavation in earth not exceeding 2m deep  Reduced levels under pavings Extra over all excavations for carting away  Surplus material from excavations and/or stock piles on site, to a dumping site to be located by the contractor m³ 12  FILLING ETC OTHER THAN BULK Earth filling (G7 material) supplied by the contractor, compacted to 95% Mod AASHTO density  Under floors, steps, pavings, etc.  Coarse river sand filling supplied by the contractor Under pavings etc.  Compaction of ground surfaces under floors etc. including scartiying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density  Prescribed density tests on filling  Modified AASHTO Density test  DAMPPROOFING OF WALLS AND FLOORS One laver 250 micron green polvethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL) Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  Channels size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Extra for angle.  Carried to Collection Section No. 1  Bill No. 5  V-drains						
Reduced levels under pavings   Extra over all excavations for carting away						
Extra over all excavations for carting away  Surplus material from excavations and/or stock piles on site, to a dumping site to be located by the contractor miles, to a dumping site to be located by the contractor.  EILLING ETC OTHER THAN BULK Earth filling (G7 material) supplied by the contractor, compacted to 95% Mod AASHTO density  Under floors, steps, pavings, etc. m³ 8  Coarse river sand filling supplied by the contractor Under pavings etc. compaction of ground surface under floors etc. including scarlifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density  Prescribed density tests on filling Modified AASHTO Density test  DAMPPROOFING OF WALLS AND FLOORS One laver 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc. m³ 53  STORMWATER DRAINAGE (PROVISIONAL) Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untilited cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and polntling in (3:1) cement mortar:  Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Extra for angle. No 5  Extra for fair end. Received to Collection Section No. 1  Bill No. 5  V-drains	4		3	40		
2 Surplus material from excavations and/or stock piles on site, to a dumping site to be located by the contractor  FILLING ETC OTHER THAN BULK Earth filling (G7 material) supplied by the contractor, compacted to 95% Mod AASHTO density  3 Under floors, steps, pavings, etc. Coarse river sand filling supplied by the contractor Under pavings etc. Compaction of ground surface under floors etc. including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 99% Mod AASHTO density  Prescribed density tests on filling Modified AASHTO Density test  DAMPPROOFING OF WALLS AND FLOORS One laver 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  7 Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL) Precast or In-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in 3:1) untinted cement plaster trovelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and polniting in (3:1) cement mortar: Channels size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Extra for angle.  Carried to Collection Section No. 1 Bill No. 5 V-drains	1	, -	IIIa	12		
site, to a dumping site to be located by the contractor  FILUNG ETC OTHER THAN BULK Earth filling (GT material) supplied by the contractor, compacted to 95% Mod AASHTO density  Under floors, steps, pavings, etc.  Coarse river sand filling supplied by the contractor  Under pavings etc.  Compaction of surfaces  Compaction of ground surface under floors etc. including scarlifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO Office of Nestity  Prescribed density tests on filling  Modified AASHTO Density test  DAMPPROOFING OF WALLS AND FLOORS  One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1995 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL)  Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Extra for angle.  Carried to Collection  Section No. 1  Bill No. 5  V-drains						
Earth filling (G7 material) supplied by the contractor, compacted to 95% Mod AASHTO density  3 Under floors, steps, pavings, etc.  Coarse river sand filling supplied by the contractor  Under pavings etc.  Compaction of ground surface under floors etc. including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density  Prescribed density tests on filling  6 Modified AASHTO Density test  DAMPPROOFING OF WALLS AND FLOORS  One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesitve tape  1 Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL)  Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top. finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 300mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Extra for angle.  Carried to Collection  Section No. 1  Bill No. 5  V-drains	2		m³	12		
compacted to 95% Mod AASHTO density  Judder floors, steps, pavings, etc.  Coarse river sand filling supplied by the contractor  Under pavings etc.  Compaction of surfaces  Compaction of ground surface under floors etc. including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density  Prescribed density tests on filling  Modified AASHTO Density test  DAMPPRODFING OF WALLS AND FLOORS  One laver 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL)  Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Extra for angle.  No 5  Extra for fair end.  Carried to Collection  Section No. 1  Bill No. 5  V-drains		FILLING ETC OTHER THAN BULK				
Coarse river sand filling supplied by the contractor Under pavings etc. Compaction of surfaces  Compaction of ground surface under floors etc. including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density  Prescribed density tests on filling Modified AASHTO Density test  DAMPPROPING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL) Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) unitned cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar: Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Extra for angle.  No 5  Extra for fair end.  Carried to Collection Section No. 1 Bill No. 5 V-drains						
4 Under pavings etc.  Compaction of surfaces  Compaction of ground surface under floors etc. including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density  Prescribed density tests on filling  Modified AASHTO Density test  DAMPPROOFING OF WALLS AND FLOORS  One laver 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  7 Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL)  Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Extra for angle.  Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Channel size 700 x 250mm overall with 700 x 150mm deep v-channel waterway.  Channel size 700 x 250mm overall with 700 x 150mm deep v-channel waterway.  Channel size 700 x 250mm overall with 700 x 150mm deep v-channel waterway.  Channel size 700 x 250mm overall with 700 x 150mm deep v-channel waterway.  Carried to Collection  Section No. 1  Bill No. 5  V-drains	3	Under floors, steps, pavings, etc.	m³	8		
Compaction of surfaces Compaction of ground surface under floors etc. including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density  Prescribed density tests on filling Modified AASHTO Density test  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL) Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 300mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar: Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  Extra for angle.  Carried to Collection Section No. 1 Bill No. 5 V-drains		Coarse river sand filling supplied by the contractor				
Compaction of ground surface under floors etc. including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density  Prescribed density tests on filling  Modified AASHTO Density test  DAMPPROOFING OF WALLS AND FLOORS  One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL)  Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  PExtra for angle.  Carried to Collection  Section No. 1  Bill No. 5  V-drains	4	Under pavings etc.	m³	3		
scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density  Prescribed density tests on filling  Modified AASHTO Density test  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL) Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar: Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  PExtra for angle.  Carried to Collection Section No. 1 Bill No. 5 V-drains		Compaction of surfaces				
Prescribed density tests on filling  Modified AASHTO Density test  DAMPPROOFING OF WALLS AND FLOORS  One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  7 Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL)  Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  8 Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  9 Extra for angle.  No 5  V-drains	5	scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and	m²	53		
DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  7 Under surface pavings etc. STORMWATER DRAINAGE (PROVISIONAL) Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  8 Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  9 Extra for angle. No 5  Extra for fair end.  Carried to Collection Section No. 1 Bill No. 5 V-drains		,				
One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  7 Under surface pavings etc. m² 53  STORMWATER DRAINAGE (PROVISIONAL)  Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  8 Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway. m 75  9 Extra for angle. No 5  10 Extra for fair end. No 2	6	Modified AASHTO Density test	No	3		
sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  7 Under surface pavings etc.  STORMWATER DRAINAGE (PROVISIONAL)  Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  8 Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  9 Extra for angle.  No 5  10 Extra for fair end.  Carried to Collection  Section No. 1  Bill No. 5  V-drains		DAMPPROOFING OF WALLS AND FLOORS				
STORMWATER DRAINAGE (PROVISIONAL)  Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  8 Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  9 Extra for angle.  No 5  10 Extra for fair end.  Carried to Collection  Section No. 1  Bill No. 5  V-drains		One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with				
Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  8 Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  9 Extra for angle.  No 5  10 Extra for fair end.  No 2	7	Under surface pavings etc.	m²	53		
stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:  8 Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.  9 Extra for angle.  No 5  10 Extra for fair end.  No 2  Carried to Collection Section No. 1 Bill No. 5 V-drains		STORMWATER DRAINAGE (PROVISIONAL)				
deep v-channel waterway.  9 Extra for angle.  No  Extra for fair end.  Carried to Collection  Section No. 1  Bill No. 5  V-drains		stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding				
Carried to Collection Section No. 1 Bill No. 5 V-drains	8		m	75		
Carried to Collection  Section No. 1  Bill No. 5  V-drains	9	Extra for angle.	No	5		
Section No. 1 Bill No. 5 V-drains	10	Extra for fair end.	No	2		
Section No. 1 Bill No. 5 V-drains						
Bill No. 5 V-drains		Carried to Collection			R	
V-drains V-drains						

## TMT-DBE-23/24-SAFEOS-ECCL47 THE MVULA TRUST SAFE PROGRAMME – OMITTED SCOPE

		Unit	Quantity	Rate	Amount	
11	Extra for dressing around culverts (culverts measured elsewhere.	No	1			
12		No	1			
	TEST CUBES	-				
	Test Cubes					
13	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	3			
	REINFORCEMENT (CPAP WORK GROUP NO. 114)					
14	Fabric reinforcement  Type 617 fabric reinforcement in concrete dish drains etc	m²	53			
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
	Carried to Collection			R		
	Section No. 1					
	Bill No. 5 V-drains					
	29					

SECTION NO. 1  SANGQU PRIMARY SCHOOL  BILL NO. 5  V-DRAINS  COLLECTION	Brought Forward from Page	Page No 27 28 29	
Carrie	ed To Section Summary	R	
Section No. 1 Bill No. 5 V-drains	30		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 1					
	SANGQU PRIMARY SCHOOL					
	BILL NO. 6 CONCRETE WALKWAYS & RAMPS					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	EARTHWORKS (PROVISIONAL)					
	Excavate in pickable material not exceeding 2m deep below natural or reduced ground level:					
1	Reduce levels under pavings.	m³	7			
	Extra over excavation in pickable material for column bases, trenches, lift pits, sumps, etc for excavation:					
2	Soft rock.	m³	1			
3	Hard rock.	m³	1			
	Extra over excavation in pickable material for column bases, trenches, lift pits, sumps, etc for breaking up:					
4	Unreinforced concrete	m³	2			
5	Allow for keeping excavations entirely free from water or mud.	Item				
	Earth filling obtained from the excavations and/or prescribed stock piles on site, compacted to 98% Mod AASHTO density					
6	Scarify in-situ material for a depth of 150mm and compact to obtain 95% modified AASHTO dry density.	m²	65			
	Earth filling (G7 material) supplied by the contractor, compacted to 95% Mod AASHTO density					
7	Under floors, steps, pavings, etc.	m³	10			
	Carried to Collection			R		
	Section No. 1			••		
	Bill No. 6					
	Concrete Walkways & Ramps					
	31				.	

		Unit	Quantity	Rate	Amount	
	CONCRETE FORMWORK & DEINFORGEMENT					
	CONCRETE, FORMWORK & REINFORCEMENT 25MPa Mass concrete in:					
8	Ramps	m³	1			
9	Pavings.	m³	6			
9		III	6			
40	Sundries: Strike off and ours tops of ourface hade laid in panels					
10	Strike off and cure tops of surface beds laid in panels approximately 1000mm long x 1000mm wide to uniform					
	levels including all necessary formwork to form toggle joints to temporary construction joints to falls.	m²	71			
44		111-	/ 1			
11	Extra for floating off smooth tops of surface beds laid in panels ta brush finish including slightly rounded edges to					
	panels.	m²	71			
	TEST CUBES					
	<u>Test Cubes</u>					
12	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	3			
	, ,	110				
	SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111)					
	Smooth formwork to sides					
13	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	8			
	REINFORCEMENT (CPAP WORK GROUP NO. 114)	""				
	Fabric reinforcement					
14	Type 617 fabric reinforcement in concrete surface beds					
	etc	m²	71			
	DAMPPROOFING OF WALLS AND FLOORS					
	One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with					
	PVC self-adhesive tape					
15	Under surface pavings etc.	m²	71			
	Carried to Collection			R		
	Section No. 1					
	Bill No. 6 Concrete Walkways & Ramps					
	32					

SECTION NO. 1 SANGQU PRIMARY SCHOOL BILL NO. 6 CONCRETE WALKWAYS & RAMPS COLLECTION	Brought Forward from Page	Page No 31 32	
	Section Summary	R	
Section No. 1 Bill No. 6 Concrete Walkways & Ramps			
Solidiolo Haikwayo a Nampo	33		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 1					
	SANGQU PRIMARY SCHOOL					
	BILL NO. 7					
	SOAKAWAYS & CULVERTS					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	SUPPLEMENTARY PREAMBLES					
	Filling:					
	Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material					
	Testing:					
	Prices for filling are to include for all necessary density tests in accordance with SABS 1200D					
	CULVERTS					
	Culverts formed of Class 50D concrete pipes					
1	450mm Diameter concrete pipes in culverts laid in trenches not exceeding 1m deep including excavation, beddingen, backfilling, compaction and carting away	m	6			
	Brick stormwater catchpits					
2	Catchpit size 600 x 600 x 600 deep formed of one brick walls including plaster, 15MPa concrete benching, forming hole around 450mm diameter concrete pipes (pipes measured elsewhere) and all excavation and					
	carting away	No	1			
3	450 x 450mm x 27.3kg Cast iron stormwater grating and frame	No	1			
	Stormwater dissipators					
4	19mm Crushed stone beds in 1m x 2.5m x 200mm deep holes including excavations and carting away	m³	0.2			
	Carried to Collection			R		
	Section No. 1			• • • • • • • • • • • • • • • • • • • •		
	Bill No. 7					
	Soakaways & Culverts					
	34					

		Unit	Quantity	Rate	Amount
	THE FOLLOWING IN HEADWALLS AND STORMWATER DISSIPATERS				
	Site clearance				
5	Digging up and removing rubbish, debris, vegetation, hedges, shrubs, bush, etc. and trees not exceeding 200mm girth	m²	5		
6	Stripping average 150mm thick layer of top soil and depositing material in prescribed stock piles on site	m²	5		
	Open face excavation in earth over sloping site				
7	Open face excavation	m³	5		
	Excavation in earth not exceeding 2m deep				
8	Trenches	m³	1		
9	Holes	m³	1		
	Extra over trench and hole excavations in earth for excavation in				
10	Soft rock	m³	1		
11	Hard rock	m³	1		
	Extra over all excavations for carting away				
12	Surplus material from excavations and/or stock piles on site, to a dumping site to be located by the contractor	m³	6		
	Risk of collapse of excavations				
13	Sides of trench and hole excavations not exceeding 1,5m deep	m²	4		
	Coarse river sand filling supplied by the contractor				
14	Under floors etc.	m³	1		
	Keeping excavations free of water				
15	Keeping excavations free of all water other than subterranean water	Item			
	Gabions of galvanised wire boxes laced together and filled with broken stone, with voids filled with 1:3 cement sand mixture				
16	300mm Thick gabion mattress of 1.8 x 1 x 0.3m boxes properly bonded	m³	1		
	A3 Geotextle filter fabric blanket with 300mm laps				
17	Under stone filled gabion mattresses including preparing ground surface under	m²	2		
	Carried to Collection			R	
	Section No. 1			IX	
	Bill No. 7				
	Soakaways & Culverts				
	35				

## TMT-DBE-23/24-SAFEOS-ECCL47 THE MVULA TRUST SAFE PROGRAMME – OMITTED SCOPE

		Unit	Quantity	Rate	Amount	
	OFMPs/40mm as a superior					
18	25MPa/19mm concrete Surface beds on waterproofing	m³	0.26			
	·					
19	Walls in foundations (Provisional)	m³	1			
	Test cubes					
20	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	1			
	Finishing top surfaces of concrete smooth with a wood float					
21	Surface beds, slabs, etc. to falls and currents	m²	2			
	Rough formwork to sides					
22	Walls in foundations (Provisional)	m²	1			
	Fabric reinforcement					
23	Type 617 fabric reinforcement in concrete surface beds					
	etc.	m²	2			
24	Type 617 fabric reinforcement in concrete walls	m²	1			
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in class II mortar					
25	One brick walls	m²	2			
	"Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):					
26	Extra over brickwork for face brickwork	m²	2			
27	Fair cutting and fitting around pipe exceeding 300mm and not exceeding 500mm external diameter	No	1			
28	Fair raking cutting	m	2			
29	Extra over brickwork for brick-on-edge header course					
	bands one course high	m	3			
30	Fair cutting at squint quoins or birdsmouth angles	m	1			
	One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape					
31	Under surface beds	m²	1			
	Carried to Collection			R		
	Section No. 1			K		_
	Bill No. 7					
	Soakaways & Culverts					
	36					

## TMT-DBE-23/24-SAFEOS-ECCL47 THE MVULA TRUST SAFE PROGRAMME – OMITTED SCOPE

		Unit	Quantity	Rate	Amount	
32	1:3 Cement plaster wood floated, on brickwork On walls	m²	2			
	Carried to Collection Section No. 1 Bill No. 7			R		
	Soakaways & Culverts 37					

SECTION NO. 1 SANGQU PRIMARY SCI BILL NO. 7 SOAKAWAYS & CULVE COLLECTION		Page No 34 35 36 37	
	Carried To Section Summary	R	
Section No. 1 Bill No. 7 Soakaways & Culverts	38		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 1					
	SANGQU PRIMARY SCHOOL					
	BILL NO. 8					
	GRADE R FENCING					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	THE FOLLOWING IN SECURITY FENCING					
	Site clearance					
1	Allow for clearing site for a width of 1m where fencing runs are to be erected including removing trees, shrubs, etc not exceeding 200mm girth, grubbing up roots and roughly levelling	m	124			
	Straining wires, fencing and razor wire					
2	Four strands of 4mm Class'A' galvanised straining wires secured to fencing posts with doubled 2 mm galvanised wire inserted through hole in post and turned a minimum of four turns around straining wire and attached to straining frame at one end with not less than four turns at the other end to straining bolts (elsewhere measured).	m	124			
3	Fencing formed of 50 x 50 x 2.0mm diameter galvanised fencing 1 800mm high and fixed to each straining wire with 8 guage binding wire at 500mm centres including staking to ground with and including Y10 pegs at 900mm c/c between posts (straining wires elsewhere measured).	m	124			
	Posts					
4	75mm Diameter galvanised steel intermediate fencing post, 2700mm fitted with a pressed steel mushroom cap, post fitted with 150 x 150 x 5mm base plate at bottom and set into the ground.	No	24			
5	150mm Ditto as standard post but embedded in 600 x					
	600 x 700mm high mass concrete (15MPa) base	No	8			
	Carried to Collection			R		
	Section No. 1 Bill No. 8					
	Grade R Fencing					
	39					

## TMT-DBE-23/24-SAFEOS-ECCL47 THE MVULA TRUST SAFE PROGRAMME – OMITTED SCOPE

		Unit	Quantity	Rate	Amount
6	150mm Ditto as straining or corner posts, but fitted with two 75mm diameter galvanised steel raking stays and with top ends flattened and bolted through post with post embedded in 600 x 600 x 700mm high mass concrete (15MPa) base and stays embedded in 700 x 700 x 450mm high mass concrete (15MPa) base	No	4		
7	150mm Ditto as end/ gate post, but fitted with one 75mm diameter galvanised steel stay set raking and with top end flattened and bolted through post, with post embedded in 600 x 600 x 700mm mass concrete (15MPa) base and stay embedded in 700 x 700 x 450mm high mass concrete (15MPa) base with all base tops set raking (sloping)	No	5		
	<u>Gates</u>				
8	Security fence single gate, size 900 mm wide x 1800 mm high, formed of 50 mm diameter nominal bore x 2,2 mm wall thickness hot dip galvanised mild steel pipe framing all round with mitred and welded angles and middle rail, with 20mm diameter x 300mm long locking bolt welded on and a pair of heavy duty gate hooks for a 16mm band hinge pin welded on to gate and including a pair of 16mm band hinge pins bolted to gate posts	No	1		
9	Security fence single gate, size 1500 mm wide x 1800 mm high, formed of 50 mm diameter nominal bore x 2,2 mm wall thickness hot dip galvanised mild steel pipe framing all round with mitred and welded angles and middle rail, hung on pair of socketted and pinned hinges with pin 18mm in diameter and bolted to brick wall and with 20mm diameter x 300mm long locking bolt welded on.	No	1		
10	Double gate, size 6 000 mm wide x 1 800 mm high overall in two leaves, formed of 50 mm diameter nominal bore x 2.5 mm wall thickness hot dip galvanised mild steel pipe framing all round with 25 mm diameter nominal bore x 2.0 mm wall thickness diagonal and centre braces, scribed and welded into angles and at cross intersections, gate filled with 50 x 50 x 2,0mm galvanised wire diamond mesh, with two 50 mm diameter nominal bore x 3,25 mm wall thickness security posts each 600 mm long with one end welded to top rail of gate and closure plate to other end, each leaf fitted with two 25 mm diameter x 300 mm long eyebolt hinges and stops including all holes, etc., welded or bolted to adjoining galvanised gatepost with and including 500 mm long approved chain spot welded to gate and 200 x 200 x 300mm thick 25MPa concrete concrete block wth a 19mm x 100mm long galvanised steel pipe as keep for gate bolt	No	1		
	Carried to Collection			R	
	Section No. 1				
	Bill No. 8				
	Grade R Fencing				
	40				

## TMT-DBE-23/24-SAFEOS-ECCL47 THE MVULA TRUST SAFE PROGRAMME – OMITTED SCOPE

		Unit	Quantity	Rate	Amount	
11	Locks 50mm "Viro" or other equally approved padlocks for external use.	No	3			
	Carried to Collection Section No. 1 Bill No. 8 Grade R Fencing 41			R		

SECTION NO. 1  SANGQU PRIMARY SCHOOL  BILL NO. 8  GRADE R FENCING  COLLECTION	<u>-</u>	Page No	
	Brought Forward from Page	39	
		40 41	
		41	
Ca	rried To Section Summary	R	
Section No. 1 Bill No. 8	•		
Grade R Fencing	42		

		1	1	ı
	SECTION NO. 1			
	SANGQU PRIMARY SCHOOL			
	BILL NO. 9			
	PROVISIONAL SUMS			
	BUDGETARY ALLOWANCES			
	PROVISIONAL SUMS			
	Supplementary Preambles			
	Tenderers are advised that no claim in respect of loss of profit or Preliminary charges based on the omission of these amounts will be considered and the said amounts will be omitted strictly without any financial compensation payable to the Contractor.			
	Provisional sums and Budgetary allowances contained herein may be omitted or reduced at the Employer's discretion and the Contractor shall not be entitled to claim for any loss by way of reductions or omission of any discount, or percentage relating to Provisional amounts and Budgetary sums or any loss of profit related therto.			
	BUDGETARY ALLOWANCES			
	Sundry building work			
1	Provide the sum of R22 500.00 for the employment of a Community Liaison Officer to be employed by the Main Contractor and be paid an allowance of R7 500.00 a month for the duration (3 months)	Item	22 500	00
2	Profit	Item		
3	Attendance	Item		
4	Provide the sum of R75 000. 00 for the hire, maintenance and servicing of temporary toilets for educators and learners during the entire constructions period	Item	75 000	00
5	Profit	Item		
6	Attendance	Item		
		itom		
	BUDGETARY ALLOWANCES  Continuousias			
7	Contingencies  Allow the Amount of R27 000.00 (Twenty Seven Thousand Rands) for contingencies, to be used by the Architect in terms of Clause 17 of the Principal Building Agreement.	ltana	27 000	00
	o.pa. Danding Agroomont.	Item	27 000	UU
	Carried To Section Summary	R		
	Section No. 1			
	Bill No. 9			
	Provisional Sums 43			
I	<del></del>			I

				Amount	
	SECTION NO. 1				
	SANGQU PRIMARY SCHOOL				
	SECTION SUMMARY				
Bill No.			Page		
1	PRELIMINARIES		17		
2	HEALTH AND SAFETY		20		
3	RENOVATIONS		23		
4	GARDEN AND BALUSTRADE WALLS		26		
5	V-DRAINS		30		
6	CONCRETE WALKWAYS & RAMPS		33		
7	SOAKAWAYS & CULVERTS		38		
8	GRADE R FENCING		42		
9	PROVISIONAL SUMS		43		
		Carried to Final Summary	R		_
	Section No. 1	zamos is i mai saminary			_
	SECTION SUMMARY				
		44			
		'	,	•	

# SECTION NO. 2 NCOTI PRIMARY SCHOOL

SECTION NO. 2

NCOTI PRIMARY SCHOOL

BILL NO. 1

PRELIMINARIES

### **BUILDING AGREEMENT AND PRELIMINARIES**

- 1. The Principal Building Agreement shall be the JBCC Series Edition 4.1, March 2005 as recommended by the Joint Building Contracts Committee and as amended by this Tender Enquiry.
- 2. The Preliminaries shall be JBCC Series 2000, May 2005 for use with the Principal Building Agreement as recommended by the joint Building Contracts Committee and as amended by this Tender Enquiry shall be deemed to be incorporated herein.
- 3. The tenderor is deemed to have referred to the abovementioned documents for the full intent and meaning of each clause. The clauses in the abovementioned documents are hereinafter referred to by clause number and heading only.
- 4. Where standard clauses or alternatives are not entirely applicable to this contract, such modifications, corrections or additions as are necessary, are given as far as possible under each relevant clause heading. Additional Preliminary clauses are contained in Section C hereof.
- 5. No claim whatsoever shall be entertained in respect of errors or omissions in pricing due to brevity of descriptions of items which are fully described when read in conjunction with the relevant clauses of the said Principal Building Agreement, Preliminaries and Preambles.
- 6. The Tenderers shall allow opposite each of the clauses whatever costs and charges he may consider necessary forthe carrying out, complying with and due observance of the provisions, conditions and requirements set out herein. Only priced items will be considered in respect of any adjustment of this Section. Any items left unpriced will be understood to be provided free of charge and no claim for any extras arising out of the Tenderer's omission to price any item will be entertained.
- 7. Where modifications or amendments as described are made, such modifications and/or amendments shall supercede any conflicting provisions in the relevant clauses of the Standard Preliminaries or the Principal Building Agreement and the Tenderer shall make due allowance for whatever costs and charges he may consider necessary for the carrying out and observance of the provisions of the clauses as modified and/or amended.
- 8. Where any item is not relevant to this specific contract, such item is marked N/A.
- 9. If Alternative A as set out in clause B10.3 hereinafter is to be used for the adjustment of the preliminaries, each item priced is to be allocated to one or more of the three categories by insertion of "F","V","T" as the case may be against the price in the "rate" column immediately preceding the "amount" column, where "F" denotes a fixed amount (amount not to be varied), "V" denotes an amount variable in proportion to value, and "T" denotes an amount proportionate to time.

Carried to Collection	R	

Section No. 2 Bill No. 1 Preliminaries

	OFOTION A IDOO BRINGIDAL BUILDING AGREEMENT		
	SECTION A: JBCC PRINCIPAL BUILDING AGREEMENT DEFINITIONS		
	A1 DEFINITIONS AND INTERPRETATION		
	Clause 1.0:		
1	Fixed: Value related: Time related:0	Item	
	OBJECTIVE AND PREPARATION A2 OFFER, ACCEPTANCE AND PERFORMANCE		
	Clause 2.0		
2	Fixed: Value related: Time related:	Item	
	A3 DOCUMENTS		
	Clause 3.0		
	Clause 3.1 is deleted and substituted with: 'This tender is for a Government Contract. No Payment Guarantee will be provided.'		
	Clause 3.3 is deleted and substituted with:		
	The principal agent shall complete the schedule and arrange for formal signing of the agreement once the priced bill of quantities/lump sum document, security, insurances and waiver of lien, where acceptable, have been provided and effected'		
3	Fixed: Value related: Time related:	Item	
	A4 DESIGN RESPONSIBILITY		
	Clause 4.0		
4	Fixed: Value related: Time related:	Item	
	A5 EMPLOYERS AGENTS		
	Clause 5.0		
5	Fixed: Value related: Time related:	Item	
	A6 SITE REPRESENTATIVE		
	Clause 6.0		
6	Fixed: Value related: Time related:	Item	
	A7 COMPLIANCE WITH REGULATIONS		
7	Fixed: Value related: Time related:	Item	
	<u>Clause 7.0</u>		
8	Fixed: Value related: Time related:	Item	
	A8 WORKS RISK		
	Clause 8.0		
9	Fixed: Value related: Time related:	Item	
	Conviced to Collection		
	Section No. 2	R	
	Bill No. 1		
	Preliminaries		
	47		

	A9 INDEMNITIES		
	Clause 9.0		
	Clause 9.1.1 is deleted and substituted with:		
	Claims from other parties consequent upon death of bodily injury or illness of any person or physical loss or damage to any property, other than the works, arising out or due to the execution of the works or occupation of the site by the contractor or his sub contractors'.		
10	Fixed: Value related: Time related:	Item	
	A10 WORKS INSURANCES		
	<u>Clause 10.0</u>		
11	Fixed: Value related: Time related:	Item	
	A11 LIABILITY INSURANCES		
	<u>Clause 11.0</u>		
12	Fixed: Value related: Time related:	Item	
	A12 EFFECTING INSURANCES		
	<u>Clause 12.0</u>		
13	Fixed: Value related: Time related:	Item	
	A13. No clause		
14	Fixed: Value related: Time related:	Item	
	A14 SECURITY		
	<u>Clause 14.0</u>		
15	Fixed: Value related: Time related:	Item	
	EXECUTION		
	A15 PREPERATION FOR AND EXECUTION OF THE WORKS		
	<u>Clause 15.0</u>		
16	Fixed: Value related: Time related:	Item	
	A16 ACCESS TO THE WORKS		
	<u>Clause 16.0</u>		
17	Fixed: Value related: Time related:	Item	
	A17 CONTRACT INSTRUCTIONS		
	<u>Clause 17.0</u>		
18	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 2		
	Bill No. 1 Preliminaries		
	48		

	A18 SETTING OUT OF THE WORKS			
	<u>Clause 18.0</u>			
	The contractor shall notify the principal agent if any encroachments of adjoining foundations, buildings, structures, pavements, boundaries, etc., exist in order that the necessary arrangements may be made for the rectification of any such encroachments. Should incorrect information be given to the contractor in terms of 18.1 and 18.2, which causes the incorrect setting out of the works, the contractor shall not be liable for such incorrect setting out			
19	Fixed: Value related: Time related:	Item		
	A19 ASSIGNMENT			
	Clause 19.0			
20	Fixed: Value related: Time related:	Item		
	A20 NOMINATED SUB-CONTRACTORS			
	Clause 20.0			
21	Fixed: Value related: Time related:	Item		
	A21 SELECTED SUBCONTRACTORS			
	<u>Clause 21.0</u>			
22	Fixed: Value related: Time related:	Item		
	A22 EMPLOYER'S DIRECT CONTRACTORS			
	<u>Clause 22.0</u>			
23	Fixed: Value related: Time related:	Item		
	A23 CONTRACTOR'S DOMESTIC SUBCONTRACTORS			
	<u>Clause 23.0</u>			
24	Fixed: Value related: Time related:	Item		
	COMPLETION			
	A24 PRACTICAL COMPLETION			
	<u>Clause 24.0</u>			
25	Fixed: Value related: Time related:	Item		
	A25 WORK'S COMPLETION			
	<u>Clause 25.0</u>			
26	Fixed: Value related: Time related:	Item		
	A26 FINAL COMPLETION			
	<u>Clause 26.0</u>			
27	Fixed: Value related: Time related:	Item		
	Carried to Collection	R		
	Section No. 2			
	Bill No. 1			
	Preliminaries 49			
- 1	<b>⊤</b> ∪	t contract to the contract to	1	

	A27 LATENT DEFECTS LIABILITY PERIOD		
	<u>Clause 27.0</u>		
	Clause 27.0 is amended by the addition of the following clauses:		
	"27.3 Any water leakage into the building, whether in the roof, external wall or other element of the building susceptible to water leakage shall, unless proven to be a design defect, or as a result of obvious storm damage, be classified as a latent defect in terms of clause 1.0 Definitions and Interpretations".		
	"27.4 The Contractor shall attend to defects during the Defects Liability Period on a progressive basis, to the satisfaction of the Principal Agent and will not be permitted to wait until the end of the Defect Liability Period or until the amount of defects accummulates in order to attend to a comprehensive list of defects"		
28	Fixed: Value related: Time related:	Item	
	A28 SECTIONAL COMPLETION		
	Clause 28.0		
29	Fixed: Value related: Time related:	Item	
	A29 REVISION OF DATE FOR PRACTICAL COMPLETION		
	Clause 29.0		
30	Fixed: Value related: Time related:	Item	
	A30 PENALTY FOR NON-COMPLETION		
	Clause 30.0		
31	Fixed: Value related: Time related:	Item	
		item	
	PAYMENT		
	A31 INTERIM PAYMENT TO THE CONTRACTOR		
	Clause 31.0		
	The inclusion of materials and goods stored off site in the amount authorised for payment in terms of clause 31.3 shall be at the sole discretion of the principal agent and such inclusion shall only be considered upon the provision, by the contractor, of an approved guarantee issued by a registered commercial bank.		
	Where prices are submitted by the contractor or nominated/selected sub- contractor during the progress of the works in respect of contract instructions or in regard to a claim under the terms of the contract and notwithstanding the fact that such prices may be used in an interim payment certificate, there is to be no presumption of acceptance. Should the principal agent wish to accept any such prices prior to the issue of the final certificate, it will be in writing.		
32	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 2		
	Bill No. 1		
	Preliminaries		
	50		I

	A32 ADJUSTMENT TO THE CONTRACT VALUE			
	<u>Clause 32.0</u>			
33	Fixed: Value related: Time related:	Item		
	A33 RECOVERY OF EXPENSE AND LOSS			
	<u>Clause 33.0</u>			
34	Fixed: Value related: Time related:	Item		
	A34 FINAL ACCOUNT AND FINAL PAYMENT			
	<u>Clause 34.0</u>			
35	Fixed: Value related: Time related:	Item		
	A35 PAYMENT TO OTHER PARTIES			
	<u>Clause 35.0</u>			
36	Fixed: Value related: Time related:	Item		
	CANCELLATION			
	A36 CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT			
	<u>Clause 36.0</u>			
37	Fixed: Value related: Time related:	Item		
	A37 CANCELLATION BY EMPLOYER - LOSS AND DAMAGE			
	<u>Clause 37.0</u>			
38	Fixed: Value related: Time related:	Item		
	A38 CANCELLATION BY CONTRACTOR - EMPLOYER'S DEFAULT			
	<u>Clause 38.0</u>			
39	Fixed: Value related: Time related:	Item		
	A39 CANCELLATION - CESSATION OF THE WORKS			
	Clause 39.0			
40	Fixed: Value related: Time related:	Item		
	<u>DISPUTE</u>			
	A40 DISPUTE SETTLEMENT			
	<u>Clause 40.0</u>			
41	Fixed: Value related: Time related:	Item		
	SUBSTITUTE PROVISIONS			
	A41 STATE CLAUSES			
	<u>Clause 41.0</u>			
42	Fixed: Value related: Time related:	Item		
	Carried to Collection	R		
	Section No. 2			
	Bill No. 1 Preliminaries			
	Freiiminaries 51			
- 1		I .	П	I

	CONTRACT VARIABLES			
	THE SCHEDULE (C1.2 CONTRACT DATA)			
	A42 PRE-TENDER INFORMATION			
	Clause 42.0			
	Tenderers are referred to the document C1.2 Contract Data for variables pertaining to this contract.			
43	Fixed: Value related: Time related:	Item		
	SECTION B: JBCC PRELIMINARIES			
	B1.0 DEFINITIONS AND INTERPRETATION			
	B1.1 Definitions and interpretation			
44	Fixed: Value related: Time related:	Item		
	B2.0 DOCUMENTS			
	B2.1 Checking of documents			
	Notwithstanding the issue of the tender drawings, it will remain the responsibility of the Tenderer to study all available drawings at the offices of the Principal Agent during normal working hours in order to acquaint himself with all the cost implications of the design, programming, phasing, etc.			
45	Fixed: Value related: Time related:	Item		
	B2.2 Provisional bills of quantities			
	Prime Cost Amounts, Budgetary Allowances, Provisional Amounts, etc., contained herein may be omitted or reduced at the Principal Agent's sole discretion and the Contractor shall not be entitled to claim for any loss by way of reduction or omission of any discount, or percentage relating to Prime Cost Amounts, Budgetary Allowances, Provisional Amounts, Provisional Quantities, etc., or loss of profit related thereto.			
46	Fixed: Value related: Time related:	Item		
	B2.3 Availability of construction documentation			
47	Fixed: Value related: Time related:	Item		
	B2.4 Interests of agents			
48	Fixed: Value related: Time related:	Item		
	B2.5 Priced documents			
49	Fixed: Value related: Time related:	Item		
	B2.6 Tender submission			
	Notwithstanding anything contained in this clause, Tenders shall be valid for a period of 20 (Twenty) weeks from the closing date of tenders.			
50	Fixed: Value related: Time related:	Item		
	Carried to Collection	R		
	Section No. 2			
	Bill No. 1			
	Preliminaries 52			
	02	I I	I I	I

	B3.0 THE SITE  B3.1 Defined works area		
	The area of the works to be occupied by the contractor, any restriction on the area and the limit of access or exit will be pointed out to the contractor by the principal agent on handing over of the site.		
	Workmen employed on the site are to be restricted to the immediate area of the site and access thereto.		
	The Tenderer shall make all necessary provision in all rates to take into account these requirements as no claims for extras arising from these matters will be subsequently entertained or admitted.		
51	Fixed: Value related: Time related:	Item	
	B3.2 Geotechnical investigation		
52	Fixed: Value related: Time related:	Item	
	B3.3 Inspection of the site		
53	Fixed: Value related: Time related:	Item	
	B3.4 Existing premises occupied		
54	Fixed: Value related: Time related:	Item	
	B3.5 Previous work - dimensional accuracy		
55	Fixed: Value related: Time related:	Item	
	B3.6 Previous work - defects		
56	Fixed: Value related: Time related:	Item	
	B3.7 Services - known		
57	Fixed: Value related: Time related:	Item	
	B3.8 Services - unknown		
58	Fixed: Value related: Time related:	Item	
	B3.9 Protection of trees		
59	Fixed: Value related: Time related:	Item	
	B3.10 Articles of value		
60	Fixed: Value related: Time related:	Item	
	B3.11 Inspection of adjoining properties		
61	Fixed: Value related: Time related:	Item	
	B4.0 MANAGEMENT OF CONTRACT		
	B4.1 Management of the works		
62	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 2		
	Bill No. 1		
	Preliminaries 53		
	33		

	B4.2 Programme for the works		
63	Fixed: Value related: Time related:	Item	
	B4.3 Progress meetings		
64	Fixed: Value related: Time related:	Item	
	B4.4 Technical meetings		
65	Fixed: Value related: Time related:	Item	
	B4.5 Labour and plant records		
66	Fixed: Value related: Time related:	Item	
	B5.0 SAMPLES, SHOP DRAWINGS AND MANUFACTURERS'		
	INSTRUCTIONS		
	B5.1 Samples of materials		
67	Fixed: Value related: Time related:	Item	
	B5.2 Workmanship samples		
68	Fixed: Value related: Time related:	Item	
	B5.3 Shop drawings		
69	Fixed: Value related: Time related:	Item	
	<b>B5.4 Compliance with manufacturers instructions</b>		
70	Fixed: Value related: Time related:	Item	
	B6.0 TEMPORARY WORKS AND PLANT		
	B6.1 Deposits and fees		
71	Fixed: Value related: Time related:	Item	
	B6.2 Enclosure of the works		
	The contractor shall erect, maintain and remove at completion, hoardings, safety screens, barriers, access gates, covered gangways and the like as necessary for the enclosure of the works and elements thereof all for the protection of the public and others.		
72	Fixed: Value related: Time related:	Item	
	B6.3 Advertising		
73	Fixed: Value related: Time related:	Item	
	B6.4 Plant, equipment, sheds and offices		
74	Fixed: Value related: Time related:	Item	
	B6.5 Main notice board		
75	Fixed: Value related: Time related:	Item	
		_	
	Section No. 2	R	
	Bill No. 1		
	Preliminaries		
	54		

B6.6 Subcontractors\rquote notice board		
Fixed: Value related: Time related:	Item	
B7.0 TEMPORARY SERVICES		
B7.1 Location		
Fixed: Value related: Time related:	Item	
B7.2 Water		
The contractor shall provide water for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
	Item	
B7.3 Electricity		
The contractor shall provide electricity for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
B7.4 Telecommunication facilities		
The contractor shall provide telephones on site for the works in accordance with:	e	
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
B7.5 Ablution facilities		
The contractor shall provide toilet facilities on site for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
B8.0 PRIME COST AMOUNTS		
B8.1 Responsibility for prime cost amounts		
Fixed: Value related: Time related:	Item	
9.0 ATTENDANCE ON N/S SUBCONTRACTORS  P0.1 Concret attendance		
<b>B9.1 General attendance</b> Fixed: Value related: Time related:	Itom	
	Item	
B9.2 Special attendance		
Fixed: Value related: Time related:	Item	
B9.3 Commissioning - fuel, water and electricity		
Fixed: Value related: Time related:	Item	
Carried to Collect	tion R	
Section No. 2		
Bill No. 1		
Preliminaries		
55		

	B10.0 FINANCIAL ASPECTS		
_	B10.1 Statutory taxes, duties and levies		
86	Fixed: Value related: Time related:	Item	
	B10.2 Payment for preliminaries		
87	Fixed: Value related: Time related:	Item	
	B10.3 Adjustment of preliminaries		
88	Fixed: Value related: Time related:	Item	
	B10.4 Payment certificate cash flow		
89	Fixed: Value related: Time related:	Item	
	B11. GENERAL		
	B11.1 Protection of the works		
90	Fixed: Value related: Time related:	Item	
	B11.2 Protection / isolation of existing / sectionally occupied works		
91	Fixed: Value related: Time related:	Item	
	B11.3 Security of the works		
92	Fixed: Value related: Time related:	Item	
	B11.4 Notice before covering work		
93	Fixed: Value related: Time related:	Item	
	11.5 Disturbance		
94	Fixed: Value related: Time related:	Item	
	B11.6 Environmental disturbance		
95	Fixed: Value related: Time related:	Item	
	B11.7 Works cleaning and clearing		
96	Fixed: Value related: Time related:	Item	
	B11.8 Vermin		
97	Fixed: Value related: Time related:	Item	
	B11.9 Overhand work		
98	Fixed: Value related: Time related:	Item	
		Rom	
99	B11.10 Instruction manuals and guarantees  Fixed: Value related: Time related:	Item	
33		item	
00	B11.11 As built information  Fixed: Value related: Time related:	lanna	
00	rixed value related fillite related	Item	
	Carried to Collection	R	
	Section No. 2	, K	
	Bill No. 1		
	Preliminaries		
	56		

	B11.12 Tenant installations		
101	Fixed: Value related: Time related:	Item	
	SECTION C: SPECIFIC PRELIMINARIES		
	Section C contains specific preliminary items which apply to this contract except where N/A (Not Applicable) appears against an item.		
	C1 CONTRACT DRAWINGS		
	The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer to acquaint himself with the nature and extent of the works and the manner in which they are to be executed. Should any part of the drawings not be clearly intelligible to the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent.		
102	Fixed: Value related: Time related:	Item	
	C2 GENERAL PREAMBLES		
	The document "Specification of Materials and Methods to be used (PW371)" is obtainable on request from the head office and all regional offices of the Departtment, and shall be read in conjunction with the bills of quantities / lump sum document and be referred to for the full descriptions of work to be done and materials to be used.		
103	Fixed: Value related: Time related:	Item	
	C3 PROPRIETARY BRANDED PRODUCTS		
	The contractor shall take delivery of, handle, store, use, apply and/or fix all proprietary branded products in strict accordance with the manufacturer's instructions after consultation with the manufacturer's authorised representative.		
	All materials, fittings, finishings, etc., specified hereinafter under a trade name, catalogue number or reference, must be exactly as described. The Architect's approval in writing must be obtained for the use of any alternative to the specification before the submission of tenders otherwise the specified materials, fittings, finishings, etc., will be assumed to have been allowed for in the tender.		
	The Contractor must take delivery of, handle, store, use, apply and/or fix all proprietary branded products in strict accordance with the manufacturer's instructions after consultation with the manufacturer's authorised representative.		
104	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 2	IX	
	Bill No. 1		
	Preliminaries		
	57		

1			I
	C4 CONTRACTOR'S RESPONSIBILITY		
	The Employer, the Principal Agent and the other professional consultants shall not be responsible for any act or omission on the part of the Contractor which may result in any patent or latent defects, in materials or workmanship, breach or neglect of any local regulations. The Contractor shall at all times be responsible for any such neglect, deviation or wrong act, whether the same is discovered before or after the final certificate, or any other Certificate, has been approved		
105	Fixed: Value related: Time related:	Item	
	C5 OVERTIME		
	Should overtime be required to be worked for any reason whatsoever, the costs of such overtime are to be borne by the contractor unless the principal agent has specifically authorised in writing, prior to the execution thereof, that costs for such overtime are to be borne by the employer.		
106	Fixed: Value related: Time related:	Item	
	C6 AS BUILT DRAWINGS		
	The position of construction breaks and the extent of individual concrete pours are to be recorded by the contractor on the structural engineer's drawings and are to be submitted to the principal agent and the structural engineer for their records.		
	Three full sets of as-built drawings shall be submitted to the Principal Agent no later than fourteen days after practical completion		
107	Fixed: Value related: Time related:	Item	
	C7 CONTRACT INSTRUCTIONS		
	Contract instructions issued on site are to be recorded in triplicate in a site instruction book which is to be maintained on site by the Contractor. The Contractor shall supply and have available at the site of the works at all times, the following site books:		
	a) Contract Instruction Book		
	Receiving and recording instructions in a suitable A4 size triplicate book kept on site. Instructions issued shall be recorded by the Architect or other Employer's Agents to whom the Architect has delegated authority to in the book.		
	Only instructions issued in such book shall be recognised.		
	b) Daily Record Book		
	The Contractor shall record in triplicate in a suitable A4 size triplicate book kept at the site, a daily record of work done, all site visits by the Principal Agent and other professional personnel and all events affecting the Works, such as progress, issue of plans, breakdown of machinery, etc. The labour, plant and material on site shall be recorded as well as work performed. Entries must be made by the Contractor and must be signed and forwarded to the Principal Agent for his counter-signature on a daily basis. Copies of these records shall be for the Architect, Quantity Surveyor and Contractor.		
	Carried to Collection	R	
	Section No. 2		
	Bill No. 1		
	Preliminaries		
	58		

108	Fixed: Value related: Time related:	Item		
	C8 LABOUR RECORD			
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number and description of tradesmen and labourers employed by him and all subcontractors on the works each day			
109	F: V: T:	Item		
	C9 PLANT RECORD			
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number, type and capacity of all plant, excluding hand tools, currently used on the works.			
110	F: V: T:	Item		
	C10 ENCROACHMENT			
	During the course of the building operations, the Contractor shall be held entirely responsible for any encroachment onto any adjoining properties, buildings, etc., or servitudes and the cost of any remedial measures as required by the Principal Agent shall be borne by the Contractor			
111	F: V: T:	Item		
	C11 METHOD STATEMENT			
	The Tenderer shall produce, when required to do so by the Principal Agent, a Method Statement outlining the methods of construction and labour and plant resources that he proposes to use in the execution of the Works. Any approval given or observation made by the Principal Agent shall not relieve the Contractor of his sole responsibility to adopt the methods of construction and to provide the labour and plant resources necessary for the due and proper timeous execution of the Works.			
112	F: V: T:	Item		
	C12 UNAUTHORISED PERSONS/WORKMEN ON PREMISES			
	The Contractor shall at all times strictly exclude all unauthorised persons from the Works and the site and shall set up notice boards to that effect.			
	No workmen or labourers (except security guards) are to be allowed under any circumstances to sleep or deposit any kit on the premises. The Contractor must provide any necessary independent shelter or shed required for any labour or watchmen on site, to the approval of the Employer.			
113	F: V: T:	Item		
	C13 MODE OF PROCEDURE			
	Notwithstanding anything to the contrary contained herein the Principal Agent at all times reserves the right to direct the order in which the various parts of the Contract are to be executed. The Contractor shall give priority to any individual section or portion of the Works that, in the opinion of the Principal Agent, requires to be expedited.			
	Carried to Collection	R		
	Section No. 2	11		
	Bill No. 1			
	Preliminaries			
	59		ıı l	

114	Should it appear, in the Principal Agent's opinion, that work in any area is not being executed in accordance with the requirements of the Contract Programme, the Contractor shall provide additional manpower and resources and shall work additional overtime and do everything else required to bring the work back to programme to the satisfaction of the Principal Agent and to the Contractor's cost  F:	Item	
115	There is no guarantee given or implied that Site conditions will be such that the Contractor will be able to erect such temporary works, roads, hardhats, offices, stores and temporary accommodation within the site boundaries and it shall be the Contractor's responsibility to adopt whatever measures he deems necessary in this regard and to obtain all necessary permission and pay all costs in connection therewith  F:	ltem	
113	C15 OFFICE ACCOMMODATION	пеш	
	The contractor shall provide, maintain and remove on practical completion air conditioned office accommodation with suitable tables and chairs for meetings to be held on the site. Such offices shall be kept clean and fit for use at all times [12.2.18]		
116	F: V: T:	Item	
	C16 STORAGE FACILITIES		
	The Contractor shall provide a Container for storage of materials.		
117	F: V: T:	Item	
	C17 REMOVAL AND MAKING GOOD OF TEMPORARY WORKS, ETC, ON COMPLETION		
	The Contractor shall remove (except where specifically stated otherwise) all temporary works, roads, services and the like used for this contract and shall make good to the entire satisfaction of the Principal Agent any damage resulting therefrom.		
118	F: V: T:	Item	
	Carried to Collection	R	
	Section No. 2	11	
	Bill No. 1		
	Preliminaries		
	60		

SECTION NO. 2  NCOTI PRIMARY SCHOOL  BILL NO. 1  PRELIMINARIES  COLLECTION			
	5 115 11 5	Page No	
	Brought Forward from Page	46 47	
		48	
		49	
		50	
		51	
		52	
		53	
		54	
		55	
		56	
		57	
		58	
		59	
		60	
	Carried To Section Summer		
Section No. 2	Carried To Section Summary	R	
Bill No. 1 Preliminaries			
i iomimanes	61		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 2					
	NCOTI PRIMARY SCHOOL					
	BILL NO. 2					
	HEALTH AND SAFETY					
	MODEL PREAMBLES					
	The tenderer is referred to the "Model Preambles for Trades 2008" for supplementary and comprehensive expansion of descriptions, appropriate provision for which shall be deemed to have been included in all relevant rates.					
	SUPPLEMENTARY PREAMBLES					
	Supplementary preambles and/or specifications are incorporated in these bills of quantities to satisfy the requirements of this project. Such supplementary preambles and/or specifications shall take precedence over the provisions of the General Preambles.					
	The contractor's prices for all items throughout these bills of quantities shall take account of and include where applicable for all of the obligations, requirements and specifications given in the General Preambles and in any supplementary preambles and/or specifications.					
	Prior to pricing the principal contractor must familiarize him/herself with the Occupational Health and Safety Act No. 85 Of 1993, Construction Regulations 2014, other relevant Regulations and Standards as well as project specific Health & Safety specifications.					
	OCCUPATIONAL HEALTH AND SAFETY					
	General					
1	Preparation of Contractor's site specific Health and Safety Plan	Item				
2	Submission of the Health and Safety File	Item				
3	Principal Contractor's initial obligations in respect of the OHS Act and Construction Regulations	Item				
4	Principal Contractor's time related obligations in respect of the OHS Act and Construction Regulations for the entire construction period	Item				
5	Provision of full time Health and Safety Officer for the entire construction period	Item				
6	Induction training of all personnel	Item				
7	Provision of first aid boxes	Item				
	Carried to Collection			r		
	Section No. 2			R		
	Bill No. 2					
	Health And Safety					
	62					

## TMT-DBE-23/24-SAFEOS-ECCL47 THE MVULA TRUST SAFE PROGRAMME – OMITTED SCOPE

		Unit	Quantity	Rate	Amount
8	SANS approved weld mesh type temporary barrier fencing 1,8m high covered with a net fixed to and				
	including 100mm diameter gum poles set securely min 300mm deep in ground at max 3m spacing including excavation, backfilling, etc	m	150		
9	Extra over mesh fence for pedestrian gate size 1.8 x 1,8m high	No	1		
	Provision for Personal Protective Equipment and				
10	Reflective vests.	Item			
11	Hard hats	Item			
12	Protective footwear	Item			
13	Ear plugs	Item			
14	Dust masks	Item			
	Medical certificates and medical surveillance				
15	Initial (baseline) medical examinations for all personnel	Item			
16	Exit Examinations for all personnel	Item			
	Noise Monitoring				
17	Establishment of noise zones	Item			
18	Audiograms	Item			
	Covid-19 Compliance Measures				
19	The Contractor is required to price for Covid 19 compliance and the pricing thereof shall be deemed to include all the mandatory requirements	ltom			
	monade an are mandately requirements	Item			
	Carried to Collection			R	
	Section No. 2 Bill No. 2				
	Health And Safety				
	63				

SECTION NO. 2 NCOTI PRIMARY SCHOOL BILL NO. 2 HEALTH AND SAFETY COLLECTION	DL  Brought Forward from Page	Page No 62 63	
	Corried To Section Summer on	_	
Section No. 2 Bill No. 2 Health And Safety	Carried To Section Summary	R	
Health And Safety	64		

		Unit	Quantity	Rate	Amount	
	OFOTION NO. 0					
	SECTION NO. 2  NCOTI PRIMARY SCHOOL					
	BILL NO. 3					
	RENOVATIONS					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	SUPPLEMENTARY PREAMBLES					
	<u>View site</u>					
	Before submitting his tender the tenderer shall visit the site and satisfy himself as to the nature and extent of the work to be done and the value of the materials contained in the buildings or portions of the buildings to be demolished. No claim for any variations of the contract sum in respect of the nature and extent of the work or of inferior or damaged materials will be entertained					
	General					
	Water supply pipes and other piping in ground that may be encountered and found necessary to disconnect or cut, shall be effectually stopped off or grubbed up and removed, and any new connections that may be necessary shall be made with proper fittings to the satisfaction of the principal agent					
	MAKING GOOD OF EXISTING WORK					
	Taking out and removing piping, sanitary fittings, etc including disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)					
1	Remove VIP 200 pit pedestals, prepare suface to receive new VIP 450 pit pedestal (new pedestal measured elsewhere)	No	3			
	Making good leaking water pipe fittings by disassembling, cleanning, applying appropriate seal and reassembling					
2	Leaking 25mm raiwater tank outlets	No	2			
3	Leaking 15mm tap connections	No	2			
	Carried to Collection			R		
	Section No. 2					
	Bill No. 3					
	Renovations					
	65				II	

		Unit	Quantity	Rate	Amount
	Making good tie down straps to existing tanks				
4	New 4mm diameter galvanised wire tank ties wrapped twice around centre of tank and secured to each corner of tank stand with a double strand of 4mm diameter galvanised wire bolted into concrete.	No	2		
		NO			
_	Making good damaged door locks	NI-			
5	New three lever mortice lock	No	1		
	Making good existing security gates				
6	Repair loose hanging or fallen gates by making good brick walls and then re-installing gates into position with new 13mm diameter x 90mm long expansion applied to existing gate hinges	No	2		
	BATHROOM FITTINGS				
	Stainless steel bathroom fittings				
7	Free standing She Bin: manufactured from Grade 304 1,2mm Stainless Steel, satin finished with surface treatment. The container to have an approximately 20 litre capacity	No	8		
	RAINWATER DISPOSAL				
	PVC-U gutters and rainwater pipes				
8	90mm Diameter rainwater pipes	m	3		
9	Extra over rainwater pipe for bend	No	3		
	SANITARY FITTINGS				
	Rust and corrosion resistant, UV-resistant polyethylene pedestals, urinals, basins, etc.				
10	VIP 450 Pit pedestal complete with integral tlap four times plugged to floor with and including 6 x 75mm masonry anchors.	No	3		
	TRAPS ETC				
11	Traps 40mm Chromium plated bottle trap	No	2		
''	·	INO	2		
	SANITARY PLUMBING  PVC-U soil and vent pipes				
12	40mm Pipes	m	8		
	·				
13	110mm Pipes	m	4		
	Carried to Collection			R	
	Section No. 2				
	Bill No. 3 Renovations				
	66				
'	'		. '		1

## TMT-DBE-23/24-SAFEOS-ECCL47 THE MVULA TRUST SAFE PROGRAMME – OMITTED SCOPE

		Unit	Quantity	Rate	Amount	
	Extra over PVC-U soil and vent pipes for fittings					
14	40mm Bend	No	6			
15	110mm Air vent whirlybird	No	1			
	ON EXISTING INTERNAL FLOATED PLASTER	110				
	SURFACES					
	Two coats superior quality acrylic emulsion paint for interior and exterior use					
16	Walls	m²	397			
	TANKS ETC					
17	2500 Litre capacity rotomoulded polyethylene low profile rainwater tank with 8 year product guarantee, connected to 2 x 38mm threaded inlet, 50mm outlet and overflow tank connectors including 480mm diameter clip-on manhole lid, 480mm diameter insect, solid particle or mosquito screen, sludge outlet, uPVC overflow elbow, set in position on existing concrete tank stand, tank tied down with and including 4mm diameter galvanised wire wrapped twice around centre of tank and secured to each corner of tank stand with a double strand of 4mm diameter galvanised wire embedded into concrete.	No	1			
18	Hole through top of tank lid for 90mm diameter pipe.	No	1			
	Carried to Collection			R		
	Section No. 2			ĸ		—
	Bill No. 3					
	Renovations 67					
I			1 1		I I	

SECTION NO. 2  NCOTI PRIMARY SCHOOL  BILL NO. 3  RENOVATIONS  COLLECTION	Brought Forward from Page	Page No 65	
		66 67	
Section No. 2 Bill No. 3 Renovations	arried To Section Summary  68	R	

		Unit	Quantity	Rate	Amount	
	SECTION NO. 2					
	NCOTI PRIMARY SCHOOL BILL NO. 4					
	GARDEN AND BALUSTRADE WALLS					
	PREAMBLES  The Tenderer is referred to the relevant Clause in the					
	separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	EARTHWORKS (PROVISIONAL)					
	Excavate in pickable material not exceeding 2m deep below natural or reduced ground level:					
1	Surface trenches.	m³	41			
	Extra over excavation in pickable material for column bases, trenches, lift pits, sumps, etc for excavation:					
2	Soft rock.	m³	4			
3	Hard rock.	m³	2			
4	Allow for risk of collapse to sides of excavations to column bases, trenches, etc. from ground level to not exceeding 1,5m deep.	m²	162			
5	Allow for keeping excavations entirely free from water or mud.	Item				
	Earth filling obtained from the excavations and/or prescribed stock piles on site, compacted to 98% Mod AASHTO density					
6	Backfilling to trenches, holes, etc.	m³	8			
7	Scarify in-situ material for a depth of 150mm and compact to obtain 98% modified AASHTO dry density.	m²	68			
	Earth filling supplied by the contractor, compacted to 98% Mod AASHTO density					
8	Under floors, steps, pavings, etc.	m³	8			
	Carried to Collection			R		
	Section No. 2					
	Bill No. 4					
	Garden And Balustrade Walls					
	69				1	

CONCRETE, FORMWORK & REINFORCEMENT 25MPa Mass concrete in:  Will flootings cast against excavated surfaces.  Expansion Joints:  10  Itam "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.  TEST CUBES  Test Cubes  Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)  MASONRY  Brickwork of MFX bricks (14 MPa nominal compressive strength) in class II mortar  12 One brick wall.  Leave of form 115 x 75mm high weep hole through one brick wall.  2.5mm Galvanised brick reinforcement  14 150mm Wide reinforcement built in horizontally  Facings Externally:  "Rustspold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Gement to be 42.5N all-purpose coment):  Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  PAINTING  Clean down with Spirits of Salts solution and apply two coats sillicone-based brick dressing on:  Clinker brick facings (Externally).  Carried to Collection  R  Carried to Collection  R  Garden And Balustrade Walls			Unit	Quantity	Rate	Amount	
25MPa Mass concrete in:  Wall footings cast against excavated surfaces.  Expansion Joints:  12mm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.  TEST CUBES Test Cubes  1 Making and testing 150 x 150 x 150 mm concrete strength test cube (Provisional)  MASONRY Brickwork of NFX bricks (14 MPa nominal compressive strength in class II mortar  10 No brick wall.  Leave or form 115 x 75mm high weep hole through one brick wall.  2.5mm Galvanised brick reinforcement  1 55mm Wide reinforcement built in horizontally m 405  Facings Externally:  "Rustoold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal loints, suitable for exposure zones 1-2 (Cement to be 42/5) all-purpose coment):  15 Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Carried to Collection  R  Carried to Collection  Section No. 2  Bill No. 4  Garden And Balustrade Walls							
25MPa Mass concrete in:  Wall footings cast against excavated surfaces.  Expansion Joints:  12mm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.  TEST CUBES Test Cubes  1 Making and testing 150 x 150 x 150 mm concrete strength test cube (Provisional)  MASONRY Brickwork of NFX bricks (14 MPa nominal compressive strength in class II mortar  10 No brick wall.  Leave or form 115 x 75mm high weep hole through one brick wall.  2.5mm Galvanised brick reinforcement  1 55mm Wide reinforcement built in horizontally m 405  Facings Externally:  "Rustoold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal loints, suitable for exposure zones 1-2 (Cement to be 42/5) all-purpose coment):  15 Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Carried to Collection  R  Carried to Collection  Section No. 2  Bill No. 4  Garden And Balustrade Walls		CONCRETE, FORMWORK & REINFORCEMENT					
Expansion Joints:  12mm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.  TEST CUBES Test Cubes  11 Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)  MASONRY Brickwork of NFX bricks (14 MPa nominal compressive strength) in class II mortar  12 One brick wall.  2.5mm Galvanised brick reinforcement  13 Leave or form 115 x 75mm high weep hole through one brick wall.  2.5mm Galvanised brick reinforcement  14 150mm Wide reinforcement built in horizontally m 405  Facings Externally: "Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal loints. suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  15 Extra over ordinary brickwork for facing in stretcher bond and polinting as described.  Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  PAINTING Clean down with Spirits of Salts solution and apply two coats sillicone-based brick dressing on:  Clinker brick facings (Externally).  Carried to Collection  Section No. 2  Bill No. 4  Garden And Balustrade Walls							
12mm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.  TEST CUBES  Test Cubes  11 Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)  MASONRY  Brickwork of NFX bricks (14 MPa nominal compressive strength) in class II mortar  12 One brick wall.  2,5mm Galvanised brick reinforcement  13 Leave or form 115 x 75mm high weep hole through one brick wall.  2,5mm Galvanised brick reinforcement  14 150mm Wide reinforcement built in horizontally m 405  Facings Externally:  "Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints. suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  15 Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  PAINTING  Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Clinker brick facings (Externally).  Carried to Collection  Section No. 2  Bill No. 4  Garden And Balustrade Walls	9	Wall footings cast against excavated surfaces.	m³	14			
in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.  TEST CUBES Test Cubes  Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)  MASONRY Brickwork of NFX bricks (14 MPa nominal compressive strength) in class II mortar  12 One brick wall.  Leave or form 115 x 75mm high weep hole through one brick wall.  2,5mm Galvanised brick reinforcement  14 150mm Wide reinforcement built in horizontally m 405  Facings Externally: "Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal loints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Carried to Collection  Carried to Collection  Section No. 2 Bill No. 4 Garden And Balustrade Walls		Expansion Joints:					
Test Cubes  Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)  MASONRY  Brickwork of NFX bricks (14 MPa nominal compressive strength) in class II mortar  12 One brick wall.  Leave or form 115 x 75mm high weep hole through one brick wall.  2.5mm Galvanised brick reinforcement  1 150mm Wide reinforcement built in horizontally m 405  Facings Externally:  "Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Clinker brick facings (Externally).  Carried to Collection  R  Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Clinker brick facings (Externally).	10	in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide	m	135			
Making and testing 150 x 150 x 150 m concrete strength test cube (Provisional)  MASONRY  Brickwork of NFX bricks (14 MPa nominal compressive strength) in class II mortar  12 One brick wall.  Leave or form 115 x 75mm high weep hole through one brick wall.  2,5mm Galvanised brick reinforcement  150mm Wide reinforcement built in horizontally  Facings Externally:  "Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal ioints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  PAINTING  Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Clinker brick facings (Externally).  Carried to Collection  R  Carried to Collection  R  Brick on edge coping in the comment mortar and pointed on top and both sides as described.  Clinker brick facings (Externally).		TEST CUBES					
strength test cube (Provisional)  MASONRY  Brickwork of NFX bricks (14 MPa nominal compressive strength) in class II mortar  12 One brick wall.  Leave or form 115 x 75mm high weep hole through one brick wall.  2.5mm Galvanised brick reinforcement  14 150mm Wide reinforcement built in horizontally  Facings Externally:  "Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  m 135  PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Clinker brick facings (Externally).  Carried to Collection  R  Carried to Collection  R  Garden And Balustrade Walls		Test Cubes					
Brickwork of NFX bricks (14 MPa nominal compressive strength) in class II mortar  12 One brick wall.  13 Leave or form 115 x 75mm high weep hole through one brick wall.  2.5mm Galvanised brick reinforcement  14 150mm Wide reinforcement built in horizontally  Facings Externally:  "Rustqold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  15 Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  16 Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  17 PAINTING  Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  18 Carried to Collection  Carried to Collection  Section No. 2  Bill No. 4  Garden And Balustrade Walls	11		No	4			
compressive strength) in class II mortar  One brick wall.  Leave or form 115 x 75mm high weep hole through one brick wall.  2.5mm Galvanised brick reinforcement  150mm Wide reinforcement built in horizontally  Facings Externally:  "Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  PAINTING  Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Clinker brick facings (Externally).  Carried to Collection  Section No. 2  Bill No. 4  Garden And Balustrade Walls		MASONRY					
Leave or form 115 x 75mm high weep hole through one brick wall.  2,5mm Galvanised brick reinforcement  14 150mm Wide reinforcement built in horizontally m 405  Facings Externally:  "Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  15 Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  16 Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  PAINTING  Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  17 Clinker brick facings (Externally).  Carried to Collection  Section No. 2  Bill No. 4  Garden And Balustrade Walls							
brick wall.  2.5mm Galvanised brick reinforcement  14 150mm Wide reinforcement built in horizontally  Facings Externally:  "Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  15 Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  16 Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Carried to Collection  Section No. 2  Bill No. 4  Garden And Balustrade Walls	12	One brick wall.	m²	122			
14 150mm Wide reinforcement built in horizontally  Facings Externally:  "Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  15 Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  PAINTING  Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  17 Clinker brick facings (Externally).  Carried to Collection  Section No. 2  Bill No. 4  Garden And Balustrade Walls	13		No	8			
Facings Externally:  "Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  15 Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  16 Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  17 PAINTING  Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  18 Carried to Collection  Carried to Collection  R  Section No. 2  Bill No. 4  Garden And Balustrade Walls		2,5mm Galvanised brick reinforcement					
"Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  15 Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  16 Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  17 PAINTING  Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Clinker brick facings (Externally).  Carried to Collection  Section No. 2  Bill No. 4  Garden And Balustrade Walls	14	150mm Wide reinforcement built in horizontally	m	405			
equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):  15 Extra over ordinary brickwork for facing in stretcher bond and pointing as described.  16 Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Clinker brick facings (Externally).  Carried to Collection Section No. 2 Bill No. 4 Garden And Balustrade Walls		Facings Externally:					
and pointing as described.  Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  Maintain Maintai		equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose					
brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.  PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on: Clinker brick facings (Externally).  Carried to Collection Section No. 2 Bill No. 4 Garden And Balustrade Walls	15		m²	108			
PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on: Clinker brick facings (Externally).  Carried to Collection Section No. 2 Bill No. 4 Garden And Balustrade Walls	16	brick wall bedded and jointed in cement mortar and		125			
Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:  Clinker brick facings (Externally).  Carried to Collection Section No. 2 Bill No. 4 Garden And Balustrade Walls			111	133			
Carried to Collection Section No. 2 Bill No. 4 Garden And Balustrade Walls		Clean down with Spirits of Salts solution and apply					
Section No. 2 Bill No. 4 Garden And Balustrade Walls	17	Clinker brick facings (Externally).	m²	108			
Section No. 2 Bill No. 4 Garden And Balustrade Walls							
Bill No. 4 Garden And Balustrade Walls		Carried to Collection			R		
Garden And Balustrade Walls							

SECTION NO. 2 NCOTI PRIMARY SCHOOL BILL NO. 4 GARDEN AND BALUSTR COLLECTION		Page No 69 70	
Section No. 2 Bill No. 4 Garden And Balustrade W		R	
	71		

SECTION NO. 2 NCOTI PRIMARY SCHOOL BILL NO. 5 Y - DRAINS  PREAMBLES  The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities  SUPPLEMENTARY PREAMBLES  Nature of ground:  The nature of the ground is assumed to be loose sandy material, therefore earth, but possibly interspersed with 'soft rock' or 'hard rock'  Carting away of excavated material:  Descriptions of carting away of excavated material shall be deemed to include loading excavated material and to trucks directly from the excavations or, alternatively, from stock piles situated on the building site  Filling:  Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, pinces for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing:  Prices for filling are to include for all necessary density tests in accordance with SABS 12000  Cost of tests:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of provinging cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  Section No. 2  Bill No. 5 V – Drains		Unit	Quantity	Rate	Amount
NCOTI PRIMARY SCHOOL BILL NO.5 V — DRAINS PREAMBLES The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Spedification, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities SUPPLEMENTARY PREAMBLES Nature of ground: The nature of the ground is assumed to be loose sandy material; therefore learth', but possibly interspersed with soft rock' or hard rock' Carting away of excavated material: Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site Filling: Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing: Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests: The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)					
NCOTI PRIMARY SCHOOL BILL NO.5 V — DRAINS PREAMBLES The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Spedification, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities SUPPLEMENTARY PREAMBLES Nature of ground: The nature of the ground is assumed to be loose sandy material; therefore learth', but possibly interspersed with soft rock' or hard rock' Carting away of excavated material: Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site Filling: Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing: Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests: The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)	SECTION NO. 2				
BILL NO. 5 V - DRAINS PREAMBLES The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities  SUPPLEMENTARY PREAMBLES  Nature of ground:  The nature of the ground is assumed to be loose sandy material, therefore earth', but possibly interspersed with 'soft rock' or hard rock'  Carting away of excavated material:  Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site  Filling:  Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be underlaken by an independent tirm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)					
PREAMBLES  The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities  SUPPLEMENTARY PREAMBLES  Nature of ground:  The nature of the ground is assumed to be loose sandy material, therefore 'earth', but possibly interspersed with 'soft rock' or hard rock'  Carting away of excavated material:  Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock pites situated on the building site  Filling:  Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing:  Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  Section No. 2  Bill No. 5  V – Drains					
PREAMBLES  The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities  SUPPLEMENTARY PREAMBLES  Nature of ground:  The nature of the ground is assumed to be loose sandy material, therefore 'earth', but possibly interspersed with 'soft rock' or 'hard rock'  Carting away of excavated material:  Descriptions of carring away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site  Filling:  Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing:  Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  Section No. 2  Bill No. 5  V – Drains					
separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities  SUPPLEMENTARY PREAMBLES  Nature of ground:  The nature of the ground is assumed to be loose sandy material, therefore 'earth', but possibly interspersed with 'soft rock' or 'hard rock'  Carting away of excavated material:  Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site  Filling:  Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing:  Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  Section No. 2  Bill No. 5  V – Drains	PREAMBLES				
Nature of ground:  The nature of the ground is assumed to be loose sandy material, therefore 'earth', but possibly interspersed with 'soft rock' or 'hard rock'  Carting away of excavated material:  Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site  Filling:  Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing:  Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  Section No. 2  Bill No. 5  V – Drains	separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of				
The nature of the ground is assumed to be loose sandy material, therefore 'earth', but possibly interspersed with 'soft rock' or 'hard rock'  Carting away of excavated material:  Descriptions of carting away of excavated material shall be deemed to include loading excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site  Filling:  Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing:  Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent.  The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  R  Section No. 2  Bill No. 5  V – Drains	SUPPLEMENTARY PREAMBLES				
material, therefore 'earth', but possibly interspersed with 'soft rock' or 'hard rock'  Carting away of excavated material:  Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site  Filling:  Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing:  Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent.  The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  Section No. 2  Bill No. 5  V – Drains	Nature of ground:				
Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site  Filling:  Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing:  Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent.  The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  Section No. 2  Bill No. 5  V – Drains	material, therefore 'earth', but possibly interspersed with				
be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site  Filling:  Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing:  Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  R  Section No. 2  Bill No. 5  V – Drains	Carting away of excavated material:				
Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing:  Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent.  The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  R  Section No. 2  Bill No. 5  V – Drains	be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively,				
handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material  Testing: Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests: The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  R  Section No. 2  Bill No. 5  V – Drains	Filling:				
Prices for filling are to include for all necessary density tests in accordance with SABS 1200D  Cost of tests:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  R  Section No. 2  Bill No. 5  V – Drains	handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple				
tests in accordance with SABS 1200D  Cost of tests:  The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent.  The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  R  Section No. 2  Bill No. 5  V – Drains	Testing:				
The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent.  The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  R  Section No. 2  Bill No. 5  V – Drains					
cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)  Carried to Collection  R  Section No. 2  Bill No. 5  V – Drains	Cost of tests:				
Section No. 2 Bill No. 5 V – Drains	cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured				
Section No. 2 Bill No. 5 V – Drains					
Section No. 2 Bill No. 5 V – Drains	Carried to Collection			R	
V – Drains					
72	V – Drains				
	72				

		Unit	Quantity	Rate	Amount	
	EVCAVATION ETC					
	EXCAVATION ETC  Excavation in earth not exceeding 2m deep					
1	Reduced levels under pavings	m³	3			
	Extra over all excavations for carting away					
2	Surplus material from excavations and/or stock piles on					
_	site, to a dumping site to be located by the contractor	m³	3			
	FILLING ETC OTHER THAN BULK					
	Earth filling (G7 material) supplied by the contractor, compacted to 95% Mod AASHTO density					
3	Under floors, steps, pavings, etc.	m³	2			
	Coarse river sand filling supplied by the contractor					
4	Under pavings etc.	m³	1			
	Compaction of surfaces					
5	Compaction of ground surface under floors etc. including					
	scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and					
	compacting to 98% Mod AASHTO density	m²	13			
	Prescribed density tests on filling					
6	Modified AASHTO Density test	No	1			
	DAMPPROOFING OF WALLS AND FLOORS					
	One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape					
7	Under surface pavings etc.	m²	13			
	STORMWATER DRAINAGE (PROVISIONAL)					
	Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:					
8	Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.	m	18			
9	Extra for angle.	No	2			
	Carried to Collection			R		
	Section No. 2					_
	Bill No. 5					
	V – Drains					
ı	73		1			

## TMT-DBE-23/24-SAFEOS-ECCL47 THE MVULA TRUST SAFE PROGRAMME – OMITTED SCOPE

		Unit	Quantity	Rate	Amount
10	Extra for 1000mm long x 2700mm wide outlet with 300mm deep x 300mm wide thickened edge and thirteen number 150 x 150 x 150mm concrete block energy dissipaters set into in-situ concrete draining off to and including a 2700 x 600 x 100mm thick bed formed of 19mm diameter stones	No	1		
11	TEST CUBES  Test Cubes  Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	2		
12	REINFORCEMENT (CPAP WORK GROUP NO. 114)  Fabric reinforcement  Type 617 fabric reinforcement in concrete dish drains etc	m²	13		
	Carried to Collection Section No. 2 Bill No. 5			R	
	V – Drains				

SECTION NO. 2  NCOTI PRIMARY SCHOOL  BILL NO. 5  V – DRAINS  COLLECTION	Brought Forward from Page	Page No 72	
		73 74	
		, ,	
Ca Section No. 2	rried To Section Summary	R	
Bill No. 5 V – Drains			
	75		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 2					
	NCOTI PRIMARY SCHOOL					
	BILL NO. 6 CONCRETE APRONS, WALKWAYS & RAMPS					
	· · · · · · · · · · · · · · · · · · ·					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	EARTHWORKS (PROVISIONAL)					
	Excavate in pickable material not exceeding 2m deep below natural or reduced ground level:					
1	Reduce levels under pavings.	m³	14			
	Extra over excavation in pickable material for column bases, trenches, lift pits, sumps, etc for excavation:					
2	Soft rock.	m³	2			
3	Hard rock.	m³	1			
	Extra over excavation in pickable material for column bases, trenches, lift pits, sumps, etc for breaking up:					
4	Unreinforced concrete	m³	1			
5	Allow for risk of collapse to sides of excavations to column bases, trenches, etc. from ground level to not exceeding 1,5m deep.	2	20			
		m²	38			
6	Allow for keeping excavations entirely free from water or mud.	Item				
	Earth filling obtained from the excavations and/or prescribed stock piles on site, compacted to 98% Mod AASHTO density					
7	Backfilling to trenches, holes, etc.	m³	7			
8	Scarify in-situ material for a depth of 150mm and compact to obtain 95% modified AASHTO dry density.	m²	48			
	Carried to Collection			R		
	Section No. 2					
	Bill No. 6					
	Concrete Aprons, Walkways & Ramps					
	76					

		Unit	Quantity	Rate	Amount	
	Earth filling (G7 material) supplied by the contractor, compacted to 95% Mod AASHTO density					
9	Under floors, steps, pavings, etc.	m³	7			
	CONCRETE, FORMWORK & REINFORCEMENT					
	25MPa Mass concrete in:					
10	Ramps	m³	1			
11	Pavings.	m³	4			
	Sundries:					
12	Strike off and cure tops of surface beds laid in panels					
-	approximately 1000mm long x 1000mm wide to uniform					
	levels including all necessary formwork to form toggle joints to temporary construction joints to falls.	m²	48			
13	Extra for floating off smooth tops of surface beds laid in					
	panels ta brush finish including slightly rounded edges to					
	panels.	m²	48			
	Expansion Joints:					
14	12mm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and					
	walls in narrow widths not exceeding 150mm wide					
	including tacking to face of wall.	m	64			
	TEST CUBES					
	Test Cubes					
15	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	3			
	SMOOTH FORMWORK (DEGREE OF ACCURACY II)					
	(CPAP WORK GROUP NO. 111)					
	Smooth formwork to sides					
16	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	12			
	REINFORCEMENT (CPAP WORK GROUP NO. 114)					
	Fabric reinforcement					
17	Type 617 fabric reinforcement in concrete surface beds					
	etc	m²	48			
	DAMPPROOFING OF WALLS AND FLOORS					
	One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with					
	PVC self-adhesive tape					
18	Under surface pavings etc.	m²	48			
				_		
	Carried to Collection Section No. 2			R		
	Bill No. 6					
	Concrete Aprons, Walkways & Ramps					
	77					

SECTION NO. 2  NCOTI PRIMARY SCHOOL  BILL NO. 6  CONCRETE APRONS, WALKWAYS & RAMPS  COLLECTION	Page No	
Brought Forward from Page	76	
	77	
Coming To Continu Comment	_	
Carried To Section Summary Section No. 2	R	
Bill No. 6 Concrete Aprons, Walkways & Ramps		
78		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 2					
	NCOTI PRIMARY SCHOOL					
	BILL NO. 7 GRADE R FENCING					
	GRADE R FENCING					
	<u>PREAMBLES</u>					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	THE FOLLOWING IN SECURITY FENCING					
	Site clearance					
1	Allow for clearing site for a width of 1m where fencing runs are to be erected including removing trees, shrubs, etc not exceeding 200mm girth, grubbing up roots and roughly levelling	m	115			
	Straining wires, fencing and razor wire					
2	Four strands of 4mm Class'A' galvanised straining wires secured to fencing posts with doubled 2 mm galvanised wire inserted through hole in post and turned a minimum of four turns around straining wire and attached to straining frame at one end with not less than four turns at the other end to straining bolts (elsewhere measured).	m	115			
3	Fencing formed of 50 x 50 x 2.0mm diameter galvanised fencing 1 800mm high and fixed to each straining wire with 8 guage binding wire at 500mm centres including staking to ground with and including Y10 pegs at 900mm c/c between posts (straining wires elsewhere measured).	m	115			
	Posts					
4	75mm Diameter galvanised steel intermediate fencing post, 2700mm fitted with a pressed steel mushroom cap, post fitted with 150 x 150 x 5mm base plate at bottom and set into the ground.	No	22			
5	150mm Ditto as standard post but embedded in 600 x					
	600 x 700mm high mass concrete (15MPa) base	No	8			
	Carried to Collection			R		
	Section No. 2			11		
	Bill No. 7					
	Grade R Fencing					
	79					

## TMT-DBE-23/24-SAFEOS-ECCL47 THE MVULA TRUST SAFE PROGRAMME – OMITTED SCOPE

		Unit	Quantity	Rate	Amount
6	150mm Ditto as straining or corner posts, but fitted with two 75mm diameter galvanised steel raking stays and with top ends flattened and bolted through post with post embedded in 600 x 600 x 700mm high mass concrete (15MPa) base and stays embedded in 700 x 700 x 450mm high mass concrete (15MPa) base	No	4		
7	150mm Ditto as end/ gate post, but fitted with one 75mm diameter galvanised steel stay set raking and with top end flattened and bolted through post, with post embedded in 600 x 600 x 700mm mass concrete (15MPa) base and stay embedded in 700 x 700 x 450mm high mass concrete (15MPa) base with all base tops set raking (sloping)	No	5		
	<u>Gates</u>				
8	Security fence single gate, size 900 mm wide x 1800 mm high, formed of 50 mm diameter nominal bore x 2,2 mm wall thickness hot dip galvanised mild steel pipe framing all round with mitred and welded angles and middle rail, with 20mm diameter x 300mm long locking bolt welded on and a pair of heavy duty gate hooks for a 16mm band hinge pin welded on to gate and including a pair of 16mm band hinge pins bolted to gate posts	No	1		
9	Security fence single gate, size 1500 mm wide x 1800 mm high, formed of 50 mm diameter nominal bore x 2,2 mm wall thickness hot dip galvanised mild steel pipe framing all round with mitred and welded angles and middle rail, hung on pair of socketted and pinned hinges with pin 18mm in diameter and bolted to brick wall and with 20mm diameter x 300mm long locking bolt welded on.	No	1		
10	Double gate, size 6 000 mm wide x 1 800 mm high overall in two leaves, formed of 50 mm diameter nominal bore x 2.5 mm wall thickness hot dip galvanised mild steel pipe framing all round with 25 mm diameter nominal bore x 2.0 mm wall thickness diagonal and centre braces, scribed and welded into angles and at cross intersections, gate filled with 50 x 50 x 2,0mm galvanised wire diamond mesh, with two 50 mm diameter nominal bore x 3,25 mm wall thickness security posts each 600 mm long with one end welded to top rail of gate and closure plate to other end, each leaf fitted with two 25 mm diameter x 300 mm long eyebolt hinges and stops including all holes, etc., welded or bolted to adjoining galvanised gatepost with and including 500 mm long approved chain spot welded to gate and 200 x 200 x 300mm thick 25MPa concrete concrete block wth a 19mm x 100mm long galvanised steel pipe as keep for gate bolt	No	1		
	Carried to Collection			R	
	Section No. 2				
	Bill No. 7				
	Grade R Fencing 80				
	00				

## TMT-DBE-23/24-SAFEOS-ECCL47 THE MVULA TRUST SAFE PROGRAMME – OMITTED SCOPE

		Unit	Quantity	Rate	Amount	
11	Locks 50mm "Viro" or other equally approved padlocks for external use.	No	3			
	Carried to Collection Section No. 2 Bill No. 7 Grade R Fencing 81			R		

SECTION NO. 2 NCOTI PRIMARY SCHOOL BILL NO. 7 GRADE R FENCING COLLECTION	Brought Forward from Page	Page No 79 80 81	
Ca Section No. 2 Bill No. 7 Grade R Fencing	rried To Section Summary  82	R	

	SECTION NO. 2 NCOTI PRIMARY SCHOOL BILL NO. 8 PROVISIONAL SUMS PROVISIONAL SUMS Supplementary Preambles			
	Tenderers are advised that no claim in respect of loss of profit or Preliminary charges based on the omission of these amounts will be considered and the said amounts will be omitted strictly without any financial compensation payable to the Contractor.			
	Provisional sums and Budgetary allowances contained herein may be omitted or reduced at the Employer's discretion and the Contractor shall not be entitled to claim for any loss by way of reductions or omission of any discount, or percentage relating to Provisional amounts and Budgetary sums or any loss of profit related therto.			
	BUDGETARY ALLOWANCES			
	Sundry building work			
1	Provide the sum of R22 500.00 for the employment of a Community Liaison Officer to be employed by the Main Contractor and be paid an allowance of R7 500.00 a month for the duration (3 months)	Item	22 500	00
2	Profit	Item		
3	Attendance	Item		
4	Provide the sum of R105 000. 00 for the hire, maintenance and servicing of temporary toilets for educators and learners during the entire constructions period	Item	105 000	00
5	Profit	Item		
6	Attendance	Item		
	Contingencies			
7	Allow the Amount of R28 000.00 (Twenty Eight Thousand Rands) for contingencies, to be used by the Architect in terms of Clause 17 of the Principal Building Agreement.	Item	28 000	00
	Carried To Section Summary	R		
	Section No. 2			
	Bill No. 8 Provisional Sums			
	Provisional Sums 83			

	SECTION NO. 2			
	NCOTI PRIMARY SCHOOL			
	SECTION SUMMARY			
Bill No.			Page	
1	PRELIMINARIES		61	
2	HEALTH AND SAFETY		64	
3	RENOVATIONS		68	
4	GARDEN AND BALUSTRADE WALLS		71	
5	V – DRAINS		75	
6	CONCRETE APRONS, WALKWAYS & RAMPS		78	
7	GRADE R FENCING		82	
8	PROVISIONAL SUMS		83	
		Carried to Final Summary	R	
	Section No. 2 SECTION SUMMARY			
		84		

# SECTION NO. 3 KIMBILI PRIMARY SCHOOL

SECTION NO. 3
KIMBILI PRIMARY SCHOOL
BILL NO. 1
PRELIMINARIES

#### **BUILDING AGREEMENT AND PRELIMINARIES**

- 1. The Principal Building Agreement shall be the JBCC Series Edition 4.1, March 2005 as recommended by the Joint Building Contracts Committee and as amended by this Tender Enquiry.
- 2. The Preliminaries shall be JBCC Series 2000, May 2005 for use with the Principal Building Agreement as recommended by the joint Building Contracts Committee and as amended by this Tender Enquiry shall be deemed to be incorporated herein.
- 3. The tenderor is deemed to have referred to the abovementioned documents for the full intent and meaning of each clause. The clauses in the abovementioned documents are hereinafter referred to by clause number and heading only.
- 4. Where standard clauses or alternatives are not entirely applicable to this contract, such modifications, corrections or additions as are necessary, are given as far as possible under each relevant clause heading. Additional Preliminary clauses are contained in Section C hereof.
- 5. No claim whatsoever shall be entertained in respect of errors or omissions in pricing due to brevity of descriptions of items which are fully described when read in conjunction with the relevant clauses of the said Principal Building Agreement, Preliminaries and Preambles.
- 6. The Tenderers shall allow opposite each of the clauses whatever costs and charges he may consider necessary forthe carrying out, complying with and due observance of the provisions, conditions and requirements set out herein. Only priced items will be considered in respect of any adjustment of this Section. Any items left unpriced will be understood to be provided free of charge and no claim for any extras arising out of the Tenderer's omission to price any item will be entertained.
- 7. Where modifications or amendments as described are made, such modifications and/or amendments shall supercede any conflicting provisions in the relevant clauses of the Standard Preliminaries or the Principal Building Agreement and the Tenderer shall make due allowance for whatever costs and charges he may consider necessary for the carrying out and observance of the provisions of the clauses as modified and/or amended.
- 8. Where any item is not relevant to this specific contract, such item is marked N/A.
- 9. If Alternative A as set out in clause B10.3 hereinafter is to be used for the adjustment of the preliminaries, each item priced is to be allocated to one or more of the three categories by insertion of "F","V","T" as the case may be against the price in the "rate" column immediately preceding the "amount" column, where "F" denotes a fixed amount (amount not to be varied), "V" denotes an amount variable in proportion to value, and "T" denotes an amount proportionate to time.

Carried to Collection	R	

Section No. 3 Bill No. 1 Preliminaries

	OFOTION A JOSE PRINCIPAL PUM DING AGREEMENT		
	SECTION A: JBCC PRINCIPAL BUILDING AGREEMENT DEFINITIONS		
	A1 DEFINITIONS AND INTERPRETATION		
	Clause 1.0:		
1	Fixed: Value related: Time related: 0	Item	
	OBJECTIVE AND PREPARATION		
	A2 OFFER, ACCEPTANCE AND PERFORMANCE		
	Clause 2.0		
2	Fixed: Value related: Time related:	Item	
	A3 DOCUMENTS		
	Clause 3.0		
	Clause 3.1 is deleted and substituted with: 'This tender is for a Government Contract. No Payment Guarantee will be provided.'		
	Clause 3.3 is deleted and substituted with:		
	The principal agent shall complete the schedule and arrange for formal signing of the agreement once the priced bill of quantities/lump sum document, security, insurances and waiver of lien, where acceptable, have been provided and effected'		
3	Fixed: Value related: Time related:	Item	
	A4 DESIGN RESPONSIBILITY		
	Clause 4.0		
4	Fixed: Value related: Time related:	Item	
	A5 EMPLOYERS AGENTS		
	Clause 5.0		
5	Fixed: Value related: Time related:	Item	
	A6 SITE REPRESENTATIVE		
	Clause 6.0		
6	Fixed: Value related: Time related:	Item	
	A7 COMPLIANCE WITH REGULATIONS		
7	Fixed: Value related: Time related:	Item	
	Clause 7.0		
8	Fixed: Value related: Time related:	Item	
	A8 WORKS RISK		
	Clause 8.0		
9	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 3		
	Bill No. 1		
	Preliminaries		
	87		

	A9 INDEMNITIES			
	Clause 9.0			
	Clause 9.1.1 is deleted and substituted with:			
	Claims from other parties consequent upon death of bodily injury or illness of any person or physical loss or damage to any property, other than the works, arising out or due to the execution of the works or occupation of the site by the contractor or his sub contractors'.			
10	Fixed: Value related: Time related:	Item		
	A10 WORKS INSURANCES			
	<u>Clause 10.0</u>			
11	Fixed: Value related: Time related:	Item		
	A11 LIABILITY INSURANCES			
	<u>Clause 11.0</u>			
12	Fixed: Value related: Time related:	Item		
	A12 EFFECTING INSURANCES			
	Clause 12.0			
13	Fixed: Value related: Time related:	Item		
	A13. No clause			
14	Fixed: Value related: Time related:	Item		
	A14 SECURITY			
	Clause 14.0			
15	Fixed: Value related: Time related:	Item		
	EXECUTION			
	A15 PREPERATION FOR AND EXECUTION OF THE WORKS			
	Clause 15.0			
16	Fixed: Value related: Time related:	Item		
	A16 ACCESS TO THE WORKS			
	Clause 16.0			
17	Fixed: Value related: Time related:	Item		
	A17 CONTRACT INSTRUCTIONS			
	<u>Clause 17.0</u>			
18	Fixed: Value related: Time related:	Item		
	Carried to Collection	R		
	Section No. 3			
	Bill No. 1			
	Preliminaries 88			
	00	I	II .	l

	A18 SETTING OUT OF THE WORKS			
	<u>Clause 18.0</u>			
	The contractor shall notify the principal agent if any encroachments of adjoining foundations, buildings, structures, pavements, boundaries, etc., exist in order that the necessary arrangements may be made for the rectification of any such encroachments. Should incorrect information be given to the contractor in terms of 18.1 and 18.2, which causes the incorrect setting out of the works, the contractor shall not be liable for such incorrect setting out			
19	Fixed: Value related: Time related:	Item		
	A19 ASSIGNMENT			
	Clause 19.0			
20	Fixed: Value related: Time related:	Item		
	A20 NOMINATED SUB-CONTRACTORS			
	Clause 20.0			
21	Fixed: Value related: Time related:	Item		
	A21 SELECTED SUBCONTRACTORS			
	Clause 21.0			
22	Fixed: Value related: Time related:	Item		
	A22 EMPLOYER'S DIRECT CONTRACTORS			
	<u>Clause 22.0</u>			
23	Fixed: Value related: Time related:	Item		
	A23 CONTRACTOR'S DOMESTIC SUBCONTRACTORS			
	<u>Clause 23.0</u>			
24	Fixed: Value related: Time related:	Item		
	COMPLETION			
	A24 PRACTICAL COMPLETION			
	<u>Clause 24.0</u>			
25	Fixed: Value related: Time related:	Item		
	A25 WORK'S COMPLETION			
	<u>Clause 25.0</u>			
26	Fixed: Value related: Time related:	Item		
	A26 FINAL COMPLETION			
	<u>Clause 26.0</u>			
27	Fixed: Value related: Time related:	Item		
	Carried to Collection	R		
	Section No. 3			
	Bill No. 1			
	Preliminaries 89			
- 1	03	1	il I	

	A27 LATENT DEFECTS LIABILITY PERIOD		
	<u>Clause 27.0</u>		
	Clause 27.0 is amended by the addition of the following clauses:		
	"27.3 Any water leakage into the building, whether in the roof, external wall or other element of the building susceptible to water leakage shall, unless proven to be a design defect, or as a result of obvious storm damage, be classified as a latent defect in terms of clause 1.0 Definitions and Interpretations".		
	"27.4 The Contractor shall attend to defects during the Defects Liability Period on a progressive basis, to the satisfaction of the Principal Agent and will not be permitted to wait until the end of the Defect Liability Period or until the amount of defects accummulates in order to attend to a comprehensive list of defects"		
28	Fixed: Value related: Time related:	Item	
	A28 SECTIONAL COMPLETION		
	Clause 28.0		
29	Fixed: Value related: Time related:	Item	
	A29 REVISION OF DATE FOR PRACTICAL COMPLETION		
	Clause 29.0		
30	Fixed: Value related: Time related:	Item	
	A30 PENALTY FOR NON-COMPLETION		
	Clause 30.0		
31	Fixed: Value related: Time related:	Item	
		item	
	PAYMENT		
	A31 INTERIM PAYMENT TO THE CONTRACTOR		
	Clause 31.0		
	The inclusion of materials and goods stored off site in the amount authorised for payment in terms of clause 31.3 shall be at the sole discretion of the principal agent and such inclusion shall only be considered upon the provision, by the contractor, of an approved guarantee issued by a registered commercial bank.		
	Where prices are submitted by the contractor or nominated/selected sub- contractor during the progress of the works in respect of contract instructions or in regard to a claim under the terms of the contract and notwithstanding the fact that such prices may be used in an interim payment certificate, there is to be no presumption of acceptance. Should the principal agent wish to accept any such prices prior to the issue of the final certificate, it will be in writing.		
32	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 3		
	Bill No. 1		
	Preliminaries		
	90		

	A32 ADJUSTMENT TO THE CONTRACT VALUE		
	Clause 32.0		
33	Fixed: Value related: Time related:	Item	
	A33 RECOVERY OF EXPENSE AND LOSS		
	<u>Clause 33.0</u>		
34	Fixed: Value related: Time related:	Item	
	A34 FINAL ACCOUNT AND FINAL PAYMENT		
	<u>Clause 34.0</u>		
35	Fixed: Value related: Time related:	Item	
	A35 PAYMENT TO OTHER PARTIES		
	<u>Clause 35.0</u>		
36	Fixed: Value related: Time related:	Item	
	CANCELLATION		
	A36 CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT		
	<u>Clause 36.0</u>		
37	Fixed: Value related: Time related:	Item	
	A37 CANCELLATION BY EMPLOYER - LOSS AND DAMAGE		
	<u>Clause 37.0</u>		
38	Fixed: Value related: Time related:	Item	
	A38 CANCELLATION BY CONTRACTOR - EMPLOYER'S DEFAULT		
	<u>Clause 38.0</u>		
39	Fixed: Value related: Time related:	Item	
	A39 CANCELLATION - CESSATION OF THE WORKS		
	<u>Clause 39.0</u>		
40	Fixed: Value related: Time related:	Item	
	DISPUTE		
	A40 DISPUTE SETTLEMENT		
	<u>Clause 40.0</u>		
41	Fixed: Value related: Time related:	Item	
	SUBSTITUTE PROVISIONS		
	A41 STATE CLAUSES		
	<u>Clause 41.0</u>		
42	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 3		
	Bill No. 1 Preliminaries		
	91		

	CONTRACT VARIABLES		
	THE SCHEDULE (C1.2 CONTRACT DATA)		
	A42 PRE-TENDER INFORMATION		
	<u>Clause 42.0</u>		
	Tenderers are referred to the document C1.2 Contract Data for variables pertaining to this contract.		
43	Fixed: Value related: Time related:	Item	
	SECTION B: JBCC PRELIMINARIES		
	<b>B1.0 DEFINITIONS AND INTERPRETATION</b>		
	B1.1 Definitions and interpretation		
44	Fixed: Value related: Time related:	Item	
	B2.0 DOCUMENTS		
	B2.1 Checking of documents		
	Notwithstanding the issue of the tender drawings, it will remain the responsibility of the Tenderer to study all available drawings at the offices of the Principal Agent during normal working hours in order to acquaint himself with all the cost implications of the design, programming, phasing, etc.		
45	Fixed: Value related: Time related:	Item	
	B2.2 Provisional bills of quantities		
	Prime Cost Amounts, Budgetary Allowances, Provisional Amounts, etc., contained herein may be omitted or reduced at the Principal Agent's sole discretion and the Contractor shall not be entitled to claim for any loss by way of reduction or omission of any discount, or percentage relating to Prime Cost Amounts, Budgetary Allowances, Provisional Amounts, Provisional Quantities, etc., or loss of profit related thereto.		
46	Fixed: Value related: Time related:	Item	
	B2.3 Availability of construction documentation		
47	Fixed: Value related: Time related:	Item	
	B2.4 Interests of agents		
48	Fixed: Value related: Time related:	Item	
	B2.5 Priced documents		
49	Fixed: Value related: Time related:	Item	
	B2.6 Tender submission		
	Notwithstanding anything contained in this clause, Tenders shall be valid for a period of 20 (Twenty) weeks from the closing date of tenders.		
50	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 3		
	Bill No. 1		
	Preliminaries		
	92		

	DO A THE CITE		
	B3.0 THE SITE B3.1 Defined works area		
	The area of the works to be occupied by the contractor, any restriction on the area and the limit of access or exit will be pointed out to the contractor by the principal agent on handing over of the site.		
	Workmen employed on the site are to be restricted to the immediate area of the site and access thereto.		
	The Tenderer shall make all necessary provision in all rates to take into account these requirements as no claims for extras arising from these matters will be subsequently entertained or admitted.		
51	Fixed: Value related: Time related:	Item	
	B3.2 Geotechnical investigation		
52	Fixed: Value related: Time related:	Item	
	B3.3 Inspection of the site		
53	Fixed: Value related: Time related:	Item	
	B3.4 Existing premises occupied		
54	Fixed: Value related: Time related:	Item	
	B3.5 Previous work - dimensional accuracy		
55	Fixed: Value related: Time related:	Item	
	B3.6 Previous work - defects		
56	Fixed: Value related: Time related:	Item	
	B3.7 Services - known		
57	Fixed: Value related: Time related:	Item	
	B3.8 Services - unknown		
58	Fixed: Value related: Time related:	Item	
	B3.9 Protection of trees		
59	Fixed: Value related: Time related:	Item	
	B3.10 Articles of value		
60	Fixed: Value related: Time related:	Item	
	B3.11 Inspection of adjoining properties		
61	Fixed: Value related: Time related:	Item	
	B4.0 MANAGEMENT OF CONTRACT		
	B4.1 Management of the works		
62	Fixed: Value related: Time related:	Item	
	<del></del>		
	Carried to Collection	R	
	Section No. 3		
	Bill No. 1		
	Preliminaries		
	93		

	B4.2 Programme for the works		
63	Fixed: Value related: Time related:	Item	
	B4.3 Progress meetings		
64	Fixed: Value related: Time related:	Item	
	B4.4 Technical meetings		
65	Fixed: Value related: Time related:	Item	
	B4.5 Labour and plant records		
66	Fixed: Value related: Time related:	Item	
	B5.0 SAMPLES, SHOP DRAWINGS AND MANUFACTURERS'		
	INSTRUCTIONS		
	B5.1 Samples of materials		
67	Fixed: Value related: Time related:	Item	
	B5.2 Workmanship samples		
68	Fixed: Value related: Time related:	Item	
	B5.3 Shop drawings		
69	Fixed: Value related: Time related:	Item	
	B5.4 Compliance with manufacturers instructions		
70	Fixed: Value related: Time related:	Item	
	B6.0 TEMPORARY WORKS AND PLANT		
	B6.1 Deposits and fees		
71	Fixed: Value related: Time related:	Item	
	B6.2 Enclosure of the works		
	The contractor shall erect, maintain and remove at completion, hoardings, safety screens, barriers, access gates, covered gangways and the like as necessary for the enclosure of the works and elements thereof all for the protection of the public and others.		
72	Fixed: Value related: Time related:	Item	
	B6.3 Advertising		
73	Fixed: Value related: Time related:	Item	
	B6.4 Plant, equipment, sheds and offices		
74	Fixed: Value related: Time related:	Item	
	B6.5 Main notice board		
75	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 3 Bill No. 1		
	Preliminaries		
	94		

B6.6 Subcontractors\rquote notice board		
Fixed: Value related: Time related:	Item	
B7.0 TEMPORARY SERVICES		
B7.1 Location		
Fixed: Value related: Time related:	Item	
B7.2 Water		
The contractor shall provide water for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
B7.3 Electricity  The contractor shall provide electricity for the works in accordance with		
The contractor shall provide electricity for the works in accordance with:  Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Itom	
	Item	
B7.4 Telecommunication facilities		
The contractor shall provide telephones on site for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
B7.5 Ablution facilities		
The contractor shall provide toilet facilities on site for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
B8.0 PRIME COST AMOUNTS		
B8.1 Responsibility for prime cost amounts		
Fixed: Value related: Time related:	Item	
9.0 ATTENDANCE ON N/S SUBCONTRACTORS		
B9.1 General attendance		
Fixed: Value related: Time related:	Item	
	item	
B9.2 Special attendance	_	
Fixed: Value related: Time related:	Item	
B9.3 Commissioning - fuel, water and electricity		
Fixed: Value related: Time related:	Item	
Carried to Collection	R	
Section No. 3		
Bill No. 1 Preliminaries		
95		

	DAGO FINANCIAL ACRECTO		
	B10.0 FINANCIAL ASPECTS B10.1 Statutory taxes, duties and levies		
86	Fixed: Value related: Time related:	Item	
	B10.2 Payment for preliminaries		
87	Fixed: Value related: Time related:	Item	
	B10.3 Adjustment of preliminaries		
88	Fixed: Value related: Time related:	Item	
	B10.4 Payment certificate cash flow		
89	Fixed: Value related: Time related:	Item	
	B11. GENERAL		
	B11.1 Protection of the works		
90	Fixed: Value related: Time related:	Item	
	B11.2 Protection / isolation of existing / sectionally occupied works		
91	Fixed: Value related: Time related:	Item	
	B11.3 Security of the works		
92	Fixed: Value related: Time related:	Item	
	B11.4 Notice before covering work		
93	Fixed: Value related: Time related:	Item	
	11.5 Disturbance		
94	Fixed: Value related: Time related:	Item	
	B11.6 Environmental disturbance		
95	Fixed: Value related: Time related:	Item	
	B11.7 Works cleaning and clearing		
96	Fixed: Value related: Time related:	Item	
	B11.8 Vermin		
97	Fixed: Value related: Time related:	Item	
	B11.9 Overhand work		
98	Fixed: Value related: Time related:	Item	
	B11.10 Instruction manuals and guarantees		
99	Fixed: Value related: Time related:	Item	
	B11.11 As built information		
00	Fixed: Value related: Time related:	Item	
		_	
	Section No. 3	R R	
	Bill No. 1		
	Preliminaries		
	96		

	B11.12 Tenant installations		
101	Fixed: Value related: Time related:	Item	
	SECTION C: SPECIFIC PRELIMINARIES		
	Section C contains specific preliminary items which apply to this contract except where N/A (Not Applicable) appears against an item.		
	C1 CONTRACT DRAWINGS		
	The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer to acquaint himself with the nature and extent of the works and the manner in which they are to be executed. Should any part of the drawings not be clearly intelligible to the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent.		
102	Fixed: Value related: Time related:	Item	
	C2 GENERAL PREAMBLES		
	The document "Specification of Materials and Methods to be used (PW371)" is obtainable on request from the head office and all regional offices of the Departtment, and shall be read in conjunction with the bills of quantities / lump sum document and be referred to for the full descriptions of work to be done and materials to be used.		
103	Fixed: Value related: Time related:	Item	
	C3 PROPRIETARY BRANDED PRODUCTS		
	The contractor shall take delivery of, handle, store, use, apply and/or fix all proprietary branded products in strict accordance with the manufacturer's instructions after consultation with the manufacturer's authorised representative.		
	All materials, fittings, finishings, etc., specified hereinafter under a trade name, catalogue number or reference, must be exactly as described. The Architect's approval in writing must be obtained for the use of any alternative to the specification before the submission of tenders otherwise the specified materials, fittings, finishings, etc., will be assumed to have been allowed for in the tender.		
	The Contractor must take delivery of, handle, store, use, apply and/or fix all proprietary branded products in strict accordance with the manufacturer's instructions after consultation with the manufacturer's authorised representative.		
104	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 3	11	
	Bill No. 1		
	Preliminaries		
	97		

1			I
	C4 CONTRACTOR'S RESPONSIBILITY		
	The Employer, the Principal Agent and the other professional consultants shall not be responsible for any act or omission on the part of the Contractor which may result in any patent or latent defects, in materials or workmanship, breach or neglect of any local regulations. The Contractor shall at all times be responsible for any such neglect, deviation or wrong act, whether the same is discovered before or after the final certificate, or any other Certificate, has been approved		
105	Fixed: Value related: Time related:	Item	
	C5 OVERTIME		
	Should overtime be required to be worked for any reason whatsoever, the costs of such overtime are to be borne by the contractor unless the principal agent has specifically authorised in writing, prior to the execution thereof, that costs for such overtime are to be borne by the employer.		
106	Fixed: Value related: Time related:	Item	
	C6 AS BUILT DRAWINGS		
	The position of construction breaks and the extent of individual concrete pours are to be recorded by the contractor on the structural engineer's drawings and are to be submitted to the principal agent and the structural engineer for their records.		
	Three full sets of as-built drawings shall be submitted to the Principal Agent no later than fourteen days after practical completion		
107	Fixed: Value related: Time related:	Item	
	C7 CONTRACT INSTRUCTIONS		
	Contract instructions issued on site are to be recorded in triplicate in a site instruction book which is to be maintained on site by the Contractor. The Contractor shall supply and have available at the site of the works at all times, the following site books:		
	a) Contract Instruction Book		
	Receiving and recording instructions in a suitable A4 size triplicate book kept on site. Instructions issued shall be recorded by the Architect or other Employer's Agents to whom the Architect has delegated authority to in the book.		
	Only instructions issued in such book shall be recognised.		
	b) Daily Record Book		
	The Contractor shall record in triplicate in a suitable A4 size triplicate book kept at the site, a daily record of work done, all site visits by the Principal Agent and other professional personnel and all events affecting the Works, such as progress, issue of plans, breakdown of machinery, etc. The labour, plant and material on site shall be recorded as well as work performed. Entries must be made by the Contractor and must be signed and forwarded to the Principal Agent for his counter-signature on a daily basis. Copies of these records shall be for the Architect, Quantity Surveyor and Contractor.		
	Carried to Collection	R	
	Section No. 3		
	Bill No. 1		
	Preliminaries		
	98		

108	Fixed: Value related: Time related:	Item	
	C8 LABOUR RECORD		
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number and description of tradesmen and labourers employed by him and all subcontractors on the works each day		
109	F: V: T:	Item	
	C9 PLANT RECORD		
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number, type and capacity of all plant, excluding hand tools, currently used on the works.		
110	F: V: T:	Item	
	C10 ENCROACHMENT		
	During the course of the building operations, the Contractor shall be held entirely responsible for any encroachment onto any adjoining properties, buildings, etc., or servitudes and the cost of any remedial measures as required by the Principal Agent shall be borne by the Contractor		
111	F: V: T:	Item	
	C11 METHOD STATEMENT		
	The Tenderer shall produce, when required to do so by the Principal Agent, a Method Statement outlining the methods of construction and labour and plant resources that he proposes to use in the execution of the Works. Any approval given or observation made by the Principal Agent shall not relieve the Contractor of his sole responsibility to adopt the methods of construction and to provide the labour and plant resources necessary for the due and proper timeous execution of the Works.		
112	F: V: T:	Item	
	C12 UNAUTHORISED PERSONS/WORKMEN ON PREMISES		
	The Contractor shall at all times strictly exclude all unauthorised persons from the Works and the site and shall set up notice boards to that effect.		
	No workmen or labourers (except security guards) are to be allowed under any circumstances to sleep or deposit any kit on the premises. The Contractor must provide any necessary independent shelter or shed required for any labour or watchmen on site, to the approval of the Employer.		
113	F: V: T:	Item	
	C13 MODE OF PROCEDURE		
	Notwithstanding anything to the contrary contained herein the Principal Agent at all times reserves the right to direct the order in which the various parts of the Contract are to be executed. The Contractor shall give priority to any individual section or portion of the Works that, in the opinion of the Principal Agent, requires to be expedited.		
		_	
	Carried to Collection Section No. 3	R	
	Bill No. 1		
	Preliminaries		
	99		

	Should it appear, in the Principal Agent's opinion, that work in any area is not being executed in accordance with the requirements of the Contract Programme, the Contractor shall provide additional manpower and resources and shall work additional overtime and do everything else required to bring the work back to programme to the satisfaction of the Principal Agent and to the Contractor's cost		
114	F: V: T:	Item	
	C14 LOCATION OF TEMPORARY BUILDINGS AND TEMPORARY SERVICES		
	The Contractor shall provide all necessary temporary works, including temporary roads, tracks, crossings, hardstanding and services, hoardings, dust screens, tunnelling, etc., required for his own and sub-contractors use during the construction and maintenance period		
	There is no guarantee given or implied that Site conditions will be such that the Contractor will be able to erect such temporary works, roads, hardhats, offices, stores and temporary accommodation within the site boundaries and it shall be the Contractor's responsibility to adopt whatever measures he deems necessary in this regard and to obtain all necessary permission and pay all costs in connection therewith		
115	F: V: T:	Item	
	C15 OFFICE ACCOMMODATION		
	The contractor shall provide, maintain and remove on practical completion air conditioned office accommodation with suitable tables and chairs for meetings to be held on the site. Such offices shall be kept clean and fit for use at all times [12.2.18]		
116	F: V: T:	Item	
	C16 STORAGE FACILITIES		
	The Contractor shall provide a Container for storage of materials.		
117		Item	
	C17 REMOVAL AND MAKING GOOD OF TEMPORARY WORKS, ETC,		
	ON COMPLETION		
	The Contractor shall remove (except where specifically stated otherwise) all temporary works, roads, services and the like used for this contract and shall make good to the entire satisfaction of the Principal Agent any damage resulting therefrom.		
118	F: V: T:	Item	
	Carried to Collection	R	
	Section No. 3	K	
	Bill No. 1		
	Preliminaries		
	100		

SECTION NO. 3  KIMBILI PRIMARY SCHOOL  BILL NO. 1  PRELIMINARIES  COLLECTION				
		Page No		
	Brought Forward from Page	86		
		87		
		88		
		89		
		90		
		91		
		92		
		93		
		94		
		95		
		96		
		97		
		98		
		99		
		100		
Section No. 3	Carried To Section Summary	R		
Bill No. 1				
Preliminaries	101			
	101		II.	1

		Unit	Quantity	Rate	Amount	
	SECTION NO. 3					
	KIMBILI PRIMARY SCHOOL					
	BILL NO. 2					
	HEALTH AND SAFETY					
	MODEL PREAMBLES					
	The tenderer is referred to the "Model Preambles for Trades 2008" for supplementary and comprehensive expansion of descriptions, appropriate provision for which shall be deemed to have been included in all relevant rates.					
	SUPPLEMENTARY PREAMBLES					
	Supplementary preambles and/or specifications are incorporated in these bills of quantities to satisfy the requirements of this project. Such supplementary preambles and/or specifications shall take precedence over the provisions of the General Preambles.					
	The contractor's prices for all items throughout these bills of quantities shall take account of and include where applicable for all of the obligations, requirements and specifications given in the General Preambles and in any supplementary preambles and/or specifications.					
	Prior to pricing the principal contractor must familiarize him/herself with the Occupational Health and Safety Act No. 85 Of 1993, Construction Regulations 2014, other relevant Regulations and Standards as well as project specific Health & Safety specifications.					
	OCCUPATIONAL HEALTH AND SAFETY					
	<u>General</u>					
1	Preparation of Contractor's site specific Health and Safety Plan	Item				
2	Submission of the Health and Safety File	Item				
3	Principal Contractor's initial obligations in respect of the OHS Act and Construction Regulations	Item				
4	Principal Contractor's time related obligations in respect of the OHS Act and Construction Regulations for the entire construction period	Item				
5	Provision of full time Health and Safety Officer for the entire construction period	Item				
6	Induction training of all personnel	Item				
7	Provision of first aid boxes	Item				
	Carried to Collection			R		
	Section No. 3					
	Bill No. 2 Health And Safety					
	102					
- 1	. 3_				n l	

		Unit	Quantity	Rate	Amount
8	SANS approved weld mesh type temporary barrier fencing 1,8m high covered with a net fixed to and including 100mm diameter gum poles set securely min				
	300mm deep in ground at max 3m spacing including excavation, backfilling, etc	m	150		
9	Extra over mesh fence for pedestrian gate size 1.8 x 1,8m high	No	1		
	Provision for Personal Protective Equipment and				
10	Reflective vests.	Item			
11	Hard hats	Item			
12	Protective footwear	Item			
13	Ear plugs	Item			
14	Dust masks	Item			
	Medical certificates and medical surveillance				
15	Initial (baseline) medical examinations for all personnel	Item			
16	Exit Examinations for all personnel	Item			
	Noise Monitoring				
17	Establishment of noise zones	Item			
18	Audiograms	Item			
	Covid-19 Compliance Measures				
19	The Contractor is required to price for Covid 19 compliance and the pricing thereof shall be deemed to include all the mandatory requirements	Item			
	monado an aro mandatory roquiromonio	пеш			
	Carried to Collection Section No. 3			R	
	Section No. 3 Bill No. 2				
	Health And Safety				
	103				

SECTION NO. 3  KIMBILI PRIMARY SCHO BILL NO. 2  HEALTH AND SAFETY  COLLECTION		Page No	
	Brought Forward from Page	102 103	
	Carried To Section Summary	R	
Section No. 3 Bill No. 2 Health And Safety			
	104		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 3					
	KIMBILI PRIMARY SCHOOL					
	BILL NO. 3					
	RENOVATIONS					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	SUPPLEMENTARY PREAMBLES					
	<u>View site</u>					
	Before submitting his tender the tenderer shall visit the site and satisfy himself as to the nature and extent of the work to be done and the value of the materials contained in the buildings or portions of the buildings to be demolished. No claim for any variations of the contract sum in respect of the nature and extent of the work or of inferior or damaged materials will be entertained					
	<u>General</u>					
	Water supply pipes and other piping in ground that may be encountered and found necessary to disconnect or cut, shall be effectually stopped off or grubbed up and removed, and any new connections that may be necessary shall be made with proper fittings to the satisfaction of the principal agent					
	MAKING GOOD OF EXISTING WORK					
	Making good VIP pedestals					
1	Secure loosely fitted pit pedestals by bolting down securely or applying an cement/ epoxy based industrial adhesive	No	7			
	Taking out and removing piping, sanitary fittings, etc including disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)					
2	Remove VIP 200 pit pedestals, prepare suface to					
	receive new VIP 450 pit pedestal (new pedestal measured elsewhere)	No	3			
	,					
3	PVC urinal traps	No	2			
	Carried to Collection			R		
	Section No. 3 Bill No. 3					
	Renovations					
	105					

4 Damaged 40mm soil drainage pipes m 1 5 Damaged 110mm vent pipes m 3  BATHROOM FITTINGS Stainless steel bathroom fittings Free standing She Bin: manufactured from Grade 304 1,2mm Stainless Steel, satin finished with surface treatment. The container to have an approximately 20 litre capacity  SANITARY FITTINGS Rust and corrosion resistant, UV-resistant polyethylene pedestals, urinals, basins, etc.  VIP 450 Pit pedestal complete with integral tlap four times plugged to floor with and including 6 x 75mm masonry anchors.  No 3  TRAPS ETC Traps 40mm Chromium plated bottle trap SANITARY PLUMBING PVC-U soil and vent pipes 9 40mm Pipes m 1 10 110mm Pipes m 1 11 Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes No 14			Unit	Quantity	Rate	Amount	
BATHROOM FITTINGS Stainless steel bathroom fittings Free standing She Bin: manufactured from Grade 304 1,2mm Stainless Steel, satin finished with surface treatment. The container to have an approximately 20 litre capacity  SANITARY FITTINGS Rust and corrosion resistant, UV-resistant polyethylene pedestals, urinals, basins, etc.  7 VIP 450 Pit pedestal complete with integral tlap four times plugged to floor with and including 6 x 75mm masonry anchors.  No 3  TRAPS ETC Traps 40mm Chromium plated bottle trap SANITARY PLUMBING PVC-U soil and vent pipes 40mm Pipes m 1 110 110mm Pipes Extra over PVC-U soil and vent pipes for fittings 11 Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes No 14							
Damaged 110mm vent pipes  BATHROOM FITTINGS Stainless steel bathroom fittings Free standing She Bin: manufactured from Grade 304 1,2mm Stainless Steel, satin finished with surface treatment. The container to have an approximately 20 litre capacity  No 10  SANITARY FITTINGS Rust and corrosion resistant, UV-resistant polyethylene pedestals, urinals, basins, etc.  7 VIP 450 Pit pedestal complete with integral tlap four times plugged to floor with and including 6 x 75mm masonry anchors.  No 3  TRAPS ETC Traps 40mm Chromium plated bottle trap No 2  SANITARY PLUMBING PVC-U soil and vent pipes 40mm Pipes m 1  11 110mm Pipes m 3  Extra over PVC-U soil and vent pipes for fittings 11 Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes No 14							
BATHROOM FITTINGS Stainless steel bathroom fittings  Free standing She Bin: manufactured from Grade 304 1,2mm Stainless Steel, satin finished with surface treatment. The container to have an approximately 20 litre capacity  No 10  SANITARY FITTINGS Rust and corrosion resistant, UV-resistant polyethylene pedestals, urinals, basins, etc.  VIP 450 Pit pedestal complete with integral tlap four times plugged to floor with and including 6 x 75mm masonry anchors.  No 3  TRAPS ETC Traps 40mm Chromium plated bottle trap No 2  SANITARY PLUMBING PVC-U soil and vent pipes 40mm Pipes m 1  11 110mm Pipes m 3  Extra over PVC-U soil and vent pipes for fittings 11 Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes	4		m	1			
Stainless steel bathroom fittings Free standing She Bin: manufactured from Grade 304 1,2mm Stainless Steel, satin finished with surface treatment. The container to have an approximately 20 litre capacity  No 10  SANITARY FITTINGS Rust and corrosion resistant, UV-resistant polyethylene pedestals, urinals, basins, etc.  VIP 450 Pit pedestal complete with integral tlap four times plugged to floor with and including 6 x 75mm masonry anchors.  No 3  TRAPS ETC Traps  40mm Chromium plated bottle trap  SANITARY PLUMBING PVC-U soil and vent pipes  40mm Pipes  11 110mm Pipes  Extra over PVC-U soil and vent pipes for fittings Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes  No 14	5	Damaged 110mm vent pipes	m	3			
Free standing She Bin: manufactured from Grade 304 1,2mm Stainless Steel, satin finished with surface treatment. The container to have an approximately 20 litre capacity  No 10  SANITARY FITTINGS  Rust and corrosion resistant, UV-resistant polyethylene pedestals, urinals, basins, etc.  VIP 450 Pit pedestal complete with integral tlap four times plugged to floor with and including 6 x 75mm masonry anchors.  No 3  TRAPS ETC  Traps  40mm Chromium plated bottle trap  SANITARY PLUMBING  PVC-U soil and vent pipes  9 40mm Pipes  m 1  10 110mm Pipes  Extra over PVC-U soil and vent pipes for fittings  Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes  No 14		BATHROOM FITTINGS					
1,2mm Stainless Steel, satin finished with surface treatment. The container to have an approximately 20 litre capacity  SANITARY FITTINGS  Rust and corrosion resistant, UV-resistant polyethylene pedestals, urinals, basins, etc.  VIP 450 Pit pedestal complete with integral tlap four times plugged to floor with and including 6 x 75mm masonry anchors.  No 3  TRAPS ETC  Traps  40mm Chromium plated bottle trap  SANITARY PLUMBING  PVC-U soil and vent pipes  9 40mm Pipes  m 1  11 110mm Pipes  Extra over PVC-U soil and vent pipes for fittings  Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes  No 14		Stainless steel bathroom fittings					
Rust and corrosion resistant, UV-resistant polyethylene pedestals, urinals, basins, etc.  7 VIP 450 Pit pedestal complete with integral tlap four times plugged to floor with and including 6 x 75mm masonry anchors.  TRAPS ETC Traps  8 40mm Chromium plated bottle trap  SANITARY PLUMBING PVC-U soil and vent pipes  9 40mm Pipes  m 1  10 110mm Pipes  m 3  Extra over PVC-U soil and vent pipes for fittings  Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes  No 14	6	1,2mm Stainless Steel, satin finished with surface treatment. The container to have an approximately 20	No	10			
polyethylene pedestals, urinals, basins, etc.  VIP 450 Pit pedestal complete with integral tlap four times plugged to floor with and including 6 x 75mm masonry anchors.  NO 3  TRAPS ETC  Traps  8 40mm Chromium plated bottle trap  SANITARY PLUMBING  PVC-U soil and vent pipes  9 40mm Pipes  m 1  10 110mm Pipes  m 3  Extra over PVC-U soil and vent pipes for fittings  Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes  No 14		SANITARY FITTINGS					
times plugged to floor with and including 6 x 75mm masonry anchors.  No 3  TRAPS ETC  Traps  8 40mm Chromium plated bottle trap  SANITARY PLUMBING  PVC-U soil and vent pipes  9 40mm Pipes  m 1  10 110mm Pipes m 3  Extra over PVC-U soil and vent pipes for fittings  11 Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes  No 14							
Traps 40mm Chromium plated bottle trap No 2  SANITARY PLUMBING PVC-U soil and vent pipes  9 40mm Pipes m 1  10 110mm Pipes m 3  Extra over PVC-U soil and vent pipes for fittings  Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes No 14	7	times plugged to floor with and including 6 x 75mm	No	3			
8 40mm Chromium plated bottle trap  SANITARY PLUMBING  PVC-U soil and vent pipes  9 40mm Pipes  m 1  10 110mm Pipes  Extra over PVC-U soil and vent pipes for fittings  Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes  No 14		TRAPS ETC					
SANITARY PLUMBING PVC-U soil and vent pipes  9 40mm Pipes m 1  10 110mm Pipes m 3  Extra over PVC-U soil and vent pipes for fittings  11 Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes No 14		<u>Traps</u>					
PVC-U soil and vent pipes  9 40mm Pipes m 1  10 110mm Pipes m 3  Extra over PVC-U soil and vent pipes for fittings  11 Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes No 14	8	40mm Chromium plated bottle trap	No	2			
9 40mm Pipes m 1 10 110mm Pipes m 3  Extra over PVC-U soil and vent pipes for fittings 11 Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes No 14		SANITARY PLUMBING					
10 110mm Pipes m 3  Extra over PVC-U soil and vent pipes for fittings  Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes No 14		PVC-U soil and vent pipes					
Extra over PVC-U soil and vent pipes for fittings  11 Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes  No  14	9	40mm Pipes	m	1			
Install new brackets/ holder bats anchored to brick walls around existing 110mm diameter vent pipes  No 14	10	110mm Pipes	m	3			
around existing 110mm diameter vent pipes No 14		Extra over PVC-U soil and vent pipes for fittings					
12 40mm Bend No 3	11		No	14			
	12	40mm Bend	No	3			
13 110mm Air vent whirlybird No 5	13	110mm Air vent whirlybird	No	5			
Carried to Collection R		Carried to Collection			R		
Section No. 3							
Bill No. 3 Renovations							
106							

SECTION NO. 3  KIMBILI PRIMARY SCHOOL  BILL NO. 3  RENOVATIONS  COLLECTION		Page No	
	Brought Forward from Page	105	
		106	
Carried	To Section Summary	R	
Section No. 3 Bill No. 3	To Section Summary	K	
Renovations	107		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 3					
	KIMBILI PRIMARY SCHOOL					
	BILL NO. 4 GARDEN AND BALUSTRADE WALLS					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	EARTHWORKS (PROVISIONAL)					
	Excavate in pickable material not exceeding 2m deep below natural or reduced ground level:					
1	Surface trenches.	m³	30			
	Extra over excavation in pickable material for column bases, trenches, lift pits, sumps, etc for excavation:					
2	Soft rock.	m³	3			
3	Hard rock.	m³	1			
4	Allow for risk of collapse to sides of excavations to column bases, trenches, etc. from ground level to not exceeding 1,5m deep.	m²	120			
5	Allow for keeping excavations entirely free from water or mud.	Item				
	Earth filling obtained from the excavations and/or prescribed stock piles on site, compacted to 98% Mod AASHTO density					
6	Backfilling to trenches, holes, etc.	m³	6			
7	Scarify in-situ material for a depth of 150mm and compact to obtain 98% modified AASHTO dry density.	m²	50			
	Earth filling supplied by the contractor, compacted to 98% Mod AASHTO density					
8	Under floors, steps, pavings, etc.	m³	56			
	Carried to Collection			R		
	Section No. 3					
	Bill No. 4					
	Garden And Balustrade Walls					
	108				ıl l	

		Unit	Quantity	Rate	Amount	
	CONCRETE, FORMWORK & REINFORCEMENT					
	25MPa Mass concrete in:					
9	Wall footings cast against excavated surfaces.	m³	10			
	Expansion Joints:					
10	12mm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.	m	200			
	TEST CUBES					
	<u>Test Cubes</u>					
11	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	4			
	MASONRY					
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in class II mortar					
12	One brick wall.	m²	90			
	2,5mm Galvanised brick reinforcement					
13	150mm Wide reinforcement built in horizontally	m	300			
	Facings Externally:					
	"Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):					
14	Extra over ordinary brickwork for facing in stretcher bond and pointing as described.	m²	80			
15	Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.	m	100			
		111	100			
	PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:					
16	Clinker brick facings (Externally).	m²	80			
	Carried to Collection			R		
	Section No. 3					
	Bill No. 4					
	Garden And Balustrade Walls					
	109				.	

SECTION NO. 3  KIMBILI PRIMARY SCHOOL  BILL NO. 4  GARDEN AND BALUSTRADE WALLS  COLLECTION  Brought Forward	Page No ard from Page 108 109	
Carried To Section Summary	R	
Section No. 3 Bill No. 4 Garden And Balustrade Walls		

	Unit	Quantity	Rate	Amount
SECTION NO. 3				
KIMBILI PRIMARY SCHOOL				
BILL NO. 5				
V – DRAINS				
PREAMBLES				
The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities				
SUPPLEMENTARY PREAMBLES				
Nature of ground:				
The nature of the ground is assumed to be loose sandy material, therefore 'earth', but possibly interspersed with 'soft rock' or 'hard rock'				
Carting away of excavated material:				
Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site				
Filling:				
Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material				
Testing:				
Prices for filling are to include for all necessary density tests in accordance with SABS 1200D				
Cost of tests:				
The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)				
Carried to Collection			R	
Section No. 3 Bill No. 5			ĸ	
V – Drains				
1		ı İ		II I

		Unit	Quantity	Rate	Amount	
	EXCAVATION ETC					
	Excavation in earth not exceeding 2m deep	3	20			
1	Reduced levels under pavings	m³	20			
	Extra over all excavations for carting away					
2	Surplus material from excavations and/or stock piles on site, to a dumping site to be located by the contractor	m³	20			
	FILLING ETC OTHER THAN BULK					
	Earth filling (G7 material) supplied by the contractor, compacted to 95% Mod AASHTO density					
3	Under floors, steps, pavings, etc.	m³	13			
	Coarse river sand filling supplied by the contractor					
4	Under pavings etc.	m³	4			
	Compaction of surfaces					
5	Compaction of ground surface under floors etc. including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density	m²	88			
	Prescribed density tests on filling					
6	Modified AASHTO Density test	No	3			
	DAMPPROOFING OF WALLS AND FLOORS					
	One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape					
7	Under surface pavings etc.	m²	88			
	STORMWATER DRAINAGE (PROVISIONAL)					
	Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:					
8	Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.	m	126			
9	Extra for angle.	No	7			
10	Extra for irregular T-intersection.	No	2			
	Carried to Collection			R		
	Section No. 3					
	Bill No. 5					
	V – Drains					
I	112		1 1		I	I

		Unit	Quantity	Rate	Amount	
11	Extra for fair end.	No	1			
12	Extra for 1000mm long x 2700mm wide outlet with 300mm deep x 300mm wide thickened edge and thirteen number 150 x 150 x 150mm concrete block energy dissipaters set into in-situ concrete draining off to and including a 2700 x 600 x 100mm thick bed formed of 19mm diameter stones  TEST CUBES	No	2			
13	Test Cubes  Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)  REINFORCEMENT (CPAP WORK GROUP NO. 114)	No	4			
14	Fabric reinforcement  Type 617 fabric reinforcement in concrete dish drains etc	m²	88			
	Carried to Collection			R		
	Section No. 3 Bill No. 5 V – Drains					

SECTION NO. 3  KIMBILI PRIMARY SCHOO  BILL NO. 5  V – DRAINS  COLLECTION	<u>L</u>	Page No	
	Brought Forward from Page	111	
		112 113	
Section No. 3	Carried To Section Summary	R	
Bill No. 5 V – Drains			
. Didillo	114		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 3					
	KIMBILI PRIMARY SCHOOL					
	BILL NO. 6 CONCRETE APRONS, WALKWAYS & RAMPS					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	EARTHWORKS (PROVISIONAL)					
	Excavate in pickable material not exceeding 2m deep below natural or reduced ground level:					
1	Reduce levels under pavings.	m³	3			
	Extra over excavation in pickable material for column bases, trenches, lift pits, sumps, etc for breaking up:					
2	Unreinforced concrete	m³	5			
3	Allow for risk of collapse to sides of excavations to column bases, trenches, etc. from ground level to not exceeding 1,5m deep.	m²	9			
4	Allow for keeping excavations entirely free from water or mud.	Item				
5	Scarify in-situ material for a depth of 150mm and compact to obtain 95% modified AASHTO dry density.	m²	54			
	Earth filling (G7 material) supplied by the contractor, compacted to 95% Mod AASHTO density					
6	Under floors, steps, pavings, etc.	m³	11			
	CONCRETE, FORMWORK & REINFORCEMENT					
	25MPa Mass concrete in:					
7	Ramps	m³	1			
8	Pavings.	m³	5			
	Carried to Collection			R		
	Section No. 3					
	Bill No. 6					
	Concrete Aprons, Walkways & Ramps 115					
	113	I	1			l

		Unit	Quantity	Rate	Amount	
	Sundries:					
9	Strike off and cure tops of surface beds laid in panels approximately 1000mm long x 1000mm wide to uniform levels including all necessary formwork to form toggle					
	joints to temporary construction joints to falls.	m²	54			
10	Extra for floating off smooth tops of surface beds laid in panels ta brush finish including slightly rounded edges to panels.	m²	54			
	Expansion Joints:					
11	12mm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.	m	72			
	TEST CUBES					
	<u>Test Cubes</u>					
12	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	3			
	SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111)					
	Smooth formwork to sides					
13	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	8			
	REINFORCEMENT (CPAP WORK GROUP NO. 114)					
	Fabric reinforcement					
14	Type 617 fabric reinforcement in concrete surface beds etc	m²	54			
	DAMPPROOFING OF WALLS AND FLOORS					
	One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape					
15	Under surface pavings etc.	m²	54			
	Carried to Collection			R		
	Section No. 3			ĸ		
	Bill No. 6					
	Concrete Aprons, Walkways & Ramps					
	116				ıl İ	

		7 tillount
SECTION NO. 2		
SECTION NO. 3		
KIMBILI PRIMARY SCHOOL		
BILL NO. 6  CONCRETE APPONS WALKWAYS & DAMPS		
CONCRETE APRONS, WALKWAYS & RAMPS  COLLECTION		
COLLECTION	Page No	
Brought Forw	ard from Page 115	
	116	
Carried To Section Summary	R	
Section No. 3		
Bill No. 6		
Concrete Aprons, Walkways & Ramps 117		
117		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 3					
	KIMBILI PRIMARY SCHOOL					
	BILL NO. 7					
	GRADE R FENCING					
	<u>PREAMBLES</u>					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	THE FOLLOWING IN SECURITY FENCING					
	Site clearance					
1	Allow for clearing site for a width of 1m where fencing runs are to be erected including removing trees, shrubs, etc not exceeding 200mm girth, grubbing up roots and roughly levelling	m	104			
	Straining wires, fencing and razor wire					
2	Four strands of 4mm Class'A' galvanised straining wires secured to fencing posts with doubled 2 mm galvanised wire inserted through hole in post and turned a minimum of four turns around straining wire and attached to straining frame at one end with not less than four turns at the other end to straining bolts (elsewhere measured).	m	104			
3	Fencing formed of 50 x 50 x 2.0mm diameter galvanised fencing 1 800mm high and fixed to each straining wire with 8 guage binding wire at 500mm centres including staking to ground with and including Y10 pegs at 900mm c/c between posts (straining wires elsewhere measured).	m	104			
	Posts					
4	75mm Diameter galvanised steel intermediate fencing post, 2700mm fitted with a pressed steel mushroom cap, post fitted with 150 x 150 x 5mm base plate at bottom and set into the ground.	No	18			
5	150mm Ditto as standard post but embedded in 600 x					
	600 x 700mm high mass concrete (15MPa) base	No	6			
	Carried to Collection			R		
	Section No. 3					
	Bill No. 7					
	Grade R Fencing					
	118					

		Unit	Quantity	Rate	Amount
6	150mm Ditto as straining or corner posts, but fitted with two 75mm diameter galvanised steel raking stays and with top ends flattened and bolted through post with post embedded in 600 x 600 x 700mm high mass concrete (15MPa) base and stays embedded in 700 x 700 x 450mm high mass concrete (15MPa) base	No	4		
7	150mm Ditto as end/ gate post, but fitted with one 75mm diameter galvanised steel stay set raking and with top end flattened and bolted through post, with post embedded in 600 x 600 x 700mm mass concrete (15MPa) base and stay embedded in 700 x 700 x 450mm high mass concrete (15MPa) base with all base tops set raking (sloping)	No	5		
8	Gates  Security fence single gate, size 900 mm wide x 1800 mm high, formed of 50 mm diameter nominal bore x 2,2 mm wall thickness hot dip galvanised mild steel pipe framing all round with mitred and welded angles and middle rail, with 20mm diameter x 300mm long locking bolt welded on and a pair of heavy duty gate hooks for a 16mm band hinge pin welded on to gate and including a pair of 16mm band hinge pins bolted to gate posts	No	1		
9	Security fence single gate, size 1500 mm wide x 1800 mm high, formed of 50 mm diameter nominal bore x 2,2 mm wall thickness hot dip galvanised mild steel pipe framing all round with mitred and welded angles and middle rail, hung on pair of socketted and pinned hinges with pin 18mm in diameter and bolted to brick wall and with 20mm diameter x 300mm long locking bolt welded on.	No	1		
10	Double gate, size 6 000 mm wide x 1 800 mm high overall in two leaves, formed of 50 mm diameter nominal bore x 2.5 mm wall thickness hot dip galvanised mild steel pipe framing all round with 25 mm diameter nominal bore x 2.0 mm wall thickness diagonal and centre braces, scribed and welded into angles and at cross intersections, gate filled with 50 x 50 x 2,0mm galvanised wire diamond mesh, with two 50 mm diameter nominal bore x 3,25 mm wall thickness security posts each 600 mm long with one end welded to top rail of gate and closure plate to other end, each leaf fitted with two 25 mm diameter x 300 mm long eyebolt hinges and stops including all holes, etc., welded or bolted to adjoining galvanised gatepost with and including 500 mm long approved chain spot welded to gate and 200 x 200 x 300mm thick 25MPa concrete concrete block wth a 19mm x 100mm long galvanised steel pipe as keep for gate bolt	No	1		
	Carried to Collection			R	
	Section No. 3 Bill No. 7				
	Grade R Fencing 119				

		Unit	Quantity	Rate	Amount	
11	Locks 50mm "Viro" or other equally approved padlocks for external use.	No	3			
	Carried to Collection Section No. 3 Bill No. 7 Grade R Fencing			R		

SECTION NO. 3  KIMBILI PRIMARY SCHOOL  BILL NO. 7  GRADE R FENCING  COLLECTION	·	Page No	
	Brought Forward from Page	118	
		119 120	
		120	
C Section No. 3	arried To Section Summary	R	
Bill No. 7			
Grade R Fencing	121		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 3					
	KIMBILI PRIMARY SCHOOL					
	BILL NO. 8 SCREEN WALLS					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	EARTHWORKS (PROVISIONAL)					
	Excavate in pickable material not exceeding 2m deep below natural or reduced ground level:					
1	Surface trenches.	m³	4			
2	Holes	m³	8			
	Extra over excavation in pickable material for column bases, trenches, lift pits, sumps, etc for excavation:					
3	Soft rock.	m³	1			
4	Hard rock.	m³	1			
5	Allow for risk of collapse to sides of excavations to column bases, trenches, etc. from ground level to not exceeding 1,5m deep.	m²	28			
6	Allow for keeping excavations entirely free from water or mud.	Item				
	Earth filling obtained from the excavations and/or prescribed stock piles on site, compacted to 98% Mod AASHTO density					
7	Backfilling to trenches, holes, etc.	m³	6			
	CONCRETE, FORMWORK & REINFORCEMENT					
	25MPa Mass concrete in:					
8	Wall footings cast against excavated surfaces.	m³	2			
9	Bases	m³	3			
	Carried to Collection			R		
	Section No. 3			IX		
	Bill No. 8					
	Screen Walls					
	122					

		Unit	Quantity	Rate	Amount	
	TEST CUBES					
	Test Cubes					
10	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	3			
	MASONRY					
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in class II mortar					
11	One brick wall.	m²	26			
12	Piers	m³	0.5			
13	Leave or form 115 x 75mm high weep hole through one brick wall.	No	8			
	2,5mm Galvanised brick reinforcement					
14	150mm Wide reinforcement built in horizontally	m	90			
	Facings Externally:					
	"Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and					
	jointed in Class II mortar and pointed with recessed					
	vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):					
15	Extra over ordinary brickwork for facing in stretcher bond and pointing as described.	m²	66			
16	Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.	m	14			
	PAINTING					
	Clean down with Spirits of Salts solution and apply					
	two coats silicone-based brick dressing on:					
17	Clinker brick facings (Externally).	m²	66			
	Carried to Collection			R		
	Section No. 3 Bill No. 8					
	Screen Walls					
	123					

SECTION NO. 3 KIMBILI PRIMARY SCHOOL BILL NO. 8 SCREEN WALLS COLLECTION	Brought Forward from Page	Page No 122 123	
Carı Section No. 3 Bill No. 8 Screen Walls	ried To Section Summary  124	R	

	SECTION NO. 3			
	KIMBILI PRIMARY SCHOOL			
	BILL NO. 9			
	PROVISIONAL SUMS			
	PROVISIONAL SUMS			
	Supplementary Preambles			
	Tenderers are advised that no claim in respect of loss of profit or Preliminary charges based on the omission of these amounts will be considered and the said amounts will be omitted strictly without any financial compensation payable to the Contractor.			
	Provisional sums and Budgetary allowances contained herein may be omitted or reduced at the Employer's discretion and the Contractor shall not be entitled to claim for any loss by way of reductions or omission of any discount, or percentage relating to Provisional amounts and Budgetary sums or any loss of profit related therto.			
	BUDGETARY ALLOWANCES			
	Sundry building work			
1	Provide the sum of R22 500.00 for the employment of a Community Liaison Officer to be employed by the Main Contractor and be paid an allowance of R7 500.00 a month for the duration (3 months)	Item	22 500	00
2	Profit on above	Item		
3	Attendance on above	Item		
4	Provide the sum of R105 000. 00 for the hire, maintenance and servicing of temporary toilets for educators and learners during the entire constructions period	Item	105 000	00
5	Profit	Item	100 000	
6	Attendance	Item		
	Contingencies			
7	Allow the Amount of R34 000.00 (Thirty Four Thousand Rands) for contingencies, to be used by the Architect in terms of Clause 17 of the			
	Principal Building Agreement.	Item	34 000	00
	Carried To Section Summer			
	Carried To Section Summary Section No. 3	R _		
	Bill No. 9			
	Provisional Sums			
	125			

				Amount
	SECTION NO. 3			
	KIMBILI PRIMARY SCHOOL			
	SECTION SUMMARY			
Bill No.			Page	
1	PRELIMINARIES		101	
2	HEALTH AND SAFETY		104	
3	RENOVATIONS		107	
4	GARDEN AND BALUSTRADE WALLS		110	
5	V – DRAINS		114	
6	CONCRETE APRONS, WALKWAYS & RAMPS		117	
7	GRADE R FENCING		121	
8	SCREEN WALLS		124	
9	PROVISIONAL SUMS		125	
	Section No. 3	Carried to Final Summary	R	
	SECTION SUMMARY			
		126		
		126		

# SECTION NO. 4 NTABASIGOGO JUNIOR SECONDARY SCHOOL

## SECTION NO. 4 NTABASIGOGO JUNIOR SECONDARY SCHOOL BILL NO. 1 PRELIMINARIES

#### **BUILDING AGREEMENT AND PRELIMINARIES**

- 1. The Principal Building Agreement shall be the JBCC Series Edition 4.1, March 2005 as recommended by the Joint Building Contracts Committee and as amended by this Tender Enquiry.
- 2. The Preliminaries shall be JBCC Series 2000, May 2005 for use with the Principal Building Agreement as recommended by the joint Building Contracts Committee and as amended by this Tender Enquiry shall be deemed to be incorporated herein.
- 3. The tenderor is deemed to have referred to the abovementioned documents for the full intent and meaning of each clause. The clauses in the abovementioned documents are hereinafter referred to by clause number and heading only.
- 4. Where standard clauses or alternatives are not entirely applicable to this contract, such modifications, corrections or additions as are necessary, are given as far as possible under each relevant clause heading. Additional Preliminary clauses are contained in Section C hereof.
- 5. No claim whatsoever shall be entertained in respect of errors or omissions in pricing due to brevity of descriptions of items which are fully described when read in conjunction with the relevant clauses of the said Principal Building Agreement, Preliminaries and Preambles.
- 6. The Tenderers shall allow opposite each of the clauses whatever costs and charges he may consider necessary forthe carrying out, complying with and due observance of the provisions, conditions and requirements set out herein. Only priced items will be considered in respect of any adjustment of this Section. Any items left unpriced will be understood to be provided free of charge and no claim for any extras arising out of the Tenderer's omission to price any item will be entertained.
- 7. Where modifications or amendments as described are made, such modifications and/or amendments shall supercede any conflicting provisions in the relevant clauses of the Standard Preliminaries or the Principal Building Agreement and the Tenderer shall make due allowance for whatever costs and charges he may consider necessary for the carrying out and observance of the provisions of the clauses as modified and/or amended.
- 8. Where any item is not relevant to this specific contract, such item is marked N/A.
- 9. If Alternative A as set out in clause B10.3 hereinafter is to be used for the adjustment of the preliminaries, each item priced is to be allocated to one or more of the three categories by insertion of "F","V","T" as the case may be against the price in the "rate" column immediately preceding the "amount" column, where "F" denotes a fixed amount (amount not to be varied), "V" denotes an amount variable in proportion to value, and "T" denotes an amount proportionate to time.

Carried to Collection	R	

Section No. 4 Bill No. 1 Preliminaries

	SECTION A: JBCC PRINCIPAL BUILDING AGREEMENT		
	<u>DEFINITIONS</u>		
	A1 DEFINITIONS AND INTERPRETATION		
	Clause 1.0:		
1	Fixed:0 Value related:0	Item	
	OBJECTIVE AND PREPARATION		
	A2 OFFER, ACCEPTANCE AND PERFORMANCE		
	Clause 2.0		
2	Fixed: Value related: Time related:	Item	
	A3 DOCUMENTS		
	Clause 3.0		
	Clause 3.1 is deleted and substituted with: 'This tender is for a Government Contract. No Payment Guarantee will be provided.'		
	Clause 3.3 is deleted and substituted with:		
	The principal agent shall complete the schedule and arrange for formal signing of the agreement once the priced bill of quantities/lump sum document, security, insurances and waiver of lien, where acceptable, have been provided and effected'		
3	Fixed: Value related: Time related:	Item	
	A4 DESIGN RESPONSIBILITY		
	Clause 4.0		
4	Fixed: Value related: Time related:	Item	
	A5 EMPLOYERS AGENTS		
	Clause 5.0		
5	Fixed: Value related: Time related:	Item	
	A6 SITE REPRESENTATIVE		
	Clause 6.0		
6	Fixed: Value related: Time related:	Item	
	A7 COMPLIANCE WITH REGULATIONS		
7	Fixed: Value related: Time related:	Item	
	Clause 7.0		
8	Fixed: Value related: Time related:	Item	
	A8 WORKS RISK		
	Clause 8.0		
9	Fixed: Value related: Time related:	Item	
	Corried to Callastian		
	Carried to Collection Section No. 4	R	
	Bill No. 1		
	Preliminaries		
	129		

	A9 INDEMNITIES			
	Clause 9.0			
	Clause 9.1.1 is deleted and substituted with:			
	Claims from other parties consequent upon death of bodily injury or illness of any person or physical loss or damage to any property, other than the works, arising out or due to the execution of the works or occupation of the site by the contractor or his sub contractors'.			
10	Fixed: Value related: Time related:	Item		
	A10 WORKS INSURANCES			
	<u>Clause 10.0</u>			
11	Fixed: Value related: Time related:	Item		
	A11 LIABILITY INSURANCES			
	Clause 11.0			
12	Fixed: Value related: Time related:	Item		
	A12 EFFECTING INSURANCES			
	Clause 12.0			
13	Fixed: Value related: Time related:	Item		
	A13. No clause			
14	Fixed: Value related: Time related:	Item		
	A14 SECURITY			
	Clause 14.0			
15	Fixed: Value related: Time related:	Item		
	EXECUTION			
	A15 PREPERATION FOR AND EXECUTION OF THE WORKS			
	Clause 15.0			
16	Fixed: Value related: Time related:	Item		
	A16 ACCESS TO THE WORKS			
	<u>Clause 16.0</u>			
17	Fixed: Value related: Time related:	Item		
	A17 CONTRACT INSTRUCTIONS			
	<u>Clause 17.0</u>			
18	Fixed: Value related: Time related:	Item		
	Carried to Collection	R		
	Section No. 4			
	Bill No. 1			
	Preliminaries 130			
- 1		ı	n l	

	A18 SETTING OUT OF THE WORKS		
	<u>Clause 18.0</u>		
	The contractor shall notify the principal agent if any encroachments of adjoining foundations, buildings, structures, pavements, boundaries, etc., exist in order that the necessary arrangements may be made for the rectification of any such encroachments. Should incorrect information be given to the contractor in terms of 18.1 and 18.2, which causes the incorrect setting out of the works, the contractor shall not be liable for such incorrect setting out		
19	Fixed: Value related: Time related:	Item	
	A19 ASSIGNMENT		
	Clause 19.0		
20	Fixed: Value related: Time related:	Item	
	A20 NOMINATED SUB-CONTRACTORS		
	Clause 20.0		
21	Fixed: Value related: Time related:	Item	
		no	
	A21 SELECTED SUBCONTRACTORS Clause 24.0		
22	Clause 21.0  Fixed: Value related: Time related:	Item	
22		nem	
	A22 EMPLOYER'S DIRECT CONTRACTORS		
	Clause 22.0		
23	Fixed: Value related: Time related:	Item	
	A23 CONTRACTOR'S DOMESTIC SUBCONTRACTORS		
	<u>Clause 23.0</u>		
24	Fixed: Value related: Time related:	Item	
	COMPLETION		
	A24 PRACTICAL COMPLETION		
	<u>Clause 24.0</u>		
25	Fixed: Value related: Time related:	Item	
	A25 WORK'S COMPLETION		
	<u>Clause 25.0</u>		
26	Fixed: Value related: Time related:	Item	
	A26 FINAL COMPLETION		
	<u>Clause 26.0</u>		
27	Fixed: Value related: Time related:	Item	
			_
	Carried to Collection	R	_
	Section No. 4		
	Bill No. 1		
	Preliminaries		
	131		

	A27 LATENT DEFECTS LIABILITY PERIOD		
	<u>Clause 27.0</u>		
	Clause 27.0 is amended by the addition of the following clauses:		
	"27.3 Any water leakage into the building, whether in the roof, external wall or other element of the building susceptible to water leakage shall, unless proven to be a design defect, or as a result of obvious storm damage, be classified as a latent defect in terms of clause 1.0 Definitions and Interpretations".		
	"27.4 The Contractor shall attend to defects during the Defects Liability Period on a progressive basis, to the satisfaction of the Principal Agent and will not be permitted to wait until the end of the Defect Liability Period or until the amount of defects accummulates in order to attend to a comprehensive list of defects"		
28	Fixed: Value related: Time related:	Item	
	A28 SECTIONAL COMPLETION		
	Clause 28.0		
29	Fixed: Value related: Time related:	Item	
	A29 REVISION OF DATE FOR PRACTICAL COMPLETION		
	<u>Clause 29.0</u>		
30	Fixed: Value related: Time related:	Item	
	A30 PENALTY FOR NON-COMPLETION		
	<u>Clause 30.0</u>		
31	Fixed: Value related: Time related:	Item	
	PAYMENT		
	A31 INTERIM PAYMENT TO THE CONTRACTOR		
	<u>Clause 31.0</u>		
	The inclusion of materials and goods stored off site in the amount authorised for payment in terms of clause 31.3 shall be at the sole discretion of the principal agent and such inclusion shall only be considered upon the provision, by the contractor, of an approved guarantee issued by a registered commercial bank.		
	Where prices are submitted by the contractor or nominated/selected sub- contractor during the progress of the works in respect of contract instructions or in regard to a claim under the terms of the contract and notwithstanding the fact that such prices may be used in an interim payment certificate, there is to be no presumption of acceptance. Should the principal agent wish to accept any such prices prior to the issue of the final certificate, it will be in writing.		
32	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 4		
	Bill No. 1		
	Preliminaries		
	132		

	A32 ADJUSTMENT TO THE CONTRACT VALUE		
	<u>Clause 32.0</u>		
33	Fixed: Value related: Time related:	Item	
	A33 RECOVERY OF EXPENSE AND LOSS		
	<u>Clause 33.0</u>		
34	Fixed: Value related: Time related:	Item	
	A34 FINAL ACCOUNT AND FINAL PAYMENT		
	Clause 34.0		
35	Fixed: Value related: Time related:	Item	
	A35 PAYMENT TO OTHER PARTIES		
	Clause 35.0		
36	Fixed: Value related: Time related:	Item	
	CANCELLATION		
	A36 CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT		
	Clause 36.0		
37	Fixed: Value related: Time related:	Item	
	A37 CANCELLATION BY EMPLOYER - LOSS AND DAMAGE		
	Clause 37.0		
38	Fixed: Value related: Time related:	Item	
	A38 CANCELLATION BY CONTRACTOR - EMPLOYER'S DEFAULT		
	Clause 38.0		
39	Fixed: Value related: Time related:	Item	
		Rom	
	A39 CANCELLATION - CESSATION OF THE WORKS		
40	Clause 39.0  Fixed: Value related: Time related:	Item	
40		пеш	
	DISPUTE  A40 DISPUTE CETTLEMENT		
	Clause 40.0		
41	Clause 40.0  Fixed: Value related: Time related:	Item	
41		Item	
	SUBSTITUTE PROVISIONS		
	A41 STATE CLAUSES		
40	Clause 41.0	lt o voo	
42	Fixed: Value related: Time related:	Item	
	Coming to Callegation	_	
	Section No. 4	R	
	Bill No. 1		
	Preliminaries		
	133		

Item	
ltem	
ltem	
Item	
Item	
Item	
Item	
Item	
Item	
Item	
Item	
Item	
Item	
Item	
R	
	Item Item Item Item

	DO O THE CITE		
	B3.0 THE SITE  B3.1 Defined works area		
	The area of the works to be occupied by the contractor, any restriction on the area and the limit of access or exit will be pointed out to the contractor by the principal agent on handing over of the site.		
	Workmen employed on the site are to be restricted to the immediate area of the site and access thereto.		
	The Tenderer shall make all necessary provision in all rates to take into account these requirements as no claims for extras arising from these matters will be subsequently entertained or admitted.		
51	Fixed: Value related: Time related:	Item	
	B3.2 Geotechnical investigation		
52	Fixed: Value related: Time related:	Item	
	B3.3 Inspection of the site		
53	Fixed: Value related: Time related:	Item	
	B3.4 Existing premises occupied		
54	Fixed: Value related: Time related:	Item	
	B3.5 Previous work - dimensional accuracy		
55	Fixed: Value related: Time related:	Item	
	B3.6 Previous work - defects		
56	Fixed: Value related: Time related:	Item	
	B3.7 Services - known		
57	Fixed: Value related: Time related:	Item	
	B3.8 Services - unknown		
58	Fixed: Value related: Time related:	Item	
	B3.9 Protection of trees		
59	Fixed: Value related: Time related:	Item	
	B3.10 Articles of value		
60	Fixed: Value related: Time related:	Item	
	B3.11 Inspection of adjoining properties		
61	Fixed: Value related: Time related:	Item	
	B4.0 MANAGEMENT OF CONTRACT	Rom	
	B4.1 Management of the works		
62	Fixed: Value related: Time related:	Item	
		illonii	
	Carried to Collection	R	
	Section No. 4		
	Bill No. 1		
	Preliminaries		
	135		

	P4.2 Dragramme for the works		
63	B4.2 Programme for the works  Fixed: Value related: Time related:	Item	
	B4.3 Progress meetings		
64	Fixed: Value related: Time related:	Item	
	B4.4 Technical meetings		
65	Fixed: Value related: Time related:	Item	
	B4.5 Labour and plant records		
66	Fixed: Value related: Time related:	Item	
	B5.0 SAMPLES, SHOP DRAWINGS AND MANUFACTURERS'		
	INSTRUCTIONS		
	B5.1 Samples of materials		
67	Fixed: Value related: Time related:	Item	
	B5.2 Workmanship samples		
68	Fixed: Value related: Time related:	Item	
	B5.3 Shop drawings		
69	Fixed: Value related: Time related:	Item	
	B5.4 Compliance with manufacturers instructions		
70	Fixed: Value related: Time related:	Item	
	B6.0 TEMPORARY WORKS AND PLANT		
	B6.1 Deposits and fees		
71	Fixed: Value related: Time related:	Item	
	B6.2 Enclosure of the works		
	The contractor shall erect, maintain and remove at completion, hoardings, safety screens, barriers, access gates, covered gangways and the like as necessary for the enclosure of the works and elements thereof all for the protection of the public and others.		
72	Fixed: Value related: Time related:	Item	
	B6.3 Advertising		
73	Fixed: Value related: Time related:	Item	
	B6.4 Plant, equipment, sheds and offices		
74	Fixed: Value related: Time related:	Item	
	B6.5 Main notice board		
75	Fixed: Value related: Time related:	Item	
	Carried to Collection	on R	
	Section No. 4 Bill No. 1		
	Preliminaries		
	136		

B6.6 Subcontractors\rquote notice board		
Fixed: Value related: Time related:	Item	
B7.0 TEMPORARY SERVICES		
B7.1 Location		
Fixed: Value related: Time related:	Item	
B7.2 Water		
The contractor shall provide water for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
	item	
B7.3 Electricity  The contractor shall provide algebraicht for the works in accordance with:		
The contractor shall provide electricity for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).	140.00	
Fixed: Value related: Time related:	Item	
B7.4 Telecommunication facilities		
The contractor shall provide telephones on site for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
B7.5 Ablution facilities		
The contractor shall provide toilet facilities on site for the works in accordance with:		
Alternative A (i.e. to be provided for by the Contractor).		
Fixed: Value related: Time related:	Item	
B8.0 PRIME COST AMOUNTS		
B8.1 Responsibility for prime cost amounts		
Fixed: Value related: Time related:	Item	
9.0 ATTENDANCE ON N/S SUBCONTRACTORS		
B9.1 General attendance		
Fixed: Value related: Time related:	Itom	
	Item	
B9.2 Special attendance		
Fixed: Value related: Time related:	Item	
B9.3 Commissioning - fuel, water and electricity		
Fixed: Value related: Time related:	Item	
Carried to Collection	R	
Section No. 4		
Bill No. 1 Preliminaries		
137		
l	11	

	B10.0 FINANCIAL ASPECTS  B10.1 Statutery tayon duties and loving		
86	B10.1 Statutory taxes, duties and levies  Fixed: Value related: Time related:	Item	
		item	
0.7	B10.2 Payment for preliminaries  Fixed: Value related: Time related:	lt a ma	
87		Item	
	B10.3 Adjustment of preliminaries		
88	Fixed: Value related: Time related:	Item	
	B10.4 Payment certificate cash flow		
89	Fixed: Value related: Time related:	Item	
	B11. GENERAL		
	B11.1 Protection of the works		
90	Fixed: Value related: Time related:	Item	
	B11.2 Protection / isolation of existing / sectionally occupied works		
91	Fixed: Value related: Time related:	Item	
	B11.3 Security of the works		
92	Fixed: Value related: Time related:	Item	
	B11.4 Notice before covering work		
93	Fixed: Value related: Time related:	Item	
	11.5 Disturbance		
94	Fixed: Value related: Time related:	Item	
	B11.6 Environmental disturbance		
95	Fixed: Value related: Time related:	Item	
	B11.7 Works cleaning and clearing		
96	Fixed: Value related: Time related:	Item	
	B11.8 Vermin		
97	Fixed: Value related: Time related:	Item	
	B11.9 Overhand work		
98	Fixed: Value related: Time related:	Item	
	B11.10 Instruction manuals and guarantees	illoini	
99	Fixed: Value related: Time related:	Item	
33		item	
00	B11.11 As built information  Fixed: Value related: Time related:	Itam	
00	rixed value related rime related	Item	
	Carried to Collection	R R	
	Section No. 4	K	
	Bill No. 1		
	Preliminaries		
	138		

	B11.12 Tenant installations		
101	Fixed: Value related: Time related:	Item	
	SECTION C: SPECIFIC PRELIMINARIES		
	Section C contains specific preliminary items which apply to this contract except where N/A (Not Applicable) appears against an item.		
	C1 CONTRACT DRAWINGS		
	The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer to acquaint himself with the nature and extent of the works and the manner in which they are to be executed. Should any part of the drawings not be clearly intelligible to the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent.		
102	Fixed: Value related: Time related:	Item	
	C2 GENERAL PREAMBLES		
	The document "Specification of Materials and Methods to be used (PW371)" is obtainable on request from the head office and all regional offices of the Departtment, and shall be read in conjunction with the bills of quantities / lump sum document and be referred to for the full descriptions of work to be done and materials to be used.		
103	Fixed: Value related: Time related:	Item	
	C3 PROPRIETARY BRANDED PRODUCTS		
	The contractor shall take delivery of, handle, store, use, apply and/or fix all proprietary branded products in strict accordance with the manufacturer's instructions after consultation with the manufacturer's authorised representative.		
	All materials, fittings, finishings, etc., specified hereinafter under a trade name, catalogue number or reference, must be exactly as described. The Architect's approval in writing must be obtained for the use of any alternative to the specification before the submission of tenders otherwise the specified materials, fittings, finishings, etc., will be assumed to have been allowed for in the tender.		
	The Contractor must take delivery of, handle, store, use, apply and/or fix all proprietary branded products in strict accordance with the manufacturer's instructions after consultation with the manufacturer's authorised representative.		
104	Fixed: Value related: Time related:	Item	
	Carried to Collection	R	
	Section No. 4	IX	
	Bill No. 1		
	Preliminaries		
	139		

1				
	C4 CONTRACTOR'S RESPONSIBILITY			
	The Employer, the Principal Agent and the other professional consultants shall not be responsible for any act or omission on the part of the Contractor which may result in any patent or latent defects, in materials or workmanship, breach or neglect of any local regulations. The Contractor shall at all times be responsible for any such neglect, deviation or wrong act, whether the same is discovered before or after the final certificate, or any other Certificate, has been approved			
105	Fixed: Value related: Time related:	Item		
	C5 OVERTIME			
	Should overtime be required to be worked for any reason whatsoever, the costs of such overtime are to be borne by the contractor unless the principal agent has specifically authorised in writing, prior to the execution thereof, that costs for such overtime are to be borne by the employer.			
106	Fixed: Value related: Time related:	Item		
	C6 AS BUILT DRAWINGS			
	The position of construction breaks and the extent of individual concrete pours are to be recorded by the contractor on the structural engineer's drawings and are to be submitted to the principal agent and the structural engineer for their records.			
	Three full sets of as-built drawings shall be submitted to the Principal Agent no later than fourteen days after practical completion			
107	Fixed: Value related: Time related:	Item		
	C7 CONTRACT INSTRUCTIONS			
	Contract instructions issued on site are to be recorded in triplicate in a site instruction book which is to be maintained on site by the Contractor. The Contractor shall supply and have available at the site of the works at all times, the following site books:			
	a) Contract Instruction Book			
	Receiving and recording instructions in a suitable A4 size triplicate book kept on site. Instructions issued shall be recorded by the Architect or other Employer's Agents to whom the Architect has delegated authority to in the book.			
	Only instructions issued in such book shall be recognised.			
	b) Daily Record Book			
	The Contractor shall record in triplicate in a suitable A4 size triplicate book kept at the site, a daily record of work done, all site visits by the Principal Agent and other professional personnel and all events affecting the Works, such as progress, issue of plans, breakdown of machinery, etc. The labour, plant and material on site shall be recorded as well as work performed. Entries must be made by the Contractor and must be signed and forwarded to the Principal Agent for his counter-signature on a daily basis. Copies of these records shall be for the Architect, Quantity Surveyor and Contractor.			
	Carried to Collection	R		
	Section No. 4			
	Bill No. 1			
	Preliminaries			
	140			

108	Fixed: Value related: Time related:	Item		
	C8 LABOUR RECORD			
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number and description of tradesmen and labourers employed by him and all subcontractors on the works each day			
109	F: V: T:	Item		
	C9 PLANT RECORD			
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number, type and capacity of all plant, excluding hand tools, currently used on the works.			
110	F: V: T:	Item		
	C10 ENCROACHMENT			
	During the course of the building operations, the Contractor shall be held entirely responsible for any encroachment onto any adjoining properties, buildings, etc., or servitudes and the cost of any remedial measures as required by the Principal Agent shall be borne by the Contractor			
111	F: V: T:	Item		
	C11 METHOD STATEMENT			
	The Tenderer shall produce, when required to do so by the Principal Agent, a Method Statement outlining the methods of construction and labour and plant resources that he proposes to use in the execution of the Works. Any approval given or observation made by the Principal Agent shall not relieve the Contractor of his sole responsibility to adopt the methods of construction and to provide the labour and plant resources necessary for the due and proper timeous execution of the Works.			
112	F: V: T:	Item		
	C12 UNAUTHORISED PERSONS/WORKMEN ON PREMISES			
	The Contractor shall at all times strictly exclude all unauthorised persons from the Works and the site and shall set up notice boards to that effect.			
	No workmen or labourers (except security guards) are to be allowed under any circumstances to sleep or deposit any kit on the premises. The Contractor must provide any necessary independent shelter or shed required for any labour or watchmen on site, to the approval of the Employer.			
113	F: V: T:	Item		
	C13 MODE OF PROCEDURE			
	Notwithstanding anything to the contrary contained herein the Principal Agent at all times reserves the right to direct the order in which the various parts of the Contract are to be executed. The Contractor shall give priority to any individual section or portion of the Works that, in the opinion of the Principal Agent, requires to be expedited.			
	Carried to Collection	R		
	Section No. 4	11		
	Bill No. 1			
	Preliminaries			
	141		1	

Should it appear, in the Principal Agent's opinion, that work in any area is not being executed in accordance with the requirements of the Contract Programme, the Contractor shall provide additional manpower and resources and shall work additional overtime and do everything else required to bring the work back to programme to the satisfaction of the Principal Agent and to the Contractor's cost	
114 F: V: T: Item	
C14 LOCATION OF TEMPORARY BUILDINGS AND TEMPORARY SERVICES	
The Contractor shall provide all necessary temporary works, including temporary roads, tracks, crossings, hardstanding and services, hoardings, dust screens, tunnelling, etc., required for his own and sub-contractors use during the construction and maintenance period	
There is no guarantee given or implied that Site conditions will be such that the Contractor will be able to erect such temporary works, roads, hardhats, offices, stores and temporary accommodation within the site boundaries and it shall be the Contractor's responsibility to adopt whatever measures he deems necessary in this regard and to obtain all necessary permission and pay all costs in connection therewith	
115 F: V: T: Item	
C15 OFFICE ACCOMMODATION	
The contractor shall provide, maintain and remove on practical completion air conditioned office accommodation with suitable tables and chairs for meetings to be held on the site. Such offices shall be kept clean and fit for use at all times [12.2.18]	
116 F: V: T: Item	
C16 STORAGE FACILITIES	
The Contractor shall provide a Container for storage of materials.	
117 F: V: T: Item	
C17 REMOVAL AND MAKING GOOD OF TEMPORARY WORKS, ETC, ON COMPLETION	
The Contractor shall remove (except where specifically stated otherwise) all temporary works, roads, services and the like used for this contract and shall make good to the entire satisfaction of the Principal Agent any damage resulting therefrom.	
118 F: V: T: Item	
Section No. 4	
Bill No. 1	
Preliminaries	
142	

SECTION NO. 4  NTABASIGOGO JUNIOR SECONDARY S  BILL NO. 1  PRELIMINARIES  COLLECTION	<u>CHOOL</u>	Page No	
	Drought Forward from Done	Page No	
	Brought Forward from Page	128 129	
		130	
		131	
		132	
		133	
		134	
		135	
		136	
		137	
		138	
		139	
		140	
		141	
		142	
			$\vdash$
Section No. 4	Carried To Section Summary	R	_
Bill No. 1			
Preliminaries	143		
	143		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 4					
	NTABASIGOGO JUNIOR SECONDARY SCHOOL					
	BILL NO. 2					
	HEALTH AND SAFETY					
	MODEL PREAMBLES					
	The tenderer is referred to the "Model Preambles for Trades 2008" for supplementary and comprehensive expansion of descriptions, appropriate provision for which shall be deemed to have been included in all relevant rates.					
	SUPPLEMENTARY PREAMBLES					
	Supplementary preambles and/or specifications are incorporated in these bills of quantities to satisfy the requirements of this project. Such supplementary preambles and/or specifications shall take precedence over the provisions of the General Preambles.					
	The contractor's prices for all items throughout these bills of quantities shall take account of and include where applicable for all of the obligations, requirements and specifications given in the General Preambles and in any supplementary preambles and/or specifications.					
	Prior to pricing the principal contractor must familiarize him/herself with the Occupational Health and Safety Act No. 85 Of 1993, Construction Regulations 2014, other relevant Regulations and Standards as well as project specific Health & Safety specifications.					
	OCCUPATIONAL HEALTH AND SAFETY					
	<u>General</u>					
1	Preparation of Contractor's site specific Health and Safety Plan	Item				
2	Submission of the Health and Safety File	Item				
3	Principal Contractor's initial obligations in respect of the OHS Act and Construction Regulations	Item				
4	Principal Contractor's time related obligations in respect of the OHS Act and Construction Regulations for the entire construction period	Item				
5	Provision of full time Health and Safety Officer for the entire construction period	Item				
6	Induction training of all personnel	Item				
7	Provision of first aid boxes	Item				
	Carried to Collection			R		
	Section No. 4					
	Bill No. 2					
	Health And Safety					
	144					

		Unit	Quantity	Rate	Amount
8	SANS approved weld mesh type temporary barrier fencing 1,8m high covered with a net fixed to and				
	including 100mm diameter gum poles set securely min 300mm deep in ground at max 3m spacing including excavation, backfilling, etc	m	150		
9	Extra over mesh fence for pedestrian gate size 1.8 x 1,8m high	No	1		
	Provision for Personal Protective Equipment and				
10	Reflective vests.	Item			
11	Hard hats	Item			
12	Protective footwear	Item			
13	Ear plugs	Item			
14	Dust masks	Item			
	Medical certificates and medical surveillance				
15	Initial (baseline) medical examinations for all personnel	Item			
16	Exit Examinations for all personnel	Item			
	Noise Monitoring				
17	Establishment of noise zones	Item			
18	Audiograms	Item			
	Covid-19 Compliance Measures				
19	The Contractor is required to price for Covid 19 compliance and the pricing thereof shall be deemed to include all the mandatory requirements	Item			
	, , , , , , , , , , , , , , , , , , , ,	пеш			
	Carried to Collection Section No. 4			R	
	Bill No. 2				
	Health And Safety				
	145				

SECTION NO. 4		
NTABASIGOGO JUNIOR SECONDARY SCHOOL		
BILL NO. 2		
HEALTH AND SAFETY		
COLLECTION		
SOLLEGION	Page No	
Brought Forward from Page	144	
	145	
Carried To Section Summary	R	
Section No. 4		
Bill No. 2 Health And Safety		
146		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 4					
	NTABASIGOGO JUNIOR SECONDARY SCHOOL					
	BILL NO. 3					
	RENOVATIONS					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	SUPPLEMENTARY PREAMBLES					
	<u>View site</u>					
	Before submitting his tender the tenderer shall visit the site and satisfy himself as to the nature and extent of the work to be done and the value of the materials contained in the buildings or portions of the buildings to be demolished. No claim for any variations of the contract sum in respect of the nature and extent of the work or of inferior or damaged materials will be entertained					
	General					
	Water supply pipes and other piping in ground that may be encountered and found necessary to disconnect or cut, shall be effectually stopped off or grubbed up and removed, and any new connections that may be necessary shall be made with proper fittings to the satisfaction of the principal agent					
	<u>DEMOLITIONS</u>					
	Demolishing and removing					
1	Exisiting surface slabs and fill up all pit chambers with imported fill material and leave site level	m³	14			
	MAKING GOOD OF EXISTING WORK					
	Taking out and removing piping, sanitary fittings, etc including disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)					
2	Remove VIP 200 pit pedestals, prepare suface to receive new VIP 450 pit pedestal (new pedestal					
	measured elsewhere)	No	3			
	Carried to Collection			R		
	Section No. 4					
	Bill No. 3					
	Renovations 147					
	147				II	

		Unit	Quantity	Rate	Amount
	Site cleaning				
3	Clear site of all existing builders rubble and cart away to a dump site to be located by contractor	m³	16		
	Making good tie down straps to existing tanks				
4	New 4mm diameter galvanised wire tank ties wrapped twice around centre of tank and secured to each corner of tank stand with a double strand of 4mm diameter galvanised wire bolted into concrete.	No	3		
	Making good falling VIP pedestal steel doors				
5	Secure overhead timber beams to walls using expansion bolts, resecure and realign steel doors and make good plaster and paint	No	4		
	Making good existing security gates				
6	Repair loose hanging or fallen gates by making good brick walls and then re-installing gates into position with new 13mm diameter x 90mm long expansion applied to existing gate hinges	No	2		
	FILLING ETC				
	Earth filling obtained from the excavations				
7	Over site to make up levels	m³	3		
	BATHROOM FITTINGS				
	Stainless steel bathroom fittings				
8	Free standing She Bin: manufactured from Grade 304 1,2mm Stainless Steel, satin finished with surface treatment. The container to have an approximately 20 litre capacity	No	7		
	GALVANISED STEEL GATES, SCREENS, ETC				
	Welded screens and gates to walls				
9	Entrance single gate size 1,040 x 2,125mm high formed of 25 x 25 x 1.6mm hollow square section framing to detail, with expanded metal mesh welded to inside frame, with 10 x 30mm flat bar shaped to detail and 12mm solid rods welded horizontally, with stainless steel shackle for locking mechanism, with 38 x 38 x 10mm thick plates as hinges with rounded ends to one side and hole for 18mm diameter pin hung on pair of socketted and pinned hinges with pin 18 mm in diameter and bolted to brick wall, with 200mm locking bolt welded on, or other Architect approved hinges	No	1		
	·· -	110			
	Carried to Collection			R	
	Section No. 4				
	Bill No. 3 Renovations				
	Renovations 148				
I	. 10	ı	1 1	ļ	II I

		Unit	Quantity	Rate	Amount	
	RAINWATER DISPOSAL					
	PVC-U gutters and rainwater pipes					
10	90mm Diameter rainwater pipes	m	9			
11	Extra over rainwater pipe for bend	No	9			
	SANITARY FITTINGS					
	Rust and corrosion resistant, UV-resistant polyethylene pedestals, urinals, basins, etc.					
12	VIP 450 Pit pedestal complete with integral tlap four times plugged to floor with and including 6 x 75mm masonry anchors.	No	3			
	TAP STANDS					
	Two 20mm brass bib-taps in tap stands formed of 110mm diameter PVC pipes encased in concrete and cast into the ground complete with connecting to existing tanks with 12m long 20mm HDPE pipes in and including trenches backfilled					
13	700mm High tap stands complete	No	3			
	Comite dita Callington					
	Carried to Collection Section No. 4			R		
	Bill No. 3					
	Renovations					
	149					

SECTION NO. 4  NTABASIGOGO JUNIOR  BILL NO. 3  RENOVATIONS  COLLECTION	SECONDARY SCHOOL  Brought Forward from Page	Page No 147 148 149	
Coation No. 4	Carried To Section Summary	R	
Section No. 4 Bill No. 3 Renovations			
	150		

		Unit	Quantity	Rate	Amount	
	OFOTION NO. 4					
	SECTION NO. 4  NTABASIGOGO JUNIOR SECONDARY SCHOOL					
	BILL NO. 4					
	GARDEN AND BALUSTRADE WALLS					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the					
	separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	EARTHWORKS (PROVISIONAL)					
	Excavate in pickable material not exceeding 2m deep below natural or reduced ground level:					
1	Surface trenches.	m³	63			
	Extra over excavation in pickable material for column bases, trenches, lift pits, sumps, etc for excavation:					
2	Soft rock.	m³	6			
3	Hard rock.	m³	1			
4	Allow for risk of collapse to sides of excavations to column bases, trenches, etc. from ground level to not exceeding 1,5m deep.	m²	252			
5	Allow for keeping excavations entirely free from water or mud.	Item				
	Earth filling obtained from the excavations and/or prescribed stock piles on site, compacted to 98% Mod AASHTO density					
6	Backfilling to trenches, holes, etc.	m³	12			
7	Scarify in-situ material for a depth of 150mm and compact to obtain 98% modified AASHTO dry density.	m²	105			
	Earth filling supplied by the contractor, compacted to 98% Mod AASHTO density					
8	Under floors, steps, pavings, etc.	m³	12			
	Carried to Collection			R		
	Section No. 4					
	Bill No. 4					
	Garden And Balustrade Walls					
	151				.	

		Unit	Quantity	Rate	Amount	
	CONCRETE, FORMWORK & REINFORCEMENT					
	25MPa Mass concrete in:					
9	Wall footings cast against excavated surfaces.	m³	21			
		""	21			
10	Expansion Joints:  12mm "Flexcell" or other approved cane fibre filler board					
10	in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.	m	1			
	TEST CUBES					
	Test Cubes					
11	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	5			
	MASONRY					
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in class II mortar					
12	One brick wall.	m²	1			
13	Leave or form 115 x 75mm high weep hole through one brick wall.	No	10			
	2,5mm Galvanised brick reinforcement					
14	150mm Wide reinforcement built in horizontally	m	420			
	Facings Externally:					
	"Rustgold FBS/Qunu Travertine" clay face brick or equal approved, size 222 x 106 x 73mm, bedded and jointed in Class II mortar and pointed with recessed vertical and recessed horizontal joints, suitable for exposure zones 1-2 (Cement to be 42.5N all-purpose cement):					
15	Extra over ordinary brickwork for facing in stretcher bond and pointing as described.	m²	168			
16	Brick on edge coping in header course to top of one brick wall bedded and jointed in cement mortar and pointed on top and both sides as described.		040			
		m	210			
	PAINTING Clean down with Spirits of Salts solution and apply two coats silicone-based brick dressing on:					
17	Clinker brick facings (Externally).	m²	168			
	Carried to Collection			R		
	Section No. 4					
	Bill No. 4					
	Garden And Balustrade Walls					
	152					

SECTION NO. 4 NTABASIGOGO JUNIOR SECONDARY SCHOOL BILL NO. 4 GARDEN AND BALUSTRADE WALLS COLLECTION  Brought Forward from Page	Page No 151 152	
Carried To Section Summary	D.	
Carried To Section Summary Section No. 4	R	<u> </u>
Bill No. 4		
Garden And Balustrade Walls		
153		

	Unit	Quantity	Rate	Amount
SECTION NO. 4				
NTABASIGOGO JUNIOR SECONDARY SCHOOL				
BILL NO. 5				
<u>V – DRAINS</u>				
PREAMBLES				
The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities				
SUPPLEMENTARY PREAMBLES				
Nature of ground:				
The nature of the ground is assumed to be loose sandy material, therefore 'earth', but possibly interspersed with 'soft rock' or 'hard rock'				
Carting away of excavated material:				
Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site				
Filling:				
Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material				
Testing:				
Prices for filling are to include for all necessary density tests in accordance with SABS 1200D				
Cost of tests:				
The costs of making, storing and testing of concrete test cubes as required under clause 7 Tests of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)				
Carried to Collection			R	
Section No. 4				
Bill No. 5				
V – Drains				
154				

		Unit	Quantity	Rate	Amount
	EXCAVATION ETC				
	Excavation in earth not exceeding 2m deep				
1	Reduced levels under pavings	m³	32		
	Extra over all excavations for carting away				
2	Surplus material from excavations and/or stock piles on site, to a dumping site to be located by the contractor	m³	32		
	FILLING ETC OTHER THAN BULK				
	Earth filling (G7 material) supplied by the contractor, compacted to 95% Mod AASHTO density				
3	Under floors, steps, pavings, etc.	m³	21		
	Coarse river sand filling supplied by the contractor				
4	Under pavings etc.	m³	7		
	Compaction of surfaces				
5	Compaction of ground surface under floors etc. including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density	m²	139		
	Prescribed density tests on filling				
6	Modified AASHTO Density test	No	12		
	DAMPPROOFING OF WALLS AND FLOORS				
	One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape				
7	Under surface pavings etc.	m²	139		
	STORMWATER DRAINAGE (PROVISIONAL)				
	Precast or in-situ concrete (25 MPa) open stormwater channels having V-shaped waterway formed in top, finished smooth on all exposed surfaces in (3:1) untinted cement plaster trowelled smooth and with angles rounded, cast in maximum 3000mm lengths, and reinforced as necessary for handling if precast, including laying to falls, bedding and pointing in (3:1) cement mortar:				
8	Channel size 700 x 230mm overall with 700 x 150mm deep v-channel waterway.	m	198		
9	Extra for angle.	No	15		
10	Extra for fair end.	No	7		
	Carried to Collection			R	
	Section No. 4				
	Bill No. 5 V – Drains				
	155				

		Unit	Quantity	Rate	Amount	
11	Extra for 1000mm long x 2700mm wide outlet with 300mm deep x 300mm wide thickened edge and thirteen number 150 x 150 x 150mm concrete block energy dissipaters set into in-situ concrete draining off to and including a 2700 x 600 x 100mm thick bed formed of 19mm diameter stones	No	6			
	TEST CUBES					
12	Test Cubes  Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	9			
	REINFORCEMENT (CPAP WORK GROUP NO. 114)					
40	Fabric reinforcement	2	400			
13	Type 617 fabric reinforcement in concrete dish drains etc	m²	139			
				_		
	Carried to Collection Section No. 4			R		
	Bill No. 5 V – Drains					
	V – Drains 156					

SECTION NO. 4  NTABASIGOGO JUNIOR S  BILL NO. 5  V – DRAINS  COLLECTION	ECONDARY SCHOOL  Brought Forward from Page	Page No 154 155 156	
Section No. 4	Carried To Section Summary	R	
Bill No. 5 V – Drains	157		

		Unit	Quantity	Rate	Amount	
	SECTION NO. 4					
	NTABASIGOGO JUNIOR SECONDARY SCHOOL					
	BILL NO. 6 CONCRETE APRONS, WALKWAYS & RAMPS					
	PREAMBLES					
	The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities					
	EARTHWORKS (PROVISIONAL)					
	Excavate in pickable material not exceeding 2m deep below natural or reduced ground level:					
1	Reduce levels under pavings.	m³	13			
	Extra over excavation in pickable material for column bases, trenches, lift pits, sumps, etc for excavation:					
2	Soft rock.	m³	2			
3	Hard rock.	m³	1			
4	Unreinforced concrete	m³	3			
5	Allow for risk of collapse to sides of excavations to column bases, trenches, etc. from ground level to not					
	exceeding 1,5m deep.	m²	17			
6	Allow for keeping excavations entirely free from water or mud.	Item				
	Earth filling obtained from the excavations and/or prescribed stock piles on site, compacted to 98% Mod AASHTO density					
7	Scarify in-situ material for a depth of 150mm and compact to obtain 95% modified AASHTO dry density.	m²	111			
	Earth filling (G7 material) supplied by the contractor, compacted to 95% Mod AASHTO density					
8	Under floors, steps, pavings, etc.	m³	17			
	Carried to Collection			R		
	Section No. 4					_
	Bill No. 6					
	Concrete Aprons, Walkways & Ramps 158					
I	130		1 1		1	

CONCRETE, FORMWORK & REINFORCEMENT 25MPa Mass concrete in:  9 Ramps			Unit	Quantity	Rate	Amount	
25MPa Mass concrete in:  9 Ramps 10 Pavings. 11 Aprons 11 Aprons 11 Aprons 12 Strike off and cure tops of surface beds laid in panels approximately 100mm long x 1000mm wide to uniform levels including all necessary formwork to form toggle joints to temporary construction joints to falls. 13 Extra for floating off smooth tops of surface beds laid in panels tar brush finish including slightly rounded edges to panels.  Expansion Joints: 12 Izmm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.  TEST CUBES Test Cubes 15 Making and testing 150 x 150 x 150 x 150mm concrete strength test cube (Provisional)  SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111) Smooth formwork to sides 16 Edges, risers, ends and reveals not exceeding 300mm high or wide  REINFORCEMENT (CPAP WORK GROUP NO. 114) Fabric reinforcement 17 Type 617 fabric reinforcement in concrete surface beds etc  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1995 type C) sealed at laps with PVC self-adnessive tape  Under surface pavings etc.  Carried to Collection R  Expansion July 12 Aproximation of the collection of the colle							
9 Ramps m³ 1 10 Pavings. m³ 10 11 Aprons m³ 10 12 Strike off and cure tops of surface beds laid in panels approximately 1000mm long x 1000mm wide to uniform levels including all necessary formwork to form toggle joints to temporary construction joints to falls. m² 111 13 Extra for floating off smooth tops of surface beds laid in panels ta brush finish including slightly rounded edges to panels.  Expansion Joints: 14 12mm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall. m 12  TEST CUBES Test Cubes Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional) SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111) Smooth formwork to sides Edges, risers, ends and reveals not exceeding 300mm high or wide REINFORCEMENT (CPAP WORK GROUP NO. 114) Fabric reinforcement Type 617 tabric reinforcement in concrete surface beds etc  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc. m² 111  Carried to Collection Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps		CONCRETE, FORMWORK & REINFORCEMENT					
10 Pavings. m³ 10 Aprons m³ 1 Aprons m³ 1 Sundries:  25 Strike off and cure tops of surface beds laid in panels approximately 1000mm long x 1000mm wide to uniform levels including all necessary formwork to form toggle joints to temporary construction joints to falls. m² 111  Extra for floating off smooth tops of surface beds laid in panels ta brush finish including slightly rounded edges to panels. m² 111  Expansion Joints:  Expansion Joints:  12 my "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall. m 12  TEST CUBES Test Cubes  Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)  SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111) Smooth formwork to sides  Edges, risers, ends and reveals not exceeding 300mm high or wide  REINFORCEMENT (CPAP WORK GROUP NO. 114) Fabric reinforcement  17 Type 617 fabric reinforcement in concrete surface beds etc  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc. m² 111  Carried to Collection  Section No. 4  Bill No. 6 Concrete Aprons, Walkways & Ramps		25MPa Mass concrete in:					
11 Aprons	9	Ramps	m³	1			
Sundries:  Strike off and cure tops of surface beds laid in panels approximately 1000mm long 1000mm wide to uniform levels including all necessary formwork to form toggle joints to temporary construction joints to falls.  Extra for floating off smooth tops of surface beds laid in panels ta brush finish including slightly rounded edges to panels.  Expansion Joints:  12	10	Pavings.	m³	10			
Strike off and cure tops of surface beds laid in panels approximately 1000mm long 1000mm wide to uniform levels including all necessary formwork to form toggle joints to temporary construction joints to falls.  Extra for floating off smooth tops of surface beds laid in panels ta brush finish including slightly rounded edges to panels.  Expansion Joints:  14   Izmm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.  TEST CUBES  Test Cubes  Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)  SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111)  Smooth formwork to sides  Edges, risers, ends and reveals not exceeding 300mm high or wide  REINFORCEMENT (CPAP WORK GROUP NO. 114)  Fabric reinforcement  17 Type 617 fabric reinforcement in concrete surface beds etc  DAMPPROOFING OF WALLS AND FLOORS  One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Carried to Collection  Section No. 4  Bill No. 6  Concrete Aprons, Walkways & Ramps	11	Aprons	m³	1			
approximately 1000mm long x 1000mm wide to uniform levels including all necessary formwork to form toggle joints to temporary construction joints to falls.  Extra for floating off smooth tops of surface beds laid in panels ta brush finish including slightly rounded edges to panels.  Expansion Joints:  12mm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.  TEST CUBES Test Cubes Test Cubes  Test Cubes (Provisional)  SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111) Smooth formwork to sides Edges, risers, ends and reveals not exceeding 300mm high or wide  REINFORCEMENT (CPAP WORK GROUP NO. 114) Fabric reinforcement  Type 617 fabric reinforcement in concrete surface beds etc.  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SAMS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc.  Carried to Collection Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps		Sundries:					
panels ta brush finish including slightly rounded edges to panels.  Expansion Joints:  14 12mm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.  TEST CUBES Test Cubes  15 Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)  SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111) Smooth formwork to sides  Edges, risers, ends and reveals not exceeding 300mm high or wide  REINFORCEMENT (CPAP WORK GROUP NO. 114) Fabric reinforcement  17 Type 617 fabric reinforcement in concrete surface beds etc  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  18 Under surface pavings etc.  Carried to Collection Section No. 4  Bill No. 6 Concrete Aprons, Walkways & Ramps	12	approximately 1000mm long x 1000mm wide to uniform levels including all necessary formwork to form toggle	m²	111			
12mm "Flexcell" or other approved cane fibre filler board in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.  TEST CUBES Test Cubes  Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)  SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111) Smooth formwork to sides  Edges, risers, ends and reveals not exceeding 300mm high or wide  REINFORCEMENT (CPAP WORK GROUP NO. 114) Fabric reinforcement  Type 617 fabric reinforcement in concrete surface beds etc  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc.  Carried to Collection Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps	13	panels ta brush finish including slightly rounded edges to	m²	111			
in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide including tacking to face of wall.  TEST CUBES Test Cubes  15 Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)  SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111) Smooth formwork to sides  16 Edges, risers, ends and reveals not exceeding 300mm high or wide  REINFORCEMENT (CPAP WORK GROUP NO. 114) Fabric reinforcement  17 Type 617 fabric reinforcement in concrete surface beds etc  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc.  Carried to Collection Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps		Expansion Joints:					
Test Cubes  Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)  SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111)  Smooth formwork to sides  Edges, risers, ends and reveals not exceeding 300mm high or wide  REINFORCEMENT (CPAP WORK GROUP NO. 114)  Fabric reinforcement  Type 617 fabric reinforcement in concrete surface beds etc  DAMPPROOFING OF WALLS AND FLOORS  One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  18 Under surface pavings etc.  Carried to Collection  Section No. 4  Bill No. 6 Concrete Aprons, Walkways & Ramps	14	in expansion joint between edge of concrete paving and walls in narrow widths not exceeding 150mm wide	m	12			
Making and testing 150 x 150 x 150 mm concrete strength test cube (Provisional)  No 8  SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111)  Smooth formwork to sides  Edges, risers, ends and reveals not exceeding 300mm high or wide  REINFORCEMENT (CPAP WORK GROUP NO. 114)  Fabric reinforcement  Type 617 fabric reinforcement in concrete surface beds etc  DAMPPROOFING OF WALLS AND FLOORS  One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc.  Carried to Collection  Section No. 4  Bill No. 6  Concrete Aprons, Walkways & Ramps		TEST CUBES					
strength test cube (Provisional)  SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111)  Smooth formwork to sides  Edges, risers, ends and reveals not exceeding 300mm high or wide  REINFORCEMENT (CPAP WORK GROUP NO. 114)  Fabric reinforcement  Type 617 fabric reinforcement in concrete surface beds etc  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc.  Carried to Collection  Section No. 4  Bill No. 6 Concrete Aprons, Walkways & Ramps		<u>Test Cubes</u>					
CPAP WORK GROUP NO. 111)   Smooth formwork to sides	15		No	8			
Edges, risers, ends and reveals not exceeding 300mm high or wide m 18  REINFORCEMENT (CPAP WORK GROUP NO. 114) Fabric reinforcement  Type 617 fabric reinforcement in concrete surface beds etc m² 111  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc. m² 111  Carried to Collection Section No. 4  Bill No. 6 Concrete Aprons, Walkways & Ramps		SMOOTH FORMWORK (DEGREE OF ACCURACY II) (CPAP WORK GROUP NO. 111)					
high or wide  REINFORCEMENT (CPAP WORK GROUP NO. 114) Fabric reinforcement  Type 617 fabric reinforcement in concrete surface beds etc m² 111  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc. m² 111  Carried to Collection Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps		Smooth formwork to sides					
Fabric reinforcement Type 617 fabric reinforcement in concrete surface beds etc m² 111  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc. m² 111  Carried to Collection Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps	16		m	18			
Type 617 fabric reinforcement in concrete surface beds etc m² 111  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape Under surface pavings etc. m² 111  Carried to Collection Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps		REINFORCEMENT (CPAP WORK GROUP NO. 114)					
etc m² 111  DAMPPROOFING OF WALLS AND FLOORS One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc. m² 111  Carried to Collection Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps							
One layer 250 micron green polyethylene waterproof sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc.  Carried to Collection  Section No. 4  Bill No. 6  Concrete Aprons, Walkways & Ramps	17	. · · · · · · · · · · · · · · · · · · ·	m²	111			
Sheeting (SANS 952-1985 type C) sealed at laps with PVC self-adhesive tape  Under surface pavings etc.  Carried to Collection Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps		DAMPPROOFING OF WALLS AND FLOORS					
Under surface pavings etc.  Carried to Collection Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps		sheeting (SANS 952-1985 type C) sealed at laps with					
Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps	18		m²	111			
Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps							
Section No. 4 Bill No. 6 Concrete Aprons, Walkways & Ramps							
Bill No. 6 Concrete Aprons, Walkways & Ramps		Carried to Collection			R		
Concrete Aprons, Walkways & Ramps							
		· · · · · · · · · · · · · · · · · · ·					

SECTION NO. 4		
NTABASIGOGO JUNIOR SECONDARY SCHOOL		
BILL NO. 6		
CONCRETE APRONS, WALKWAYS & RAMPS		
COLLECTION		
	Page No	
Brought Forward from Page	158	
	159	
Carried To Section Summary	R	
Section No. 4 Bill No. 6		
Concrete Aprons, Walkways & Ramps		
160		

	Unit	Quantity	Rate	Amount
SECTION NO. 4				
NTABASIGOGO JUNIOR SECONDARY SCHOOL				
BILL NO. 7				
GRADE R FENCING				
PREAMBLES				
The Tenderer is referred to the relevant Clause in the separate document Model Preambles for Trades (1999 Edition) published by the Association of South African Quantity Surveyors, the document "PW 371 - A Edition 2.1 - Construction Works: Specifications, General Specification" as published by the Department of Public Works (Edition July 2014) and the Supplementary Preambles which are incorporated in these Bills of Quantities				
THE FOLLOWING IN SECURITY FENCING				
Site clearance				
Allow for clearing site for a width of 1m where fencing runs are to be erected including removing trees, shrubs, etc not exceeding 200mm girth, grubbing up roots and roughly levelling	m	150		
Straining wires, fencing and razor wire				
Pour strands of 4mm Class'A' galvanised straining wires secured to fencing posts with doubled 2 mm galvanised wire inserted through hole in post and turned a minimum of four turns around straining wire and attached to straining frame at one end with not less than four turns at the other end to straining bolts (elsewhere measured)	ו	150		
Fencing formed of 50 x 50 x 2.0mm diameter galvanised fencing 1 800mm high and fixed to each straining wire with 8 guage binding wire at 500mm centres including staking to ground with and including Y10 pegs at 900mm c/c between posts (straining wires elsewhere measured)	n	150		
<u>Posts</u>				
75mm Diameter galvanised steel intermediate fencing post, 2700mm fitted with a pressed steel mushroom cap post fitted with 150 x 150 x 5mm base plate at bottom and set into the ground.	o, No	33		
5 150mm Ditto as standard post but embedded in 600 x				
600 x 700mm high mass concrete (15MPa) base	No	11		
Carried to Collectio	n		R	
Section No. 4 Bill No. 7				
Grade R Fencing				
161				

		Unit	Quantity	Rate	Amount	
6	150mm Ditto as straining or corner posts, but fitted with two 75mm diameter galvanised steel raking stays and with top ends flattened and bolted through post with post embedded in 600 x 600 x 700mm high mass concrete (15MPa) base and stays embedded in 700 x 700 x 450mm high mass concrete (15MPa) base	No	10			
7	150mm Ditto as end/ gate post, but fitted with one 75mm diameter galvanised steel stay set raking and with top end flattened and bolted through post, with post embedded in 600 x 600 x 700mm mass concrete (15MPa) base and stay embedded in 700 x 700 x 450mm high mass concrete (15MPa) base with all base tops set raking (sloping)	No	6			
8	Gates  Security fence single gate, size 900 mm wide x 1800 mm high, formed of 50 mm diameter nominal bore x 2,2 mm wall thickness hot dip galvanised mild steel pipe framing all round with mitred and welded angles and middle rail, with 20mm diameter x 300mm long locking bolt welded on and a pair of heavy duty gate hooks for a 16mm band hinge pin welded on to gate and including a pair of 16mm band hinge pins bolted to gate posts	No	1			
9	Security fence single gate, size 1500 mm wide x 1800 mm high, formed of 50 mm diameter nominal bore x 2,2 mm wall thickness hot dip galvanised mild steel pipe framing all round with mitred and welded angles and middle rail, hung on pair of socketted and pinned hinges with pin 18mm in diameter and bolted to brick wall and with 20mm diameter x 300mm long locking bolt welded on.	No	1			
10	Double gate, size 6 000 mm wide x 1 800 mm high overall in two leaves, formed of 50 mm diameter nominal bore x 2.5 mm wall thickness hot dip galvanised mild steel pipe framing all round with 25 mm diameter nominal bore x 2.0 mm wall thickness diagonal and centre braces, scribed and welded into angles and at cross intersections, gate filled with 50 x 50 x 2,0mm galvanised wire diamond mesh, with two 50 mm diameter nominal bore x 3,25 mm wall thickness security posts each 600 mm long with one end welded to top rail of gate and closure plate to other end, each leaf fitted with two 25 mm diameter x 300 mm long eyebolt hinges and stops including all holes, etc., welded or bolted to adjoining galvanised gatepost with and including 500 mm long approved chain spot welded to gate	No	1			
	Carried to Collection Section No. 4 Bill No. 7 Grade R Fencing			R		_
	102		1 1		1	

		Unit	Quantity	Rate	Amount	
11	Locks 50mm "Viro" or other equally approved padlocks for external use.	No	3			
	Carried to Collection Section No. 4 Bill No. 7 Grade R Fencing 163			R		_

SECTION NO. 4  NTABASIGOGO JUNIOR SECONDARY SCHOOL		
BILL NO. 7		
GRADE R FENCING		
COLLECTION		
	Page No	
Brought Forward from Page	161	
	162	
	163	
Carried To Section Summary	R	
Section No. 4 Bill No. 7		
Grade R Fencing		
164		

	SECTION NO. 4			
	NTABASIGOGO JUNIOR SECONDARY SCHOOL			
	BILL NO. 8			
	PROVISIONAL SUMS			
	PROVISIONAL SUMS			
	Supplementary Preambles			
	Tenderers are advised that no claim in respect of loss of profit or Preliminary charges based on the omission of these amounts will be considered and the said amounts will be omitted strictly without any financial compensation payable to the Contractor.			
	Provisional sums and Budgetary allowances contained herein may be omitted or reduced at the Employer's discretion and the Contractor shall not be entitled to claim for any loss by way of reductions or omission of any discount, or percentage relating to Provisional amounts and Budgetary sums or any loss of profit related therto.			
	BUDGETARY ALLOWANCES			
	Sundry building work			
1	Provide the sum of R22 500.00 for the employment of a Community Liaison Officer to be employed by the Main Contractor and be paid an allowance of R7 500.00 a month for the duration (3 months)	Item	22 500	00
2	Profit	Item		
3	Attendance	Item		
4	Provide the sum of R105 000. 00 for the hire, maintenance and servicing of temporary toilets for educators and learners during the entire constructions period	Item	105 000	00
			105 000	00
5	Profit	Item		
6	Attendance	Item		
	Contingencies			
7	Allow the Amount of R39 000.00 (Thirty Nine Thousand Rands) for			
	contingencies, to be used by the Architect in terms of Clause 17 of the Principal Building Agreement.	Item	39 000	00
	Carried To Section Summary	R		
	Section No. 4 Bill No. 8			
	Provisional Sums			
	165			
- 1	· · · · · · · · · · · · · · · · · · ·	ı II	1	

			Amount
	SECTION NO. 4		
	NTABASIGOGO JUNIOR SECONDARY SCHOOL		
	SECTION SUMMARY		
Bill No.		Page	
1	PRELIMINARIES	143	
2	HEALTH AND SAFETY	146	
3	RENOVATIONS	150	
4	GARDEN AND BALUSTRADE WALLS	153	
5	V – DRAINS	157	
6	CONCRETE APRONS, WALKWAYS & RAMPS	160	
7	GRADE R FENCING	164	
8	PROVISIONAL SUMS	165	
	Carried to Final Summary	R	
	Section No. 4	ĸ	
	SECTION SUMMARY		
	166		
			. 1

Section No.	FINAL SUMMARY	Page		
1	SANGQU PRIMARY SCHOOL	44		
2	NCOTI PRIMARY SCHOOL	84		
3	KIMBILI PRIMARY SCHOOL	126		
4	NTABASIGOGO JUNIOR SECONDARY SCHOOL	166		
	SubTotal excluding Value Added Tax ADD VAT @ 15%:			
	Carried to Tender		R	_
	FINAL SUMMARY			
	167			