

REQUEST FOR QUOTES (RFQ)

Description of Goods/ Service required	Examinations Surveillance Repairs, Maintenance and Support services for 18 months
SPECIFICATIONS/ DISCRIPTION	
ITEM/ SERVICE	QUANTITY
Repairs, Maintenance and Support services as and when required	18 months
Supplier to quote hourly rate (Office Hours)	1
Supplier to quote hourly rate (After Hours and Weekends)	1
Supplier to quote (Travelling Cost)	1
Suppliers required to conduct 1 site visit before quoting	1
CURRENTLY INSTALLED EQUIPMENT AND SOFTWARE TO BE MAINTAINED AND SUPPORTED AS AND WHEN REQUIRED	
<u>Network Equipment:</u>	
CAT5 Data point	59
42U 1,000mm deep free-standing rack on castors,	1
1U Brush Panel, cable management bracket, 3 x shelf, 2 x 6-way power,	1
24 port patch panel	3
48 Port Advanced Smart Managed Switch (48 x PoE Ports / 384W); 4 x SFP slots for Fiber Gigabit Ethernet Modules	3
24 port Gigabit managed switch	1
<u>Camera Servers and Software:</u>	
4 x Servers Windows Server 2012 with 2 x Xeon server per server (minimum 2.4GHz), 8GB RAM, 2 x 500GB 3G SATA 7.2K RPM SFF HARD DRIVE, 2 x 300GB 6G SAS 10K SFF (2.5-Inch) Dual Port Entry HDD, 5 x 1TB 3G SATA 7.2k 2.5in MDL HDD, redundant PSU, 3Y 4H 24x7	4
NUUO Surveillance Software Installed on 4 Servers	4
KVM Switch (8 port)	1
Rack mounted 17" "pull out" screen 1u with integrated KB and mouse	1
<u>Monitoring PC's:</u>	
i7 (3.40 GHz 8MB total cache) - 8GBPC3-10600 DDR3 - 500GB HDD SATA 3.5Gb/s - DVD+/-RW - 64bit O/S Windows 7	3
Cables as necessary	6
53" Sony Bravia, 4 x HDMI, 2 x USB, LED Screen	6
NUUO Surveillance Software Installed on PC's	2

GENERAL/ COMMENTS:	
Budget:	Cost Centre Code:
Description of Goods/ Service required	
Examinations Surveillance Repairs, Maintenance and Support services for 18 months	
SPECIFICATIONS/ DISCRIPTION	
ITEM/ SERVICE	QUANTITY
Repairs, Maintenance and Support services as and when required	18 months
Supplier to quote hourly rate (Office Hours)	1
Supplier to quote hourly rate (After Hours and Weekends)	1
Supplier to quote (Travelling Cost)	1
Suppliers required to conduct 1 site visit before quoting	1