

PART A
INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE DEPARTMENT OF HEALTH

| | | | | | |
|-------------|---|---------------|-------------|---------------|-------|
| BID NUMBER: | HEDP003/25/26 | CLOSING DATE: | 30/07/ 2026 | CLOSING TIME: | 11:00 |
| DESCRIPTION | SUPPLY AND DELIVERY OF MEDICAL ORTHOTIC AND PROSTHETIC CONSUMABLES IN THE LIMPOPO DEPARTMENT OF HEALTH FOR A PERIOD OF THIRTY-SIX (36) MONTHS | | | | |

BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT

DEPARTMENT OF HEALTH, 18 COLLEGE STREET, POLOKWANE, LIMPOPO PROVINCE

THE BID BOX IS GENERALLY OPEN 24 HOURS, 7 DAYS A WEEK.

BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO

CONTACT PERSON **Mr Sekome T/Ms Motene N.M**

TELEPHONE NUMBER **(083) 265 8365
(063) 692 9368 / (015) 293 6350**

E-MAIL ADDRESS **Taelo.Sekomeo@dhsd.limpopo.gov.za
Ntlama.Maphahlele@dhsd.limpopo.gov.za**

TECHNICAL ENQUIRIES MAY BE DIRECTED TO:

CONTACT PERSON **Ms. V Sekole/ Mr. I Lategan**

TELEPHONE NUMBER **(015) 287 5237/ (015) 303 8317/8**

E-MAIL ADDRESS **Varely.Sekole@dhsd.limpopo.gov.za
Ian.Lategan@dhsd.limpopo.gov.za**

SUPPLIER INFORMATION

NAME OF BIDDER

POSTAL ADDRESS

STREET ADDRESS

CELLPHONE NUMBER

E-MAIL ADDRESS

VAT REGISTRATION NUMBER

SUPPLIER COMPLIANCE STATUS

| | | | | |
|----------------------------|--|----|-------------------------------|------|
| TAX COMPLIANCE SYSTEM PIN: | | OR | CENTRAL SUPPLIER DATABASE No: | MAAA |
|----------------------------|--|----|-------------------------------|------|

| | | | |
|---|--|---|--|
| ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES | Yes <input type="checkbox"/> No <input type="checkbox"/> [IF YES ENCLOSE PROOF] | ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES OFFERED? | Yes <input type="checkbox"/> No <input type="checkbox"/> [IF YES, ANSWER THE QUESTIONNAIRE BELOW] |
|---|--|---|--|

QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? YES NO

DOES THE ENTITY HAVE A BRANCH IN THE RSA? YES NO

DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? YES NO

DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? YES NO

IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? YES NO

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.

PART B
TERMS AND CONDITIONS FOR BIDDING

| |
|--|
| 1. BID SUBMISSION: |
| 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION. |
| 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED (NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT. |
| 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT. |
| 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7). |
| 2. TAX COMPLIANCE REQUIREMENTS |
| 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS. |
| 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS. |
| 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA . |
| 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID. |
| 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER. |
| 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED. |
| 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE." |

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:

DATE:.....

PRICING SCHEDULE – FIRM PRICES (PURCHASES)

NOTE: ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

| | |
|---------------------|-------------------|
| Name of bidder..... | Bid number..... |
| Closing Time 11:00 | Closing date..... |

OFFER TO BE VALID FOR **365** DAYS FROM THE CLOSING DATE OF BID.

| ITEM NO | QUANTITY | DESCRIPTION | BID PRICE IN RSA CURRENCY (ALL APPLICABLE TAXES INCLUDED) |
|------------|----------|-------------|--|
| | | | |

Required by:

At:

Brand and model

Country of origin

- Does the offer comply with the specification(s)? *YES/NO

If not to specification, indicate deviation(s)

Period required for delivery
*Delivery: Firm/not firm

Delivery basis

Note: All delivery costs must be included in the bid price, for delivery at the prescribed destination.

** "all applicable taxes" includes value-added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.

*Delete if not applicable

BIDDER'S DISCLOSURE

2. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Bidders, that person will automatically be disqualified from the bid process.

Bidder's declaration

2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? YES/NO

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

| Full Name | Identity Number | Name of State institution |
|-----------|-----------------|---------------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? YES/NO

2.2.1 If so, furnish particulars:

.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? YES/NO

If so, furnish particulars:

.....

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

3. DECLARATION

I, the undersigned, (name)..... in submitting the accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1. I have read and I understand the contents of this disclosure;
- 3.2. I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.6. There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.7. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.
I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature

.....
Date

.....
Position Name of bidder

.....
Date

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB:BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2. To be completed by the organ of state

- a) The applicable preference point system for this tender is the **80/20** preference point system.
- b) The 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- a) Price; and
- b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

| | POINTS |
|---|--------|
| PRICE | 80 |
| SPECIFIC GOALS | 20 |
| Total points for Price and SPECIFIC GOALS | 100 |

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$Ps = 80 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right) \quad \text{or} \quad Ps = 90 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1 POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$Ps = 80 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right) \quad \text{or} \quad Ps = 90 \left(1 + \frac{Pt - P_{max}}{P_{max}} \right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system, then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

| The specific goals allocated points in terms of this tender | Number of points allocated (80/20 system) (To be completed by the organ of state) | Number of points claimed (80/20 system) (To be completed by the tenderer) |
|---|---|---|
| Enterprise Located in Limpopo | 20/20 | |

SPECIFIC GOALS

To be eligible to claim preference points in terms of preferential procurement policy bidders must submit / provide proof of the following documents:

- ✓ **Enterprise Located in Limpopo** : Bidders must attach proof of residence of where the enterprise is located (Limited to lease agreement, Utility bill from municipality, letter from tribal authority) the proof of residence should either be in the name of the director or the business entity).

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

4.5. TYPE OF COMPANY/ FIRM

- Partnership/Joint Venture / Consortium
- One-person business/sole propriety
- Close corporation
- Public Company
- Personal Liability Company
- (Pty) Limited
- Non-Profit Company
- State Owned Company

[Tick applicable box]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - a) disqualify the person from the tendering process;
 - b) recover costs, losses or damages it has incurred or suffered as a result of that person’s conduct;
 - c) cancel the contract and claim any damages which it has suffered as a result of having to make less favorable arrangements due to such cancellation;
 - d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied;
 - e) and forward the matter for criminal prosecution, if deemed necessary.

.....
SIGNATURE(S) OF TENDERER(S)

SURNAME AND NAME:

DATE:

ADDRESS:

.....

.....

**GOVERNMENT PROCUREMENT
GENERAL CONDITIONS OF CONTRACT**

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

The General Conditions of Contract will form part of all bid documents and may not be amended.

Special Conditions of Contract (SCC) relevant to a specific Bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

TABLE OF CLAUSES

1. Definitions
2. Applications
3. General
4. Standards
5. Use of contract document and information; inspection
6. Patent rights
7. Performance security
8. Inspections, tests and analysis
9. Packing
10. Delivery and documents
11. Insurance
12. Transportation
13. Incidental services
14. Spare parts
15. Warranty
16. Payments
17. Prices
18. Contract amendments
19. Assignment
20. Subcontractors
21. Delays in the supplier's performance
22. Penalties
23. Termination for default
24. Dumping and countervailing duties
25. Force Majeure
26. Termination for insolvency
27. Settlement of disputes
28. Limitation of liability
29. Governing language
30. Applicable law
31. Notices
32. Tax and duties
33. National Industrial Participation Programme (NIPP)
34. Prohibition of restrictive practice

General Conditions of Contract

1. Definitions

The following terms shall be interpreted as indicated:

- 1.1. **“Closing time”** means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2. **“Contract”** means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3. **“Contract price”** means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4. **“Corrupt practice”** means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5. **“Countervailing duties”** are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6. **“Country of origin”** means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7. **“Day”** means calendar day.
- 1.8. **“Delivery”** means delivery in compliance of the conditions of the contract or order.
- 1.9. **“Delivery ex stock”** means immediate delivery directly from stock actually on hand.
- 1.10. **“Delivery into consignees store or to his site”** means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11. **“Dumping”** occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
- 1.12. **“Force majeure”** means an event beyond the control of the supplier and not involving the supplier’s fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13. **“Fraudulent practice”** means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14. **“GCC”** means the General Conditions of Contract.
- 1.15. **“Goods”** means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16. **“Imported content”** means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.

| | |
|------------------------------|--|
| | <p>1.17. “Local content” means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.</p> <p>1.18. “Manufacture” means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.</p> <p>1.19. “Order” means an official written order issued for the supply of goods or works or the rendering of a service.</p> <p>1.20. “Project site,” where applicable, means the place indicated in bidding documents.</p> <p>1.21. “Purchaser” means the organization purchasing the goods.</p> <p>1.22. “Republic” means the Republic of South Africa.</p> <p>1.23. “SCC” means the Special Conditions of Contract.</p> <p>1.24. “Services” means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.</p> <p>1.25. “Written” or “in writing” means handwritten in ink or any form of electronic or mechanical writing.</p> |
| <p>2. Application</p> | <p>2.1. These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.</p> <p>2.2. Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.</p> <p>2.3. Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.</p> |
| <p>3. General</p> | <p>3.1. Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.</p> |

| | |
|--|---|
| | <p>3.2. With certain exceptions, invitations to bid are only published in the Government Bid Bulletin. The Government Bid Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za</p> |
| 4. Standards | <p>4.1. The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.</p> |
| 5. Use of contract documents and information; inspection. | <p>5.1. The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.</p> <p>5.2. The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.</p> <p>5.3. Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.</p> <p>5.4. The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.</p> |
| 6. Patent rights | <p>6.1. The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.</p> |
| 7. Performance Security | <p>7.1. Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.</p> <p>7.2. The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.</p> <p>7.3. The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:</p> <ul style="list-style-type: none"> (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or (b) a cashier's or certified cheque <p>7.4. The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.</p> |
| 8. Inspections, tests and analyses | <p>8.1. All pre-bidding testing will be for the account of the bidder.</p> <p>8.2. If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.</p> |

| | |
|-----------------------------------|--|
| | <p>8.3. If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.</p> <p>8.4. If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.</p> <p>8.5. Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.</p> <p>8.6. Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.</p> <p>8.7. Any contract supplies may on or after delivery be inspected, tested or analysed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal, the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.</p> <p>8.8. The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.</p> |
| 9. Packing | <p>9.1. The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.</p> <p>9.2. The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.</p> |
| 10. Delivery and documents | <p>10.1. Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.</p> <p>10.2. Documents to be submitted by the supplier are specified in SCC.</p> |
| 11. Insurance | <p>11.1. The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.</p> |
| 12. Transportation | <p>12.1. Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.</p> |

| | |
|---------------------------------------|--|
| <p>13. Incidental Services</p> | <p>13.1. The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:</p> <ul style="list-style-type: none"> (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods; (b) furnishing of tools required for assembly and/or maintenance of the supplied goods; (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods; (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods. <p>13.2. Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.</p> |
| <p>14. Spare parts</p> | <p>14.1. As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:</p> <ul style="list-style-type: none"> (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and (b) in the event of termination of production of the spare parts: <ul style="list-style-type: none"> (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and (ii) Following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested. |
| <p>15. Warranty</p> | <p>15.1. The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models and that, they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.</p> <p>15.2. This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.</p> <p>15.3. The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.</p> <p>15.4. Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.</p> |

| | |
|---|---|
| | <p>15.5.If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier’s risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.</p> |
| 16. Payment | <p>16.1. The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.</p> <p>16.2. The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfilment of other obligations stipulated in the contract.</p> <p>16.3. Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.</p> <p>16.4. Payment will be made in Rand unless otherwise stipulated in SCC.</p> |
| 17. Prices | <p>17.1. Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorised in SCC or in the purchaser’s request for bid validity extension, as the case may be.</p> |
| 18. Contract Amendments | <p>18.1. No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.</p> |
| 19. Assignment | <p>19.1. The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser’s prior written consent.</p> |
| 20. Subcontracts | <p>20.1. The supplier shall notify the purchaser in writing of all subcontracts awarded under these contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.</p> |
| 21. Delays in the supplier’s performance | <p>21.1. Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.</p> <p>21.2. If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier’s notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier’s time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.</p> <p>21.3. No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.</p> <p>21.4. The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier’s point of supply is not situated at or near the place where the supplies are required, or the supplier’s services are not readily available.</p> <p>21.5. Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.</p> <p>21.6. Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without cancelling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier’s expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier</p> |

| | |
|---|--|
| <p>22. Penalties</p> | <p>22.1. Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.</p> |
| <p>23. Termination for default</p> | <p>23.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:</p> <ul style="list-style-type: none"> (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2; (b) if the Supplier fails to perform any other obligation(s) under the contract; or (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract. <p>23.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.</p> <p>23.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.</p> <p>23.4. If a purchaser intends to impose a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than 14 days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated 14 days the purchaser may regard the intended penalty as not objected against and impose it on the supplier.</p> <p>23.5. Any restriction imposed on any person by the Accounting Officer/ Authority will, at the discretion of the Accounting Officer/ Authority, should be applicable to any other enterprise or nay partner, manager, director or other person who wholly or party exercises or exercised or may exercise control over the enterprise of the first mentioned person, and with which enterprise or person the first mention person, is or was in the opinion of the AO/AA actively associated.</p> <p>23.6. If a restriction is imposed, the purchaser must, within 5 days of such imposition is imposed, the purchaser must within five (5) working days of such imposition, furnish the National Treasury, with the following information:</p> <ul style="list-style-type: none"> (i) The name and address of the supplier and / or person restricted by the purchaser; (ii) The date of commencement of the restriction; (iii) The period of restriction; and (iv) The reasons for the restriction. <p>These details will be loaded in the National treasury’s central database of suppliers or person prohibited from doing business with the public sector.</p> |

| | |
|---|---|
| | <p>23.7. If a court of law convicts a person on an offence as contemplated in section 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the register for Bid Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than 5 years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury's web-site.</p> |
| <p>24. Anti-dumping and countervailing duties and rights</p> | <p>24.1. When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him.</p> |
| <p>25. Force Majeure</p> | <p>25.1. Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.</p> <p>25.2. If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.</p> |
| <p>26. Termination for insolvency</p> | <p>26.1. The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.</p> |
| <p>27. Settlement of Disputes</p> | <p>27.1. If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.</p> <p>27.2. If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.</p> <p>27.3. Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.</p> |

| | |
|--|--|
| | <p>27.4. Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.</p> <p>27.5. Notwithstanding any reference to mediation and/or court proceedings herein,</p> <p>(a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and</p> <p>(b) the purchaser shall pay the supplier any monies due the supplier.</p> |
| 28. Limitation of Liability | <p>28.1. Except in cases of criminal negligence or wilful misconduct, and in the case of infringement pursuant to Clause 6;</p> <p>(a) the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and</p> <p>(b) the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment</p> |
| 29. Governing Language | <p>29.1. The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.</p> |
| 30. Applicable Law | <p>30.1. The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.</p> |
| 31. Notices | <p>31.1. Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice.</p> <p>31.2. The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.</p> |
| 32. Taxes and Duties | <p>32.1. A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.</p> <p>32.2. A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.</p> <p>32.3. No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.</p> |
| 33. National Industrial Participation Programme (NIP) | <p>33.1. The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation.</p> |
| 34. Prohibition of Restrictive practices | <p>34.1. In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).</p> <p>34.2. If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.</p> <p>34.3. If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.</p> |

General Conditions of Contract

DECLARATION OF COMPLIANCE GENERAL CONDITIONS OF CONTRACT

| | | |
|--|------------|-------------------|
| The bidder declares to accept all the Conditions as outlined in the scope of work as specified above by indicating with an "X" in the "ACCEPT ALL" column. | ACCEPT ALL | DO NOT ACCEPT ALL |
| <p>NOTE: FAILURE TO ACCEPT ALL THE SCOPE OF WORK AS SPECIFIED IN THE ABOVE WILL RESULT IN DISQUALIFICATION OF YOUR BID.</p> <p>Signature.....Name (in print).....</p> <p>Date.....</p> | | |



LIMPOPO
PROVINCIAL GOVERNMENT
REPUBLIC OF SOUTH AFRICA

**DEPARTMENT OF
HEALTH**

TERMS OF REFERENCE

HEDP003/25/26: SUPPLY AND DELIVERY OF MEDICAL ORTHOTIC AND PROSTHETIC CONSUMABLES IN THE LIMPOPO DEPARTMENT OF HEALTH FOR A PERIOD OF THIRTY-SIX (36) MONTHS

TABLE OF CONTENTS

| Contents | Page |
|--|-------------|
| 1. PURPOSE | 23 |
| 2. INTRODUCTION | 23 |
| 3. BACKGROUND..... | 23 |
| 4. SCOPE OF WORK..... | 23 |
| 5. TECHNICAL REQUIREMENTS..... | 24 |
| 6. WARRANTY & AFTER-SALES SUPPORT..... | 24 |
| 7. TECHNICAL SPECIFICATIONS AND PRICING SCHEDULE (ANNEXURE A)..... | 25 |
| 8. KEY ASPECTS OF THE BID PROPOSAL AND SPECIAL CONDITION OF CONTRACT INSTRUCTIONS | 26 |
| 9. BID AWARD & CONTRACT CONDITIONS..... | 27 |
| 10. THE BID ALLOCATION STRATEGY..... | 27 |
| 11. PRICING AND AWARDED CONDITIONS..... | 28 |
| 12. DECLARATION OF COMPLIANCE TO SCC | 29 |
| 13. EVALUATION CRITERIA | 29 |
| 14. PRICING INSTRUCTIONS..... | 34 |
| 15. DELIVERY PERIOD | 34 |
| 16. CONTRACT CO-ORDINATION ARRANGEMENTS | 35 |
| 17. BRIEFING SESSION..... | 35 |
| 18. ENQUIRIES..... | 35 |
| 19. ANNEXURE A : PRICING SCHEDULE..... | 37 |
| 20. ANNEXURE B: PORTFOLIO OF CURRENT AND COMPLETED CONTRACTS. | 102 |

1. PURPOSE

- 1.1. The Department of Health in Limpopo Province intends to appoint suitable service provider(s) for the supply and delivery of Medical Orthotic and Prosthetic Consumables in the Limpopo Department of Health for a period of thirty-six (36) months.
- 1.2. This document serves to set out the terms of reference for the services required, and reputable service providers/ suppliers are thus invited to submit bids in this regard.

2. INTRODUCTION

- 3.1 The Department is thus calling for bids from service providers with a solid experience and track record in the consumables required under this bid. The consumables will be used for patient assessment, fabrication, repairs, and fitting of orthotic and prosthetic devices within departmental Orthotic & Prosthetic Centres and Rehabilitation Units.

3. BACKGROUND

- 4.1 The Medical Orthotics and Prosthetics Division in the Limpopo Department of Health provides persons with disabilities with assistive devices which provide independent living.
- 4.2 Medical orthotics and prosthetics consumables need to be readily available to patients/ clients who need these consumables without waiting for a lengthy period. These consumables are needed for rehabilitation of our patients and integration of persons with disabilities in the community.
- 4.3 The supplier is expected to supply and deliver medical orthotics and prosthetics consumables as per the specification to various Health Facilities of the Limpopo Department of Health for a period of thirty-six months (36) as and when required.

4. SCOPE OF WORK

- 5.1 The appointed service provider(s) will be responsible for:
 - 5.1.1 Supplying a comprehensive range of approved orthotic and prosthetic consumables.
 - 5.1.2 Ensuring delivery to Provincial, Regional, and District Hospitals.
 - 5.1.3 Maintaining consistent stock availability for the duration of the contract.
 - 5.1.4 Ensuring that all items comply with SABS, ISO, or equivalent medical device standards.

5. TECHNICAL REQUIREMENTS

5.1 Quality Standards

5.1.1 All products must comply with:

- Medical Device Regulations (valid SAHPRA certificate where applicable)
- ISO 13485 standards
- SABS quality requirements
- Manufacturer certification and traceability

5.1.2 Delivery, Packaging and Labelling

5.1.2.1 Items must be delivered in original, sealed manufacturer packaging.

5.1.2.2 Each product must be clearly labelled with product name, batch number, expiry date (if applicable), and country of origin.

5.1.2.3 The bidder must provide a letter of commitment to provide all the commodities. This shall be binding; therefore, the bidder shall be required to deliver within 15–21 calendar days for locally manufactured items and 45 calendar days for imported items to avoid ambiguity over calendar days and working days upon receiving the official purchase order/s from Hospitals/ District office/ Provincial office, if manufactured abroad (provide evidence of consumables procured abroad examples not limited to , import permits, invoices, manufacturer appointment letters, or shipping documentation.). Part deliveries will not be accepted except where prior arrangement is made with the respective institution.

5.1.3 Shelf Life

5.1.3.1 Consumables with expiry dates must have a minimum of **12 months remaining** upon delivery.

6. WARRANTY & AFTER-SALES SUPPORT

6.1. All prosthetic and orthotic components must carry a minimum 12-month warranty against manufacturing defects.

6.2. Supplier must provide support for defective items, including replacement within 7 days of notification.

6.3. Service provider must offer product technical information sheets and fitting guidelines when required.

7. TECHNICAL SPECIFICATIONS AND PRICING SCHEDULE (ANNEXURE A)

7.1. These specifications establish the requirements for the supply and delivery of medical orthotics and prosthetics consumables to all Limpopo Province Health facilities as and when the need arise, for a period of thirty-six (36) months, as and when the need arise.

7.2. Items required include, but are not limited to:

7.2.1. Prosthetic Consumables

- Prosthetic sockets (thermoplastic sheets, PP/PE materials)
- Laminating resins and hardeners
- Carbon fibre, nylon stockinette, lamination materials
- Prosthetic feet (SACH, Dynamic Response, etc.)
- Prosthetic knees (single-axis, polycentric, pneumatic or hydraulic units)
- Pylons, adaptors, tube clamps, pyramid adaptors
- Liners (silicone, TPE, gel)
- Sleeves and suspension systems
- Prosthetic cosmetic covers
- Foot shells

7.2.2. Orthotic Consumables

- Thermoplastic sheets (polypropylene, polyethylene, copolymer, EVA foam, etc.)
- Velcro straps, buckles, fasteners
- Metals and joints (knee joints, ankle joints, drop locks, offset joints)
- Orthotic pads, foam, lining materials
- Preformed insoles and orthopaedic footwear components
- Plaster of Paris bandages and casting materials
- Carbon fibre and glass fibre rolls for orthotic fabrication
- Screws, rivets, orthotic hardware kits

7.2.3. Consumable Fabrication Materials

- Resins, glues, adhesives
- Abrasives (sanding sleeves, papers, grinding wheels)

- Finishing materials (polishes, sealants)
- Casting socks and sleeves
- Latex gloves, workshop consumables

It is compulsory for the bidder to quote for all the commodities and all items under each commodity.

8. KEY ASPECTS OF THE BID PROPOSAL AND SPECIAL CONDITION OF CONTRACT INSTRUCTIONS

8.1. Bidders must take note of the following fundamental aspects before submission of their bid proposals:

- 8.1.1 The successful bidder will be bound by Government Procurement: Special Conditions of Contract (SCC), which will form part of the signed contract with the successful bidder.
- 8.1.2 The signed contract, which is inclusive of the GCC, SCC and Technical specification shall be signed within seven (7) working days after the acceptance of the award of the bid. SLA which is regarded as a performance agreement by the LDoH shall be negotiated with the end-user and signed off 30 days after signing of the contract with the Accounting Officer.
- 8.1.3 LDoH reserves the right to –
- 8.1.3.1 Negotiate the conditions, or
- 8.1.3.2 Automatically disqualify a bidder for not accepting these conditions.
- 8.1.3.3 In the event that the bidder qualifies the proposal with own conditions and does not specifically withdraw such own conditions when requested upon to do so; LDoH shall disqualify the bid.
- 8.1.4 Bidders must take note of the following fundamental aspects before submission of their bid proposals.
- 8.1.5 Bidders must submit their bids on the stipulated closing date and time. Late bids will not be accepted.
- 8.1.6 In order to evaluate and adjudicate bid effectively, it is imperative that bidders submit responsive bids. To ensure a responsive bid it is imperative to comply with all conditions pertaining to terms of reference.
- 8.1.7 The bid document must be completed with indelible ink and alterations/corrections must be signed (No correction fluid/eraser allowed);
- 8.1.8 Each bidder must attach all applicable documents in support of its bid in accordance with the requirements set out in this bid as well as any other relevant materials, photographs and/or attachments.

- 8.1.9 The department reserves the right to verify any information supplied by the bidder and should the information be found to be false or incorrect, the department will disqualify the bid and may further exercise any of the remedies available to it.
- 8.1.10 Each bid, once submitted, constitutes a binding and irrevocable offer to provide the services on the terms set out in the bid, which offer cannot be amended after its date of submission.

9. BID AWARD & CONTRACT CONDITIONS

- 9.1 The shortlisted bidders shall be subjected to Supply Chain Management screening processes and only successful bidders who are cleared during screening shall be considered for appointment.
- 9.2 The department is not obliged to accept or consider any bid in full or in part or any responses or submissions in relation thereto and may reject any bid. The award of the tender may be subjected to price negotiation with the preferred bidder/s.
- 9.3 The department may, on reasonable and justifiable grounds, award the bid to a company that did not score the highest number of points.
- 9.4 The contract period will be in terms of the service level agreement.
- 9.5 Bidders shall be notified about the decision of the Department by means of publication in the Provincial Tender Bulletin or other means.
- 9.6 Awarding of the bid shall be subject to the Service Provider(s) acceptance of National Treasury General Conditions of Contract (GCC).

10. THE BID ALLOCATION STRATEGY

- 10.1 The department reserves the right to award the bid to one or more service providers, wholly or in part or not to award as follows:
- 10.1.1 The bid shall be awarded based on scoring ranking of price and specific goals.
- 10.1.2 LDoH will award to multiple suppliers per category per district based on scoring ranking of price and specific goals.
- 10.1.3 The price of the overall winning bidder shall be utilized to allocate or pass the bid to other bidders where possible. In the event that any bidder is awarded and reject the award, the award shall be taken back to the winning bidder after exhausting the allocation of all the preferred bidders.
- 10.1.4 The department may, on reasonable and justifiable grounds, award the bid to company that did not score the highest points in terms of price and specific goals.
- 10.1.5 District Ranking for LDoH is as follows:

| DISTRICT NAME | RANKING |
|------------------------|---------|
| 1. Capricorn District | 1 |
| 2. Vhembe District | 2 |
| 3. Mopani District | 3 |
| 4. Sekhukhune District | 4 |
| 5. Waterberg District | 5 |

11. PRICING AND AWARDING CONDITIONS

11.1 The department shall conduct market research to determine if preferred bidder did not underquote or overcharged their offer.

11.2 Overcharged prices by the preferred bidder shall be subjected to price negotiation or a price offer by the department (as a process to kick-start the negotiation).

11.3 Underquoted prices shall be subjected to price justification (preferred bidder shall be required to justify their price failure which will render their bids disqualified).

11.4 All prices charged must be inclusive of business overheads, applicable taxes, and VAT. NB: Successful bidders who are not registered for VAT at the time of bidding must register as required by law within 30 days after award.

11.5 Bidders must quote for all items under this bid and those who do not quote for all items shall be unaccepted/disqualified. Arithmetic errors on the Pricing Schedule as Annexure A will be rectified on the following basis:

- ✓ If there is a discrepancy between the unit price and the total price that is obtained by multiplying and/or adding the unit price and quantity, the unit price shall prevail. If the bidder does not accept the correction of errors, its bid shall be disqualified.
- ✓ Bids that fail to conform to the conditions as set out under this pricing structure and schedule shall be disqualified.
- ✓ Bidders to take note that this bid shall be valid for the period of 360 days and the validity period may be extended if necessary.

12. DECLARATION OF COMPLIANCE TO SCC

| | | |
|---|-------------------|--------------------------|
| The bidder declares to accept all the Conditions as outlined in the SPECIAL CONDITIONS OF CONTRACT as specified above by indicating with an “X” in the “ ACCEPT ALL ” column. | ACCEPT ALL | DO NOT ACCEPT ALL |
| | | |
| NOTE: FAILURE TO ACCEPT ALL THE SCC AS SPECIFIED IN THE ABOVE MAY RESULT IN DISQUALIFICATION OF YOUR BID. | | |
| Signature.....Name (in print) | | |
| Date..... | | |

13. EVALUATION CRITERIA

- ❖ This bid shall be evaluated in three (03) phases as follows:
 - Phase 1: Mandatory Requirements
 - Phase 2: Administrative Compliance
 - Phase 3: Evaluation on price and specific goals

13.1 PHASE 1 : MANDATORY REQUIREMENTS

- ❖ The following mandatory documents must be submitted with the bid and failure which the bidder will be disqualified and not be evaluated any further.

| FOL | MANDATORY BIDDING REQUIREMENTS | BIDDER'S RESPONSE (Comply/ Not Comply) |
|---------|---|---|
| 13.1.1. | A copy of a valid South African Health Products Regulatory Authority (SAHPRA) license as a manufacturer, distributor, or wholesaler must be submitted for all items, excluding Categories B and I. Failure to submit a SAHPRA license for items that require such approval will result in automatic disqualification. | |
| 13.1.2. | A copy of the registration certificate with the Health Professions Council of South Africa (HPCSA) must be provided for the in-house (full-time) Medical Orthotist and Prosthetist | |

| FOL | MANDATORY BIDDING REQUIREMENTS | BIDDER'S RESPONSE (Comply/ Not Comply) |
|---------|---|---|
| 13.1.3. | <p>The bidder must provide a copy of a valid ISO 13485 for international items and/or SANS/ISO 13485 certificate for items including addition local requirements. (Quality Management System) or an equivalent manufacturer certificate as proof of compliance with quality management standards. For example (CE marking, GMP (Good Manufacture Practice) certification, MDR (Medical Device Regulation) conformity certificate, FDA QSR (Quality System Regulation) compliance, or MDSAP (Medical Device Single Audit Program) certification)</p> | |
| 13.1.4. | <p>Financial Capacity of the Bidder</p> <p>The following is required to test for financial capacity of the bidder with a minimum value of R200 000.00</p> <ul style="list-style-type: none"> ✓ An undertaking by a registered financial institution (bank) to provide funding/revolving credit, or overdraft facility. (Not a conditional assessment of Credit Rating or Bank Ranting) <li style="text-align: center;">OR ✓ An undertaking by the National Credit Regulator (NCR or FSP) registered institution to provide funding / revolving credit. <li style="text-align: center;">OR ✓ Current three (3) months bank statement averaging the minimum required value of R 200 000.00 <li style="text-align: center;">OR <p>An investment account accessible within a period not exceeding 32 days of withdrawal of the investment (confirmation letter/ proof of the investment must indicate withdrawal days.</p> | |
| 13.1.5. | <p>The bidder must provide a letter of commitment to provide all the commodities. This shall be binding; therefore, the bidder shall be required to deliver within 15-21 days if consumables are manufactured locally and fourty five days (45) upon</p> | |

| FOL | MANDATORY BIDDING REQUIREMENTS | BIDDER'S RESPONSE (Comply/ Not Comply) |
|---------|---|---|
| | receiving the official purchase order/s from Hospitals/ District office/ Provincial office, if manufactured abroad (provide evidence of consumables procured abroad). Part deliveries will not be accepted except where prior arrangement is made with the respective institution. | |
| 13.1.6. | <p>Submission of Proof of Ownership of a Minimum of Two (2) Closed Delivery Vehicles (minimum 1-ton panel vans)</p> <p>The bidder must submit certified copies of the registration certificates and valid vehicle license disks for roadworthy delivery vehicles related to the bid items. These vehicles must be registered in the name of the bidding company.</p> <p>If the bidder does not own the motor vehicles intended for delivery, a letter of intent on the principal supplier's letterhead, signed by the fleet company, must be provided. This letter must be accompanied by copies of the vehicles' registration certificates and valid licence disks.</p> | |
| 13.1.7. | <p>The stipulated minimum threshold percentage for local production and content for Leather and Footwear sectors is 100%.</p> <p>Only locally produced or locally manufactured Textiles, Clothing, Leather and Footwear from local raw material or input will be considered. If the raw material or input to be used for a specific item is not available locally, bidders should provide written authorisation from DTI to import such raw material.</p> | |
| 13.1.8. | A fully completed Detailed Technical Specification Table (see Annexure A) must be submitted. Items marked with a #Tag are mandatory and must be complied with by the bidder. | |
| 13.1.9. | <p>Bid declarations: The following declarations must be completed and signed (failure shall render the bid invalid)</p> <ul style="list-style-type: none"> ✓ General conditions of the contract (GCC) <p>Special Conditions of Contract (SCC)</p> | |

13.2 PHASE 2: ADMINISTRATIVE COMPLIANCE

- 13.2.1 The LDoH has prescribed minimum administrative requirements that must be met by all bidders in order for the former to accept the bid for evaluation. In this regard administrative compliance will be carried out to determine whether the bidder's bid comply in this regard.
- 13.2.2 Where the bidder fails to comply fully with any of the administrative bidding requirements under the bid or the LDoH is for any reason unable to verify whether administrative bidding requirements are fully complied with, the LDoH reserves the right to:
- ✓ Rejects the bid in question and not evaluate it at all.
 - ✓ Give bidder an opportunity to submit and /or supplement the information and /or documentation provided to achieve full compliance with the administrative bidding requirements, provided that such information/ documentation can be provided within the period that will be determined by the LDoH, and such supplementary information/ documentation is only administrative and not substantive in nature. The evaluation team shall agree on the timeframe to be granted for bidders to furnish the information required. The maximum number of days shall not exceed 7 days.
 - ✓ Permit the bid to be evaluated, subject to the outstanding information and/or documentation being submitted prior to the award of the bid.
- 13.2.3 The LDoH may waive any minor informality or non-conformity or irregularity in a bid which does not constitute a material deviation, provided such waiver does not prejudice any bidder.
- 13.2.4 **Bidders shall take note of the following guidelines:**
- 13.2.5 The below administrative bidding requirements shall be complied with and required documents must be attached before consideration for evaluation. The bidder shall respond with **“Comply”**, **“Not Comply”** or **“Not Applicable”** in the apportioned spaces. The **“Not Applicable”** answer shall only be considered where the response field has the wording **“If Applicable”**.

NB: Bidders may be disqualified for failure to comply with the above guidelines when responding to administrative bidding requirements or failure to attach or complete and/or sign any of the designated areas of the documents mentioned above. Bidders may be given an opportunity to remedy administrative errors or omissions that are not substantive in nature (which does not advance the bidder or provide an advantage to the bidder).

| FOL | ADMINISTRATIVE BIDDING REQUIREMENTS | BIDDER'S RESPONSE (Comply/ Not Comply / Not Applicable) |
|----------|---|--|
| 13.2.5.1 | Submission of the following standard bidding documents (fully completed and signed) | |
| (i) | SBD 1: Invitation to Bid, | |
| (ii) | SBD 3.1: firm prices | |
| (iii) | SBD 4: Bidders disclosure NB. All companies that are under the name of the director/shareholder or member or trustees must be declared, irrespective of whether they (companies) are used for bidding or not. Including Joint Venture/ Consortium/Partnership/Sub-contractor | |
| (iv) | Attachment of Central Supplier Database Registration Report (CSD) or provision of <u>“MAAA” Number</u> | |
| (v) | In case of Consortium or Joint Venture (IF APPLICABLE) the following are required: | |
| 13.2.5.2 | Signed agreement between involved parties indicating the lead member (In case of Consortium or Joint Venture or partnerships or sub-contracting) or signed agreement. | |
| 13.2.5.3 | Every member of the Consortium or Joint Venture or Sub-contractor must be registered on the Central Supplier Database, Consortium or Joint Venture must submit consolidated <u>CSD REGISTRATION report</u> or <u>“MAAA” number</u> . NB Subcontractors must attach a <u>CSD REGISTRATION REPORT</u> or <u>provide “MAAA” Number</u>. | |
| (i) | Letter of appointment by consortium/joint venture parties for a representative to sign the bid documents; | |
| (ii) | Every member of the Consortium or Joint Venture joint venture is registered on the Central Supplier Database; | |
| 13.2.5.4 | Provide the product catalogue with item codes and detailed technical descriptions of the required items as per specification. | |

NB: Returnable documents should be chronologically indexed with a contents list.

13.3 PHASE 3: EVALUATION ON PRICE AND SPECIFIC GOALS

13.3.1. This bid shall be evaluated in terms of **80/20** preference points system.

13.3.2. **To be eligible to claim for preference points, bidders must complete SBD6.1: Preference points claim form in terms of the preferential procurement regulation 2022.**

13.3.3. Points shall be awarded to a bidder for attaining the preferential procurement points in accordance with the table below:

| PREFERENTIAL GOALS | PREFERENTIAL POINTS |
|--|---------------------|
| | 80/20 |
| Enterprise located in Limpopo Province | 5/20 |
| SMMEs | 5/20 |
| Woman | 2/20 |
| Disability Persons | 5/20 |
| Youth | 3/20 |

13.3.4. **People living with Disability:** Submission of signed-offer by a Medical Practitioner (Doctor's letter) indicating whether the disability is temporary or permanent. Affidavit detailing the above will also be acceptable.

13.3.5. **Women:** Bidders must submit the latest full Central Supplier Database (CSD report). **The date of the report must be the latest i.e. at least 21 days before the Bid Closure.**

13.3.6. **Youth:** Bidders must submit the latest full Central Supplier Database (CSD report). **The date of the report must be the latest i.e. at least 21 days before the Bid Closure.**

13.3.7. **Enterprise Located in Limpopo:** Bidders must attach proof of residence of where the enterprise is located (Limited to lease agreement, Utility bill from municipality, letter from tribal authority) the proof of residence should either be in the name of the director or the business entity).

13.3.8. **SMMEs:** Bidders must attach a valid BEE certificate (SANAS, DTI) or original sworn affidavit.

N.B Specific goals will be allocated based on equity ownership in the company.

14 PRICING INSTRUCTIONS

14.1 All prices charged must be inclusive of business overheads and VAT. NB: Successful bidders who are not registered for VAT at the time of bidding must register, as required by law, immediately after the award.

14.2 The price must be inclusive of delivery charges (No delivery cost may be claimed separately)

15 DELIVERY PERIOD

15.1 The bidder must provide a letter of commitment to provide all the commodities. This shall be binding; therefore, the bidder shall be required to deliver within 15-21 days if consumables are manufactured locally and forty five days (45) upon receiving the official purchase order/s from Hospitals/ District office/ Provincial office, if manufactured abroad (provide evidence of consumables procured abroad). Part deliveries will not be accepted except where prior arrangement is made with the respective institution.

16 CONTRACT CO-ORDINATION ARRANGEMENTS

16.1 The Medical Orthotics and Prosthetics divisions in the Limpopo Department of Health shall be responsible for the coordination of this contract.

17. BRIEFING SESSION

17.1 **There will be non- compulsory briefing session for this bid and details are as follows:**

Date: 15 July 2026
Venue: Virtual (Teams)
Time: 10:00

18. ENQUIRIES

18.1 All enquiries regarding the bid may be directed to the following:

| Physical Address | Technical Enquiries | Bidding Process |
|--|---|---|
| Department of Health 18 College Street Polokwane 0699 | Ms. V Sekole (015) 287 5237 Varely.Sekole@dhsd.limpopo.gov.za Mr. I Lategan (015) 303 8317/8 Ian.Lategan@dhsd.limpopo.gov.za | Mr.Sekome T 015 293 6581 Taelo.Sekome@dhsd.limpopo.gov.za Ms Motene NM (015) 293 6350 Ntlama.Maphahlele@dhsd.limpopo.gov.za |

❖ **LIST OF CATEGORIES FOR MEDICAL ORTHOTICS AND PROSTHETICS**

- A. OFF THE SHELF (20 Items)**
- B. CHEMICAL AND LAMINATION (27 Items)**
- C. ORTHOPAEDIC FOOTWEAR (9 Items)**
- D. COMPRESSION STOCKINGS AND STUMP SHRINKERS (15 Items)**
- E. STUMP SOCKS (22 Items)**
- F. LEATHER AND SHOE MATERIALS (54 Items)**
- G. PAEDIATRICS PROSTHETICS (21 Items)**
- H. PROSTHETICS ADULT LOWER LIMB (36 Items)**
- I. MOP MISCELLANEOUS (31 Items)**
- J. UPPER LIMB PROSTHETICS (31 Items)**
- K. ANKLE JOINTS (10 Items)**
- L. BREAST PROSTHESIS (2 Items)**
- M. SPINAL ORTHOTICS (3 Items)**
- N. ADULT PROSTHETICS KNEE JOINTS (8 Items)**

19. ANNEXURE A : PRICING SCHEDULE

A. OFF THE SHELF

| ITEM NR. | ITEM | DESCRIPTION | SIZE | PRICE 1 st YEAR | PRICE 2 nd YEAR | PRICE 3 RD YEAR |
|----------|---------------------------|--|------------|----------------------------|----------------------------|----------------------------|
| 1 | Heel spur pads | <ul style="list-style-type: none"> • Silicone heel cup • Soft offloading centre heel region • Relieve direct pressure from heel spur/calcaneus • Worn inside shoes Packaging= pair | S | | | |
| | | | M | | | |
| | | | L | | | |
| 2 | Ankle brace (Semi Rigid) | Semi-rigid anatomically designed shells for protection. <ul style="list-style-type: none"> • Prevents eversion & inversion. • With medial-lateral reinflated cells • Adjustable mediolateral strap Packaging= each | Paediatric | | | |
| | | | S | | | |
| | | | M | | | |
| 3 | Ankle Brace (Lacing) | Lightweight composed of fabric boots with open toes <ul style="list-style-type: none"> • Wide compression straps • Lace pulling system for total fit • Fits left or right Packaging = Each | XS | | | |
| | | | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | XL | | | |
| | | | XXL | | | |
| 4 | Ankle foot Orthosis (AFO) | Thermoplastic drop foot split <ul style="list-style-type: none"> • To be worn with all types of shoes • Calf Velcro strap for suspension. • Left or right Packaging= Each | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |

| | | | | | | |
|---|---------------------------------------|---|-----|--|--|--|
| | | | | | | |
| 5 | Diabetic shoe | Off-loading shoe for diabetic foot <ul style="list-style-type: none"> • Lightweight breathable material • Grid load design to distribute pressure away from ulcers. • Square toe box and wide foot box • Fits left or right foot • Velcro straps fastening Packaging= each | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| 6 | Moon boot (Moonwalker) – Long | Enclosed shell with Instep, foot, and calf Velcro straps for suspension <ul style="list-style-type: none"> • Soft lining interphase • With medial and lateral Inflatable/Deflatable air chambers • Padded soft innersole • With an integrated pump system or separate pump • Long • Rocker sole Packaging= each | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | XL | | | |
| 7 | Moon boot (Moonwalker) – Short | Enclosed shell with Instep, foot, calf Velcro straps for suspension <ul style="list-style-type: none"> • Soft lining interphase • With medial and lateral Inflatable/Deflatable air chambers • Padded soft innersole • With integrated pump system or separate pump • Short • Rocker sole Packaging= each | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | XL | | | |

| | | | | | | |
|---|---|--|--|--|--|--|
| 8 | Truss/ inguinal hernia belt | Soft Elastic waist belt made of nylon <ul style="list-style-type: none"> Removable Left and right compression pads Gradual compression strap 2 peroneal straps for reinforcement Packaging= each | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | XL | | | |
| 9 | Knee brace open patella Non wrap around | Non-wrap-around knee brace with medial-lateral upright hinges <ul style="list-style-type: none"> Neoprene material Aluminium medial and Lateral Upright joints/ hinges Fits left or right With superior and inferior strapping Thigh wider than calf region Packaging= each Below knee= BK Above knee= AK Centre knee= CK | Xsmall BK 25 to 30 cm CK 30 to 33 AK 30 to 39 | | | |
| | | | Small BK 30 to 36 cm CK 33 to 36 AK 39 to 47 | | | |
| | | | Medium BK 36 to 41 cm CK 35 to 38 AK 47 to 53 | | | |
| | | | Large BK 41 to 46 cm CK 38 to 43 AK 53 to 60 | | | |
| | | | X Large BK 46 to 51 cm CK 43 to 48 AK 60 to 67 | | | |
| | | | XX-Large BK 51 to 56 cm CK 48 to 53 AK 67 to 75 | | | |
| | | | XXX-Large BK 56 to 61 cm CK 53 to 58 | | | |

| | | | | | | |
|----|--|--|---|--|--|-----------|
| | | | AK 75 to 81 | | | |
| 10 | Knee brace open patella – Wrap Around | Knee brace wrap around with medial lateral upright hinges <ul style="list-style-type: none"> • Neoprene material • Aluminium medial and Lateral Upright joints/ hinges • Fits left or right • With superior and inferior strapping • For medial or lateral osteoarthritis of the knee • Thigh wider than calf region Packaging= each Below knee= BK Above knee= AK Centre knee= CK | Xsmall BK 25 to 30 cm CK 30 to 33 AK 30 to 39 | | | |
| | | | Small BK 30 to 36 cm CK 33 to 36 AK 39 to 47 | | | |
| | | | Medium BK 36 to 41 cm CK 35 to 38 AK 47 to 53 | | | |
| | | | Large BK 41 to 46 cm CK 38 to 43 AK 53 to 60 | | | |
| | | | X Large BK 46 to 51 cm CK 43 to 48 AK 60 to 67 | | | |
| | | | XX-Large BK 51 to 56 cm CK 48 to 53 AK 67 to 75 | | | |
| | | | XXX-Large BK 56 to 61 cm CK 53 to 58 AK 75 to 81 | | | |
| | | | 11 | Knee Range of motion brace (ROM) Swedish knee cage | Aluminium medial-lateral Upright joints with soft padding and straps. <ul style="list-style-type: none"> • Height adjustable • Flexion angle adjustable in | Universal |

| | | | | | | |
|----|----------------------------------|---|------------|--|--|--|
| | | <p>increments of 10 degrees</p> <ul style="list-style-type: none"> Fits left or right <p>Packaging= each</p> | | | | |
| 12 | Sacroiliac/Pelvic belt | <p>Elastic or soft padded material with tension straps</p> <ul style="list-style-type: none"> For pelvic fractures Stabilization of the sacroiliac joint. <p>Packaging= each</p> | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| 13 | Abdominal binder | <ul style="list-style-type: none"> Elastic binder For post-abdominal surgery compression and support Velcro opening and closing. <p>Packaging= each</p> | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| | | | XX L | | | |
| | | | XXXL | | | |
| 14 | Lumbar corset | <ul style="list-style-type: none"> Elastic materials Velcro closing and opening Provides strong compression Rigid dorsal uprights For lower back pains <p>Packaging= each</p> | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| | | | XX L | | | |
| | | | XXX L | | | |
| 15 | Philadelphia collar | <ul style="list-style-type: none"> Lightweight foam plastic Two-piece neck collar Fastened with Velcro straps Trachea opening <p>Packaging= each</p> | Paediatric | | | |
| | | | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| 16 | Humerus brace rigid Rigid | <ul style="list-style-type: none"> Two pieces / Bi-valve Fastened with straps Supplied with 2 stockinettes and 1 arm sling Cast like construction of the humerus | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |

| | | | | | | |
|----|--|--|-----------|--|--|--|
| | | <ul style="list-style-type: none"> • For midshaft and distal humerus fractures. • Foam lined shell • Total contact circumferential soft tissue compression • Allow ranges of both elbow and shoulder joints • Fits left and right • Covers shoulder level <p>Packaging= kit</p> | | | | |
| 17 | Elbow ROM brace | <ul style="list-style-type: none"> • For a controlled or adjustable range of motion • 10 to 15 degrees increments • Lock function • Left or right <p>Packaging= each</p> | Universal | | | |
| 18 | Arm sling with waist strap Clinic shoulder immobiliser | <ul style="list-style-type: none"> • With waist strap • For complete immobilisation of the glenohumeral joint • With shoulder pad • Fits left or right <p>Packaging= each</p> | Small | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X Large | | | |
| | | | XXL | | | |
| 19 | Wrist splint with thumb piece | <ul style="list-style-type: none"> • Velcro opening and closing • Neoprene material • Volar metal or rigid support • Left or right <p>Packaging= each</p> | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| | | | | | | |
| 20 | Wrist splint without thumb piece | <ul style="list-style-type: none"> • Velcro opening and closing • Cotton lining for comfort • Left or right <p>Packaging= each</p> | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |

B. CHEMICALS AND LAMINATION

| ITEM NR. | ITEM | DESCRIPTION | SIZE | PRICE 1 st YEAR | PRICE 2 nd YEAR | PRICE 3 RD YEAR |
|----------|----------------------------------|---|-----------|----------------------------|----------------------------|----------------------------|
| 1 | Lamination Resin | Acrylic 80 hard 20% soft <ul style="list-style-type: none"> • Low viscosity Packaging=each | 4.6 - 5kg | | | |
| 2 | Lamination Resin Soft | Used for laminating very flexible components. <ul style="list-style-type: none"> • Low viscosity Packaging=each | 4.6 - 5kg | | | |
| 3 | Lamination Resin Carbon | To produce solid components with a high carbon fibre content in prosthetics and orthotics <ul style="list-style-type: none"> • Low viscosity • For stiff and firm construction Packaging=each | 4.6 - 5kg | | | |
| 4 | Sealing Resin/ Siegelharz | Sealing resin to adhere to leather, wood & plastic Packaging=each | 4.6 - 5kg | | | |
| 5 | Catalyst For Laminating Resin | Hardener <ul style="list-style-type: none"> • White powder with a measuring spoon Packaging=each | 150g | | | |
| 6 | Pigment Paste | Colour pigment For colouring lamination <ul style="list-style-type: none"> • Assorted colours Packaging=each | 200g | | | |

| | | | | | | |
|----|------------------------------------|--|--|--|--|--|
| 7 | Light Putty Acrylic | For fixing and filling a variety of materials <ul style="list-style-type: none"> • Easy to sand • Rapid curing Packaging=each | 1kg | | | |
| 8 | Talcum Powder | For powdering plaster models. <ul style="list-style-type: none"> • White powder form Packaging=each | 1kg | | | |
| 9 | Plaster Band | For sealing, filling, and protection in conjunction with the lamination technique <ul style="list-style-type: none"> • For isolating joints, and adaptors while laminating • Synthetic rubber • Temperature resistant Packaging=each | Width x Thickness x Length 20mm x 2mm x 10m | | | |
| 10 | Foam/ PU foam A Rigid | For length compensation To be used with Foam B Packaging=each | 4.6 - 5 kg | | | |
| 11 | Foam/Pedilin/ PU foam B | For length compensation To be used with Foam A Packaging=each | 4.6 - 5 kg | | | |
| 12 | PVA Film Roll | For working with acrylic resin for lamination. <ul style="list-style-type: none"> • Adapts to contours extremely well • Easy to iron with the hand-sealing iron • Good stretching properties Packaging=per roll | Width x Thickness x Length 76cm x 0.08mm x 100m | | | |
| | | | 100cm x 0.08mm x 100m | | | |
| | | | 130cm x 0.08mm x 100m | | | |
| 13 | PVA Bags | Ready-made PVA Bag Length x Width | | | | |

| | | | | | | |
|----|--|--|---|--|--|--|
| | | <ul style="list-style-type: none"> • Pack of 20 pieces in a bag • 0.8mm Thickness Packaging=20/pkt | x Height 60cm x 11cm x 4cm 70cm x 19cm x 5cm 60cm x 27cm x 4cm 100cm x 12cm x 4cm 100cm x 19cm x 5cm 100cm x 26cm x 5cm 100cm x 30cm x 5cm 100cm x 36cm x 5cm 120cm x 50cm x 10cm | | | |
| 14 | Carbon stockinette/hose | Rigid reinforcement for laminates. <ul style="list-style-type: none"> • 45-degree angle braid. • Very high torsional strength in laminates Packaging = per roll | 4" Inch x 3m 6" Inch x 3m 8" Inch x 3m | | | |
| 15 | Carbon Fibre Fabric/Matting/Cloth | Partial high-strength laminates <ul style="list-style-type: none"> • Woven carbon reinforcement in twill weave Packaging=per m | Length x Width 1m x 1200mm 5m x 1200mm 20m x 1200mm | | | |
| 16 | Nylon Glass Stockinette | Very elastic Creates a fine and smooth surface | Width x Weight 6cm x 1kg | | | |

| | | | | | | |
|----|-------------------------------|---|--|--|--|--|
| | | For fabricating laminates <ul style="list-style-type: none"> • High strength • Combination of polyamide & fibreglass Packaging = Roll | 8cm x 1kg 10cm x 1kg 12cm x 1kg 15cm x 1kg 20cm x 1kg 25cm x 1kg 30cm x 1kg | | | |
| 17 | Fibreglass Stockinette | Wide meshed Open knit <ul style="list-style-type: none"> • Highly elastic Packaging = Roll | 6cm x 1kg 8cm x 1kg 10cm x 1kg 12cm x 1kg 15cm x 1kg 20cm x 1kg 25cm x 1kg 30cm x 1kg | | | |
| 18 | Perlon Stockinette | Elastic Reinforcement of laminates <ul style="list-style-type: none"> • For a fine and smooth surface Packaging = Each | Width x Weight 8cm x 1kg 10cm x 1kg 12cm x 1kg 15cm x 1kg 20cm x 1kg 25cm x 1kg 30cm x 1kg 35cm x 1kg 40cm x 1kg | | | |
| 19 | Stockinette Cotton | Body protection stockinette for the plaster mould and casting technique <ul style="list-style-type: none"> • Spacer layer in vacuum forming/lamination Packaging = Each | Width x Weight Width 4cm x 1kg Width 8cm x 1kg Width 12cm x 1kg Width 15cm x 1kg Width 20cm x 1kg Width 25cm x 1kg | | | |

| | | | | | | |
|----|-----------------------------------|--|--|--|--|--|
| | | | Width 30cm x 1kg | | | |
| | | | Width 40cm x 1kg | | | |
| 20 | Cloth For Lamination Technique | Decoration fabric for the last layer of lamination <ul style="list-style-type: none"> Assorted colours <i>Packaging= each</i> | Width x Length 1.5m x 15cm | | | |
| | | | 1.5m x 20cm | | | |
| 21 | Polypropylene Simona HDPE | Polypropylene copolymer <ul style="list-style-type: none"> High impact strength Good thermoforming properties <i>Packaging=per sheet</i> | Width x Length x thickness 1000mm x 2000m x 2mm | | | |
| | | | 1000mm x 2000m x 3mm | | | |
| | | | 1000mm x 2000m x 4mm | | | |
| | | | 1000mm x 2000m x 5mm | | | |
| 22 | Transfer paper | For custom colouring of polypropylene thermos plastics <ul style="list-style-type: none"> Various assorted colours and designs <i>Packaging=Roll</i> | Width x Length 75cm x 2m | | | |
| | | | 75cm x 5m | | | |
| 23 | Rigid thermoplastic (Test Socket) | High thermoplastic dimensional stability <ul style="list-style-type: none"> High rigidity Clear For check prosthetic sockets <i>Packaging=per sheet</i> | Width x Length x thickness 400mm x 400mm x8mm | | | |
| | | | 400mm x 400mm x10mm | | | |
| | | | 400mm x 400mm x12mm | | | |
| | | | 400mm x 400mm x15mm | | | |
| | | | 400mm x 400mm x 20mm | | | |

| | | | | | | |
|----|-----------------------------------|---|---|--|--|--|
| 24 | Flexible thermoplastic | For fabricating flexible inner prosthetic sockets <ul style="list-style-type: none"> • High flexibility Packaging=per sheet | Width x Length x thickness 400mm x 400mm x8mm | | | |
| | | | 400mm x 400mm x10mm | | | |
| | | | 400mm x 400mm x12mm | | | |
| | | | 400mm x 400mm x15mm | | | |
| 25 | Plastazote | Polyethylene foam for padding of splints and correctional braces <ul style="list-style-type: none"> • PE foam, closed-cell. • Hardness shore 15-20 • Good thermoforming properties Packaging=sheet | 1000mm x 1000x 2mm | | | |
| | | | 1000mm x 1000x 4mm | | | |
| | | | 1000mm x 1000x 6mm | | | |
| | | | 1000mm x 1000x 8mm | | | |
| | | | 1000mm x 1000x 10mm | | | |
| | | | 1000mm x 1000x 12mm | | | |
| | | | 1000mm x 1000x 15mm | | | |
| 26 | Polyethylene Foam/Pedilin/ Pelite | For firm soft inner sockets & cushioning <ul style="list-style-type: none"> • Hardness 35-40 shores • Good thermoforming properties • Good adhesive, sanding characteristics • Packaging=sheet | 1000mm x 1000x 5mm | | | |
| | | | 1000mm x 1000x 10mm | | | |
| 27 | PVC adhesive tape double-sided | For double-sided bonding. <ul style="list-style-type: none"> • Double-sided acrylic adhesive material • Transparent (covered with | Width 19mm | | | |

| | | | | | | |
|--|--|---|--|--|--|--|
| | | greaseproof paper) usage. Packaging= Roll | | | | |
|--|--|---|--|--|--|--|

C. ORTHOPAEDIC FOOTWEAR

| ITEM NR. | ITEM | DESCRIPTION | SIZE & FOOT LENGTH | PRICE 1 st YEAR | PRICE 2 nd YEAR | PRICE 3 RD YEAR |
|----------|--|---|--------------------|----------------------------|----------------------------|----------------------------|
| 1 | Dennis brown – Lateral last sandals with an open toe. | Sandals with bar. Lacing and Velcro closing. Made with synthetic material Flexible right and left counters <ul style="list-style-type: none"> • Unique ankle strap ensures the heel to fit inside shoes • Tongue fringed and fully detachable • External rotation angle adjustable at increments • Inspection whole at the heel Packaging= Pairs (L & R) | 0000 7 – 8cm | | | |
| | | | 000 8 – 9cm | | | |
| | | | 00 7.5 – 8cm | | | |
| | | | 0 9 – 10cm | | | |
| | | | 01 10 – 11cm | | | |
| | | | 02 11 – 12cm | | | |
| | | | 03 12 – 13cm | | | |
| | | | 04 13 – 14cm | | | |
| 2 | Dennis brown bar with plates | Bars with plates <ul style="list-style-type: none"> • Either fixed or adjustable length • Foot plates pre-drilled for easy | 6” Inch 15cm | | | |
| | | | 7” Inch 17.5cm | | | |
| | | | 8” Inch 20cm | | | |

| | | | | | | |
|----------|---|---|---------------------------|--|--|--|
| | | mounting. <ul style="list-style-type: none"> • With screws to mount on the shoe Packaging= Each | 10'' Inch 25cm | | | |
| | | | 12'' Inch 30cm | | | |
| 3 | Tarso Pronator Boots – Lateral Lasts Boots | Genuine upper leather <ul style="list-style-type: none"> • Resin sole • Lacing • Reverse last with rigid shanks • Black/Brown Packaging = Pairs (L & R) | 03 12 – 13cm | | | |
| | | | 04 13 – 14cm | | | |
| | | | 05 14 – 15cm | | | |
| | | | 06 15 – 16cm | | | |
| | | | 07 16 – 17cm | | | |
| | | | 08 16.5 – 17cm | | | |
| | | | 09 17 – 18cm | | | |
| | | | 10 18 – 19cm | | | |
| | | | 11 20 – 21cm | | | |
| 4 | Boots lace to toe – Infant | Infant Genuine upper leather <ul style="list-style-type: none"> • Lace to toe boots • Resin Sole • Reinforced back strap Packaging = Pairs (L & R) | 3 | | | |
| | | | 4 | | | |
| | | | 5 | | | |
| | | | 6 | | | |
| | | | 7 | | | |
| | | | 8 | | | |
| 5 | Boots lace to toe – Child | Child Genuine upper leather | 10 | | | |
| | | | 11 | | | |

| | | | | | | |
|---|---|--|----|--|--|--|
| | | <ul style="list-style-type: none"> • Lace to toe boots • Resin Sole • Reinforced back strap <p>Packaging = Pairs (L & R)</p> | 12 | | | |
| | | | 13 | | | |
| | | | 1 | | | |
| 6 | Boots lace to toe - Youth | <p>Youth</p> <p>Genuine upper leather</p> <ul style="list-style-type: none"> • Lace to toe boots • Resin Sole • Reinforced back strap <p>Packaging = Pairs (L & R)</p> | 2 | | | |
| | | | 3 | | | |
| | | | 4 | | | |
| | | | 5 | | | |
| | | | 6 | | | |
| 7 | Boots lace to toe – Adult | <p>Adult</p> <p>Genuine upper leather</p> <ul style="list-style-type: none"> • Shoelace eyelets are sewn on top of the vamp • Resin Sole • Reinforced back strap <p>Packaging = Pairs (L & R)</p> | 7 | | | |
| | | | 8 | | | |
| | | | 9 | | | |
| | | | 10 | | | |
| | | | 11 | | | |
| | | | 12 | | | |
| | | | 13 | | | |
| 8 | Orthopaedic Boots equivalent to Derby Boots - Youth | <p>Youth</p> <p>Genuine upper leather</p> <ul style="list-style-type: none"> • Shoelace eyelets are sewn on top of the vamp • Resin Sole • Reinforced back strap <p>Packaging = Pairs (L & R)</p> | 2 | | | |
| | | | 3 | | | |
| | | | 4 | | | |
| | | | 5 | | | |
| | | | 6 | | | |
| 9 | Orthopaedic Boots | <p>Adult</p> | 7 | | | |

| | | | | | | |
|--|--|--|-----------|--|--|--|
| | equivalent to Derby Boots – Adult Lace to toe | Genuine upper leather <ul style="list-style-type: none"> • Shoelace eyelets are sewn on top of the vamp • Resin Sole • Reinforced back strap Packaging = Pairs (L & R) | 8 | | | |
| | | | 9 | | | |
| | | | 10 | | | |
| | | | 11 | | | |
| | | | 12 | | | |
| | | | 13 | | | |

D. COMPRESSION STOCKINGS AND STUMP SHRINKERS

| | | | | | | |
|---|--|--|------|--|--|--|
| 1 | Compression stocking below the knee with closed toes | <ul style="list-style-type: none"> • Class 2 (23-32mmHg) • Graduated compression • Beige Packaging= pair | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| | | | XX L | | | |
| 2 | Compression stocking below the knee with closed toes for men | <ul style="list-style-type: none"> • Class 2 (23-32mmHg) • Graduated compression • Available in navy, brown and black. Packaging= pair | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| | | | XXL | | | |
| 3 | Compression stocking below the knee with open toes | <ul style="list-style-type: none"> • Class 2 (23-32mmHg) • Graduated compression • Beige Packaging= pair | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| | | | XXL | | | |
| 4 | | | S | | | |

| | | | | | | |
|---|--|--|------|--|--|--|
| | Compression stocking above the knee with closed toes | <ul style="list-style-type: none"> • Class 2 (23-32mmHg) • Graduated compression • Beige Packaging= pair | M | | | |
| | | | L | | | |
| | | | X L | | | |
| | | | XX L | | | |
| 5 | Compression stocking above knee with open toes | <ul style="list-style-type: none"> • Class 2 (23-32mmHg) • Graduated compression • Beige Packaging= pair | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| | | | XX L | | | |
| 6 | Compression stocking pantyhose with closed toes | <ul style="list-style-type: none"> • Class 2 • Graduated compression • Beige Packaging= pair | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| | | | XX L | | | |
| 7 | Compression stocking pantyhose with open toes | <ul style="list-style-type: none"> • Class 2 (23-32mmHg) • Graduated compression • Beige Packaging= pair | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| | | | XX L | | | |
| 8 | Anti-Embolism below knee stocking with closed toes | <ul style="list-style-type: none"> • Class 1 (18-21mmHg) • Graduated compression • White • For prophylaxis Packaging= pair | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| 9 | Anti-embolism below knee | <ul style="list-style-type: none"> • Class 1 (18-21mmHg) | S | | | |
| | | | M | | | |
| | | | L | | | |

| | | | | | | |
|----|---|--|-----|--|--|--|
| | stockings with open toes | <ul style="list-style-type: none"> • Graduated compression • White • For prophylaxis Packaging= pair | X L | | | |
| 10 | Anti-embolism above knee stocking with closed toes | <ul style="list-style-type: none"> • Class 1 (18-21mmHg) • Graduated compression • White • For prophylaxis Packaging= pair | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| 11 | Anti-Embolism above knee stockings with open toes | <ul style="list-style-type: none"> • Class 1 (18-21mmHg) • Graduated compression • White • For prophylaxis Packaging= pair | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| 12 | Compression arm sleeve with hand | <ul style="list-style-type: none"> • Graduated compression • Class 2 -23 to 32 mmHg Packaging= each | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| 13 | Compression arm sleeve without hand | <ul style="list-style-type: none"> • Graduated compression • Class 2 – 23 to 32 mmHg Packaging= each | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| 14 | Stump shrinkers BK | <ul style="list-style-type: none"> • Class 2 moderate compression • For the preparation of stump for prosthetic | XS | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |

| | | | | | | |
|----|------------------------------|--|------|--|--|--|
| | | fitting | XX L | | | |
| | | Packaging= each | | | | |
| 15 | Stump shrinkers AK | <ul style="list-style-type: none"> • Class 2 moderate compression • For the preparation of stump for prosthetic fitting • With waistband or strap • Packaging= each | XS | | | |
| | | | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |

E. STUMP SOCKS

| ITEM NR. | ITEM | DESCRIPTION | SIZE | PRICE 1 st YEAR | PRICE 2 nd YEAR | PRICE 3 rd YEAR |
|----------|--------------------------|---|--------------------|----------------------------|----------------------------|----------------------------|
| 1 | Stump socks F1 | Woollen stump socks <ul style="list-style-type: none"> • 80% wool • 20% nylon Packaging= each | Top -14cm | | | |
| | | | Bottom-9 cm | | | |
| | | | Length | | | |
| | | | 25cm | | | |
| | | | 30cm | | | |
| | | | 35cm | | | |
| | | | 40cm | | | |
| | | | 45cm | | | |
| | | | 50cm | | | |
| 55cm | | | | | | |
| 60cm | | | | | | |
| 2 | Stump socks F2 | Woollen stump socks <ul style="list-style-type: none"> • 80% wool • 20% nylon | Top-18cm | | | |
| | | | Bottom-10cm | | | |
| | | | Length | | | |
| | | | 25cm | | | |
| | | | 30cm | | | |

| | | | | | | |
|---|--------------------------|---|--|--|--|--|
| | | | 35cm | | | |
| | | | 40cm | | | |
| | | | 45cm | | | |
| | | | 50cm | | | |
| | | | 55cm | | | |
| | | | 60cm | | | |
| 3 | Stump socks F3 | Woollen stump socks <ul style="list-style-type: none"> • 80% wool • 20% nylon • Packaging= each | Top-20cm Bottom-12cm Length 25cm | | | |
| | | | 30cm | | | |
| | | | 35cm | | | |
| | | | 40cm | | | |
| | | | 45cm | | | |
| | | | 50cm | | | |
| | | | 55cm | | | |
| | | | 60cm | | | |
| | | | 65cm | | | |
| | | | 70cm | | | |
| 4 | Stump socks F4 | <ul style="list-style-type: none"> • 80% wool • 20% nylon | Top-22cm Bottom-13cm Length 30cm | | | |
| | | | 35cm | | | |
| | | | 40cm | | | |
| | | | 45cm | | | |
| | | | 50cm | | | |
| | | | 55cm | | | |
| | | Packaging= each | 60cm | | | |
| 5 | Stump socks F5 | <ul style="list-style-type: none"> • 80% wool • 20% nylon | Top-25cm Bottom-16cm Length 30cm | | | |
| | | | 35cm | | | |
| | | | 40cm | | | |
| | | | 45cm | | | |

| | | | | | | |
|---|-------------------------------------|--|--|--|--|--|
| | | Packaging= each | 50cm | | | |
| | | | 55cm | | | |
| | | | 60cm | | | |
| 6 | Stump socks F6 | <ul style="list-style-type: none"> • 80% wool • 20% nylon | Top-30cm Bottom-10cm Length 30cm | | | |
| | | | 35cm | | | |
| | | | 40cm | | | |
| | | | 45cm | | | |
| | | Packaging= each | 50cm | | | |
| | | | 55cm | | | |
| 7 | Stump socks Symes | <ul style="list-style-type: none"> • 80% wool • 20% Nylon • Packaging= each | Length - 30cm Top - 14cm Bottom - 9cm | | | |
| | | | Length - 40cm Top - 18cm Bottom - 11cm | | | |
| | | | Length - 50cm Top - 20cm Bottom - 14cm | | | |
| 8 | Stump socks with bottom hole | Stump socks to be used with pin liner <ul style="list-style-type: none"> • Conical • Fully knitted hole for distal connector • To be used with liners • 2 or 3 ply • Soft terry cloth | BK- Short | | | |
| | | | BK-Long | | | |
| | | | AK-short | | | |
| | | Packaging= each | AK-Long | | | |

| | | | | | | |
|----|--|--|---|--|--|--|
| 9 | Stump sheets Narrow & short | <ul style="list-style-type: none"> • Sheath interface • For absorbing sweat • Reduces skin friction <p>Packaging= each</p> | L=25cm (10")-30cm (12") Top=10cm (4")-15cm (6") Bottom=7cm(3")-9cm (3 1/2") | | | |
| 10 | Stump sheath Narrow & regular | <ul style="list-style-type: none"> • Sheath interface • For absorbing sweat • Reduces skin friction <p>Packaging= each</p> | L=35cm(14")-40cm (16") Top=10cm (4")-15cm(6") Bottom=7cm (3")-9cm (3 1/2) | | | |
| 11 | Stump sheath Narrow & long | <ul style="list-style-type: none"> • Sheath interface • For absorbing sweat • Reduces skin friction <p>Packaging= each</p> | L=45cm (18")-50cm(20") Top=10cm(4")-15cm(6") Bottom=7cm(3")-9cm(3 1/2") | | | |
| 12 | Stump sheath Narrow and x-long | <ul style="list-style-type: none"> • Sheath interface • For absorbing sweat • Reduces skin friction • Packaging= each | L-55cm(22")-60cm (24") Top-10cm(4")-15cm(6") Bottom-7cm(3")-9cm(3 1/2") | | | |

| | | | | | | |
|----|---|--|--|--|--|--|
| 13 | Stump sheath Medium & short | <ul style="list-style-type: none"> • Sheath interface • For absorbing sweat • Reduces skin friction <p>Packaging= each</p> | L-25cm(10")- 30cm(12") Top-17cm(7")- 20cm(8") Bottom-10cm(4")- 12cm(5") | | | |
| 14 | Stump sheath Medium & Regular | <ul style="list-style-type: none"> • Sheath interface • For absorbing sweat • Reduces skin friction <p>Packaging= each</p> | L-35cm(18")- 40cm(16") Top-17cm(7")- 20cm(8") Bottom-10cm(4")- 12cm(5") | | | |
| 15 | Stump sheath Medium & long | <ul style="list-style-type: none"> • Sheath interface • For absorbing sweat • Reduces skin friction <p>Packaging= each</p> | L-45cm(18")- 50cm(20") Top-17cm(7")- 20cm(8") Bottom-10cm(4")- 12cm(5") | | | |
| 16 | Stump sheath Medium & x-long | <ul style="list-style-type: none"> • Sheath interface • For absorbing sweat • Reduces skin friction <p>Packaging= each</p> | L-55cm(22")- 60cm(24") Top-17cm(7")- 20cm(8") Bottom-10cm(4")- 12cm(5") | | | |

| | | | | | | |
|----|---------------------------------------|--|---|--|--|--|
| 17 | Stump sheath Wide & short | <ul style="list-style-type: none"> • Sheath interface • For absorbing sweat • Reduces skin friction • Packaging= each | L-25cm(10")-30cm(12") Top-22cm(9")-25cm(10") Bottom =14cm(5 1/2)-15cm(6") | | | |
| 18 | Stump sheath Wide & regular | <ul style="list-style-type: none"> • Sheath interface • For absorbing sweat • Reduces skin friction <p>Packaging= each</p> | L=35cm (14") – 40cm (16") Top=22cm (9") – 25cm (10") Bottom=14cm (5 1/2") – 15cm (6") | | | |
| 19 | Stump sheath Wide & long | <ul style="list-style-type: none"> • Sheath interface • For absorbing sweat • Reduces skin friction <p>Packaging= each</p> | L=45-50cm Top=22-25cm Bottom=14-15cm | | | |
| 20 | Stump sheath Wide & x-long | <ul style="list-style-type: none"> • Sheath interface • For absorbing sweat • Reduces skin friction <p>Packaging= each</p> | L=55-60cm Top=22-25cm Bottom=15-15cm | | | |
| 21 | Cosmetic stocking BK | <ul style="list-style-type: none"> • 100% stretch nylon • Brown or Caucasian <p>Packaging= pair</p> | S | | | |
| | | | M | | | |
| | | | L | | | |

| | | | | | | |
|------------------------|--------------------------------|--|---|--|--|--|
| 22 | Cosmetic stocking AK | <ul style="list-style-type: none"> • 100% stretch nylon • Brown or Caucasian | S | | | |
| | | | M | | | |
| | | | L | | | |
| Packaging= pair | | | | | | |

F. LEATHER AND SHOE MATERIALS

| ITEM NR. | ITEM | DESCRIPTION | SIZE | PRICE 1 st YEAR | PRICE 2 nd YEAR | PRICE 3 rd YEAR |
|----------|----------------------------|---|--------------------|----------------------------|----------------------------|----------------------------|
| 1 | Cordovan leather | Cordovan <ul style="list-style-type: none"> • Average skin size 280 (dm)2 Packaging = (dm)2 | 0.6 - 1mm | | | |
| 2 | Box calf leather | Box calf <ul style="list-style-type: none"> • Average skin size 130 (dm)2 Packaging = (dm)2 | 1.3mm | | | |
| 3 | Sheep Nappa leather | Sheep Nappa <ul style="list-style-type: none"> • Average skin size 50 (dm)2 Packaging = (dm)2 | 0.4 - 0.5mm | | | |
| 4 | Veg sole bend | Veg sole <ul style="list-style-type: none"> • Average 180(dm)2 Packaging = (dm)2 | 3.5 - 4mm | | | |
| 5 | Veg kip sides | Tanned leather <ul style="list-style-type: none"> • Average size 180(dm)2 Packaging = (dm)2 | 2.5 - 3mm | | | |

| | | | | | | |
|----|-------------------------------|--|--------------------------------|--|--|--|
| 6 | Veg kip lining | Veg kip lining <ul style="list-style-type: none"> Average size 80 (dm)2 Packaging = (dm)2 | 1mm - 1.5mm | | | |
| 7 | Bovine Smooth Leather | Bovine smooth Black <ul style="list-style-type: none"> Average skin size 180(dm)2 Packaging = (dm)2 | 1.6 - 2mm | | | |
| 8 | Glaze kid leather | Glaze kid Black calf <ul style="list-style-type: none"> Average size 40(dm)2 Packaging = (dm)2 | 0.5 - 1mm | | | |
| 9 | Military print leather | Military print Black <ul style="list-style-type: none"> Average size 180(dm) Packaging = (dm)2 | 1.6 - 2mm | | | |
| 10 | Soling Topy | Soling Topy <ul style="list-style-type: none"> Thickness 1.8mm Black Packaging= sheet | 600x900mm 1.8mm | | | |
| 11 | Soling basket weave | Soling material <ul style="list-style-type: none"> 2.5 - 3mm Black Packaging= sheet | 600x900mm 2.5 - 3mm | | | |
| 12 | Soling Dri-lite | 5mm Packaging= sheet | 960 x 600mm | | | |
| | | 3.7mm Packaging= sheet | 960 x 600mm | | | |
| 13 | Soling Grissel | Diamond smoke <ul style="list-style-type: none"> Thickness 3.5mm | 914x914mm 3.5mm | | | |

| | | | | | | |
|----|--|--|--------------------------------------|--|--|--|
| | | Packaging= sheet | | | | |
| 14 | Feather crepe /Orthocrepe Feather foam | Soling material for shoe build-ups <ul style="list-style-type: none"> • Thickness 5mm • 50-55 Shore • Black/White Packaging=1 sheet | 1500x850mm 5mm Thickness | | | |
| | | Soling material for shoe build-ups <ul style="list-style-type: none"> • Thickness 10mm • 50-55 Shore • Black/White Packaging=1 sheet | 1500x850mm 10mm Thickness | | | |
| | | Soling material for shoe build-ups <ul style="list-style-type: none"> • Thickness 12mm • 50-55 Shore • Black/White Packaging=1 sheet | 1500x850mm 12mm Thickness | | | |
| 15 | Lightweight soling material | Lightweight soling material <ul style="list-style-type: none"> • Shores55/60 • Black • For shoe build-ups Packaging= sheet | 2000x1000mm 10mm | | | |
| 16 | Poron | Excellent compression set resistance <ul style="list-style-type: none"> • Medium density material • Diabetic material Packaging= sheet | 1000x1000mm 3.2mm | | | |
| | | | 1000x1000mm 6mm | | | |
| 17 | Plastazoate | Closed cell expanded polyethylene foam <ul style="list-style-type: none"> • White/Black/Blue/Yellow | 1500x1000mm 3mm | | | |
| | | | 5mm | | | |

| | | | | | | |
|-----------|-----------------------------|---|---|--|--|--|
| | | <ul style="list-style-type: none"> • 15-18 shore • For padding and cushioning Packaging= sheet | 8mm | | | |
| | | | 12mm | | | |
| 18 | Neoprene | Synthetic rubber material & textile on one side <ul style="list-style-type: none"> • Heat insulating • Elastic • Textile lamination on one side • Black Packaging= sheet | 3mm Thickness 1000mm x1000mm | | | |
| 19 | White Pelite | White pelite liner <ul style="list-style-type: none"> • For seat cushioning and soft padding • 10 – 15 Shore (Soft) Packaging= sheet | Thickness - 3mm 2000x1000mm | | | |
| | | | Thickness - 5mm 2000x1000mm | | | |
| | | | Thickness - 10mm 2000x1000mm | | | |
| 20 | Cork block | Natural cork Block For shoe build-ups <ul style="list-style-type: none"> • For shoe build-ups Packaging= sheet | 25mm Thickness 304mm x 110mm | | | |
| | | | 50mm Thickness 304mm x 110mm | | | |
| 21 | Cork sheet | Natural cork Sheeting For shoe build-ups Packaging= sheet | 3mm Thickness 915mm x 610mm | | | |
| | | | 6mm Thickness 915mm x 610mm | | | |
| | | | 10mm Thickness 915mm x 610mm | | | |
| 22 | Toe caps/thermo flex | Heat-activated | 1400x1000 | | | |

| | | | | | | |
|----|----------------------|---|------------------|--|--|--|
| | | <ul style="list-style-type: none"> Fabric lined on one side For toe and heel caps Packaging= sheet | | | | |
| 23 | Eyelets | Brass <ul style="list-style-type: none"> Nickel plated Packaging=1000 pcs/pkt | 9x4x5mm | | | |
| | | | 10x5x5.5mm | | | |
| | | | 7x4x4.5 | | | |
| | | | 8x4x5mm | | | |
| | | | 9x4x5mm | | | |
| | | | 10x5x5.5mm | | | |
| | | | 12x6x6 | | | |
| 24 | Copper Rivets | Solid copper rivets. Packaging=1kg | 3mm | | | |
| | | | 4mm | | | |
| 25 | Copper Washers | Solid copper washers. Packaging=100 pcs/pkt | 3mm | | | |
| | | | 4mm | | | |
| 26 | Tubular Press Rivets | Tubular press rivets. Packaging=1000 Units | 7mm | | | |
| | | | 8mm | | | |
| | | | 9mm | | | |
| | | | 10mm | | | |
| | | | 12mm | | | |
| | | | 13mm | | | |
| 27 | Steel Rivets | Solid stainless-steel rivets. 1000 units in a box. Packaging= 1000 units | 3mm | | | |
| | | | 4mm | | | |
| 28 | Steel Socket Tubing | Steel Socket Tubing | ¼ - 1m Length | | | |
| | | | 3/16 – 1m Length | | | |

| | | | | | | |
|----|--------------------------------|----------------------------------|-----------------------------|-------------|--|--|
| | | Packaging= 1m Length | 5/16 – 1m Length | | | |
| 29 | Steel D-Section | Steel D-Section | ¼ - 1m Length | | | |
| | | Packaging= 1m Length | 3/16 – 1m Length | | | |
| | | | 5/16 – 1m Length | | | |
| 30 | Spring Steel | Spring Steel For Orthotic use | 12.5mm x 1.6mm | | | |
| | | | 16mm x 1.6mm | | | |
| | | | 16mm x 3.2mm | | | |
| | | | 19mm x 1.6mm | | | |
| | | | 19mm x 3.2mm | | | |
| | | | 25mm x 1.6mm | | | |
| | | Packaging= 6m Length | 25mm x 3.2mm | | | |
| 31 | Round Bright Mild Steel | Round Bright Mild Steel | ¼” | | | |
| | | | 3/16” | | | |
| | | | 3/8” | | | |
| | | | 5/16” | | | |
| 32 | Flat Bright Mild Steel | Bright mild steel | ½” x 1/8” | | | |
| | | | Packaging= 6m Length | 3/8” x 1/8” | | |
| 33 | Calliper Threaded Spurs (Pins) | Stainless steel caliper pins | 4.76mm | | | |
| | | Packaging = Each | 6.35mm | | | |
| | | | 8mm | | | |
| 34 | Below Knee Irons | | WxH 10mm x 400mm | | | |
| | | | WxH 13mm x 440mm | | | |

| | | | | | | |
|----|-------------------------------------|--|-----------------------------------|--|--|--|
| | | | WxH 15mm x 400mm | | | |
| 35 | Heel Sockets & Backstop | Stainless steel backlog <ul style="list-style-type: none"> • 8.5cm Width • Left/Right Packaging = Each | 4.76mm | | | |
| | | | 6.35mm | | | |
| | | | 8mm | | | |
| 36 | Cartridge Mixing Glue | Based on two components <ul style="list-style-type: none"> • Fast-curing glue for attaching socket adaptors during trial fitting Packaging = each | 220ml | | | |
| 37 | Dispensing Gun | Dispensing Gun for twin cartridge <ul style="list-style-type: none"> • For 400ml twin | Size 400ml | | | |
| 38 | Super 55 Glue/ Super 65 glue | Contact Adhesive <ul style="list-style-type: none"> • Fast-drying solvent-based adhesive. • Especially formulated for the bonding of leather and rubber. • High solid content with exceptional bond strength. Packaging = each | 1L | | | |
| | | | 5L | | | |
| 39 | Mega- bond shoe glue | <ul style="list-style-type: none"> • High grade quick drying glue • Used for bonding shoe raises or rubberized materials and plastic soles. | 500ml | | | |
| 40 | Shoe Tacks And | Shoe Tacks And Rubber Nails | 13mm | | | |

| | | | | | | |
|-----------|-------------------------------|--|--|--|--|--|
| | Rubber Nails | | 16mm | | | |
| | | | 19mm | | | |
| | | | 25mm | | | |
| | | Packaging = 1kg | | | | |
| 41 | Oval Steel Loops | Stainless steel loop <ul style="list-style-type: none"> Oval welded steel loops. Packaging = each | 25mm | | | |
| | | | 50mm | | | |
| 42 | D-Ring Welded | Stainless steel loop <ul style="list-style-type: none"> D ring welded steel. Packaging = each | 25mm | | | |
| | | | 50mm | | | |
| 43 | Prefabricated Straps | Self-gripping straps with hook and loop. <ul style="list-style-type: none"> High pull-out resistance. Assorted Colours Packaging = 10 packet | 16mm x 300mm | | | |
| | | | 25mm x 300mm | | | |
| | | | 40mm x 400mm | | | |
| 44 | Velcro (Self Adhesive) | Self-adhesive Velcro hook or loop. <ul style="list-style-type: none"> Black or white Packaging = Roll | W x L Hook 25mm x 25m | | | |
| | | | W x L Loop 25mm x 25m | | | |
| | | | W x L Hook 50mm x 25m | | | |
| | | | W x L Loop 50mm x 25m | | | |
| 45 | Elastic Webbing | Elastic webbing, 82% viscose and 18% spandex. | 5m Length 25mm Wide | | | |

| | | | | | | |
|----|---|--|-------------------|--|--|--|
| | | <ul style="list-style-type: none"> Linear expansion Packaging = Roll | 5m Length 38mm | | | |
| | | | 5m Length 50mm | | | |
| 46 | Plaster Of Paris (Pop) Bag equivalent to Rhino mould or Gypsum | Plaster of Paris bags <ul style="list-style-type: none"> For creating positive mould Packaging = Each | 40kg | | | |
| 47 | Plaster Of Paris (Pop) Bandages | Plaster of Paris bandages. Packaging = Box of 12 | 100mm | | | |
| | | | 150mm | | | |
| | | | 200mm | | | |
| 48 | Keasy/Pedilin Cones – BK | Prefabricated cones For the Below Knee (BK) prosthesis <ul style="list-style-type: none"> For lining between skin and rigid laminated socket Closed distal end. Thickness=6-6.5mm Packaging= each | S | | | |
| | | | M | | | |
| | | | L | | | |
| 49 | Keasy/Pedilin Cone – AK | Prefabricated cones For the Above Knee (AK) prosthesis <ul style="list-style-type: none"> For lining between skin and rigid laminated socked Closed distal end Thickness=6-6.5mm Packaging= Each | S | | | |
| | | | M | | | |
| | | | L | | | |
| 50 | Ring Cushion | Soft foam construction <ul style="list-style-type: none"> Reduce coccyx pressure when sitting. Provides support and relief | Universal | | | |

| | | | | | | |
|----|--------------------------|--|--------------------------------------|--|--|--|
| | | of pain Packaging= Each | | | | |
| 51 | Scrotal belt | Designed to hold, provide compression, and lift the scrotal sac Packaging= Each | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | XL | | | |
| 52 | Foot Impression Block | Used to make moulding impressions of the plantar aspect of <ul style="list-style-type: none"> • Ready to capture a foot impression. • The box contains two rectangular blocks Packaging= Each | | | | |
| 53 | Rotary Rasp Head | Stainless steel grinding and milling tools <ul style="list-style-type: none"> • 5/8" thread. Packaging= Each | Spiral toothed Length 75mm x 28mm | | | |
| | | | Height x ø 70X30mm | | | |
| | | | Height x ø 85X50mm | | | |
| | | | Height x ø 40X36mm | | | |
| 54 | Elastic coning bandage | Non-sterile latex-free, clip closure coning bandages. Packaging= 10/piece | Wide 100mm Length 5m | | | |
| | | | Wide 100mm Length 10m | | | |
| | | | Wide 150mm Length 5m | | | |
| | | | Wide 150mm Length 10m | | | |
| 55 | Innersoles – Full Length | Silicone insole with softer pads at the heel and metatarsal areas for | XS Shoe size 3.5 - 5 | | | |

| | | | | | | |
|--|--|--|------------------------|--|--|--|
| | | improved shock absorption. | S Shoe size 5.5 - 7 | | | |
| | | <ul style="list-style-type: none"> • It does not absorb water or sweat • Made of Silicone • Absorption of shock in foot strike • Arch support • Soft offloading centre heel and metatarsals regions for pressure release • Worn inside shoes | M Shoe size 7.5 - 9 | | | |
| | | Packaging=pair | L Shoe size 10 - 11 | | | |

G. PAEDIATRICS PROSTHETICS

| ITEM NR. | ITEM | DESCRIPTION | SIZE | 1 st YEAR | 2 nd YEAR | 3 RD YEAR |
|----------|--------------------------|---|-------------|----------------------|----------------------|----------------------|
| 1 | Dynamic SACH Foot | Natural foot shape with a smooth surface <ul style="list-style-type: none"> • Left or right • Comfortable heel strike • Weight limit 45kg Packaging= each | 14cm – 21cm | | | |
| 2 | SACH Foot | Pedilan foam fully shaped toes | 14cm – 21cm | | | |

| | | | | | | |
|---|---------------------------------|--|-----------------|--|--|--|
| | | <ul style="list-style-type: none"> • Left or right • Brown or Beige • Weight limit 45kg <p>Packaging= each</p> | | | | |
| 3 | Complete bolt assembly | <p>Complete bolt assembly for wooden ankle block</p> <ul style="list-style-type: none"> • Threaded bushing • Cap screw • Washer <p>Packaging = each</p> | M8 | | | |
| | | | M10 | | | |
| 4 | SACH Foot Adaptor. | <p>SACH foot adaptor</p> <ul style="list-style-type: none"> • With connection screw • 1 Washer <p>Packaging= each</p> | M6 Thread | | | |
| | | | M8 Thread | | | |
| 5 | Chopart Footplate | <p>Chopart Carbon Kit Complete includes:</p> <ul style="list-style-type: none"> • For Chopart or Hindfoot amputation • Low profile footplate • Footshell with toes (13 – 21cm) <p>Packaging = Kit</p> | Paediatric | | | |
| 6 | Tube Adaptor | <p>Long tube adaptor</p> <ul style="list-style-type: none"> • For below and above-knee prosthesis • Aluminium • Weight limit 45kg <p>Packaging= each</p> | Diameter - 22mm | | | |
| 7 | Tube clamp Adaptor with pyramid | <p>Tube Clamp</p> <ul style="list-style-type: none"> • With pyramid Adaptor • Maximum weight 45kg <p>Packaging= each</p> | Paediatric | | | |

| | | | | | | |
|----|--|--|------------|--|--|--|
| 8 | Tube clamp adaptor with receiver | <p>Tube Clamp adaptor</p> <ul style="list-style-type: none"> • With socket receiver • Maximum weight 45kg <p>Packaging= each</p> | Paediatric | | | |
| 9 | Lamination anchor | <p>Pyramid adaptor</p> <ul style="list-style-type: none"> • 3 Prong <p>Packaging= each</p> | Paediatric | | | |
| 10 | Socket adaptor Receiver | <p>For use in below and above knee prosthesis</p> <ul style="list-style-type: none"> • Non-rotatable <p>Packaging= each</p> | Paediatric | | | |
| 11 | Monocentric Knee Joint with adjustable extension assist | <p>With an adjustable extension assist mechanism</p> <ul style="list-style-type: none"> • Single axis with pyramid adaptor • Weight limit 45kg | | | | |
| 12 | Socket Attachment Block | <p>Has four screws for clamping the socket adaptor</p> <ul style="list-style-type: none"> • Nylon or plastic <p>Packaging= each</p> | Paediatric | | | |
| 13 | Modular Knee Joint With Lock | <p>Single-axis joint pyramid adaptor</p> <ul style="list-style-type: none"> • Lock slide used to operate the knee-locking system • Lock slide included • Maximum weight 45kg <p>Packaging= Complete Set</p> | Paediatric | | | |
| 14 | Four Bar Linkage Knee Joint | <p>Aluminium knee joint with rotation unit integrated</p> <ul style="list-style-type: none"> • Polycentric • Weight 35kg <p>Packaging= each</p> | Paediatric | | | |

| | | | | | | |
|----|--|---|-------------|--|--|--|
| 15 | Modular Hip Joint | <p>Modular hip joint with lamination anchor</p> <ul style="list-style-type: none"> • With adjustable extension assist • Weight limit 45kg <p>Packaging= each</p> | Paediatric | | | |
| 16 | Above Knee - Sport Kit | <p>AK Kit Complete including:</p> <ul style="list-style-type: none"> • Universal Running Blade – Withstand up to 45kg weight limit • Blade Adaptor • Universal Sole with screw attachment • Double female adaptor • Socket adaptor • Sport Knee Hydraulic Joint <p>Packaging = Kit</p> | Paediatric | | | |
| 17 | Knee joint with hydraulic swing phase control | <p>Polycentric knee joint</p> <ul style="list-style-type: none"> • With adjustable walking speed • With pyramid Adaptor • Weight limit 45kg <p>Packaging = Kit</p> | Paediatric | | | |
| 18 | Silicone liner BK | <p>Threaded end with distal connection</p> <ul style="list-style-type: none"> • Coated with fabric • Thickness 3 - 6mm • Pin included <p>Packaging= each</p> | 16cm – 26cm | | | |
| 19 | Cosmetic foam cover for BK | <ul style="list-style-type: none"> • Predrilled hole 22mm • Semi-rigid foam <p>Packaging= each</p> | Paediatric | | | |

| | | | | | | |
|----|-----------------------------------|--|------------|--|--|--|
| 20 | Cosmetic foam cover for AK | <ul style="list-style-type: none"> • Pre-drilled holed of 22mm • For above knee and through hip prosthesis. Packaging= each | Paediatric | | | |
| 21 | Cosmetic stocking for AK | Nylon brown or beige Packaging= each | Paediatric | | | |

H. PROSTHETICS ADULT LOWER LIMB

| ITEM NR. | ITEM | DESCRIPTION | SIZE | PRICE 1 st YEAR | PRICE 2 nd YEAR | PRICE 3 RD YEAR |
|----------|--------------------------|---|---------|----------------------------|----------------------------|----------------------------|
| 1 | Sach Foot | Soft rubber heel wedge that mimics ankle action by compressing under load <ul style="list-style-type: none"> • Brown or Beige • Left or Right • Open toes Packaging= each | 22-30cm | | | |
| 2 | Single Axis Foot | Single-axis feet with smooth heel contact to achieve a secure stance quickly <ul style="list-style-type: none"> • Beige or Brown • Open toes Packaging= each | 22-30cm | | | |
| 3 | Dynamic SACH foot | Build in carbon blade with pyramid adaptor. <ul style="list-style-type: none"> • Beige or Brown | 22-30cm | | | |

| | | | | | | |
|---|---------------------------|--|---------|--|--|--|
| | | <ul style="list-style-type: none"> • Open toes Packaging= each | | | | |
| 4 | Symes's Foot | <p>Carbon foot module connected to an actively deflecting carbon heel.</p> <ul style="list-style-type: none"> • Complete foot with socket adaptor • Split toe Packaging= each | 22-30cm | | | |
| 5 | Symes Foot Adaptor | <p>Complete socket adaptor with bolts</p> <ul style="list-style-type: none"> • 3 prong or flat adaptor • Compatible with Symes carbon foot Packaging= each | Adult | | | |
| 6 | Symes Foot Cover | <p>Beige or Brown Foot cover kit</p> <ul style="list-style-type: none"> • With spectra sock • Foot cover Packaging= each | 22-30cm | | | |
| 7 | Carbon Foot | <p>Lightweight carbon foot Adult</p> <ul style="list-style-type: none"> • With an integrated pyramid adaptor • Energy storing heel Packaging= each | 22-30cm | | | |
| 8 | Carbon Foot Cover | <p>Beige or Brown Foot cover kit</p> <ul style="list-style-type: none"> • With Spectra sock • Foot cover • Left or right | 22-30cm | | | |

| | | | | | | |
|----|---------------------------------------|--|-----------|--|--|--|
| | | Packaging = each | | | | |
| 9 | Sach Foot Adaptor | M10 screw Complete with bolted connection <ul style="list-style-type: none"> • With 2x integrated opposite pin/upright to attach plastic plate for cosmetic cover Packaging= each | M10 screw | | | |
| 10 | Single-Axis Foot Adaptor | Stainless steel Including dorsal flexion bumper <ul style="list-style-type: none"> • With lower bearing shell • Double studs complete with nuts Packaging= each | 22-30cm | | | |
| 11 | Symes Foot Adaptor | For attaching Syme's foot Wood or screw with nuts Packaging= each | 22-30cm | | | |
| 12 | Attachment Plastic Plate | Made of plastic to be bonded on the soft foam cover and pressed onto the adaptor. <ul style="list-style-type: none"> • Compatible with SACH foot adaptor Packaging= each | Standard | | | |
| 13 | Cover Cap For Single Axis Foot | Plastic cover cap, to attach AK Cosmetic cover Packaging= each | 22-30cm | | | |
| 14 | Tube Adaptor / Pylon AK | Stainless steel <ul style="list-style-type: none"> • Diameter-30mm • Maximum weight 100 - 125kg Packaging= each | Adult | | | |

| | | | | | | |
|----|--|--|------------|--|--|--|
| 15 | Tube Clamp Adaptor | Stainless steel <ul style="list-style-type: none"> • Diameter-30mm • Maximum wight-100 - 125kg Packaging= each | Adult | | | |
| 16 | Tube Clamp Adaptor | Titanium <ul style="list-style-type: none"> • Diameter-30mm • Maximum weight 100 - 125kg Packaging= each | Adult | | | |
| 17 | Tube Clamp adaptor Angled | Titanium angled, 20, or 30-degree angle <ul style="list-style-type: none"> • Diameter 30mm • Titanium • For through hip prosthesis Packaging= each | Angled 10" | | | |
| | | | Angled 20" | | | |
| | | | Angled 30" | | | |
| 18 | Double Female adaptor (Stainless Steel) | Double Female Adaptor (Female receiver) <ul style="list-style-type: none"> • Stainless steel Packaging= each | 3.2cm | | | |
| | | | 4.5cm | | | |
| | | | 7.5cm | | | |
| 19 | Double Female adaptor (Aluminium) | Double Female Adaptor (Female receiver) <ul style="list-style-type: none"> • Aluminium Packaging= each | 3.2cm | | | |
| | | | 4.5cm | | | |
| | | | 7.5.cm | | | |
| 20 | Double Pyramid Adaptor | Double Pyramid Adaptor <ul style="list-style-type: none"> • Stainless steel Packaging= each | 3.2cm | | | |
| 21 | Lamination anchor Pyramid Adaptor | With pyramid <ul style="list-style-type: none"> • 4 short prong Adaptor • Non-rotatable • For transtibial lamination | Adult | | | |

| | | | | | | |
|----|---|--|----------------------------|--|--|--|
| | | Packaging= each | | | | |
| 22 | Lamination anchor – Pyramid receiver | With pyramid receiver <ul style="list-style-type: none"> • Rotatable • 4 prongs Packaging= each | Adult | | | |
| 23 | Lamination anchor Pyramid | With pyramid <ul style="list-style-type: none"> • 3 prongs rotatable with screw • Socket adaptor Pyramid <ul style="list-style-type: none"> • Stainless steel Packaging= each | Adult | | | |
| 24 | Lamination anchor Receiver | With female receiver <ul style="list-style-type: none"> • 3 prongs rotatable female adaptor with screw • Socket adaptor Receiver <ul style="list-style-type: none"> • Stainless steel Packaging= each | Adult | | | |
| 25 | Sliding Adaptor AK | For above-knee prosthetic application <ul style="list-style-type: none"> • For accommodating flexion angle • For trial and permanent use • Adjustable adaptor for accommodating flexion hip contractures • Female or male adaptor Packaging= each | Adult | | | |
| 26 | Suspension sleeve | Silicone/neoprene suspension sleeve | Small Distal15 – | | | |

| | | | | | | |
|----|--|---|---|--|--|--|
| | | <ul style="list-style-type: none"> Fabric coated With a detachable waist belt for suspension Anatomically shaped/Conical shape <p>Packaging= each</p> | <p>22cm Proximal – 23 - 34cm</p> <p>Medium Distal 21 – 30cm Proximal – 29 - 43cm</p> <p>Large Distal 28 – 42cm Proximal – 36 - 51cm</p> <p>X Large Distal 31 – 46cm Proximal – 39 - 55cm</p> | | | |
| 27 | Suspension waist belt | <p>Elastic neoprene</p> <ul style="list-style-type: none"> Velcro closing and opening Adjustable waist suspension belt <p>Packaging= each</p> | <p>S</p> <p>M</p> <p>L</p> <p>X L</p> <p>XXL</p> <p>XXXL</p> | | | |
| 28 | Shuttle lock - Pyramid Receiver | <p>Rotatable</p> <ul style="list-style-type: none"> With lamination anchor and dummy Pyramid Receiver Serrated pin included Maximum weight 100 - 125 kg <p>Packaging= each</p> | Standard | | | |
| 29 | Shuttle lock - Pyramid | <p>Rotatable</p> <ul style="list-style-type: none"> With lamination anchor | Standard | | | |

| | | | | | | |
|----|---|--|-------------|--|--|--|
| | | <ul style="list-style-type: none"> • Pyramid adaptor • Serrated pin included • Maximum weight 100 - 125kg <p>Packaging= each</p> | | | | |
| 30 | Silicone Liner (Below Knee) | <p>Threaded end with distal connection</p> <ul style="list-style-type: none"> • Coated with fabric • Thickness 3 – 6mm • Threaded end for pin <p>Packaging= each</p> | 18cm – 40cm | | | |
| 31 | Silicone liner (Below Knee) Silicone liner with pin attachment | <ul style="list-style-type: none"> • Integrated or movable seal rings included • For below-knee prosthesis • With or without outer fabric • Cylindrical or Conical • Thickness 3 – 6mm • Threaded end for pin attachment <p>Packaging= each</p> | 18cm – 40cm | | | |
| 32 | Silicon cushion liner : Above knee and below knee | <p>Silicone liner. To be used as cushion liner with valve</p> <ul style="list-style-type: none"> • Coated with fabric • Conical shape • Thickness 3 – 6mm | 18cm-40cm | | | |
| 33 | Silicone Liner (Above Knee) Silicone liner with pin attachment | <p>Threaded end with distal connection</p> <ul style="list-style-type: none"> • Coated with fabric • Conical shape • Thickness 3 – 6mm | 18cm – 55cm | | | |

| | | | | | | |
|----|----------------------------|--|---------------|--|--|--|
| | | <ul style="list-style-type: none"> • Threaded end for pin attachment <p>Packaging= each</p> | | | | |
| 34 | Sealing Liner (Above Knee) | <p>Smooth outer surface without textile</p> <ul style="list-style-type: none"> • Cylindrical or conical shape • Silky smooth surface with no textile cover • Integrated or movable seal rings are included <p>Packaging= each</p> | 28cm – 55cm | | | |
| 35 | Silicone Valve Kit | <p>Threadless silicone valve</p> <ul style="list-style-type: none"> • Manual air discharge centre button • Seat ring • With lamination dummy • For Above Knee Prosthesis <p>Packaging= kit</p> | Diameter 24mm | | | |
| 36 | Threaded Valve Kit | <p>Threaded valve kit</p> <ul style="list-style-type: none"> • Manual air discharge centre button • Seat ring • With lamination dummy • For Above Knee Prosthesis <p>Packaging= kit</p> | Diameter 24mm | | | |
| 37 | One way valve | <p>Threaded one-way valve</p> <ul style="list-style-type: none"> • Air discharge automatically in use • 2 threaded plastic parts with outlet valve | | | | |

| | | | | | | |
|--|--|---|--|--|--|--|
| | | <ul style="list-style-type: none"> • For the Below Knee prosthesis <i>Packaging= kit</i> | | | | |
|--|--|---|--|--|--|--|

I. MOP MISCELLANEOUS

| ITEM NR. | ITEM | DESCRIPTION | SIZE | PRICE 1 st YEAR | PRICE 2 nd YEAR | PRICE 3 rd YEAR |
|----------|---|---|-------------------------------------|----------------------------|----------------------------|----------------------------|
| 1 | Sanding drum/rubber for router machine | Black sanding drum to pull onto the router machine shaft <ul style="list-style-type: none"> • Cylindrical with centre hole <i>Packaging = each</i> | 73 x 200 Diameter = 72.5 | | | |
| 2 | Sanding sleeves | Sanding sleeve for sanding drum | 73 x 200 x 60grit | | | |
| | | | 73 x 200 x 80grit | | | |
| | | | 73 x 200 x 100grit | | | |
| 3 | Sanding Drum | Sanding drum for router machine <ul style="list-style-type: none"> • 5/8" <i>Packaging = each</i> | Diameter 25mm Length 100mm | | | |
| 4 | Sanding Sleeve (25mm) | Sanding sleeve for sanding drum | Diameter 25mm and length 100mm. | | | |
| 5 | Sanding sleeve (45mm) | Sanding sleeve for sanding drum <ul style="list-style-type: none"> • P40 <i>Packaging = each</i> | Diameter 45mm length 75mm P40 | | | |

| | | | | | | |
|---|-------------------------------|--|-------------------------------------|--|--|--|
| 6 | Sanding drum – Conical | <p>Cone Grinder</p> <ul style="list-style-type: none"> • 5/8" thread. <p>Packaging = each</p> | <p>Diameter 21mm Width 40mm</p> | | | |
| 7 | Conical Sleeves | <p>Conical Sanding Sleeve for sanding drum</p> <ul style="list-style-type: none"> • Conical <p>Packaging= each</p> | P50 | | | |
| | | | P150 | | | |
| 8 | Sanding sleeves | <p>Sanding sleeves Aluminium oxide, zirconia, silicon carbide and ceramic abrasive,</p> <ul style="list-style-type: none"> • Resin bonded • Sanding belt, endless for boot finishing machine • 60, 80, 1800 Grit (Sleeves) <p>Packaging = Box 10 piece</p> | 73x200x40 60 Grit | | | |
| | | | 73x200x40 80 Grit | | | |
| | | | 73x200x40 100 Grit | | | |
| 9 | Sanding belt | <p>Sanding Belts Aluminium oxide, zirconia, silicon carbide and ceramic abrasive,</p> | 1650x40x36 60 grit | | | |
| | | | 1650x40x36 80 grit | | | |

| | | | | | | |
|----|---|---|---|--|--|--|
| | | <ul style="list-style-type: none"> • Resin bonded • Sanding belt, endless for boot finishing machine • 60, 80, 100 Grit <p>Packaging = Box 10 piece</p> | 1650x40x36 100 grit | | | |
| 10 | Naumkeag Caps with Rubber Naumkeag Diameter: mm. 85/mm.105 Donkey cap | Boot finishing machine sanding sleeve Packaging = each | Diameter 130mm P40 | | | |
| | | | Diameter 130mm. P80 | | | |
| 11 | Grinding cone made of silicone | 5/8 inch threads in five different shapes. <ul style="list-style-type: none"> • For grinding the edges of soft and permanently flexible plastic materials. <p>Packaging = Each</p> | 5/8 | | | |
| 12 | Plaster Bandage Scissor | Blunt tip scissor to cut POP bandage Packaging = Each | Length 90mm | | | |
| | | | Length 220mm | | | |
| 13 | Trimming Scissor | Fine teeth metal trimming scissor Packaging = Each | 200mm | | | |
| 14 | Drill bits For stainless steel | Cobalt <ul style="list-style-type: none"> • For drilling stainless steel and hard materials <p>Packaging=packet/10</p> | 3 - 12mm | | | |
| 15 | Steel brush (Heavy Duty) | Steel brush with a wooden handle. <ul style="list-style-type: none"> • Used to clean hardened plaster of Paris (Mould) | Brittle length 37mm Brush diameter 150mm | | | |

| | | | | | | |
|----|--|---|----------------|--|--|--|
| | | <p>in surform blades and other tools used for manufacturing orthotics/prosthesis devices</p> <ul style="list-style-type: none"> • Hard steel bristle <p>Packaging = Each</p> | | | | |
| 16 | Edge cutter Plastic/ Deburring tool | <p>Plastic-coated and slightly bent blade</p> <p>Packaging = Each</p> | 270 x 23mm | | | |
| 17 | Boot makers knife | <ul style="list-style-type: none"> • Fixed blade • Designed to cut leather • Wooden covered handle | 100mm to 210mm | | | |
| 18 | Pipe cutter | <p>Pipe cutter adjustable with edge trimmer blade.</p> <ul style="list-style-type: none"> • To cut pylon adaptors from 3 – 35mm • Edge trimmer as an added function • Spare blade <p>Packaging = each</p> | Standard | | | |
| 19 | Tape Measure | <p>Pocket spring tensioned tape is used to take circumferential measurements</p> <ul style="list-style-type: none"> • Both side calibration in Inches and Centimetres • With spring button release | 1 – 2m Length | | | |

| | | | | | | |
|----|-----------------------------------|---|---|--|--|--|
| | | Packaging each = each | | | | |
| 20 | Surform Blade (Half round) | For working on a curved surface <ul style="list-style-type: none"> • Half Round Packaging = Box of 20 | 250mm long and 40mm wide. | | | |
| 21 | Surform Blade (Flat) | For working on a flat surface <ul style="list-style-type: none"> • Flat Packaging = Box of 20 | 250mm long and 40mm wide. | | | |
| 22 | Surform Blade (Round) | 250mm round blade for enlarging holes and shaping tight <ul style="list-style-type: none"> • 250mm long Packaging = Box of 20 | 250mm long | | | |
| 23 | Hacksaw Blade | Double-edged hacksaw Packaging = 10 Packet | Length 300mm. Width 25mm | | | |
| 24 | Heat Resistant Gloves | Kevlar cotton-lined gloves For handling hot thermoplastic materials Packaging = Pairs | Adult | | | |
| 25 | Vacuum Pipe | Vacuum Steel pipe used for laminating or drape moulding. Packaging = Each | Single pipe Diameter 35mm Length 450 | | | |
| | | | Double pipes Diameter 50mm Length 600mm | | | |
| 26 | Vacuum Bottle | Clear glass bottle with plastic lid. 2 hose connection points and can be wall mounted. | Standard | | | |

| | | | | | | |
|----|-------------------------|--|----------------------|--|--|--|
| | | With measurement printed Packaging = Each | | | | |
| 27 | PVC Tubing | Clear tubing. They are used to connect vacuum equipment. Packaging = Per metre | Diameter 8mm | | | |
| 28 | Abranet | Unique patented sanding material is an Open mesh that contains thousands of small holes It is an aluminium oxide grain resin bonded to a polyamide fabric which is durable and long-lasting. Packaging = Roll | Coarse P60 | | | |
| | | | Fine P180 | | | |
| 29 | Merit Cling Wrap | Transparent cling wrap for plaster isolation and other use. Friendly to use, hand handle Packaging = each | 380mm x 50m Rolls | | | |
| 30 | Insulation Tape | Highly conformable with good flexibility Plastic sealing insulating tape Black/White Packaging = 10 pack | 18mm x 20m | | | |
| 31 | Indelible Pencil | An indelible pencil is suitable for skin contact. For marking damp plaster moulds/stockinet Packaging = 12 per box | | | | |

J. UPPER LIMB PROSTHETICS

| ITEM NR. | ITEM | DESCRIPTION | SIZE | PRICE 1 st YEAR | PRICE 2 nd YEAR | PRICE 3 rd YEAR |
|----------|------------------------------------|---|------|----------------------------|----------------------------|----------------------------|
| 1 | Elbow set up for children | Plastic forearm shell, length approx. 250mm, circumference 210mm Manual elbow lock 10 locking positions in approximately 8inch increments Brown/Caucasian Lamination ring 40mm Packaging = each | | | | |
| 2 | Passive hands for children | Soft foam passive hand. Has positional fingers ½ - 20 Thread Right/Left Caucasian/Brown Packaging=each | 4 ½ | | | |
| 3 | Functional Hand - For women | Voluntary opening | 7 ¼ | | | |
| | | Adjustable prehension Functional with cable for harness system Used with wrist unit and cosmetic glove Thread External 1/2"-20 or M12 x 1.5 mm Brown or Caucasian Left or right | 7 ¾ | | | |

| | | | | | | |
|---|---|--|------------------------|--|--|--|
| | | Packaging=each | | | | |
| 4 | Functional Hand - For men | Voluntary opening Adjustable prehension Functional with cable for harness system Used with wrist unit and cosmetic glove Thread External 1/2"-20 or M12 x 1.5 mm Brown or Caucasian Left or right Packaging = each | 7 ¾ | | | |
| | | | 8 ¼ | | | |
| 5 | Wrist Disarticulation | Stainless steel friction wrist ½ - 20 Thread Packaging = each | 44mm | | | |
| 6 | Wrist mechanism - Friction Wrist | Terminal device able to rotate in any direction Set screw to adjust friction Friction insert has threads and is replaceable ½ - 20 Thread Packaging = each | Child 38mm | | | |
| | | | Medium 44mm | | | |
| | | | Adult 50mm | | | |
| 7 | Wrist mechanism quick release | Designed for quick changes of terminal device or position Button to unlock/detach terminal device Packaging=each | Adult | | | |
| 8 | Wrist insert | Quick change wrist insert Insert for quick-release wrist | Standard ½ - 20 Thread | | | |
| | | | Metric Thread M12 | | | |

| | | | | | | |
|----|--------------------------------------|---|---------------------------------|--|--|--|
| | | Packaging=each | | | | |
| 9 | Single Axis Below Elbow Hinge | Stainless steel single-axis elbow joint Free motion Packaging = each | Small | | | |
| | | | Medium | | | |
| | | | Large | | | |
| 10 | Ball receiver | Stainless steel ball receiver Packaging=each | Small cable (.119cm) | | | |
| | | | Standard cable (.159cm) | | | |
| | | | HD cable (.238cm) | | | |
| 11 | Ball terminal | Stainless steel ball terminal 3/16" (.48cm) Packaging=each | Small cable (.119cm) | | | |
| | | | Standard cable (.159cm) | | | |
| | | | HD cable (.238cm) | | | |
| 12 | Retainer | Stainless steel upper extremity retainer used to connect cable housing | Standard | | | |
| | | | Heavy duty | | | |
| 13 | Cable | Stainless-steel cable Packaging=1m | Small cable 3/64" (.119cm) | | | |
| | | | Standard cable 1/16" (.159cm) | | | |
| | | | Heavy Duty cable 3/32" (.238cm) | | | |
| 14 | Cable Housing | Stainless steel Packaging=1m | Standard cable | | | |
| | | | Heavy duty cable | | | |
| 15 | Housing clamp/anchor | Stainless steel Packaging=each | Standard | | | |
| 16 | Plastic cover | For encasing cable housing Plastic cover for housing | Standard | | | |
| | | | Heavy duty | | | |

| | | | | | | |
|----|----------------------------------|---|---------------------------------|--|--|--|
| | | Packaging=each | | | | |
| 17 | Crossbar assembly | Crossbar Anchor Plate Cross bar plate Press Rivet Leather Cross Bar Packaging= 1 set | Standard | | | |
| | | | Heavy duty | | | |
| 18 | Hanger assembly | Stainless steel Hanger assembly Packaging=per set | Standard (.159cm) 1” Webbing | | | |
| | | | Standard (.238cm) 1” Webbing | | | |
| | | | Standard (.159cm) ½” Webbing | | | |
| 19 | Base Plate | Base plate for retainer including rubber disc Base plate pad/rubber Packaging=set | Standard | | | |
| 20 | Forearm Lift Assembly | Forearm lift assembly including Screw Spacer Rivet & Rivet Cap Leather Strip Packaging=per set | Standard | | | |
| | | | Heavy duty | | | |
| 21 | O Harness Ring | Stainless Steel ring for harnessing Packaging=each | Standard | | | |
| | | | Medium | | | |
| | | | Large | | | |
| 22 | Figure 8/Ring Harness Kit | Dacron webbing strap ready to fit including: Stainless steel anchor ring 4 bar buckles Axilla loop Y Strap | Below Elbow Kit | | | |
| | | | Above Elbow Adult Kit | | | |
| | | | Below Elbow Child Kit | | | |

| | | | | | | |
|----|-----------------------------------|---|-----------------|--|--|--|
| | | Anterior suspension Steel O-ring Packaging=per set | | | | |
| 23 | 4 Bar Buckle | Stainless steel buckle for ease of adjustment of the harness 4 Bar Packaging = each | 1/2" | | | |
| | | | 3/4" | | | |
| | | | 1" | | | |
| 24 | Webbing | For making harness Polyester Packaging=5m/roll | 25mm Wide | | | |
| | | | 50mm Wide | | | |
| 25 | Axilla Loop/Protector | Pre-shaped plastic tube protects Dacron/webbing straps made of silicone rubber Packaging=each | Small (1/2") | | | |
| | | | Large (3/4") | | | |
| 26 | Elbow Joint | Provides locking positions and accommodates a lift assist unit on either left or right side Packaging=each | Adult | | | |
| 27 | Above elbow (AE) setup | Elbow joint device for AE control systems Passive and self-locking 13 locking positions in 8 steps Upper arm rotation joint Plastic forearm shell Brown/Caucasian Packaging = each | 45mm | | | |
| | | | 50mm | | | |
| 28 | Prosthetic glove (Leather) | Leather Brown or Caucasian Short Left Or Right | Standard | | | |

| | | | | | | |
|----|---|--|-----------|--|--|--|
| | | Packaging=each | | | | |
| 29 | Prosthetic glove (Silicone/Rubber) | Silicone Brown or Caucasian Left or Right Long Packaging=each | Short | | | |
| | | Silicone Brown or Caucasian Left or Right Short Packaging=each | Short | | | |
| 30 | Single Axis Below Elbow Hinge | Rugged hinge system designed for heavy-duty use Stainless steel Packaging = pair | | | | |
| 31 | Upper limb cosmetic Foam Cover | Foam used to create cosmetic shaping of upper limb prosthesis Pre-drilled centre hole Beige One size | Universal | | | |

ANKLE JOINTS

| ITEM NR. | ITEM | DESCRIPTION | SIZE | PRICE 1 st YEAR | PRICE 2 nd YEAR | PRICE 3 RD YEAR |
|----------|---|--|------------|----------------------------|----------------------------|----------------------------|
| 1 | Ankle Joint free motion (Thermoplastic) | Flexure Joint Free Motion Made of thermoplastic and nylon Self-aligning Flexure Joint Includes moulding dummy High strength inner core minimising joint elongation Packaging= per set | Paediatric | | | |
| 2 | Ankle Joint free motion (Thermoplastic) | Flexure Joint Free Motion Made of thermoplastic and nylon Self-aligning Flexure Joint Includes moulding dummy High-strength inner core minimizing joint elongation Packaging= per set | Adult | | | |
| 3 | Ankle joint with dorsiflexion assist (Thermoplastic) | Flexible Made of thermoplastic and nylon 2 joints with built-in nuts Joints self-co-align Curved and reinforced ankle joints Includes moulding dummy Packaging= per set | Adult | | | |
| 4 | Free-motion ankle joints (Steel) | Stainless steel joint Include moulding dummy To be used on thermomoulding/lamination Packaging= per set | Paediatric | | | |
| | | | Adult | | | |

| | | | | | | |
|----|---|---|------------|--|--|--|
| 5 | Double-action ankle joints (Steel) | Stainless steel joint complete set for attaching to uprights Screws or pins adjustable Stainless steel Packaging= per set | Paediatric | | | |
| | | | Adult | | | |
| 6 | Motion control limiter | Stainless steel and durable urethane. Complete kit for fabrication Motion limiter provides a variable plantar flexion stop that provides some dampening. To control or limit plantar flexion Packaging= per set | Adult | | | |
| 7 | Automatic trigger lock knee joint | Stainless steel A cable attaches the locking tip to a trigger Packaging= per set | Adult | | | |
| 8 | Adjustable extension or flexion ring lock knee joint | Stainless steel Provides extension stop as well as adjustable flexion stop intervals Packaging= Pair/set | Adult | | | |
| 9 | Ring lock calliper steels | Stainless steel Straight medial and lateral joints, with open lock Packaging= Pair/set | Paediatric | | | |
| | | | Adult | | | |
| 10 | Orthotic Hip Joint with bars | Stainless steel Free motion hip joint. Packaging= per set | Paediatric | | | |
| | | | Adult | | | |

BREAST PROSTHESIS

| ITEM NR. | ITEM | DESCRIPTION | SIZE | PRICE 1 st YEAR | PRICE 2 nd YEAR | PRICE 3 RD YEAR |
|----------|--|---|------|----------------------------|----------------------------|----------------------------|
| 1 | Breast prosthesis Symmetrical | Oval or triangular shape Silicone For left or right Brown or Caucasian Should have a nipple <i>Packaging= each</i> | 1-14 | | | |
| 2 | Breast Prosthesis Asymmetrical | Extended to fit upper chest Silicone Specifically designed to fit left or right Brown or Caucasian Should have a nipple <i>Packaging= each</i> | 1-14 | | | |

SPINAL ORTHOTICS

| | | | | | | |
|---|--------------------------|--|-----------|--|--|--|
| 1 | Rigid Neck Collar | Cervical spine brace to provide total immobilisation of the mid-cervical spine Occipital support Sternal pad Tracheal opening Chin support | Universal | | | |
|---|--------------------------|--|-----------|--|--|--|

| | | | | | | |
|---|---|---|------------------------|--|--|--|
| | | Hook and loop straps Angulation buttons Magnetic resonance safe Packaging = each | | | | |
| 2 | Lumbar Sacral Orthosis (LSO) Spinal Brace | Lumbar Sacral Orthosis Removable rigid anterior or posterior support panels. For a higher degree of immobilisation Includes lacing for tensioning. Packaging= each | S | | | |
| | | | M | | | |
| | | | L | | | |
| | | | X L | | | |
| 3 | Thoraco Lumbar Sacral Orthoses (TLSO) Spinal brace | Thoracic Lumbar Sacral Orthosis . Padded shoulder straps with a quick-release mechanism Uses pulley system for thoracic and lumbar pressure adjustment Tool-free Posterior cut-out or closed vertebrae Overlapping side panels Rigid anterior with flexion restriction Sternum piece is height adjustable and user-friendly (No Allen keys or external tools used to adjust) Packaging= each | S 63.5 - 76 cm | | | |
| | | | M 76 - 89 cm | | | |
| | | | L 89 - 101.5 cm | | | |
| | | | XL 101.5 - 114.5 cm | | | |

ADULT PROSTHETIC KNEE JOINTS

| | | | | | | |
|---|-----------------------------------|--|--|--|--|--|
| 1 | Single Axis Hydraulic Knee | Monocentric joint with a rotary hydraulic system that controls the swing phase and provides support in the stance phase. | | | | |
|---|-----------------------------------|--|--|--|--|--|

| | | | | | | |
|---|--|--|-------|--|--|--|
| | | <p>The knee damping level is controlled by flexion and extension throttles Flexion and extension resistance adjustable Extension assist can be increased by installing an additional spring 100 - 125kg Packaging= each</p> | | | | |
| 2 | Modular knee joint | <p>For modular application Monocentric or polycentric knee joint Complete with extension assist cable, 2x springs or build in function, with/out plastic cover. Socket connector adaptation – Build in pyramid or comes with rotatable adaptor Build in pylon/pipe 30mm receiver or pyramid adaptor Packaging= each</p> | Adult | | | |
| 3 | Modular knee joint With lock | <p>Manual lock with pyramid adaptor Lock slide with the cable used to operate the knee-locking system Lock slide included Packaging= each</p> | Adult | | | |
| | Pneumatic knee joint, | <p>4 bar linkage Aluminium Lightweight Can also be used for TK, TF and hemi-pelvectomy prosthesis</p> | Adult | | | |

| | | | | | | |
|---|--|--|-------|--|--|--|
| 4 | Modular polycentric knee joint | Polycentric knee joint with pneumatic swing phase control Aluminium construction For above-knee amputation Socket connector adaptation – Build in pyramid or comes with rotatable adaptor With lamination anchor Maximum weight limit of up to 100 - 125kg flexion and extension adjustable Packaging= each | Adult | | | |
| 5 | Modular knee joint for knee disarticulation | For through knee (TK) application Polycentric With lamination anchor Extension spring continually adjustable or adjusted through throttle Socket connector adaptation – Come with either Male/Female adaptor or Build in pyramid or comes with rotatable adaptor/lamination anchor Stainless steel construction Maximum weight 100 - 125kg Packaging= each | Adult | | | |
| 6 | Modular knee joint for knee disarticulation | For through knee (TK) application Polycentric With lamination anchor Extension spring continually adjustable Titanium construction Maximum weight 100 - 125kg Packaging= each | Adult | | | |

| | | | | | | |
|---|-----------------------------------|---|-------|--|--|--|
| 7 | Hip Joint Single axis | Single axis With internal extension assist and lamination anchor Maximum weight 100 - 125 kg Packaging= each | Adult | | | |
| 8 | Hip joint Four bar Linkage | Four bar linkage Safety is achieved through a four-bar structure With lamination anchor Maximum weight 100 - 125kg Packaging= each | Adult | | | |

20. ANNEXURE B: PORTFOLIO OF CURRENT AND COMPLETED CONTRACTS

The Bidder/s must furnish a list of the following particulars of Supply and Delivery of Medical Orthotics and Prosthetics Consumables services rendered by the Bidder. The bidder must in addition attach **proof of references e.g. previous contracts or order and disbursement reports/ remittance advices linked to the experience and track record below**. Failure to furnish the particulars of such information in this Annexure in full shall invalidate the bid.

NB: The information provided below shall be used during evaluation on administrative compliance

| ANNEXURE B: PORTFOLIO OF CURRENT AND COMPLETED PROJECTS | | | | | | | |
|---|---|--|--|--------------|--|--|---|
| FOL | CLIENT NAME, CONTACT PERSON, CONTACT NUMBER AND EMAIL | | CONTRACT NUMBER AND DESCRIPTION OF SERVICE | PLACE (TOWN) | CONTRACT START DATE Day, Month & Year | CONTRACT END DATE Day, Month & Year | CONTRACT AMOUNT/ VALUE OF CONTRACT (R) |
| 1. | Name of Client | | | | | | |
| | Contact Person | | | | | | |
| | Tel | | | | | | |
| | eMail | | | | | | |
| 2. | Name of Client | | | | | | |
| | Contact Person | | | | | | |
| | Tel | | | | | | |
| | eMail | | | | | | |
| 3. | Name of Client | | | | | | |

ANNEXURE B: PORTFOLIO OF CURRENT AND COMPLETED PROJECTS

| FOL | CLIENT NAME, CONTACT PERSON, CONTACT NUMBER AND EMAIL | | CONTRACT NUMBER AND DESCRIPTION OF SERVICE | PLACE (TOWN) | CONTRACT START DATE Day, Month & Year | CONTRACT END DATE Day, Month & Year | CONTRACT AMOUNT/ VALUE OF CONTRACT (R) |
|------------|--|--|---|---------------------|--|--|--|
| | Contact Person | | | | | | |
| | Tel | | | | | | |
| | eMail | | | | | | |
| 4. | Name of Client | | | | | | |
| | Contact Person | | | | | | |
| | Tel | | | | | | |
| | eMail | | | | | | |
| 5. | Name of Client | | | | | | |
| | Contact Person | | | | | | |
| | Tel | | | | | | |
| | EMail | | | | | | |
| 6. | Name of Client | | | | | | |
| | Contact Person | | | | | | |
| | Tel | | | | | | |

ANNEXURE B: PORTFOLIO OF CURRENT AND COMPLETED PROJECTS

| FOL | CLIENT NAME, CONTACT PERSON, CONTACT NUMBER AND EMAIL | | CONTRACT NUMBER AND DESCRIPTION OF SERVICE | PLACE (TOWN) | CONTRACT START DATE Day, Month & Year | CONTRACT END DATE Day, Month & Year | CONTRACT AMOUNT/ VALUE OF CONTRACT (R) |
|------------|--|--|---|---------------------|--|--|--|
| | Email | | | | | | |
| 7. | Name of Client | | | | | | |
| | Contact Person | | | | | | |
| | Tel | | | | | | |
| | eMail | | | | | | |
| 8. | Name of Client | | | | | | |
| | Contact Person | | | | | | |
| | Tel | | | | | | |
| | eMail | | | | | | |
| 9. | Name of Client | | | | | | |
| | Contact Person | | | | | | |
| | Tel | | | | | | |
| | eMail | | | | | | |

ANNEXURE B: PORTFOLIO OF CURRENT AND COMPLETED PROJECTS

| FOL | CLIENT NAME, CONTACT PERSON, CONTACT NUMBER AND EMAIL | | CONTRACT NUMBER AND DESCRIPTION OF SERVICE | PLACE (TOWN) | CONTRACT START DATE Day, Month & Year | CONTRACT END DATE Day, Month & Year | CONTRACT AMOUNT/ VALUE OF CONTRACT (R) |
|------------|--|--|---|---------------------|--|--|--|
| 10. | Name of Client | | | | | | |
| | Contact Person | | | | | | |
| | Tel | | | | | | |
| | eMail | | | | | | |
| 11. | Name of Client | | | | | | |
| | Contact Person | | | | | | |
| | Tel | | | | | | |
| | eMail | | | | | | |
| 12. | Name of Client | | | | | | |
| | Contact Person | | | | | | |
| | Tel | | | | | | |
| | eMail | | | | | | |
| 13. | Name of Client | | | | | | |
| | Contact Person | | | | | | |
| | Tel | | | | | | |
| | eMail | | | | | | |