



THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

CONTRACT DOCUMENT

FOR THE

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

(RETURNABLE DOCUMENT)

Name of Tenderer	
Address (Physical)	
Telephone Number	
Fax Number	
Date	
Signature	
Amount (VAT Included)	
Duration	

NOTE:

- The Form of Offer and Acceptance (C1.1) is on **page 83** of this document (see also Clause F.4.6 on **page 13**)

PREPARED BY:

THEEWATERSKLOOF MUNICIPALITY

P O BOX 24

CALEDON

7230

Tel: (028) 214 3300

Fax: (028) 214 1289

AUGUST 2021

PART A INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE THEEWATERSKLOOF MUNICIPALITY					
Bid Number:	ENG 06/2021/22	Closing Date:	01 OCTOBER 2021	Closing Time:	12:00
Description:	UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES				
THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (MBD7).					
Bid Response Documents may be Deposited in the Bid Box NO. 1 situated at:					
MUNICIPAL HEAD OFFICE					
6 PLEIN STREET					
CALEDON					
7230					
SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
TAX COMPLIANCE STATUS	TCS PIN:		OR	CSD No:	
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE [TICK APPLICABLE BOX]	☐ Yes ☐ No		B-BBEE STATUS LEVEL SWORN AFFIDAVIT ☐ Yes ☐ No		
[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]					
1. ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?		☐ Yes ☐ No [IF YES ENCLOSE PROOF]		2. ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED? ☐ Yes ☐ No [IF YES, ANSWER PART B:3]	
3. TOTAL NUMBER OF ITEMS OFFERED				4. TOTAL BID PRICE R	
5. SIGNATURE OF BIDDER				6. DATE	
7. CAPACITY UNDER WHICH THIS BID IS SIGNED					
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:			TECHNICAL INFORMATION MAY BE DIRECTED TO:		
DEPARTMENT	SCM		CONTACT PERSON	EARL KIEWITZ	
CONTACT PERSON	Ashley Hendricks		TELEPHONE NUMBER	028 214 3300	
TELEPHONE NUMBER	028 214 3300		FACSIMILE NUMBER	028 212 2199	
FACSIMILE NUMBER	028 212 1229		E-MAIL ADDRESS	earlki@twk.org.za	
E-MAIL ADDRESS	ashleyhe@twk.org.za				

PART B

TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED–(NOT TO BE RE-TYPED) OR ONLINE**
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 Bidders must ensure compliance with their tax obligations.
- 2.2 Bidders are required to submit their unique personal identification number (pin) issued by SARS to enable the organ of state to view the taxpayer's profile and tax status.
- 2.3 Application for the Tax Compliance Status (TCS) certificate or pin may also be made via e-filing. In order to use this provision, taxpayers will need to register with SARS as e-filers through the website www.sars.gov.za.
- 2.4 Foreign suppliers must complete the pre-award questionnaire in part B:3.
- 2.5 Bidders may also submit a printed TCS certificate together with the bid.
- 2.6 In bids where consortia / joint ventures / sub-contractors are involved, each party must submit a separate TCS Certificate/Pin/CSD number.
- 2.7 Where no TCS is available but the bidder is registered on the central supplier database (CSD), a CSD number must be provided.

3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

- 3.1. IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? ☐ YES ☐ NO
- 3.2. DOES THE ENTITY HAVE A BRANCH IN THE RSA? ☐ YES ☐ NO
- 3.3. DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? ☐ YES ☐ NO
- 3.4. DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA? ☐ YES ☐ NO
- 3.5. IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? ☐ YES ☐ NO

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.

**NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.
NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.**

SIGNATURE OF BIDDER:

CAPACITY UNDER WHICH THIS BID IS SIGNED:



THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

GENERAL TENDER INFORMATION

TENDER ADVERTISED	:	Friday, 27 August 2021
ESTIMATED CIDB CONTRACTOR GRADING	:	4 CE or Higher
CLARIFICATION MEETING	:	A compulsory clarification meeting to be held on Tuesday, 8 September at 10:00.
VENUE FOR CLARIFICATION MEETING	:	Grabouw Town Offices, 1 Arbour Drive
CLOSING DATE	:	Friday, 01 October 2021
CLOSING TIME	:	12:00
CLOSING VENUE	:	Tender Box 1 at the Municipal Office, 6 Plein Street, Caledon.
VALIDITY PERIOD OF TENDER	:	120 days
TENDER BOX	:	The Tender Documents (which includes the Form of Offer and Acceptance) completed in all respects, plus any additional supporting documentation required, must be submitted in a sealed envelope with the name and address of the tenderer, the tender No. and title and the closing date indicated on the envelope. The sealed envelope must be inserted into the appropriate official tender box before closing time. The onus remains with the tenderer to ensure that the tender is placed in the correct tender box.

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

Number	Heading	Page
Part T1: Tendering procedures		1
T1.1	Tender Notice and Invitation to Tender	2
T1.2	Tender Data	3
Part T2: Returnable documents		35
T2.1	List of Returnable Documents	36
T2.2	Returnable Schedules	37
Part C1: Agreements and Contract Data		82
C1.1	Form of Offer and Acceptance	83
C1.2	Contract Data	87
C1.3	Form of Guarantee	94
C1.4	Occupational Health and Safety Agreement	98
Part C2: Pricing data		101
C2.1	Pricing Instructions	102
C2.2	Bills of Quantities	104
Part C3: Scope of Work		113
C3.1	Description of the Works	114
C3.2	Engineering	116
C3.3	Procurement	117
C3.4	Construction	118
C3.5	Management	131
C3.6	Annexes	133

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

Part T1: Tendering procedure

T1.1 Tender Notice and Invitation to Tender

T1.2 Tender Data

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

T1.1 Tender Notice and Invitation to Tender

Theewaterskloof Municipality, Director: Technical Services and Planning invites tenders for contract no: **ENG 06/2021/22 – UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES**

Only tenderers who satisfy the eligibility and responsiveness criteria stated in the Tender Conditions and Tender Data (Clause F.2.1) and Special Conditions (Clause F4.15) are eligible to submit tenders. It is estimated that tenderers should have a CIDB contractor grading designation of 4CE or higher.

All bids received shall be evaluated in terms of the Theewaterskloof Municipality's Supply Chain Management Policy, read with the Preferential Procurement Regulations of 2017. The 80/20 preference points system will be applicable. Tenders will be evaluated in terms of price and preference.

The successful tenderer must also be registered on the Centralized Supplier Database (CSD). Tenderers can register on www.csd.gov.za.

A set of tender documents may be obtained from Theewaterskloof Municipality, Technical Services Department from **Friday, 27 August 2021** between 07:45 to 13:00 and 13:45 to 16:45, Monday to Thursday and between 07:45 to 13:00 and 13:45 to 15:30 on Fridays. Payment of a non-refundable tender participation fee of R500.00 (VAT inclusive) is applicable. This is an eligibility criterion and is payable by means of electronic transfer or direct deposit only. Proof of payment of the participation fee should accompany your tender document when submitting it. Enquiries in this regard can be referred to Mr Hanro September at hanrose@twk.org.za.

An electronic version of the tender document for information purposes only can be requested via email from hanrose@twk.org.za.

All **technical queries** relating to this tender may be addressed to Mr Earl Kiewitz, Tel No. 028 212 3300, Fax No. 028 212 2199, e-mail: earlki@twk.org.za

A compulsory clarification meeting with representatives of the Employer will take place at the Grabouw Town Office 1 Arbour Drive, and then will commence to the proposed location on Wednesday, 8 September 2021 starting at 10:00. Prospective tenderers who arrive later than 10:15 will not be allowed into the Clarification meeting. Tenderers should be represented at the site visit/clarification meeting by a person who is suitably qualified and experienced to comprehend the implications of the work involved.

The closing time for receipt of tenders is **12:00 on Friday, 01 October 2021** at the Theewaterskloof Municipality, 6 Plein Street, Caledon. Tenders, in sealed envelopes, marked "**ENG 06/2021/22 – UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES**", must be placed in Tender Box No. 1, located at the main entrance of Theewaterskloof Municipality, 6 Plein Street, Caledon. Please note that the tender box is open 24/7 and that the deposit slot opening is 5 x 30 cm. Telegraphic, telephonic, telex, facsimile, e-mail and late tenders will not be accepted.

Tenders may only be submitted on the original tender documentation that is issued from Theewaterskloof Municipality.

Council reserves the right to accept a tender in full, partially or not at all and is not obliged to accept the lowest tender received.

D. Lubbe: Municipal Manager
Theewaterskloof Municipality
P O Box 24
CALEDON
7230

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

T1.2 Tender Data

The conditions of tender are the Standard Conditions of Tender as contained in Annex F of Board Notice 136 of 2015 in Government Gazette No. 38960 of 10 July 2014, Construction Industry Development Board (CIDB) Standard for Uniformity in Construction Procurement. (See www.cidb.org.za) which are reproduced without amendment or alteration for the convenience of tenderers as an Annex to this Tender Data.

The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the standard conditions of tender. Each item of data given below is cross-referenced to the clause in the Standard Conditions of Tender to which it mainly applies.

The following variations, amendments and additions to the Standard Conditions of Tender as set out in the Tender Data below shall apply to this tender:

Clause No. Tender Data

F.1 General

F.1.1 Actions

Add the following:

The Employer is the Theewaterskloof Municipality, represented by the Acting Director: Technical Services and Planning

F.1.2 Tender Documents

Add the following:

"The following documents form part of this tender:

VOLUME 1 : The General Conditions of Contract for Construction Works (Second Edition) 2010 as published by the South African Institution of Civil Engineering. This publication is available and tenderers must obtain copies at their own cost from the South African Institution of Civil Engineering (SAICE), Private Bag X200, Halfway House 1685, Tel: (011) 805 5947, Fax: (011) 805 5971, e-mail: civilinfo@saice.org.za.

VOLUME 2 : **SANS 1200:** The Standardized specification for civil engineering construction. This publication is available and tenderers must obtain copies at their own cost from the South African Institution of Civil Engineering (SAICE), Private Bag X200, Halfway House 1685, Tel: (011) 805 5947, Fax: (011) 805 5971, e-mail: civilinfo@saice.org.za.

Volumes 1 and 2 may also be inspected, by appointment, at the offices of the Employer during normal office hours.

The contract documents issued by the Employer comprise:

VOLUME 3: The Contract Document (this document), in which is bound:

The Tender

Part T1: Tendering procedures

T1.1 Tender notice and invitation to tender

T1.2 Tender data

Part T2: Returnable Documents

T2.1 List of returnable documents

T2.2 Returnable schedules

The Contract

Part C1: Agreements and Contract Data

C1.1 Form of offer and acceptance

C1.2 Contract data

C1.3 Form of Guarantee

C1.4 Adjudicator's Agreement

C1.5 Occupational Health & Safety Agreement

C1.6 Contract of Temporary Employment as Community Liaison Officer

Part C2: Pricing Data

C2.1 Pricing Instructions

C2.2 Bills of Quantities

Part C3: Scope of Work

C3.1 Description of the Works

C3.2 Procurement

C3.3 Engineering

C3.4 Construction

C3.5 Management

C3.6 Annexures

Volume 3 (including Part Two) is deemed the "Returnable Documents" which must be returned to the Employer in terms of submitting a tender offer.

VOLUME 4: Occupational Health & Safety Specification

VOLUME 5: Construction Environmental Management plan

F.1.5 The Employer's right to accept or reject any tender offer

Add the following:

F.1.5.3 The Employer may reject a tender if, in the opinion of the Employer, the tenderer will be unable to achieve the contract participation goal tendered, in the performance of the contract.

F.1.6.2 Competitive negotiation procedure

Add the following to F.1.6.2

A competitive negotiation procedure will not be followed.

F.1.6.3 Proposal procedure using the two-stage system

Add the following to F.1.6.3

A two-stage system will not be followed.

F.2 Tenderer's obligations

F.2.1 Eligibility

Add the following to F.2.1:

F.2.1.1 Only those tenderers who satisfy the following criteria are eligible to submit tenders:

Only those tenderers who substantiate their offer by providing sufficient proof, relevant to each of the following criteria and in terms of the scope of work included in this contract, are eligible to submit tenders:

- a) Must comply with a CIBD grading of 4CE or higher. Attach proof.
- b) Payment of the tender deposit of R500.00 (Vat Inclusive).
- c) Attendance of the compulsory clarification meeting. For proof of attendance see **Schedule 2L**.
- d) Functionality: Tenders will be evaluated in accordance with the Functionality criteria – refer to **Schedule 1H, 1I, 1J, 2I: Functionality. Only those tenderers who are found to be functional will proceed for further evaluation**
- e) Provide a minimum of 2 completion certificates for similar related projects. Please attach proof in **Schedule 1H**.

F.2.1.1.1 Construction Industry Development Board (CIDB) Registration

Only those tenderers who are registered with the CIDB, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25 (7A) of the Construction Industry Development Regulations, for a **CE** class of construction work, are eligible to have their tenders evaluated.

Joint Ventures are eligible to submit tenders provided that:

1. every member of the joint venture is registered with the CIDB;
2. the lead partner has a contractor grading designation in the **CE** class of construction work;
3. the combined contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a contractor grading designation determined in accordance with the sum tendered for a **CE** class of construction work or a value determined in accordance with Regulation 25 (1B) or 25 (7A) of the Construction Industry Development Regulations.

Notwithstanding the above, tenderers who are capable of being so registered prior to the evaluation of submissions may be evaluated at the sole discretion of the Employer (the evaluation of tenders shall be deemed to take place when the Employer's Bid Evaluation Committee meets to make a recommendation to the Bid Adjudication Committee).

F.2.1.1.2 Previous experience relating to this contract specification and value

Tenderers must complete **Schedule 1H**, T2.1 Returnable Schedules, which is a list of the tenderer's past work experience in terms of similar successfully completed projects. The value and scale of the projects indicated for these purposes must be supplied together with the other relevant information requested based upon which up to **30 points** for functionality will be awarded to the tenderer under consideration (See **Schedule 1J**, T2.1 Returnable Schedules, for criteria of points allocation) in this regard.

Note: Where the entity tendering is a joint venture, a score for track record will be awarded to each party to the joint venture which will then be combined in proportion to the percentage contribution of each party to the joint venture.

F.2.1.1.3 Experience of key-personnel

The work required in terms of this project is considered to require considerable expertise and it is essential that suitably qualified and experienced personnel be assigned to this project. It would be extremely advantageous if the key-personnel to be directly involved with this contract have relevant experience related to similar successfully completed projects and particular fields of specialisation.

Tenderers must complete **Schedule 1I**, T2.1 Returnable Schedules, for the key personnel identified for each listed position to point out similar successfully completed projects and experience that is relevant to this project for each of the key-personnel indicated based upon which up to **40 points** for functionality will be awarded to the tenderer under consideration (See **Schedule 1J**, T2.1 Returnable Schedules, for criteria of points allocation) in this regard.

Note: One person only to qualify for each listed position. The key-personnel to be used in this regard will be subject to the approval of the Client's Representative prior to the commencement date of the contract. Should any of the persons identified in **Schedule 1I**, T2.1 Returnable Schedules, not be available for the position which they are indicated for, then a suitable candidate with equal or superior tertiary qualification and/or relevant experience than that of the person which he/she replaces shall be used for every such position.

F.2.1.1.4 **Financial Standing**

Tenderers must substantiate their financial standing and capacity by including in their submission evidence of at least a "C" level bank rating. Tenderers are to complete **Schedule 2I** for evaluation in this regard. This financial standing shall be awarded up to **30 points** for functionality (See **Schedule 1J**, T2.1 Returnable Schedules, for criteria of point's allocation) and will be based on the following classes:

Bank Code definitions:

- Code A: Undoubted for the amount
- Code B: Good for the Amount
- Code C: Good for the amount under normal working conditions
- Code D: Reasonable risk for amount
- Code E: Amount to high
- Code F: Financial position unknown
- Code G: RD commission occurs/payment deferred
- Code H: RD commissions occurs frequently

The scoring sheets that will be used to evaluate the functionality submissions are included as Schedule 1J in T2.1 Returnable Schedules: Functionality and Eligibility Evaluation Form. Tenderers are advised to carefully study these sheets to ensure that the correct information in this regard is provided in the relevant schedules, T2.1 Returnable Schedules, of their tender offers. These sheets only serve as an indication to the tenderers on the methods and points criteria that will apply to the evaluation of functionality of their tender offers. The sheets will be completed by the Client's Representative based on the information supplied in the relevant schedules, T2.1 Returnable Schedules, prior to tender evaluation.

Tenderers that fail to supply the information requested in any of these schedules and in the specific format with their tender offers will score **NO** eligibility points in this particular regard.

F.2.1.1.6 **Minimum score for functionality**

In order to be considered for a contract in terms of this tender, tenderers must achieve the minimum score for quality as stated above – Refer to **Schedules 1H, 1I, 1J and 2I**.

Tenders will be evaluated in terms of functionality. Tenderers scoring less than **80** points (80%) out of the combined functionality points (100 points), will be excluded from further evaluation in terms of price & preference.

F.2.7 **Clarification meeting**

Add the following:

The arrangements for a **compulsory** site visit/clarification meeting are as stated in the Tender Notice and Invitation to Tender.

Tenderers should be represented at the site visit/clarification meeting by a person who is suitably qualified and experienced to comprehend the implications of the work involved. Proof of this must be provided at the Clarification meeting. Failure to meet the above criteria may lead to disqualification.

F.2.12 **Alternative tender offers**

Add the following to F.2.12.1:

F.2.12.1 No Alternative offers will be considered.

F.2.13 **Submitting a tender offer**

Replace sub-clause F2.13.2 with the following:

- F.2.13.2 Return all returnable documents to the employer after completing them in their entirety, by writing in non-erasable ink.

Add the following to F.2.13.3

- F.2.13.3 Parts of each tender offer communicated on paper shall be submitted as an original, plus 0 (naught) copies.

Add the following after the first sentence of F.2.13.4:

- F.2.13.4 The tender shall be signed by a person duly authorized to do so. Tenders submitted by joint ventures of two or more firms shall be accompanied by the document of formation of the joint venture, authenticated by a notary public or other official deputed to witness sworn statements, in which is defined precisely the conditions under which the joint venture will function, its period of duration, the persons authorized to represent and obligate it, the participation of the several firms forming the joint venture, and any other information necessary to permit a full appraisal of its functioning.

Add the following to F.2.13.5:

- F.2.13.5 The Employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:

Location of tender box:	Tender Box No. 1 at the entrance of the municipal head office
Physical address:	Theewaterskloof Municipality, 6 Plein Street, Caledon, 7230
Reference number:	Tender number: ENG 06/2021/22 - UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

Sealed tenders with the Tenderer's name and address and the endorsement "**TENDER ENG 06/2021/22: PROJECT: UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES**" on the envelope, must be placed in the appropriate official tender box at the abovementioned address.

Add the following to F.2.13.6:

- F.2.13.6 A two-envelope procedure will **not** be followed (F.3.5).

Add the following sub-clause after F.2.13.9:

- F.2.13.10 By signing the offer part of **C1.1 Form of Offer and Acceptance** the tenderer declares that all information provided in the tender submission is true and correct.

F.2.15 **Closing time**

Add the following to F.2.15.1:

- F.2.15.1 The closing time for submission of tender offers is as stated in the Tender Notice and Invitation to Tender. Telephonic, telegraphic, telex, facsimile or e-mailed tender offers will not be accepted.

F.2.16 **Tender offer validity**

Add the following to F.2.16.1:

- F.2.16.1 The tender offer validity period is **120 days**.

F.2.17 Clarification of tender offer after submission

Add the following to F.2.17:

A tender will be rejected as non-responsive if the tenderer fails to provide any clarification requested by the employer within the time for submission stated in the employer's written request for such clarification. A tender will also be rejected as non-responsive if the tenderer fails, within the time stated in writing by the Employer, to comply with the requirements of F.3.8

F.2.18 Provide other material

Delete the following word in F.2.18.1:

"Notarized".

Add the following to F.2.18.1:

F.2.18.1 Provide, on written request by the Employer, where the tendered amount inclusive of VAT exceeds R10 million:

- i) audited annual financial statement for 3 years, or for the period since establishment if established during the last 3 years, if required by law to prepare annual financial statements for auditing;
- ii) a certificate signed by the tenderer certifying that the tenderer has no undisputed commitments for municipal services towards a municipality or other service provider in respect of which payment is overdue for more than 30 days;
- iii) particulars of any contracts awarded to the tenderer by an organ of state during the past five years, including particulars of any material non-compliance or dispute concerning the execution of such contract;
- iv) a statement indicating whether any portion of the goods or services are expected to be sourced from outside the Republic, and, if so, what portion and whether any portion of payment from the municipality or municipal entity is expected to be transferred out of the Republic.

Each party to a Consortium/Joint Venture shall submit separate certificates/statements in the above regard.

F.2.23 Certificates

Add the following:

The tenderer is required to submit the following with his tender:

F.2.23.1 Certificate of Contractor Registration (CIDB)

The Certificate of Contractor Registration is issued by the Construction Industry Development Board. Where a tenderer satisfies CIDB contractor grading designation requirements through joint venture formation, such tenderers must submit the Certificates of Contractor Registration in respect of each partner. Append to **Schedule 2A**.

F.2.23.2 Tax Clearance Pin Certificate

Tenderers shall be registered and in good standing with the South African Revenue Service (SARS) and shall submit documentary evidence in the form of a valid Tax Clearance Pin Certificate issued by SARS. Append to **Schedule 2C**. In the event that certificate expires during the construction period, the Contractor must submit a new valid certificate within 14 days after expiry of the certificate.

Each party to a Consortium/Joint Venture shall submit a separate Tax Clearance Pin Certificate.

F.2.23.3 Bargaining Council Certificates

Where applicable, a certificate of compliance issued by the relevant Bargaining Council must be submitted. Append to **Schedule 2K**.

Each party to a Consortium/Joint Venture shall submit separate certificates in the above regard.

F.3 The Employer's Undertakings

F.3.2 Issue Addenda

Add the following to F.3.2:

Notwithstanding any requests for confirmation of receipt of Addenda issued, the tenderer shall be deemed to have received such addenda if the employer can show proof of transmission thereof (or a notice in respect thereof) via electronic mail, facsimile or registered post.

F.3.4 Opening of tender submissions

Add the following to F.3.4.1:

F.3.4.1 The time and location for opening of the tender offers is:

Time: Tenders will be opened immediately after the closing time for receipt of tenders, as stated in the Tender Notice and Invitation to Tender, or as stated in any Addendum extending the closing date.

Time: 12:00 on Friday, 01 October 2021.

Location: COUNCIL CHAMBERS, THEEWATERSKLOOF MUNICIPALITY, 6 PLEIN STREET, CALEDON, 7230.

F.3.8 Test for Responsiveness:

Add the following:

Tenders will be considered non-responsive if, inter alia: (This is a requirement on submission of bid document)

- The tenderer did not sign and complete the Form of Offer part,
- The tenderer does not comply with the eligibility criteria listed above, and
- The tenderer has failed to comply with the specifications as advertised.
- The tenderer has failed to comply with the Special Conditions of tender as specified in Clause F4.15.
- The tenderer has failed to comply with Clause F4.6 of additional conditions of tender.
- The tenderer has failed to comply with the pricing instructions.

Add the following two sub-clauses after F.3.8

Test for Administrative Compliance

Tenders will be considered non-compliant if, inter alia: (These documents may be requested)

- a) The tenderer has failed to clarify or submit any supporting documentation within the time for submission stated in the employer's written request.
- b) The tenderer has failed to include, append and sign, where prompted in the Returnable Schedules, any and all additional information requested.
- c) The tenderer has not submitted a municipal account of where the head office of the company is registered or in case where the premises are leased, the tenderer has not provided a copy of the lease of the premises. The successful contractor will be required to submit updated municipal accounts on a quarterly basis.
- d) The tenderer has failed to submit a valid tax clearance pin certificate. A valid tax clearance pin certificate may be requested.
- e) The tenderer has failed to submit a certified B-BBEE certificate, whereas points were claimed and a copy of the certificate was supplied, a certified copy of the B-BBEE certificate may be requested.

- f) The tenderer has failed to submit proof of good standing from the Department of Labour related to good standing with regards to COIDA and UIF payments. A certified copy of the proof of good standing may be requested.
- g) The tenderer has failed to submit proof of registration with the relevant Bargaining Council (or relevant affiliation). Should such be in place, a certified copy of the proof of registration may be requested.
- h) The tenderer has failed to provide proof of payment of participation fee. Proof of payment may be requested.

The Employer reserves the right to accept a tender offer which does not, in the Employer's opinion, materially and/or substantially deviate from the terms, conditions, and specifications of the tender documents.

F.3.9 Arithmetical errors

Delete the contents of Sub-clauses F.3.9.2 to F.3.9.4 and replace with the following:

F.3.9.2 Check responsive tender offers for:

- (a) the gross misplacement of the decimal point in any unit rate;
- (b) omissions made in completing the pricing schedule or bills of quantities; or
- (c) arithmetic errors in:
 - (i) line item totals resulting from the product of a unit rate and a quantity in bills of quantities or schedules of prices or
 - (ii) the summation of the prices

F.3.9.3 Correct arithmetic errors in the following manner:

- (a) If bill of quantities (or schedule of quantities) or pricing schedules apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the unit rate shall govern and the line item total shall be corrected.
- (b) Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.
- (c) Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall be corrected.

F.3.9.4 Notify the highest ranked tender or tenderer with the highest number of tender evaluation points after the evaluation of tender offers in accordance with F.3.11 of all errors or omissions that are identified in the tender offer and invite the tenderer to confirm the tender offer as tendered and accept the corrected total of prices.

F.3.9.5 Check responsive tender offers for unbalanced unit rates and request tenderers to consider amending and adjusting any rates declared unbalanced by the Employer in accordance with F.4.3 while retaining the total of the prices derived after any correction made in terms of this condition to tender.

Reject a tender offer if the tenderer does not correct or accept the correction of arithmetical errors and consider rejection of a tender offer if the tenderer refuses to amend/adjust an unreasonable, unbalanced rate in the manner described above.

F.3.11 Evaluation of tender offers

F.3.11.1 General

Add the following:

Tenders shall be evaluated in terms of the Preferential Procurement Regulations 2017. The value of the tender is estimated to not exceed R50 000 000-00 and therefore the 80/20 system shall be applicable. The financial offer will be scored using Formula 2 (Option 1) where the value of W1 is 80 points. Up to a maximum of 20 points for this tender, will be awarded in terms of the tenderers B-BBEE status level of contribution.

F.3.11.2 Method 1: Price and Preference

Add the following:

The procedure for the evaluation of responsive tenders is according to **Method 1**, where the total number of tender evaluation points, $T_{EV} = N_{FO} + N_P$ as detailed below.

Where N_{FO} is the number of tender evaluation points awarded for the financial offer made in accordance with F.3.11.7
 N_P is the number of tender evaluation points awarded for B-BBEE Status Level Contribution in accordance with F.3.11.8.

F.3.11.3 Method 2: Functionality, price and Preference

Delete the contents of Sub-clauses F.3.9.2 to F.3.9.4 and replace with the following:

In the case of a functionality, price and preference:

- (1) Score functionality, rejecting all tender offers that fail to achieve the minimum number of points for functionality as stated in the Tender Data.
- (2) No tender must be regarded as an acceptable tender if it fails to achieve the minimum qualifying score for functionality as indicated in the tender invitation.
- (3) Tenders that have achieved the minimum qualification score for functionality must be evaluated further in terms of the preference points system prescribed in paragraphs 4 and 5 below.

Evaluation of tender offers

General

Contract Value/Price

The estimated contract value for the period will be used to calculate the financial offer for evaluation purposes in terms of the 80/20 preference point system.

THE 80/20 PREFERENCE POINT SYSTEMS

A maximum of 80 points is allocated for price on the following basis:

80/20

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where

P_s = Points scored for price of bid under consideration
 P_t = Price of bid under consideration
 $P_{\min}$ = Price of lowest acceptable bid

Points awarded for B-BBEE Status Level of Contribution

In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

Bidders who qualify as EMEs in terms of the B-BBEE Act must submit a certificate issued by an Accounting Officer as contemplated in the CCA or a Verification Agency accredited by SANAS or a Registered Auditor. Registered auditors do not need to meet the prerequisite for IRBA's approval for the purpose of conducting verification and issuing EMEs with B-BBEE Status Level Certificates.

Bidders other than EMEs must submit their original and valid B-BBEE status level verification certificate or a certified copy thereof, substantiating their B-BBEE rating issued by a Registered Auditor approved by IRBA or a Verification Agency accredited by SANAS.

A trust, consortium or joint venture, will qualify for points for their B-BBEE status level as a legal entity, provided that the entity submits their B-BBEE status level certificate.

A trust, consortium or joint venture will qualify for points for their B-BBEE status level as an unincorporated entity, provided that the entity submits their consolidated B-BBEE scorecard as if they were a group structure and that such a consolidated B-BBEE scorecard is prepared for every separate bid.

Tertiary institutions and public entities will be required to submit their B-BBEE status level certificates in terms of the specialized scorecard contained in the B-BBEE Codes of Good Practice.

A person will not be awarded points for B-BBEE status level if it is indicated in the bid documents that such a bidder intends sub-contracting more than 25% of the value of the contract to any other enterprise that does not qualify for at least the points that such a bidder qualifies for, unless the intended sub-contractor is an EME that has the capability and ability to execute the sub-contract.

A person awarded a contract may not sub-contract more than 25% of the value of the contract to any other enterprise that does not have an equal or higher B-BBEE status level than the person concerned, unless the contract is sub-contracted to an EME that has the capability and ability to execute the sub-contract.

If a valid B-BBEE certificate (construction sector scorecard) of EME affidavit is not attached it will be interpreted that the preference points for B- BBEE status level or contribution are not claimed.

If a valid B-BBEE certificate (construction sector scorecard) or EME affidavit is attached and if points is not claimed in terms of MBD 6.1 it will be interpreted that the preference points for B- BBEE status level or contribution are not claimed.

F.3.11.7 Scoring Financial Offers

Add the following:

The financial offer will be scored using **Formula 2 (Option 1)** where the value of W_1 is:

- 1) 80 points where the financial value inclusive of VAT of one or more responsive tender offers equals or less than R50 000 000-00.

For this contract, the financial offers will be scored using **Formula 2 (Option 1)** where the value

of W_1 is: **80** tender evaluation points. Up to a maximum of 100 minus W_1 namely **20** tender evaluation points will be awarded for Preference with responsive tenders scoring points in accordance with the **80 Financial/20 Preference** scoring criteria listed below.

80 Financial/20 Preference	
Points	Description
	FINANCIAL OFFER
80	PRICE
	PREFERENCES
20	B-BBEE Status Level Contribution

F.3.11.8 Scoring Preferences

Add the following:

Points for preferences claimed will be determined in accordance with the Preferential Procurement Regulations, 2017. Points will be awarded to tenderers who are eligible for preferences in terms of **Schedule 2E: Preference Points Claim Form** (where preferences are granted in respect of B-BBEE Status Level Contribution) which is included in T2.2 Returnable Schedules.

The terms and conditions of **Schedule 2E: Preference Points Claim Form** shall apply in all respects to the tender evaluation process and any subsequent contract.

F3.13 Acceptance of tender offer

Add the following to F.3.13:

- F.3.13.1
- a) the tenderer has in his or her possession a valid Tax Clearance Certificate issued by the South African Revenue Services or has made arrangements to meet outstanding tax obligations. (In the event that certificate expires during the construction period, the Contractor must submit a new valid certificate within 14 days after expiry of the original certificate);
 - b) the tenderer is registered with the CIDB with an appropriate category of registration;
 - c) the tenderer is not in arrears for more than THREE (3) months with municipal rates and taxes and municipal service charges. (Contractors must submit proof of payment of municipal rates and taxes to the Client on a three-monthly basis);
 - d) the tenderer or any of its directors is not listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector;
 - e) the tenderer has not:
 - i) abused the Employer's Supply Chain Management System; or
 - ii) failed to perform on any previous contract and has been given a written notice to this effect;
 - f) the tenderer has completed the Compulsory Enterprise Questionnaire and there are no conflicts of interest which may impact on the tenderer's ability to perform the contract in the best interests of the employer or potentially compromise the tender process.

F.3.13.2 SCM Related Appeals

Clause 53 of the Theewaterskloof Supply Chain Management Policy gives any person whose rights have been affected by such a decision, the right to appeal such decision within 21 days of notification of the decision.

Any tenderer wishing to exercise this right, must submit their appeal in writing to the Municipal Manager, marked for the attention of the THEEWATERSKLOOF MUNICIPALITY, 6 Plein Street, CALEDON, 7230. The format of the appeal must:

- set out the reasons for the appeal;
- state in which way the appellant's rights have been affected by the decision;
- state the remedy sought, and
- be accompanied by a copy of the notification advising the tenderer of the decision of the Supply Chain Management Bid Adjudication Committee.

Tenderers are hereby informed also of their right to request reasons for the decision in terms of the Promotion of Administrative Justice Act (No. 3 of 2000).

The notification of the decision sent to the successful tenderer is not acceptance of the tender and no rights shall accrue to the successful tenderer in terms of this notification. The successful tenderer will be notified in writing after 21 days of the notification of any final decision (i.e. Acceptance) or of any developments with respect to the appeal process, and if applicable, procedures for the commencement of the work.

The consideration of appeals and if necessary, the invalidation of any decision made, shall be dealt with in terms of the Municipality's appeals process and supply chain management policy.

F.3.18 Provide copies of the contract

Add the following:

The number of paper copies of the signed contract to be provided by the Employer is **one**.

F.4 Additional Conditions of Tender

The additional conditions of tender are:

F.4.1 Compliance with Occupational Health and Safety Act 1993

Tenderers are to note the requirements of the Occupational Health and Safety Act No. 85 of 1993 and the Construction Regulations 2014 issued in terms of Section 43 of the Act. The tenderer shall be deemed to have read and fully understood the requirements of the above Act and Regulations and to have allowed for all costs in compliance therewith.

The Health and Safety Plan shall cover inter-alia the following details:

- (1) Management Structure, Site Supervision and Responsible Persons, including a succession plan.
- (2) Contractor's induction training program for employees, sub-contractors and visitors to the Site.
- (3) Health and safety precautions and procedures to be adhered to in order to ensure compliance with the Act, Regulations and Safety Specifications.
- (4) Regular monitoring procedures to be performed.
- (5) Regular liaison, consultation and review meetings with all parties.
- (6) Site security, welfare facilities and first aid.
- (7) Site rules and fire- and emergency procedures.

Tenderers are to note that the Contractor is required to ensure that all sub-contractors or others engaged in the performance of the contract also comply with the above requirements.

The Contractor shall prepare and maintain a Health and Safety File in respect of the project, which shall be available for inspection on Site at all times and handed over to the Employer on Final Completion of the project.

The Contractor is required to submit to the Employer the Occupational Health and Safety Agreement (included in C1.5 of the Contract Document) and a letter of good standing from the Compensation Commissioner, or a licensed compensation insurer, within 14 days after the Commencement Date of the contract.

F.4.2 Eligibility with respect to expanded public works program

Not applicable

F.4.3 Claims arising after submission of tender

No claim for any extras arising out of any doubt or obscurity as to the true intent and meaning of anything shown on the Contract Drawings or contained in the Conditions of Contract, Scope of Work and Pricing Data, will be admitted by the Employer/Employer's Agent after the submission of any tender and the Tenderer shall be deemed to have:

- 1) inspected the Contract Drawings and read and fully understood the Conditions of Contract.

- 2) read and fully understood the whole text of the Scope of Work and Pricing Data and thoroughly acquainted himself with the nature of the works proposed and generally of all matters which may influence the Contract.
- 3) visited the site of the proposed works, carefully examined existing conditions, the means of access to the site, the conditions under which the work is to be done, and acquainted himself with any limitations or restrictions that may be imposed by the Municipal or other Authorities in regard to access and transport of materials, plant and equipment to and from the site and made the necessary provisions for any additional costs involved thereby.
- 4) requested the Employer or his duly authorised agent to make clear the actual requirements of anything shown on the Contract Drawings or anything contained in the Scope of Work and Pricing Data, the exact meaning or interpretation of which is not clearly intelligible to the Tenderer.

Before submission of any tender, the Tenderer should check the number of pages, and if any are found to be missing or duplicated, or the figures or writing indistinct, or if the Pricing Data contain any obvious errors, the tenderer must apply to the Employer/Employer's Agent at once to have the same rectified, as no liability will be admitted by the Employer/Employer's Agent in respect of errors in any tender due to the foregoing.

F.4.4 Imbalance in tendered rates

In the event of tendered rates or lump sums being declared by the Employer to be unacceptable to it because they are either excessively low or high or not in proper balance with other rates or lump sums, the Tenderer may be required to produce evidence and advance arguments in support of the tendered rates or lump sums objected to. If, after submission of such evidence and any further evidence requested, the Employer is still not satisfied with the tendered rates or lump sums objected to, it may request the tenderer to amend these rates and lump sums along the lines indicated by it.

The Tenderer will then have the option to alter and/or amend the rates and lump sums objected to and such other related amounts as are agreed on by the Employer, but this shall be done without altering the tender offer as tendered or, if applicable, the corrected total of prices in accordance with F.3.9.3.

Should the Tenderer fail to amend his Tender in a manner acceptable to the Employer, the Employer may reject the Tender.

F.4.5 Use of Local Labour

The Contractor is to provide monthly report to Technical Services Department stating/showing Local Labour employed during construction as well as contact details. This information will be checked randomly, on a monthly basis by Technical Services Department. (Report should include cell number and I.D. number). Refer to **Schedule 1E**.

F.4.6 Invalid tenders

Tenders shall be considered invalid and shall be endorsed and recorded as such in the tender opening record, by the responsible official who opened the tender, in the following circumstances:

- a) if the tender offer is not submitted on the Form of Offer and Acceptance bound into this tender document (Form of Offer and Acceptance);
- b) if the tender is not completed in non-erasable ink;
- c) if the offer has not been signed;
- d) if the offer is signed, but the name of the tenderer is not stated or is indecipherable

F.4.7 Negotiations with preferred tenderers

The Employer may negotiate the final terms of a contract with tenderers identified through a competitive tendering process as preferred tenderers provided that such negotiation:

- a) does not allow any preferred tenderer a second or unfair opportunity;
- b) is not to the detriment of any other tenderer; and
- c) does not lead to a higher price than the tender as submitted.

Minutes of any such negotiations shall be kept for record purposes.

F.4.8 **General supply chain management conditions applicable to tenders**

In terms of its Supply Chain Management Policy, the Municipality may not consider a tender unless the provider who submitted the tender:

- a) has furnished the Municipality with that provider's:
 - full name;
 - identification number or company or other registration number; and
 - tax reference number and VAT registration number, if any;
 - Certificate of attendance at a compulsory site inspection, where applicable.
- b) has indicated whether:
 - the provider is in the service of the state, or has been in the service of the state in the previous twelve months;
 - the provider is not a natural person, whether any of the directors, managers, principal shareholders or stakeholders is in the service of the state, or has been in the service of the state in the previous twelve months; or
 - whether a spouse, child or parent of the provider or of a director, manager, shareholder or stakeholder referred to above is in the service of the state, or has been in the service of the state in the previous twelve months.

Irrespective of the procurement process followed, the Municipality is prohibited from making an award to:

- a person who is in the service of the state;
- a juristic entity of which any director, manager, principal shareholder or stakeholder is in the service of the state;
- an advisor or consultant contracted with the Municipality; or
- a person, advisor or corporate entity involved with the bid specification committee, or a director of such corporate entity.

In this regard, tenderers shall complete **Schedule 1B**, Part T2.1: Returnable Schedules: Compulsory Enterprise Questionnaire. Failure to complete this schedule may result in the tender not being considered.

F.4.9 **Combating abuse of the Supply Chain Management Policy**

In terms of the Supply Chain Management Policy, the Employer may reject the tender of any tenderer if that tenderer or any of its directors has:

- a) failed to pay municipal rates and taxes or municipal service charges and such rates, taxes and charges are in arrears for more than three months;
- b) failed, during the last five years, to perform satisfactorily on a previous contract with the City or any other organ of state after written notice was given to that tenderer that performance was unsatisfactory;
- c) abused the supply chain management system of the Municipality or has committed any improper conduct in relation to this system;
- d) been convicted of fraud or corruption during the past five years;
- e) wilfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
- f) been listed with the Register of Tender Defaulters in terms of Section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004) or has been listed on National Treasury's database as a person or juristic entity prohibited from doing business with the public sector.

In this regard, tenderers shall complete **Schedules 2G, 2H and 2I**, Part T2.1: Returnable Schedules: Declaration in terms of the Municipal Finance Management Act and Certificate of Independent Tender Determination. Failure to complete this schedule may result in the tender not being considered.

F.4.11 **COIDA payments**

The Tenderer shall submit to Council a letter from the Department of Labour indicating his good standing with regard to COIDA payments. Complete **Schedule 2L** and append the letter in this regard

F.4.12 **Price Variations**

The Contract Price shall not be subject to any contract price adjustment, the rates and prices tendered in the bills of quantities shall be final and binding throughout the period of the contract. However, price adjustments for variations in the costs of special materials may be applicable where the Employer/Employer's Agent specifies such materials and the relevant information in the Contract Data.

Notwithstanding the above, if, as a result of any extension of time granted, the duration of the contract period exceeds one year, the contract will automatically be subject to contract price adjustment for that period by which the extended contract period exceeds such one year.

F.4.13 **Requests for contract documents, or parts thereof, in electronic format**

The Employer shall not formally issue tender documents in electronic format as contemplated in F.2.13.2 and F.2.13.3 and shall only issue tender documents in hard copy. An electronic version of the issued tender documents may be made available to the tenderer, upon written request in terms of this clause, subject to the following:

- (a) Electronic copies of the contract document, or parts thereof, will only be provided to tenderers who have been issued with the tender documents as contemplated in F.1.2 in hardcopy.
- (b) The electronic version shall not be regarded as a substitute for the issued tender documents.
- (c) The Employer shall not accept tenders submitted in electronic format. Tenderers may not complete and submit a printed copy of the electronic version of the tender document or part thereof. Only those tenders that have been completed on the issued hard copy tender document shall be considered.
- (d) The Employer accepts no responsibility or liability arising from any reliance on or use of the electronic version provided in terms of this clause. The Employer further does not guarantee that the electronic version corresponds with the issued tender documents in all respects. Tenderers are alerted to the fact that electronic versions of the tender documents may not reflect any notices or addenda that amend the tender document.
- (e) Any non-compliance with these provisions, including effecting any un-authorised alterations to the tender document as contemplated in F.2.11, shall render the tender invalid. The Employer reserves the right to take any action against such tenderer allowed in law including, in circumstances where the tender had already been awarded, the right to cancel the contract.
- (f) In requesting the electronic version of the tender document or parts thereof, the tenderer is deemed to have read, understood and accepted all of the above conditions.

F.4.14 Bidders who do not submit B-BBEE Status Level Verification Certificates or are non-compliant contributors to B-BBEE do not qualify for preference points for B-BBEE but should not be disqualified from the bidding process. They will score points out of 90 or 80 for price only and zero (0) points out of 10 or 20 for B-BBEE.

- A trust, consortium or joint venture must submit a consolidated B-BBEE Status. Level Verification Certificate for every separate bid.

F.4.15 Tenderers must complete **Schedule 3D: Special Conditions of Tender** in the **Returnable Schedules**.

ANNEX F

(NORMATIVE)

STANDARD CONDITIONS OF TENDER

As published in Annexure F of the CIDB Standard for Uniformity for construction Procurement, Board Notice 136 Government Gazette No 38960 of 10 July 2015.

F.1 General

F.1.1 Actions

F.1.1.1 The employer and each tenderer submitting a tender offer shall comply with these conditions of tender. In their dealings with each other, they shall discharge their duties and obligations as set out in F.2 and F.3, timeously and with integrity, and behave equitably, honestly and transparently, comply with all legal obligations and not engage in anticompetitive practices.

F.1.1.2 The employer and the tenderer and all their agents and employees involved in the tender process shall avoid conflicts of interest and where a conflict of interest is perceived or known, declare any such conflict of interest, indicating the nature of such conflict. Tenderers shall declare any potential conflict of interest in their tender submissions. Employees, agents and advisors of the employer shall declare any conflict of interest to whoever is responsible for overseeing the procurement process at the start of any deliberations relating to the procurement process or as soon as they become aware of such conflict, and abstain from any decisions where such conflict exists or recuse themselves from the procurement process, as appropriate.

Note: 1) A conflict of interest may arise due to a conflict of roles which might provide an incentive for improper acts in some circumstances. A conflict of interest can create an appearance of impropriety that can undermine confidence in the ability of that person to act properly in his or her position even if no improper acts result.

2) Conflicts of interest in respect of those engaged in the procurement process include direct, indirect or family interests in the tender or outcome of the procurement process and any personal bias, inclination, obligation, allegiance or loyalty which would in any way affect any decisions taken.

F.1.1.3 The employer shall not seek and a tenderer shall not submit a tender without having a firm intention and the capacity to proceed with the contract.

F.1.2 Tender Documents

The documents issued by the employer for the purpose of a tender offer are listed in the tender data.

F.1.3 Interpretation

F.1.3.1 The tender data and additional requirements contained in the tender schedules that are included in the returnable documents are deemed to be part of these conditions of tender.

F.1.3.2 These conditions of tender, the tender data and tender schedules which are only required for tender evaluation purposes, shall not form part of any contract arising from the invitation to tender.

F.1.3.3 For the purposes of these conditions of tender, the following definitions apply:

- a) conflict of interest means any situation in which:
 - i) someone in a position of trust has competing professional or personal interests which make it difficult to fulfil his or her duties impartially;
 - ii) an individual or organisation is in a position to exploit a professional or official capacity in some way for their personal or corporate benefit; or
 - iii) incompatibility or contradictory interests exist between an employee and the organisation which employs that employee.

- b) comparative offer means the price after the factors of a non-firm price and all unconditional discounts it can be utilised to have been taken into consideration;
- c) corrupt practice means the offering, giving, receiving or soliciting of anything of value to influence the action of the employer or his staff or agents in the tender process;
- d) fraudulent practice means the misrepresentation of the facts in order to influence the tender process or the award of a contract arising from a tender offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels;
- e) organization means a company, firm, enterprise, association or other legal entity, whether incorporated or not, or a public body;
- f) functionality means the measurement according to the predetermined norms of a service or commodity designed to be practical and useful, working or operating, taking into account quality, reliability, viability and durability of a service and technical capacity and ability of a tenderer.

F.1.4 Communication and employer's agent

Each communication between the employer and a tenderer shall be to or from the employer's agent only, and in a form that can be readily read, copied and recorded. Communications shall be in the English language. The employer shall not take any responsibility for non-receipt of communications from or by a tenderer. The name and contact details of the employer's agent are stated in the tender data.

F.1.5 Cancellation and Re-Invitation of Tenders

- F1.5.1 An organ of state may, prior to the award of the tender, cancel a tender if-
- (a) due to changed circumstances, there is no longer a need for the services, works or goods requested; or
 - (b) funds are no longer available to cover the total envisaged expenditure; or
 - (c) No acceptable tenders are received.

- F1.5.2 The decision to cancel a tender must be published in the CIDB website and in the government Tender Bulletin for the media in which the original tender invitation was advertised.

F.1.6 Procurement procedures

F.1.6.1 General

Unless otherwise stated in the tender data, a contract will, subject to F.3.13, be concluded with the tenderer who in terms of F.3.11 is the highest ranked or the tenderer scoring the highest

Number of tender evaluation points, as relevant, based on the tender submissions that are received at the closing time for tenders.

F.1.6.2 Competitive negotiation procedure

- F.1.6.2.1 Where the tender data require that the competitive negotiation procedure is to be followed, tenderers shall submit tender offers in response to the proposed contract in the first round of submissions. Notwithstanding the requirements of F.3.4, the employer shall announce only the names of the tenderers who make a submission. The requirements of F.3.8 relating to the material deviations or qualifications which affect the competitive position of tenderers shall not apply.

- F.1.6.2.2 All responsive tenderers, or not less than three responsive tenderers that are highest ranked in terms of the evaluation method and evaluation criteria stated in the tender data, shall be invited in each round to enter into competitive negotiations, based on the principle of equal treatment and keeping confidential the proposed solutions and associated information. Notwithstanding the provisions of F.2.17, the employer may request that tenders be clarified, specified and fine-tuned in order to improve a tenderer's competitive position provided that such clarification, specification, fine-tuning or additional information does not alter any fundamental aspects of the offers or impose substantial new requirements which restrict or distort competition or have a discriminatory effect.

- F.1.6.2.3 At the conclusion of each round of negotiations, tenderers shall be invited by the employer to make a fresh tender offer, based on the same evaluation criteria, with or without adjusted weightings. Tenderers shall be advised when they are to submit their best and final offer.

- F.1.6.2.4** The contract shall be awarded in accordance with the provisions of F.3.11 and F.3.13 after tenderers have been requested to submit their best and final offer.
- F.1.6.3 Proposal procedure using the two stage-system**
- F.1.6.3.1 Option 1**
- Tenderers shall in the first stage submit technical proposals and, if required, cost parameters around which a contract may be negotiated. The employer shall evaluate each responsive submission in terms of the method of evaluation stated in the tender data, and in the second stage negotiate a contract with the tenderer scoring the highest number of evaluation points and award the contract in terms of these conditions of tender.
- F.1.6.3.2 Option 2**
- F.1.6.3.2.1** Tenderers shall submit in the first stage only technical proposals. The employer shall invite all responsive tenderers to submit tender offers in the second stage, following the issuing of procurement documents.
- F.1.6.3.2.2** The employer shall evaluate tenders received during the second stage in terms of the method of evaluation stated in the tender data, and award the contract in terms of these conditions of tender.
- F.2 Tenderer's obligations**
- F.2.1 Eligibility**
- F.2.1.1** Submit a tender offer only if the tenderer satisfies the criteria stated in the tender data and the tenderer, or any of his principals, is not under any restriction to do business with employer.
- F.2.1.2** Notify the employer of any proposed material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used by the employer as the basis in a prior process to invite the tenderer to submit a tender offer and obtain the employer's written approval to do so prior to the closing time for tenders.
- F.2.2 Cost of tendering**
- F.2.2.1** Accept that, unless otherwise stated in the tender data, the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements.
- F.2.2.2** The cost of the tender documents charged by the employer shall be limited to the actual cost incurred by the employer for printing the documents. Employers must attempt to make available the tender documents on its website so as not to incur any costs pertaining to the printing of the tender documents.
- F.2.3 Check documents**
- Check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission.
- F.2.4 Confidentiality and copyright of documents**
- Treat as confidential all matters arising in connection with the tender. Use and copy the documents issued by the employer only for the purpose of preparing and submitting a tender offer in response to the invitation.
- F.2.5 Reference documents**
- Obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, conditions of contract and other publications, which are not attached but which are incorporated into the tender documents by reference.

F.2.6 Acknowledge addenda

Acknowledge receipt of addenda to the tender documents, which the employer may issue, and if necessary apply for an extension to the closing time stated in the tender data, in order to take the addenda into account.

F.2.7 Clarification meeting

Attend, where required, a clarification meeting at which tenderers may familiarize themselves with aspects of the proposed work, services or supply and raise questions. Details of the meeting(s) are stated in the tender data.

F.2.8 Seek clarification

Request clarification of the tender documents, if necessary, by notifying the employer at least five working days before the closing time stated in the tender data.

F.2.9 Insurance

Be aware that the extent of insurance to be provided by the employer (if any) might not be for the full cover required in terms of the conditions of contract identified in the contract data. The tenderer is advised to seek qualified advice regarding insurance.

F.2.10 Pricing the tender offer

F.2.10.1 Include in the rates, prices, and the tendered total of the prices (if any) all duties, taxes (except Value Added Tax (VAT), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable 14 days before the closing time stated in the tender data.

F2.10.2 Show VAT payable by the employer separately as an addition to the tendered total of the prices.

F.2.10.3 Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data.

F.2.10.4 State the rates and prices in Rand unless instructed otherwise in the tender data. The conditions of contract identified in the contract data may provide for part payment in other currencies.

F.2.11 Alterations to documents

Do not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations.

F.2.12 Alternative tender offers

F.2.12.1 Unless otherwise stated in the tender data, submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted as well as a schedule that compares the requirements of the tender documents with the alternative requirements that are proposed.

F.2.12.2 Accept that an alternative tender offer may be based only on the criteria stated in the tender data or criteria otherwise acceptable to the employer.

F.2.12.3 An alternative tender offer may only be considered in the event that the main tender offer is the winning tender.

F.2.13 Submitting a tender offer

F.2.13.1 Submit one tender offer only, either as a single tendering entity or as a member in a joint venture to provide the whole of the works, services or supply identified in the contract data and described in the scope of works, unless stated otherwise in the tender data.

F.2.13.2 Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing legibly in non-erasable ink.

- F.2.13.3** Submit the parts of the tender offer communicated on paper as an original plus the number of copies stated in the tender data, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.
- F.2.13.4** Sign the original and all copies of the tender offer where required in terms of the tender data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the tender offer.
- F.2.13.5** Seal the original and each copy of the tender offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- F.2.13.6** Where a two-envelope system is required in terms of the tender data, place and seal the returnable documents listed in the tender data in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- F.2.13.7** Seal the original tender offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the tender data.
- F.2.13.8** Accept that the employer will not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.
- F.2.13.9** Accept that tender offers submitted by facsimile or e-mail will be rejected by the employer, unless stated otherwise in the tender data.
- F.2.14 Information and data to be completed in all respects**
- Accept that tender offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the employer as non-responsive.
- F.2.15 Closing time**
- F.2.15.1** Ensure that the employer receives the tender offer at the address specified in the tender data not later than the closing time stated in the tender data. Accept that proof of posting shall not be accepted as proof of delivery.
- F.2.15.2** Accept that, if the employer extends the closing time stated in the tender data for any reason, the requirements of these conditions of tender apply equally to the extended deadline.
- F.2.16 Tender offer validity**
- F.2.16.1** Hold the tender offer(s) valid for acceptance by the employer at any time during the validity period stated in the tender data after the closing time stated in the tender data.
- F.2.16.2** If requested by the employer, consider extending the validity period stated in the tender data for an agreed additional period with or without any conditions attached to such extension.
- F.2.16.3** Accept that a tender submission that has been submitted to the employer may only be withdrawn or substituted by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn or substituted.
- F.2.16.4** Where a tender submission is to be substituted, submit a substitute tender in accordance with the requirements of F.2.13 with the packages clearly marked as "SUBSTITUTE".

F.2.17 Clarification of tender offer after submission

Provide clarification of a tender offer in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the competitive position of tenderers or substance of the tender offer is sought, offered, or permitted.

Note: *Sub-clause F.2.17 does not preclude the negotiation of the final terms of the contract with a preferred tenderer following a competitive selection process, should the Employer elect to do so.*

F.2.18 Provide other material

F.2.18.1 Provide, on request by the employer, any other material that has a bearing on the tender offer, the tenderer's commercial position (including notarized joint venture agreements), Preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment. Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the employer's request, the employer may regard the tender offer as non-responsive.

F.2.18.2 Dispose of samples of materials provided for evaluation by the employer, where required.

F.2.19 Inspections, tests and analysis

Provide access during working hours to premises for inspections, tests and analysis as provided for in the tender data.

F.2.20 Submit securities, bonds and policies

If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.

F.2.21 Check final draft

Check the final draft of the contract provided by the employer within the time available for the employer to issue the contract.

F.2.22 Return of other tender documents

If so instructed by the employer, return all retained tender documents within 28 days after the expiry of the validity period stated in the tender data.

F.2.23 Certificates

Include in the tender submission or provide the employer with any certificates as stated in the tender data.

F.3 The employer's undertakings

F.3.1 Respond to requests from the tenderer

F.3.1.1 Unless otherwise stated in the tender Data, respond to a request for clarification received up to five working days before the tender closing time stated in the Tender Data and notify all tenderers who drew procurement documents.

F.3.1.2 Consider any request to make a material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used to prequalify a tenderer to submit a tender offer in terms of a previous procurement process and deny any such request if as a consequence:

- a) an individual firm, or a joint venture as a whole, or any individual member of the joint venture fails to meet any of the collective or individual qualifying requirements;

- b) the new partners to a joint venture were not prequalified in the first instance, either as individual firms or as another joint venture; or
- c) In the opinion of the Employer, acceptance of the material change would compromise the outcome of the prequalification process.

F.3.2 Issue Addenda

If necessary, issue addenda that may amend or amplify the tender documents to each tenderer during the period from the date that tender documents are available until three days before the tender closing time stated in the Tender Data. If, as a result a tenderer applies for an extension to the closing time stated in the Tender Data, the Employer may grant such extension and, shall then notify all tenderers who drew documents.

F.3.3 Return late tender offers

Return tender offers received after the closing time stated in the Tender Data, unopened, (unless it is necessary to open a tender submission to obtain a forwarding address), to the tenderer concerned.

F.3.4 Opening of tender submissions

F.3.4.1 Unless the two-envelope system is to be followed, open valid tender submissions in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data. Tender submissions for which acceptable reasons for withdrawal have been submitted will not be opened.

F.3.4.2 Announce at the meeting held immediately after the opening of tender submissions, at a venue indicated in the tender data, the name of each tenderer whose tender offer is opened and, where applicable, the total of his prices, number of points claimed for its BBEE status level and time for completion for the main tender offer only.

F.3.4.3 Make available the record outlined in F.3.4.2 to all interested persons upon request.

F.3.5 Two-envelope system

F.3.5.1 Where stated in the tender data that a two-envelope system is to be followed, open only the technical proposal of valid tenders in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data and announce the name of each tenderer whose technical proposal is opened.

F.3.5.2 Evaluate functionality of the technical proposals offered by tenderers, then advise tenderers who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of tenderers, who score in the functionality evaluation more than the minimum number of points for functionality stated in the tender data, and announce the score obtained for the technical proposals and the total price and any points claimed on B-BBEE status level. Return unopened financial proposals to tenderers whose technical proposals failed to achieve the minimum number of points for functionality.

F.3.6 Non-disclosure

Not disclose to tenderers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

F.3.7 Grounds for rejection and disqualification

Determine whether there has been any effort by a tenderer to influence the processing of tender offers and instantly disqualify a tenderer (and his tender offer) if it is established that he engaged in corrupt or fraudulent practices.

F.3.8 Test for responsiveness

F.3.8.1 Determine, after opening and before detailed evaluation, whether each tender offer properly received:

- a) complies with the requirements of these Conditions of Tender,
- b) has been properly and fully completed and signed, and
- c) Is responsive to the other requirements of the tender documents.

F.3.8.2 A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:

- a) detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Scope of Work,
- b) significantly change the Employer's or the tenderer's risks and responsibilities under the contract, or
- c) Affect the competitive position of other tenderers presenting responsive tenders, if it were to be rectified.

Reject a non-responsive tender offer, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

F.3.9 Arithmetical errors, omissions and discrepancies

F.3.9.1 Check the highest ranked tender or tenderer with the highest number of tender evaluation points after the evaluation of tender offers in accordance with F.3.11 for:

- a) the gross misplacement of the decimal point in any unit rate;
- b) omissions made in completing the pricing schedule or bills of quantities; or
- c) arithmetic errors in:
 - i) line item totals resulting from the product of a unit rate and a quantity in bills of quantities or schedules of prices; or
 - ii) The summation of the prices.

F3.9.2 The employer must correct the arithmetical errors in the following manner:

- a) Where there is a discrepancy between the amounts in words and amounts in figures, the amount in words shall govern.
- b) If bills of quantities or pricing schedules apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.
- c) Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if bills of quantities apply) to achieve the tendered total of the prices.
Consider the rejection of a tender offer if the tenderer does not correct or accept the correction of the arithmetical error in the manner described above.

F.3.10 Clarification of a tender offer

Obtain clarification from a tenderer on any matter that could give rise to ambiguity in a contract arising from the tender offer.

F.3.11 Evaluation of tender offers

F.3.11.1 General

Appoint an evaluation panel of not less than three persons. Reduce each responsive tender offer to a comparative offer and evaluate them using the tender evaluation methods and associated evaluation criteria and weightings that are specified in the tender data.

F.3.11.2 Method 1: Price and Preference

In the case of a price and preference:

- 1) Score tender evaluation points for price
- 2) Score points for B-BBEE contribution
- 3) Add the points scored for price and B-BBEE.

F.3.11.3 Method 2: Functionality, Price and Preference

In the case of a functionality, price and preference:

- (1) Score functionality, rejecting all tender offers that fail to achieve the minimum number of points for functionality as stated in the Tender Data.
- (2) No tender must be regarded as an acceptable tender if it fails to achieve the minimum qualifying score for functionality as indicated in the tender invitation.
- (3) Tenders that have achieved the minimum qualification score for functionality must be evaluated further in terms of the preference points system prescribed in paragraphs 4 and 5 below.

The 80/20 preference point system for acquisition of services, works or goods up to Rand value of R1 million

- (4)(a)(i) The following formula must be used to calculate the points for price in respect of tenders (including price quotation) with a rand value equal to, or above R30 000 and up to Rand value of R1 000 000 (all applicable taxes included):

80/20

$$P_s = 80 \left(1 - \frac{P_t - P_{min}}{P_{min}} \right)$$

Where:

P_s = Points scored for comparative price of tender or offer under consideration;

P_t = Comparative price of tender or offer under consideration; and

P_{min} = Comparative price of lowest acceptable tender or offer.

- (4)(a)(ii) An employer of state may apply the formula in paragraph (i) for price quotations with a value less than R30 000, if and when appropriate:
- (4)(b) Subject to subparagraph (4)(c), points must be awarded to a tender for attaining the B-BBEE status level of contributor in accordance with the table below:

B-BBEE status level of contributor	Number of points
1	20
2	18
3	16
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

- (4)(c) A maximum of 20 points may be allocated in accordance with subparagraph (4)(b).
- (4)(d) The points scored by tender in respect of B-BBEE contribution contemplated in subparagraph (4)(b) must be added to the points scored for price as calculated in accordance with subparagraph (4)(a).
- (4)(e) Subject to paragraph 4.3.8 the contract must be awarded to the tender who scores the highest total number of points.

The 90/10 preference points system for acquisition of services, works or goods with a Rand value above R1 million

- (5)(a) The following formula must be used to calculate the points for price in respect of tenders with a Rand value above R1 000 000 (all applicable taxes included):

90/10

$$P_s = 90 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)$$

Where:

P_s = Points scored for comparative price of tender or offer under consideration;

P_t = Comparative price of tender or offer under consideration; and

$P_{\min}$ = Comparative price of lowest acceptable tender or offer.

- (5)(b) Subject to subparagraph(5)(c), points must be awarded to a tender for attaining the B-BBEE status level of contributor in accordance with the table below:

B-BBEE status level of contributor	Number of points
1	10
2	9
3	8
4	5
5	4
6	3
7	2
8	1
Non-compliant contributor	0

- (5)(c) A maximum of 10 points may be allocated in accordance with subparagraph (5)(b).

- (5)(d) The points scored by tender in respect of B-BBEE contribution contemplated in contemplated in subparagraph (5)(b) must be added to the points scored for price as calculated in accordance with subparagraph (5)(a).

- (5)(e) Subject to paragraph 4.3.8 the contract must be awarded to the tender who scores the highest total number of points.

F.3.11.6 Decimal places

Score price, preference and functionality, as relevant, to two decimal places.

F.3.11.7 Scoring Price

Score price of remaining responsive tender offers using the following formula:

$$N_{FO} = W_1 \times A$$

Where:

N_{FO} is the number of tender evaluation points awarded for price.

W_1 is the maximum possible number of tender evaluation points awarded for price as stated in the Tender Data.

A is a number calculated using the formula and option described in Table F.1 as stated in the Tender Data.

Table F.1: Formulae for calculating the value of A

Formula	Comparison aimed at achieving	Option 1 ^a	Option 2 ^a
1	Highest price or discount	$A = (1 + \frac{(P - P_m)}{P_m})$	$A = P/P_m$
2	Lowest price or percentage commission/fee	$A = (1 - \frac{(P - P_m)}{P_m})$	$A = P_m/P$
^a P_m is the comparative offer of the most favourable comparative offer. P is the comparative offer of the tender offer under consideration.			

F.3.11.8 Scoring preferences

Confirm that tenderers are eligible for the preferences claimed in accordance with the provisions of the tender data and reject all claims for preferences where tenderers are not eligible for such preferences.

Calculate the total number of tender evaluation points for preferences claimed in accordance with the provisions of the tender data.

F.3.11.9 Scoring functionality

Score each of the criteria and sub criteria for quality in accordance with the provisions of the Tender Data.

Calculate the total number of tender evaluation points for quality using the following formula:

$$N_Q = W_2 \times S_O / M_S$$

Where:

S_O is the score for quality allocated to the submission under consideration;

M_S is the maximum possible score for quality in respect of a submission; and

W_2 is the maximum possible number of tender evaluation points awarded for the quality as stated in the tender data

F.3.12 Insurance provided by the employer

If requested by the proposed successful tenderer, submit for the tenderer's information the policies and / or certificates of insurance which the conditions of contract identified in the contract data, require the employer to provide.

F.3.13 Acceptance of tender offer

Accept the tender offer, if in the opinion of the employer, it does not present any risk and only if the tenderer:

- is not under restrictions, or has principals who are under restrictions, preventing participating in the employer's procurement,
- can, as necessary and in relation to the proposed contract, demonstrate that he or she possesses the professional and technical qualifications, professional and technical competence, financial resources, equipment and other physical facilities, managerial capability, reliability, experience and reputation, expertise and the personnel, to perform the contract,
- has the legal capacity to enter into the contract,
- is not insolvent, in receivership, under Business Rescue as provided for in chapter 6 of the Companies Act, 2008, bankrupt or being wound up, has his affairs administered by a court or a judicial officer, has suspended his business activities, or is subject to legal proceedings in respect of any of the foregoing,
- complies with the legal requirements, if any, stated in the tender data, and
- is able, in the opinion of the employer, to perform the contract free of conflicts of interest.

F.3.14 Prepare contract documents

F.3.14.1 If necessary, revise documents that shall form part of the contract and that were issued by the employer as part of the tender documents to take account of:

- a) addenda issued during the tender period,
- b) inclusion of some of the returnable documents, and
- c) Other revisions agreed between the employer and the successful tenderer.

F.3.14.2 Complete the schedule of deviations attached to the form of offer and acceptance, if any.

F.3.15 Complete adjudicator's contract

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties to complete formalities for appointing the selected adjudicator at the same time as the main contract is signed.

F.3.16 Notice to unsuccessful tenderers

F.3.16.1 Notify the successful tenderer of the employer's acceptance of his tender offer by completing and returning one copy of the form of offer and acceptance before the expiry of the validity period stated in the tender data, or agreed additional period.

F.3.16.2 After the successful tenderer has been notified of the employer's acceptance of the tender, notify other tenderers that their tender offers have not been accepted.

F.3.17 Provide copies of the contracts

Provide to the successful tenderer the number of copies stated in the Tender Data of the signed copy of the contract as soon as possible after completion and signing of the form of offer and acceptance.

F.3.18 Provide written reasons for actions taken

Provide upon request written reasons to tenderers for any action that is taken in applying these conditions of tender, but withhold information which is not in the public interest to be divulged, which is considered to prejudice the legitimate commercial interests of tenderers or might prejudice fair competition between tenderers.

F3.19 Transparency in the procurement process

F3.19.1 The CIDB prescripts require that tenders must be advertised and be registered on the CIDB Tender system.

F3.19.2 The employer must adopt a transparency model that incorporates the disclosure and accountability as transparency requirements in the procurement process.

F3.19.3 The transparency model must identify the criteria for selection of projects, project information template and the threshold value of the projects to be disclosed in the public domain at various intervals of delivery of infrastructure projects.

F3.19.4 The client must publish the information on a quarterly basis which contains the following information:

- Procurement planning process
- Procurement method and evaluation process
- Contract type
- Contract status
- Number of firms tendering
- Cost estimate
- Contract title
- Contract firm(s)
- Contract price
- Contract scope of work

- Contract start date and duration
- Contract evaluation reports

- F3.19.5** The employer must establish a Consultative Forum which will conduct a random audit in the implementation of the transparency requirements in the procurement process.
- F3.19.6** Consultative Forum must be an independent structure from the bid committees.
- F3.19.7** The information must be published on the employer's website.
- F3.19.8** Records of such disclosed information must be retained for audit purposes.

Annex G
(normative)

Alpha-numerics associated with the Contractor Grading Designations

Table G1: Contractor grading designations and associated parameters

Contractor Grading Designation	Tender Value Range designation	Maximum value of contract that a contractor is considered capable of performing (R)
1 (class of construction works)	1	500 000
2 (class of construction works)	2	1 000 000
3 (class of construction works)	3	3 000 000
4 (class of construction works)	4	6 000 000
5 (class of construction works)	5	10 000 000
6 (class of construction works)	6	20 000 000
7 (class of construction works)	7	60 000 000
8 (class of construction works)	8	200 000 000
9 (class of construction works)	9	N/A

Table G2: Classes of construction work (see next page)

Table G2: CLASSES OF CONSTRUCTION WORK

Description	Designation	Definition	Basic works types	Examples
Civil engineering works	CE	Construction works that are primarily concerned with materials such as steel, concrete, earth and rock and their application in the development, extension, installation, maintenance, removal, renovation, alteration, or dismantling of building and engineering infrastructure	Water, sewerage, roads, railways, harbours and transport, urban development and municipal services	Structures such as a cooling tower, bridge, culvert, dam, grand stand, road, railway, reservoir, runway, swimming pool, silo or tunnel. The results of operations such as dredging, earthworks and geotechnical processes. Township services, water treatment and supply, sewerage works, sanitation, soil conservation works, irrigation works, storm-water and drainage works, coastal works, ports, harbours, airports and pipelines.
Electrical engineering works (Infrastructure)	EP	Construction works that are primarily concerned with development, extension, installation, removal, renovation, alteration or dismantling of engineering infrastructure: a) relating to the generation, transmission and distribution of electricity; or b) which cannot be classified as EB.	Electrical power generation, transmission, control and distribution equipment and systems.	Power generation Street and area lighting Substations and protection systems Township reticulations Transmission Lines Supervisory control and data acquisition systems
Electrical engineering works (buildings)	EB	Construction works that are primarily concerned with the installation, extension, modification or repair of electrical installations in or on any premises used for the transmission of electricity from a point of control to a point of consumption, including any article forming part of such an installation	All electrical equipment forming an integral and permanent part of buildings and/or structures, including any wiring, cable jointing and laying and electrical overhead line construction	Electrical installations in buildings Electrical reticulations within a plot of land (erf) or building site Standby plant and uninterrupted power supply Verification and certification of electrical installations on premises

Description	Designation	Definition	Basic works types	Examples
General building works	GB	Construction works that: a) are primarily concerned with the development, extension, installation, renewal, renovation, alteration, or dismantling of a permanent shelter for its occupants or contents; or b) cannot be categorised in terms of the definitions provided for civil engineering works, electrical engineering works, mechanical engineering works, or specialist works.	Buildings and ancillary works other than those categorised as being: c) civil engineering works; d) electrical engineering works; e) mechanical engineering works; or f) specialist works.	Buildings for domestic, industrial, institutional or commercial occupancies Car ports Fences other than classified as SS Stores Walls
Mechanical engineering works	ME	Construction works that are primarily concerned with the development, extension, installation, removal, alteration, renewal of engineering infrastructure for gas transmission and distribution, solid waste disposal, heating, ventilation and cooling, chemical works, metallurgical works, manufacturing, food processing and, materials handling	Machine systems including those relating to the environment of building interiors: a) gas transmission and distribution systems b) pipelines c) solid waste disposal d) materials handling, lifting machinery, heating, ventilation and cooling, pumps, e) continuous process systems f) chemical works, metallurgical works, manufacturing, food processing such as that in concentrator machinery and apparatus, oil and gas wells, smelters, cyanide plants, acid plants, metallurgical machinery, equipment and apparatus, and works necessary for the beneficiation of metals, minerals, rocks, petroleum and organic substances and other chemical processes Kitchen equipment Laundry equipment Lift installations and escalators Refrigeration and cold rooms Waste handling systems (including compactors)	Air-conditioning and mechanical ventilation Boiler installations and steam distribution Central heating Centralised hot water generation Cranes and hoists Dust and sawdust extraction Compressed air, gas and vacuum installations Conveyor and materials handling installations Continuous process systems involving chemical works, metallurgical works, oil and gas wells, acid plants, metallurgical machinery, equipment and apparatus, and works necessary for the beneficiation of metals, minerals, rocks, petroleum and organic substances and other chemical processes Kitchen equipment Laundry equipment Lift installations and escalators Refrigeration and cold rooms Waste handling systems (including compactors)

Description	Designation	Definition	Basic works types	Examples
Specialist works	SB	A subset of construction works identified and defined by the Board that involves specialist capabilities for its execution	The extension, installation, repair, maintenance or renewal, or removal, of asphalt	
	SC		The development, extension, installation, removal, and dismantling, as relevant, associated with building excavations, shaft sinking and lateral earth support	
	SD		The development, extension, installation, repair, renewal, removal, or alteration of corrosion protection systems (cathodic, anodic and electrolytic)	
	SE		Demolition of buildings and engineering infrastructure and blasting	
	SF		The development, extension, installation, renewal, removal, renovation, alteration or dismantling of fire prevention and protection infrastructure (drencher and sprinkler systems and fire installation)	
	SG		The development, extension, installation, renewal, removal, renovation, alteration or dismantling of glazing, curtain walls and shop fronts	
	SH		The development, extension, installation, maintenance, renewal, removal, alteration or dismantling, as relevant, of landscaping, irrigation and horticultural works	
	SI		The development, extension, installation, repair, maintenance, renewal, removal, renovation, alteration or, dismantling of lifts, escalators, travellers and hoisting machinery	
	SJ		The development, installation, removal, or dismantling, as relevant, of piles and other specialized foundations for buildings and structures	
	SK		The installation, renewal, removal, alteration or dismantling, as relevant, road markings and signage	
	SL		The development, extension, installation, renewal, removal, renovation, alteration or dismantling of structural steelwork and scaffolding	
	SM		Timber buildings and structures	
	SN		The extension, installation, repair, maintenance, renewal, removal, renovation or alteration, as relevant, of the waterproofing of basements, roofs and walls using specialist systems.	
	SO		The development, extension, installation, renewal, removal, alteration or dismantling or demolition of water installations and soil and waste water drainage associated with buildings (wet services, plumbing)	
	SQ		The development, extension, installation, repair, removal, alteration, dismantling or demolition of precast concrete or steel fencing	

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

Part T2: Returnable Documents

T2.1 List of Returnable Documents

T2.2 Returnable Schedules

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

T2.1 List of Returnable Documents

The following documents are to be completed and returned as they constitute the tender. Whilst many of the returnable are required for the purpose of evaluating the tenders, some will form part of the subsequent contract, as they form the basis of the tender offer. For this reason, it is very important that tenderers return **all information requested**.

1. RETURNABLE SCHEDULES REQUIRED FOR TENDER EVALUATION PURPOSES (included hereafter for completion)

- 1A Authority for Signatory
- 1B Compulsory Enterprise Questionnaire
- 1C Contractors information
- 1D Schedule of Proposed Sub-Contractors
- 1E Schedule of estimated Local Labour to be employed on the contract
- 1F Preliminary Program
- 1G Estimated Monthly Cash-flow
- 1H Previous Experience on contracts with regards to the construction of tar roads interlocking paving and stormwater projects satisfactorily carried out
- 1I Experience of Key Personnel
- 1J Functionality and Eligibility Evaluation Form

- 2A Certificate of Contractor Registration Issued by the CIDB
- 2B Certificate of Authority for Joint Ventures
- 2C Tax Clearance Certificate (MBD 2)
- 2D Declaration of Interest (MBD 4)
- 2E Preference points claim form in Terms of the Preferential Procurement regulations 2017 (MBD 6.1)
- 2F Declaration of Bidders Past Supply Chain Management Practices (MBD 8)
- 2G Certificate of Independent Bid Determination (MBD 9)
- 2H Declaration in terms of the MFMA in terms of Municipal Rates & Services
- 2I Financial standing
- 2J Proof of Payment of Tender Participation Fee
- 2K Letter of Good Standing with the relevant Authorities and Bargaining Council Certificate
- 2L Certificate of Attendance of Clarification Meeting

3. RETURNABLE SCHEDULES THAT WILL BE INCORPORATED INTO THE CONTRACT (to be attached with submission)

- 3A Record of Addenda to Tender Documents
- 3B Form of Indemnity
- 3C Occupational Health and Safety Plan
- 3D Special Conditions of Tender

4. OTHER SCHEDULES AND AFFIDAVITS THAT WILL BE INCORPORATED INTO THE CONTRACT (included hereafter for completion)

- C1.1 Form of Offer and Acceptance
- C1.2 Contract Data (Part 1 & 2)
- C1.3 Form of Guarantee
- C1.4 Occupational Health and Safety Agreement
- C1.5 Insurance Broker's Warranty
- C2.1 Pricing Instructions
- C2.2 Bills of Quantities

NB: TENDERERS MUST COMPLETE THESE SCHEDULES/DATA SHEETS/FORMS IN **BLACK INK**

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

T2.2 Returnable Schedules

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

SCHEDULE 1A: AUTHORITY FOR SIGNATORY

Indicate the status of the tenderer by ticking the appropriate box hereunder. The tenderer must complete the certificate set out below for the relevant category.

A Company	B Partnership	C Joint Venture	D Sole Proprietor	E Close Corporation

A. Certificate for Company

I,, chairperson of the board of directors of
, hereby confirm that by resolution of the board
(copy attached) taken on 20..., Mr/Ms
 acting in the capacity of, was authorized to sign all documents in connection
 with this tender for contract and any contract resulting from it on behalf of the company.

As witnesses :

1. Chairman :
2. Date :

Tenderers must attach a copy of the Resolution of the Board.

B. Certificate for Partnership

We, the undersigned, being the key partners in the business trading as
 hereby authorize Mr/Ms
 acting in the capacity of to sign all documents in connection with
 the tender for Contract and any contract resulting from it on our
 behalf.

NAME	ADDRESS	SIGNATURE	DATE

NOTE : This certificate is to be completed and signed by all of the key partners upon whom rests the direction of the affairs of the Partnership as a whole

C. Certificate for Joint Venture

We, the undersigned, are submitting this tender offer in Joint Venture and hereby authorize Mr/Ms , authorised signatory of the company , acting in the capacity of lead partner, to sign all documents in connection with the tender offer for Contract and any contract resulting from it on our behalf.

This authorization is evidenced by the attached power of attorney signed by legally authorized signatories of all the partners to the Joint Venture.

NAME OF FIRM	ADDRESS	AUTHORISING SIGNATURE, NAME & CAPACITY
Lead partner		

D. Certificate for Sole Proprietor

I, hereby confirm that I am the sole owner of the business trading as

As witnesses:

1. _____ Signature : Sole owner: _____
2. _____ Date: _____

E. Certificate for Close Corporation

We, the undersigned, being the key members in the business trading as hereby authorize Mr/Ms acting in the capacity of , to sign all documents in connection with the tender for Contract and any contract resulting from it on our behalf.

NAME	ADDRESS	SIGNATURE	DATE

NOTE: This certificate is to be completed and signed by all of the key-partners upon who rests the direction of the affairs of the Partnership as a whole.

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

SCHEDULE 1B: COMPULSORY ENTERPRISE QUESTIONNAIRE

The following particulars must be furnished. In the case of a joint venture, **separate** enterprise questionnaires in respect of each partner must be completed and submitted.

Section 1: Name & Address of enterprise:

Section 2: VAT registration number, if any:

Section 3: CIDB registration number, if any:

Section 4: Particulars of sole proprietors and partners in partnerships

Name*	Identity number*	Personal income tax number*

* Complete only if sole proprietor or partnership and attach separate page if more than 3 partners

Section 5: Particulars of companies and close corporations

Company registration number

Close corporation number

Tax reference number

Section 6: Record of service of the state

Indicate by marking the relevant boxes with a cross, if any sole proprietor, partner in a partnership or director, manager, principal shareholder or stakeholder in a company or close corporation is currently or has been within the last 12 months in the service of any of the following:

- | | |
|--|---|
| ☐ a member of any municipal council | ☐ an employee of any provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act 1 of 1999) |
| ☐ a member of any provincial legislature | ☐ a member of an accounting authority of any national or provincial public entity |
| ☐ a member of the National Assembly or the National Council of Province | ☐ an employee of Parliament or a provincial legislature |
| ☐ a member of the board of directors of any municipal entity | |
| ☐ an official of any municipality or municipal entity | |

If any of the above boxes are marked, disclose the following: (insert separate page if necessary)

Name of sole proprietor, partner, director, manager, principal shareholder or stakeholder	Name of institution, public office, board or organ of state and position held	Status of service (tick appropriate column)	
		current	Within last 12 months

* Insert separate page if necessary

Section 7: Record of spouses, children and parents in the service of the state

Indicate by marking the relevant boxes with a cross, if any spouse, child or parent of a sole proprietor, partner in a partnership or director, manager, principal shareholder or stakeholder in a company or close corporation is currently or has been within the last 12 months been in the service of any of the following:

- | | |
|--|---|
| ☐ a member of any municipal council | ☐ an employee of any provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act 1 of 1999) |
| ☐ a member of any provincial legislature | |
| ☐ a member of the National Assembly or the National Council of Province | ☐ a member of an accounting authority of any national or provincial public entity |
| ☐ a member of the board of directors of any municipal entity | ☐ an employee of Parliament or a provincial legislature |
| ☐ an official of any municipality or municipal entity | |

Name of spouse, child or parent	Name of institution, public office, board or organ of state and position held	Status of service (tick appropriate column)	
		current	Within last 12 months

* Insert separate page if necessary

The undersigned, who warrants that he/she is duly authorized to do so on behalf of the enterprise:

- authorizes the Employer to obtain a tax clearance certificate from the South African Revenue Services that my / our tax matters are in order;
- confirms that the neither the name of the enterprise or the name of any partner, manager, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears on the Register of Tender Defaulters established in terms of the Prevention and Combating of Corrupt Activities Act of 2004;
- confirms that no partner, member, director or other person, who wholly or partly exercises, or may exercise, control over the enterprise appears, has within the last five years been convicted of fraud or corruption;
- confirms that I / we are not associated, linked or involved with any other tendering entities submitting tender offers and have no other relationship with any of the tenderers or those responsible for compiling the scope of work that could cause or be interpreted as a conflict of interest;
- confirms that the contents of this questionnaire are within my personal knowledge and are to the best of my belief both true and correct.

Signed _____ Date _____

Name _____ Position _____

Enterprise name _____

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

SCHEDULE 1C : CONTRACTOR'S INFORMATION

COMPLETE AS FULLY AS POSSIBLE, WHERE APPLICABLE

CONTRACTORS, SUPPLIERS AND SERVICES PROVIDERS (PROFESSIONAL AND NON-PROFESSIONAL)

PART ONE

1. NAME OF COMPANY

2. ADDRESS: PHYSICAL

POSTAL

CODE

WEBSITE http

E-MAIL

2.1 PHYSICAL ADDRESS IN
LOCAL AREA (if applicable)

CODE

CONTACT PERSON (Name & Details)

TELEPHONE

FAX

CELL PHONE

3. SECTOR (e.g. Construction)

3.1 NATURE OF BUSINESS
(e.g. Plumbing)

1.

2.

4. REGISTERED AS:

☐

CLOSE CORPORATION

☐

PTY LTD COMPANY

☐

CO-OPERATIVE

☐

SOLE TRADER

☐

LTD COMPANY

☐

PARTNERSHIP

☐

NOT REGISTERED

T2.2 Returnable Schedule

Initials	Qualifications	Surname

PART 2

12. NAMES AND NUMBERS OF DIRECTORS/PARTNERS/MEMBERS - % SHAREHOLDING

	Initials *HDI	Surname	ID Number	Sex	% Holding	
1.						YES/NO
2.						YES/NO
3.						YES/NO
4.						YES/NO
5.						YES/NO
6.						YES/NO
7.						YES/NO
8.						YES/NO

13. INDICATE ON WHICH DATE YOUR BUSINESS STARTED ITS CURRENT TYPE OF BUSINESS

----------------------	----------------------	----------------------

I..... (FULL NAME) HEREBY CERTIFY THAT THE ABOVE INFORMATION IS TRUE AND CORRECT

.....
SIGNATURE

.....
DATE

(ADDITIONAL INFORMATION MAY BE ATTACHED IF NECESSARY.)

*DEFINITION OF HISTORICALLY DISADVANTAGED INDIVIDUAL (HDI) MEANS A SOUTH AFRICAN CITIZEN.

- WHO, DUE TO THE APARTHEID POLICY THAT HAD BEEN IN PLACE, HAD NO FRANCHISE IN NATIONAL ELECTIONS PRIOR TO THE INTRODUCTION OF THE CONSTITUTION OF THE REPUBLIC OF SOUTH AFRICA, 1983 (ACT NO. 110 OF 1983) OR THE CONSTITUTION OF THE REPUBLIC OF SOUTH AFRICA, 1993 (ACT NO. 200 OF 1993) ("THE INTERIM CONSTITUTION") AND/OR
 - WHO IS A FEMALE; AND/OR
 - WHO HAS A DISABILITY

PROVIDED THAT A PERSON, WHO OBTAINED SOUTH AFRICAN CITIZENSHIP ON OR AFTER THE COMING INTO EFFECT OF THE INTERIM CONSTITUTION, IS DEEMED NOT TO BE A HDI.

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

SCHEDULE 1D: SCHEDULE OF PROPOSED SUB-CONTRACTORS

30% value of the Total Contract value must be allocated and spent on 1 or more Local Sub-Contractors in the Theewaterskloof municipal area and this will be strictly enforced by the Municipality and is therefore **COMPULSARY TO MEET THIS CRITERIA**. Consideration will be given to deviate from the said criteria with the necessary motivation that all avenues have been exploited, this forms part of our Local Economic Development Plan. The service provider must submit substantive evidence and relevant information with its tender proposal. If the tenderer has problems sourcing Local Sub-contractors, Department LED will provide assistance in this regard.

We hereby notify you that it is our intention to employ the following Sub-contractors to work on this contract.

If we are awarded the contract we agree that this notification does not change the requirement for us to submit the names of proposed Subcontractors in accordance with requirements in the contract for such appointments.

No.	Name and Address of Proposed Subcontractor	Nature and Extent of Work	Previous Experience with Subcontractor
1.			
2.			
3.			
4.			
5.			
6.			
7.			

Signed

Date

Name

Position

Tenderer

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

SCHEDULE 1E: SCHEDULE OF LOCAL LABOUR TO BE EMPLOYED ON THE CONTRACT

DESCRIPTION	NUMBER				TOTAL
DESCRIPTION OF TASK / ELEMENT / TRADE	ARTISANS AND OR SKILLED LABOUR	SEMI-SKILLED LABOUR	LABOURERS	OTHERS	LABOUR / TASK
TOTAL ACTUAL LOCAL LABOUR:					

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

Note: where the same labour is to be re-used on various tasks the total labour/tasks and the total actual labour will differ

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

SCHEDULE 1F: PRELIMINARY PROGRAMME
--

The tenderer shall attach a preliminary programme, to this schedule.

This programme, and all subsequent programmes shall be in the MS Projects format acceptable (approved by the Employer) time/activity form reflecting the proposed sequence, critical path, and tempo of the various activities and the quantities that will be carried out every week under each of the elements, comprising the work for this contract. The programme shall also indicate the point where the tenderer intends to commence work operations and the direction in which the work will proceed. The working hours shall be indicated.

The tenderer shall also take into account the additional requirements stated in the Project Specifications when drawing up the programme.

Details of the preliminary programme shall be appended to this Schedule.

Number of sheets, appended by the tenderer to this Schedule (If nil, enter NIL).

SIGNED ON BEHALF OF TENDERER:

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES

SCHEDULE 1G: ESTIMATED MONTHLY CASH-FLOW

The Tenderer shall state below the estimated value of work to be completed every month, based on his preliminary programme and his tendered unit rates.

The amounts for Contingencies and Contract Price Adjustment must not be included. The Tenderer must make note of any cash-flow restrictions.

MONTH	VALUE
1	
2	
3	
4	
5	
6	
TOTAL	

Signed

Date

Name

Position

Tenderer

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

SCHEDULE 1H : PREVIOUS EXPERIENCE ON CONTRACTS WITH REGARDS TO THE CONSTRUCTION OF ROADS AND STORM WATER: TAR OR INTERLOCKING PAVING PROJECTS SATISFACTORILY CARRIED OUT

The tenderer shall insert in the spaces provided below a list of the tenderer's past work experience in terms of similar successfully completed projects, upon which up to **30 points** for functionality will be awarded to the tenderer.

Listed projects with invalid or incorrect contact details for the employer and/or consulting engineer and information not supplied in the format as requested below will **NOT** be evaluated and the tenderer will score **NO** eligibility points in this regard. The value of work must reflect only the portion of similar projects.

If the Tenderer was a sub-contractor, a Letter from the main contractor stating the successful completion of work as well as the monetary value will suffice.

TWO PROJECTS ARE TO BE LISTED:

- Two (2) projects with completion certificates / letter from main contractor, from R 4 million (vat incl) and more. 30 points if comply with this criteria. (15 points each project)
- Two (2) projects with completion certificates / letter from main contractor, from R 3 million to less than R 4 million (vat incl) and more. 15 points if comply with this criteria. (7.5 points each project)
- Two (2) projects with completion certificates / letter from main contractor, from R 1 million to less than R 3 million (vat incl) and more. 10 points if comply with this criteria. (5 points each project)

Municipality / Other entity	Contact Person	Email address	Tel. number	Project Description	Project Value (Including VAT)	Date completed

Signed Date

Name Position

Tenderer

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

SCHEDULE 1I : EXPERIENCE OF KEY PERSONNEL

The tenderer shall set out in the tables hereafter details of the relevant experience in similar successfully completed projects of the persons identified for each listed position based upon which up to **40 points** for functionality will be awarded to the tenderer (Refer to F2.1.1.2 of Part T1.2 Tender Data for explanation of functionality criteria and **Schedule 1J**, T2.1 Returnable Schedules, for criteria of points allocation) in this regard.

Tenderers that fail to supply the information requested in this schedule (both pages of this schedule included) with their tender offers and in this format will score **NO** eligibility points in this regard.

Note: One person only to qualify for each of the positions listed below. The key-personnel to be used in this regard will be subject to the approval of the Client's Representative prior to the commencement date of the contract. Should any of the persons identified not be available for the position which they are indicated for, then a suitable candidate with equal or superior tertiary qualification and/or relevant experience than that of the person which he/she replaces shall be used for every such position.

Contract's Manager Site Agent		NAME:				
Contact and Client	Contact No:	TERTIARY QUALIFICATION				
		Project Description	Position held	Value of work (Incl. VAT) (R million)	Date commenced	Date completed

Please attach CV of person listed above.

Site Foreman		NAME:				
Contact and Client	Contact No:	TERTIARY QUALIFICATION				
		Project Description	Position held	Value of work (Incl. VAT) (R million)	Date commenced	Date completed

Please attach CV of person listed above.

To be filled in by Tenderer

Signed Date.....

Name Position

Tenderer

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

SCHEDULE 1J: FUNCTIONALITY AND ELIGIBILITY EVALUATION FORM

Name of Tenderer:.....

Name of Evaluator:

1. FUNCTIONALITY EVALUATION CRITERIA

1.1. Previous experience on contracts of similar value and nature (maximum 30 points)

Points for the tenderer's past experience in terms of similar successfully completed (tar roads, interlocking paving, storm water and sub-soil drainage) projects will be scored based on the information supplied by the tenderer in **Schedule 1H** of Part T 2.1: Returnable Schedules (also refer to F2.1.1.3 of Part T1.2 Tender Data for explanation of functionality criteria).

Successfully completed 4CE projects	No. of projects listed	Status
1 = Responsive		
0 = Non-responsive		

No points will be allocated if no projects have been completed.

Points will be allocated according to the table below:

Successfully completed roads and storm water projects	Points (maximum two projects to be submitted)	Score (A)
Roads and Storm water - Tar / interlocking brick paving Projects with completion certificates / letters	2 projects of R 4 million each and more(VAT incl) = 30 (15 points each project) Or 2 projects of R 3 million to less than R4 million each (VAT incl) = 15 (7.5 points each project) Or 2 projects of R 1 million to less than R 3 million each (VAT incl) = 10 (5 points each project)	
Score (A)		A =

Failure to submit the minimum requirement above, will result in the tenderer receiving a Zero (0) for this part of the evaluation.

1.2. Experience of key personnel (maximum 40 points)

Points for demonstrated experience of the tenderer's key personnel to be directly involved with this contract (if awarded) will be scored based on the information supplied by the tenderer in **Schedule 11** of Part T2.1: Returnable Schedules (also refer to F2.1.1.2 of Part T1.2 Tender Data for explanation of functionality criteria).

Points will be allocated according to the tables below:

CONTRACT'S MANAGER/ SITE AGENT (Max 20)		
Experience as Contracts Manager/Site Agent on successfully completed roads and storm water projects	Points (maximum two projects to be submitted)	Score (B)
Roads and Storm water - Tar / interlocking brick paving Projects with completion certificates / letters 1 Million Rand to 4 Million Rand	2 projects of R 4 million each and more(VAT incl) = 20 (10 points each project) Or 2 projects of R 3 million to less than R4 million each (VAT incl) = 10 (5 points each project) Or 2 projects of R 1 million to less than R 3 million each (VAT incl) = 5 (2.5 points each project)	
Score (B)		B=

Failure to submit the minimum requirement above, will result in the tenderer receiving a Zero (0) for this part of the evaluation.

CONTRACT'S MANAGER/ SITE AGENT/OWNER/DIRECTOR (Max 10)		
Requirement	Points	Score (C)
Civil Engineering National Diploma or higher relevant to qualification (civil engineering)	National Diploma and Higher =10	
Experience	Minimum 5 years or more construction experience (successfully completed roads and storm water projects) = 5	
Experience	Less than 5 years construction experience (successfully completed roads and storm water projects) = 0	
Score (C)		C=

SITE FOREMAN (Max 10)		
Experience as Site Foreman on successfully completed roads and storm water projects	Points (maximum two projects to be submitted)	Score (D)
Roads and Storm water - Tar / interlocking brick paving Projects with completion certificates / letters	2 projects of R 4 million each and more(VAT incl) = 10 (5 points each project) Or 2 projects of R 3 million to less than R4 million each (VAT incl) = 5 (2.5 points each project) Or 2 projects of R 1 million to less than R 3 million each (VAT incl) = 1 (0.5 points each project)	
Score (D)		D=

Note: One person only to qualify for each position listed above

1.3. Financial standing (maximum 30 points)

Points for tenderer's financial standing will be scored based on the information as received from the financial institution. (Refer to F 2.1.1.4 of Part T1.2: Tender Data for explanation of functionality criteria).
Refer to Schedule 2I

Points will be allocated according to the table below

Allocation of resources	Points	Score (E)
Code A - C : Good for the amount quoted if strictly in the way of business	30	
Code D-H : Figure considered too high	0	
E =		

TOTAL SCORE A + B + C + D + E=
MINIMUM SCORE OF 80% & MORE TO PROCEED (80/100x100=80%)

Pass	Fail

2. ELIGIBILITY CRITERIA

2.1. Completion of applicable schedules

Returnable Schedule	Page	YES	NO	Comments
Schedule 1H				
Schedule 1I				
Schedule 1J				
Schedule 2I				
Schedule 2L				

2.2. Declaration of tender eligibility in terms of functionality

I hereby declare that the tender offer of

is **ELIGIBLE / NOT ELIGIBLE** for evaluation.

Reasons for tender offer not being eligible (if applicable):

.....
.....

Signed by evaluator:

Date:

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

SCHEDULE 2A: CERTIFICATE OF CONTRACTOR REGISTRATION ISSUED BY THE CIDB

The tenderer must attach to this page either a certificate of Contractor Registration issued by the Construction Industry Development Board or proof of registration in terms of the Construction Industry Development Board Act.

Signed	Date
Name	Position
Tenderer	

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES

SCHEDULE 2B: CERTIFICATE OF AUTHORITY FOR JOINT VENTURES

a) This returnable schedule is to be completed by joint ventures.

We, the undersigned, are submitting this tender offer in joint venture and hereby authorize Mr/Ms

....., authorized signatory of the company, close corporation or partnership

....., acting in the capacity of lead partner, to sign

all documents in connection with the tender offer and any contract resulting from it on our behalf.

NAME OF FIRM	ADDRESS	DULY AUTHORISED SIGNATORY
Lead partner		Signature..... Name..... Designation.....
		Signature..... Name..... Designation.....
		Signature..... Name..... Designation.....
		Signature..... Name..... Designation.....

Note: A copy of the Joint Venture Agreement showing clearly the **percentage contribution of each partner** to the Joint Venture shall be appended to this schedule.

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

SCHEDULE 2C : TAX CLEARANCE CERTIFICATE

MBD 2

It is a condition of the bid that the taxes of the successful bidder must be in order, or that satisfactory arrangements have been made with South African Revenue Service (SARS) to meet the bidder's tax obligations.

- 1 In order to meet this requirement (where necessary) bidders are required to complete in full the attached form TCC 001 "Application for a Tax Clearance Certificate" and submit it to any SARS branch office nationally. The Tax Clearance Certificate Requirements are also applicable to foreign bidders / individuals who wish to submit bids.
- 2 SARS will then furnish the bidder with a Tax Clearance Certificate that will be valid for a period of 1 (one) year from the date of approval.
- 3 The original Tax Clearance Certificate must be submitted together with the bid. Failure to submit the valid Tax Clearance Certificate will result in the invalidation of the bid.

a. Tax Compliance Status (TCS) Pin as of 18 April 2016

- i. **In terms of the new Tax Compliance Status System implemented by SARS on 18 April 2016, taxpayers are now able to issue the municipality with a TCS Pin which will be used to verify a bidder's tax status online via SARS E-filing.** This option will be used to verify the status of the service provider (which should be active or compliant) and will determine if the offer will be further evaluated or omitted. Service provider's status which is found inactive or non-compliant their offers will be omitted. As a result, Tenderers who are not in possession of an original Tax Clearance Certificate must issue the municipality with the following:

1.	Tax Clearance Certificated printed for SARS E-filing	
2.	Tax Reference Number:	
3.	Tax Compliance Status Pin:	

- 4 In bids where Consortia / Joint Ventures / Sub-contractors are involved, each party must submit a separate Tax Clearance Certificate.
- 5 Copies of the TCC 001 "Application for a Tax Clearance Certificate" form are available from any SARS branch Office nationally or on the website www.sars.gov.za.
- 6 Applications for the Tax Clearance Certificates may also be made via eFiling. In order to use this provision, taxpayers will need to register with SARS as eFilers through the website www.sars.gov.za.

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

SCHEDULE 2D: DECLARATION OF INTEREST

MBD 4

1. No bid will be accepted from persons in the service of the state¹.
2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.
3. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.
 - 3.1 Full Name of bidder or his or her representative.....
 - 3.2 Identity Number:
 - 3.3 Position occupied in the Company (director, trustee, shareholder²):
 - 3.4 Company Registration Number:
 - 3.5 Tax Reference Number:
 - 3.6 VAT Registration Number:
 - 3.7 The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.
 - 3.8 Are you presently in the service of the state? **YES / NO**
 - 3.8.1 If yes, furnish particulars.
.....
 - 3.9 Have you been in the service of the state for the past twelve months? **YES / NO**
 - 3.9.1 If yes, furnish particulars
.....

¹MSCM Regulations: "in the service of the state" means to be –

- (a) a member of –
 - (i) any municipal council;
 - (ii) any provincial legislature; or
 - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

² Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

3.10 Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.10.1 If yes, furnish particulars
.....

3.11 Are you, aware of any relationship (family, friend, other) between any other bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? **YES / NO**

3.11.1 If yes, furnish particulars
.....

3.12 Are any of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.12.1 If yes, furnish particulars
.....

3.13 Are any spouse, child or parent of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state? **YES / NO**

3.13.1 If yes, furnish particulars
.....

3.14 Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract. **YES / NO**

3.14.1 If yes, furnish particulars.....
.....

4. FULL DETAILS OF DIRECTORS / TRUSTEES / MEMBERS / SHAREHOLDERS.

Full Name	Identity Number	State Employee Number

.....
Signature

.....
Date

.....
Capacity

.....
Name of Bidder

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

SCHEDULE 2E: PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017 (MBD 6.1)

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to all bids:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 80/20 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 The value of this bid is estimated to not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 preference point system shall be applicable.

1.3 Points for this bid shall be awarded for:

- (a) Price; and
- (b) B-BBEE Status Level of Contributor.

1.4 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	80
B-BBEE STATUS LEVEL OF CONTRIBUTOR	20
Total points for Price and B-BBEE must not exceed	100

1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. DEFINITIONS

- (a) **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) **"B-BBEE status level of contributor"** means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) **"bid"** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;

- (d) **“Broad-Based Black Economic Empowerment Act”** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) **“EME”** means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) **“functionality”** means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) **“prices”** includes all applicable taxes less all unconditional discounts;
- (h) **“proof of B-BBEE status level of contributor”** means:
- 1) B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
- (i) **“QSE”** means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 PREFERENCE POINT SYSTEM

A maximum of 80 points is allocated for price on the following basis:

$$P_s = 80 \left(1 - \frac{P_t - P_{\min}}{P_{\min}} \right)^{\frac{80}{20}}$$

Where

P_s = Points scored for price of bid under consideration
 P_t = Price of bid under consideration
 $P_{\min}$ = Price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

- 4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (80/20 system)
1	20
2	18
3	14
4	12
5	8
6	6
7	4
8	2
Non-compliant contributor	0

5. BID DECLARATION

- 5.1 Tenderers who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

6.1 B-BBEE Status Level of Contributor:..... =(maximum of 20 points)

(Points claimed in respect of paragraph 6.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

7. SUB-CONTRACTING

7.1 Will any portion of the contract be sub-contracted?

(Tick applicable box)

YES		NO	
-----	--	----	--

7.1.1 If yes, indicate:

- i) What percentage of the contract will be subcontracted.....%
- ii) The name of the sub-contractor.....
- iii) The B-BBEE status level of the sub-contractor.....
- iv) Whether the sub-contractor is an EME or QSE

(Tick applicable box)

YES		NO	
-----	--	----	--

v) Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

Designated Group: An EME or QSE which is at last 51% owned by:	EME √	QSE √
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

8. DECLARATION WITH REGARD TO COMPANY/FIRM

8.1 Name of company/firm:.....

8.2 VAT registration number:.....

8.3 Company registration number:.....

8.4 Type of Company/ Firm

- ☐ Partnership/Joint Venture / Consortium
 - ☐ One person business/sole propriety
 - ☐ Close corporation
 - ☐ Company
 - ☐ (Pty) Limited
- [Tick applicable box]

8.5 Describe Principal Business Activities

.....

.....

.....

.....

8.6 Company Classification

- ☐ Manufacturer
 - ☐ Supplier
 - ☐ Professional service provider
 - ☐ Other service providers, e.g. transporter, etc.
- [Tick applicable box]

8.7 Municipal Information

Municipality where business is situated:.....

Registered Account Number:

Stand Number:.....

8.8 Total number of years the company/firm has been in business:.....

8.9 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have –
 - (a) disqualify the person from the bidding process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution.

WITNESSES

1.

2.

.....
SIGNATURE(S) OF TENDERERS(S)

DATE:

ADDRESS:

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

SCHEDULE 2F: DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

MBD 8

- 1 This Municipal Bidding Document must form part of all bids invited.
- 2 It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b. been convicted for fraud or corruption during the past five years;
 - c. wilfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- 4 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Item	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector? (Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied). The Database of Restricted Suppliers now resides on the National Treasury's website (www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.	Yes ☐	No ☐
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes ☐	No ☐
4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes ☐	No ☐

Item	Question	Yes	No
4.3.1	If so, furnish particulars:		
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes ☐	No ☐
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes ☐	No ☐
4.5.1	If so, furnish particulars:		

CERTIFICATION

I, THE UNDERSIGNED (FULL NAME)
CERTIFY THAT THE INFORMATION FURNISHED ON THIS DECLARATION FORM TRUE AND CORRECT.

I ACCEPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT, ACTION MAY BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
 Signature

.....
 Date

.....
 Position

.....
 Name of Bidder

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

SCHEDULE 2G: CERTIFICATE OF INDEPENDENT BID DETERMINATION
--

MBD 9

- 1 This Municipal Bidding Document (MBD) must form part of all bids¹ invited.
- 2 Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- 3 Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - a. take all reasonable steps to prevent such abuse;
 - b. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
- 4 This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- 5 In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:

(Bid Number and Description)

in response to the invitation for the bid made by:

(Name of Municipality / Municipal Entity)

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of: _____ that:
(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³¹ will not be construed as collusive bidding.
7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.
8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or service to which this bid invitation relates.
9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.

³¹ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

.....
Signature

.....
Date

.....
Position

.....
Name of Bidder

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

**SCHEDULE 2H: DECLARATION IN TERMS OF THE MFMA
(ACT 56 OF 2003) IN TERMS OF MUNICIPAL RATES AND SERVICES**

NAME OF ENTERPRISE/TENDERER*:

I the undersigned, who warrants that he/she is duly authorized to do so on behalf of the abovementioned enterprise/tenderer, do hereby declare that, to the best of my knowledge, neither the enterprise nor any of its directors, members or partners has:

- a) failed to pay municipal rates and taxes or municipal service charges and such rates, taxes and charges are in arrears for more than three months;
- b) failed, during the last five years, to perform satisfactorily on a previous contract with the Theewaterskloof Municipality or any other organ of state after written notice was given to that tenderer that performance was unsatisfactory;
- c) abused the supply chain management system of the Theewaterskloof Municipality or has committed any improper conduct in relation to this system;
- d) been convicted of fraud or corruption during the past five years;
- e) wilfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
- f) been listed with the Register of Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004) or has been listed on National Treasury's database as a person or juristic entity prohibited from doing business with the public sector.

I acknowledge that any misrepresentation in respect of this declaration may be regarded as reason to cancel any contract arising out of this tender.

SIGNED ON BEHALF OF ENTERPRISE/TENDERER:

DATE:

**DOCUMENTARY EVIDENCE IN TERMS OF GOOD STANDING WITH MUNICIPAL RATES AND TAXES AND
SERVICE CHARGES SHALL BE ATTACHED TO THIS FORM.**

* where the entity tendering is a joint venture, each party to the joint venture must sign a declaration in terms of the Municipal Finance Management Act and attach it to this schedule

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES

SCHEDULE 2I: FINANCIAL STANDING

Banking details of company

Name of bank															
Name of branch															
Branch code															
Account Number															
Type of account	☐	1 = Cheque Account					☐	2 = Savings Account							

Signature:

Date:

Please attach evidence of financial standing to this schedule

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

SCHEDULE 2J : PROOF OF PAYMENT OF TENDER PARTICIPATION FEE

The tenderer should attach to this page proof of payment of the tender participation fee as stipulated in the tender advertisement.

Signed

Date

Name

Position

Tenderer

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

**SCHEDULE 2K : LETTER OF GOOD STANDING WITH RELEVANT AUTHORITIES AND
BARGAINING COUNCIL CERTIFICATE**

The tenderer must attach to this page a letter from the relevant authorities indicating his good standing with regard to UIF payments and COIDA as well as certificates issued by relevant Bargaining Council. Each party to a Joint Venture or Consortium shall submit separate documents.

Signed

Date

Name

Position

Tenderer

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

SCHEDULE 2L : CERTIFICATE OF ATTENDANCE AT CLARIFICATION MEETING

This is to certify that
..... (Tenderer)

of (address)
.....

was represented by the person(s) named below at the compulsory meeting held for all tenderers at

..... (location) on (date), starting at

We acknowledge that the purpose of the meeting was to acquaint ourselves with the site of the works and / or matters incidental to doing the work specified in the tender documents in order for us to take account of everything necessary when compiling our rates and prices included in the tender.

Particulars of person(s) attending the meeting: (Refer to F 2.7)

Name Signature

Capacity

Name Signature

Capacity

Attendance of the above persons at the meeting is confirmed by the Employer's representative, namely:

Name Signature

Capacity Date & Time

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

SCHEDULE 3A : RECORD OF ADDENDA TO TENDER DOCUMENTS

We confirm that the following communications received from the Employer before the submission of this tender offer, amending the tender documents, have been taken into account in this tender offer :

No.	Date	Title or Details
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		

Attach additional pages if more space is required.

Signed

Date

Name

Position

Tenderer

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

SCHEDULE 3B: FORM OF INDEMNITY

The tenderer must complete this page

THE MUNICIPAL MANAGER
Theewaterskloof Municipality

INDEMNITY

Given by (Name of Company)

of

.....
(registered address of Company) a company incorporated with limited liability according to the Company Laws of the Republic of South Africa (hereinafter called the Contractor),

represented herein by

..... (Name of Representative) in his capacity as

.....(Designation) of the Contractor is

duly authorised hereto by a resolution dated

To sign on behalf of the Contractor.

WHEREAS THE CONTRACTOR HAS ENTERED INTO A CONTRACT DATED
WITH THEEWATERSKLOOF MUNICIPALITY (HEREINAFTER CALLED THE MUNICIPALITY) WHO
REQUIRE THIS INDEMNITY FROM THE CONTRACTOR FOR THE

**CONTRACT: ENG 06/2021/22 – UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

NOW THEREFORE THIS DEED WITNESSES that the Contractor does hereby indemnify and hold harmless the Municipality in respect of all loss or damage that may be incurred or sustained by the Municipality by reason of or in any way arising out of or caused by operations that may be carried out by the Contractor in connection with the aforementioned contract; and also in respect of all claims that may be made against the Municipality in consequence of such operations, by reason of or in any way arising out of any accidents or damage to life or property or any other cause whatsoever; and also in respect of all legal or other expenses that may be incurred by the Municipality in examining, resisting or settling any such claims; for the due performance of which the Contractor binds itself according to law.

SIGNATURE:

THUS DONE AND SIGNED for and on behalf on the Contractor.

At on the day of In the

presence of the subscribing witnesses.

AS WITNESSES

1. (Designation)
.

2. (Designation)
.

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

SCHEDULE 3C: OCCUPATIONAL HEALTH & SAFETY PLAN

OCCUPATIONAL HEALTH AND SAFETY ACT (Act No 85 of 1993)

Tenderers are to note the requirements of the Occupational Health and Safety Act No. 85 of 1993 and the Construction Regulations 2014 issued in terms of Section 43 of the Act. The Tenderer shall be deemed to have read and fully understood the requirements of the above Act and Regulations and to have allowed for all costs in compliance therewith.

In this regard the Tenderer shall prepare and attach a Health and Safety Plan in respect of the Works in order to demonstrate the necessary competencies and resources to perform the construction work all in accordance with the Act and Regulations. Such Health and Safety Plan shall cover inter-alia the following details:

- (1) Management Structure, Site Supervision and Responsible Persons including a succession plan.
- (2) Contractor's induction training programme for employees, sub-contractors and visitors to the Site.
- (3) Health and safety precautions and procedures to be adhered to in order to ensure compliance with the Act, Regulations and Safety Specifications.
- (4) Regular monitoring procedures to be performed.
- (5) Regular liaison, consultation and review meetings with all parties.
- (6) Site security, welfare facilities and first aid.
- (7) Site rules and fire and emergency procedures.

Tenderers are to note that the Contractor is required to ensure that all sub-contractors or others engaged in the performance of the contract also comply with the above requirements.

The Tenderer shall also take into account the additional requirements stated in the Scope of Work when drawing up the Health and Safety Plan for the contract.

Details of the Health and Safety Plan shall be appended to this Schedule.

Number of sheets, appended by the Tenderer to this Schedule (If nil, enter NIL).

SIGNED ON BEHALF OF TENDERER:

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

SCHEDULE 3D: SPECIAL CONDITIONS OF TENDER

SPECIAL CONDITIONS OF TENDER	
A. CONDITIONS APPLICABLE TO THE PROMOTION OF MUNICIPAL LOCAL AND SOCIO-ECONOMIC DEVELOPMENT	
Maximum possible number of workers to be employed from the local community. For the unskilled labour portion of this tender, the Service Provider MUST employ all local labourers from local town where service is rendered. Service Provider must comply with EPWP requirements for all unskilled labour and to supply the necessary documents to Theewaterskloof Municipality to register them.	
30% of the tender amount must be allocated for sub-contracting , the Service Provider MUST use suppliers within in the Theewaterskloof Municipal Area. The 30% value will be strictly enforced by the Municipality and is therefore COMPULSARY TO MEET THIS CRITERIA consideration will be given to deviate from the said criteria with the necessary motivation that all avenues have been exploited, this forms part of our Local Economic Development Plan. The service provider must submit substantive evidence and relevant information with its tender proposal. If the tenderer has problems sourcing Local Sub-contractors, Department LED will provide assistance in this regard.	
The documentation required is based on the monitoring and evaluation compliance process plan. The following documentation must reach the EPWP office no later than the starting date of the project: 1. Project Plan – Include Labour budget. 2. Contractor Details. 3. Certified ID copy per participant. 4. Signed Contract per participant. On a monthly bases the contractor need to report and submit the following: 1. Submit proof of signed attendance register. 2. Copy of payslip Monthly Labour Expenditure report – Template available at the EPWP office.	
All Road Construction Material (G4/5 AN SAND) shall be sourced from local suppliers in the Theewaterskloof area. When invoicing proof must be provided showing that the supplier was LOCAL (WAY BILLS ETC) .	
Basic on job training for unskilled local labour with a reference letter	
B. CONDITIONS APPLICABLE AFTER CLOSING OF TENDER BUT BEFORE A SELECTED SERVICE PROVIDER IS ANNOUNCED (For information only)	
Any additional information upon request must be submitted in writing within 48 hours of receipt.	
C. CONDITIONS APPLICABLE AFTER AWARDING OF THE TENDER (For information only)	
A 10% performance guarantee is required and must be submitted within 14 days after final award of the tender.	
Payment will occur as per the CIDB requirements, the agreed project implementation plan, with a 10% retention of fees as well as a 15% contingency reserve.	
The service provider must provide the Municipality with a completed list of local labourers used, with monthly claims. The aforesaid list must be updated and submitted together with the service providers progress report and monthly invoice, inclusive of the following details: a. Salary / wages spent on local employees versus total wages / salary budget at site b. Number of local employees employed versus per total workforce at site c. Amount spent on local suppliers versus budgeted Any amendments to the list requires prior approval from the Municipality.	

The service provider must provide local labourers with basic on-the-job training and provide them with a reference letter after completion of their services.
The service provider must provide the Municipality with a certificate confirming payments made to the local EME sub-contractor, if applicable. This certificate must be updated and submitted together with the service providers progress report and invoice. Any changes in sub-contractors requires prior approval from the Municipality.

I HEREBY DECLARE THAT I COMPLY WITH ALL THE SPECIAL CONDITIONS AS SET OUT ABOVE.

Signed Date

Name Position

Tenderer

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

Part C1: Agreements and Contract Data

- C1.1 Form of Offer and Acceptance (Agreement)**
- C1.2 Contract Data**
- C1.3 Form of Guarantee**
- C1.4 Occupational Health and Safety Agreement**
- C1.5 Insurance Broker's Warranty**

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES

C1.1 Form of Offer and Acceptance

Offer

The Employer, identified in the Acceptance signature block, has solicited offers to enter into a contract in respect of the following works:

**TENDER NO. ENG 06/2021/22 : UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

The tenderer, identified in the offer signature block, has examined the documents listed in the tender data and addenda thereto as listed in the returnable schedules, and by submitting this offer has accepted the conditions of tender.

By the representative of the tenderer, deemed to be duly authorized, signing this part of this form of offer and acceptance, the tenderer offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VALUE ADDED TAX IS:

Rand.....

..... (in words);

R..... (in figures)

This offer may be accepted by the Employer by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this document to the tenderer before the end of the period of validity stated in the tender data, whereupon the tenderer becomes the party named as the Contractor in the conditions of contract identified in the contract data.

Signature(s)

Name(s)

Capacity

(Name and

address of
organization/tenderer)

Name and
signature
of witness

Date

Acceptance

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the tenderer's offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the conditions of contract identified in the contract data. Acceptance of the tenderer's offer shall form an agreement between the Employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract are contained in:

Part C1: Agreements and contract data (which includes this agreement)
Part C2: Pricing data
Part C3: Scope of work

and drawings and documents or parts thereof, which may be incorporated by reference into Parts 1 to 4 above.

Deviations from and amendments to the documents listed in the tender data and any addenda thereto as listed in the tender schedules as well as any changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance, are contained in the schedule of deviations attached to and forming part of this agreement. No amendments to or deviations from said documents are valid unless contained in this schedule.

The tenderer shall within two weeks after receiving a completed copy of this agreement, including the schedule of deviations (if any), contact the employer's agent (whose details are given in the contract data) to arrange the delivery of any bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the contract data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this Agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the schedule of deviations (if any). Unless the tenderer (now Contractor) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the parties.

Signature(s)
Name(s)
Capacity

**For the
Employer** Theewaterskloof Municipality
 6 Plein Street
 CALEDON
 7230

Name and
Signature
of witness
Date

Schedule of Deviations

Notes:

1. The extent of deviations from the tender documents issued by the employer before the tender closing date is limited to those permitted in terms of the conditions of tender.
2. A tenderer's covering letter shall not be included in the final contract document. Should any matter in such letter, which constitutes a deviation as aforesaid, become the subject of agreements reached during the process of offer and acceptance, the outcome of such agreement shall be recorded here.
3. Any other matter arising from the process of offer and acceptance either as a confirmation, clarification or change to the tender documents and which it is agreed by the Parties becomes an obligation of the contract shall also be recorded here.
4. Any change or addition to the tender documents arising from the above agreements and recorded here, shall also be incorporated into the final draft of the Contract

1	Subject
	Details
	
	
2	Subject
	Details
	
	
3	Subject
	Details
	
	
4	Subject
	Details
	
	

By the duly authorised representatives signing this agreement, the Employer and the tenderer agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the tender data and addenda thereto as listed in the tender schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the tenderer and the employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

For the Tenderer: (To be signed after award of the tender)

Signature(s)
Name(s)
Capacity
(Name and address of organization/tenderer)

.....
.....

Name and signature of witness
Date

For the Employer:

Signature(s)
Name(s)
Capacity

For the Employer Theewaterskloof Municipality
 6 Plein Street
 CALEDON
 7230

Name and
.....

Signature of witness
.....

Date
.....

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

C1.2 Contract Data

Part 1: Contract Data provided by the Employer

GENERAL CONDITIONS OF CONTRACT

The following standardized General Conditions of Contract:

General Conditions of Contract for Construction Works (Second Edition) 2010

Prepared by the South African Institution of Civil Engineering (SAICE) shall apply to and from the General Conditions of Contract for this contract. Copies of these conditions of contract are obtainable from the South African Institution of Civil Engineering (SAICE), Private Bag X200, Halfway House 1685, Tel: (011) 805 5947, Fax: (011) 805 5971, e-mail: civilinfo@saice.org.za.

Copies of the General Conditions of Contract are available for inspection and scrutiny at the offices of the Employer's Agent and the Engineer.

The Pro-formas bound with the General Conditions of Contract 2010, on pages 72 to 91 shall not apply to this Contract and shall be replaced with the documentation bound into this Contract Document.

The General Conditions of Contract 2010 make several references to the Contract Data for specific data, which together with these conditions collectively describe the risks, liabilities and obligations of the contracting parties and the procedures for the administration of the Contract. The Contract Specific Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the general conditions of contract.

The General Conditions of Contract shall be read in conjunction with the variations, amendments and additions set out in the Contract Specific Data below. Each item of data given below is cross-referenced to the clause in the General Conditions of Contract to which it mainly applies.

The Contract Specific Data and General Conditions of Contract shall have precedence over the Drawings, Scope of Work and Standardized Specifications in the interpretation of any ambiguity or inconsistency between these documents.

CONTRACT SPECIFIC DATA

The following contract specific data, referring to the General Conditions of Contract for Construction Works, Second Edition, 2010, are applicable to this Contract:

Clause 1.1.1.13:

The Defects Liability Period is **12** months.

Clause 1.1.1.14:

The time for achieving Practical Completion is **8 months**, inclusive of the **14 day** period referred to in Clause 5.3.2 below, and inclusive of non-working days referred to in Clause 5.8.1 below, but exclusive of special non-working days (Clause 5.8.1).

Clause 1.1.1.15:

The **Employer** is the **THEEWATERSKLOOF MUNICIPALITY**, represented by the **DIRECTOR: TECHNICAL SERVICES AND PLANNING** and/or such other person or persons duly authorized thereto by the Employer in writing.

The name of the Employer is: **THEEWATERSKLOOF MUNICIPALITY**

and is referred to in this Contract Document by the terms “Employer” or “Theewaterskloof Municipality” as the context provides.

Clause 1.1.1.16:

The **Engineer**, referred to in the documents, is any member of Department Technical Services.

The name of the Engineer is: **Mr E Kiewitz**

Clause 1.1.1.26:

The Pricing Strategy is a Re-measurement Contract.

Clause 1.1.28:

Replace with the following:

“**Scope of Work**” means the document(s) containing the Standard Specifications, the Project/Particular Specifications and the Drawings, that specifies and describes the Works, which are to be provided, and any other requirements and constraints relating to the manner in which the work is to be performed.

Add the following clauses after Clause 1.1.34:

1.1.35 “**Drawings**” means all drawings, calculations and technical information forming part of the Tender Documents (other than information contained in the Specifications) and any modifications thereof or additions thereto from time to time approved in writing by the Engineer or delivered to the Contractor by the Engineer.

1.1.36 “**Letter of Notification**” means the letter of formal notification, signed by the Employer, of the decision of the Supply Chain Management Bid Adjudication Committee sent to all tenderers. The notification of the decision does not form part of the Employer’s Acceptance of the successful tenderer’s Form of Offer and no rights shall accrue.

Clause 1.2.1.2:

The address of the Employer is:

Physical address: 6 Plein Street
Caledon
7230

The address of the Engineer is:

Physical address: 26 Kerk straat
Caledon
7230

E-mail address on behalf of the Engineer: earlki@twk.org.za

Clause 3.1.3:

The Engineer shall obtain the specific approval of the Employer before executing any of his functions or duties according to the following Clauses of the General Conditions of Contract:

1. Clause 3.2.1 Nomination of Engineer's Representative
2. Clause 3.2.4 Engineer's authority to delegate
3. Clause 5.8.1 Non-working times
4. Clause 5.11.1 Suspension of the Works
5. Clause 5.12.4 Acceleration instead of extension of time

Clause 4.3:

Add the following clause after Clause 4.3.2.:

- 4.3.3 The Employer and the Contractor shall enter into an agreement to complete the work required for the construction of the works in terms of the provisions of Section 37(2) of the Occupational Health and Safety Act (Act 85 of 1993) and the Construction Regulations promulgated thereunder.

An agreement is included in the Contract Document (C1.4 of Contract Data) and shall be completed and submitted to the Employer together with a letter of good standing from the Compensation Commissioner (if not insured with a Licenced Compensation Insurer) **within fourteen (14) days after the Commencement Date**. The Contractor shall ensure that any letter of good standing shall be timeously renewed in order that it remains in full force for the duration of the Contract.

Clause 5.2:

Add the following clause after Clause 5.2.1:

- 5.2.2 Also refer to Clause 9: Construction Programme in C3.4: Construction under PART C3: SCOPE OF WORK.

Clause 5.3.1:

The documentation required before commencement with Works execution is:

- (1) Health and Safety Plan (Refer to Clause 4.3)
- (2) Initial programme (Refer to Clause 5.6)
- (3) Security (Refer to Clause 6.2)
- (4) Insurance (Refer to Clause 8.6)
- (5) Occupational Health and Safety Agreement (C1.4 of the Contract Document)
- (6) Letter of Good Standing from the Compensation Commissioner (if not insured with a Licensed Compensation Insurer)
- (7) Other requirements

Clause 5.3.2:

The time to submit the documentation required before commencement with Works execution is **14 days**.

Clause 5.4.2:

Access to and possession of the site shall not be exclusive to the Contractor insofar as the provisions of Clause 4.8 apply, and where ongoing use by the general public is required.

Add the following clause after Clause 5.4.2:

- 5.4.3 The Contractor shall bear all costs and charges for special and temporary rights of way required by him in connection with access to the Site.

Clause 5.8.1:

The non-working days are Sundays.

The special non-working days are:

- (1) All gazetted public holidays falling outside the year end break.
- (2) The year end break commencing mid-December and ending early January as published by SAFCEC

Clause 5.12.2.2:

No extension of time will be granted in respect of any delays attributed to normal climatic conditions. Normal climatic conditions shall be deemed to include normal rainfall and associated wet conditions and materials, strong winds and extremes of temperature. However, in the event that delays to critical activities exceed the number of working days listed below for each month, then abnormal climatic conditions shall be deemed to exist, and an extension of time may be claimed in accordance with the provisions of Clause 5.12.

The number of days quoted below shall be regarded as a fair estimate of the delays to be anticipated and allowed for under normal climatic conditions where inclement weather prevents or disrupts critical work.

January	2 days
February	2 days
March	2 days
April	2 days
May	2 days
June	4 days
July	4 days
August	4 days
September	4 days
October	2 days
November	2 days
December	2 days

Claims for delays for abnormal climatic conditions shall be accompanied by substantiating facts and evidence, which shall be submitted timeously as each day or half-day delay is experienced.

It shall be further noted that where the critical path is not affected, no extension of time for abnormal climatic conditions or for any other reason will be entertained.

Clause 5.13.1:

The penalty for failing to complete the Works is **R2 500** per calendar day. **The penalty shall not be reduced with the issue of interim Practical Completion Certificates, unless otherwise agreed with the Engineer.**

Clause 5.16.3:

The latent defects period is **10** years

Clause 6.2.1:

The security to be provided by the Contractor shall be a performance guarantee of **10%** of the Contract Sum.

Clause 6.2.2:

Delete Clause 6.2.2 in its entirety.

Clause 6.2.3:

Delete Clause 6.2.3 in its entirety and replace with the following:

The Contractor shall ensure that the performance guarantee remains valid and enforceable until the Certificate of Completion of the Works is issued.

Clause 6.5.1.2.3:

The percentage allowance to cover overhead charges is **10%**.

Clause 6.8.2:

Add the following to Clause 6.8.2:

The Contract Price shall **not** be subject to any contract price adjustment and the rates and prices tendered in the bill of quantities shall be final and binding throughout the period of the Contract.

Notwithstanding the above, if special materials are specified in Part 2 of the Contract Data then the provisions of Clause 6.8.3 of the General Conditions of Contract shall apply to such special materials.

Furthermore if, as a result of any extension of time granted, the duration of the contract period exceeds one year, the contract will automatically be subject to contract price adjustment for that period by which the extended contract period exceeds such one year.

Where applicable, in terms of the foregoing, the value of the certificates issued shall be adjusted in accordance with the Contract Price Adjustment Schedule with the following values:

The value of "x" is 0,15.

The values of the coefficients are:

a = 0,20

b = 0,25

c = 0,20

d = 0,35

The base month is the month prior to the Closure Date of the Tender.

In addition, the Contract Price Adjustment Schedule shall be amended as follows:

"L" is the "Labour Index" and shall be the Consumer Price Index for All Items within the Western Cape Province, as published in the Statistical News Release, P0141 Table 3 of Statistics South Africa.

"P" is the "Plant Index" and shall be the Index for moving, grading, levelling, scraping, excavating, tamping, compacting and extracting machinery as published in the Statistical News Release P0151.1, Table 4 of Statistics South Africa.

"M" is the "Materials Index" and shall be the Index for Civil Engineering materials – Total as published in the Statistical News Release P0151.1, Table 6 of Statistics South Africa.

"F" is the "Fuel Index" and shall be the Index for Diesel – as published in the Statistical News Release P0142.1, Table 1 of Statistics South Africa.

Clause 6.8.4:

Add the following to Clause 6.8.4:

Notwithstanding the above, in the event that a public holiday is proclaimed after **28 days** before the closing date for tenders, no costs other than those that can be claimed under Clause 5.12.3 shall be added to the contract price.

Clause 6.10.1.5:

The percentage advance on materials not yet built into the Permanent Works is **80%**.

Clause 6.10.3:

Add the following to Clause 6.10.3:

Notwithstanding the provision of a performance guarantee in terms of Clause 6.2.1, interim payments to the Contractors shall be subject to a retention by the Employer of an amount of **10%** of the said amounts due to the Contractor, with no limit. **A guarantee in lieu of retention is not permitted.**

Clause 6.10.4:

Add the following to clause 6.10.4:

Notwithstanding the above, the Engineer shall be empowered to withhold the delivery of the payment certificate until the Contractor has complied with his obligations to report in terms of Clause 4.10.2 and as described in the Scope of Work.

Clause 8.6.1.1.2:

The value of Plant and materials supplied by the Employer to be included in the insurance sum is **R0.00 (Nil)**.

Clause 8.6.1.1.3:

The amount to cover professional fees for repairing damage and loss to be included in the insurance sum is **R0.00 (Nil)**.

Clause 8.6.1.3:

The limit of indemnity for liability insurance is **R3 000 000.00** for a single claim – the number of claims to be unlimited during the construction and defects liability periods.

Clause 8.6.1.5:

In addition to the insurances required in terms of General Conditions of Contract Clauses 8.6.1.1 to 8.6.1.4 the following insurance is also required:

- (a) Insurance of Construction Equipment (including tools, offices and other temporary structures and contents) and other things (except those intended for incorporation into the Works) brought onto the site for a sum sufficient to provide for their replacement.
- (b) Insurance in terms of the provisions of the Compensation for Occupational injuries and Diseases Act No. 130 of 1993.
- (c) Motor Vehicle Liability Insurance comprising (as a minimum) "Balance of Third Party" Risks including Passenger Liability Indemnity.
- (d) Where the contract involves manufacturing and/or fabrication of the works or part thereof at premises other than the Site, the Contractor shall satisfy the Employer that all materials and equipment for incorporation in the works are adequately insured during manufacture and/or fabrication. In the event of the Employer having an insurable interest in such works during manufacture or fabrication then such interest shall be noted by endorsement to the Contractor's Policies of Insurance.

Clause 8.6.6:

The evidence that the insurances have been effected in terms of Clause 8.6.1, shall be in the form of an insurance broker's warranty worded precisely as given in part C1.5 Insurance Broker's Warranty.

Clause 9.2.1:

Add the following Clauses after Clause 9.2.1.3.7:

- 9.2.1.3.8 The Contractor committed a corrupt or fraudulent act during the procurement process or the execution of the contract.
- 9.2.1.3.9 An official or other role player committed any corrupt or fraudulent act during the procurement process or in the execution of the contract that benefited the Contractor.

Clause 10.5.3:

The number of ad-hoc Adjudication Board Members to be appointed is 1(one).

ADDITIONAL CONDITIONS OF CONTRACT

Add the following clause after clause 10

Clause 11: Details to be confidential

The Contractor shall treat the details of the Works comprised in this Contract as private and confidential (save in so far as may be necessary for the purposes hereof) and shall not publish or disclose the same or any particulars thereof in any trade or technical paper elsewhere without the prior written consent of the Engineer.

Clause 12: Contractor to provide everything necessary

The Contractor is to provide all labour, material, workmanship, machinery, and everything which is or may be necessary in and for the execution and entire completion of the Contract in accordance with the Conditions of Contract, Drawings and Scope of Work.

Part 2: Data provided by the Contractor

Clause 1.1.9:

The name of the Contractor is

Clause 1.2.1.2:

The address of the Contractor is

Physical: Postal:

Address Address

.....

Telephone : Fax:

Email :

Clause 6.8.3: Variation in the cost of special materials

SPECIAL MATERIALS		
Each material dealt with as a special material in terms of Clause 4.1 of the Contract Price Adjustment Schedule of the General Conditions of Contract is stated in the list below. The provisions of Clause 6.8.3 of the General Conditions of Contract shall apply to such special materials. The rates and prices for the special materials shall, unless otherwise specified, be furnished by the tenderer, which rates and prices shall not include VAT but shall include all other obligatory taxes and levies. Only those materials listed by the employer below shall be considered as special materials.		
Special Material	Unit	Current Rate or Price
None		
When called upon to do so, the tenderer shall substantiate the above rates or prices with acceptable documentary evidence.		

SIGNED ON BEHALF OF TENDERER:

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

C1.3 Form of Guarantee

PERFORMANCE GUARANTEE

For use with the General Conditions of Contract for Construction Works, Second Edition, 2010.

GUARANTOR DETAILS AND DEFINITIONS

"Guarantor" means:

"Physical address:

"Employer" means: Theewaterskloof Municipality, Engineering Services.....

"Contractor" means:

"Engineer" means:

"Works" means: **CONTRACT NO. ENG 06/2021/22 – UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES**

"Site" means: The site as defined in Clause 1.1.1.29 of the General Conditions of Contract.....

"Contract" means: The Agreement made in terms of the Form of Offer and Acceptance and such amendments or additions to the Contract as may be agreed in writing between the parties.

"Contract Sum" means: The accepted amount inclusive of tax of R

Amount in words:

"Guaranteed Sum" means: The maximum aggregate amount of R

Amount in words:

"Expiry Date" means: The date of issue by the Engineer of the Certificate of Completion of the Works.....

CONTRACT DETAILS

Engineer issues: Interim Payment Certificates, Final Payment Certificate and the Certificate of Completion of the Works as defined in the Contract.

PERFORMANCE GUARANTEE

1. The Guarantor's liability shall be limited to the amount of the Guaranteed Sum.
2. The Guarantor's period of liability shall be from and including the date of issue of this Performance Guarantee and up to and including the Expiry Date or the date of issue by the Engineer of the Certificate of Completion of the Works or the date of payment in full of the Guaranteed Sum, whichever occurs first. The Engineer and/or the Employer shall advise the Guarantor in writing of the date on which the Certificate of Completion of the Works has been issued.

3. The Guarantor hereby acknowledges that:
 - 3.1 any reference in this Performance Guarantee to the Contract is made for the purpose of convenience and shall not be construed as any intention whatsoever to create an accessory obligation or any intention whatsoever to create a surety ship;
 - 3.2 its obligation under this Performance Guarantee is restricted to the payment of money.
4. Subject to the Guarantor's maximum liability referred to in 1, the Guarantor hereby undertakes to pay the Employer the sum certified upon receipt of the documents identified in 4.1 to 4.3:
 - 4.1 A copy of a first written demand issued by the Employer to the Contractor stating that payment of a sum certified by the Engineer in an Interim or Final Payment Certificate has not been made in terms of the Contract and failing such payment within seven (7) calendar days, the Employer intends to call upon the Guarantor to make payment in terms of 4.2;
 - 4.2 A first written demand issued by the Employer to the Guarantor at the Guarantor's physical address with a copy to the Contractor stating that a period of seven (7) days has elapsed since the first written demand in terms of 4.1 and the sum certified has still not been paid;
 - 4.3 A copy of the aforesaid payment certificate which entitles the Employer to receive payment in terms of the Contract of the sum certified in 4.
5. Subject to the Guarantor's maximum liability referred to in 1, the Guarantor undertakes to pay to the Employer the Guaranteed Sum or the full outstanding balance upon receipt of a first written demand from the Employer to the Guarantor at the Guarantor's physical address calling up this Performance Guarantee, such demand stating that:
 - 5.1 the Contract has been terminated due to the Contractor's default and that this Performance Guarantee is called up in terms of 5; or
 - 5.2 a provisional or final sequestration or liquidation court order has been granted against the Contractor and that the Performance Guarantee is called up in terms of 5; and
 - 5.3 the aforesaid written demand is accompanied by a copy of the notice of termination and/or the provisional/final sequestration and/or the provisional liquidation court order.
6. It is recorded that the aggregate amount of payments required to be made by the Guarantor in terms of 4 and 5 shall not exceed the Guarantor's maximum liability in terms of 1.
7. Where the Guarantor has made payment in terms of 5, the Employer shall upon the date of issue of the Final Payment Certificate submit an expense account to the Guarantor showing how all monies received in terms of this Performance Guarantee have been expended and shall refund to the Guarantor any resulting surplus. All monies refunded to the Guarantor in terms of this Performance Guarantee shall bear interest at the prime overdraft rate of the Employer's bank compounded monthly and calculated from the date payment was made by the Guarantor to the Employer until the date of refund.
8. Payment by the Guarantor in terms of 4 or 5 shall be made within seven (7) calendar days upon receipt of the first written demand to the Guarantor.
9. Payment by the Guarantor in terms of 5 will only be made against the return of the original Performance Guarantee by the Employer.
10. The Employer shall have the absolute right to arrange his affairs with the Contractor in any manner which the Employer may deem fit and the Guarantor shall not have the right to claim his release from this Performance Guarantee on account of any conduct alleged to be prejudicial to the Guarantor.
11. The Guarantor chooses the physical address as stated above for the service of all notices for all purposes in connection herewith.
12. This Performance Guarantee is neither negotiable nor transferable and shall expire in terms of 2, where after no claims will be considered by the Guarantor. The original of this Guarantee shall be returned to the Guarantor after it has expired.

13. This Performance Guarantee, with the required demand notices in terms of 4 or 5, shall be regarded as a liquid document for the purposes of obtaining a court order.
14. Where this Performance Guarantee is issued in the Republic of South Africa the Guarantor hereby consents in terms of Section 45 of the Magistrate's Courts Act No 32 of 1944, as amended, to the jurisdiction of the Magistrate's Court of any district having jurisdiction in terms of Section 28 of the said Act, notwithstanding that the amount of the claim may exceed the jurisdiction of the Magistrate's Court.

Signed at

Date

Guarantor's signatory (1)

Capacity

Guarantor's signatory (2)

Capacity

Witness signatory (1)

Witness signatory (2)

ANNEXURE

LIST OF APPROVED FINANCIAL INSTITUTIONS

The following financial institutions are currently (as at 25th January 2015) approved for issue of contract guarantees to the Municipality:

National Banks:

ABSA Bank Ltd.
Development Bank of Southern Africa
FirstRand Bank Ltd.
Gensec Bank Ltd.
Investec Bank Ltd.
Land & Agricultural Bank of SA
Nedbank Ltd.
Standard Bank of SA Ltd.

International Banks (with branches in SA):

Barclays Bank plc.
Citibank n.a.
Commerzbank Aktiengesellschaft
Credit Agricole Corporate and Investment Bank
Deutsche Bank AG
HSBC Bank : Johannesburg
JP Morgan Chase Bank
Societe Generale
Standard Chartered Bank

Insurance companies:

ABSA Insurance
AIG South Africa
Coface s.a.
Compass Insurance Co.
Constantia Insurance Co.
Credit Guarantee Insurance Co.
Guardrisk Insurance Co.
Hollard Insurance Company Ltd.
Home Loan Guarantee Co.
Infiniti Insurance Limited
Lombard Insurance
Mutual & Federal Insurance Co.
New National Assurance Co.
Regent Insurance Co.
Renasa Insurance Company Ltd.
Santam Limited
Zurich Insurance Co.

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES

C1.4 Occupational Health and Safety Agreement

**AGREEMENT MADE AND ENTERED INTO BETWEEN THE THEEWATERSKLOOF MUNICIPALITY
(HEREINAFTER CALLED THE "EMPLOYER") AND**

.....,
(Contractor/Mandatory/Company/CC Name)

**IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT, ACT No. 85 OF 1993
AS AMENDED.**

I,, representing

....., as an employer
in its own right, do hereby undertake to ensure, as far as is reasonably practicable, that all work will be performed,
and all equipment, machinery or plant used in such a manner as to comply with the provisions of the Occupational
Health and Safety Act (OHSA) and the Regulations promulgated there under.

I furthermore confirm that I am/we are registered with the Compensation Commissioner and that all registration
and assessment monies due to the Compensation Commissioner have been fully paid or that I/We are insured
with an approved licensed compensation insurer.

COID ACT Registration Number:

OR Compensation Insurer: Policy No.:

I undertake to appoint, where required, suitable competent persons, in writing, in terms of the requirements of
OHSA and the Regulations and to charge him/them with the duty of ensuring that the provisions of OHSA and
Regulations as well as the Council's Special Conditions of Contract, Way Leave, Lock-Out and Work Permit
Procedures are adhered to as far as reasonably practicable.

I further undertake to ensure that any subcontractors employed by me will enter into an occupational health and
safety agreement separately, and that such subcontractors comply with the conditions set.

I hereby declare that I have read and understand the appended Occupational Health and Safety Conditions and
undertake to comply therewith at all times.

I hereby also undertake to comply with the Occupational Health and Safety Specification and Plan.

Signed aton the.....day of.....20.....

.....
Witness

.....
Mandatory

Signed aton the.....day of.....20.....

.....
Witness

.....
for and on behalf of
Theewaterskloof Municipality

OCCUPATIONAL HEALTH AND SAFETY CONDITIONS

1. The Chief Executive Officer of the Contractor shall assume the responsibility in terms of Section 16(1) of the Occupational Health and Safety Act (as amended). Should the Contractor assign any duty in terms of Section 16(2), a copy of such assignment shall immediately be provided to the representative of the Employer as defined in the Contract.
2. All work performed on the Employer's premises shall be performed under the supervision of the construction supervisor who understand the hazards associated with any work that the Contractor performs on the site in terms of Construction Regulations 2014.
3. The Contractor shall appoint a Competent Person who shall be trained on any occupational health and safety aspect pertaining to them or to the work that is to be performed.
4. The Contractor shall ensure that he familiarises himself with the requirements of the Occupational Health and Safety Act and that he, his employees, and any sub-contractors, comply with them.
5. Discipline in the interests of occupational health and safety shall be strictly enforced.
6. Personal protective equipment shall be issued by the Contractor as required and shall be worn at all times where necessary.
7. Written safe work procedures and appropriate precautionary measures shall be available and enforced, and all employees shall be made conversant with the contents of these practices.
8. No substandard equipment/machinery/articles or substances shall be used on the site.
9. All incidents referred to in terms of Section 24 of the Occupational Health and Safety Act shall be reported by the Contractor to the Department of Labour and the Employer.
10. The Employer hereby obtains an interest in the issue of any formal inquiry conducted in terms of Section 32 of the Occupational Health and Safety Act and into any incident involving a Contractor and/or his employees and/or his sub-contractor/s.
11. No use shall be made of any of the Employer's machinery/plant/equipment/substance/personal protective equipment or any other article without prior arrangement and written approval.
12. No alcohol or any other intoxicating substance shall be allowed on the site. Any person suspected of being under the influence of alcohol or any other intoxicating substance shall not be permitted access to, or allowed to remain on the site.
13. Prior to commencement of any work, verified copies of all documents mentioned in the agreement, must be presented to the Employer.

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES

C1.5 Insurance Broker's Warranty

Pro Forma

Logo

Letterhead of Contractor's Insurance Broker

Date _____

Theewaterskloof Municipality
Municipal Manager
6 Plein Street
Caledon
7230

Dear Sir

CONTRACT NO.: ENG 06/2021/22

**CONTRACT TITLE: UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

NAME OF CONTRACTOR: _____

I, the undersigned, do hereby confirm and warrant that all the insurances required in terms of the abovementioned contract have been issued and/or in the case of blanket/umbrella policies, have been endorsed to reflect the interests of the THEEWATERSKLOOF MUNICIPALITY with regard to the abovementioned contract, and that all the insurances and endorsements, etc, are all in accordance with the requirements of the contract.

I furthermore confirm that all premiums in the above regard have been paid.

Yours faithfully

Signed: _____

For: _____

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

Part C2: Pricing Data

C2.1 Pricing Instructions

C2.2 Bills of Quantities

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

C2.1 Pricing Instructions

1. The method of measurement published by the South African National Standards in clause 8 of the Standardised Specifications for Civil Engineering Construction is applicable, subject to the variations and amendments contained in the section "Applicable SANS 1200 standardised specifications".
2. Descriptions in the Bills of Quantities are abbreviated and comply generally with those in the Standardised Specifications. Clause 8 of each Standardised Specification, read together with the relevant clauses of the Scope of Work, set out what ancillary or associated activities are included in the rates for the operations specified. Should any requirements of the measurement and payment clause of the applicable Standardised Specification, or the Scope of Work, conflict with the terms of the Schedule, the requirements of the Standardised Specification or Scope of Work, as applicable, shall prevail.
3. The clauses in a specification in which further information regarding the schedule item appears under "Reference clause" in the Schedule. The reference clauses indicated are not necessarily the only sources of information in respect of scheduled items. Further information and specifications may be found elsewhere in the contract documents. Standardised Specifications are identified by the letter or letters which follow SANS in the SANS 1200 series of specifications, e.g. G for SANS 1200 G.
4. Unless otherwise stated, items are measured net in accordance with the drawings, and no allowance is made for waste.
5. The quantities set out in the Bills of Quantities are the estimated quantities of the Contract Works, but the Contractor will be required to undertake whatever quantities may be directed by the Engineer from time to time. The Contract Price for the completed contract shall be computed from the actual quantities of work done, valued at the relevant unit rates and prices.
6. The prices and rates to be inserted in the Bills of Quantities are to be the full inclusive prices for the work described under the several items. Such prices and rates shall cover all costs and expenses that may be required in and for the execution of the work described, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the documents on which the tender is based, as well as overhead charges and profit. Reasonable prices shall be inserted as these will be used as a basis for assessment of payment for additional work that may have to be carried out.
7. A price or rate is to be entered against each item in the Bills of Quantities, whether the quantities are stated or not. An item against which no price is entered will be considered to be covered by the other prices or rates in the Bills of Quantities.
8. Except where rates only are required, insert all amounts to be included in the total tendered price in the "Amount" column and show the corresponding total tendered price.
9. The units of measurement described in the Bills of Quantities are metric units. Abbreviations which may be used in these Bills of Quantities are as follows:

mm	=	millimetre	h	=	hour
m	=	metre	kg	=	kilogram
km	=	kilometre	t	=	ton (1000 kg)
m ²	=	square metre	No.	=	number
sum	=	lump sum	ha	=	hectare
m ³	=	cubic metre	m ³ .km	=	cubic metre-kilometre
P C sum	=	Prime Cost sum	l	=	litre
Prov sum	=	Provisional sum	kl	=	kilolitre
%	=	percent	MPa	=	megapascal

10. Tenderers should price on all items in the Bills of Quantities.
11. Where a line item has been left blank or completed with a dash sign, it will be interpreted that the specific item is equal to zero (0).

I HEREBY DECLARE THAT I UNDERSTAND AND COMPLY WITH SCHEDULE 3D: THE SPECIAL CONDITIONS OF TENDER IN TERMS OF PRICING.

Signed Date

Name Position

Tenderer

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

C2.2 Bill of Quantities

CONTENTS

SECTION A:	PRELIMINARY & GENERAL
SECTION B1:	RIVIERSONDEREND FULLARD STREET
SECTION B2:	BOTRIVIER PROTEA STREET
SECTION B3:	GENADENDAL ROADS
SECTION B4:	MIDDLETON UITSIG & PROTEA ROADS
SECTION B5:	BOS STREET GRABOUW
SCHEDULE OF QUANTITIES:	SUMMARY

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

SECTION A: PRELIMINARY AND GENERAL

	SECTION	ACTIVITY/DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
	SECTION A	CONTRACTORS GENERAL OBLIGATIONS				
	A1	FIXED-CHARGE AND VALUE RELATED ITEMS				
1.1		Ablution and Latrine Facilities	Sum	1		
1.2		Plant and tools	Sum	1		
	A2	TIME-RELATED ITEMS				
2.1		Supervision for duration of contract				
2.1.1		B1 Riviersonderend Fullard Street	Sum	1		
2.1.2		B2 Botrivier Protea Street	Sum	1		
2.1.3		B3 Genadendal Roads	Sum	1		
2.1.4		B4 Middleton Uitsig & Protea Roads	Sum	1		
2.1.5		B5 Bos Street Grabouw	Sum	1		
2.2		Survey(All Surveying work, Levelling, Setting Out etc)				
2.2.1		B1 Riviersonderend Fullard Street	Sum	1		
2.2.2		B2 Botrivier Protea Street	Sum	1		
2.2.3		B3 Genadendal Roads	Sum	1		
2.2.4		B4 Middleton Uitsig & Protea Roads	Sum	1		
2.2.5		B5 Bos Street Grabouw	Sum	1		
2.3.1		Appoint CLO for the duration of the contract(Botrriver)	Sum	1		
2.3.2		Appoint CLO for the duration of the contract(Riviersonderend)	Sum	1		
2.3.3		Appoint CLO for the duration of the contract(Genadendal)	Sum	1		
2.3.4		Appoint CLO for the duration of the contract(Middleton)	Sum	1		
	A3	TEMPORARY WORKS				
3.1		Provide traffic accomodation and maintaining temporary deviations with all facilities and equipment needed				
3.1.1		B1 Riviersonderend Fullard Street	Sum	1		
3.1.2		B2 Botrivier Protea Street	Sum	1		
3.1.3		B3 Genadendal Roads	Sum	1		
3.1.4		B4 Middleton Uitsig & Protea Roads	Sum	1		
3.1.5		B5 Bos Street Grabouw	Sum	1		
3.2		Exposure of Existing services	m ³	200		
	A4	HEALTH AND SAFETY PLAN				

		The contractors obligations in respect of Health and Safety management				
4.1		Provision of Health and Safety Plan	Sum	1		
4.2		Covid - 19 Risk Mitigation Plan	Sum	1		
TOTAL OF SECTION A CARRIED FORWARD TO SUMMARY						

SECTION B1 RIVIERSONDEREND FULLARD STREET

	SECTION	ACTIVITY/DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
	SECTION B1	ROAD CONSTRUCTION				
		STRUCTURAL LAYERS				
1	SABS 1200 MK	KERBING				
1.1.1	8.2.1	Excavate (Where necessary), Transport to Riviersonderend Solid Waste site , Prepare and Compact, Lay Precast concrete Kerbs on Concrete Bedding/Kerb Mix, Backfill on sidewalk behind Kerbs				
1.2		G5 base under E3 & Ck5 100mm thick	m	642		
1.3		Edging Type E3				
1.3.1		Straight (1000mm)	m	350		
1.4		Combination kerb - Type CK5				
1.4.1		Straight (1000mm)	m	340		
1.4.2		Short (330mm)	m	20		
1.5		Transition Kerbs				
		Transition Kerb (in-situ cast)	m	5		
		ROAD CONSTRUCTION				
2		STRUCTURAL LAYERS				
2.1		Excavate and construct structural layers and compact for road construction				
2.1.1	PSDM 8.3.3	Roadbed Preparation and Compaction				
2.1.2		Boxcut to SSG 175mm below NGL/Final Road Level and recompact subgrade. Transport excess material to Riviersonderend Solid Waste Site	m ³	370		
2.1.3	PSME 8.3.4	Import and lay 150mm G4 Sub-Base Course compact to 95-97% Mod AASHTO	m ³	320		
2	1200 MH	PRIME COAT				
2.2.1	8.5.1	Prime Base course	m ²	2 200		
2.3	1200 MH	Asphalt Surfacing				
2.3.1	PSMH 8.5.4	Supply and place with paver 30mm SABS Wearing Course mix 50/70	m ²	2 200		

	TOTAL OF SECTION B1 CARRIED FORWARD TO SUMMARY	
--	---	--

SECTION B2 BOTRIVIER PROTEA STREET

	SECTION	ACTIVITY/DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
		STORMWATER				
1		Excavate, Prepare,Lay 375mm stormwater pipe on Bedding, Backfill with Blanket & Compact (Class 100D 375mm ID Socket & Spigott)				
1.1.1		Section 1	m	100		
1.2		Excavate, Prepare,Lay 450mm stormwater pipe on Bedding, Backfill with Blanket & Compact (Class 100D 450mm ID Socket & Spigott)				
1.2.1		Section 2	m	20		
1.3		Headwall to be constructed as per drawing	No	1		
1.3		Gully Grid Inlet Manhole and 1000D manholes				
1.3.1		Double Inlet Gully Grid with Manhole to be constructed as per drawings	No	3		
1.3.2		Manhole to be constructed as per drawing	No	1		
1.3.3		Existing covering frame manholes to be lifted to final road level	No	4		
		ROAD CONSTRUCTION				
2		STRUCTURAL LAYERS				
		Excavate and construct structural layers and compact for road construction.				
2.1	PSDM 8.3.3	Roadbed Preparation and Compaction				
2.1.1		Boxcut to SSG 150mm below NGL/Final Road Level and compact SSG Transport excess material to Botrivier Depot	m ³	330		
2.1.2	PSME 8.3.4	Import and place 150mm G4 sub-base course material & compact to 95-97% Mod AASHTO (This includes to place subbase underneath kerbing)	m ³	330		
2.1.3		Import and place filling sand,compacted to 100% Mod AASHTO where required on road	m3	RATE ONLY		
2.2	1200 MH	Prime				
2.2.1	8.5.1	Prime Sub-Base course	m ²	1530		
2.3	1200 MH	Asphalt Surfacing				
2.3.1	PSMH 8.5.4	Supply and place with paver 30mm semi upgraded bitumen Asphalt Mixture (friction pave)	m ²	1558		
2.3.2		Painting of Stop signs (road marking) as per standard SANS 731-1:2015 & SANS 1200)	No	RATE ONLY		
2.3.2.1		Installing Stop boards signs (as per sabs approved)	No	RATE ONLY		

2.4	SABS 1200 MK	KERBING AND CHANNELING				
		Excavate (Where necessary), Prepare and Compact, Lay Precast Concrete Kerbs And Channels On Concrete Bedding / Kerb Mix, Backfill behind Kerbs/ Trimming behind kerbs				
2.4.1		Edgings (Type E3)				
		Straight (1000mm)	m	210		
2.4.2		Edgings (Type E3)				
		Straight (330mm)	m	10		
2.4.3		Ck5 Roll-over Kerb				
		Straight (1000mm)	m	210		
2.4.4		Ck5 Roll-over Kerb				
		Straight (330mm)	m	10		
2.4.5		In-stu Concrete castings (i.e small tie-ings of channels (100mm thick)	m3	RATE ONLY		
TOTAL OF SECTION B2 CARRIED FORWARD TO SUMMARY						

SECTION B3 GENADENDAL ROADS

	SECTION	ACTIVITY/DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
	SECTION B3	ROAD CONSTRUCTION				
		STRUCTURAL LAYERS				
1	SABS 1200 MK	KERBING				
1.1	8.2.1	Excavate (Where necessary), Transport to Genadendal Depot , Prepare and Compact, Lay Precast concrete Kerbs on Concrete Bedding/Kerb Mix, Backfill on sidewalk behind Kerbs				
1.2		G5 base under E3 & Ck5 100mm thick	m	450		
1.3		Edging Type E3				
1.3.1		Straight (1000mm)	m	400		
1.3.2		Shorts (330mm)	m	50		
1.4		Combination kerb - Type CK5				
1.4.1		Straight (1000mm)	m	400		
1.4.2		Short (330mm)	m	50		
1.5		Transition Kerbs				
1.5.1		Transition Kerb (in-situ cast)	m	20		
		ROAD CONSTRUCTION				
2		STRUCTURAL LAYERS				
		Excavate and construct structural layers and compact for road construction				
2.1	PSDM 8.3.3	Roadbed Preparation and Compaction				
2.1.1		Boxcut to SSG 150mm below NGL/Final Road Level and recompact subgrade.	m ³	400		

		Transport excess material to Genadendal Depot				
2.1.2	PSME 8.3.4	Import and lay 150mm G5 Sub-Base Course compact to 95-97% Mod AASHTO	m ³	300		
2.3	1200 MH	PRIME COAT				
2.3.1	8.5.1	Prime Base course	m ²	2000		
2.4	1200 MH	Asphalt Surfacing				
2.4.1	PSMH 8.5.4	Supply and place with paver 30mm SABS Wearing Course mix 50/70	m ²	2000		
TOTAL OF SECTION B3 CARRIED FORWARD TO SUMMARY						

SECTION B4 MIDDLETON UITSIG & PROTEA ROADS

	SECTION	ACTIVITY/DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
	SECTION B4	ROAD CONSTRUCTION				
		STRUCTURAL LAYERS				
1	SABS 1200 MK	KERBING				
1.1	8.2.1	Excavate (Where necessary), Transport to Caledon Solid Waste Site, Prepare and Compact, Lay Precast concrete Kerbs on Concrete Bedding/Kerb Mix, Backfill on sidewalk behind Kerbs				
1.2		G5 base under Ck5 100mm thick	m	500		
1.3		Combination kerb - Type CK5				
1.3.1		Remove Straight (1000mm)	m	500		
1.3.2		Remove Short (330mm)	m	50		
1.3.3		Straight (1000mm)	m	500		
1.3.4		Short (330mm)	m	50		
1.4		Transition Kerbs				
1.4.1		Transition Kerb (in-situ cast)	m	4		
		ROAD CONSTRUCTION				
2		STRUCTURAL LAYERS				
		Excavate and construct structural layers and compact for road construction				
2.1	PSDM 8.3.3	Roadbed Preparation and Compaction				
2.1.1		Boxcut to SSG 150mm below NGL/Final Road Level and recompact subgrade. Transport excess material to Caledon Solid Waste	m ³	500		
2.1.2	PSME 8.3.4	Rip an Compact 150mm G5 Sub-Base Course compact to 95-97% Mod AASHTO	m ³	500		

2.1.3		Import Base Course G5 from commercial sources	m ³	40		
2.3	1200 MH	PRIME COAT				
2.3.1	8.5.1	Prime Base course	m ²	3000		
2.4	1200 MH	Asphalt Surfacing				
2.4.1	PSMH 8.5.4	Supply and place with paver 30mm SABS Wearing Course mix 50/70	m ²	3000		
2.5		STORMWATER				
		Excavate, Prepare,Lay stormwater pipe on Bedding, Backfill with Blanket & Compact (Class 100D Socket & Spigott)				
		Section 1				
2.5.1		Excavate, Prepare,Lay 375mm stormwater pipe on Bedding, Backfill with Blanket & Compact (Class 100D 375mm ID Socket & Spigott)	m	30		
2.5.1.1		Double Inlet Gully Grid with Manhole to be constructed as per drawings	No	1		
2.5.1.2		Tie into exising stormwater canal	No	1		
		Section 2				
2.5.2		Excavate, Prepare,Lay 375mm stormwater pipe on Bedding, Backfill with Blanket & Compact (Class 100D 375mm ID Socket & Spigott)	m	60		
2.5.2.1		Double Inlet Gully Grid with Manhole to be constructed as per drawings	No	3		
2.5.2.2		Tie into exising stormwater canal	No	1		
TOTAL OF SECTION B4 CARRIED FORWARD TO SUMMARY						

SECTION B5 BOS STREET GRABOUW

	SECTION	ACTIVITY/DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
	SECTION B5	ROAD CONSTRUCTION				
1		REMOVAL OF PAVERS				
		The contractor will remove the existing paving and will cart the removed pavers to the Grabouw Depot.				
1.1.1		Removal an cart of pavers	m ²	3000		
1.1.2		Packing of pavers neatly in stacks	m ²	3000		
1.2		REMOVAL OF ASPHALT (MILL)				
1.2.1		Removal of existing asphalt with milling machine depth of 40mm	m ²	2300		
1.3		LIFTING MANHOLES TO FINAL ROAD LEVEL				
1.3.1		Lifting of Manhole cover an frames	No	15		
1.3.2		Supply n Install Heavy duty cover frames for Bus route	No	10		
1.4		STORMWATER				

1.4.1		Clean/Jet 450mm dia stormwater line	m	600		
1.4.2		Clean double inlet catchpit	No	12		
1.43		Supply Topslab for double inlet catchpit manhole	No	7		
2		STRUCTURAL LAYERS				
2.1	SABS 1200 MF:1981	Roadbed Preparation and Compaction				
2.1.1	SABS 1200 MF:1981	Import G4 Base from commercial source	m ³	450		
2.1.2	SABS 1200 MF:1981	Boxcut to SSG 200mm below NGL/Final Road Level and recompact subgrade. (708m) remove material to stockpile.	m ³	1000		
2.1.3	SABS 1200 MF:1981	In-Situ Roadbed Rip & recompact 200mm depth to 93% Mod AASHTO	m ²	5300		
2.1.4	SABS 1200 MF:1981	200mm Thickness Base Course Import from stockpile & compact to 98% Mod AASHTO.	m ³	1000		
2.2	1200 MH	PRIME COAT				
2.2.1	8.5.1	Prime Base course	m ²	5300		
2.3	1200 MH	Asphalt Surfacing				
2.3.1	PSMH 8.5.4	Supply and place with paver 40mm SABS Wearing Course mix 50/70	m ²	5300		
2.4		Speedbumps				
2.4.1		Construct speedbumps	No	4		
2.4.2		Raised intersections	No	5		
2.5		Subsoil				
2.5.1		Subsoil 110mm dia	m	RATE ONLY		
	TOTAL OF SECTION B5 CARRIED FORWARD TO SUMMARY					

THE ABOVE SECTIONS TO BE INCLUSIVE OF (BUT NOT LIMITED TO) ALL ASSOCIATED PLANT, LABOUR AND MATERIALS.

SCHEDULE OF QUANTITIES - SUMMARY

SECTION A	CONTRACTORS ESTABLISHMENT ON SITE AND GENERAL OBLIGATIONS	
SECTION B1	ROAD CONSTRUCTION	
SECTION B2	ROAD CONSTRUCTION	
SECTION B3	ROAD CONSTRUCTION	
SECTION B4	ROAD CONSTRUCTION	
SECTION B5	ROAD CONSTRUCTION	
	SUB TOTAL	
	ADD 15% CONTINGENCIES AS TO BE DIRECTED BY THE MUNICIPALITY AND TO BE DEDUCTED IN WHOLE OR PART IF NOT REQUIRED	
	SUB TOTAL	
	ADD VAT AT 15%	
	TOTAL CARRIED TO FORM OF TENDER	

DECLARATION (In respect of completeness of Tender)

Theewaterskloof Municipality
6 Plein Street
CALEDON
7230

I/we, the undersigned, do hereby declare that these are the properly priced Bills of Quantities forming Part C2.2 of this Contract Document containing 5 pages in consecutive order upon which my/our tender for **TENDER NO. ENG 06/2021/22: UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES** has been based.

.....
SIGNATURE OF TENDERER/S

.....
DATE

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

Part C3: Scope of Work

C3.1 Description of the Works

C3.2 Engineering

C3.3 Procurement

C3.4 Construction

C3.5 Management

C3.6 Annexes

Status

Should any requirement or provision in the parts of the Scope of Work conflict with any requirement of any Standardised Specification, or any drawings, the order of precedence, unless otherwise specified, is:

Drawings

Scope of Work (Parts C3.1, C3.4, C3.5 and C3.6) SANS Standardised Specifications

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

C3.1 Description of the Works

CONTENTS

- 1 EMPLOYER'S OBJECTIVES
- 2 OVERVIEW OF THE WORKS
- 3 GENERAL INTENT
- 4 EXTENT OF THE WORKS
- 5 LOCATION OF THE WORKS

1 EMPLOYER'S OBJECTIVES

The Engineering Services Directorate of the Theewaterskloof Municipality proposes the UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES in order to construct gravel roads into paved roads.

2 OVERVIEW OF THE WORKS

The project comprises of the various layer works of a road as well as the paving of it, Earthworks, layer works, wearing course, stormwater as well as accommodating the traffic.

3 GENERAL INTENT

The general intent of this Contract is that the Contractor shall procure all items necessary for, construct and complete the Works in accordance with the terms of Contract, in a workman-like and expeditious manner, and shall have full authority over all the Works.

The Engineer shall have the right to verify that all work is carried out in accordance with this Contract and to approve or reject materials supplied and work undertaken by the Contractor or approved subcontractors.

4 EXTENT OF THE WORKS

The Works in general include but is not restricted to the following:

- 1. Site clearance
- 2. Earth works for shaping of the area
- 3. Storm water reticulation
- 4. Roadworks (excavations and embankment fill)
- 5. Reinforced concrete walls

5 LOCATION OF THE WORKS

The Works is located in :

Botriver
Grabouw
Riviersonderend
Caledon/Middleton
Genadendal.

6 **Scope of principal contract**

The Contract includes the Survey and Design and Construction of the following:

- The installation of stormwater pipes, manholes construction and headwalls
- Rip and Compaction of layer works
- Installation of Combination Kerbs & Edgings
- Placing of a Wearing Course
- Accommodating all traffic
- All survey (levelling, setting out, but not ,limited to)

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

C3.2 ENGINEERING

DRAWINGS ISSUED WITH THIS DOCUMENT

The following drawings are applicable to the contract and will form part of the Contract Documents:

DRAWING PAGE NUMBER	DESCRIPTION	
124	B1 RIVIERSONDEREND FULLARD STREET	DIMENSION/LAYOUT
125	B2 BOTRIVIER PROTEA STREET	
126	B3 GENADENDAL ROADS	
127	B4 MIDDLETON UITSIG & PROTEA ROADS	
128	B5 BOS STREET GRABOUW	
129	GULLY GRID INLET MANHOLE	
130	HEADWALL	

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

C3.3 PROCUREMENT

CONTENTS

1 PREFERENTIAL PROCUREMENT PROCEDURES

The works shall be executed in accordance with the conditions attached to preferences granted in accordance with the Preferencing Schedule (**Schedule 2E** in Part T2.2, Returnable Schedules)

2 SCOPE OF MANDATORY SUBCONTRACT WORK

Not used.

3 EMPLOYMENT OF LOCAL COMMUNITY LABOUR

The maximum possible number of workers is to be employed from the labour database provided by the Employer of the currently unemployed persons in the local community of the Respective Towns.

Key personnel are defined as supervisors and skilled labourers without whom a specific task cannot be executed. As far as possible these people should impart their management and other skills to individuals within the local workforce who show a keen interest and display a willingness to learn.

A monthly report on employment of local labour in relation to other employees must be submitted for information of the Employer.

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

C3.4 CONSTRUCTION

CONTENTS

- 1 APPLICABLE STANDARDISED SPECIFICATIONS
- 2 PLANT AND MATERIALS PROVIDED BY THE EMPLOYER
- 3 SERVICES AND FACILITIES PROVIDED BY THE EMPLOYER
- 4 SERVICES AND FACILITIES TO BE PROVIDED BY THE CONTRACTOR
- 5 CARE, DAMAGE AND PROTECTION OF EXISTING PROPERTY AND SERVICES

ANNEXES: The Annexes listed below are contained in Section C3.6 of the document

ANNEX 1: VARIATIONS AND ADDITIONS TO STANDARDISED SPECIFICATIONS LISTED IN CLAUSE 1 OF SECTION C3.4 CONSTRUCTION

1. APPLICABLE STANDARDISED SPECIFICATIONS

For the purposes of this Contract the following Standardised Specifications for Civil Engineering Construction shall apply:

PSA	GENERAL – 1986
PSAB	ENGINEER'S OFFICE – 1986
PSC	SITE CLEARANCE – 1980
PSD	EARTHWORKS – 1988
PSDB	EARTHWORKS (PIPE TRENCHES) – 1989
PSDM	EARTHWORKS (ROADS, SUBGRADE) – 1981
PSH	STRUCTURAL STEEL - 1990
PSHC	CORROSION PROTECTION - 1988
PSG	CONCRETE (STRUCTURAL) - 1982
PSL	MEDIUM PRESSURE PIPELINES – 1983
PSLB	BEDDING (PIPES) – 1983
PSLC	CABLE DUCTS – 1981
PSLD	SEWERS – 1982
PSM	ROADS – 1996
PSME	SUBBASE – 1981
PSMF	BASE – 1981
PSMJ	SEGMENTED PAVING - 1984
PSMK	KERBING AND CHANNELING - 1983
PSMM	ANCILLARY ROADWORKS - 1984

It shall be the responsibility of the Contractor to obtain, at his own expense, copies of the relevant editions of the documents referred to above. No subsequent amendments or revisions to these documents shall apply to this contract.

The Contractor shall keep copies of the above Standard Specifications, copies which are available from the South African National Standards. In addition to this, all elements of the Contract Documents shall be available for inspection on Site at all times.

2. PLANT AND MATERIAL PROVIDED BY THE EMPLOYER

No plant or material will be provided by the Employer.

3. SERVICES AND FACILITIES PROVIDED BY THE EMPLOYER

3.1 Source of Water Supply

The Contractor must make his own arrangements for the supply of municipal potable water to the Works. All costs incidental to the procurement of the water supply, including temporary water meters, are for the Contractor's account.

The Contractor will be held responsible for any wastage of water due to negligence.

3.2 Source of Electrical Supply

The Contractor shall make his own arrangements for electrical power and shall pay for all costs and charges thereof.

3.3 Location of Camp and Depot

The Contractor may locate his site offices, storage depot and construction facilities to suit his requirements within the boundaries of the site. The Contractor shall provide his own security with respect to the Works, including the camp and storage facilities. The final location of the Contractor's camp will be subject to the Engineer's approval.

4. SERVICES AND FACILITIES TO BE PROVIDED BY THE CONTRACTOR

4.1 Office and Storage Facilities

All offices, storage facilities, etc. required by the Contractor are to be supplied by the Contractor. No storage facilities, shelters or eating facilities are available on Site and the Contractor shall make his own arrangements and pay all costs associated with such facilities if required.

The security and safety of the Contractor's equipment, the storage, safekeeping and preventing of deterioration of all the material, goods, plant and equipment delivered to Site shall be the responsibility of the Contractor until the certificate of Completion has been issued, notwithstanding that the Council may have previously paid for such items.

The Contractor needs to provide space in his site office for the Engineer's Representative and shall furnish the office accordingly.

The Contractor shall also make available survey equipment and survey labourers for the use of the Engineer's Representative.

4.2 Housing and Transport

The Contractor will make his own arrangements for accommodating personnel and night watchmen. The Contractor's employees, except for an approved number of night watchmen, shall not be housed on site and the Contractor shall make his own arrangements and pay all cost associated with housing his employees and transporting them to site.

4.3 Sanitary Facilities

The contractor shall make his own arrangements for sanitary facilities and shall pay for all costs and charges thereof.

4.4 Disposal of Construction Waste

The Contractor shall dispose all the construction waste at a licenced waste disposal site.

4.5 Telephone

Due to the relative short construction duration no telephone facilities are required for the Engineer's Representative.

4.6 Laboratory Facilities

No on site laboratory facilities are available. The Contractor is to make his own arrangements for the testing of materials, compaction and concrete strength, where applicable.

4.7 Medical Attendance

The Contractor shall at all times maintain adequate medical attendance on Site. A person holding a current First Aid certificate shall be immediately available on site at all times when work is in progress. Arrangements, with the nearest suitable hospital, shall also be made by the Contractor for the acceptance of urgent cases of injury.

5. CARE, DAMAGE AND PROTECTION OF EXISTING PROPERTY AND SERVICES

The Works will be carried out on the existing property of the Theewaterskloof Municipality. The information supplied on the drawings is only to give the Contractor an idea of the position of the services that may be found on site and in no way relieves the Contractor from satisfying himself in respect of all the exact locations of the existing services.

The Contractor shall be responsible for finding out what sort of protection will be required during the construction and for protecting the services and the property accordingly. Should the Contractor damage any service or property in any way, it shall be repaired by the Contractor or the relevant authority as directed by the Engineer. All claims arising out of the Contractor's activities in connection with services or property shall be for the Contractor's account.

6. PROVISIONAL AND PRIME COST ITEMS

6.1 Provisional Sum and Prime Cost Items

No materials may be ordered and/or no work may be undertaken in respect of items which are scheduled in the Bill of Quantities as "Provisional Sum" items and/or "Prime Cost" items without the written approval of the Engineer.

The contractual procedures in respect of the said items are set out in Clause 6.6 of the General Conditions of Contract.

7. SCOPE OF SUBCONTRACTS

7.1 General

The Contractor must attain the written permission of the Engineer before he makes use of the services of a Subcontractor.

8. OTHER CONTRACTORS ON SITE

It shall be required from the Contractor to afford other Contractor(s), workmen and construction plant reasonable opportunities and facilities as may be required to enable such workmen and plant to obtain access to and from their Works. The Contractor must co-operate with such other authorised Contractor(s) and workmen engaged on the Site of Works. Any difference or dispute arising between the parties must be settled amongst themselves without involving the Employer or the Engineer in any way.

9. CONSTRUCTION PROGRAMME

9.1 Submission

The Contractor shall submit his Programme in accordance with Clauses 5.6 of the General and Special Conditions of Contract within the time stated in the Contract Data to the Engineer for his approval.

9.2 Employer's Requirements

9.2.1 Commencement and Time for Completion

The Employer requires the Works to be completed within the maximum time indicated by the Tenderer in the Contract Data, calculated from the Commencement Date in terms of Clause 5.3 of the General Conditions of Contract.

9.2.2 Handing Over of the Site of Works

Possession of the whole of the Site of Works will be given to the Contractor at the commencement of the construction of the Works. It is brought under the Tenderer's attention that this contract is funded by MIG as well as Theewaterskloof Municipality and that expenditure goals will apply.

It should be noted that the Consultant may request amendments to the construction and/or materials ordering scheduling to ensure that the available funds are spend in accordance to the municipal budget. This might for instance require ordering material ahead of programme or altering the programme.

10. FEATURES OF THE CONTRACT REQUIRING SPECIAL ATTENTION

10.1 Authorities

10.1.1 Liaison

The Contractor shall comply with all the requirements of the Theewaterskloof Municipality, insofar as the execution of the contract may affect or may be effected by the requirements and/or regulations of the said Authorities.

10.2 Existing Services and Structures on Site

10.2.1 Information

Existing services that may be affected by the Works are indicated on the relevant drawings.

The Contractor's attention is drawn to the fact that the information regarding existing services is given in good faith without guarantee. It is required from the Contractor to arrange for Way leaves from the relevant Authorities prior to any construction work.

The Contractor will be responsible for tying all levels and positions of the new construction works in with the existing structures and services on site and will shall make provision for such work in his rates.

10.2.2 Location and protection

The Contractor shall take all the necessary steps to ascertain the location of existing services before commencing any section of the Works and shall exercise the greatest care when working in the vicinity of such services. No more than three weeks and not less than one week before commencing his operations in any particular area, the Contractor shall request the latest available drawings showing the location of services already installed.

The Contractor shall take all necessary steps to protect any existing services and works against damage whatsoever against damage which may arise as a result of his operations on Site. The Contractor shall bear the cost of the repair of damage to any service the possible existence of which could reasonably have been ascertained by him in good time.

When the Contractor is liable for the cost of repairs carried out by the Employer or any other Authority, the costs will be recovered by means of a deduction from the Contractor's interim Payment Certificates.

No excavation is to be done within 3 m from underground cables before consulting the Engineer and the relevant Authority, i.e. the owner of the service.

10.2.3 Accommodation of Traffic and Access to Properties and Borrow

The Contractor shall ensure that all roads adjacent to or crossing the Site and which are affected by the Works and/or Temporary Works and by the Contractor's activities at the Borrow Area, are kept in a safe condition for pedestrians and vehicular traffic.

Accommodation of vehicular and pedestrian traffic shall be performed in accordance with Sections D and DB of SANS 1200.

The Contractor shall organise his work so as to reduce the inconvenience to traffic to a minimum, and no public road shall be completely closed without prior approval by the Engineer.

The Contractor shall provide and maintain in proper conditions all necessary barricades, lights, warning signals and all direction signs necessary to enable traffic to follow the routes of diversion throughout their length. The Contractor shall provide flagmen at all deviations and/or obstructions.

All signs shall be in two languages as may be advised by the Employer, and all traffic signs and control of traffic shall be in accordance with the South African Road Traffic Signs Manual. The Contractor shall provide temporary by-passes where necessary to provide access for vehicular and pedestrian traffic.

It is a condition of this Contract that gravel on detours, bypasses and existing gravelled roads shall only become the subject of payment in terms of the Specifications when such gravel wearing courses are constructed to accommodate public traffic in accordance with a written order by the Engineer.

See Sub clause PSA8.8.2(a) in Part C3 of the Scope of Works for measurement and payment specification.

10.2.4 Temporary stockpiling and spoil

The Contractor shall obtain the Engineer's written approval prior to the disposal of any surplus or unsuitable material or prior to the temporary stockpiling of any selected material from excavation See also PSD5.1.4.3 and PSD5.2.2.3 in Part C3 of the Scope of Works.

Material from excavation shall only be spoiled or temporarily stockpiled on sites approved or designated by the Engineer in writing.

10.2.5 Environmental Conservation

The Contractor must cautiously see to the conservation of the natural landscape and he must organise his construction activities in such a way as to prevent the unnecessary destruction or violation of the natural environment in the vicinity of the works in the most practical way possible.

Except where it is necessary to clean and uproot the existing terrain for the construction of the permanent works as specified, all trees, ferns and vegetation must be conserved and protected against damage by the Contractor's construction equipment, workers and activities.

The construction of the works must be conducted in such a way that public discomfort because of dust can be overcome by the administration of sufficient water or other measures to prevent the formation of dust where and as regularly as needed. The Contractor will be accountable for any damage caused by dust from his construction activities.

Any costs to comply with the requirements herein specified for Environmental Conservation must be included in the related unit rates for the execution of the works as included in the Bill of Quantities.

10.2.6 Finishing and Tidying

On no account must rubble and spoil materials, other materials, equipment or unfinished operations be allowed to accumulate in such a manner as to unnecessarily impede the activities of other Contractors or Authorities.

Finishing and tidying must not simply be left until the end of the construction period. The Contractor will be entitled, subject to prior agreement with the Engineer and within reasonable limits, to request that work in a particular area and/or work of a particular discipline, be inspected for completion.

The specified defects liability period in respect of any specific section of the Works shall commence on the date on which the relevant section is accepted by the Engineer as being fully completed, including finishing and tidying.

10.2.7 Recording of ground, foundation and rock profiles

Before commencing any work, the Contractor shall take levels of the original profile of the entire area to be worked upon and submit these levels to the Engineer at least 5 working days prior the commencement of the work. For this purpose the Contractor shall inform the Engineer in writing at least 7 days before commencing work in a specific area, of his intention to perform work in such specific area which will result in a change in the topography or ground profile of the Site.

The Contractor shall record all rock and intermediate excavation profile levels and foundation levels as the work proceeds.

The levels obtained shall be recorded on drawings which shall each be signed and dated by the Contractor and by the Engineer to serve as a record for the calculation of earthworks quantities.

The cost of the work specified for recording of ground, foundation and rock profiles will be held to be included in the rates for the related excavation and earthworks items in the Bill of Quantities.

10.2.8 Dealing with windblown sands

During the execution of the bulk earthworks and during the execution of earthworks in general the Contractor can expect to encounter difficult working conditions due to windblown sands.

The Contractor shall be responsible for the removal of all windblown sands which are detrimental to the proper construction and operation of the Works, and for the making good of any damage to the functioning of the Works caused by such windblown sands.

Open structures shall be removed from topsoil and damage to the Works caused by such sands shall be made good at the Contractor's own cost, unless the windblown sand arises from areas or conditions outside the control of the Contractor.

The windblown sands may also create a nuisance to the public, and cause damage to neighbouring properties and services and the environment in general.

The Contractor shall use his best endeavours to limit such nuisance and damage caused by windblown sands to a minimum.

Fixed-charge and time related items to cover the cost of the Contractor's general obligations to deal with windblown sands are scheduled in the P & G Section of the Bill of Quantities.


10.2.9 Opportunities to and co-operation with others on site

It shall be required from the Contractor in terms the General Conditions of Contract to allow and provide other contractor(s), workmen and construction plant the necessary facilities as may be required to enable such workmen and plant to obtain access to and from their works. The Contractor must co-operate with such other authorised Contractor(s) and workmen present on the site of Works.

10.2.10 Programming of the Contract


It shall be required from the Contractor in terms the General Conditions of Contract to allow and provide other contractor(s), workmen and construction plant the necessary facilities as may be required to enable such workmen and plant to obtain access to and from their works. The Contractor must co-operate with such other authorised Contractor(s) and workmen present on the site of Works.

DIMENSION/LAYOUT




DIMENSION/LAYOUT

B2 Protea Street Botriver



DIMENSION/LAYOUT


B3 Genadendal Street



DIMENSION/LAYOUT


B4 Middleton Protea & Uitsig Street

- Uitsig street 6m wide – 244m
- Protea Street 6m wide – 215m
- Storm water 1 350mm – 30m
- Storm water 2 350mm – 60m






DIMENSION/LAYOUT

B5 BOS STREET GRABOUW BUS ROUTE




GULLY GRID INLET MANHOLE




NOTES :

1. THE LEVEL OF THE GULLY GRID IS DROPPED 75mm AT THE INLET KERB TO ASSIST FLOW.
2. ALL BRICKWORK ON INSIDE OF MANHOLE TO BE PLASTERED.
3. DIMENSIONS TO SUIT HEAVY DUTY GULLY GRID AND FRAME OR SIMILAR APPROVED POLYMER CONCRETE GRID AND FRAME.
4. ALL CONCRETE TO BE CLASS 30/20.

HEADWALL



PLAN
HEADWALL OUTLET




SECTION B1-B1
HEADWALL OUTLET

NOMINAL PIPE Ø (mm)	A	B	C	D	E	NUMBER OF WEEPHOLES
300	920	1150	765	595	150	4
375	920	1380	850	595	150	4
450	1150	1380	935	595	150	4
525	1150	1610	1020	595	150	4
600	1150	1840	1105	595	200	6
675	1380	1840	1190	680	200	6
750	1380	2070	1275	765	200	6
825	1610	2300	1360	850	250	8
900	1610	2300	1445	850	250	8

NOTE: ALL BRICKWORK ABOVE GROUND LEVEL AND 200mm UNDER GROUND LEVEL
MUST BE PLASTERED

HEADWALL OUTLET
DIMENSION TABLE

NOTE: ALL BRICKWORK TO BE
PLASTERED BOTH SIDES



FRONT VIEW
HEADWALL OUTLET

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES

C3.5 MANAGEMENT

CONTENTS

- a. PROGRAMMING AND PLANNING
- b. CONTRACTOR'S RESPONSIBILITY IN TERMS OF THE OHS ACT
- c. MANAGEMENT MEETINGS
- d. DAILY RECORDS
- e. PAYMENT CERTIFICATES
- f. PROOF OF COMPLIANCE WITH THE LAW

1. PROGRAMMING AND PLANNING

A bar chart type construction programme shall be submitted to the Engineer, which includes for allowances for wet weather, holidays, manufacture, testing, curing and delivery of materials and adequate float time for unforeseen delays, for Engineer's approval, within the number of days from the Commencement Date as specified in Clause 5.3.1 of Part C1.2, Contract Data.

The programme shall include information on the required production rates for the satisfactory completion, time and resources allocation, as well as giving lead times for ordering of all major items, and shall be updated monthly during the Contract Period.

For the period to be allowed for expected rain days in the construction programme, the Tenderer's attention is drawn to Clause 5.12.2.2 of Part C1.2, Contract Data.

The programme must indicate the order of procedure of all work in a bar chart covering all disciplines and activities of the Contract and the duration of each activity on a weekly time-scale. The whole of the Works shall be grouped into major activities with each activity clearly representing a group of items reflected in the Bill of Quantities. The programme shall clearly indicate the critical path, the inter-dependency of activities, the sequence which the Contractor proposes to construct the Works, production estimates and the value of works, shown on a monthly basis.

The Contractor shall further take into account all works required to maintain full continuity of the operating of the existing facility.

The Contractor is to note that an allowance of **10%** contingencies, to be expended as the Engineer may direct, is included in this Contract and the Contractor must allow for this in his programme. Relocation of resources to achieve the completion date should be anticipated during the course of the Contract and shall be allowed for.

During the course of the Contract, whenever a significant change occurs, the Contractor shall submit a revised programme allowing allocation of resources, to the Engineer for approval. The Contractor shall update the programme whenever construction progress differs by more than one week from that anticipated in the programme.

No adjustment of General Items will be considered for additional work within the **10%** contingency amount, except where such additional work cannot be accommodated in a revised programme and resources allocation, or where significant disruption of the Works is incurred.

2. CONTRACTOR'S RESPONSIBILITY IN TERMS OF THE OHS ACT

The Contractor shall be responsible for complying with the Occupational Health and Safety Act, Act 85 of 1993, and specifically the Construction Regulations 2014 issued in terms of Section 43 of the Act (GNR 1010 of 18 July 2003).

The Contractor is referred to the Conditions of Tender and Particular Specification HS: Health and Safety Specification (Part C3.6, Annex 1) in this regard.

3. MANAGEMENT MEETINGS

Site management meetings shall be held monthly.

4. DAILY RECORDS

The Contractor shall maintain a daily site diary in a log book to be kept on Site.

5. PAYMENT CERTIFICATES

The Contractor shall substantiate claims for payment with the relevant invoices in order to expedite verification and certification by the Engineer.

6. PROOF OF COMPLIANCE WITH THE LAW

The Contractor shall provide proof of compliance with any relevant legislation for verification by the Engineer, as necessary.

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

**UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR
DEPARTMENT TECHNICAL SERVICES**

C3.6 ANNEXES

CONTENTS

PARTICULAR SPECIFICATIONS:

ANNEX 1: VARIATIONS AND ADDITIONS TO STANDARDISED
SPECIFICATIONS LISTED IN CLAUSE 1 OF SECTION C3.4
CONSTRUCTION

THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

UPGRADING OF ROADS AND STORMWATER IN VARIOUS TOWNS FOR DEPARTMENT TECHNICAL SERVICES

ANNEX 1: VARIATIONS AND ADDITIONS TO STANDARDISED SPECIFICATIONS LISTED IN CLAUSE 1 OF SECTION C3.4 CONSTRUCTION:

CONTENTS

PSA	GENERAL – 1986
PSAB	ENGINEER'S OFFICE – 1986
PSC	SITE CLEARANCE – 1980
PSD	EARTHWORKS – 1988
PSDB	EARTHWORKS (PIPE TRENCHES) – 1989
PSDM	EARTHWORKS (ROADS, SUBGRADE) – 1981
PSG	CONCRETE (STRUCTURAL) - 1982
PSH	STRUCTURAL STEEL – 1990
PSHC	CORROSION PROTECTION – 1988
PSL	MEDIUM PRESSURE PIPELINES – 1983
PSLB	BEDDING (PIPES) – 1983
PSLC	CABLE DUCTS – 1981
PSLD	SEWERS – 1982
PSLE	STORM WATER DRAINAGE – 1982
PSLF	ERF CONNECTIONS (WATER) – 1983
PSM	ROADS – 1996
PSME	SUBBASE – 1981
PSMF	BASE – 1981
PSMJ	SEGMENTED PAVING – 1984
PSMK	KERBING AND CHANNELING – 1983
PSMM	ANCILLARY ROADWORKS – 1984
PSX1	NEW WEIGHBRIDGE
PSX2	MECHANICAL EQUIPMENT

PSA **G E N E R A L**
(Applicable to SANS 1200 A - 1986)

PSA2 **INTERPRETATIONS**

PSA2.1 **APPLICATION**

The Contractor will not be restricted in the use of resources and in particular in the use of mechanical plant.

PSA2.8 **ITEMS IN SCHEDULE OF QUANTITIES: PRINCIPLE (Sub clause 2.8.1)**

Amend the first sentence as underlined below:

"..... stated in the relevant sub clause of Clause 8 of the applicable Standardised Specification or in the Measurement and Payment clause of the applicable Standard Specification, Particular Specification Section or Project Specification in addition to the cost to the Contractor"

PSA5 CONSTRUCTION

PSA5.1 SURVEY

PSA5.1.1 Setting out of the Works

The Contractor is responsible for the setting out of the Works from the information given on the drawings or from information provided by the Engineer.

Benchmark data will be given to the Contractor timeously.

Benchmarks that are to be disturbed by the temporary or permanent works must be referenced by the Contractor, prior to the disturbing thereof, at the Contractor's cost.

PSA5.8 GROUND AND ACCESS TO THE WORKS

The Contractor shall provide temporary access to the Works and to the dumping areas as may be required by him and to the approval of the Engineer.

Temporary access roads must be gravelled and maintained for the duration of the construction period, and removed on completion of the Works only if ordered by the Engineer.

PSA5.9 WORKMAN'S COMPENSATION ACT

All labour employed on the Site shall be covered by the Workmen's Compensation Act. The Contractor shall pay in full, such amounts as are due in terms of the Act, including the payment of the necessary levies.

The manner in which Workman's Compensation will be handled shall be resolved by the Contractor with all the relevant parties at the commencement of the Contract.

PSA8 MEASUREMENT AND PAYMENT

PSA8.1.1 Method of Measurement, All Sections

Amend 8.1.1 as underlined below:

"Except where otherwise specified in Clause 8 of a Standardised Specification or in the Measurement and Payment clause of an applicable Standard or Particular Specification section or in the Project Specification or in the Preamble to the Schedule, all items"

PSA8.2 PAYMENT

PSA8.2.1 Fixed-Charge and Value-Related Items (Sub clauses 8.2.1 and 8.3)

The tendered sums for the fixed-charge items in the P&G Section of the Schedule of Quantities shall not be subject to any variation if the actual value of the work done exceeds or falls short of the Tender Sum within the limits stated in Clause 6.11 of the General Conditions of Contract.

PSA8.2.2 Varied Payment for Time-Related Items (Sub clauses 8.2.2 and 8.4)

The tendered sum for each relevant time-related item in the P&G Section of the Schedule of Quantities shall be appropriately adjusted pro rata to any authorised extension or to any certified reduction to the Time for Completion of the Works, in full settlement of any time-related costs.

The said adjustments will be made in the Interim Payment Certificate issued with or following upon the issue of the Completion Certificate, irrespective of the actual period required for the completion of the Works.

Payment for the sums tendered for the above said time-related items will be adjusted on the basis of the total for each item being calculated as follows:

- $P = C \times \frac{T_e}{T_t}$, wherein
- P = Adjusted amount certified for payment under the relevant time-related item;
- C = Amount tendered for the relevant time-related item, appropriately adjusted (when applicable), for the designated operation;
- T_t = Time for Completion as stated in the Contract Document; and
- T_e = Time for Completion (T_t) plus any extensions of time for completion authorised, or minus any reduced time for completion certified, up to the date of the substantial completion of the Works as certified by the Engineer in terms of the General Conditions of Contract;

and provided that for any time-related item which relates to a duration of construction as specified in the Schedule of Quantities, the term "time for completion" in the description of the above formula shall be held to be substituted by the term "duration of construction".

The final amount paid under the time-related items in accordance with the above formula will be taken to be an agreed amount in full compensation for time-related charges adjusted for varied time for completion. The adjusted sums will however be subject to contract price adjustment if applicable to the Contract.

PSA8.3.2 Establishment of Facilities on the Site

PSA8.3.2.2 Facilities for Contractor

(Sub clauses 8.3.2.2 and 8.4.2.2)

The tendered sums for the items 8.3.2.2(a) to (e) and 8.4.2.2(a) to (e) as scheduled by the Engineer, whether grouped or individually, shall include all costs for the installation, maintenance and removal of the fencing in addition to all other facilities specified and as required by the Contractor for his own purposes.

PSA8.3.2.2(c)&

PSA8.4.2.2(c) LaboratoriesUnit: Sum

The tendered sums for the items 8.3.2.2(c) and 8.4.2.2(c) shall cover the Contractor's overhead costs, profit and all costs related to the use of an outside or private laboratory, or both, as the case may be. The sums tendered shall be paid to the Contractor in full.

PSA8.3.2.2(i)& Access to the worksUnit: Sum

PSA8.4.2.2(i) (Fixed-charge and time-related item)

The tendered sums for the items "access to the Works" in the P & G Section A of the Schedule of Quantities shall cover all the Contractor's costs for the work required for the provision and maintenance of access to and on the Site of Works as specified in Sub clause 5.8 and PSA5.8.

The rates shall include for the supply, placing, maintenance and removal on completion of the Works (if any) of gravel on temporary access roads and the restabilisation of borrow pits as may be required.

No extra payment will be made for the construction and maintenance of any gravelled access roads.

PSA8.4.6 Liaison with Authorities and the community, Opportunities to, and Co-operation with Others on Site.....Unit: Sum

(Time-related item)

The tendered sum shall cover all the Contractor's direct costs of liaison with Authorities and the Community and affording opportunities to and co-operation with Others on Site, and all other costs incidental to the required liaison, affording of opportunities and co-operation with others as specified.

PSA8.6.1 Special Risk Insurance.....Unit: Prime Cost Sum

The Contractor will be paid annually in increments agreed upon under the Prime Cost Sum provided in the P & G Section of the Schedule of Quantities for the actual cost of the Special Risk insurance premium for the relevant year or portion of a year (as the case may be) plus an allowance of ten percent to cover the Contractor's overhead costs; provided that in the event of the Contract extending beyond the authorised Due Completion Date in terms of the Contract, the Contractor shall maintain the insurance cover at his own cost. Payment will be effected in the interim certificate that follows upon the Contractor's submission of a receipt for the payment of the required insurance premium.

PSA8.8 TEMPORARY WORKS

PSA8.8.2 Accommodation of traffic

PSA8.8.2(a) Dealing with traffic in generalUnit: Sum
(Time-related item)

Accommodation of Traffic shall be measured for payment at the tendered lump sum under Temporary Works in the P & G Section A of the Schedule of Quantities. The sum tendered and paid shall include full compensation for the installation and all subsequent moving and re-establishment and final removal of lighting, signboards, traffic signs, barricades, drums, flashing lights, labour, transport or any other item required for the safe accommodation of traffic on public roads, all to the satisfaction of the Engineer.

Although the tender sum for Accommodation of Traffic shall be paid out as specified for time-related items during the construction period, the sum tendered will be a fixed amount and will not be subject to adjustment due to a possible extension or reduction of the Time for Completion or for any other reason whatsoever.

PSA8.12 WORKMEN'S COMPENSATION ACT (APPLICATION)Unit: Sum

The application of the Workmen's Compensation Act to all employees will be measured and paid as a sum. The tendered sum shall cover the cost of paying the necessary workmen's compensation levies, the cost of administration as well as any other incidentals necessary to implement the process in accordance with the requirements of the Workmen's Compensation Act.

The sum tendered shall be based on the Bonus Qualification amount of Person-Tasks stated by the Employer in the Tender Appendix.

Pro-rata amounts of the sum tendered, based on the number of Person-Days of temporary local employees actually employed against the Bonus Qualification number of Person-Tasks stated in the Tender Appendix, will be paid.

PSA8.13 SETTING OUT OF THE WORKSUnit: Sum
(Fixed-charge and time-related item)

The cost to the Contractor for the setting out of the Works and for the checking of the Surveyor's pegs and Benchmarks in terms of Sub clause PSA5.1.1, shall be covered by the tendered sums for the fixed-charge and time-related items "setting out of the Works" in the P & G Section A of the Schedule of Quantities.

PSAB ENGINEER'S OFFICE
(Applicable to SANS 1200 AB - 1986)

PSAB3 MATERIALS

PSAB3.1 NAMEBOARDS

Notwithstanding the provisions of Sub clause 3.1, **one** name board shall be erected and the board shall comply with the format and size shown in **Addendum B in C3.4**

PSAB3.2 OFFICE BUILDING/SITE OFFICE (SUBCLAUSE 3.2)

One office complete with furnishing as specified must be provided by the Contractor and the office may be shared between the Contractor and the Engineer or the Engineer's Representative.

Although ski-cabins or similar structures will be acceptable as offices, even if they might not comply with the requirements specified for floor area and ceiling height, the use of such structures will be subject to the approval of the Engineer.

The Contractor must consult with the Engineer prior to the supply and erection of the site office.

PSAB3.4 ABLUTION AND LATRINE FACILITIES

No ablution and Latrine facilities are required by the Engineer.

PSAB4 PLANT

PSAB4.1 TELEPHONE AND FAX (Sub clause 4.1 and 5.4)

No telephone or facsimile facilities are required by the Engineer.

PSAB4.2 SURVEY EQUIPMENT

The Contractor shall provide the following minimum survey equipment on the Site from the commencement to the completion of the Works:

- (a) 1 No. Engineer's automatic level with tripod;
- (b) 1 x levelling staff graduated in 5 mm intervals with staff bubble;
- (c) 1 No. 30 m Fibreglass measuring tape;
- (d) All steel pegs, shovels, picks, etc. which the Engineer's Representative may require during the Contract.

The instruments may by arrangement be shared between the Contractor and the Engineer's Representative.

The Contractor shall maintain the equipment in good working order and keep it clean throughout the contract period. The Contractor shall keep the equipment continuously insured against any loss, damage, or breakage and he shall indemnify the Engineer and the Employer against any claims in this regard. Upon completion of the Works, the ownership of the equipment shall revert to the Contractor.

PSAB4.3 FIRST-AID KIT AND PROTECTIVE CLOTHING

The Contractor shall provide on the Site of Works two first-aid kits to deal with accidents, illnesses and snakebite which may occur during the normal course of Site operations.

The Contractor shall provide two sets of rubber boots for the exclusive use of the Engineer and his Staff.

PSAB5 CONSTRUCTION

PSAB5.1 NAMEBOARDS

Delete the words "on completion of the contract," and substitute it with:

"...by the end of the defects liability period, or at such other earlier time as the engineer may instructor approve."

PSAB5.2 SERVICES FOR OFFICE AND ABLUTIONS

No services are required by Engineer.

PSAB5.5 ENGINEER'S ASSISTANTS

One survey assistant shall be allocated to the Engineer by the Contractor if necessary. The assistant shall be able to read and write either Afrikaans or English and shall be available to the Engineers as an assistant at all reasonable time during the construction period.

PSAB8 MEASUREMENT AND PAYMENT

PSAB8.2.2 Engineer's OfficeUnit: Sum

The tendered sum per number for an office shall include all costs for the supply, maintenance and removal of ablutions and latrine (Item PSAB3.4), the installation of a telephone and fax (Item PSAB4.1), the provision of a first-aid kit and protective clothing (Item PSAB4.3), services (Item PSAB5.2) and employment of assistants (Item PSAB5.5).

PSAB8.2.3 Engineer's telephone and fax

The actual cost of the Engineer's telephone calls and fax transmissions from the Site office(s) and fax paper will be refunded to the Contractor out of the Provisional Sum allowed by the Engineer, plus an allowance of 2,5% to cover the Contractor's overhead costs.

PSAB8.2.4 Survey Equipment and AssistantsUnit: Sum
(Fixed-charge and time related item)

The tendered sum shall include all costs for the supply and maintenance of the survey equipment (PSAB4.2) and the employment of assistants for the Engineer (PSAB5.5).

PSC S I T E C L E A R A N C E
(Applicable to SANS 1200 C - 1980)

PSC3 MATERIALS

PSC3.1 DISPOSAL OF MATERIAL AND DEBRIS

Material obtained from clearing of surface vegetation shall be disposed of by the Contractor in a manner and to a place of the Contractor's choice.

The burning on Site of vegetation and debris will not be permitted.

PSC5 CONSTRUCTION

PSC5.1 AREAS TO BE CLEARED AND GRUBBED

Site clearance shall only be done after receipt by the Contractor of the Engineer's written approval to that effect on areas designated by the Engineer.

Where directed by the Engineer the site shall be cleared of all trees, vegetation and dumped rubble and household rubbish.

The area to be cleared shall be the minimum area required for the execution of the Works but shall include areas identified for the stockpiling of materials such as selected bedding and selected subgrade materials.

PSC5.3 CLEARING

Clearing shall include the loading, removal and disposal of refuse as directed by the Engineer.

PSC8 MEASUREMENT AND PAYMENT

PSC8.2.11 Filling and compacting of holesUnit: m³

See PSD8.3.3.1.

PSD **E A R T H W O R K S**
(Applicable to SANS 1200 D - 1988)

PSD5 **CONSTRUCTION**

PSD5.1.4.3 Disposal of Surplus and Unsuitable Material from Excavation
(Sub clauses 5.1.4.3 and 5.2.2.3)

See Part C3.4: Construction, Clause 5.4.

Surplus material from excavations which is suitable to use in fills shall be placed and spread in fills or placed in embankments in areas on the Site designated by the Engineer and compacted to at least 90% Mod. AASHTO density (98% for cohesion less materials).

Unsuitable material from excavations shall be disposed of by spreading as uncompacted fill or placing in embankments in areas designated by the Engineer during the Contract. When ordered by the Engineer, the material shall be compacted to at least 90% Modified AASHTO maximum density (98% for cohesion less materials).

PSD5.2.2.3 Disposal and Spoil Site(s)
(Sub clause 5.2.2.2)

Except when it is required and designated by the Engineer that surplus and unsuitable material from excavations shall be disposed of on the Site, such material shall be disposed of to Spoil Sites in accordance with the terms specified at Part C3.4: Construction, Clause 5.4.

PSD6 **TOLERANCES**

PSD6.1 **POSITION, DIMENSIONS AND LEVELS FOR BULK EARTHWORKS**

Except that finished levels shall comply with 6.1(b)(3) for Degree of Accuracy II, a degree of accuracy III shall be applicable to bulk earthworks.

PSD8 **MEASUREMENT AND PAYMENT**

PSD8.3 **SCHEDULED ITEMS**

PSD8.3.2 Disposal of Surplus Material
(Sub clause 8.3.2 and 8.3.3)

The tendered rates for excavation and disposal of material shall include the costs for the placing of the material as uncompacted fill to a site within the free haul distance.

PSD8.3.3.1 Filling and compacting of holes Unit: m³

The filling with soil and compaction of holes and depressions on Site as designated by the Engineer will be measured per cubic meter (m³), as compacted fill according to the volume of the holes.

The tendered rate shall cover the cost of placing the material, watering where required and compaction to 93% AASHTO density (100% for sand).

The cost of excavation and hauling of material will be measured under the relevant scheduled items.

PSD8.3.3.4(d) Imported Topsoil Unit: m²

The placing of imported topsoil will be measured per square meter (m²) placed to minimum thickness of 100mm. The tendered rate shall include all costs for the supply from a commercial source, sampling, testing and placing of topsoil, the supply and mixing of compost and superphosphates, all labour and transport for the proper execution of the work specified.

PSDB E A R T H W O R K S (P I P E T R E N C H E S)
(Applicable to SANS 1200 DB – 1989)

PSDB3 MATERIALS

PSDB3.5 BACKFILLING MATERIALS TO TRENCHES FOR PIPES AND DUCTS UNDERNEATH STREET FOUNDATIONS

For all pipe and duct trenches at street crossings the backfilling above the pipe or duct fill blanket (covering) layer to the bottom of the selected subgrade of the street foundation shall comply with the specifications for the selected subgrade and may be selected from excavations on site.

The total depth of additional compaction as in Sub clause 5.7.2 shall be as directed by the Engineer on Site.

PSDB5.5 UNSUITABLE OR UNSTABLE TRENCH BOTTOM

Where the trench bottom is in waterlogged or unstable or unsuitable conditions during the construction operations, the Engineer may order in writing the placing of a working floor. The working floor shall consist of:

- (a) 19 mm singularly graded crushed rock aggregate of 150 mm minimum thickness, unless otherwise ordered by the Engineer, to be
- (b) wrapped in a geotextile filter fabric of mass 210 g/m²

The filter fabric shall be placed on the trench bottom prior to placing the stone aggregate on the filter fabric. After the aggregate have been placed and spread to the required thickness, the filter fabric shall be wrapped/folded over the aggregate to a minimum overlap of 300 mm. The specified bedding shall be placed on the enclosed drain/working floor.

PSDB5.6.3 Disposal of Excavated Material

Surplus material from trench excavation shall be disposed of as specified in PSD5.1.4.3.

PSDB5.7.2 Compaction below street pavement

Trenches underneath the street pavement and kerbs (i.e. street carriageway) shall be backfilled and compacted as specified in 5.7.2, and such other localities as the Engineer may direct.

PSDB5.11 CONSTRUCTION SEQUENCE FOR PIPELINES AND DUCTS CROSSING ROADS

Except in cases where the Engineer may instruct the Contractor to construct roads and sidewalks up to a certain level or stage before trench excavations through the completed road pavement layer(s) are done in order to provide sufficient cover over the pipes and ducts during the subsequent construction of the relevant layers of the road pavement or sidewalk, all backfilling for such pipe trenches and ducts up to the top of the selected subgrade of the street foundation must be completed before the construction of the street sub base layer in order that the sub base layer can be constructed in a continuous operation across the pipes and ducts.

PSDB8 MEASUREMENT AND PAYMENT

PSDB8.3 SCHEDULED ITEMS

PSDB8.3.2(a) Excavate in all materials for trenches, backfill, compact and dispose of surplus material, all within the free haul distanceUnit: m³ or m

The tendered rate shall include for all costs for compaction, testing and disposal of surplus material as uncompacted fill to a site within the free haul distance. The uncompacted fill shall be spread to levels as specified for "bulk" earthworks.

PSDB8.3.2(d) Disposal of Surplus Material (Sub clause 8.3.2)

The tendered rate shall include for all costs for disposal of surplus material as uncompacted fill to a site within the free haul distance.

PSDB8.3.2(e) Placing and Compaction of Disposed (Spoil) Material from Excavation

(Sub clause 8.3.2)Unit: m³

See Sub clause PSD 8.3.2.

PSDB8.3.4(c) Working floor on trench bottom

The construction of a working floor as specified under PSDB5.5 will be measured as follows:

- (a) The aggregate shall be measured for payment in terms of item 8.2.3 of SANS 1200 LB.
- (b) The filter fabric shall be measured by the square metre (m²) to nett dimensions specified by the Engineer.

The tendered rates for (a) and (b) shall cover the cost of disposing of the displaced material within the free haul distance, the supply and placing of the stone and filter fabric as specified, and the cost of losses as a result of over excavated trench widths and/or bottoms and overlaps and/or formwork if required.

PSDM E A R T H W O R K S (R O A D S, S U B G R A D E)
(Applicable to SANS 1200 DM – 1981)

PSDM2 INTERPRETATIONS

PSDM2.1 SUPPORTING SPECIFICATIONS

Delete from Sub clause 2.1(c) "or SANS 1200 DA, as applicable" and throughout the specification delete all reference to SANS 1200 DA.

PSDM5 CONSTRUCTION

PSDM5.2.2 Cut and borrow

PSDM5.2.2.2 Dimensions of Cuts

(a) Street Foundation

The "box-cut" for the street foundation layer shall initially be done to the level of the top of the roadbed.

PSDM5.2.2.5 Disposal of Surplus or Unsuitable Material

The Contractor shall place the material from the road excavations along the side of the "box cut". It shall then be hauled and spread on the designated areas as directed on the Site by the Engineer, and compacted.

Spoil material shall be placed as uncompacted fill on sites designated by the Engineer and, when directed by the Engineer, spoil material shall be spread and compacted to at least 90% Modified AASHTO maximum density (98% for cohesion less materials): see Sub clause PSD5.1.4.3.

PSDM5.2.3 Treatment of Roadbed

PSDM5.2.3.2 Removal of Unsuitable Roadbed Material

When, in the opinion of the Engineer, the in-situ roadbed material is unsuitable as an in-situ selected subgrade, further material shall be cut and replaced with material suitable for selected subgrade material in compliance with the specification in layers not exceeding 150 mm (after compaction) per layer, /and as directed by the Engineer on Site.

PSDM5.2.3.3 Preparation and Compaction

Each portion of the roadbed and sidewalk bed shall be prepared by ripping and scarifying and shaping where necessary, and compacting after watering to 93% Mod. AASHTO density for a depth of not less than 150 mm or 300 mm (100% for sand).

The Engineer will direct on Site the depth of roadbed treatment to be applied.

PSDM8 MEASUREMENT AND PAYMENT

PSDM8.1 BASIC PRINCIPLES

PSDM8.1.1 Compaction Testing

The rates tendered for the pay items scheduled under 8.3.3 to 8.3.16 shall include for compaction testing, where applicable.

PSDM8.2.1 Earthworks Measurement

Add to the Sub-Clause:

Earthworks will be measured by volume in compacted embankment once only as compacted fill from cut or borrow, whichever is applicable. Uncompacted fill from cut, material placed to stockpile or to spoil will be measured insitu as excavation.

PSDM8.3.4 Cut to Fill, Borrow to Fill

Add the words: "and in borrow pits" after the words "road prism" in the second line of the payment paragraph.

Add the following:

"The rate shall also cover the cost of selection of suitable material in the borrow pit."

"The rate for borrow to fill does not include the cost of excavating, loading and unloading or anything which is covered by Item 8.3.4 of SANS 1200 D."

PSDM8.3.5 Selected Layer Compacted to 93% of Modified AASHTO Maximum Density

Selected layer compacted to 93% of modified AASHTO densityUnit: m³

The rates shall cover the cost of procuring, furnishing, transporting and placing the selected layer material a compacting the material to the specified densities."

PSDM8.3.17 Accommodation of Traffic

Add the following:

Accommodation of traffic..... Unit: Sum

The tendered sum for the accommodation of traffic shall include full compensation for all items of cost necessary for such accommodation and the construction and maintenance of bypasses, including existing roads used as bypasses during the construction period. It shall also include full compensation for traffic control, the provision of traffic signs and, where necessary, communications equipment required to regulate traffic, for the construction of any necessary temporary drainage works, for the maintenance of all drainage works, arranging for the moving of services and subsequent reinstatement thereof, attending to traffic problems and complying with the requirements of the Road Traffic Ordinance and the relevant local authorities.

Payment shall be made in equal monthly instalments from the date of commencement of such work to the end of the contract period.

PSG **C O N C R E T E (STRUCTURAL)**
(Applicable to SANS 1200 G – 1982)

PSG1 **MATERIALS**

PSG1.1 **CEMENT**

PSG1.1.1 **Alternative Types of Cement** (Sub clause 3.2.2)

Only Portland cement may be used. Mixtures of Portland cement and milled granulated blast furnace slag will only be permitted if the prior approval of the Engineer has been obtained.

PSG1.1.2 **Storage of Cement** (Sub clause 3.2.3)

Cement shall not be kept in storage for longer than 10 weeks without the Engineer's permission.

PSG1.2 **WATER** (Sub clause 3.3)

The source of the water shall be subject to the approval of the Engineer.

PSG1.3.1 **Shrinkage**

The aggregate used in concrete for water retaining structures shall display a low shrinkage and absorption factor. The factor shall not exceed 3% when measured in accordance with BS 812.

PSG1.3.2 **Alkali-aggregate Reaction**

Malmesbury hornets (shale) or other reactive aggregates shall not be used in conjunction with a high alkali cement in concrete in any part of the Works. For the purposes of this clause, a high alkali cement is one in which the equivalent alkali content ($\text{Na}_2\text{O} + 0,658 \text{ K}_2\text{O}$) exceeds 0,60% by mass of the cement.

In order to ensure that the above requirements are met, the Contractor may elect to use a non-reactive aggregate that complies with the requirements of SANS 1083. Alternatively, if the Contractor chooses to use Malmesbury hornets or another reactive aggregate, he shall comply with the following requirements regarding the cement:

- (a) Before commencing any particular section of the structure, the Contractor shall ensure that he has enough cement that is not a high alkali cement to complete the section.
- (b) Certificates stating the alkali content of each delivery of cement to the Site shall be supplied by the Contractor. These certificates shall be based on tests carried out at a laboratory approved by the Engineer. The cost of testing, including sampling, transporting of samples, and issuing of certificates, shall be borne by the Contractor.
- (c) The Contractor shall be entitled to use an approved brand of Ordinary Portland cement as a means for ensuring that the permissible alkali content is not exceeded. The Contractor shall make allowance for the higher price of such approved brand, if he chooses to use this method.
- (d) High alkali cement delivered to the Site shall be rejected, and the cost of its removal and replacement with cement with an acceptable alkali content shall be borne by the Contractor.

PSG1.3.3 Samples and Testing

Samples of the proposed fine and coarse aggregates shall be made available to the Engineer for approval. The Contractor shall provide the Engineer with grading analyses to prove that the aggregate grading's conform to the requirements of SANS 1083 Tables 1 and 5.

The soluble sulphate content of the aggregate shall not exceed 0,15 % (m/m) of the total aggregate mass.

PSG1.4 ADMIXTURES (Sub clause 3.5)

Admixtures shall not be used in any concrete without the approval of the Engineer. In the event of the Contractor wishing to make use of admixtures, he shall provide the Engineer with all the necessary technical information and details timeously.

PSG3 CONSTRUCTION

PSG3.2 CONCRETE

PSG3.2.1 Chloride Content (Sub clause 5.5.1.4)

The requirements of Table 4, column 4 of Sub clause 5.5.1.4 shall apply.

PSG3.2.2 Durability (Sub clause 5.5.1.5)

The condition of exposure is specified as "moderate".

PSG4 TESTS

PSG4.1 FREQUENCY OF SAMPLING (Sub clause 7.1.2)

A set of four concrete cubes shall be made from each sample. At least one set of cubes shall be taken from each day's casting and from at least every 15 m³ of concrete of each grade placed.

PSG4.2 TESTING (Sub clause 7.2)

Tests specified or implied under Sub clauses 7.1.1 and 7.1.2 and these Project Specifications and all other prescribed tests (or those specified by the Engineer on Site and which do not pass), will be deemed to be included in the pay items for concrete.

PSG4.3 EARLY STRENGTH TESTING (Sub clause 7.2.4)

Unless otherwise decided by the Engineer, one of the four cubes (PSG 4.1) shall be tested at an age of 7 days.

PSG5 MEASUREMENT AND PAYMENT

PSG5.1 SURFACE BED JOINTS AND SURFACE FINISH

Measurement and payment for joints and unformed surface finish to floor slabs will be as per SANS 1200G and 1200 GA but the tendered rate for joints is to cover all formwork and toggle joints or saw-cutting and the rate for unformed surface finish is to cover the addition of surface hardener and curing as specified by the supplier of the surface hardener.

PSH **STRUCTURAL STEEL**
(Applicable to SANS 1200 H – 1990)

PSH1 **MATERIALS**

PSH1.1 **STRUCTURAL STEEL (COLD ROLLED SECTIONS)**

PSH1.1.1 **GRADE OF STEEL (SUBCLAUSE 3.3)**

All cold rolled sections and in particular purlins and sheeting rails can be of a commercial grade with a minimum yield strength of 225 Mpa.

PSH2 **CONSTRUCTION**

PSH2.1 **DRAWINGS AND SHOP DETAILS (SUBCLAUSE 5.1)**

The contractor will be responsible for the preparation of shop drawings as per the stipulation in sub clause 5.1.2

PSHC **CORROSION PROTECTION**
(Applicable to SANS 1200 HC – 1988)

PSHC1 **CONSTRUCTION**

PSHC1.1 **COATING SYSTEM (Sub clause 5.7)**

Surface preparation of all metal surfaces and the application of a primer coat shall be done prior to delivery to site, with final coats applied on site. The coating system shall comprise the following (or similar approved):

(a) Surface preparation: Sa 2,5 Swedish Standard SIS 055900-1967.

(b) Primer: Plascochem High Build Vinyl Copolymer Zinc Phosphate to 60 to 80 micrometre dry thickness.

(c) Intermediate: Plascochem High Build Vinyl to 60 to 80 micrometre dry thickness.

Finishing: Plascochem Vinyl Copolymer Enamel to 25 to 35 micrometres thickness.
Application of the painting system shall be strictly in accordance with the manufacturer's specifications.

PSL **MEDIUM PRESSURE PIPELINES**
(Applicable to SANS 1200 L – 1983)

PSL3 **MATERIALS**

PSL3.9.7 **Corrosion Protection of Fittings/Specials**

All steel fittings, saddles and couplings shall be wrapped in denso tape or similar protective tape and two layers of PVC sheeting.

All bolts, nuts and washers of couplings, saddles and fittings shall be stainless steel.

PSL3.10 **VALVES**

All valves shall be stainless steel knife gate valves.

PSL5 CONSTRUCTION

PSL5.1.4 Depths and cover

Water mains shall be laid generally so that the cover to the top of the pipe barrel from finished surface shall be 800 mm to 900 mm after completion of bulk earthworks and roadwork's including shaping of sidewalks, etc. except at points of intersection with other services where it may be necessary to lay water mains shallower than 800 mm or deeper than 900 mm, or at other points where it is directed by the Engineer to lay pipes deeper or shallower.

PSL7 TESTING

PSL7.1 GENERAL

PSL7.1.1 Working pressure of gate valves

The Contractor shall ensure that the differential pressure across valve gates does not exceed the manufacturer's stated maximum working pressure.

PSL7.3.1 Test pressure and time of test (Sub clause 7.3.1)

Testing of water mains shall be carried out after the installation of connections. End caps shall be fitted to the outlet end of the connection and testing shall be done up to the end cap with all in-between valves in the open position. The permissible leakage rate specified in Sub clause 7.3.3 shall be that applicable to the length of water main and connection pipes to the water main. Permissible pressure will be 1,5 x maximum work pressure.

PSL8 MEASUREMENT AND PAYMENT

PSL8.1 GENERAL

The tendered rates for the supply of materials shall cover the cost of all protective coating and linings.

No extra payment will be made for temporary water supply connections for testing and testing, which will be held to be included in the price for laying of pipes, valves and specials.

PSL8.2.1 Supply, Lay, etc. of Pipes (Sub clause 8.2.1)

The tender rate per metre shall, in addition to the costs specified in Sub clause 8.2.1, cover the cost of the supplying and fitting of the additional couplings for cut pipes. Unused off-cuts shall become the property of the Contractor.

The tendered rate shall further cover the costs of disinfection and testing as specified in Sub clause 5.10 and PSL7.1 respectively.

PSL8.2.2 Supplying, Laying, etc. of Specials complete with Couplings

The rate per number **extra-over** the rate for Item 8.2.1 shall cover the cost of the corrosion protection specified in terms of Sub clause PSL3.9.7.

**PSL8.2.16 Connection to Existing WorksUnit: (see Bill of Quantities)
(Pipe sizes as scheduled)**

The tender rate, if any, for a connection onto the existing water mains as scheduled, shall cover all costs to the Contractor for the protection of existing services, isolating thereof, removal of concrete thrust blocks and end caps at pipe ends, cutting into existing pipes at T-junctions or cross-junctions and all other incidentals which are not covered by the tender rates for the supply and installation of pipes and pipe specials as scheduled.

PSLB **B E D D I N G (PIPES)**
(Applicable to SANS 1200 LB – 1983)

PSLB3 **MATERIALS**

PSLB3.1 Bedding and Selected Fill Blanket (Sub clause 3.1 and 3.2)

Bedding and Fill shall be sourced from commercial sources.

PSLB3.4.1 **Bedding Selection** (Sub clause 3.4.1)

The Contractor will be required to select the coarser sand from trench excavations for bedding under pipes where pipes are to be laid on a trench bed which is in waterlogged conditions.

PSLB5 **CONSTRUCTION**

PSLB5.1.2 **Details of Bedding**

HDPE and uPVC pipes shall be laid in bedding for flexible pipes as shown on Dwg SANS 1200 LB 3(c).

Flexible Pipe lines up to and including 50 mm requires no bedding in sandy soils.

PSLB8 **MEASUREMENT AND PAYMENT**

PSLB8.1.3 **Volume of bedding materials**

The volume of bedding material will be measured net, excluding the volume occupied by the pipe.

PSLC **C A B L E D U C T S**
(Applicable to SANS 1200 LC – 1981)

PSLC2 **INTERPRETATIONS**

PSLC2.4 ABBREVIATIONS (Sub clause 2.4)

The abbreviations "GPO" and "P&T" shall mean "Telkom".

PSLC3 **MATERIALS**

PSLC3.1 DUCTS

PSLC3.1.2 **Electrical ducts**

Ducts for power cables shall be "Normal Duty Class" uPVC pipes to SANS 791, for all 110 mm and 160 mm Nom. Dia. pipes.

Split sleeves shall be supplied in short 1,5 m lengths.

PSLC3.2 BEDDING

Bedding materials shall comply with SANS 1200 LB 3.1.

PSLC5 **CONSTRUCTION**

PSLC5.1.1 **Trench Widths and Depths**

Amend the text of 5.1.1.1 to read as follows:

"Subject to the requirements of 5.1.1.3 and 5.2.4, the side allowance from the outside of pipe ducts to the trench side shall be a minimum of 150 mm for all ducts, provided that the minimum trench width shall be 450 mm".

PSLC5.3 DUCT LAYING

The ends of ducts shall be sealed by wrapping with two layers of plastic sheeting and fastening with a gauge 16 galvanized wire.

Where electricity supply cables cross telephone cable ducts, the electricity cable shall be laid in a uPVC split sleeve of 2,0 m length.

PSLC5.8 LENGTHS AND DEPTHS (Sub clause 5.1.1.2 and 5.8)

For Telkom and Electrical cable ducts the depths below the finished street surface and the length of extension beyond the back of the street kerbing (or brick edging in the case of paved sidewalks) shall be in accordance with the dimensions specified in 5.1.1.2 and 5.8 unless otherwise shown on the detail drawings.

PSLC5.10 MARKING OF DUCTS AT STREET CROSSINGS

PSLC5.10.1 Temporary Markers

The position of ducts must be clearly marked.

The markers shall consist of wooden stakes planted firmly at the end of the duct or group of ducts, protruding 500 mm above ground and painted at the top.

PSLC8 MEASUREMENT AND PAYMENT

PSLC8.2.5 Supply, Lay, Etc. of Ducts

The unit rate shall, in addition to the costs specified in 8.2.5, include for the sealing of duct ends as specified in PSLC5.3 and the installation and removal of temporary markers as specified in PSLC5.10.1.

Measurement and payment for the installation of ducts shall not differentiate between grouping of ducts, and no extra payment shall be made for the installation of groups of ducts.

PSLD SEWERS
(Applicable to SANS 1200 LD – 1982)

PSLD3 MATERIALS AND CONSTRUCTION (Clause 3 and 5)

PSLD3.1 PIPES, FITTINGS AND JOINTS

The following pipes shall be installed:

- 90 mm Diameter HDPE Class 6 pipes for sub-soil water gravity feed to quarry.
- 160 mm Diameter HDPE PE100 PN 20 pipes for leachate drainage pipes in stone drainage layer. (Drilled as per details on drawings)

PSLD3.5 MANHOLES

Manholes shall be constructed in compliance with the detail drawings.

PSLD3.5.2 Precast Concrete Sections

All precast concrete cylinders and roof- and reducer slabs shall be manufactured using dolomitic aggregates.

The leachate pump sump to be lined with anchor knob sheeting (AKS) must be pre-cast with the AKS per the supplier's specifications. **(Not applicable)**

PSLD3.5.7 Step-Irons

Step-irons must be built into all valve and junction boxes deeper than 1,2 metre.

Step-irons shall be manufactured from a 12 mm dia. high tensile steel core covered with 3 mm minimum thickness polypropylene and of suitable length. The "Calcamite" type or similar will comply with the specifications.

PSLD5 CONSTRUCTION

PSLD5.6 MANHOLES, COVERS AND FRAMES

The joints between precast rings, etc. of concrete manholes and between the fibre-cement pipe and roof slab of fibre-cement manholes must be sealed watertight as shown on the detail drawings.

Covers and frames must be polymer concrete (AV mouldings). The covers to include fibre plastic patented lock and key.

An approved bitumastic or polyurethane filler or similar sealant shall be applied to each ring, trowelled smooth and covered with two layers of self-adhesive polyethylene tape.

PSLD8 MEASUREMENT AND PAYMENT

PSLD8.2.3 Manholes, inspection chambers, etc.Unit: No. (Sub clauses 8.2.3, 8.2.4 and 8.2.5)

For the purpose of measurement and payment, the depth of a manhole, inspection chamber, etc. is defined as the depth from the top of the cover to the invert level of the manhole, inspection chamber, etc.

Where the additional excavation is in intermediate or hard rock excavation it will be measured as extra-over and paid under the relevant items for trench excavation.

PSLE STORM WATER DRAINAGE (Applicable to SANS 1200 LE – 1982)

PSLE3 MATERIALS AND CONSTRUCTION (Clause 3 and 5)

PSLE3.1 PIPES

Storm water drainage pipes shall be reinforced concrete pipes, Type SC to SANS 677 with Ogee Joints.

The D-loading classification and pipe diameters are specified in the Schedule of Quantities.

PSLE3.7 INLETS OR OUTLETS FOR PIPES (Sub clause 5.5)

Inlet/Outlet details (also called headwalls) are specified on D-/105.

PSLE5 CONSTRUCTION

PSLE5.2 BEDDING AND LAYING

PSLE5.2.2 Pipe Laying

Notwithstanding Sub clause 5.2.2, the Ogee type joints shall be externally wrapped as specified in 5.2.2 for butt-end pipes.

The joints shall be wrapped externally with two layers of filter fabric material of density 200 g/m² 300 mm min. width with a 300 mm closing overlap and firmly tied down around the pipe with a PVC strip.

PSLE5.8 CONNECTION TO EXISTING WORKS

Break into existing storm water manhole at the points indicated on the drawings.

PSLE8 MEASUREMENT AND PAYMENT

PSLE8.2.8 Supply and install manholes, catch pits, and the like Unit: No

Delete the words "but excluding excavation and backfilling, which will be measured separately" and substitute it with:

"including dealing with any excavation (in all materials including disposal of surplus) that is additional to that measured under the item for pipe trench excavation (see Sub clause 8.2.3 of SANS 1200 DB)...."

For measurement and payment purposes the depth of a drainage structure is defined as the depth from the top of the cover slab of frame, as applicable, to the invert level of the manhole.

Notwithstanding the provisions of Sub clause 8.2.8(c), manholes, catch pits, and the like will be scheduled as follows:

(a) Inlets/Outlets:

Measured by the number according to the inlet or outlet pipe size or special structure scheduled.

(b) Catch pits:

Measured by the number according to type as scheduled.

The tendered rate for catch pits shall cover the cost of the construction of the concrete inlet channel/gutter, grates and frames and the side-inlet kerb(s), as applicable.

PSLE8.2.14 Connection to Existing WorksUnit: Sum. (Pipe sizes and structures, etc. as scheduled)

The tendered rate per number of connections as scheduled for connecting onto existing works, shall cover all costs to the Contractor for the protection of the existing service, connecting onto, cutting and/or building into as the case may be, and all incidentals, which are not covered by the tender rates for the installation of pipes and construction of appurtenant structures as measured elsewhere in the Schedule of Quantities.

PSLF ERF CONNECTIONS (WATER) (Applicable to SANS 1200 LF – 1983)

PSLF3 MATERIALS AND CONSTRUCTION (Clause 3 and 5)

PSLF3.1 ERF CONNECTIONS (Sub clause 3.1)

PSLF3.1.4 Pipes, Fittings and Couplings

The pipes for residential erf connections shall be HDPE PE100 Class 16 pipes and/or POLYPROPYLENE (Polycop) Class 16 pipes on approval by the Engineer (JASWIC R36 Approved), with diameters as scheduled.

The couplings for use with HDPE pipes shall be of the external compression type except where brass couplings are specified. The couplings for use with POLYPROPYLENE OR COPPER pipes shall be of the copper to copper dezincification resistant compression type to SANS 1067.

PSLF3.1.7 Saddles

All saddles shall be malleable cast-iron unless otherwise indicated on the drawings. The nuts and bolts shall be protected against corrosion as specified in PSL3.9.7.

PSLF3.2.2 Meters and Meter Surface Boxes (Sub clause 3.2.2. and 3.5.3)

PSLF3.2.2.1 Water Meters for Residential Erven

The domestic water meter shall be 15mm nominal size and:

- (a) comply with requirements of the Trade Metrology Act as amended and published in the Government Gazette No 8351, dated 27 August 1982;
- (b) be semi positive displacement type piston meter,
- (c) be fitted with an integral strainer;
- (d) have an impact and scratch resistant lenses over a cyclometer, reading in full m³; and
- (e) be capable of registering a volume of water of 99 999m³ at a maximum flow rate of 3,0 m³/h. The dials displayed shall be such that the volume of water can be determined to the nearest 10P. The pressure drop across the meter shall not exceed 30kPa at the maximum flow rate specified above.

The water meter shall be supplied and delivered to the Employer's stores.

PSLF3.2.2.2 Meter Surface Boxes for Residential Erven

The meter box shall:

- (a) be of flawless sound construction of thermoplastic;
- (b) be a single meter box to accommodate 1 x 15mm water meter of a body length of 114 mm and isolating valve.
- (c) be supplied with a removable thermoplastic lid which shall be fitted with a double action, spring loaded locking mechanism made from non-corrosive material such as brass. The locking mechanism shall be opened only with a special lifter key. The key shall only be retractable when the lid is placed in position and locked;
- (d) be fitted with integral isolating valves upstream of the meters; incorporating two piece quick-release expansion couplings;
- (e) be fitted with 15 mm I.S.O.R. female thread inlet and outlet parts;
- (f) be supplied with a 45° brass push-fit elbow ("hawle") of 15 nom. dia;

PSLF3.4 BEDDING FOR PIPES

Bedding materials shall comply with SANS 1200 LB 3.1.

The thickness of the bedding cradle shall be 50 mm minimum below the pipe and the fill blanket of the pipe shall be 150 mm minimum above the pipe soffit.

PSLF5 CONSTRUCTION

PSLF5.2.5 Trench base widths

The trench base width for a single pipe shall be based on a minimum trench width of 400mm and shall be suitable for compaction equipment.

PSLF5.4.1 Marker Post

Marker post for future connections shall comply with detail shown on Drawing -/103.

PSLF8 MEASUREMENT AND PAYMENT

PSLF8.2.4 Supply and Installation Water meters (Sub clause 8.2.4)..... Unit: No.

The rate shall cover all costs for supply and delivery to the Employer's store for water meters with fittings as specified in PSLF 3.2.2.1.

PSLF8.2.6 Supply and Installation Meter Surface Boxes
(Sub clause 8.2.5 and 8.2.7) Unit: No.

The rate shall cover all costs for supply, and installation of meter surface boxes complete with stop valve and fittings as specified in PSLF 3.2.2.2.

PSLF8.2.7 Stopcocks and Valve Surface Boxes Unit: No.

Stopcocks and valve boxes, if scheduled, shall be measured individually according to the type of stopcock and valve surface box scheduled.

The tendered rates shall include all costs for the supply and installation of the items, complete.

PSLF8.2.8 Marker Posts Unit: No.

The tendered rate shall cover all cost for the supply of materials and installation of marker posts for water erf connections as specified in Sub clause PSLF 5.4.1.

PSM ROADS (GENERAL) (Not Applicable)
(Applicable to SANS 1200 M – 1996)

PSM5 CONSTRUCTION

PSM5.1 TOWN SURVEY BEACONS

After the completion of the base course construction but before the road surfacing is constructed, town survey beacons shall be installed in the road surface at positions as directed by the Engineer.

The town survey beacons shall be constructed in accordance with Technical Publication No. 22 of February 1968 (or any amendments thereto) as published by the Geodetic Branch of Trigonometrical Survey (Mowbray) and shall be co-ordinated and levelled by a qualified Land Surveyor.

PSM8 MEASUREMENT AND PAYMENT

PSM8.2 TOWN SURVEY BEACONS Unit : No.

The unit rates tendered for the installation of town survey beacons shall include all costs for labour, material and equipment and arrangements with a Land Surveyor necessary for the construction of town survey beacons as specified.

The Land Surveyor's fees for the co-ordination and levelling of the beacons shall be paid out of the provisional sum allowed in the Schedule of Quantities for "Survey Beacons" (see Sub clause PSA8.8.7) plus an allowance of 2,5% to cover the Contractor's overhead costs.

PSME SUBBASE (Not Applicable)
(Applicable to SANS 1200 ME – 1981)

PSME3 MATERIALS

PSME3.2.1 Sub base material (Sub clause 3.2.1 and 3.5.1)

The Regional Factor for the area is 0,60 and the required minimum CBR value for sub base material is 45% at 95% Mod. AASHTO maximum density for all streets for a G5 material as per SANS 1200m clause 3.3.3 – Table 3B.

Sub base material shall be imported from commercial sources. No modification of imported material by on-site sand will be allowed.

PSME3.2.2 Wearing Course Material

(a) The material shall have a minimum CBR of 45% at a density of 95% of the modified AASHTO maximum density.

(b) The Plasticity Index (PI) of the material shall not be less than 12 and not more than 15.

The material shall be imported from commercial sources.

PSME7 TESTING

PSME7.2 PROCESS CONTROL

Amend Table 2 of ME 7.2 as follows:

Replace “_” in column 3 opposite CBR with “1”.

Replace “_” in column 3 opposite UCS with “1”.

The minimum number of tests per lot for den sing control, as per Table 3 of ME 7.2, shall be four. A lot being one street.

PSME7.2.2 Routine Inspection and Testing

Substitute last sentence with the following:

No density shall be less than the specified minimum density for the relevant layer.

PSME8 MEASUREMENT AND PAYMENT

PSME8.3.3 Construct Sub base and Gravel Wearing Course with Material from Commercial Sources

(Sub clause 8.3.3) Unit: m³

Measurement and payment per cubic metre (m³) will differentiate between the construction of sub base and wearing course layers of different thicknesses and in different parts of the works only when scheduled as such.

PSMF B A S E (Not Applicable) (Applicable to SANS 1200 MF – 1981)

PSMF3 MATERIALS

PSMF3.3.2 Graded Crushed Stone and Soil Fines: Physical Properties

The base-course material shall have a minimum CBR of 80% at a density of 98% of the modified AASHTO maximum density for a G4 material as per SANS 1200 m clause 3.3.3 – Table 3A.

PSMF3.6 SELECTION

Base material complying with SANS MF3.3.2 shall be imported from commercial sources.

PSMF7 TESTING

PSMF7.2 PROCESS CONTROL

Amend Table 3 of MF7.2 as follows:

Replace “_” in column 3 opposite CBR with “1”.

Replace “_” in column 3 opposite UCS with “1”.

Replace “_” in column 3 opposite ACV with “1”.
Replace “_” in column 3 opposite Flakiness with “1”.

The minimum number of tests per lot for density control, as per Table 3 of SANS 1200 MF T.2, shall be four. A lot being one street.

PSMF7.3 ROUTINE INSPECTION AND TESTING

Substitute MF7.3.2 with the following:

No density shall be less than the specified minimum density for the relevant layer.

PSMF8 MEASUREMENT AND PAYMENT

PSMF8.3.3 Construct Base with Material from Commercial Sources Unit: m³ (Sub clause 8.3.3)

Measurement and payment per cubic metre (m³) will differentiate between the construction of base-course layers of different thicknesses and widths only if scheduled as such.

PSMJ SEGMENTED PAVING (Not Applicable) (Applicable to SANS 1200 MJ – 1984)

PSMJ SCOPE (Sub clause 1.1)

The specification section MJ of SANS 1200 shall apply mutatis mutandis to the paving of roads and other areas with 80 mm concrete paving blocks laid closely together and with joints between the bricks filled with a sand mix.

PSMJ3 MATERIALS

PSMJ3.1.2 BRICKS

Concrete bricks for paving shall have a minimum compressive strength of 35 Mpa. The paving bricks shall be grey 80 mm Double Lock concrete paving blocks.

PSMJ5 CONSTRUCTION

PSMJ5.4 LAYING OF UNITS (Sub clause 5.4)

The units shall be laid in a herringbone bond with the long axis principally at an angle of 45 degrees to the line of traffic. The units shall be laid on minimum 15 mm and maximum 20 mm clean sand without any clay or vegetation.

PSMJ8 MEASUREMENT AND PAYMENT

PSMJ8.2.6 JOINTS IN CONCRETE PAVING Unit: m

The unit of measurement shall be the linear metre of joint measured along the joint and shall include all costs for the supply and placing of the filler material.

PSMK KERBING AND CHANNELLING (Not Applicable) (Applicable to SANS 1200 MK – 1983)

PSMK3 MATERIALS

PSMK3.1 CAST-IN-SITU CONCRETE

All cast-in-situ concrete kerbs, channels, transitions and edging shall be Grade 25 strength concrete.

PSMK3.9 BEDDING MATERIAL

PSMK3.9.1 Concrete Bedding

Concrete for bedding and backing of pre-cast kerbs, channels and edging shall be Mix 15 concrete.

PSMK5 CONSTRUCTION

PSMK5.1 EXCAVATION AND BEDDING

The bedding shall have a minimum thickness as specified on the drawings or 50 mm, whichever is the greatest, after compaction. The required additional bedding, and/or the required depth of excavation into the completed sub base or subgrade (as the case may be), will depend on the thickness of the base course and the pavement surfacing and the type of kerbing and channelling to be constructed.

PSMK5.2 KERBING, CHANNELLING AND EDGING, ETC. (Sub clauses 5.2, 5.4 & 5.11)

The concrete kerbing and channelling, edging and transitions shall be constructed as shown on the relevant drawings.

PSMK5.2.1 Expansion Joints (Sub clause 5.2)

Expansion joints of width 12 mm minimum to 15 mm maximum shall be provided at intervals not exceeding 10 m and filled with foamed polystyrene or similar joint filler.

PSMK5.14 KERB LETTERING FOR PERMANENT DUCT MARKERS (Sub clause 5.10 of SANS 1200 LC)

The position of cable ducts under the street carriageways shall be marked on the kerb face by means of special precast marker kerbs manufactured for such purpose with letters recessed 6 mm deep in the concrete surface during casting of the kerb.

The following letters shall be used:

E for an electrical cable duct or group of ducts; and

T for a TELKOM (telecommunications) duct or group of ducts.

The letters shall be 51 mm Series C capital letters to the SA Road Traffic Signs Manual.

During construction of the kerbing, the Contractor shall excavate behind the kerbing and expose the ends of ducts. The marker kerb shall be placed in such a way that the relevant letter sits within 150 mm directly above the centre line of the duct or group of ducts.

As and when required, one or more 300 mm or 500 mm long units shall be laid adjacent to the marker kerb.

The top edge of all channels shall be between null (0) and fifteen millimetre (15 mm) below the top of the adjacent bituminous surfacing."

PSMK8 MEASUREMENT AND PAYMENT

PSMK8.1 BASIC PRINCIPLES

PSMK8.1.2 Bedding

The tendered rate for concrete kerbing and channelling, edging and transitions shall include all costs for the construction of the bedding as specified in Section MK and Sub clause PSMK 3.9 and PSMK 5.1.

PSMK8.1.3 Expansion Joints

The tendered rate for concrete kerbing and channelling, edging and transitions shall include all cost for the construction of expansion joints as specified in Sub clause PSMK 5.2.1.

PSMK8.2.6.1 Transition Sections.....Unit : No

Transition kerbs and channels will be measured by the number and according to the type described in the schedule.

The tendered rate shall cover the cost of all labour, materials and things necessary for the construction of the transition as specified.

Note: Transition kerbs and channels shall not be measured and paid for as an extra-over on normal kerbing and channelling. The inlet kerbs at side-inlet catch pits and the inlet-channel at catch pits are measured for payment with the storm water catch pit according to type and nominal size of the catch pit.

PSMK8.2.15 Kerb Cable Duct Markers

Lettering on kerb face:

a) For Electrical ducts..... Unit : No.

b) For Telkom ducts..... Unit : No.

The unit of measurement shall be the number of kerbs installed as specified. The tendered rate shall include all costs for the installation of the marker kerb and the installation of kerb sections shorter than 1,0 m as specified under Sub clause PSMK 5.14, extra-over and above the costs for the installation of kerbing and edging as measured in the Schedule of Quantities.

PSMM ANCILLARY ROADWORKS (Not Applicable)
(Applicable to SANS 1200 MM – 1984)

PSMM3 MATERIALS

PSMM3.2 ROAD SIGNS

PSMM3.2.1 General

Add the following to MM3.2.1:

All road signs and road markings shall be in accordance with the SA Road Traffic Signs Manual and as shown on the drawings.

No special breakaway devices are required.

PSMM3.2.2 Structural Steel

Substitute the second paragraph of MM3.2.2 with the following:

All structural steel, including steel tubes, shall have a hot-dip (galvanized) zinc coating that complies with the requirements of SANS 763 for coatings of type A1 or B1 articles, as applicable.

PSMM5 CONSTRUCTION

PSMM5.2 ROAD SIGNS

PSMM5.2.1.6 Galvanizing

Substitute the second paragraph of MM5.2.1.6 with the following:

Galvanized mild steel supports for road signs shall be painted in accordance with MM5.2.2.4.

PSMM5.2.2 Painting

PSMM5.2.2.4 Painting of structural steelwork

The provisions of MM5.2.2.4 shall apply mutatis mutandis to the painting of galvanized surfaces, except for the following:

a) Surface preparation

Galvanized surfaces shall be thoroughly scrubbed down using an approved galvanized iron cleaning agent to remove all traces of the resin protective coating.

The surface shall be washed down and scrubbed to remove all traces of grease, oil, dirt, etc;

b) Priming

Two coats of calcium plumbate primer shall be applied to a dry film thickness of at least 25 microns. The undercoat shall follow within one week after the priming.

c) Finishing coat

The colour of the finishing coat shall be dark grey, as specified in MM3.2.8.2.

PSMM8 MEASUREMENT AND PAYMENT

PSMM8.3.1 Sign faces with painted background and symbols Unit : m²

Add the following to MM8.3.1:

No additional payment shall be made for the aluminium extrusions for road signs and all relevant costs shall be deemed to be covered by the tendered rates for such road signs.

PSMM8.4.1 Non-reflectorized paint applied at nominal rate of 0,42/m² Unit : m or m²

Add the following to MM 8.4.1:

No additional measurement and payment shall be made for "(e) Traffic island markings" and payment shall be made under the appropriate rates of payment item MM 8.4.1.

PSX1 N E W W E I G H B R I D G E (Not Applicable)

PSX1.1 SPECIFIC REQUIREMENTS

- The low profile weighbridge platform will measure 12m x 3m and be suitable to weigh up to 60 000kg as follows: 0kg – 60 000kg x 20kg.
- Weighbridge deck profile to be approximately 300mm from loadcell base plate to top of weighbridge deck
- Weighbridge to be a welded construction design and structure should not deflect more than 10mm under ultimate load.
- Installation will be above ground. All bumper-stop arrangements to be imbedded within the weighbridge superstructure and should not protrude the 22m x 3m surround of the weighbridge.
- Weighbridge top plate to be no less than 8mm thick Grade 350 WA certified steel. Superstructure beneath weighbridge to be totally welded shut with min 6mm deck plate.
- Weighbridge deck to have access plates to loadcells
- All girders shall be bolted together with high tensile steel machined bolts and heavy steel spring washers
- Superstructure to be constructed from Grade 350 WA Certified steel
- Weighbridge superstructure must be locally designed and manufactured
- Weighbridge superstructure to be provided with a 3 year guarantee against steel fatigue and welding failures
- Galvanised surrounds to be fitted to deck

PSX1.2 PAINT FINISH

Typically:

- Sandblast to SA 2.5 of weighbridge superstructure
- Painted/coated with a Zinc rich primer
- Final coat with Sigmafast 210

PSX1.3 LOADCELLS

- HBM Loadcells to be min. of 30 000kg capacity with OIML Approval
- Maximum of 10 (ten) loadcells to be provided for weighbridge platform
- A pivoting rocker-pin arrangement is to be used. The lower bearing surface of the loadcell must be properly sealed and an anti-rotation device must be provided which will not influence any weighing results
- Constructed from Stainless Steel and rated IP68
- Loadcell to be hermetically sealed to prevent internal component corrosion
- Loadcells to be provided with a factory guarantee of 3 years against lightning. Letter confirming this fact from the loadcell manufacturer shall be supplied with the Tender.
- Supply country of origin of the loadcell including the length of time you have been a supplier / agent of the specific loadcell tendered for
- Loadcells will perform accurately under all types of weather conditions i.e. being dry, wet and or high humidity

PSX1.4 INSTRUMENTATION

- Must be NRCS approved for the use in trade
- SYSTEC IT1 Indicator to be locally manufactured with spares readily available
- NRCS approval of complete design to be provided
- Bright red LED display (min 20mm) letters
- Provided RS232 output to PC

PSX1.5 CALIBRATION AND CERTIFICATION

- Weighbridges shall be calibrated by the weighbridge supplier in accordance with the Trade Metrology Act 77 of 1973 and **SANS 1649:2014** with no third party involvement.
- The Weighbridge will be calibrated to capacity.
- The Employer will bear witness to the calibration procedure.
- The Employer will not supply make-up mass. This will be supplied by the weighbridge supplier

PSX1.6 INSTALLATION

- Installation and calibration of the weighbridge will be provided for by the weighbridge manufacturer and no third party involvement
- Installation to be done by trained staff members of the weighbridge manufacturer
- Installation to be done on working days and during normal working hours

PSX1.7 LIGHTNING PROTECTION

- All instrumentation, PC's, communication channels and printers shall be isolated and protected against lightning strikes
- All loadcells will be protected against lightning with a 3 year guarantee
- Earthing will be done as per loadcell manufacturer's specification

PSX1.8 APPLICATION SOFTWARE

- System must include a PC with weighbridge Weighsuite software, printer and UPS.
- Software should offer complete weighbridge and management capabilities.

PSX1.9 GENERAL

- Supplier must be SANAS accredited to calibrate weighbridges up to and including 60 Ton up to capacity
- Supplier must own a test truck with lifting and rigging equipment
- Supplier to provide SANAS accreditation to indicate compliance to scope of supply
- Offer must include:
 - Installation
 - All civil works
 - Training

PSX2 M E C H A N I C A L E Q U I P M E N T (Not Applicable)

STANDARDS APPLICABLE TO MECHANICAL EQUIPMENT (Inclined Conveyor):

SANS 10064	- The preparation of steel surfaces for coating
SANS 1431	- Weldable structural steels
SANS 1700	- Fasteners
SANS 121	- Hot dip galvanized coatings on fabricated iron and steel articles
SANS 1804	- Induction Motors
SANS 1313	- Conveyor belt idlers
SANS 1366	- Steel cord reinforced conveyor belting
SANS 1669	- Conveyor belt pulleys

PSX2.1 GENERAL

Notes

The detail specification together with all other documentation such as the Conditions of Contract, the Standard Specifications, and all other schedules and drawings as described, constitute the Specification and will be the basis of this Contract.

“Contractor” refers to the successful tenderer.

Scope of Work

The work to be performed under this contract includes the design, manufacture, supply, delivery, erection, testing and commissioning of the items listed below. All items must be tendered for, and the Council will appoint contractors for any one or more items at the Council’s sole discretion.

PSX2.2 PROPOSED LAYOUT AND PROCESS DESCRIPTION

PSX2.2.1 STRUCTURES

PSX2.2.1.1 Steel Structures

The manufacture, supply, transport, and installation of all structural and plate steelwork will be in accordance with the General Specifications of this document.

All necessary support structures for equipment as specified in this document and shown on the drawings attached are to be sized and designed to accommodate the expected static and dynamic loads. The selected structural members and the design shall ensure a highly rigid and sturdy construction is provided for. The structure shall be adequately supported to prevent excessive vibration and / or deflection under dynamic load conditions.

A suitably specified corrosion protection application can be offered and the technical details and suitability of the application, demonstrated in the offer. Notwithstanding, all steel work will be in accordance with the Standard Specification.

PSX2.2.2 INCLINE CONVEYOR

The incline conveyor must be designed to convey tailings from source separated waste with a variable bulk density and moisture content. This conveyor will have an in-feed chute designed for easy manual loading of the tailings material with shovels or similar.

The conveyor will have a width of at least 500mm and be inclined at ± 20 degrees to horizontal. The Incline Conveyor must be head pulley driven type and access to the motor and gearbox must allow for maintenance. The conveyor will be equipped with a complete electrical drive system (fixed speed) and be specified to provide an optimized operational belt speed of 500mm per second (0.5m/s). The conveyor side walls must be no less than 300mm high measured from the belt. The conveyor belt must be a solid woven construction which is impregnated with PVC and is SABS approved. Alternative belt materials will be considered with motivation. Consideration will be given to the option of a belt with V-shaped mouldings (integral part of belt) standing proud of the belt, which may assist in preventing roll-back and control of liquid from the tailings material being conveyed.

The conveyor structure will allow for the conveyor to be manually moved by hand on two tracks affixed or casted into the concrete floor. These rails will be of a standard "angle" section suitably sized to have solid steel castors / wheels with matching groove profile run freely. The whole conveyor will be able to move back into the sorting building such that roller shutter doors can close off the area adjacent to the sorting building.

When in operation, the conveyor will be positioned such that the discharge point protrudes through the aperture in the wall as described, and such that the tailings being discharged will fall into the centre of the skip below.

The conveyor must further be supplied complete with local stop / start buttons and emergency stop pushbuttons at floor level which are easily accessible.

Access to maintenance areas must be unobstructed and easy for personnel to reach and safely carry out maintenance work.

The conveyor will be fitted with a spring-loaded (or similar) automatic tension reel for the electrical supply cable. Alternative proposals to ensure the electrical supply cable is taught and not dragged on the floor during the process of moving the conveyor will be considered.

PSX2.2.3 BATTERY LIMITS

There is no mechanical interfacing with existing equipment and is considered green fields for the purposes of this tender.

Electrically, the termination box, control panel or junction box where the main power cables terminate, is considered the limit of supply as it relates to this tender. The contractor will not be required to implement the electrical scope which involves the termination of drive cables to the MCC, hardwire interlocking of equipment etc. However, all electrical, control and instrumentation required for the operation of an equipment item, is deemed part of the supply of the equipment offered, unless expressly stated otherwise in the offer.

The contractor must provide a Control Philosophy which states how certain equipment interlocks with other equipment for the purposes of safety and process requirements, where applicable.

The Control Philosophy provided will be used by the Electrical contractor to wire the plant as required.

Civil Works do not form part of this scope and any work required in this regard falls under a separate contract.

PSX2.2.4 PRE AND POST AWARD OF TENDER TO CONTRACTOR

PSX2.2.4.1 Drawings

The layout drawings provided are illustrative and for reference purposes only. The drawings are not manufacturing drawings and the dimensions, steel sections, structural design etc. are only sufficient for tendering purposes and to demonstrate the concept.

Due allowance must be made in the tender for such items not shown or detailed on the drawings but which are nevertheless necessary for proper execution and implementation of the works and operation of the system.

The Contractor shall submit for approval upon being awarded the tender the following:

a. General Arrangement drawings

General arrangement drawings shall include positions, sizes, dimensions and masses of major pieces of equipment.

b. Mechanical drawings

Upon the award of the contract, to prevent any delays in manufacturing, it is essential that the successful Contractor submits the following drawings well in advance:

- > General arrangement drawings of the equipment
- > Detail mechanical drawings / equipment data sheets

The Contractor shall submit to the Engineer two prints of manufacture/erection drawings for approval. The Engineer requires two weeks from the date of receipt to check these drawings. Drawings shall be submitted in sufficient time to permit the Contractor to meet his fabrication programme, since no claim for extension of the contract will be considered should drawings not be submitted timeously.

Should the drawing indicate work which does deviate from the specification and is not pointed out, the Engineer reserves the right to amend such workshop drawings at any stage when the deviation is discovered, i.e. even after installation, at the Contractor's expense.

It is the Contractor's responsibility to ensure that all drawings conform to the specification and to correct any errors, omissions or deviations. If manufacture drawings differ from the specification, the Contractor shall make specific mention of each deviation in a letter accompanying the submission, giving the reasons for the deviations and any cost implications, if any. The Consulting Engineer reserves the right to turn down a claim if not submitted as per this clause.

Where it is necessary to consider the building, mechanical and electrical details of the project when compiling workshop drawings, the Contractor must obtain information from the Engineer.

The accuracy and practicability of all shop dimensions necessary for the manufacturing and installation of the equipment remains the responsibility of the Contractor. Approval of submitted information shall not be construed as a complete check and shall not relieve the Contractor of his responsibilities as defined elsewhere.

PSX2.2.4.2 Operating and Maintenance Manual

Two sets of complete operating and maintenance manuals, including "as built" or "as installed" drawings shall be supplied to the Engineer before commissioning commences.

PSX2.2.4.3 Inspection, Testing and Commissioning

The contractor will be responsible for testing and commissioning of his machinery and shall demonstrate to the satisfaction of the Engineer that the equipment is performing as specified. Testing and commissioning data sheets will be made available to the Engineer upon request. Commissioning of the plant as a whole will be done upon completion of all sub-tasks and final approval will only be issued once this commissioning phase has successfully been completed.

PSX2.2.4.4 Maintenance Period

The Contractor shall comprehensively maintain the installation for the duration of the guaranteed period of twelve months (12 months).

PSX2.3 STANDARD SPECIFICATION FOR MECHANICAL MATERIALS AND EQUIPMENT

PSX2.3.1 Galvanising

As the highest quality finish is required careful handling of the items is required both during the galvanising process stacking and transport.

All galvanised material shall be passivated and free from white rust when it is erected.

All fabricated mild steel components shall be galvanised after manufacture.

Hot-dip galvanising shall be done in accordance with SANS 121 and the following shall apply:

- (a) Coatings shall be to the thicknesses detailed in the Standard.
- (b) Damage to hot-dip galvanising caused by welding, grinding, etc. is not acceptable. Repair to hot-dip galvanising damaged by handling or transport shall be done by cleaning the area and applying 3 coats of a zinc rich primer giving a dry film thickness of at least 100 µm and containing at least 94% zinc in the dried film. If the Engineer considers that damage is excessive, such items shall be replaced by the Contractor without cost to the client.
- (c) Welding after hot-dip galvanising is not acceptable.

The Contractor shall supply a galvaniser's guarantee or test certificate prior to installation.

PSX2.3.2 Nuts, Bolts and Fasteners

Nuts, bolts and other fasteners for the assembly and installation of fabricated components and standard flanges other than anchor bolts shall be hexagon head type and comply with the requirements of SANS 1700 with ISO threads of the coarse pitch series. Fastener material shall always be of equal or better corrosion resistance or coating than the items being fastened.

Washers of similar materials to the bolts shall be provided at each nut and the use of multiple washers will not be accepted. Spring washers together with flat washers shall be fitted to all nuts subject to vibration. Bolts shall project not less than 3mm and not more than 8mm from the heads of nuts after tightening. Projections on individual and common flange sets shall be identical.

High tensile bolts shall only be used where essential and shall be coated to the approval of the Engineer. Where the possibility of galvanic action may occur, non metallic sleeves and washers shall be provided.

Brackets and other mountings shall preferably be affixed to concrete walls and structures with cast in anchors. Where this is impracticable approved stainless steel 304 or 316 'wedge' anchors will be provided and installed by the Contractor including all drilling. The Contractor shall clearly indicate on his drawings submitted to the Engineer the minimum reinforcement cover required to accommodate these anchors.

After installation the exposed surfaces of bolts not made of 316 stainless steel shall be coated as for the items being fastened. If the use of Allen head or similar fasteners has been approved by the Engineer, the recessed heads shall be filled with a suitable non-hardening sealing compound.

All anchor fasteners shall be of grade 316 stainless steel.

Where machinery is anchored by studs or bolts which extend through the supporting structure and is therefore fastened down with the use of nuts from both sides, these, together with associated washers and brackets, shall also be of grade 316 stainless steel.

A small amount of a nickel-based, anti-seize compound shall be applied along the full length of fastener threads before the nut is applied.

PSX2.3.3 Structural Steelwork and Mild Steel Fabrication

Steelwork shall be constructed, fabricated and erected in accordance with SABS Standard Building Regulations, Chapter 6, "Structural Steelwork", and with SANS 1200 H where applicable for use in the manufacture of trusses bridges, ancillary structures, and general mild steel fabrications.

In addition to the weld requirements for structural strength on welded connections a sealing weld shall be run the full length of each connection to provide corrosion protection. Where in the opinion of the Engineer seal or continuous welding may create unacceptable distortion an approved method of sealing interstices at connections and between weld runs prior to corrosion protection may be considered.

Weld spatter and other protrusions shall be removed. Sharp edges shall be rounded to a radius of at least 2mm.

PSX2.3.4 Requirements for Corrosion Protection

Surfaces must be accessible for surface preparation and coating. Inaccessible pockets and open hollow sections and similar hidden surfaces shall not be permitted unless the corrosion protection system specified for the fabrication is hot-dip galvanising without painting.

Pits, undercuts, indentations, etc. which would prevent access to blast material are unacceptable. Detailed fabrication drawings shall be submitted by the Contractor for approval by the Engineer. Full details of the welding procedures and standards which he proposes to use shall be shown on these drawings.

PSX2.3.5 Welding

The following welding standards shall apply:

BS EN 1011 - Arc welding carbon and carbon manganese steelwork.

Welders shall be experienced competent artisans approved in accordance with BS 4872.

Welding shall be continuous on all sides of any joint. All crevices, including those arising from welding on one side only, shall be eliminated. This requirement applies to the welding of all metals.

Site welding shall be kept to a minimum and shall only be undertaken with the approval of the Engineer.

PSX2.3.6 Assembly, Transportation and Installation

All fabricated components shall be trial assembled at the manufacturer's works prior to application of the corrosion protection system. Sub or complete assembly of components of items of plant and equipment shall as far as is practicable with regard to transportation be undertaken at the manufacturer's works prior to shipment to site.

All fabricated components shall be adequately protected against damage during transport using wooden crates, supports and protection at lifting points.

Trucks and trailers used for the transportation of plant equipment and fabricated components shall be of a type suitable for the configuration of the load and be adequately rated. The packing of components shall be undertaken using timber bearers and packers which shall prevent damage to components and the corrosion protection system. All equipment shall be secured in position using chains and/or hawsers with packers for protection.

Final assembly at site prior to installation shall preferably be carried out under cover on firm level foundations or slabs. Where this is not practicable an area shall be prepared levelled, compacted and paved. Fabricated equipment and components shall be supported on robust trestles and shall be offered into position using adequately rated hoists and/or cranes.

Where mobile cranes are required for the installation of plant and equipment it shall be adequately rated for the duty, due consideration being given to support and wind conditions. The selection of the crane capacity shall be approved by the Engineer before the crane is brought onto site. Lifting of plant and equipment shall preferably be undertaken using nylon slings and ropes.

Plant and equipment shall be installed into position and accurately levelled using stainless steel shims prior to grouting in of foundation bolts. The initial alignment of all couplings shall be undertaken at this stage. After grouting in of foundation bolts the final alignment and levelling of the plant, equipment, couplings and components shall be undertaken and the foundation bolts tightened to the required torque. Final grouting of foundations and base plates shall then be completed. All shims shall be accommodated within base plates so as not to project into the grout.

Cutting and welding of fabricated components shall not be permitted in situ, except where the closures are specifically designed for site fitting. Where modifications are required they shall be carried out in the manufacturer's works or, subject to the Engineer's approval, in an adequately equipped site workshop. Damage to corrosion protection systems shall be repaired immediately. Where closures are provided in the design of pipe work and structural systems they shall be cut and tack welded in situ, with final welding and finishing undertaken in the workshop.

PSX2.3.7 Corrosion Protection

Before coating, all new steel surfaces shall be abrasive blast cleaned to a 40-65 µm surface profile with preparation grade of ISO-Sa3 in accordance with ISO 8501. The abrasive shall comply with SANS 10064 and shall be free from all traces of oil, grease, foreign matter and corrosive contaminants such as chlorides, etc. The blasted surface shall be degreased as required.

The suppliers and manufacturers of all paints shall be approved by the Engineer.

All materials used shall be of the highest quality and in accordance with the paint manufacturer's requirements. Particular care shall be taken to ensure compatibility of all materials and coatings used with others forming part of the corrosion protection system.

All paints used for a particular coating system shall be obtained from the same supplier and be mutually compatible. Where the specification refers to a generic description only constituents from the group shall be incorporated unless specifically approved by the Engineer.

Paints shall not be applied over any surface containing grit, grease, oil, loose rust mill scale or any contaminants or corrosion products. All surfaces shall be moisture free.

Welds and adjacent parent metal shall be smooth and all weld spatters removed. Sharp edges shall be avoided and where they are evident the removal shall be effected by grinding to a radius of not less than 3mm.

The method of application of paint shall be approved by the Engineer before commencement of application.

The finish on painting systems shall be smooth and free from runs, wrinkles, surface defects, overspray and dust contamination. The specified finish shall be uniform across the complete painted surface.

The paint manufacturers over coating times and specific instructions relating to application, thinning, spraying equipment, curing periods and humidity limitations shall be strictly adhered to.

Tests shall be carried out by the Engineer during surface preparation and material application and on completion of installation of equipment to ensure compliance with the Specification and to ensure a pin-hole free coating system where applicable. Testing procedures shall comply with recognised standards and/or test methods. Further tests may be carried out on materials and/or applied materials at an independent testing laboratory selected by the Engineer. The Contractor shall supply all the necessary calibrated equipment and instruments for carrying out these tests where applicable.

PSX2.3.8 Conveyor Requirements

The type of MSW, recyclables or co-mingled recyclables to be conveyed will vary in consistency and density, which will be affected by factors such as the source of waste, the quantity of recyclable waste removed and moisture content etc. The Contractor shall make adequate allowance in the design of Conveyors for such variables in order to achieve the following parameters:

Generally the waste to be conveyed may be loose or may have been compacted to a degree by the refuse collection vehicles.

The conveyor shall be designed to efficiently collect all the material discharged onto the belt within the skirted and / or troughed roller zone. As such, the conveyor must be designed for the type of material and application prevalent.

The conveyor shall deposit the material at the discharge end cleanly into the receiving container / conveyor as may be applicable. No material shall adhere to the outside or the inside of the belt. The spillage of material from the end and sides of the belt or around the discharge point will not be acceptable.

Elevated inclines of the belt exceeding 15 to the horizontal may be equipped with flights (or similar) to avoid the possibility of any material roll back. This incline may be reviewed by the Engineer, depending upon the waste being conveyed.

The design, manufacture and application of the conveyor shall comply with Conveyor Equipment Manufacturer's Association (CEMA) Standard No.402. Conveyor components shall comply with SANS 1313, SANS 1669 and SANS 1366, all as applicable

Conveyor Framework

The structural framework for the conveyor shall be constructed from rolled steel sections, sized to suit the application and suitably braced and welded together. The whole conveyor framework shall be manufactured in bolt-together sections suitable for hot dip galvanising and supported on legs spaced at not more than 3m centres / intervals along its length.

The supports for the conveyor framework assembly shall be designed to adequately accommodate all static and live loading, and adequate clearance shall be allowed for beneath the conveyor for cleaning purposes.

The framework shall be designed as a rigid assembly to accurately accommodate all the conveyor components such as the belt, end pulleys, troughed rollers (when applicable), return idler rollers, belt scrapers, a belt take up device, gearbox, motor, guards, chutes, holding down bolts and all safety equipment.

The structural steelwork as described above shall be constructed from standard hot rolled sections and plate suitably welded and bolted together.

An emergency trip wire and cut out switch must be provided. The trip wire must extend along the entire length of the conveyor on both sides.

Idlers & Pulleys

Idlers shall be of a non-corrosive abrasion resistant material. All idlers shall have pre-lubricated sealed for life roller or ball bearings and details of the bearing sealing arrangement shall be provided with the tender. Head and tail pulleys shall be flat and shall be fabricated of mild steel (SABS approved), rubber lagged or shall be of cast iron or carbon steel and neoprene coated in both cases. Pulleys shall have a minimum diameter of 200mm and be fitted with taper lock bushes. Shafts shall be of mild steel, SABS approved and adequately sized and bearings selected for an L10 life of 100 000 hours.

All idlers must be mounted in such a way as to facilitate easy removal and replacement.

The pulley shafts shall be supported by spherical roller bearings designed for an L10 life exceeding 100 000 hours. The bearings shall be mounted in cast iron bearing housings. Bearing housings shall fully enclose the bearing and open type integral bearing units are not acceptable even if shielded bearings are used. All bearing housings shall be sealed and fitted with grease points piped to a convenient easily accessible block on which nipples shall be fitted. Individual grease pipes shall be provided or, alternatively, positive displacement distribution blocks shall be fitted.

"Take ups" shall be of the protected screw type with a minimum adjustment range of 350mm. The screws are to be of galvanised mild steel.

Conveyor Belt

The belt shall be selected to provide a suitable life under the expected conditions and shall be of a woven carcass with multiple ply type. It shall be fusion joined in the factory to form a continuous length or a suitable bonding method used for splicing the belt. In the latter case, the engineer shall approve such a procedure before implementing. A facility shall be provided to enable adjustment of the tension of the belt. When used with materials other than normal MSW, the belt material and construction shall be selected for the particular duty concerned and approved in writing by the Engineer.

The belt shall be a solid woven reinforced synthetic rubber (PVC) conveyor belt selected to safely accommodate the conveying loads imposed by a fully loaded belt over the entire length.

The belt width shall suit the duty but shall not be less than 450 mm with at least 2 plies, and with 1,5mm minimum thickness of covering to both sides (if the belt is not of the solid woven reinforced synthetic rubber type). Alternatives may be offered. Vulcanised splicing shall be used. The use of clips will be considered, with proper motivation.

Conveyor Drive

The drive unit shall preferably be of the shaft mounted torque arm gearbox type with motor and gearbox being a combined unit, and mounted directly on the drive pulley shaft. The gearbox shall be selected for continuous operation with a power service factor of not less than 1.5. All bearings shall be designed for an L10 life of not less than 100 000 hours. A sight glass for observing the oil level shall be provided and shall be of a type which cannot be easily broken accidentally. Tenderers shall allow for initial fill of lubricants and for draining, flushing and refilling after an initial bedding in period of not longer than 3 months. Although a shaft mounted direct coupled arrangement is preferred, a chain or belt drive shall comply in all respects with the requirements of this Specification. Jacking screws must be provided for tensioning the drive and a movement of at least 50mm in each direction must be possible.



THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

OCCUPATIONAL HEALTH & SAFETY SPECIFICATION

FOR THE

**UPGRADING OF ROADS AND STORMWATER IN
VARIOUS TOWNS FOR DEPARTMENT TECHNICAL
SERVICES**

VOLUME 4

PREPARED BY:

THEEWATERSKLOOF MUNICIPALITY
P O BOX 24
CALEDON
7230
Tel: (028) 214 3300
Fax: (028) 212 2119

AUGUST 2021



THEEWATERSKLOOF MUNICIPALITY

TENDER NO. ENG 06/2021/22

CONSTRUCTION ENVIRONMENTAL MANAGEMENT PLAN

FOR THE

**UPGRADING OF ROADS AND STORMWATER IN
VARIOUS TOWNS FOR DEPARTMENT TECHNICAL
SERVICES**

VOLUME 5

PREPARED BY:

THEEWATERSKLOOF MUNICIPALITY
P O BOX 24
CALEDON
7230
Tel: (028) 214 3300
Fax: (028) 212 2119

AUGUST 2021