



logistics division

Department:
Defence
REPUBLIC OF SOUTH AFRICA

CPSC/403/1/4/B/001/2025

Telephone: 012 649-6650/91
Fax: 012 649-6687
Enquiries: Warrant Officer W. Ratshilavhi

Department of Defence
(Logistic Support Formation)
Central Procurement Service Centre
Eco-Origin Office Park, Block E
349 Witch Hazel Avenue
Eco Park, Centurion
0157

28 May 2025

Sir/Madam

BID CPSC/B/001/2025: OUTSOURCING OF SERVICE PROVIDER FOR THE RESIZING OF COLD WEATHER JACKETS AND COVERALLS FOR THE MILITARY SKILLS DEVELOPMENT SYSTEM (MSDS) INTAKE OF 2025 AT SOUTH AFRICAN ARMY HEADQUARTERS

**REQUIRED BY: SOUTH AFRICAN ARMY HEADQUARTERS
CLOSING TIME FOR BID 11:00 AM ON 06 JUNE 2025**

NB: BIDDERS ARE ENCOURAGED TO NUMBER THE PAGES OF THE TENDER/BID (EG 1 OF 100) AND TO MAKE COPIES OF THE ENTIRE BID DOCUMENT

1. You are hereby invited to furnish this Department with a bid for the supply of the above-mentioned items as per attached documents. The documents, you should be in possession of are; This Cover Letter, SBD 1, SBD 3 (Pricing Schedule), Group Questionnaire, Specification (if applicable), SBD 4, SBD 6.1, Sub-Contractor Form and Vetting and Screening.

2. **THE FOLLOWING CONDITIONS MUST BE STRICTLY ADHERED TO; FAILURE TO ADHERE TO ALL THE CONDITIONS LISTED BELOW WILL INVALIDATE YOUR BID:**

- a. Bidders are requested to complete all Standard Bidding Documents (SBD's) in full.
- b. Please note that any scratches or using of tippex is not allowed on the pricing schedule or SBD 3.
- c. A Group Questionnaire must be submitted with the bid documents and be fully complete. Failure to fully complete the group questionnaire will invalidate the bid.



Lefapha la Boiphemelo . Umnyango wezokuVikela . Kgoro ya Tshireletso . iSebe lezoKhuselo . Department of Defence . Muhasho wa Tsiriledzo
UmNyango WezokuVikela . Ndzwulo ya swa Vusirehleri . Lehapha la Tshireletso . Departement van Verdediging . LiTiko leTekuvikela

RESTRICTED



BID CPSC/B/001/2025: OUTSOURCING OF SERVICE PROVIDER FOR THE RESIZING OF COLD WEATHER JACKETS AND COVERALLS FOR THE MILITARY SKILLS DEVELOPMENT SYSTEM (MSDS) INTAKE OF 2025 AT SOUTH AFRICAN ARMY HEADQUARTERS

3. The conditions contained in General Bid Conditions (GBC), General Conditions of Contract (GCC) and all the attached forms will apply to your Bid.

4. Kindly bid by completing the relevant forms, redirect to the **DEPARTMENT OF DEFENCE, LOGISTIC SUPPORT FORMATION, CENTRAL PROCUREMENT SERVICE CENTRE** to reach the bid receipt office not later than the closing date and time, or deposit in the bid box in the security office at the **Main Entrance Central Procurement Service Centre, Eco-Origin Office Park, Block E, 349 Witch Hazel Avenue, Eco Park, Centurion** before the closing date and time.

5. Please note that the bid box will be closed daily between 11:00am and 12:00am. Bids can be handed in at the CPSC Bid Receipt Section Ground Floor during this period. However, if the bid is late it will as a rule not be accepted for consideration.

6. The following persons can be contacted regarding the following aspects of this Bid only during office hours:

a. **Completion of Bid Document:** **Major D.M. Moroka (012) 649-6610/6644.**

b. **Technical Information:** **Colonel M.S. Mokgosi (012) 355 6364/6665.**

7. Kindly take note that according to Government Gazette No 9544 Vol 552 dated 08 June 2011 No 34350, all bidders must submit their B-BBEE status level certificates together with their bids. Should the certificate not be submitted, a zero (0) point will be allocated.

Yours Sincerely

(CAPTAIN M.G. MMEKWA)

OFFICER COMMANDING CENTRAL PROCUREMENT SERVICE CENTRE: COLONEL



**OUTSOURCING OF SERVICE PROVIDER FOR THE RESIZING
OF COLD WEATHER JACKETS AND COVERALLS FOR THE
MILITARY SKILLS DEVELOPMENT SYSTEM (MSDS) INTAKE
OF 2025 AT SOUTH AFRICAN ARMY HEADQUARTERS**

CPSC/B/PC/...../2025

VALIDITY: 120 Days

CLOSING DATE AND TIME:..... 2025 at 11H00

INDEX

Section A: Bid General Information

Contact Information
Bid Submissions
Standard Bid Documents
Briefing Session (Compulsory briefing session will be held)

Section B: Bid Adjudication Information

Central Supplier Database (CSD) Full Report
Evaluation Criteria
Sub-contractors
Certificates

Section C: Requirement and Contract Information

General Bid Conditions (GBC): Department of Defence
General Conditions of Contract (GCC): National Treasury
Specification

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 2 of 45
---	---	--------------------------	---------------------



SECTION A:

BID GENERAL INFORMATION

Contact Information

Bid Submissions

Standard Bid Documents

Briefing Session (Compulsory Briefing Session will be held)

Prepared by: TSS

Approved by: CCPSC

**AMENDMENT : 000
Original**

DATE : 14/05/2025

Page 3 of 45



CONTACT INFORMATION

1. Technical Information:

Colonel M.S. Mokgosi

Office Tel No: (012) 355 6364/65

Cell Number:

2. Information regarding the Bid Document or Bidding Process:

Major D.M. Moroka

Office Tel No: (012) 649 6610

Fax No: (012) 649 6645

Lance Corporal P.T. Makwana

Office Tel No: (012) 649 6644

3. Contract Management: (After awarding of contract)

Major M.E. Mukhanu

Office Tel No: (012) 649 6714

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 4 of 45
---	---	--------------------------	---------------------



BID SUBMISSIONS

4. Closing period of bid : 5 to 6 weeks
5. Closing date and time :2025 at 11h00
6. Validity of bid :120 days
7. Address for depositing of bid documents:

Street: Central Procurement Service Centre
Eco-Origin Office Park
Block E
349 Witch Hazel Park Eco-park
Centurion

Prepared by: TSS

Approved by: CCPSC

AMENDMENT : 000
Original

DATE : 14/05/2025

Page 5 of 45



STANDARD BID DOCUMENTS (SBD)

SECTION B:

BID ADJUDICATION INFORMATION

Central Supplier Database (CSD) Full Report

Evaluation Criteria

Sub-contractors

Certificates

Prepared by: TSS

Approved by: CCPSC

AMENDMENT : 000
Original

DATE : 14/05/2025

Page 6 of 45

PART A INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE (NAME OF DEPARTMENT/ PUBLIC ENTITY)					
BID NUMBER:	CPSC-B-001-2025	CLOSING DATE:	06 JUNE 2025	CLOSING TIME:	11:00 AM
DESCRIPTION	OUTSOURCING OF SERVICE PROVIDER FOR THE RESIZING OF COLD WEATHER JACKETS AND COVERALLS FOR THE MILITARY SKILLS DEVELOPMENT SYSTEM (MSDS) INTAKE OF 2025 AT SOUTH AFRICAN ARMY HEADQUARTERS				
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)					
Central Procurement Service Centre					
Eco-Origin Office Park, Block E					
349 Witch Hazel Avenue					
Eco Park, Centurion					
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO			TECHNICAL ENQUIRIES MAY BE DIRECTED TO:		
CONTACT PERSON	Captain M.G. Mmekwa		CONTACT PERSON	Colonel M.S. Mokgosi	
TELEPHONE NUMBER	(012) 649-6642		TELEPHONE NUMBER	(012) 355 6364/6665	
FACSIMILE NUMBER	n/a		FACSIMILE NUMBER	n/a	
E-MAIL ADDRESS	mmantwa.mmekwa@dod.mil.za		E-MAIL ADDRESS	n/a	
SUPPLIER INFORMATION					
NAME OF BIDDER					
POSTAL ADDRESS					
STREET ADDRESS					
TELEPHONE NUMBER	CODE		NUMBER		
CELLPHONE NUMBER					
FACSIMILE NUMBER	CODE		NUMBER		
E-MAIL ADDRESS					
VAT REGISTRATION NUMBER					
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No:	MAAA
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE	TICK APPLICABLE BOX] ☐ Yes ☐ No		B-BBEE STATUS LEVEL SWORN AFFIDAVIT		TICK APPLICABLE BOX] ☐ Yes ☐ No
[A B-BBEE STATUS LEVEL VERIFICATION CERTIFICATE/ SWORN AFFIDAVIT (FOR EMES & QSEs) MUST BE SUBMITTED IN ORDER TO QUALIFY FOR PREFERENCE POINTS FOR B-BBEE]					
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	☐ Yes ☐ No [IF YES ENCLOSE PROOF]		ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?		☐ Yes ☐ No [IF YES, ANSWER THE QUESTIONNAIRE BELOW]
QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS					

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. **ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED--(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.**
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. **THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).**

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:

.....

CAPACITY UNDER WHICH THIS BID IS SIGNED:

.....

(Proof of authority must be submitted e.g. company resolution)

DATE:

.....



the sandf

Department:
Defence
REPUBLIC OF SOUTH AFRICA

Request for Bid : CPSC-B-001-2025

Author: W Ratshilavhi
Date: 05/27/2025 11:08:40

PRICING SCHEDULE

Bid No. CPSC-B-001-2025
Document No: 0000571131
Description: OUTSOURCING OF A SERVICE PROVIDER FOR RESIZING OF COLD WEATHER JACKETS AND ONE PIECE COVERALL FOR MILITARY SKILLS DEVELOPMENT SYSTEM INTAKE OF THE YEAR 2025
Currency: ZAR
Closing Date: 2025/06/06 11:00:00
Status: Created
Validity Days:
Document Type: Request for Bid Open
Company Name: Attention:
Tel No:
Fax No:
Cell No:
Email:

No.

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1971	JACKET, COLD WEATHER, CAMOUFLAGE RE-SIZE FROM 99-120 TO 95-80	SA ARMY HEADQUARTERS		Each	
Line Comment		Lead Time	Quantity Required	Quantity Available	
			350		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1978	JACKET, COLD WEATHER, CAMOUFLAGE RE-SIZE FROM 99-120 TO 95-90	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			450		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

2

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1979	JACKET, COLD WEATHER, CAMOUFLAGE RE-SIZE FROM 99-120 TO 95-100	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			150		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

3

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1980	JACKET, COLD WEATHER, CAMOUFLAGE RE-SIZE FRO 99-120 TO 95-110	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			50		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

4

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1970	JACKET, COLD WEATHER, CAMOUFLAGE RE-SIZE FROM 95-130 TO 95-70	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			200		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

5

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1971	JACKET, COLD WEATHER, CAMOUFLAGE RE-SIZE FROM 95-130 TO 95-80	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			600		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

6

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1978	JACKET, COLD WEATHER, CAMOUFLAGE RE-SIZE FROM 95-130 TO 95-90	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			600		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

7

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1980	JACKET, COLD WEATHER, CAMOUFLAGE RE-SIZE FROM 95-130 TO 95-110	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			50		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

8

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1983	JACKET, COLD WEATHER, CAMOUFLAGE RE-SIZE FROM 99-130 TO 99-70	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			200		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

9

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1984	JACKET, COLD WEATHER, CAMOUFLAGE RE-SIZE FROM 99-130 TO 99-80	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			700		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

10

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1985	JACKET, COLD WEATHER, CAMOUFLAGE, RE-SIZE FROM 99-130 TO 99-90	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			700		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

11

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1986	JACKET, COLD WEATHER, CAMOUFLAGE, RE-SIZE FROM 99-130 TO 99-100	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			300		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

12

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1987	JACKET, COLD WEATHER, CAMOUFLAGE, RE-SIZE FROM 99-130 TO 99-110	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			100		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

13

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7797	COVERALL, ONE-PIECE, CAMOUFLAGE, RE-SIZE FROM 59-120 TO 59-90	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			600		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

14

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7780	COVERALL, ONE-PIECE, CAMOUFLAGE, RE-SIZE FROM 59-120 TO 59-80	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			600		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

15

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7797	COVERALL, ONE-PIECE, CAMOUFLAGE, RE-SIZE FROM 59-130 TO 59-90	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			500		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

16

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7797	COVERALL, ONE-PIECE, CAMOUFLAGE, RE-SIZE FROM 59-130 TO 59-80	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			500		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

17

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7806	COVERALL, ONE PIECE, CAMOUFLAGE RESIZE FROM 95-130 TO 95-100	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			400		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

18

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7805	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 95-130 TO 95-90	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			500		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

19

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7804	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 95-130 TO 95-80	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			400		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

20

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7815	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 99-120 TO 99-100	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			400		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

21

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7814	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE 99-120 TO 99-90	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			300		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

22

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7813	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 99-120 TO 99-80	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			200		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

23

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7787	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 55-120 TO 55-70	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			200		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

24

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7789	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 55-120 TO 55-80	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			500		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

25

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7790	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 55-120 TO 55-90	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			500		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

26

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7797	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 95-120 TO 95-90	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			400		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

27

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7796	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 95-120 TO 95-80	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			400		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

28

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7811	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 99-130 TO 99-70	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			150		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

29

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7813	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 99-130 TO 99-80	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			500		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

30

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7814	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 99-130 TO 99-90	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			500		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

31

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7813	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 99-110 TO 99-90	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			200		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

32

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-179-7814	COVERALL, ONE-PIECE, CAMOUFLAGE RESIZE FROM 99-110 TO 99-90	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			150		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

33

Item Code	Item Description	Consumer	Delivery Point	Purchase Unit of Measure	Date Required
18-018-1979	JACKET, COLD WEATHER, CAMOUFLAGE RESIZE FROM 95-130 TO 95-100	SA ARMY HEADQUARTERS		Each	
	Line Comment	Lead Time	Quantity Required	Quantity Available	
			450		
Total Unit Cost in ZAR Currency, Including VAT and ALL Delivery Costs					
Total Cost in ZAR Currency, Including VAT and ALL Delivery Costs					

34

Indicate Lead Time for all Items (Days)

The following conditions are hereby accepted:
"Standard Terms and Conditions" or "General Conditions of Contract" Available on Websites () or attached.
The awarding of the price quotation as determined by (Department of Defence).
The following is hereby certified:
This offer is correct and any mistakes will be at my risk.
I accept responsibility for the execution of all obligations entrusted upon me.
I did not participate in any collusive practices with any other supplier or any other person regarding this price quotation or any other price quotation.
I am duly authorized to sign the price quotation.
The offer is inclusive of value Added Tax

Name: Capacity:

Signature: Date:

Price Firm Y/N		Grand Total Including Vat:	
Do You Accept Government Orders Y/N		Brand & Model	
Comply with Specification Y/N		Delivery Period Firm Y/N	
		If Not, Deviations	

Questionnaires

Questionnaires / Evaluation Criteria

THE 80/20 QUESTIONNAIRE EVALUATION TEMPLATE V2

Questions/s

Level 1: 51% owned by Black Women Military veterans / 51% owned by Black youth / 51% owned by Black people with disability

Level 2: 51% owned by Black Male Military veterans / 51% owned by people with disability / 51% owned by Black Women EMES

Level 3: 51% owned by Women Military veterans / 51% owned by Black Male EMES / 51% owned by Black Women QSEs/51% owned by Women EMES

Options

LEVEL1

LEVEL2

LEVEL3

LEVEL4

LEVEL5

LEVEL6

Level 4: 51% owned by Male Military veterans / 51% owned by youth / 51% owned by any other EMEs/ 51% owned by Black Male QSEs / 51% owned by Women QSEs

Level 5: 51% owned by any other QSEs

LEVEL7

LEVEL8

NON-COMPLIANT

Attachment Description

Attachment File Name

CENTRAL PROCUREMENT SERVICE CENTRE

CLOSING DATE OF BID: **06 June 2025**

BID NUMBER: **CPSC-B-001-2025**

CLOSING TIME OF BID: **11:00 AM**

NAME OF BIDDER: _____

VALIDITY: **120 DAYS**

GROUP QUESTIONNAIRE

Tick the applicable box

Period (in days) required to complete Delivery?

.....
.....

Please state percentage profit before tax?

.....

The Department of Defence Prefers Firm Prices.

Price Firm.

YES ☐

NO ☐

Delivery Period Firm.

YES ☐

NO ☐

Comply to description as requested?

YES ☐

NO ☐

If not, state deviations.

.....
.....
.....
.....

Will a Government Order be accepted?

YES ☐

NO ☐

Are you registered in terms of Section 23 (1) or 23 (3) of the Value Added Tax (Act no.89 of 1999)?

YES ☐

NO ☐

Vat Registration Number:

Company Registration number:

Confirm that in the event of a contract be concluded, it will be in terms of General Bid Conditions and General Conditions of contract, the contents of which you are fully acquainted with. Copies are available from the National Treasury Website (www.treasury.gov.za)

YES ☐

NO ☐

If a trade discount is offered, is it included in the price?

YES ☐

NO ☐

IMPORTANT! Prices not reflected on the official documentation provided as part of this Bid will not be taken into consideration.

PLEASE NOTE THAT PRICES INDICATED IN THIS DOCUMENT WILL BE TAKEN AS BEING VAT INCLUSIVE.

This requirement may be awarded in total to one supplier or per individual item.

The obligation to pay sub-contractors is my responsibility.

YES ☐

NO ☐

It is your responsibility to make a copy of your completed Quotation document. The Department of Defence will not make copies of Bid Documents after the closing date and time. Is this noted?

YES ☐

NO ☐

Has a valid current dated Central Suppliers Database (CSD) Registration Report been submitted? Is this noted?

YES ☐

NO ☐

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest¹ in the enterprise, employed by the state? **YES/NO**

- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

SBD4

2.2 Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? **YES/NO**

2.2.1 If so, furnish particulars:

.....
.....

2.3 Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? **YES/NO**

2.3.1 If so, furnish particulars:

.....
.....

3 DECLARATION

I, _____ the _____ undersigned,
(name)..... in
submitting the accompanying bid, do hereby make the following statements that
I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium² will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.5 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

of the official bid opening or of the awarding of the contract.

- 3.6 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.7 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 AND 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Signature

.....
Date

.....
Position

.....
Name of bidder

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

1.1 The following preference point systems are applicable to invitations to tender:

- the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
- the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 **To be completed by the organ of state**

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the **90/10** preference point system.
- b) The applicable preference point system for this tender is the **80/20** preference point system.
- c) Either the **90/10 or 80/20 preference point system** will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.

1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:

- (a) Price; and
- (b) Specific Goals.

1.4 **To be completed by the organ of state:**

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	
SPECIFIC GOALS	
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- (a) **“tender”** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) **“price”** means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) **“rand value”** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) **“tender for income-generating contracts”** means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) **“the Act”** means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc}
 \text{80/20} & \text{or} & \text{90/10} \\
 \\
 Ps = 80 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right) & \text{or} & Ps = 90 \left(1 - \frac{Pt - P_{min}}{P_{min}} \right)
 \end{array}$$

Where

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$\begin{array}{ccc} 80/20 & \text{or} & 90/10 \\ P_s = 80 \left(1 + \frac{P_t - P_{max}}{P_{max}} \right) & \text{or} & P_s = 90 \left(1 + \frac{P_t - P_{max}}{P_{max}} \right) \end{array}$$

Where

P_s = Points scored for price of tender under consideration
 P_t = Price of tender under consideration
 P_{max} = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
- (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,
- then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below. (Bidders to tick only one relevant column)

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.)

(Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

Status Level	The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Level 1	51% owned by Black Women Military Veterans or 51% owned by Black Youth or 51% owned by Black People with Disability	10	20		
Level 2	51% owned by Black Male Military Veterans or 51% owned by People with Disability or 51% owned by Black Women EME's	08	18		

Level 3	51% owned by Women Military Veterans or 51% owned by Black Male EME's or 51% owned by Women EME's 51% owned by Black Women QSEs	06	16		
Level 4	51% owned by Male Military Veterans or 51% owned by Youth or 51% owned by any other EMEs or 51% owned by Black Male QSEs or 51% owned by Women QSEs	04	14		
Level 5	51% owned by any other QSEs	02	12		
Level 6	Not Applicable				
Level 7	Not Applicable				
Level 8	Non-compliant contributor	0	0		

NOTE: Bidders are to submit Sworn Affidavit to substantiate the preference points claimed. Sworn Affidavit must be signed by legally recognized Commissioner of Oath.

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3. Name of company/firm.....

4.4. Company registration number:

4.5. TYPE OF COMPANY/ FIRM

- ☐ Partnership/Joint Venture / Consortium
- ☐ One-person business/sole propriety
- ☐ Close corporation
- ☐ Public Company
- ☐ Personal Liability Company
- ☐ (Pty) Limited
- ☐ Non-Profit Company
- ☐ State Owned Company

[TICK APPLICABLE BOX]

4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:

- i) The information furnished is true and correct;
- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

NOTE: The Department of Defence reserves the right to verify the truthfulness of the claims (par 4.6 iii)

.....
SIGNATURE(S) OF TENDERER(S)

SURNAME AND NAME:

DATE:

ADDRESS:

.....

.....

.....

DI SEC INSTR/02/2012

**VETTING AND SCREENING
OF PRIVATE COMPANIES
AND INDIVIDUALS
DELIVERING SERVICES TO
THE DEPARTMENT OF
DEFENCE**

QUESTIONNAIRE: PRIVATE COMPANIES

Company Name:

Company Registration Number:

DOD Supplier Code (if already registered with the DOD):

Personal particulars of Company Director(s) (Include copy of RSA Identification and passport document):

.....
.....
.....
.....
.....

Personal particulars of sub-contractor if any (Include copy of RSA Identification and passport document):

.....
.....
.....
.....
.....

Company Physical Address:
.....
.....
.....

Company Postal Address:
.....
.....
.....

Company Core Business:
.....

1. When did the company begin with its operation?

Answer:

2. Does the company have a valid SARS tax clearance certificate? If yes, provide the tax clearance certificate number and the certified copy of the certificate.

Answer:

3. Is the company registered with the Company and Intellectual Property Commission (CIPC)? If yes, provide the registration number and attach a certified copy of the registration certificate.

Answer:

4. Who are the shareholders of the company and what percentage of shares do they each possess?

Answer:

.....

.....

5. What services will be rendered by the company to the SANDF.

Answer:

.....

.....

6. What DOD installations/unit and specific area/section does the company required access to:

Answer:

.....

.....

7. Does the company provide services to other RSA state departments? If yes, provide the names of the departments and the period/s during which service was provided.

Answer:

.....

.....

.....

8. Does the company provide services to foreign governments and/or companies? If so, provide details.

Answer:

.....

.....

9. Has the company been implicated in fraudulent activities? If yes, provide details.

Answer:

10. Has the company been implicated in corrupt practices? If yes, provide details.

Answer:

11. Has the company been implicated in any other criminal activity? If yes, provide details.

Answer:

12. Does the company have the Employment Equity Plan? If yes, provide the Employment Equity Plan as well as the number and composition of the employees. (Only if the company is South African or employs South Africans)

Answer:

13. What is the track record and achievements of the company? Provide details.

Answer:

14. Is the company under investigation by any government security agency? If yes, provide details.

Answer:
.....
.....
.....
.....
.....
.....

15. What known factor could possibly prevent this company from entering into contract with the Department of Defence and Military Veterans or any component thereof and why?

Answer:
.....
.....
.....
.....
.....
.....

Compiled by:

ID: _____ Title: _____ Name: _____

Signature: _____

Important aspects to take note of

- This document must always be accompanied by the profiles of the director(s) of the company as well as their RSA identification and passport documents.
- Always attach the current Financial statement(s) of the company.
- The current and valid SARS Tax Clearance certificate must be attached.
- A Company Profile must be submitted with bid.



CSD FULL REPORT

Prepared by: TSS

Approved by: CCPSC

AMENDMENT : 000
Original

DATE : 14/05/2025

Page 7 of 45



EVALUATION CRITERIA

FUNCTIONALITY CRITERIA

EVALUATION GUIDELINES FOR FUNCTIONALITY

2. **Phase 2 Step 1:** Compliance to functionality and scope of work. Bidders not excluded or invalidated based on Phase 1 **Mandatory Criteria** will be considered for Phase 2. In phase 2 the bids will be adjudicated based on the following criteria with a maximum total of Fifteen (15) points allocated for functionality. Bidders must achieve a minimum functionality score of 70% on Phase 2 to be considered for the next Phases of evaluation. All bidders who score less than 70% on Phase 2 will be excluded from the next two phases (Phase 3 and 4) of the evaluation.

Phase 2 Functionality Criteria:	Total score
Experience	15

Phase 2:Step 1 Functionality Criteria:			Total
	Functionality Criteria		
1	Experience: Bidders shall be evaluated out of total score of Fifteen (15) points for their experience in rendering the required service:		/15
	a. The bidding company will be awarded Fifteen (15) points for providing proof of experience in the Sewing Industry. Such experience should be substantiated by means of awards (e.g. Reference Letter, Details of the client i.e. telephone, name of company/director and address) from the institution where such services had been rendered. Furthermore, Invoices can be attached for more proof (Five (5) or more References to be attached).	/15	
	b. The bidding company will be awarded Thirteen (13) points for providing proof of experience in the Sewing Industry. Such experience should be substantiated by means of awards (e.g. Reference Letter, Details of the client i.e. telephone, name of company/director and address) from the institution where such services had been rendered. Furthermore, Invoices can be attached for more proof (Four (4) References to be attached).	/13	
	c. The bidding company will be awarded Ten (10) points for providing proof of experience in the Sewing Industry. Such experience should be substantiated by means of awards (e.g. Reference Letter, Details of the client i.e. telephone, name of company/director and address) from the institution where such services had been rendered. Furthermore, Invoices can be attached for more proof	/10	

Prepared by: TSS	AMENDMENT : 000	DATE : 14/05/2025	Page 8 of 45
Approved by: CCPSC	Original		



	(Three (3) References to be attached).			
	d. The bidding company will be awarded Seven (07) points for providing proof of experience in the Sewing Industry. Such experience should be substantiated by means of awards (e.g. Reference Letter, Details of the client i.e. telephone, name of company/director and address) from the institution where such services had been rendered (Two (2) and less References to be attached).	/07		
Total Functionality (Bidder must achieve 70% threshold in this criteria)				15

3. **Phase 2 Step 2:** Bidders who have passed functionality **Phase 2: Step 1**, will partake in this phase. During this phase bidders will be provided with sample to resize, only bidders who are successful in resizing the samples will go to the next phase. Shortlisted bidders will be required to collect the Samples from the following address:

**SA Army Headquarters
Salvokop Dequar Road
Salvokop
Pretoria
0002**

Phase 2: Step 2 Functionality Criteria:			Total
	Functionality Criteria		
1	Site Inspection/Samples: Samples from shortlisted bidders shall be evaluated according to the required sizes as per attached specification/scope of work. Bidders must return back the resized samples to the DOD with all the excess (left over) material/fabric.		/08
	<u>Quality and Craftsmanship</u>		
	a. Stitching and seams: even, secure stitching and well-finished seams.	0/1	
	b. Fabric integrity: resizing process did not compromise the fabric's quality or structure.	0/1	
	<u>Fit and Proportion</u>		
	a. Fit: size, shape, and proportions (exact size as per attached size table).	0/1	
	b. Proportion: Sample's proportions are balanced and visually appealing.	0/1	
	<u>Aesthetics</u>		
	a. Symmetry: Check if the resizing has maintained the	0/1	

Prepared by: TSS	AMENDMENT : 000	DATE : 14/05/2025	
Approved by: CCPSC	Original		Page 9 of 45



	item's original symmetry.			
	b. Appearance: Assess if the resized item looks well-finished and visually appealing.	0/1		
	Functionality			
	a. Functionality: Verify if the resized item still functions as intended (e.g., zippers, buttons).	0/1		
	b. Comfort: Evaluate if the resized item is comfortable to wear.	0/1		
Total Functionality (Bidder must achieve 70% threshold in this criteria)				08

The following tables indicates the measurements to be used for respective sizes required:

Table 1-Size range (short body) coverall

1	2	3	4	5	6	7	8	9	10	11
Size design- nation	NSN no	To fit chest sizes	Nominal finished garment measurements, cm							
			Chest circum- ference	Seat circum- ference	Cross back width	Back length of blouse	Sleeve length	Cuff circum- ference	Out- side leg	Inside leg
55-70	181797787	63"72	92	104	38	44	48	31	102	76
55-80	181797789	73"82	102	112	42	46	51	32	105	77
55-90	161797790	83"92	112	120	46	48	53	34	110	82
55-100	181797791	93"102	122	126	50	50	55	35	116	85
55-110	181797792	103"112	132	134	53	52	55	36	118	85
55-120	181797793	113-122	142	145	56	53	55	36	119	86
55-130	181797794	123-132	152	153	59	54	55	37	121	86
59-70	181797795	63-72	92	104	38	44	52	31	112	85
59-80	181797796	73-82	102	112	42	46	55	32	115	87
59-90	181797797	83-92	112	120	46	48	57	34	120	91
59-100	181797798	93-102	122	126	50	50	59	35	125	94
59-110	181797799	103-112	132	134	53	52	59	36	127	95
59-120	181797800	113-122	142	145	56	53	59	36	128	95
59-130	181797801	123-132	152	153	59	54	59	37	130	95

Table 2-Size range (long body) coverall

1	2	3	4	5	6	7	8	9	10	11
Size design-	NSN no	To fit	Nominal finished garment measurements, cm							
			Chest circum- ference	Seat circum- ference	Cross back width	Back length of blouse	Sleeve length	Cuff circum- ference	Out- side leg	Inside leg

Prepared by: TSS	AMENDMENT : 000	DATE : 14/05/2025	
Approved by: CCPSC	Original		Page 10 of 45



nation		chest sizes	Chest circum-ference	Seat circum-ference	Cross back width	Back length of blouse	Sleeve length	Cuff circum-ference	Out-side leg	inside leg
95-70	181797803	63"72	92	104	38	46	48	31	104	76
95-80	181797804	73"82	102	112	42	48	51	32	107	78
95-90	161797805	83"92	112	120	46	50	53	34	112	82
95-100	181797806	93"102	122	126	50	52	55	35	118	86
95-110	181797807	103"112	132	134	53	54	55	36	120	86
95-120	181797809	113-122	142	145	56	55	55	36	121	86
95-130	181797810	123-132	152	153	59	56	55	37	123	86
99-70	181797811	63-72	92	104	38	46	52	31	113	85
99-80	181797813	73-82	102	112	42	48	55	32	117	87
99-90	181797814	83-92	112	120	46	50	57	34	121	91
99-100	181797815	93-102	122	126	50	52	59	35	127	95
99-110	181797816	103-112	132	134	53	54	59	36	129	95
99-120	181797817	113-122	142	145	56	55	59	36	131	95
99-130	181797818	123-132	152	153	59	56	59	37	133	95
Special measurements	181869995									

Table 1 size range (cold weather jackets)

1	2	3	4	5	6	7	8	9
normal National stock Number	Size design-nation	chest						
			Chest circum-ference	Bottom hem circumfer-ence	Back Length	Sleeve length	Sleeve circumf-erence	Cuff circum-ference
180181970	95-70	63-72	96	96	69	69	36.5	27
180181971	95-80	73-82	103	103	72	72	40	28
180181978	95-90	83-92	112	112	74	75	43	29
180181979	95-100	93-102	119	119	76	78	46.5	30
180181980	95-110	103-112	130	130	79	79	49.5	30.5
180181981	95-120	113-122	141	141	81	79	52.5	31
180181982	95-130	123-132	153	153	84	80	55	31.5
180181983	99-70	63-72	96	96	73	74	36.5	27
180181984	99-80	73-82	103	103	76	76	40	28
180181985	99-90	83-92	112	112	78	79	43	29
180181986	99-100	93-102	119	119	80	82	46.5	30
180181987	99-110	103-112	130	130	83	83	49.5	30.5
180181988	99-120	113-122	141	141	85	83	52.5	31
180181990	99-130	123-132	153	153	88	84	55	31.5

Prepared by: TSS Approved by: CCPSC	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 11 of 45
--	-----------------------------	-------------------	---------------



Table 2 – Positioning of size pockets

Sizes	Distance	Sizes	Distance
95-70	39.2 cm	99-70	42 cm
95-80	39.8 cm	99-80	42.6 cm
95-90	40.4 cm	99-90	43.2 cm
95-100	41 cm	99-100	43.8 cm
95-110	41.6 cm	99-110	44.4 cm
95-120	42.2 cm	99-120	45 cm
95-130	42.8 cm	99-130	46.1 cm

3. **Phase 3:** Price.

Phase 3	Price. (The Requirement will be according to the 80/20 principle)	80/20
----------------	--	--------------

4. **Phase 4:** SBD 6.1 Specific goal allocation points (Bidders to tick only one relevant column).

Status Level	The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Level 1	51% owned by Black Women Military Veterans or 51% owned by Black Youth or 51% owned by Black People with Disability	10	20		
	51% owned by Black Male Military Veterans				

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 12 of 45
---	-----------------------------	-------------------	---------------



Level 2	or 51% owned by People with Disability or 51% owned by Black Women EMEs	8	18		
Level 3	51% owned by Women Military Veterans or 51% owned by Black Male EMEs or 51% owned by Women EMEs or 51% owned by Black Women QSEs	6	16		
Level 4	51% owned by Male Military Veterans or 51% owned by Youth or 51% owned by any other EME'S or 51% owned by Black Male QSEs or 51% owned by Women QSEs	4	14		
Level 5	51% owned by any other	2	12		

Prepared by: TSS

Approved by: CCPSC

AMENDMENT : 000
Original

DATE : 14/05/2025

Page 13 of 45



	QSEs				
Level 6	Not Applicable				
Level 7	Not Applicable				
Level 8	Non-compliant	0	0		

5. Thereafter the points achieved are used in the application of the Preference Point System as per the specific goals status Level Certificate.

Prepared by: TSS Approved by: CCPSC	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 14 of 45
--	---	--------------------------	----------------------



CERTIFICATE OF COMPLIANCE BY SUB-CONTRACTOR

**THIS CERTIFICATE MUST BE SUBMITTED WITH THE COMPLETED BID DOCUMENTS
IN THE ORIGINAL BY THE SUB-CONTRACTOR**

BIDDERS NAME: _____

SUB-CONTRACTOR'S NAME: _____

Delete whichever is not applicable.

I/we am/are fully aware of the Bid Requirements and am/are capable of supplying the required item(s)/service(s) strictly according to the Bid Conditions, Special Conditions and Specifications supplied by the Department of Defence. I/we hereby certify that

_____ obtained a quotation from me/us to

supply and deliver the item(s)/service(s) listed in Bid no _____

Section/s _____ on their behalf to the DOD.

I/we further certify that I/we have the necessary infrastructure at my/our disposal to execute the Bid and meet all the delivery requirements for the duration of the contract and will comply with the minimum supply and delivery standards. We confirm that we have seen and will comply with the product specifications.

I/we, the sub-contractor/s have been licensed with the Local Authority and am/are in possession of a Certificate of Acceptability from the Local Authority. (Copy attached/not attached)

I/we, the Sub-Contractor/s hereby authorise the Department of Defence's Officials access to my/our premises for inspection purposes.

Sub-Contractor's Contact Person:

Address of Sub-Contractor: _____

Tel No: _____

Fax No: _____

SIGNATURE OF SUB-CONTRACTOR

WITNESSES:

1. _____

Date: _____

2. _____

Date: _____

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 15 of 45
---	-----------------------------	-------------------	---------------



REGISTRATION AUTHORITY COMPLIANCE

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 16 of 45
---	---	--------------------------	----------------------



SECTION C: REQUIREMENT AND CONTRACT INFORMATION

General Bid Conditions (GBC): Department of Defence

General Conditions of Contract (GCC): National Treasury

Special Conditions of Contracts (SCC): End-User

Specification

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 17 of 45
---	---	--------------------------	----------------------

GENERAL BID CONDITIONS

DEPARTMENT OF DEFENCE

GENERAL BID CONDITIONS
(GBC)

TABLE OF CLAUSES

1. Definitions.
2. Application.
3. Availability.
4. Approved list of bidders.
5. Preparation of bids.
6. Charge for bid documents.
7. Samples.
8. Alternative offers.
9. Partial bids.
10. Bid prices and delivery periods.
11. Validity periods.
12. Closing of bids.
13. Lodging of bids.
14. Open bids or unnumbered envelopes.
15. Opening of bids.
16. Late bids.
17. Consideration of bids.
18. Award of bids.
19. Quantities other than specified.
20. Bidder's incorrect information.
21. Notification of awards.
22. Furnishing of bid information.
23. Amendment or withdrawal of bid.
24. Changed Requirement.
25. Co-ordinated Activities.
26. Contractor's Personnel.
27. Value Added Tax (VAT).
28. Damage Compensation.
29. Waiver.
30. Severability.
31. Sub-contracting.
32. Awarding of the bid.
33. Liability Insurance

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 18 of 45
---	---	--------------------------	----------------------

- 34. Failure to Comply.
- 35. Vetting Form.
- 36. Omitted information.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 19 of 45
---	---	--------------------------	----------------------

GENERAL BID CONDITIONS

1. **Definitions.** Unless inconsistent with or otherwise indicated by the contents, the following terms shall have the meanings assigned to them:

- a. **Acceptance of a Bid.** Means the award of a contract to a bidder in response to his bid or price quotation.
- b. **Bid.** Means a written offer on the official bidding documents forming part of firstly, an invitation to bid, which invitation has been advertised in the Government Tender Bulletin, or secondly, an offer submitted in response to an invitation to submit a price quotation.
- c. **Bidder.** Means any natural or juristic person submitting a bid or a price quotation.
- d. **Closing Time.** Means the date and hour specified in the bidding documents for the receipt of bids or price quotations.
- e. **Department.** Means the Department of Defence and in specific any of its Procurement Entities.
- f. **Firm Prices.** Are deemed to be the prices which are only subject to adjustments in accordance with the actual increase or decrease resulting from the change, imposition, or abolition of customs or excise duty and any other duty, levy, or tax which, in terms of a law or regulation is binding upon the contractor and demonstrably have an influence on the prices of any supplies, or the rendering costs of any services, for the execution of the contract.
- g. **Price Quotation.** Means a written offer sounding in money and reflected on the documentation wherein the offer was invited, duly completed and where necessary signed by or on behalf of the bidder.
- h. **GBC.** Means the General Bid Conditions.
- i. **Written or In Writing.** Means handwritten in ink or any form of electronic or mechanical writing.

2. **Application.** The GBCs are applicable to all Departmental bids and written price quotations, unless otherwise indicated in the bidding documents. Where the conditions in the bidding documents are in conflict with the GBCs, the conditions in the bidding documents shall prevail.

3. **Availability.** Copies of these GBCs are available, on application, from the Secretary for Defence (Attention: Chief of Acquisition and Procurement), Private Bag X910, Pretoria, 0001 or from any of the Department's Procurement Entities.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 20 of 45
---	-----------------------------	-------------------	---------------

4. **Approved List of Bidders.** In the event that an approved list of bidders has been compiled for specific goods or services, bids will only be invited from bidders on such a list.

5. **Preparation of Bids.** Concerning the preparation of bids, bidders are to note the following:

- a. **Expenses.** Unless otherwise indicated in the bid documents, the Department shall not be liable for any expense incurred in the preparation and submission of a bid.
- b. **Bidding Documents.** Bidders are required to make use of the prescribed bidding documents. No changes to the bid documents are to be made.
- c. **Information.** All the information called for in the bidding documents is to be furnished in the appropriate spaces, eg the bid prices. If requested, other information required, pamphlets, samples, etc are to be supplied.
- d. **Address.** A domicilium citandi et executandi shall be chosen in the Republic and stated in the bid.
- e. **Completion of Bidding Documents.** Bidders are to complete the bid documents, forms, certificates, questionnaires and specification forms in all aspects and to submit bids signed in ink of your choice.
- f. **Bid Envelope.** The bid number must not appear on any envelope unless the envelope contains the bid itself. In particular, the bid number must not appear on an envelope containing a request for bid documents.
- g. **Bidder's Own Conditions.** Bids should not be qualified by the bidder's own conditions of bid. Bids qualified by a bidder's own conditions may be rejected as being invalid and failure of the bidder to renounce such conditions when called upon to do so may invalidate the bid. This includes any alterations, erasures, omissions or additions by bidders to the bid documents.
- h. **Submission of Documents.** The bid documents are to be submitted with due consideration to the following:
 - i. The bid documents are not to be retyped or redrafted. Photocopies may be prepared and used, but the original signed document must be submitted with the bid.
 - ii. Bidders must check the number of pages and satisfy themselves that none are missing or duplicated.
 - iii. Bidders must bid in accordance with the requirements stipulated in the bid documents.
 - iv. Bids must be compiled in such a manner that it allows for easy cross-referencing between the bid document and the submitted bid.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 21 of 45
---	-----------------------------	-------------------	---------------

- i. **Documents.** Bidders are to ensure that all required or specified documents are included in their bids.
 - j. **Compliance to Conditions and Specifications.** Bidders are to clearly indicate in their bids that their offers are compliant to the conditions and specification pertaining to the bid. If not, it must be clearly stated where and in which manner their offers are non-compliant to the conditions and specifications.
6. **Charge for Documents.** Where applicable and as required in the bidding documents or advertisement, a non-refundable fee for documents may be charged.
7. **Samples**
- a. The Department shall not make samples available to prospective bidders, unless specifically mentioned in the bid documents;
 - b. When samples are called for in bid documents, samples shall be delivered at the cost of the bidder to the addressee mentioned in the bid documents before the closing time of the bid. Bids shall not be included in parcels containing samples.
8. **Alternative Offers.** In the event that bidders offer products alternative to that called for, bids for such alternative offers shall be submitted on separate copies of the bid documents, but only if bids are submitted for the specified requirement.
9. **Partial Bids.** In the event that bids for supplies and/or sales are called for, bids may be submitted for less than the number of specified items, or part of the specified quantity or requirement called for in the bid.
10. **Bid Prices and Delivery Periods**
- a. **Firm Bids.** Firm bid prices and delivery periods are preferred. However, bidders may submit firm or non-firm prices and delivery periods. Where a bidder has not indicated whether his prices or delivery periods are firm or not, bid prices and delivery periods are deemed to be firm and the contractor shall be bound thereby. Expressions such as "soonest" or "earliest" or delivery periods which are unspecified are not acceptable.
 - b. **Contract Periods.** Where different prices are bid for different periods of the contract, the bid price applicable in respect of a particular period of the contract shall be a firm price if, as regards such period, it conforms to the definition of firm prices.
 - c. **Proof.** The Department may, where non-firm prices are offered, require that proof of costs of labour, material or other factors which are specified by the bidder, be submitted and, should the cost in the opinion of the Department not be realistic, same may be brought into consideration in the comparison adjudication of the bids.
11. **Validity Periods.** The period for which bids are to remain open for acceptance, valid and binding is indicated in the bidding documents and is calculated from the closing time and such offers are to remain open for acceptance, valid and binding until close of business on the last day of the period so calculated. Should this last day fall on a Saturday, Sunday or Public

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 22 of 45
---	-----------------------------	-------------------	---------------

Holiday, the bid will remain open for acceptance, valid and binding until close of business on the first business day following such Saturday, Sunday or Public Holiday.

12. **Closing of Bids.** Bids close at the time and date indicated in the bid documents. Extension of the closing date may be granted if circumstances justify this action. The closing date is normally extended only if there is sufficient time to publish an amending notification before the original closing date.

13. **Lodging of Bids.** Concerning the lodging of bids the following shall apply:

- a. **Receipt.** Bids shall be lodged to ensure their actual receipt at the address before the closing time specified and in accordance with the directives in the bidding documents.
- b. **Envelope.** Each bid shall be addressed according to the directives in the bidding documents and shall be lodged in a separate sealed envelope with the name and address of the bidder, the bid number and the closing date indicated on the envelope. The envelope shall not contain documents relating to any bid other than that shown on the envelope.
- c. **Copies.** Unless specifically provided for in the bid invitation, no bids forwarded by e-mail, telegram, telex, facsimile or similar apparatus will be considered. Photostat copies of bids or photostat copies of faxes, signed in ink after being photostatted, will be accepted as valid bids.
- d. **Samples.** Bids shall not be included in packages containing samples as such bids may be rejected as being invalid.

14. **Open Bids or Unnumbered Envelopes.** All bids received in sealed envelopes with the relevant bid numbers on the envelopes are kept unopened in safe custody until the closing time of the bids. However, if a bid is received in an unsealed envelope or without an envelope, it shall be sealed in an envelope after the bid number has been written on the envelope.

15. **Opening of Bids.** Bids are opened in public as soon as practicable after the closing time and the names only of the bidders are read out, if so requested, at the time of opening the bids.

16. **Late Bids.** Bids are late if they are received at the address indicated in the bid documents after closing time. A late bid will not be opened or admitted for consideration and where practicable shall be returned unopened to the address appearing on the envelope.

17. **Consideration of Bids.** During the consideration of bids the following applies:

- a. **Bids Considered.** All bids correctly lodged are taken into consideration.
- b. **Position of Bidder.** The financial standing of bidders and/or their ability to manufacture or to supply goods or to render a service may be examined before their bids are considered for acceptance.
- c. **Comparative Prices.** In comparing bids, the prices are brought to a comparative level by deducting unconditional discounts, preferences and other benefits and adding delivery and other costs as applicable and bringing implied contract price

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 23 of 45
---	-----------------------------	-------------------	---------------

adjustments into account. Non-firm bid prices are adjusted in accordance with the assessed contract price adjustments implicit in the non-firm prices. Where a range of delivery periods is quoted, the worst implied delivery period is used when calculating the comparative prices.

- d. **Preferential Point System.** Where bidding documents include documents relating to a preferential point system, the required calculations will be made and comparison of bids done on the basis of points earned through the preferential point system.
 - e. **Adjustments to Prices.** The department reserves the right to rectify any incorrect calculations made by the bidder, but no adjustments may be made to the input figures.
 - f. **Compliance to Specification.** Bids will be evaluated to establish compliance to product or service specifications, with due consideration to alternative offers and/or deviations to specification.
 - g. **Evaluation Criteria.** Where bidding documents include evaluation criteria relating to functionality, for example bidder's capability, bidders profile, etc, the required calculations will be made and comparison of bids done on the basis of points earned.
 - h. **Negotiations.** Unless otherwise stated in the bid documents, no negotiations will be entered into.
 - i. **Communication with Bidders.** The Department may request clarification on information regarding any aspect included in the bid, which the bidder is to supply by the indicated date.
18. **Award of bids.** After prices have been brought to a comparative level and/or points calculated according to a preferential points system, the bid will be awarded considering the following order of priority:
- a. If the preferential point system is applicable, normally to the bidder with the highest points, unless reasonable and justifiable grounds exist for passing over the bidder with the highest points. In the event of equal bids, the award is according to the relevant regulation.
 - b. If the preferential point system is not applicable, normally to the bidder with the lowest bid in the case of purchases by or services to the Department, or highest bid in respect of sales, unless reasonable and justifiable grounds exist for passing over the bid with the lowest bid in the case of purchases by or services to the Department, or highest bid in respect of sales. In the event of equal bids, the award is according to the following order:
 - i. Bidders offering firm bid prices as well as firm delivery periods.
 - ii. Supplies provided and services rendered from resources available within the Republic.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 24 of 45
---	-----------------------------	-------------------	---------------

- iii. Supplies and services from points nearest to the centres at which delivery is required.
 - iv. All things still being equal, the award shall be decided by the drawing of lots.
 - c. The Department is not obliged to accept the lowest or any bid.
 - d. The Department may, where a bid relates to more than one item, accept such bid in respect of any specific item or items and also accept part of the specified quantity of any specific item or items.
19. **Quantities Other than Specified.** The Department may increase or decrease the quantities reflected in the bids, but will do so after consultation with the bidders that responded to the invitation to bid.
20. **Bidder's Incorrect Information.** Where a contract has been awarded on the strength of information furnished by the bidder, which, after the conclusion of the relevant agreement, is proved to have been incorrect, the Department may, in addition to any other legal remedy it may have
- a. recover from the contractor all costs, losses or damages incurred or sustained by the Department as a result of the award of the contract; and/or
 - b. cancel the contract and claim any damages which the Department may suffer as a result of having to make less favourable arrangements.
21. **Notification of Acceptance.** Successful bidders are notified by registered or certified mail of the acceptance of their bids, either through a contract form or by official departmental order forms.
22. **Furnishing of Bid Results**
- a. The following particulars of the successful bidders are normally published in the Government Tender Bulletin for general information:
 - i. Name.
 - ii. The price and delivery basis.
 - iii. The brand name of the product or the name of the manufacturer, if applicable.
 - iv. Where applicable, the preference percentages claimed.
 - b. Bids are not available for perusal by the public, but, at the written request of a bidder or interested party, the names and addresses of all bidders may be furnished over and above the information published in the Government Tender Bulletin.
 - c. Requests for any further information will be treated as provided for by law.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 25 of 45
---	-----------------------------	-------------------	---------------

23. **Amendment or Withdrawal of Bid.** If a bidder amends or withdraws his bid after the closing time and within the validity period or extended validity period, he shall reimburse the Department any damages if a less favourable bid is accepted or less favourable arrangements are to be made.

24. **Changed requirement.** If Department of Defence institutions participating in this contract are disbanded or relocated or for reasons unknown at the time of concluding the contract, the Department of Defence reserves the right to cancel the contract or parts thereof on written notice of 90 days sent to the contractor at the address appearing in the contract.

25. **Co-ordinated activities.** Whilst on Department of Defence premises, personnel of the contractor will have access to all areas, subject to other stipulations in the relevant contract, to render the services. If the contractor's service is not rendered in a specific area at a given time, access to that area is forbidden. The work to be executed must under no circumstances disrupt the routine activities taking place in the institution or on the premises where the service is to be provided.

26. **Contractor's personnel:**

a. **Identification.** To identify the contractor's personnel on the premises of the Department of Defence, the personnel will comply with the following, with any costs for the account of the contractor:

- i. Personnel will wear company identification cards with an employee photograph on it, conspicuously on his/her person at all times;
- ii. Personnel will wear identifiable uniforms whilst on duty.

b. **Attitude towards Safety, Health, Security and Service Delivery.** Without prejudice to the contractor's responsibility and right to select and appoint his/her own personnel, the Department of Defence will at all times have the right to identify personnel of the contractor whom are considered to be safety and/or health and/or security risk and/or personnel whom are undesirable. In such case the contractor will be requested not to utilize such person(s) any longer to honour his/her obligations in terms of this contract. The contractor will immediately comply with the request and he/she will not, as a result of such a request, be entitled to institute any claim against the Department of Defence for any loss or otherwise suffered as a result of such a request. The contractor therefore indemnifies the Department of Defence against any claim whatsoever from the employee concerned.

c. **Name List.** The contractor must submit a complete name list of all personnel to be employed on Department of Defence premises to provide the service according to the contract, to the Department of Defence official at the institution or on the premises where the service is to be provided, who will arrange for entry permits for the contractor. Any changes to the personnel must be communicate to the designated official without delay.

d. **Personnel on Site.** The contractor must ensure that the total number of personnel offered for the execution of this contract is on duty on a daily basis. Provision must therefore be made for temporary or stand-in personnel for cases where personnel are on leave or sick leave.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 26 of 45
---	-----------------------------	-------------------	---------------

27. **Value added tax (vat).** All monies paid in terms of this bid is subject to value added tax calculated at the appropriate tariff from time to time as provided for in the Value Added Tax Act, Act 89 of 1991, the schedules thereto and Rulings as issued by the South African Revenue Services in regard to value added tax.

28. **Damage compensation.**

a. The contractor herewith indemnifies the Department of Defence from any claim that may arise from a third party and all costs or legal expenses in this regard, to such a claim for loss or damage resulting from the death, injuries or disability of any such person(s), or the damage to property of the contractor or any other person(s) that may result from or be related to the execution of this contract.

b. The contractor will be held responsible for any damage or theft that may be caused, to the premises or content by him or his employees or be due to their neglect whether in the normal execution of their duties or otherwise and a claim for indemnification can accordingly be imposed by the Department of Defence against the contractor.

c. In the case of damages to premises or content resulting from the work done, the contractor will undertake to rectify the damage immediately to the satisfaction of the Department of Defence. If the contractor fails to act immediately after notification, the Department of Defence will rectify the damage at will and the cost thereof will be recovered from any moneys outstanding.

d. The Department of Defence and it's employees will not be held responsible for any claim or injury to the contractor's personnel whilst on Department of Defence property or in the execution of their tasks on Department of Defence property.

29. **Waiver.** No waiver of any of the terms and conditions of the contract will be binding or effectual for any purpose unless expressed in writing and signed by the parties thereto, and any such waiver will be effective only in specific instances and for the purpose given. No failure or delay on the part of either party in exercising any right, power or privilege hereunder will operate as a waiver thereof, nor will any single or partial exercise of any right, power or privilege preclude any other or further exercise thereof or the exercise of any other right, power or privilege.

30. **Severability.** Should any of the terms and conditions of the Contract be held to be invalid or unlawful, such terms and conditions will be severable from the remaining terms and conditions, which will continue to be valid and enforceable.

31. **Sub-contracting.** In the event that sub-contractors are used to execute the contract or part thereof, the following shall apply:

a. **Prior Approval.** Once the contract has been concluded, the contractor shall obtain prior approval from the Department of Defence before the appointment of any sub-contractor.

b. **Payment.** The contractor shall remain liable to reimburse the sub-contractors for goods delivered or services rendered to the Department of Defence.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 27 of 45
---	-----------------------------	-------------------	---------------

32. **Awarding of the bid.** The DOD reserves the right to contract only a part of the contract or split the awarding of the contract to more than one bidder.
33. **Liability insurance.** The DOD will not be held responsible for any damages, loss and injury of Personnel, the contractor must make sure he/she has the Liability Insurance.
34. **Failure to Comply.** Where bidders fail to comply with any of these conditions, the Department reserves the right to invalidate bids received.
35. **Vetting Form.** Shortlisted bidders will be required to complete security vetting form.
36. **Omitted information.** The Department of Defence (DOD) reserves the right to call the supplier to come to complete omitted information or to clarify any matters relating to the bid. In instances where the omitted information does not affect competitiveness, the bidder shall be formally invited to furnish such information.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 28 of 45
---	-----------------------------	-------------------	---------------

GENERAL CONDITIONS OF CONTRACT
GOVERNMENT PROCUREMENT
GENERAL CONDITIONS OF CONTRACT

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

Prepared by: TSS

Approved by: CCPSC

AMENDMENT : 000
Original

DATE : 14/05/2025

Page 29 of 45

TABLE OF CLAUSES

1. Definitions.
2. Application.
3. General.
4. Standards.
5. Use of contract documents and information; inspection.
6. Patent rights.
7. Performance security.
8. Inspections, tests and analysis.
9. Packing.
10. Delivery and documents.
11. Insurance.
12. Transportation.
13. Incidental services.
14. Spare parts.
15. Warranty.
16. Payment.
17. Prices.
18. Contract amendments.
19. Assignment.
20. Subcontracts.
21. Delays in the supplier's performance.
22. Penalties.
23. Termination for default.
24. Anti-dumping and countervailing duties and rights.
25. Force Majeure.
26. Termination for insolvency.
27. Settlement of disputes.
28. Limitation of liability.
29. Governing language.
30. Applicable law.
31. Notices.
32. Taxes and duties.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 30 of 45
---	---	--------------------------	----------------------

General Conditions of Contract

1. Definitions

1. The following terms shall be interpreted as indicated:
 - 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
 - 1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
 - 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.
 - 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidised by its government and encouraged to market its products internationally.
 - 1.6 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognised new product results that is substantially different in basic characteristics or in purpose or utility from its components.
 - 1.7 "Day" means calendar day.
 - 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
 - 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
 - 1.10 "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
 - 1.11 "Dumping" occurs when a private enterprise abroad markets its goods on own initiative in the RSA at lower prices than that of

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 31 of 45
---	-----------------------------	-------------------	---------------

the country of origin and which has the potential to harm the local industries in the RSA.

- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 32 of 45
---	-----------------------------	-------------------	---------------

1.22 "Republic" means the Republic of South Africa.

1.23 "SCC" means the Special Conditions of Contract.

1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.

1.25 "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

2. Application

2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.

2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.

2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3. General

3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.

3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za or www.info.gov.za

4. Standards

4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

5. Use of contract documents and information ; inspection.

5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 33 of 45
---	-----------------------------	-------------------	---------------

5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.

5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.

5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6. Patent rights

6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

7. Performance security

7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.

7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.

7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:

(a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or

(b) a cashier's or certified cheque

7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8. Inspections, tests and analyses

8.1 All pre-bidding testing will be for the account of the bidder.

8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 34 of 45
---	-----------------------------	-------------------	---------------

or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.

- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

Prepared by: TSS

Approved by: CCPSC

AMENDMENT : 000
Original

DATE : 14/05/2025

Page 35 of 45

9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10. Delivery and documents

- 10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- 10.2 Documents to be submitted by the supplier are specified in SCC.

11. Insurance

- 11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in SCC.

12. Transportation

- 12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in SCC.

13. Incidental services

- 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
- (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
 - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
 - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
 - (e) training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation,

Prepared by: TSS Approved by: CCPSC	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 36 of 45
--	---	--------------------------	----------------------

maintenance, and/or repair of the supplied goods.

- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14. Spare parts

- 14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
- (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
 - (b) in the event of termination of production of the spare parts: advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15. Warranty

- 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 37 of 45
---	---	--------------------------	----------------------

purchaser.

- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16. Payment

- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.

17. Prices

- 17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

18. Contract amendments

- 18.1 No variation in or modification of the terms of the contract shall be made except by written amendment signed by the parties concerned.

19. Assignment

- 19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

20. Subcontracts

- 20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

21. Delays in the supplier's performance

- 21.1 Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier

Prepared by: TSS Approved by: CCPSC	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 38 of 45
--	---	--------------------------	----------------------

shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.

21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.

21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.

21.5 Except as provided under Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to Clause 22, unless an extension of time is agreed upon pursuant to Clause 21.2 without the application of penalties.

21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without cancelling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22. Penalties

22.1 Subject to Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to Clause 23.

23. Termination for default

23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:

(a) if the supplier fails to deliver any or all of the goods within

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 39 of 45
---	-----------------------------	-------------------	---------------

the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to Clause 21.2;

- (b) if the Supplier fails to perform any other obligation(s) under the contract; or
- (c) if the supplier, in the judgement of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.

23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.

24. Anti-dumping and countervailing duties and rights

24.1 When, after the date of bid, provisional payments are required, or anti-dumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidised import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him

25. Force Majeure

25.1 Notwithstanding the provisions of Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.

25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26. Termination for

26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without

Prepared by: TSS Approved by: CCPSC	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 40 of 45
--	-----------------------------	-------------------	---------------

insolvency compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

- 27. Settlement of disputes**
- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5 Notwithstanding any reference to mediation and/or court proceedings herein,
- (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier.

- 28. Limitation of liability**
- 28.1 Except in cases of criminal negligence or wilful misconduct, and in the case of infringement pursuant to Clause 6;
- (a) The supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
 - (b) The aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

- 29. Governing language**
- 29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

Prepared by: TSS Approved by: CCPSC	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 41 of 45
--	---	--------------------------	----------------------

- 30. Applicable law**
- 30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.
- 31. Notices**
- 31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- 31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.
- 32. Taxes and duties**
- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.

No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 42 of 45
---	-----------------------------	-------------------	---------------

Special Conditions of Contracts (SCC): End-User

1. General rules for completion of Bid documents

- a. Amendment, scratching, use of tippex and omission to all the documents will invalidate the bid.

2. Local Content

- a. Only locally manufactured/sourced items will be accepted.

3. Certification of Compliance by Sub-Contracting

- a. Bidders are required to complete the certificate of compliance by sub-contractor, should they wish to sub-contract as stated on the SBD 6.1. However, if not subcontracting, this certificate should not be completed (it is not mandatory to complete this certificate).
- b. Both the Bidder and the sub-contractor must complete the certificate and two (2) witnesses must sign should sub-contracting be applicable.

4. Group Questionnaire

- a. Bidders are encouraged to complete the group questionnaire fully.

Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 43 of 45
---	-----------------------------	-------------------	---------------

DEPARTMENT OF DEFENCE (DOD)

SA ARMY HQ



Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 44 of 45
---	-----------------------------	-------------------	---------------

SCOPE OF WORK


Prepared by: TSS <u>Approved by: CCPSC</u>	AMENDMENT : 000 Original	DATE : 14/05/2025	Page 45 of 45
---	---	--------------------------	----------------------

PRODUCT SPECIFICATION

prepared for the

SOUTH AFRICAN ARMY

COVERALL, ONE-PIECE, CAMOUFLAGE



Document Number: 05181-100-111

Issue 003

January 2014

1. Scope

This specification covers the performance, design, manufacture, tests and acceptance requirements for one-piece camouflage coveralls for personnel of the South African Army.

2. Definitions and Abbreviations

For the purpose of this specification the definitions given in SANS 10371 "Terms and definitions for clothing" and the following shall apply:

acceptable: acceptable to the SA Army and/or the Procurement Authority.

CD: Combat Dress.

FIFO: First In, First Out (stock issuing approach).

nominal: subject to the tolerances normal to good manufacturing practice.

NSN: National Stock Number.

PT: Physical Training.

SANS: South African National Standard.

3. Applicable Documents

The following documents contain provisions which, through reference in this text, constitute provisions of this specification. All documents are subject to revision and, since any reference to a document is deemed to be a reference to the latest edition of that document, parties to agreements based on this specification are encouraged to take steps to ensure the use of the most recent editions of the documents indicated below. Information on currently valid national, international and CKS documents may be obtained from Standards South Africa*.

05181-100-209 - *Corrugated Board Boxes for Clothing and Footwear.*

CKS 129, *Colours for textiles.*

CKS 627, *Fusible interlining.*

SANS 432, *Indelible marking ink for textile fabrics.*

SANS 877, *Woven cotton tapes.*

SANS 1309, *Printed labels for textiles.*

SANS 1362, *Sewing threads.*

SANS 1457, *Plastics Buttons.*

SANS 50471, *High visibility warning clothing for professional use - Test methods and requirements.*

SANS 5278, *Sewing stitches per unit length.*

SANS 10011, *Care-labelling of textiles piece-goods, textiles articles and clothing.*

SANS 10235, *Fibre-content labelling of textiles and textile products.*

SANS 10371, *Terms and definitions for clothing.*

* Standards South Africa: Tel. +27 (0) 12 428 7911

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	4	33

4. References

The following may be obtained from the Procurement Authority:

05181-100-011, *Specification for camouflage uniform fabric.*

5. Style

The style is as follows:

- ◆ Front fly opening.
- ◆ Fastens with buttons and buttonholes.
 - Concealed by the fly.
- ◆ Shirt type collar.
- ◆ Two breast pockets with flaps.
- ◆ Two side pockets.
- ◆ Waist tunnel with draw-cord.
- ◆ Belt loops.
- ◆ Centre back seam.
- ◆ Long set-in sleeves with cuffs.
- ◆ Left sleeve shall have a sewn-on embroidered badge of the national flag.
- ◆ Plain bottoms with draw-cords.

Standard samples, where available, are held by, and may be viewed at the Procurement Authority.

6. Interface

The coveralls shall have an interface with the following uniform items:

- ◆ Thermal T-shirt, Long sleeve.
- ◆ Thermal T-shirt, Short sleeve.
- ◆ Thermal Long Johns.
- ◆ CD Underpants, Bikini style.
- ◆ CD Panty.
- ◆ Sport Bra.
- ◆ Ski-pants.
- ◆ PT T-shirt.
- ◆ CD Warm Jacket.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	5	33

7. Illustrations

Illustrations are not to scale and are for guidance only.




Fig 1 - Coverall - Front




Fig 2 - Coverall - Back

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	6	33

8. Client Furnished Materials

The outer material will be supplied by the South African Army.

- ◆ The outer material to be a camouflage uniform fabric that complies with the requirements of 05181-100-011
 - of minimum width 1 480 mm.
 - quantity supplied shall be in accordance with the material ratings agreed upon between the South African Army and the successful tenderer in order to fulfil the contract.
 - outer material for pre-production samples and for testing purposes to be estimated and rated additionally.
- ◆ NSN: 18-445-8278 for "Cloth, Broadcloth Polyester and Cotton; Camouflage (Grade A).
- ◆ NSN: 18-008-7671 for "Cloth, Broadcloth Polyester and Cotton; Camouflage (Grade B).

Note: Unless otherwise specified in the order or contract B Grade material shall be used.

All patterns, where available, will be supplied by the Procurement Authority.

9. Component Materials

The following materials shall be supplied and used by the manufacturer.

9.1 Interlining

- ◆ an acceptable fusible woven or non-woven interlining.
- ◆ to comply with the requirements of CKS 627 "fusible interlining".
- ◆ suitable for use in garments which may be washed.
 - capable of withstanding the same washing and drying procedures as specified for the outer material.

The selection of interlining of appropriate mass per unit area to be determined by consultation with the supplier of the interlining. The manufacturer will be held responsible for the performance of the interlining.

The purchaser reserves the right to change the type of interlining used during production, should the appearance of the finished garments be unsatisfactory.

9.2 Buttons

- ◆ acceptable japanned metal buttons.
- ◆ rivet type.
- ◆ intrinsically corrosion resistant metal with a smooth finish.
- ◆ nominal diameter of 15 mm.
- ◆ colour to be an acceptable match to one of the four colours of the camouflage material.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	7	33

9.3 Draw tape

- ♦ woven cotton tape.
- ♦ to comply with the requirements of SANS 877 "Woven cotton tapes".
 - type TA 10: bottom hem.
 - type TA 16: waist tunnel.
- ♦ colour to be an acceptable match to colour No. 144c "Kalahari brown" of CKS 129 "Colours for textiles".

9.5 Embroidered badge

- ♦ see Annex A.

NOTE: The embroidered badge is not an integrated part of the coverall and is constructed separately before it is sewn to the garment.

9.6 Threads

- ♦ to comply with relevant requirements of SANS 1362 "Sewing threads".
- ♦ colours: a) coverall - an acceptable match to colour No. 144c "Kalahari brown" of CKS 129 "Colours for textiles".
 - attachment of embroidered flag - an acceptable white colour as specified for the embroidered flag.

Sewing thread:

- ♦ polyester-and-cotton core-spun OR
- ♦ staple polyester.
- ♦ ticket No. 80 in both cases.

Overlocking thread:

- ♦ a crimp-textured polyester thread.
- ♦ ticket No. 140.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	8	33

10. Workmanship

The coveralls shall be:

- ♦ cut and made with first-class workmanship throughout.
- ♦ of uniform and acceptable make, colour and finish.

Shall be free from:

- ♦ defects, that affect their appearance or may affect their serviceability (or both).
- ♦ marks.
- ♦ spots.
- ♦ stains, incurred in the making-up.

Seams and stitches shall be:

- ♦ smooth and uniform.
- ♦ free from twists, pleats and puckers.
- ♦ sufficiently extensible to avoid seam cracking and undue shrinkage in use.

Ends of sewing shall be:

- ♦ trimmed and loose threads removed.
- ♦ back-tacked if unsecured (at least 15 mm).

Points not defined in the specification that requires assessing at inspection:

- ♦ place the coveralls on a dummy and check the following points:
 - is the front and back balance correct?
 - are the pockets level and positioned correctly?
 - does the collar lay correctly and when fastened, is the leaf edge long enough?
- ♦ are lines of top-stitching of consistent widths?

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	9	33

11. Sizes and Dimensions




Fig 3 - Coverall Measurements

Coverall measurements:

MEASURING POINT		DESCRIPTION
A - A	Chest circumference	Measure at the base of the scye, with garment spread completely flat and front buttons fastened, and multiply by two.
B - B	Seat circumference	Measure across the width of the garment, at seat level (widest point), and multiply by two.
C - C	Cross back width	Measure across the width of the back, between the left and right hind-arm sleeve pitches.
D - D	Back length of blouse	Measure from the centre back collar-to-body seam, along the centre back seam, to the waist seam.
A - E	Sleeve length	Measure the length from the base of the scye, along the underarm seam, to the outer edge of the cuff.
F - F	Cuff circumference	Measure across the bottom edge of the cuff with the button fastened and multiply by two.
G - G	Outside leg length	Measure from the waist seam to the bottom edge of the leg.
H - G	Inside leg length	Measure from the crotch seam to the bottom edge of the leg.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	10	33

Table 1 - Size range (short body)

1	2	3	4	5	6	7	8	9	10	11
Size designation ¹⁾	NSN no	To fit chest sizes	Nominal finished garment measurements, cm							
			Chest circumference	Seat circumference	Cross back width	Back length of blouse	Sleeve length ²⁾	Cuff circumference (relaxed)	Out-side leg	Inside leg
55-70	181797787	63"72	92	104	38	44	48	31	102	76
55-80	181797789	73"82	102	112	42	46	51	32	105	77
55-90	181797790	83"92	112	120	46	48	53	34	110	82
55-100	181797791	93"102	122	126	50	50	55	35	116	85
55-110	181797792	103"112	132	134	53	52	55	36	118	85
55-120	181797793	113-122	142	145	56	53	55	36	119	86
55-130	181797794	123-132	152	153	59	54	55	37	121	86
59-70	181797795	63-72	92	104	38	44	52	31	112	85
59-80	181797796	73-82	102	112	42	46	55	32	115	87
59-90	181797797	83-92	112	120	46	48	57	34	120	91
59-100	181797798	93-102	122	126	50	50	59	35	125	94
59-110	181797799	103-112	132	134	53	52	59	36	127	95
59-120	181797800	113-122	142	145	56	53	59	36	128	95
59-130	181797801	123-132	152	153	59	54	59	37	130	95
1) The size designation is based on the seat, height and chest girth in centimetres of the intended wearer e.g. 55-70 indicates short body 5, short leg 5, and 70 chest; 59-70 indicates short body 5, long leg 9, and 70 chest; 2) Measured at the underarm to the outer edge of the cuff.										

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	11	33

Table 2 - Size range (long body)

1	2	3	4	5	6	7	8	9	10	11
Size designation ¹⁾	NSN no	To fit chest sizes	Nominal finished garment measurements, cm							
			Chest circumference	Seat circumference	Cross back width	Back length of blouse	Sleeve length ²⁾	Cuff circumference (relaxed)	Out-side leg	Inside leg
95-70	181797803	63-72	92	104	38	46	48	31	104	76
95-80	181797804	73-82	102	112	42	48	51	32	107	78
95-90	181797805	83-92	112	120	46	50	53	34	112	82
95-100	181797806	93-102	122	126	50	52	55	35	118	86
95-110	181797807	103-112	132	134	53	54	55	36	120	86
95-120	181797809	113-122	142	145	56	55	55	36	121	86
95-130	181797810	123-132	152	153	59	56	55	37	123	86
99-70	181797811	63-72	92	104	38	46	52	31	113	85
99-80	181797813	73-82	102	112	42	48	55	32	117	87
99-90	181797814	83-92	112	120	46	50	57	34	121	91
99-100	181797815	93-102	122	126	50	52	59	35	127	95
99-110	181797816	103-112	132	134	53	54	59	36	129	95
99-120	181797817	113-122	142	145	56	55	59	36	131	95
99-130	181797818	123-132	152	153	59	56	59	37	133	95
Special Measurements	181869995									
1) The size designation is based on the seat, height and chest girth in centimetres of the intended wearer e.g. 95-90 indicates short body 9, short leg 5, and 90 chest; 99-90 indicates short body 9, long leg 9, and 90 chest; 2) Measured at the underarm to the outer edge of the cuff.										

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	12	33

12. Make

Illustrations are not to scale and are for guidance only, and unless inconsistent with the text, all measurements are nominal.

12.1 Foreparts

Each forepart shall have:

- ◆ a blouse section.
- ◆ a trouser section.
- the two sections shall be joined together at the waist.

Fore parts of foreparts:

- ◆ to have a fly.
 - positioned on the left forepart.
 - to extend from the gorge seam towards the crotch seam.
 - cut-on.
 - lined with outer material.
 - interlined with interlining.
 - sewn down 35 mm from the front edge.
 - secured with a bar-tack and box-tack at the bottom edge of the fly opening.
 - conceals the buttonhole-catch.
 - raw edges to be overlocked.
- ◆ to have a buttonhole-catch.
 - positioned directly behind the fly.
 - to extend from the gorge seam towards the crotch seam.
 - of double folded outer material.
 - interlined with interlining.
 - of finished width 35 mm.
 - to be sewn down together with the fly and fly lining.
 - raw edges to be overlocked.
 - fitted with buttonholes.
 - six buttonholes on coveralls of size designation up to and including X-90¹).
 - seven buttonholes on coveralls of size designations X-100² and larger trouser type first to be positioned 30 mm below the gorge seam.
 - one positioned 10 mm above the top edge of the waist tunnel.
 - two/three (depending on the size) equidistantly space between the first and the fourth/fifth.
 - spaced at intervals not greater than 100 mm.

¹ Includes all size designations that incorporate a 900 mm chest circumference.

² Includes all size designations that incorporate a 100 mm chest circumference.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	13	33

- attached to the fly lining.
 - by means of horizontal bar-tacks between each buttonhole.
 - along the full width of the buttonhole-catch.
- ◆ to have buttonstand.
 - cut-on.
 - positioned on the right forepart.
 - have an outer material facing.
 - interlined with interlining.
 - fitted with buttons.
 - six or seven (depending on the size).
 - in corresponding positions to that of the buttonholes.
 - to extend from the gorge seam towards the crotch seam.
 - to be of the same length as the fly.
 - sewn down.
- ◆ shall have front facings.
 - of finished width 25 mm at the shoulder seam.
 - sewn down.
 - stitching to follow the shape of the facing.
 - raw edges to be overlocked.
 - left forepart facing to be cut in one with the buttonhole-catch lining.
 - shaped from the shoulder seam, forming an extension of the buttonhole-catch lining.
 - interlined with interlining.
 - right forepart facing to be shaped from the shoulder seam to a finished width of 45 mm at the bottom edge.
 - to be of the same length as the fly.
 - sewn-on facing.
 - interlined with interlining.
- ◆ each blouse section shall have a patch pocket with a flap.
- ◆ each trouser section shall have a side pocket.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	14	33

12 Collar

Collar to be:

- ◆ shirt type collar.
- ◆ lined with outer material.
- ◆ interlined with interlining.
- ◆ of width 80 mm at the centre back.
- ◆ of width 85 mm at the points.
- ◆ lapel step to be of finished depth 25 mm.
- ◆ free edges to be top-stitched 5 mm.




Fig 4 - Collar

12.3 Back

Each back shall have:

- ◆ a blouse section.
 - plain with a centre back seam.
 - joined to the trouser section at the waist.
- ◆ a trouser section.
 - the two sections shall be joined together at the waist.

12.4 Waistband tunnel

Waistband tunnel to be:

- ◆ of outer material.
- ◆ of finished width 25 mm.
- ◆ positioned on the inside of the coverall.
- ◆ positioned with the bottom edge in line with the waist seam.
- ◆ extending on the inside from the front edge of the buttonstand to the outer edge of the left facing/button-catch.
- ◆ such that the top and bottom edges are turned in and sewn down.
- ◆ securely attached at the ends.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	15	33

♦ fitted with draw-tape.

- to be long enough to provide a protrusion through the tunnel opening of 100 mm at each end (before adjustment).
- midpoint of draw-tape to be secured at the centre by means of a vertical stitching.
- raw ends to be folded in 8 mm, folded over 10 mm and stitched down 2 mm from the folded over edge.




Fig 5 - Waistband Tunnel

12.5 Belt Loops

Each coverall shall have five belt loops.

- ♦ In the case of coverall with a waist measurement not exceeding 800 mm and seven belt loops on larger sizes.
- ♦ The loops shall be 12 mm wide, of folded outer material, boxed, single-stitched and secured at the following positions:
 - one on each front 100 mm from the front edge of the coverall button stand
 - 140 mm from the front edge of the button-stand,
 - one at each side seam (stitched to the back panel),
 - one just off the centre-back seam.
- ♦ When seven loops are required, an additional loop shall be secured at the centre of each back panel.
- ♦ The loop shall be centered and stitched over the waistband tunnel seams and bar-tacked 45 mm above the waistband tunnel before turning the belt loop up, and bar-tacked 1 mm from the top edge of the belt loop.
- ♦ The finished length of the belt loops shall be 100 mm with an inside width of 90 mm between bar tacks.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	16	33




Fig 6 - Belt Loops

12.6 Sleeves

Sleeves to be/have:

- ◆ long one-piece shirt type sleeves.
- ◆ seamed under the arm.
- ◆ an opening at the hind arm that is bound with outer material (of width 8 mm).
 - opening to be of finished length 180 mm.
 - measured from the centre of the buttonhole to the top edge of the opening.
- ◆ each have a knife pleat.
 - of finished depth 20 mm.
 - positioned 40 mm away from edge of opening.

12.7 Cuffs

Cuffs to:

- ◆ be positioned at the end of each sleeve.
- ◆ be of folded outer material.
- ◆ be interlined with interlining.
- ◆ be of finished width 40 mm.
- ◆ have square corners.
- ◆ fasten with a button and buttonhole.
 - buttonhole to be positioned centrally into the upper cuff and 10 mm in from the front edge.
 - button to be in a corresponding position to buttonhole.
- ◆ be top-stitched 2 mm and 7 mm along the top edges.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	17	33




Fig 7 - Cuffs

12.8 Embroidered Flag on Sleeve

The left sleeve shall be fitted with an embroidered badge of the National Flag:

- ◆ sewn-on.
- ◆ positioned centrally on the sleeve with a tolerance of 3 mm to either side.
- ◆ positioned 30 mm below the crown of the sleeve, with a tolerance of + 3 mm.

NOTE: This dimension shall not be less than 30 mm).

- ◆ positioned as such that the dimension "a" is the same on both sides of the flag.
- ◆ to comply with the requirements as specified in Annex A.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	18	33



Fig 8 - Embroidered Flag on Sleeve

12.9 Bottoms

Bottoms to be:

- ◆ plain.
- ◆ folded in and stitched down.
- ◆ of finished width 25 mm.
- ◆ fitted with two shirt type buttonholes on each front hem.
 - centred on the front crease, 30 mm apart.
 - sewn through the front layer only.
 - buttonhole to be of length 30 mm (length of actual hole to be 18 mm).
 - horizontal.
 - 30 mm apart.
- ◆ fitted with draw tape.
 - to be long enough to provide a protrusion through the buttonholes of 100 mm at each end (before adjustment).
 - midpoint of draw-tape to be secured at the back crease-line by means of a stitching.
 - raw ends to be folded in 8 mm, folded over 10 mm and stitched down 2 mm from the folded over edge.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	19	33




Fig 9 - Bottom

12.10 Shoulder straps

Shoulder straps to be:

- ◆ of outer material.
- ◆ lined with outer material.
- ◆ to have mitred points.
- of length 20 mm (measured from the base of the mitre to the point).
- ◆ of finished width 55 mm at the sleeve seam, tapering to 40 mm at the base of the mitre.
- ◆ of such length that it shall fasten to the button 25 mm from the collar seam.
- of minimum length 120 mm (measured from the shoulder seam to the center of the buttonhole).
- ◆ a shirt-type buttonhole shall be positioned centrally and 15 mm from the end of the strap.
- a button to be positioned in each forepart in a corresponding position to the buttonhole.
- ◆ free edges shall be stitched 5 mm.
- ◆ shoulder strap shall be so positioned on the shoulder that the longitudinal center line of the strap is on the natural shoulder line when the garment is worn.

NOTE: The shoulder seam shall be positioned on the natural shoulder line.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	20	33




Fig 10 - Shoulder Straps

12.11 Pockets

12.11.1 Breast Pockets

- ◆ to be of outer material.
- ◆ to be patch pockets with square corners.
- ◆ to be positioned with the top edge of the pocket 20 mm above the base of the scye.
 - sides parallel to the front edges of the garment.
 - front edge of pocket to be positioned 55 mm from the front edge of the garment.
- on size designation x-803 and graded proportionally on the other sizes.
- ◆ each to have a pocket mouth hem of finished depth 25 mm.
- ◆ raw outside edges of the pocket shall be turned in 6 mm and stitched down 2 mm and 5 mm from the turned-in edge.
- ◆ the corners of each pocket mouth shall be secured with horizontal bar-tacks.
 - bar-tacks should not reduce the effective width of the pocket mouth opening.
 - bar-tacks to extend across the whole width of the two top-stitchings.
- ◆ finished pocket width and depth shall be 140 mm and 160 mm respectively on
 - on size designations up to and including x-90³.
- ◆ finished pocket width and depth shall be 160 mm and 180 mm respectively.
 - on size designations larger than X-90⁴.
- ◆ to have pocket flaps.
- ◆ each to be fitted with a button.

³ Includes all size designations that incorporate a 800 mm chest circumference.

⁴ Includes all size designations that incorporate a 900 mm chest circumference

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	21	33

- to be in a corresponding position to the buttonhole on the flap.




Fig 11 - Breast Pockets

Pocket Flaps:

- ◆ to be of outer material.
- ◆ to be lined with outer material.
- ◆ to be interlined with interlining.
- ◆ to be a rectangular flap of finished depth 50 mm.
- ◆ to have a button fly of folded outer material.
 - 10 mm narrower than the flap.
 - incorporated into each side of the flap.
 - interlined with interlining.
 - fitted with a vertical trouser-type buttonhole centred in the flap.
 - bar-tacked to the lining of the flap.
 - 20 mm from each side of the buttonhole.
- ◆ to be attached 15 mm above the pocket mouth, turned over and stitched down 5 mm from the fold.
 - resulting in a 10 mm gap between the flap and the pocket mouth.
- ◆ top-stitched 5 mm from the free edges.
- ◆ shall extend 3 mm beyond each end of the pocket mouth.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	22	33

12.2 Side Pockets

Each side pocket to be:

- ◆ a swing type pocket bag
 - of outer material.
 - of finished width and depth 160 mm and 150 mm respectively (measured below the lower bar-tack).
- ◆ a slanting pocket mouth.
 - of finished length 180 mm.
 - top edges carried into the waist seam.
 - positioned 40 mm forward of the side seam.
 - positioned at the waist seam.
 - edge-stitched 5 mm.
 - opening to be stayed with stay-tape or interlining.
 - securely bar-tacked at each mouth end.




Fig 12 - Side Pockets

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	23	33

12.2 Buttons and buttonholes

Trouser-type buttonholes to be:

- ♦ neatly made.
- ♦ gimped and barred.
- ♦ positioned on the buttonhole-catch and pocket flaps.
- ♦ of length 30 mm (actual length of hole to be 18 mm).

Shirt-type buttonholes to be:

- ♦ neatly made.
- ♦ barred at each end.
- ♦ positioned on the cuffs and the bottom hem of the trousers.
- ♦ of length 15 mm.

Buttons:

- ♦ all buttons to be in corresponding positions to that of the relevant buttonhole.

12.13 Hanger

Hanger to be:

- ♦ of double folded outer material.
- ♦ of finished length and width 75 mm and 10 mm respectively.
- ♦ sewn in with the collar at the centre back on the inside of the coverall.

13. Test Methods

Sewing stitches per unit length: determine in accordance with SANS 5278 "Sewing stitches per unit length."

14. Stitches, Seams and Stitching

14.1 Stitches

Overlocking: three-thread overlocking stitch.

Main seaming: safety stitch.


Other stitches: single needle lock stitch.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	24	33

14.2 Seams


Seams to be at least 10 mm wide (unless otherwise stated):

Back, shoulder, side, inside leg, sleeve and sleeve insertion seams: seam type SSa




Superimpose two or more plies of material and seam with one row of stitches positioned at the specific distance(s) from the aligned edges.

Breast pocket flaps to blouse: seam type LSbl-2



Form seam type LSbj-1. Then turn the strip back at the seam and seam with one row of stitches through the strip and ply.

Breast pocket edges: seam type LSd-2




Turn in the edge of one ply of material, lap it on the body of a second ply (at the specified distance from the edge of the second ply), and seam with the appropriate number of rows of stitches.

Side pocket bag edges, leaf edge of collar and edges of flaps: seam type SSa-2



Form seam Type SSa-1, using two plies of material. Then turn back each ply at the seam and seam through the turned edges with the appropriate number of rows of stitches.


Waist tunnel: seam type SSat-2



Turn in the edges of a strip of material, superimpose it on a ply, and seam with the appropriate number of rows of stitches.


Pocket mouth of side pocket: seam type SSbc

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	25	33



Superimpose two plies of material, turn the specified width at the edge of one ply over the edge of the second ply, and seam with the appropriate number of rows of stitches.

Other seams: seam type SSa-1



Superimpose two or more plies of material and seam with the appropriate number of rows of stitches positioned at the specific distance(s) from the aligned edges.


14.3 Stitching

All exposed raw edges: stitching type EFd-1



Stitch over the edge of a ply of material with one row of stitches.

Bottom hems, pocket mouth hem of breast pocket and mouth of through opening: stitching type EFb-1



Turn in the specified width at the edge of a ply of material, fold back the turned edge, and stitch the turned-in and folded portion with the appropriate number of rows of stitches.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	26	33

14. Number of stitches

The determination of sewing stitches per unit length: use SANS 5278 "Sewing stitches per unit length"

All seams: 40 ± 4 per 100 mm.

Overlocking: 32 ± 2 per 100 mm.

Top-stitching: 40 ± 4 per 100 mm.

Bar-tacks: 20 ± 1 per 100 mm.

Buttonholes: 12 ± 1 per 10 mm.

15. Care-labelling and Marking

15.1 Label properties

All labels shall:

- ♦ be white woven rayon labels that are printed.
- ♦ comply with SANS 1309 "Printed labels for textiles".
 - information to be in legible and indelible block letters of height at least 3 mm.
 - ink used for printing shall comply with SANS 432.
- ♦ permanently secured.
- ♦ be such that they outlast the garments (including the markings).

15.2 Care-labelling

- ♦ each garment shall have a label, securely sewn to the inside left side seam, that provides correct and appropriate care instructions in accordance with SANS 10011 "Care-labelling of textile piece-goods, textile articles and clothing."
- ♦ each label to include the composition of the main fabric in accordance with the requirements of SANS 10235 "Fibre-content labelling of textiles and textile products".
- ♦ care instructions shall be clearly shown in words and symbols.

15.3 Marking

- ♦ Each Coverall to have a label, sewn at the centre back collar that provides the following information:
 - the item description, i.e. Coverall.
 - the National Stock Number.
 - the size designation.
 - the manufacturer's name or trade mark or both.
 - the year of manufacture.
 - the words "SA ARMY".
 - space for the wearer's name with the following wording: "Name: _____".
 - VAT no of the contractor.
 - Country of Origin.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	27	33

16. Packaging, Preparation and Marking

16.1 Packaging

16.1.1 The Coverall shall be:

- ♦ delivered in a commercially dry condition.
- ♦ so packed that they will not be damaged in transit or in storage.
- ♦ neatly folded and individually packed in a plastics envelope of suitable size and shape.
- ♦ unless otherwise specified in the order or contract, acceptably packed (in units of 10) for transit in acceptable bulk containers that comply with the requirements of 05181-100-209 "Corrugated board boxes for clothing".

16.1.2 Coveralls:

- ♦ of the same size designation to be packed together in a bulk container (unless quantities ordered are such that packing together of the same size only is not justified).
- ♦ of different size designations may also be packed together to accommodate the last part of an order or contract.

16.2 Marking of packaging

16.2.1 Cardboard boxes:

Each box to be clearly marked with the following information:

- ♦ the Item description, i.e. "Coverall, Men's, SA Army; Camouflage; One-piece".
- ♦ the size designation.
- ♦ the National Stock Number.

16.2.2 Bulk containers:

In addition to the address for delivery, each bulk container shall be labelled with additional information on the four sides of the lids (outer component). The information shall be written or printed in legible and indelible block letters and the label shall be of minimum A4-paper size, and shall contain the following:

- ♦ the Item description, i.e. "Coverall, Men's, SA Army; Camouflage; One-piece".
- ♦ the quantity.
- ♦ the order number.
- ♦ the mass of the packed container.
- ♦ the manufacturer's name or trade mark or both.
- ♦ the year of manufacture.
- ♦ the National Stock Number.
- ♦ the size designation.
- ♦ FIFO marking.
- ♦ VAT no of Contractor.
- ♦ SABS Certificate / Invoice number.
- ♦ number of bulk containers, e.g. "1 of 10".

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	28	33

16. Additional marking

When so required by the South African Army coveralls, envelopes or containers (or any combination of these) to bear information additional to that specified above.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	29	33

Annexure A (Informative)

Embroidered National Flag

1. Base fabric

Base fabric to be:

- ♦ an acceptable white cotton drill fabric.

2. Interlining

Interlining to be:

- ♦ an acceptable fusible non-woven interlining.
- ♦ to comply with the requirements of CKS 627 "Fusible interlinings".
- ♦ colour to be white.

3. Embroidery thread

Embroidery thread to be:

- ♦ 100 % viscose machine embroidery thread.
- ♦ ticket No. 120.
- ♦ of a colour that is an acceptable match to the appropriate colour of CKS 129 "Colours for textiles" as listed below:

- National Flag White:	colour No. 2200c
- National Flag Black:	colour No. 2201c
- National Flag Blue:	colour No. 2202c
- National Flag Red:	colour No. 2203c
- National Flag Yellow:	colour No. 2204c
- National Flag Green:	colour No. 2205c

NOTE: These colours have been archived and will have to be re-registered.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	30	33

4. Workmanship

The badges shall be:

- ◆ embroidered with first-class workmanship throughout.
- ◆ of uniform and acceptable make, colour and finish.

The badges shall be free from:

- ◆ defects, that affect their appearance or may affect their serviceability (or both).
- ◆ marks.
- ◆ spots.
- ◆ stains incurred in the making-up.

All edges shall be:

- ◆ free from fraying.
- ◆ smooth.
- ◆ trimmed and loose threads removed.

5. Design and make

The badges shall be:

- ◆ machine embroidered.
- ◆ embroidered on a base fabric.
 - interlining to be fused to underside of base fabric.
- ◆ embroidered in such a way that each shall have a "Tajima" stitch count of 8 200.
- ◆ sewn to the relevant garments along the outer edges of the badges.
- ◆ such that the design, colours and dimensions comply with the attached profiles.

The design shall:

- ◆ incorporate the South African National Flag.
- ◆ incorporate the words "SOUTH AFRICA".
 - positioned above the flag.
 - embroidered in white on a black embroidered background.
- ◆ incorporate a 2 mm white border.
 - along outer edges of badge.
 - along top edge of flag (dividing wording and flag).

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	31	33

A) The colours of the flag shall be as follows:



Table 1 - CKS 129 Numbers


Colour	CKS 129 Number
National Flag White	2200c
National Flag Black	2201c
National Flag Blue	2202c
National Flag Red	2203c
National Flag Yellow	2204c
National Flag Green	2205c

B) Each colours section of the national flag shall be in proportion to the height as follows:

Table 2 - Proportion and Width

Colour section	Proportion	Width
National Flag Red	1/3	11.0 mm
National Flag Blue	1/3	11.0 mm
National Flag Green	1/5	6.6 mm
National Flag White	1/15	2.2 mm
National Flag Yellow	1/15	2.2 mm

C) c) The dimensions of the badge shall be as follows:




Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-111	January 2014	SA Army	003	32	33

PRODUCT SPECIFICATION

Prepared for the

South African Army

**Jacket, Cold Weather
SA Army, Mans; Combat Dress; Camouflage**



Document Number: 05181-100-020

Issue 004

February 2015

1. Scope

This specification covers the performance, design, manufacture, tests and acceptance requirements for jackets, warm, for personnel of the South African Army.

2. Definitions and Abbreviations

For the purpose of this specification the definitions given in SANS 10371 "Terms and definitions for clothing" and the following shall apply:

acceptable: acceptable to the SA Army and/or the Procurement Authority

FIFO: First in First out

NSN: National Stock Number

nominal: subject to the tolerances normal to good manufacturing practice

SANS: South African National Standard

3. Applicable Documents

The following documents contain provisions which, through reference in this text, constitute provisions of this specification. All documents are subject to revision and, since any reference to a document is deemed to be a reference to the latest edition of that document, parties to agreements based on this specification are encouraged to take steps to ensure the use of the most recent editions of the documents indicated below. Information on currently valid national, international and CKS documents may be obtained from Standards South Africa*.

05181-100-011, *Camouflage uniform fabric.*

05181-100-209, *Corrugated board boxes for clothing and footwear.*

CKS 129, *Colours for textiles.*

SANS 432, *Indelible marking ink for textile fabrics.*

SANS 142, *Narrow elastic fabric and strip.*

SANS 1254, *Fusible interlinings.*

SANS 1309, *Printed labels for textiles.*

SANS 1362, *Sewing threads.*

SANS 1457, *Plastics buttons.*

SANS 1822, *Slide fasteners.*

SANS 5278, *Sewing stitches per unit length.*

* Standards South Africa: Tel. +27 (0) 12 428 7911

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	4	28

SANS 1823, *Touch and close fasteners.*

SANS 10011, *Care-labelling of textile piece-goods, textile articles and clothing.*

SANS 10235, *Fibre-content labelling of textiles and textile products.*

SANS 10371, *Terms and definitions for clothing.*

4. References

This section is not applicable to this specification.

5. Style

The style is as follows:

- ♦ single breasted
- ♦ slide fastener front opening
- ♦ laid-on button fly flap and fly catch
- ♦ a stand type collar
- ♦ two welted breast pockets
- ♦ two welted side pockets
- ♦ back to be plain
- ♦ raglan long sleeves
- to have a gusset at the scye
- adjustable cuff
- have a reinforcement patch at the elbow
- ♦ body and sleeves to be fully lined

Standard samples, where available, are held by, and may be viewed at the Procurement Authority.

6. Interface

The jacket has an interface with the following Combat Dress Uniform items:

- ♦ CD Trouser
- ♦ CD Shirt
- ♦ CD Coverall
- ♦ CD Coverall, Jacket
- ♦ CD Coverall, Trouser

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	5	28

7. Illustrations

Illustrations are not to scale and are for guidance only.




Fig 1 - CD Cold Weather Jacket - Front




Fig 2 - CD Cold Weather Jacket - Rear

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	6	28

8 Client Furnished Materials

The outer material will be supplied by the South African Army:

- ♦ The outer material to be a camouflage uniform fabric that complies with the requirements of 05181-100-011
 - of minimum width 148 cm
 - quantity supplied shall be in accordance with the material ratings agreed upon between the South African Army and the successful tenderer in order to fulfill the contract
 - outer material for pre-production samples and for testing purposes to be estimated and rated additionally

All available patterns will be supplied by the Procurement Authority.

9. Component Materials

The following materials shall be supplied and used by the manufacturer. A trim chart containing the components as given in section 9 shall accompany each pre-production sample.

9.1 Interlining

- ♦ an acceptable fusible woven interlining
- ♦ to comply with the requirements of CKS 627
- ♦ suitable for use in garments which are to be washed
 - capable of withstanding the same washing and drying procedures as specified for the outer material

The selection of interlining of appropriate mass per unit area to be determined by consultation with the supplier of the interlining.

9.2 Lining

- ♦ to be a composite material
- ♦ a highly resilient foam rubber or foam plastics of nominal thickness 3 mm, bonded to a warp knitted polyester fabric
- ♦ colour to be an acceptable match to the colour no 144c "Kalahari brown" of CKS 129
 - Material, 45 gsm Tricot
 - Thickness, 3 mm
 - Density, 24
 - Weight, 153 gms
 - Ticket, AVR Perm 3.19 L/m²/S

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	7	28

9.3 Slide fastener

- ♦ to comply with the requirements of SANS 1822
- ♦ colour to be an acceptable match to the colour no. 144c "Kalahari brown" of CKS 129

Front fasteners:

- comply with the requirements for performance class E slide fasteners
- synthetic moulded elements
- one-way open end

Pocket fasteners:

- comply with the requirements for performance class B slide fasteners
- synthetic spiral elements
- one-way closed end

9.4 Elastic webbing

- ♦ to be of width 40 mm
- ♦ to comply with the requirements for type 1 of SANS 142 "Narrow elastic fabrics and strip"

9.5 Buttons

- ♦ four-hole plastics
- ♦ to comply with the requirements of SANS 1457 "Plastics buttons"
- ♦ nominal diameter of 16.5 mm
- ♦ dope-dyed
- ♦ plain, no rim
- ♦ matt finish
- ♦ fully impregnated
- ♦ colour to be an acceptable match to the colour no 144c "Kalahari brown" of CKS 129

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	8	28




Fig 3 - Button - Dimensions

9.6 Touch and close fasteners

- ♦ to comply with the requirements of SANS 1823 "Touch and close fasteners"
- ♦ of finished width 25 mm
- ♦ colour to be an acceptable match to the colour no 144c "Kalahari brown" of CKS 129

9.7 Embroidered badge

- ♦ see Annex A

NOTE: The embroidered badge is not an integrated part of the jacket and is constructed separately before it is sewn to the garment.

9.8 Threads

- ♦ to comply with relevant requirements of SANS 1362
- ♦ colours:
 - jacket - an acceptable match to colour No. 144c "Kalahari brown" of CKS 129
 - attachment of embroidered flag - an acceptable white colour as specified for the embroidered flag

Sewing and top-stitching thread:

- ♦ polyester-and-cotton core-spun or staple polyester

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	9	28

- ♦ ticket No. 80 in both cases

10. Workmanship

The jackets shall be:

- ♦ cut and made with first-class workmanship throughout
- ♦ of uniform and acceptable make, colour and finish

Shall be free from:

- ♦ defects, that affect their appearance or may affect their serviceability (or both)
- ♦ marks
- ♦ spots
- ♦ stains, incurred in the making-up

Seams and stitches shall be:

- ♦ smooth and uniform
- ♦ free from twists, pleats and puckers
- ♦ sufficiently extensible to avoid seam cracking and undue shrinkage in use

Ends of sewing shall be:

- ♦ trimmed and loose threads removed
- ♦ back-tacked if unsecured (at least 15 mm)

Points not defined in the specification that requires assessing at inspection:

- ♦ Place the jackets on a dummy and check the following points:
 - is the front and back balance correct?
 - are the pockets level and positioned correctly?
 - are there any visible signs that the body or sleeve lining is tight?
 - are lines of top-stitchings of consistent widths?
 - is the appearance neat and clean?

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	10	28

11. Sizes and dimensions




Fig 4 - CD Cold Weather Jacket - Measurements

MEASURING POINT		DESCRIPTION
A - A	Chest circumference	Measure at the base of the scye (at the base of the underarm gusset) , with garment fastened and spread completely flat, and multiply by two.
B - B	Bottom hem circumference	Measure along the bottom hem, with garment fastened and spread completely flat, and multiply by two.
C - C	Back length	Measure from the centre back neck seam to the bottom edge of the garment.
D - D	Sleeve length	Measure from the collar seam at the shoulder to the outer edge of the cuff.
E - E	Sleeve circumference	Measure across the sleeve approximately 15 cm below the gusset to sleeve seam, and multiply by two.
D - F	Cuff circumference	Measure across the bottom edge of the cuff, extended with the adjustable strap not fastened, and multiply by two.

	Date	Responsibility	Doc Issue	Page	No of pages
20	February 2015	SA Army	004	11	28

Table 1 - Size range

1	2	3	4	5	6	7	8	9
National Stock Number	Size designation ¹⁾	Chest	Nominal finished garment measurements, cm					
			Chest circumference	Bottom hem circumference	Back length	Sleeve length	Sleeve circumference	Cuff circumference
180181970	95-70	63-72	96	96	69	69	36.5	27
180181971	95-80	73-82	103	103	72	72	40	28
180181978	95-90	83-92	112	112	74	75	43	29
180181979	95-100	93-102	119	119	76	78	46.5	30
180181980	95-110	103-112	130	130	79	79	49.5	30.5
180181981	95-120	113-122	141	141	81	79	52.5	31
180181982	95-130	123-132	153	153	84	80	55	31.5
180181983	99-70	63-72	96	96	73	74	36.5	27
180181984	99-80	73-82	103	103	76	76	40	28
180181985	99-90	83-92	112	112	78	79	43	29
180181986	99-100	93-102	119	119	80	82	46.5	30
180181987	99-110	103-112	130	130	83	83	49.5	30.5
180181988	99-120	113-122	141	141	85	83	52.5	31
180181990	99-130	123-132	153	153	88	84	55	31.5
181801012	Special Measurement							

¹⁾ Based on the chest circumference, in centimetres, of the intended wearer

12. Make

Illustrations are not to scale and are for guidance only, and unless inconsistent with the text, all measurements are nominal.

12.1 Fronts

Fronts shall:

- ♦ be single breasted
- ♦ fasten with a slide fastener

Each front shall have:

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	12	28

- ◆ a vertical welted breast pocket
- ◆ a slanted welted side pocket

Each right front shall have:

- ◆ have a fly-catch
- ◆ four or five buttons (depending on the size)

Each left front shall have:

- ◆ have an attached fly flap

12.2 Pockets

Pockets shall be:

- ◆ welt pockets
- ◆ of folded outer material
- ◆ interlined with interlining
- ◆ top stitched 2 mm and 9 mm from the edges (the mouth of each welt and top and bottom edges)
- ◆ attached to the fronts by means of stitchings on top of the double stitching (end of each pocket)
- ◆ bar-tacked at the outer corners

Breast Pockets:

Welt:

- ◆ to be vertical
- ◆ welt to be of finished width and length 55 mm and 19.5 cm respectively
- ◆ welt to be superimposed over the pocket mouth of a double jetted pocket
- ◆ positioned with the front edge 20 mm from the rear edge of the fly flap
- ◆ positioned with the opening facing forward
- ◆ attached to the front, folded forward and top-stitched 2 mm from the turned edge

Double jetted pocket:

- ◆ of finished length 17 cm
- ◆ positioned 70 mm in from the front edge (measured from the centre of the double jetted pocket to the centre front)
- ◆ top of the pocket to be in line with a point 19 cm from the gorge seam (measured down the front edge)
- ◆ mouth to be fitted with a slide fastener
 - ~ when closed, the slider is at the top of the pocket
- ◆ the pocket bag shall be of finished width and depth 15 cm and 10 cm respectively (measured from the bottom of the pocket mouth)
- ◆ the top of the finished pocket bag shall extend 35 mm above the edge of the pocket welt

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	13	28

- to be sewn to the foreparts with a double row of stitching 7 mm apart
- to extend the full width of each forepart

Side Pockets:

Welt:

- ♦ to be slanted at a 15° angle to the vertical
- ♦ welt to be of finished width and length 45 mm and 18 cm respectively
- ♦ positioned with the front point, 11 cm in from the side seam
- ♦ the distance from the gorge seam shall be as given in table 2

Table 2 - Positioning of side pockets

Sizes	Distance	Sizes	Distance
95-70	39.2 cm	99-70	42 cm
95-80	39.8 cm	99-80	42.6 cm
95-90	40.4 cm	99-90	43.2 cm
95-100	41 cm	99-100	43.8 cm
95-110	41.6 cm	99-110	44.4 cm
95-120	42.2 cm	99-120	45 cm
95-130	42.8 cm	99-130	46.1 cm

Pocket bag:

- ♦ the pocket bag to extend to the front edge
- ♦ front edges of pocket bag to be sewn in with the front edge of the jacket
- ♦ of such depth as not to interfere with the bottom hem of the jacket

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
100-020	February 2015	SA Army	004	14	28




Fig 5 - CD Cold Weather Jacket - Measurements and Description

12.3 Back

Back to:

- ◆ be plain
- ◆ one-piece

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	15	28

12.4 Sleeves

Sleeves to:

- ◆ be long
- ◆ be one-piece
- ◆ be raglan sleeves
- ◆ have attached cuffs
 - cut in two sections (front and rear)
 - to be of double folded outer material, to form the lining on the inside
 - of finished width 40 mm
 - inserted in half of the cuff (forearm), shall be a length of elastic webbing
 - of such length that when the cuff is finished, the circumference shall be as given in column 8 of table 1
 - rear section of the cuff to be fitted with a section of female touch and close fastener of length 13 cm
 - to have a tab
 - of outer material
 - of finished length and width 70 mm and 40 mm respectively
 - sewn in with the joining seam of the elasticated and plain section
 - facing towards the back
 - fitted with a 50 mm length of male touch and close fastener
- ◆ to have a reinforcement patch of outer material
 - positioned 70 mm above the cuff seam
 - of finished length and width 23 cm and 21 cm respectively
 - all edges to be turned in 10 mm and stitched down 2 mm and 9 mm from the turned edge
- ◆ width of sleeve at the neck point shall be 60 mm
- ◆ to have a triangular gusset
 - attached to the scye on each side of the underarm seam
 - of finished length and depth 22 cm and 9 cm respectively




Fig 6 - Cuff fasteners

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	16	28

- ♦ fitted with an embroidered badge of the National flag
 - centrally positioned over the over-arm line of the left sleeve (shall be squared-off and not positioned skew)
 - sewn-on
 - positioned 17 cm below the collar-to-neck seam on the smallest size (graded proportionally for bigger sizes)
 - to comply with the requirements as specified in Annex A





Fig 7 – Position of national flag

12.5 Collar

The collar to be:

- ♦ plain
- ♦ one-piece
- ♦ a stand collar

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	17	28

- ♦ of outer material
 - ♦ lined with outer material
 - ♦ interlined with fusible interlining (fused to the outside section of the collar when worn)
 - ♦ interlined with lining
 - ♦ of finished width at the centre back 90 mm and 65 mm at the front
 - ♦ top-stitched 7 mm from the free edges
 - ♦ fitted with a female section of touch and close fastener
- positioned on the outside
 - positioned on the right side of the collar (when worn)
 - of finished length 60 mm, sewn with the edge in line with the top stitching along the vertical front edge of the collar

12.6 Fly catch, facing, lining and fly flap

The fly-catch to:

- ♦ be of double folded outer material
- ♦ be of finished width 30 mm
- ♦ extend from the top outer edge of the collar to approximately 10 cm from the finished bottom edge of the jacket
- ♦ be rounded along the right top corner (when worn)
- ♦ have the free edges top-stitched 7 mm from the edge

The lining and facing

- ♦ the body and sleeves to be fully lined with lining
 - ♦ front section of the lining shall have an laid-on outer material facing
- of finished width 15 mm at the sleeve seam point
 - bottom shall extend to halfway between the top and the second button/buttonhole
 - top edge to be sewn in with the gorge seam
 - side and bottom edges to be folded in and sewn down 2 mm from the turned-in edge

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	18	28




Fig 8 - Facing detail

The slide fastener and fly flap

- ◆ sandwiched between the outer front edge and lining seam of the fronts, shall be the stringer of a slide fastener
- ◆ the right front stringer shall be backed with the fly catch
- ◆ front seam shall be top stitched 7 mm from the edge
- ◆ the left front to have a fly flap
 - of outer material
 - interlined with fusible interlining
 - to be of finished width 75 mm
 - the length to be such that it extends from the top edge of the collar to 50 mm above the bottom edge of the jacket
 - to be sewn to the left front of the jacket 20 mm from the front edge
 - turned back and top stitched 7 mm from the turn back
 - free edges shall be top stitched 7 mm from the edges
 - lined with outer material that also forms the buttonhole fly
 - to be 5 mm in from the outer edge of the fly flap
 - to be of finished width 45 mm
 - fitted with 4 or 5 buttonholes (depending on the size)(see 12.8)
 - to be securely tacked between each buttonhole and between the top buttonhole and the top edge
- to be fitted with a male section of touch and close fastener
 - positioned along the top of the fly flap on the inside
 - so positioned as to be aligned with the female section of the touch and close fastener on the collar
 - of finished length 60 mm

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	19	28




Fig 9 - Slide fastener and fly flap

12.7 Bottom hems

The bottom hem of jacket:

- ◆ together with the lining, shall be turned up 30 mm
- ◆ to be turned in 10 mm
- ◆ to be stitched 2 mm from the edge
- ◆ to be of finished width 20 mm

12.8 Buttons and buttonholes

Buttonholes to be as follows:

For sizes 95-70 to 130:

- ◆ fly flap to have four buttonholes
- ◆ bottom buttonhole to be positioned 20 mm from the bottom of the flap
- ◆ top buttonhole to be positioned where the second buttonhole would have been if there were five buttonholes
- ◆ remaining buttonholes to be equidistantly spaced

For sizes 99-70 to 130:

- ◆ fly flap to have five buttonholes
- ◆ bottom buttonhole to be positioned 20 mm from the bottom of the flap
- ◆ top buttonhole to be positioned 20 mm from the top of the fly flap
- ◆ remaining buttonholes to be equidistantly spaced

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	20	28

Buttons:

- ♦ each right front to have four or five buttons (as appropriate)
- ♦ so positioned that when the slide fastener is fastened, the buttons correspond to the position of the buttonholes in the fly flap

12.9 Hanger

The hanger to be:

- ♦ of double folded outer material
- ♦ of cut length 75 mm
- ♦ of width 10 mm
- ♦ sewn in with the collar at the centre back on the inside of the jacket

13. Test Methods

Sewing stitches per unit length: determine in accordance with SANS 5278 "Sewing stitches per unit length."

14. Stitches, Seams and Stitchings

14.1 Stitches


Stitches: single needle lock stitch

Overlocking: three-thread overlocking stitch

14.2 Seams

Seams to be at least 10 mm wide (unless otherwise stated):

Side seams, sleeve, gusset and sleeve insertion seams, collar and cuff seams: seam type SSa-1



Superimpose two or more plies of material and seam with one row of stitches positioned at the specific distance(s) from the aligned edges.


Free edges of collar, cuffs and fly flap: seam type SSae-2

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	21	28




Form seam Type SSa-1, using two plies of material. Then turn back each ply at the seam and seam with the appropriate number of rows of stitches, ensuring that when more than one row of stitches is used, one row passes through the folded edges.

Front edges of forepart: Seam type SSq-2



Form seam Type SSa-1, using three or more plies of material. Then turn each outer ply back at the seam and seam with the appropriate number of rows of stitches.


Attachment of breast pocket welts, fly flap and edges of elbow patches: Seam type LSq-2



Form seam Type SSa-1, using two plies of material. Then turn back the top ply at the seam and seam with the appropriate number of rows of stitches.

14.3 Stitchings

Bottom hem of jacket: stitching type EFf-1



Turn in twice the edge of a ply of material, insert a strip between the fold and the body, and stitch with the appropriate number of rows of stitches.

14.4 Number of stitches

The determination of sewing stitches per unit length: use SANS 5278

All seams and top-stitching: 40 ± 2 per 10 cm

Overlocking: 32 ± 4 per 10 cm

Buttonholes: 12 ± 1 per 1 cm

Buttons: 16 ± 1 per button

Bar-tacks: 20 ± 1 per 1 cm

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	22	28

15. Care-labelling and marking

15.1 Label properties

All labels shall:

- ♦ be white woven rayon labels that are printed
- ♦ comply with SANS 1309 "Printed labels for textiles"
 - information to be in legible and indelible block letters of height at least 3 mm
 - ink used for printing shall comply with SANS 432
- ♦ permanently secured
- ♦ be such that they outlast the garments (including the markings)

15.2 Care-labelling

- ♦ Each garment shall have a label positioned on the inside left side seam that provides correct and appropriate care instructions (in words and symbols, in accordance with SANS10011 "Care-labelling of textile piece-goods, textile articles and clothing")
- ♦ each label to include the composition of the main fabric in accordance with the requirements of SANS 10235 "Fibre-content labelling of textiles and textile products"

15.3 Marking

- Each jacket to have, centrally secured to the lining below the centre back neck on the inside of the garment, a white woven cotton or rayon label that provides the following information:
 - the item description, i.e. "Jacket, Cold Weather, SA Army, Mans; Combat Dress; Camouflage"
 - the National Stock Number
 - the size designation
 - the manufacturer's name or trade mark or both
 - the year of manufacture
 - the words "SA ARMY"
 - space for the wearer's name with the following wording: "Name: _____"
 - VAT no of the contractor
 - Country of Origin

16. Preparation, packaging and marking

16.1 Packaging

16.1.1 The jackets shall be:

- ♦ delivered in a commercially dry condition

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	23	28

- ◆ so packed that they will not be damaged in transit or in storage
- ◆ neatly folded and individually packed in a plastics envelopes of suitable size and shape
- ◆ unless otherwise specified in the order or contract, acceptably packed (in units of 10) for transit in acceptable bulk containers that comply with the requirements of 05181-100-209 "Corrugated board boxes for clothing"

16.1.2 Jackets:

- ◆ of the same size designation to be packed together in a bulk container (unless quantities ordered are such that packing together of the same size only is not justified)
- ◆ of different size designations may also be packed together to accommodate the last part of an order or contract

16.2 Marking of packaging

16.2.1 Plastics envelopes:

Each envelope to be clearly marked with the following information:

- ◆ the item description, i.e. "Jacket, Cold Weather, SA Army, Mans; Combat Dress; Camouflage"
- ◆ the size designation
- ◆ the National Stock Number

16.2.2 Containers

In addition to the address for delivery, each bulk container shall be labelled with additional information on the two smallest sides of the lid (outer component) and on the two smallest sides of the base (inner component). The information shall be written or printed in legible and indelible block letters and the label shall be of minimum A4-paper size, and shall contain the following:

- ◆ the item description, i.e. "Jacket, Cold Weather, SA Army, Mans; Combat Dress; Camouflage"
- ◆ the quantity
- ◆ the order number
- ◆ the mass of the packed container
- ◆ the manufacturer's name or trade mark or both
- ◆ the year of manufacture
- ◆ the National Stock Number
- ◆ the size designation
- ◆ FIFO marking
- ◆ VAT no of Contractor
- ◆ SABS Certificate / Invoice number

16.3 Additional marking

When so required by the South African Army, jackets, envelopes or containers (or any combination of these) to bear information additional to that specified above.

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	24	28

Annexure A

(Informative)

Embroidered National Flag

1. Base fabric

Base fabric to be:

- ◆ an acceptable white cotton drill fabric

2. Interlining

Interlining to be:

- ◆ an acceptable fusible non-woven interlining
- ◆ to comply with the requirements of CKS 627 "Fusible interlinings"
- ◆ colour to be white

3. Embroidery thread

Embroidery thread to be:

- ◆ 100 % viscose machine embroidery thread
- ◆ ticket No. 120
- ◆ of a colour that is an acceptable match to the appropriate colour of CKS 129 " as listed below:
 - National Flag White : colour No. 2200c
 - National Flag Black : colour No. 2201c
 - National Flag Blue : colour No. 2202c
 - National Flag Red : colour No. 2203c
 - National Flag Yellow: colour No. 2204c
 - National Flag Green : colour No. 2205c

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	25	28

4. Workmanship

The badges shall be:

- ◆ embroidered with first-class workmanship throughout
- ◆ of uniform and acceptable make, colour and finish

The badges shall be free from:

- ◆ defects, that affect their appearance or may affect their serviceability (or both)
- ◆ marks, spots and stains incurred in the making-up

All edges shall be:

- ◆ free from fraying
- ◆ smooth
- ◆ trimmed and loose threads removed

5. Design and make

The badges shall be:


- ◆ machine embroidered
- ◆ embroidered on a base fabric
 - interlining to be fused to underside of base fabric
- ◆ embroidered in such a way that each shall have a "Tajima" stitch count of 8 200
- ◆ sewn to the relevant garments along the outer edges of the badges
- ◆ such that the design, colours and dimensions comply with the attached profiles

The design shall:

- ◆ incorporate the South African National Flag
- ◆ incorporate the words "SOUTH AFRICA"
 - positioned above the flag
 - embroidered in white on a black embroidered background
- ◆ incorporate a 2 mm white border
 - along outer edges of badge
 - along top edge of flag (dividing wording and flag)

Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	26	28

A) The colours of the badge shall be as follows:




Colour	CKS 129 Number
White	2200c
Black	2201c
Blue	2202c
Red	2203c
Yellow	2204c
Green	2205c

B) Each colour section of the national flag shall be in proportion to the height as follows:

Colour section	Proportion	Width
Red	1/3	11.0 mm
Blue	1/3	11.0 mm
Green	1/5	6.6 mm
White	1/15	2.2 mm
Yellow	1/15	2.2 mm

C) The dimensions of the badge shall be as follows:



Doc No	Date	Responsibility	Doc Issue	Page	No of pages
05181-100-020	February 2015	SA Army	004	27	28