

Cochrane Razor Mesh Fence Preambles:

Manufacturer:

Purpose Made Razor Mesh High Security Fence as by Cochrane (+27 31 700 5990). This specification covers material requirements and installation of security fencing. Furnish and install fence, gates and accessories as required and shown. CSIR, SABS, North Atlantic Treaty Organization (NATO) and International Aviation Authority Organization (ICAO).
CSIR Test - 980289, 050036, 050056, T09998.
SABS Test - 2536/YM139
Nato Stock - 5600/99-458-7474
CAO - ICAO Security Manual

Post Description:

- Post shall be 100mm Straining posts with 50mm intermediate posts. Height: 2400mm from ground level.
- Post shall be sealed with a galvanised steel cap and fitted with a 6 mm base plate.
- Post finish shall be 'Hot Dipped Galvanized'.

Panel Description:

- Razor mesh shall be installed to posts with 2.5mm high-tensile (1500mmPA) galvanised core wires, spacing as specified by cochrane.
- Razor mesh aperture shall be standard density as specified by cochrane.
- Razor mesh shall be affixed to posts over core wires as specified by cochrane.
- Razor Mesh and all fixtures shall be 'Hot Dipped Galvanized'.

Additions Description:

- None

DRAWING DESCRIPTION:

COCHRANE RAZOR MESH FENCE PREAMBLES PAGE 1

SCALE:

NTS

REV NO:

R00
16-Nov-23

DISCIPLINE

ARCHITECT

SAKHIWO
INFRASTRUCTURE
SOLUTIONS



PROJECT TITLE

"RTMC TRAINING ACADEMY OF
EXCELLENCE PHASE 3
URGENT WORKS"

PROJECT NO: 20128-UW

DRW NO:

DRAWN: JCvR None

DATE: 8-Nov-23

ISSUED: 16-Nov-23

P3-SHW-070-026